



**AgEcon** SEARCH  
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

*The World's Largest Open Access Agricultural & Applied Economics Digital Library*

**This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.**

**Help ensure our sustainability.**

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

[aesearch@umn.edu](mailto:aesearch@umn.edu)

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

**Assessing Water Use and Water Quality Change with Respect to Large-Scale Expansion of Ethanol Feedstock Production in United States**

Lixia He

Department of Agricultural Economics  
310D Morgan Hall, 2621 Morgan Circle  
University of Tennessee, Knoxville, TN 37996  
Tel: (865)974-8726  
Email: lixiahe@gmail.com/lamber3@utk.edu

Burton C. English

Department of Agricultural Economics  
302 Morgan Hall, 2621 Morgan Circle  
University of Tennessee, Knoxville, TN 37996  
Tel: (865)974-3716  
Email: benglish@utk.edu

Daniel G. De La Torre Ugarte

Department of Agricultural Economics  
310A Morgan Hall, 2621 Morgan Circle  
University of Tennessee, Knoxville, TN 37996  
Tel: (865) 974-5005  
Email: danieltu@utk.edu

Verel W. Benson

College of Agriculture, Food & Natural Resources  
215 Ag Engineering Building, Room 229  
University of Missouri, Columbia, Missouri 65211  
Tel: (573) 882-0689  
Email: bensonv@missouri.edu

Bradley Wilson

Department of Agricultural Economics  
310B Morgan Hall, 2621 Morgan Circle  
University of Tennessee, Knoxville, TN 37996  
Tel: (865) 974-3713  
Email: driver8@utk.edu

***Poster prepared for presentation at the Agricultural & Applied Economics Association 2010  
AAEA, CAES, & WAEA Joint Annual Meeting, Denver, Colorado, July 25-27, 2010***

*Copyright 2010 by Lixia He, Burton C. English, Daniel G. De La Torre Ugarte, Verel W. Benson, and Bradley Wilson. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.*

# Assessing Water Use and Water Quality Change with Respect to Large-Scale Expansion of Ethanol Feedstock Production in the United States




Lixia He, Burton C. English, Daniel De la Torre Ugarte, Verel Benson, and Bradley Wilson  
The University of Tennessee  
Department of Agricultural and Resource Economics



## Overview

The strong national interest in biofuel production from agricultural crops including corn, crop residue and perennial grasses complicates the design and implementation of water conservation policy. The potential impacts of the 2007 biofuel mandate (*produce 36 billion gallons of ethanol by 2022 with 21 billion gallons of ethanol from feedstock other than corn*) on water demand and quality will be experienced locally or regionally and difficult to anticipate.

Ethanol produced in the United States primarily depends on corn growers in the Midwest. And in recent years, cotton and soybean acres have shifted to corn as producer respond to incentives. Producers choose pesticides, fertilizers, and irrigation to maximize corn production. For the Midwest, ensuring maximum production of corn as a primary ethanol feedstock may increase sediment erosion and accelerate runoff into nearby streams and rivers, unless producers voluntarily participate in conservation programs and implement best management practice.



Source: USDA's National Agricultural Statistics Service Data



The potential emergence of a cellulosic feedstock-based biofuel industry may improve water quality and availability. Cellulosic crops such as native perennial grasses (e.g., switchgrass) and crop residues could use less water, pesticides, and fertilizers than traditional crops currently under cultivation. However, the potential improvement in water quality due to cellulosic feedstock is uncertain. For example, removing corn stover (a likely first generation cellulosic feedstock) could exacerbate erosion if farmers collect too much stover after harvest. Large scale monoculture production of a new energy crop may also increase the threat of pests and weeds compared to production practices that incorporate a diversity of crops and/or plant species. In the case of switchgrass, herbicide use could increase substantially during early establishment because weeds may invade when stands are still thin.

## Research Questions

- How will water requirements for crop production change in order to the ethanol feedstock demand?
- With different cropping patterns and management practices, how would that affect the chemical runoffs hence the water quality in different regions across the nation?




For both corn and cellulosic ethanol feedstock production, water demand is difficult to monitor because the same crop could consume different amounts of water, depending on where the crop is grown, the irrigation technologies used, and field management practices. Water quality impacts may be even more difficult to monitor because fertilizers and other chemical runoff depend on application rates, frequency, and quantity of water applied to the field.  
(Image from: <http://www.accessscience.com/IOW/iow.aspx?iowID=14>)

## Objectives

- Quantify the gross water use required and water quality changes at county (n = 3011) and Agricultural Statistic District (n = 305) levels to meet the anticipated demand for ethanol feedstock under different cropping scenarios.
- Identify policies that will enhance water quality and water conservation under mandated ethanol production goals and estimate the impacts of potential national water policy tools.


## Methodology

- POLYSYS (Agricultural Policy Analysis Systems): an agricultural sector model of United States.
- EPIC: a field level soil and water influence model used to generate environmental parameters.
- Integration of POLYSYS and EPIC will be useful in analyzing agricultural production impacts on water resources in United States assuming that crop and residue production goals will be achieved through the National Energy Mandate in 2022.




## Preliminary Results

Figure 1: Geographic Distribution of the Production of Cellulosic Feedstock




The majority of cellulosic feedstock production occurs in the central, south central, and heartland regions of the United States. Switchgrass is produced primarily in the southeast, while corn stover is produced in the corn growing areas of the Midwest.

Figure 2: Geographic Distribution of Water Use Changes



Indicative mean value of crop water needed were used to calculate the water demand. The southeastern United States, where much of the dedicated energy crop production would occur, achieves the greatest percentage declines in water use.


Figure 3: Nitrogen Expenditure Changes



Nitrogen and herbicides expenditures are used as a proxy for water quality impacts.

The largest percentage decrease in nitrogen use occurs in the southeast, mid-north, and mid-west regions, where the decrease can be as much as 21%.

Figure 4: Herbicide Expenditure Changes



Herbicide use declines where crops such as soybeans are being converted to dedicated energy crops, while herbicide use increases in areas where pasture is converted to a dedicated energy crop. This may be because large scale of production of new energy crops, such as intensive cultivation of native grasses, may increase pest and weed threats.

## Discussion and Ongoing Research

- The growth of bioenergy sector and cellulose-to-ethanol development will affect water demand and chemical use mainly in southeast region.
- Regional differences in land use and environmental conditions denote the need to incorporate specific regional conditions in the design of policy instruments encouraging biofuel feedstock production.
- It is important to understand the complex changes anticipated by the growth of the bioenergy sector in terms of local capacity and regional constraints as they pertain to water quality, water and soil conservation, and community well-being.
- Ongoing research focuses on providing timely information about the economic environmental, agricultural water demand, and agricultural economic and environmental trade-offs under multiple policy scenarios; including: (1) technical changes in bioenergy production, (2) different production targets, (3) conservation tillage practices, and (4) agricultural policies as related to expanding ethanol feedstock supply.