

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search http://ageconsearch.umn.edu aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.

Gross output and livestock sales modelling in Spanish extensive farms using PLSR

P. Gaspar^{a*}, F.J. Mesías^b, M. Escribano^a and F. Pulido^b

(a) Departamento de Producción Animal y Ciencia de los Alimentos. Universidad de Extremadura

(b) Departamento de Economía. Universidad de Extremadura.

Contact:^{*}Paula Gaspar. Departamento de Producción Animal y Ciencia de los Alimentos. Escuela de Ingenierías Agrarias. Ctra. Cáceres s/n. 06071. Badajoz. SPAIN



Paper prepared for presentation at the 107th EAAE Seminar ''Modelling of Agricultural and Rural Development Policies''. Sevilla, Spain, January 29th -February 1st, 2008

Copyright 2007 by P. Gaspar, F.J. Mesías, M. Escribano and F. Pulido. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

Abstract

The aim of this paper is to model some production variables in extensive livestock farms located in the dehesa ecosystem. We intend to use not only purely economic variables in the construction of the model, but also structural variables in order to identify the characteristics of the farms that have the higher influence. Another objective is to be able to predict these variables at the farm level, using structural variables that are easy to measure. The data used in this work were obtained from a questionnaire survey to the holders/managers of a sample of 69 dehesa farms in Extremadura (SW Spain). The statistical methodology used for the construction of the model was Partial Least Square Regression (PLSR). It can be concluded that the variables relative to farm intensification, to labour and especially to Iberian pig breeding, are those that take part mainly in the model.

Key words: dehesa, livestock farming systems, partial least square regression, gross output.

1. Introduction

The dehesa is an agroforestry system used for livestock range farming characterized by its mix of pasture and evergreen oak stands. It originated from the traditional Mediterranean forest, and indeed human intervention has been fundamental in maintaining the dehesa ecosystem as such, because the use of appropriate cultural practices has conserved the tree stratum, thus avoiding scrub invasion and increasing the system's efficiency (Coelho, 1994; Escribano and Pulido, 1998). Mixed-species grazing of beef cattle, sheep, and Iberian pigs is often practised to more efficiently utilize grazing resources. The orientation is to meat production and the sale of animals for intensive fattening (Pulido et al., 1999).

These rangelands constitute the most representative extensive livestock farming system of the Iberian Peninsula. It is localized in the SW quadrant, occupying a total surface area of 5.8 million ha in Spain and 0.5 million ha in Portugal (Joffre et al., 1999). The Spanish region of Extremadura is the main area, with 2.2 million hectares of dehesas.

Livestock farming systems in dehesas are based on their productive diversity and therefore the use of different livestock species simultaneously is frequent for a better use of the different resources. The average size of the farms is arround 500ha (Escribano et al. 2001a; Milán et al. 2006; Plieninger and Wilbrand, 2001; Plieninger et al., 2004; Porras et al., 2000) and the average level of stocking rate is 0.37 UGM/ha (Escribano et al., 2002), lower than other European systems considered as extensive (Lasseur, 2005; Milán et al., 2003; Serrano et al., 2004).

The main products obtained from dehesa systems are meat and live animals of the different species, most of them, considered as high quality products. The importance of these livestock farming systems is firstly for their contribution to the regional economy and secondly because the persistence of these types of farms guarantees the maintenance of this complex and particularly sensitive ecosystem.

Due to the complexity of these systems the purpose of this paper is to model some production variables in extensive livestock farms located in the dehesas. We intend to use not only purely economic variables in the construction of the model, but also structural variables in order to identify the characteristics of the farms that have the higher influence. Another objective is to be able to predict these variables at the farm level, using structural variables that are easy to measure.

2. Material and methods

The data used were obtained from survey questionnaires conducted with dehesa farm owners or managers in the Region of Extremadura (SW Spain). The surveys were carried out in 2004 and 2005 as part of the INTERREG-III project "Development of an information system for the environmental and economic management of the dehesa/montado ecosystem in Extremadura and Alentejo",

2.1. Sampling and questionnaire design

The surveyed farms were representative of dehesas in Extremadura, and were selected randomly according to forestry, soil-type, livestock, and economic size criteria. The sample consisted of 69 farms. The questionnaire comprised to principal blocks – a technical part to gather descriptive data on the area, infrastructure, and livestock management regime of the farm, and an economic part to collect data on the intermediate consumption and output generated in the system.

The surveys were conducted on site, and the interviewee was generally the farm's owner or manager. The interviews were carried out in each farm twice – once in 2004 for the data of the 2003 financial year, and again in 2005 for the 2004 financial year. The indicators used in the study are the mean values of these two years.

2.2 Methodological criteria and creation of the indicators

The technical indicators were designed on the basis of the work of Escribano et al. (2001b and 2002) for the stocking rate, Escribano et al. (2001a) for land uses, and Martín et al. (2001) for livestock productivity. The method used for the design of the economic indicators was a microeconomic adaptation of the Economic Accounts of Agriculture and Forestry (European Communities, 2000) with some methodological changes that have been implemented through several research works aimed at providing a rigorous measure of the economic resources of dehesa farms (Campos, 1993; Pulido and Escribano, 1994; Pulido, 2003). The variables used in this study, their measurement units, and the codes with which they are referred to throughout the paper, are listed in tables 1 and 2.

Production Indicators	Unit	Code				
Livestock sales/ha UAA	€ha	LvSales				
Gross output/ha UAA	€ha	GO				

Table 1. Production indicators, units and codes (dependent variables)

Technical Indicators	Unit	Code	Technical Indicators	Unit	Code
Cattle stocking rate	LU/ha	С	Rented UAA/Total UAA	%	REN
Sheep stocking rate	LU/ha	S	Wooded UAA/Total UAA	%	WOO
Goat stocking rate	LU/ha	G	Scrubland UAA/Total UAA	%	SCRUB
Pig stocking rate	LU/ha	Р	Pasture UAA/Total UAA	%	PAST
Total stocking rate	LU/ha	SR	Irrigated UAA/Total UAA	%	IRR
Permanent AWU/100 ha UAA	AWU/100ha	PER	Cultivated UAA/Total UAA	%	CUL
Temporary AWU/100 ha UAA	AWU/100ha	TEM	Reforested UAA/Total UAA	%	FOR
Family AWU/100 ha UAA	AWU/100ha	FAM	Livestock Subsidies	€ha	LS

Table 2. Technical indicators, units and codes (independent variables)

The selection of the technical indicators has been carried out taking into account, on the one hand, the fact that they were easy to obtain in a survey to producers, and on the other hand that they were significant enough to provide a good model for economic prediction.

2.3. Statistical Analysis

Partial least square regression (PLSR) (Martens and Næs, 1993; Esbesen, 2002) was carried out with the Unscrambler software (v. 9.2) (Camo AS, Oslo, Norway). PLSR is a multivariate calibration method, by which two sets of data, X (e.g. technical variables of the farms) and Y (e.g. production indicators) are related by means of regression. The purpose of PLSR is to establish a linear model, which enables the prediction of Y from the measured X, using an equation of the form

$$t_i = b_0 + \sum_{j=1}^m b_j x_{ij}$$

where t_i was the value of the economic indicator for the ith farms, b_0 was the y-intercept, and b_j was the regression coefficient for the j-th prediction parameters (X_j) in the model. The contribution of each variable to predict the economic variables was evaluated using the regression coefficients obtained for the standardised variables. These coefficients allow the selection of those variables that most contributed to the prediction. Martens's uncertainty test (Esbesen, 2002) was used to eliminate noisy variables. The model was validated using full cross validation ("leave one out"), and only validated results are reported.

PLSR have been widely applied in agricultural research as an alternative to multiple linear regression and principal components regression (Poveda et al., 2004; Ruiz et al., 2002; Downey et al., 2005; Thybo et al., 2003). In livestock management research, where the relationships among the variables are complex and the number of observations is usually small, the use of PLSR as opposed to PCR shows numerous advantages, as the possibility of modelling several variables at the same time and. Another advantage is no need for the variables to follow a normal distribution, that allowing good

adjustments when the number of variables is high compared with the number of cases (Rougoor et al., 2000).

3. Results

The resulting model has used 2 Principal Components (PC). The first PC explains the 41.26% of the variation of the dependent variables, while the second explains 23.26%. The loadings of the dependent and independent variables for these two PCs are shown in figure 1.



Figure 1. Loading of PC1 and PC2 obtained from partial least squares regression analysis (PLSR) of technical indicators (independent variables) and production indicators (dependent variables)

Figure 2. Positioning of the 69 farms according to scores obtained for PCs 1 and 2 and typified according to livestock species and their stocking rates.

The first component can be defined as a factor of intensification, as the technical variables with the highest correlation are stocking rate and livestock subsidies. It must be highlighted that all the production indicators are located in the positive axis of the PC1, which implies that the farms located in that area will be the ones with higher productions.

The second component is related to Iberian pig orientation. Variables highly and positively correlated are pig stocking rate and wooded area, while those negatively correlated are the ones more important for non pig farms: livestock subsidies, family labour and total stocking rate.

Each farm gets a score for every PC, which allow drawing them in a plot. Figure 2 shows the position of the farms according to their stocking rates and to the main livestock species bred in the farm. One can see from figure 2 a clear positioning of the farms depending on their stocking rates. Those with high stocking rates (more intensified) are located basically in the positive area of the PC1, which

implies higher economic indicators. The farms with medium and low stocking rates appear as we move throughout the X axis.

Livestock species bred in the farm give also interesting information, especially concerning Iberian pigs. This appears in figure 2 and it can be seen that most of the farms with Iberian pigs are more profitable than those that do not breed them. This is due both to the good complementariness of extensive pigs with the other livestock in the dehesa (cattle and sheep) and also to the good market trends for Iberian pig products during the last few years. Both reasons affect positively the farms in which Iberian pigs are bred.

The resulting prediction equations obtained for the two production variables appear in table 3. Each one of the two production indicators is explained by 8 technical indicators which finally were significant.

 Table 3. Prediction equations

LvSales=28.59+1,930P-49.56REN+52.4WOO-43.87PAST+197.97SR+312.95 TEM+51.72FAM+0.56LS	
GO=193.79+2,058P-49.52 REN+55.71WOO-39.700PAST+327.560SR+404.668TEM+93.615FAM+1LS	

The model's statistics for livestock sales were: correlation coefficient in the validation stage, 0.84, explained variance 70% and RMSEP 76.50 \notin ha; for gross product the correlation coefficient was 0.85, the explained variance, 72% and the RMSEP, 97.36 \notin ha. Figures 3 and 4 show the observed and predicted values for each variable.



Figure 3. Livestock sales observed and predicted from PLSR model



Figure 4. Gross output observed and predicted from PLSR model

These results are comparable with other works about extensive livestock systems modelling, although we have used multiple linear regression calibration methods. Pérez et al. (2001) analyzed 49 sheep farms and obtained production and benefit functions using technical and economical variables. The final functions explained around 84% of the variances using between five (production function) and eight variables (enterprise benefit function). Acero (2002), in a study of 63 goat farms, developed

models of unitary costs, production and net result. The explained variance of the final models varied from 71% to 93%.

4. Conclusions

It can be said that the variables relative to farm intensification, to labour and especially to Iberian pig breeding, are those that take part mainly in the model. The model developed can predict, with an acceptable error and using structural variables that are easy to measure, two very important variables for the farmers, as gross product and livestock sales. For that reason, it has a great interest as a tool to help the managers in this type of farms.

References

- Acero, R. (2002). Modelos avanzados de gestión y optimización de la producción caprina extensiva e la provincia de Jaén. Tesis Doctoral. Universidad de Córdoba.
- Campos, P. (1993). The total economic value in the agroforestry systems. The Scientific Basis for Sustainable Multiple-Use Forestry in the EC. Junio. CE- Bruselas.
- Coelho, I.S. (1994). Economia do Montado. Análise Económica de Tres Montados de Sobro Alentejanos. *Silva Lusitana*, 2 (2): 133-141.
- Downey, G., Sheehan, E., Delahunty, C., O'Callaghan, D., Guinee, T., Howard, V. (2005). Prediction of maturity and sensory attributes of cheddar cheese using near-infrared spectroscopy. *International Dairy Journal*, 15: 701-709.
- Esbesen, K.H. (2002). Multivariate Data Analysis- In Practice. CAMO Process AS. Oslo, Norway, 598 pp.
- Escribano, M., Pulido, F. (1998). La dehesa en Extremadura. Estructura económica y recursos naturales. Colección Monografías. Servicio de Investigación y Desarrollo Tecnológico. Junta de Extremadura. Badajoz, 145 pp.
- Escribano, M., Rodríguez, A., Mesías, F.J., Pulido, F., (2001a). Relationship between the farm size and stocking rate in extensive sheep systems. *Livestock Research for Rural Development*, 13: 1-5.
- Escribano, M., Rodríguez, A., Mesías, F.J., Pulido, F. (2001b). Tipologías de sistemas adehesados. *Archivos de Zootecnia*, 50 (191): 411-414.
- Escribano, M., Rodríguez, A., Mesías, F.J., Pulido, F. (2002). Stocking rate and capital indicators in extensive sheep farms (SW Spain). *Archivos de Zootecnia*, 51 (196): 457-460.
- European Communities. (2000). Manual on the economics accounts for agriculture and forestry EAA/EAF 97 (Rev 1.1). Office for Official Publications of the European Communities. Luxembourg.
- Joffre, R. S. Rambal, S., Rattet, J.P. (1999). The dehesa system of southern Spain and Portugal as a natural ecosystem mimic. *Agroforestry Systems*, (45) 57–79.
- Lasseur, J. (2005). Sheep farming systems and nature management of rangeland in French Mediterranean mountain areas. *Livestock Production Science*, 96: 87–95.
- Martens, H., Naes, T. (1993). Multivariate calibration. John Wiley & Sons. Chichester. Reino Unido.

- Martín, M., Escribano, M., Mesías, F.J., Rodríguez, A., Pulido, F., 2001. Sistemas extensivos de producción animal. *Archivos de Zootecnia*, 50 (191): 465-489.
- Milán, M.J., Arnalte, E., Caja, G. (2003). Economic profitability and typology of Ripollesa breed sheep farms in Spain. *Small Ruminant Research*, 49: 97-105.
- Milán, M.J., Bartolomé, J., Quintanilla, R., García-Cachán, M.D., Espejo, M., Herraiz, P.L., Sánchez-Recio, J.M., Piedrafita, J. (2006). Structural characterisation and typology of beef cattle farms of Spanish wooded rangelands (dehesas). *Livestock Science*, 99: 197–209.
- Pérez, P., Gil, J.M., Sierra, I. 2001. Modelización, simulación y eficiencia en explotaciones ovinas de aptitud cárnica. Consejo Económico y Social de Aragón. Zaragoza, 216 pp.
- Plieninger, T., Modolell y Mainou, J., Konold, W. (2004). Land manager attitudes toward management, regeneration, and conservation of Spanish holm oak savannas (dehesas). *Landscape and Urban Planning*, 66: 185–198.
- Plieninger, T., Wilbrand, C. (2001). Land use, biodiversity conservation, and rural development in the dehesas of Cuatro Lugares, Spain. *Agroforestry Systems*, 51: 23–34.
- Porras, C.J., Brun, P., González, A., Sánchez, R.M., Sánchez, M.C. 2000. Estudio técnico económico de explotaciones ganaderas extensivas 1997-1999. Consejería de Agricultura y Pesca, Junta de Andalucía, Sevilla, 129 pp.
- Poveda, J.M., García, A., Martín-Álvarez, P.J., Cabezas, L. (2004). Application of partial least squares (PLS) regression to predict the ripening time of Manchego cheese. *Food Chemistry*, 84: 29-33.
- Pulido, F., Escribano, M. 1994. Análisis de los recursos de pastoreo aportados por el medio en dos dehesas características del SO de la provincia de Badajoz (España). Archivos de Zootecnia, 43 (163): 239-249.
- Pulido, F., Coleto, J.M., Muslera, E., Escribano, M. (1999). Agenda 2000 para el vacuno. *Revista Agricultura*, 798: 42-45.
- Pulido, F. (2003). La producción animal en la dehesa extremeña. Nuevas tendencias y estrategias de mejora. Libro blanco de la Agricultura y el Desarrollo Rural. Ponencia presentada en la Jornada Autonómica de Extremadura, Badajoz.
- Rougoor, C.W., Sundaram, R., Van Arendonk, J.A.M. (2000). The relation between breeding management and 305-day milk production determined via principal components regression and partial least squares. *Livestock Production Science*, 66: 71–83.
- Ruiz, J., García C., Muriel E., Andrés, A.I., Ventanas, J. (2002) Influence of sensory characteristics on the acceptability of dry-cured ham. *Meat Science*, 61: 347-354.
- Serrano, E., Lavín, P., Giradles, F.J., Bernués, A. Ruiz, A. (2004). Classification variables of cattle farms in the mountains of León, Spain. *Spanish Journal of Agricultural Research*, 2 (4): 504-511.
- Thybo, A.K., Kühun, B.F., Martens, H. (2003). Explaining Danish children's preferences for apples using instrumental, sensory and demographic/behavioural data. *Food Quality and Preference*, 15: 53-63.