

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
http://ageconsearch.umn.edu
aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

FEEDER CATTLE COSTS AND RETURNS

UNIVERSITY OF MINNESOTA

Department of Agriculture

and

UNITED STATES DEPARTMENT OF AGRICULTURE

Bureau of Agricultural Economics

cooperating

Report No. 200

Divsion of Agricultural Economics

University Farm

St. Paul 1, Minnesota

August, 1952

FEEDER CATTLE COST AND RETURNS 1940-1951

H. G. Routhe, T. R. Nodland, and G. A. Pond

| The second of th | |
|--|----|
| ntroduction | |
| innesota Prices | |
| otal Feed Costs and Returns from the Cattle Feeding Enterpris | зе |
| osts and Returns per 100 Pounds Net Gain in Weight | |
| 1949-1950 Feeding Period | |
| 1950-1951 Feeding Period | |
| Averages 1940-1951 Feeding Periods | |
| ange in Return Above Feed Cost | |
| elation of Feed Cost to Return Above Feed Cost | |
| elation of Price Spread to Return Above Feed Cost | |
| umulative Effect of Excelling in a Number of Management Facto | |

INTRODUCTION

Feeding beef cattle is an important enterprise on many farms in Minnesota. The purpose of this report is to present data on the costs and returns from this type of feeding operation and to illustrate the type of information which can be secured from farm records. These data were secured from the records of the Farm Management Services operating in the southern part of the state. (1)

The facts presented in this report differ from that in the annual reports prepared for the Farm Management Services in that all the information is on a "lot" basis beginning with the time of purchase and continuing until the animals are sold. The data presented annually are on a calendar year basis. This usually results in combining portions of the feeding periods for different lots of cattle in one report. These data by lots as included in this report represents results from feeding cattle under ordinary farm conditions. They should be helpful to individual farmers for comparison with their own accomplishment or for the purpose of planning their feeding operations. Although the farmers included in this study are, in general, above average in managerial ability, the quantity of feed required to produce 100 pounds gain in weight represents an accomplishment well within the grasp of most farmers.

Each enterprise statement for cattle shows the quantity and market value of feeds consumed per 100 pounds net gain in weight, the financial returns, and other information on rates of production. The enterprise statements also show the amount by which the total return from the feeding operations exceeds the feed cost. Two measures of "return above feed cost" are shown: (1) the return above feed cost per 100 pounds net gain in weight and (2) the return per \$100 of feed. It must be understood that in neither case is it a "net return". In addition, there are other costs such as labor, power, shelter, taxes, insurance, interest, equipment, and other items that

⁽¹⁾ Southwest Minnesota Farm Management Service, Southeast Minnesota Farm Management Service and the Farm Management Service for Veterans Taking On-The-Farm Training.

must be met from the gross income. However, feed is the largest single item and may constitute up to 75 per cent or more of the total cost of fattening cattle.

Arithmetic averages are used throughout this report. Equal weight is given to the data from each lot regardless of the number of animals fed. Wherever eleven-year averages are given, they represent arithmetic averages giving each year equal weight.

MINNESOTA PRICES

The farm-raised feeds were valued at average farm prices. The purchased feeds were valued at the price the farmer paid for them. Feeds for which there is no regularly established price, such as corn silage, were valued on the basis of their feeding value relative to similar feeds for which a market price was available. The average annual price for the major feeds utilized by feeder cattle is shown in table 1.

Table 1. Average Annual Feed Prices

| | 1940- 1941 | 1942 | 1943 | 1944 | 1945 | 1946 | 1947 | 1948 | 1949 | 1950 | 1951 |
|------------------------------------|---------------|---------------|-------|-------|--------------|---------------|---------------|-------|-------|-------|-------|
| Alfalfa hay, | | | | | | | lars | | | | |
| per ton Timothy and/or | 8.00 | 8 .0 0 | 11.00 | 15.00 | 15.00 | 16.00 | 22.0 0 | 20.00 | 20.00 | 21.00 | 19.00 |
| brome, per ton Corn silage, | 5.14 | 5.15 | 6.75 | 9.00 | 9.00 | 9.60 | 12.50 | 11.60 | 11.60 | 12.20 | 11.00 |
| per ton | 2.34 | 2.75 | 3.62 | 5.00 | 5.00 | 5.50 | 8.00 | 5.85 | 6.00 | 6.70 | 6.00 |
| Ear corn, per bu. Oats, per bu. | 46 | .65 | .88 | . 90 | . 84 | 1.14 | 1.54 | 1.64 | 1.02 | 1.20 | 1.36 |
| Oats, per bu. Linseed oil meal, | | .41 | . 60 | .70 | .64 | .70 | •90 | .88 | • 59 | .72 | .81 |
| per cwt. Soybean oil meal | 1.87 | 2.42 | 2.55 | 2.85 | 2.8 8 | 3 .3 0 | 4.25 | 4.55 | 4.00 | 3.95 | 3.85 |
| per cwt. | | 2.75 | 2.82 | 3.15 | 3.00 | 3.80 | 4.80 | 5.10 | 4.05 | 3-95 | 4.50 |

Stocker and feeder cattle prices at South St. Paul for the past 3 years are presented in figure 1. Although farmers in southern Minnesota secure cattle for their feed lots from many sources the prices reported on the South St. Paul market are reasonably representative of the relative price situation.

The average price paid for feeder cattle by farmers included in this study and the price received for fat cattle are shown in figure 2. The difference between the purchase and sale price is the price spread. Note that only in the 1948-1949 feeding period did a negative price spread exist. The purchase price exceeded the sale price in that feeding period by an average of 45 cents for the lots studied. In 10 of the 11 years there was a positive average price spread ranging from \$1.20 per 100 pounds in the 1940-41 feeding period to \$8.50 in the 1947-48 feeding period.




Figure 1. Average Monthly and Yearly Prices
Stockers and Feeders, All Weights, So. St. Paul, 1949 - 1952
(Compiled from Livestock Market News Statistics and
Related Data, U.S.D.A. PMA 1949 - 51)




Figure 2. Average Purchase and Sale Price per Cwt. of Feeder Cattle

Fed by Feeding Periods 1940-1951

TOTAL FEED COSTS AND RETURNS FROM THE CATTLE FEEDING ENTERPRISE

The average return above feed cost per lot for the two feeding periods 1949-1951 is presented in Table 2. The "return above feed cost" must cover the expense to labor, power, shelter, insurance, and other miscellaneous items of cost. Whatever is left after these expense items are covered is the "net" to the operator. These data give some indication as to the average size of the feeding operation and the contribution the enterprise makes to the farmers' income.

| Item | Your lot | st Per Lot, 1949-1951 Average of all lots |
|------------------------|----------------------------|--|
| Trem | 1949-1950 | Average or air rous |
| Number of lots | 19-3-1990 | 27 |
| Total Returns | | \$ 6398 |
| Total Feed Cost | | . 3428 |
| Return Above Feed Cost | Washington and John Spirit | 2970 |
| | 1950-1951 | • |
| Number of lots | | 32 |
| Total Returns | | \$ 8895 |
| Total Feed Cost | | . 489 4 |
| Return Above Feed Cost | | 4001 |

COSTS AND RETURNS PER 100 POUNDS NET GAIN IN WEIGHT

A statement for each of the two feeding periods 1949-50 and 1950-51 is given in tables 3 and 4. These statements show the average return above feed cost and other related data for all lots. Included are the averages of the one-third of the lots high in return above feed cost and the one-third low in return above feed cost. Averages for each of the eleven feeding periods are shown in table 5.

The average length of feeding period was 219 days for the 265 lots studied. The feeding period ranged from 60 to 578 days.

The average weight per head purchased ranged from 331 pounds for one lot to 1073 pounds for another with an average purchased weight of 641 pounds per head. While this is a wide range, there is no indication that the purchase weight of the cattle fed had any effect on the return above feed.

The net increase in value is calculated by substracting the value of the purchases from the value of the sales. Animals transferred into a lot were handled as a purchase and animals transferred out or slaughtered for home use were handled as a sale. The pounds produced is determined in a manner similar to the method of calculating net value increases.

Corn, legume hay and silage were the principal feeds utilized. Approximately 91 per cent of the concentrate feed was corn with two per cent being small grain and seven per cent commercial feed. There was little variation from this in both the high and low return groups. Of the dry roughage consumed 79 per cent was legume hay. Silage was fed to 187 of the 265 lots studied; 105 of the 265 lots had some pasture. There has been some increase in pasture use in the more recent feeding periods. During the last five feeding periods, 1946-1951, 49 per cent of the lots fed had accres to pasture compared with 30 per cent during the six preceding feeding periods, 1940-1946.

Since 1945 the number of days spent on pasture increased markedly. From 1940-1945 the time spent on pasture per lot averaged 16 days and ranged from 10 days in the 1941-1942 feeding period to 25 days in the 1940-1941 period. From 1946 to 1951 the time on pasture averaged 37 days per lot with a range of 25 days in the 1948-1949 feeding period to 56 days in the 1950-1951 period. Most of the farmers in this study are utilizing more pasture in their cattle feeding programs than formerly. A comparison of feeds consumed, costs, and returns for those feeder cattle lots pastured and those not pastured are shown for the 1946-1951 feeding periods in table 6. feeding value of pasture was estimated at \$1.35 to \$1.50 per head per month. The effect of price spread on the net increase in value was to the advantage of the lots not pastured due to the heavier average purchase weight of these cattle. Approximately \$9.25 of the \$38.10 average net increase in value for the lots not pastured was accounted for by the price spread of \$4.78 whereas \$7.40 of the \$37.54 average net increase in value for the lots pastured was accounted for by the price spread of \$5.04. After eliminating the effect of price spread the return over feed cost of the lots pastured would be \$6.75 per 100 lbs. net weight produced compared with \$2.16 for the lots not pastured. The lots pastured were purchased at lighter weights and held on the farm for an average of 57 more days than the lots not pastured. Thus it appears that for the lots in this comparison pasturing was a profitable practice.

Table 3. Cost and Returns, 1949-1950 Feeding Period

| Items | Your farm | Average of 27 lots | 9 lots highest in return above feed | 9 lots lowest in return above feed |
|------------------------------------|---|--------------------|-------------------------------------|------------------------------------|
| Feeds per cwt net gain in wt, 1bs: | <i>-</i> | | | À 30 |
| Corn | | 654 | 483 | 904 |
| Small grain | | 22 | 6 | 17 |
| Commercial feeds | | 42 | 53 | 34 |
| Legume hay | | 142 | 91 | 222 |
| Other hay | | 72 | 68 | 81 |
| | | | 16 | 01 |
| Fodder and stover | | 5 | 10 | - |
| Total concentrates | | 718 | 542 | 955 |
| Total hay and fodder | | 219 | 175 | 303 |
| Silage | | 470 | 595 | 454 |
| Pasture days | | 9 | 18 | 6 |
| Total digestible nutrients* | • | 736 | 565 | 969 |
| 6 TDN that is protein | | 11.7 | 12.3 | 11.7 |
| o ind that is protein | | *** | 1200 | , |
| Feed costs per cwt net gain in wt: | | dead to | #11 00 | #10.0 9 |
| Concentrates | | \$15.49 | \$11.89 | \$19.98 |
| Roughages | *************************************** | 3.47 | 3 . 35 | 4.32 |
| Pasture | | .43 | . 87 | <u>. 26</u> |
| Total feed costs | | \$ 19.39 | \$16.11 | \$24.56 |
| Net increase in value per cwt | - | \$36.19 | \$39.27 | \$35.17 |
| Return above feed cost per cwt | - | \$16.80 | \$23.16 | \$10.61 |
| Return for \$100 feed | | \$187 | \$244 | \$143 |
| Purchase price per cwt | | \$22.23 | \$23.15 | \$21.18 |
| Sale price per cwt | | \$27.23 | \$29.09 | \$25.51 |
| Price spread | | \$5.00 | \$5.94 | \$4.33 |
| Wt per head bot, 1bs | | 654 | 664 | 6 9 8 |
| Wt per head sold, lbs | | 1044 | 1075 | 1021 |
| Total gain per head, 1bs | | 390 | 411 | 323 |
| Daily gain per head, 1bs | | 1.6 | 1.6 | 1.7 |
| Number of days on farm | | 241 | 288 | 189 |
| Number of days on pasture | | 36 | 70 | 16 |
| Number of head bot per lot | | 43 | 37 | 41 |
| Per cent death loss | | •7 | 1.2 | •3 |
| Net gain in wt, lbs | | 17,680 | 17,351 | 13,547 |

^{*} Not including nutrients received from pasture.

Table 4. Cost and Returns, 1950-1951 Feeding Period

| Items | Your farm | Average of 32 lots | ll lots highest return above feed | ll lots lowest in return above feed |
|------------------------------------|---|--------------------------|-----------------------------------|-------------------------------------|
| Feeds per cwt net gain in wt, lbs: | | | | |
| Corn | | 675 | 627 | 786 |
| Small grain | | 13 | 6 | 14 |
| Commercial feeds | | 52 | 68 | 43 |
| Legume hay | | 226 | 214 | 27 2 |
| Other hay | | 61 | 60 | 59 |
| Fodder and stover | • | 1 | = | 4 |
| Total concentrates | | 740 | 701 | 843 |
| Total hay and fodder | | 288 | 274 | 335 |
| Silage | | 427 | 543 | 3 3 8 |
| Pasture days | | 12 | | 15 |
| Total digestible nutrients* | | 813 | 785 | 909 |
| % TDN that is protein | | 11.8 | | 11.8 |
| Feed costs per cwt net gain in wt: | ; | | | |
| Concentrates | | \$18. 76 | \$17.92 | \$21.42 |
| Roughages | | 3.94 | 4.30 | 4.19 |
| Pasture | | 56 | 7 | 69 |
| Total feed costs | | \$23.26 | \$22.70 | \$26.30 |
| Net increase in value per cwt | | \$42,28 | \$47.95 | \$38.69 |
| Return above feed cost per cwt | | \$19.02 | \$25,25 | \$12.39 |
| Return for \$100 feed | - | \$182 | \$211 | \$147 |
| Purchase price per cwt | | \$30,08 | \$28.12 | \$31.46 |
| Sale price per cwt | | \$34.33 | | \$34.52 |
| Price spread | | \$4.25 | \$5.83 | \$3.06 |
| Wt per head bot, 1bs | (<u>-</u> | 622 | 716 | 618 |
| Wt per head sold, 1bs | **** | 1043 | 1087 | 1056 |
| Total gain per head, lbs | | 421 | 371 | 438 |
| Daily gain per head, 1bs | | 1.6 | 1.6 | 1.7 |
| Number of days on farm | | 258 | 238 | 263 |
| Number of days on pasture | 4 | 56 | 50 | 65 |
| Number of head bot per lot | *************************************** | 51 | 56 | 46 |
| Per cent death loss | | 1.5 | .6 | 1.4 |
| Net gain in wt, 1bs | | 21,039 | 21,900 | 18,472 |

^{*} Not including nutrients received from pasture.

Table 5. Average Costs and Returns, 1940-1951

| ter | | 1940 1941 | 1941- 1942 | 1942- 1943 | 1943- 1944 | |
|-----|---------------------------------------|--------------|---------------|---------------|---------------|--|
| | Number of lots | 26 | 22 | 16 | 15 | |
| • | Feeds per cwt net gain in wt, 1bs: | | ~~ | | + J | |
| ; | Corn | 575 | 912 | 911 | 747 | |
| | · · · · · · · · · · · · · · · · · · · | 159 | - | 41 | 27 | |
| | Small grain | 24 | 23 | 49 | 46 | |
| | Commercial feeds | . 24 | 51 | 49 | 40 | |
| - | Legume hay | 171 | 199 | 315 | 268 | |
| | Other hay | 65 | - 55 | 92 | 37 | |
| | Fodder and stover | 42 | 47 | 68 | 17 | |
| | 10dder and \$00001 | | | • | - / | |
| | Total concentrates | 758 | 986 | 1001 | 820 | |
| | Total hay and fodder | 278 | 301 | 475 | 322 | |
| 0 | Silage | 600 | 491 | 309 | 591 | |
| 1 | Pasture days | 7 | 3 | 4 | 4 | |
| 2 | Total digestible nutrients* | 841 | 995 | 1097 | 924 | |
| 3 | % T.D.N. that is protein | 11.1 | 11.1 | 11.6 | 11.5 | |
| ر | b 1.b.n. that is protein | **** | **** | 11.0 | ٠ ٠ ٠ ٠ ٠ | |
| | Feed costs per cwt net gain in wt | | | * | | |
| 4 | Concentrates | \$6.41 | \$11.55 | \$15.27 | \$15.08 | |
| 5 | Roughages | 1.62 | 1.42 | 2.35 | 3.38 | |
| 6 | Pasture | .23 | 10 | | | |
| 7 | Total feed costs | \$8.26 | \$13.07 | \$17.74 | \$18.63 | |
| 1 | 10001 1000 0000 | 400.00 | 4-2.01 | 7-/-/ | | |
| 8 | Net increase in value per cwt | \$11.67 | \$18.05 | \$18.25 | \$21.48 | |
| 9 | Return above feed cost per cwt | \$ 3.41 | \$ 4.98 | \$.51 | \$ 2.85 | |
| 0 | Return for \$100 feed | \$141 | \$138 | \$103 | \$115 | |
| , | Durahasa mataa mar aut | \$ 8.32 | \$10.10 | \$12.27 | \$10.82 | |
| 1 | Purchase price per cwt | \$ 9.52 | \$12.52 | \$13.94 | \$14.22 | |
| 2 | Sale price per cwt | \$ 1.20 | | \$ 1.67 | \$ 3.40 | |
| 9 | Price spread | φ 1. ZU | ψ &s ¬& | Ψ 1.07 | Ψ J. ¬V | |
| L | Wt per head bot, 1bs | 566 | 702 | :658 | 615 | |
| | Wt per head sold, lbs | 922 | 1045 | | 929 | |
| , | The post according and | , | ₩ | | | |
| 6 | Total gain per head, lbs | 356 | 343 | 310 | 314 | |
| 7 | Daily gain per head, 1bs | 1.6 | 1.7 | 1.6 | 1.6 | |
| | | | • | | | |
| 8 | Number of days on farm | 222 | 203 | 197 | 195 | |
| 9 | Number of days on pasture | 25 | 10 | 12 | 13 | |
| , | around of any of the party and | -2 | | | - | |
| 0 | Number of head bot per lot | 26 | 43 | 45 | 38 | |
| | Per cent death loss | ·· 1.2 | | 1.3 | .8 | |
| _ | X | | | | | |
| | | 9,840 | 15.751 | 13,508 | 11,593 | |

^{*} Not including nutrients received from pasture

Table 5. (con't)

| | | | | <u> </u> | | | | · | |
|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|--|
| Items | 1944- 1945 | 1945- 1946 | 1946- 1947 | 1947- 1948 | 1948- 1949 | 1949 <u>-</u> 1950 | 1950- 1951 | Ave. 1940- 1951 | |
| 1 | 30 | 22 | 20 | 23 | 32 | 27 | 32 | 265 | |
| 2 3 4 | 783 16 42 | 757 3 2 49 | 841 44 43 | 621 38 55 | 684 47 56 | 654 2 2 42 | 675 13 52 | 742 42 46 | |
| 5 6 7 | 151 50 59 | 258 96 14 | 231 93 33 | 221 140 - | 238 88 - | 142 72 5 | 226 61 1 | 220 77 26 | |
| 8 9 10 11 | 841 260 358 5 | 838 368 402 6 | 928 357 391 13 | 714 361 626 11 | 787 326 446 6 | 718 219 470 9 | 740 288 427 12 | 830 323 465 7 | |
| 12 13 | 869 11.2 | 930 11.7 | 992 11.3 | 855 1 2.1 | 874 12.0 | 736 11.7 | 813 11.8 | 902 11.6 | |
| 14 15 16 17 | \$13.35 2.32 .19 \$15.86 | \$14.90 3.34 .25 \$18.49 | \$25.29 4.45 .60 \$30.34 | \$26.19 4.87 .47 \$31.53 | \$16.67 44.15* .31 \$21.13 | \$15.49 3.47 .43 \$19.39 | \$18.76 3.94 .56 \$23.26 | \$16.27 3.21 .31 \$19.79 | |
| 18 | \$22.42 | \$25.59 | \$39. <i>5</i> 9 | \$45.67 | \$25.35 | \$36.19 | \$42.28 | \$27.86 | |
| 19 | \$ 6.56 | \$ 7.10 | \$ 9.25 | \$14.14 | \$ 4.22 | \$16.80 | \$19.02 | \$ 8.07 | |
| 20 | \$141 | \$13 8 | \$1 30 | \$145 | \$120 | \$187 | \$182 | \$140 | |
| 21 22 23 | \$11.49 \$15.17 \$ 3.68 | \$12.90 \$16.75 \$ 2.85 | \$16.35 \$23.45 \$ 7.10 | \$20.97 \$29.47 \$ 8.50 | \$25.69 \$25.24 \$45 | \$22.23 \$27.23 \$ 5.00 | \$30.08 \$34.33 \$ 4.25 | \$16.47 \$20.16 \$ 3.69 | |
| 24 25 | 651 1001 | 709 1043 | 635 927 | 628 975 | 611 1032 | 654 1044 | 622 1043 | 641 993 | |
| 26 27 | 350 1.7 | 334 1.7 | 292 1•5 | 347 1.5 | | 390 1.6 | | 352 1.6 | |
| 28 29 | 211 | 200 | 191 34 | 233 35 | 254 25 | 241 36 | 258 56 | 21 9 26 | |
| 30 31 | 50 .6 | 60 1.4 | 53 1.0 | 47 • 5 | 42 1.9 | _ | _ | 45 1.1 | |
| 32 | 17,729 | 19,757 | 16,229 | 15,470 | 17,359 | 17,680 | 21,039 | 15,996 | |

Table 6. Comparison of Feeds Consumed, Costs, Returns and Other Factors for Feeder Cattle Pastured Versus Those not Pastured, 1946-1951

| | Fed on Pasture | Not Pastured |
|--------------------------------------|-------------------|-----------------|
| Number of lots | . 66 | . 68 |
| Number of days on pasture per lot | 76 | |
| Feed per 100 lbs net gain in weight | • | , |
| Concentrates, 1bs | 717 | 831 |
| Dry Roughage, 1bs | 304 | 307 |
| Silage, lbs | 449 | 490 |
| Pasture, days | 21 | _ |
| Cost and returns per 100 lbs net gar | in in weight: | |
| Concentrates | \$18.36 | \$22.45 |
| Roughages | 4.02 | 4.23 |
| Pasture | 1.00 | 4.2) |
| Total feed cost | \$23.38 | \$26.68 |
| Net Increase in value | | • |
| Return over feed | 37.54 | 38.10 |
| Return over reed | 14.16 | 11.42 |
| Return for \$100 feed | \$175 | \$156 |
| Purchase price per 100 lbs. | \$23.20 | \$22.85 |
| Sale price per 100 lbs. | \$28.24 | \$27.63 |
| Price spread | \$ 5.04 | \$ 4.78 |
| | * 3 | * |
| Weight per head bought | 594 | 665 |
| Weight per head sold | 998 | 1008 |
| Gain per head | 404 | 343 |
| Days on farm | 26 2 | 205 |
| Per cent death loss | 1.2 | 1.0 |

RANGE IN RETURN ABOVE FEED COST

The range in return above feed cost per 100 pounds net gain in weight for the eleven-year period 1940-1951 between the one-third of the lots high in return above feed and the low one-third was \$13.76 (table 7). These differences in the returns received by farmers from year to year are due primarily to changes in the general price levels, and are not generally within his control. The variation among lots in any one year are to a large extent within the control of the farmer. Some of the major factors causing this variation among lots are discussed in the following paragraphs.

Table 7. Range in Return Above Feed Cost from Cattle per 100 Pounds
Net Gain in Weight, 1940-1951

| | 1/3 highest in return | s, | 1/3 lowest in return | |
|-------------------|--------------------------|---------|----------------------|---------|
| Year | above feed | Average | above feed | Range |
| 1940-1941 | \$ 6.29 | \$ 3.41 | \$.66 | \$ 5.63 |
| 1941-1942 | 8.21 | 4.98 | 2.41 | 5.80 |
| 1942-1943 | 5.03 | .51 | -4.76 | 9.79 |
| 1943-1944 | 9.43 | 2.85 | -3.40 | 12.83 |
| 1944-1945 | 10.73 | 6.56 | 1.56 | 9.17 |
| 1945-1946 | 12.93 | 7.10 | 1.15 | 11.78 |
| 1946-1947 | 24.04 | 9.25 | -7.83 | 31.87 |
| 1947-1948 | 25.06 | 14.14 | 4.10 | 20.96 |
| 1948-1949 | 12.14 | 4.22 | -6.00 | 18.14 |
| 1949-1950 | 23.16 | 16.80 | 10.61 | 12.55 |
| 1950-1951 | 25. 25 | 19.02 | 12.39 | 12.86 |
| Average of 11 yrs | 14.75 | 8.07 | •99 | 13.76 |

RELATION OF FEED COST TO RETURN ABOVE FEED COST

One of the important factors affecting the return above feed cost from the lots studied was the cost of feed. The cost of the feed has been expressed as the cost of the feed required to produce 100 pounds net gain in weight. The one-third of the operators low in feed cost produced 100 pounds of beef for \$15.72 and the one-third high in feed cost spent \$24.90 (table 8). The difference between the high and the low groups in the cost of feed was \$9.18 per 100 pounds of beef produced.

The relationship between feed cost and return above feed is very marked. The one-third of the lots low in feed cost realized a return above feed of \$11.03 per 100 pounds net gain in weight as compared to \$4.49 for the one-third of the lots high in feed cost. With an average production of 15,996 pounds of beef per lot this is a difference of \$1046 in return over feed between the high and low feed cost lots.

Table 8. Relation of Feed Cost per 100 Pounds Net Gain in Weight to Various Beef Cattle Production Factors, 1940-1951

| | Return | Pounds | feed per | 100 pounds | net gain | in weight |
|----------|--|--|---|---|--|--|
| | over feed* | Concen- trates | Hay & fodder | Silage | Pasture days | T.D.N.** |
| \$15.72 | \$11.03 | 629 | 252 | 447 | 8 | 687 |
| 18.65 | 8.81 | 755 | 328 | 510 | 6 | 868 |
| 24.90 | 4.49 | 1102 | 389 | 431 | 6 | 1150 |
| % prot | Net | Average | | Wt. per | Lbs. gain | Lbs. |
| in | increase | price | Price | head | per | pro- |
| ration** | in value* | received | spread | bought | head | duced |
| 11.4 | \$26.75 | \$20.41 | \$3.53 | 576 | 390 | 17606 |
| 11.6 | 27.46 | 20,15 | 3.79 | 633 | 360 | 17687 |
| 11.7 | 29.39 | 19.95 | 3.76 | 712 | 309 | 13012 |
| | 18.65 24.90 # prot in ration** 11.4 11.6 | weight over Average feed* \$15.72 \$11.03 18.65 8.81 24.90 4.49 \$ prot Net in increase ration** in value* 11.4 \$26.75 11.6 27.46 | weight Average over feed* Goncentrates \$15.72 \$11.03 629 18.65 8.81 755 24.90 4.49 1102 \$ prot Net Average in increase ration** in value* price price received 11.4 \$26.75 \$20.41 11.6 27.46 20.15 | weight Average over feed* Concentrates Hay & fodder \$15.72 \$11.03 629 252 18.65 8.81 755 328 24.90 4.49 1102 389 \$ prot Net Average in increase price Price ration** in value* received spread 11.4 \$26.75 \$20.41 \$3.53 11.6 27.46 20.15 3.79 | weight Average over feed* Concentrates Hay & fodder Silage \$15.72 \$11.03 629 252 447 18.65 8.81 755 328 510 24.90 4.49 1102 389 431 \$ prot Net Average Wt. per in increase price Price head ration** in value* received spread bought 11.4 \$26.75 \$20.41 \$3.53 576 11.6 27.46 20.15 3.79 633 | weight Average over feed* Concentrates Hay & fodder fodder Pasture days \$15.72 \$11.03 629 252 447 8 18.65 8.81 755 328 510 6 24.90 4.49 1102 389 431 6 \$ prot Net Average Wt. per Lbs. gain in increase price Price head per ration** in value* received spread bought head 11.4 \$26.75 \$20.41 \$3.53 576 390 11.6 27.46 20.15 3.79 633 360 |

^{*}Per 100 pounds net gain in weight

^{**} Not including nutrients received from pasture

RELATION OF PRICE SPREAD TO RETURN ABOVE FEED COST

The spread between the purchase and sale price is generally recognized as having an important influence on profits from cattle feeding. In fact, in many reports on cattle feeding operations, price spread is considered the most important factor affecting profits. The difference in return above feed between the one-third of the lots with a wide price spread and the one-third of the lots with a narrow price spread was \$8.77 per 100 pounds net gain in weight (table 9). This is a total difference of \$1,403 per lot for the average production of 15,996 pounds per lot. Only in the 1948-1949 period did a negative average price spread prevail. Here the purchase price exceeded the sale price by an average of \$.45 in the lots studied. However even in that feeding period the net returns were sufficient to cover feed costs in 23 of the 32 lots.

Table 9. Relation of Price Spread to Various Beef Cattle Production Factors, 1940 - 1951.

| | | Per 100 1 | bs. net ga | ain in weig | <u>ht</u> | | |
|--------------|---------|-----------|------------|-------------|-----------|----------|---------|
| | | Return | Total | Net | | Average | Average |
| Price sp | read | over | feed | increase | | purchase | sale |
| Range | Average | feed* | cost* | in value | T.D.N. ** | price | price |
| Low third | \$1.79 | \$ 3.56 | \$20.93 | \$24.49 | 953 | \$17.33 | \$19.12 |
| Middle third | 3.66 | 8.36 | 19.30 | 27.66 | 889 | 16.32 | 19.98 |
| High third | 5.61 | 12.33 | 19.10 | 31.43 | 863 | 15.77 | 21.38 |
| | | | | | | | |

| 950 | Weight | Weight | Pounds | Lbs. | No. | No. of |
|--------------|----------|-------------|----------|-------|---------|--------|
| | per head | per head | gain | pro- | days on | head |
| | bought | sold | per head | duced | farm | bought |
| Low third | 668 | 988 | 320 | 13799 | 199 | 43 |
| Middle third | 620 | 96 9 | 349 | 12899 | 216 | . 37 |
| High third | 632 | 1020 | 388 | 21116 | 240 | 55 |

^{*} Per 100 pounds net gain in weight

CUMULATIVE EFFECT OF EXCELLING IN A NUMBER OF MANAGEMENT FACTORS

The return above feed cost and the profit of the feeding enterprise is affected by a number of management factors. Because of the interrelation among these factors and the effect of the interrelation on the profitableness of the enterprise it is difficult to measure the effect of each factor separately. Two of the factors have already been discussed—feed cost and price spread. Others for which data are available from this study are: (1) rate of daily gain, (2) per cent protein in the ration, and (3) death loss. Although the individual effect of each has not been measured separately, the cumulative effect of these five factors on returns is shown in figure 3.

^{**} Not including nutrients received from pasture

| No. of factors in which farmers | No. of | Average Return Over Feed Cost from Cattle per 100 Pounds Net Gain in Weight 1940-1951 | | | | |
|--|-----------|---|-----|-------|----------|-----------------|
| excelled . | lots | ,\$2 | \$4 | \$6 | \$8 \$10 | \$12 |
| None or 1 | 37 | | | , | | \$ 1.97 5.56 |
| | 69 | | | • | | |
| 3 | 82 | | | 1 | , | 9.51 |
| 4 or 5 | 77 | | | \$ | | 11.89 |
| | | | | | | |

Figure 3. Average Return over Feed Cost from Cattle per 100 Pounds Net Gain in Weight Grouped according to Number of Selected Factors in Which Farmers Excelled, 1940-1951.

Some farmers excelled in nearly all the factors while others were below the average of the group in most of them. The 77 farmers who excelled in four or five factors received a return above feed cost of \$11.89 per 100 pounds net gain in weight. The 37 farmers who were below the average in all or above in only one factor received a return barely large enough to cover the cost of the feed for their lots of cattle. The difference between the extremes amounts to \$10.92 per 100 pounds net gain in weight. This is a difference of \$1747 for the average production of 15,996 pounds of beef per lot. These five factors alone are responsible for a considerable proportion of the variation among these farmers in the return above feed cost secured from feeding cattle.