

**WORKING PAPER
2011-07**

REPA

**Resource Economics
& Policy Analysis
Research Group**

**Department of Economics
University of Victoria**

**What Makes Mountain Pine Beetle a Tricky Pest?
Difficult Decisions when Facing Beetle Attack in a
Mixed Species Forest**

Tim Bogle and G. Cornelis van Kooten

November 2011

Copyright 2011 by T. Bogle and G.C. van Kooten. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

REPA Working Papers:

- 2003-01 – Compensation for Wildlife Damage: Habitat Conversion, Species Preservation and Local Welfare (Rondeau and Bulte)
- 2003-02 – Demand for Wildlife Hunting in British Columbia (Sun, van Kooten and Voss)
- 2003-03 – Does Inclusion of Landowners' Non-Market Values Lower Costs of Creating Carbon Forest Sinks? (Shaikh, Suchánek, Sun and van Kooten)
- 2003-04 – Smoke and Mirrors: The Kyoto Protocol and Beyond (van Kooten)
- 2003-05 – Creating Carbon Offsets in Agriculture through No-Till Cultivation: A Meta-Analysis of Costs and Carbon Benefits (Manley, van Kooten, Moeltne, and Johnson)
- 2003-06 – Climate Change and Forest Ecosystem Sinks: Economic Analysis (van Kooten and Eagle)
- 2003-07 – Resolving Range Conflict in Nevada? The Potential for Compensation via Monetary Payouts and Grazing Alternatives (Hobby and van Kooten)
- 2003-08 – Social Dilemmas and Public Range Management: Results from the Nevada Ranch Survey (van Kooten, Thomsen, Hobby and Eagle)
- 2004-01 – How Costly are Carbon Offsets? A Meta-Analysis of Forest Carbon Sinks (van Kooten, Eagle, Manley and Smolak)
- 2004-02 – Managing Forests for Multiple Tradeoffs: Compromising on Timber, Carbon and Biodiversity Objectives (Krcmar, van Kooten and Vertinsky)
- 2004-03 – Tests of the EKC Hypothesis using CO₂ Panel Data (Shi)
- 2004-04 – Are Log Markets Competitive? Empirical Evidence and Implications for Canada-U.S. Trade in Softwood Lumber (Niquidet and van Kooten)
- 2004-05 – Conservation Payments under Risk: A Stochastic Dominance Approach (Benítez, Kuosmanen, Olschewski and van Kooten)
- 2004-06 – Modeling Alternative Zoning Strategies in Forest Management (Krcmar, Vertinsky and van Kooten)
- 2004-07 – Another Look at the Income Elasticity of Non-Point Source Air Pollutants: A Semiparametric Approach (Roy and van Kooten)
- 2004-08 – Anthropogenic and Natural Determinants of the Population of a Sensitive Species: Sage Grouse in Nevada (van Kooten, Eagle and Eiswerth)
- 2004-09 – Demand for Wildlife Hunting in British Columbia (Sun, van Kooten and Voss)
- 2004-10 – Viability of Carbon Offset Generating Projects in Boreal Ontario (Biggs and Laaksonen-Craig)
- 2004-11 – Economics of Forest and Agricultural Carbon Sinks (van Kooten)
- 2004-12 – Economic Dynamics of Tree Planting for Carbon Uptake on Marginal Agricultural Lands (van Kooten) (Copy of paper published in the Canadian Journal of Agricultural Economics 48(March): 51-65.)
- 2004-13 – Decoupling Farm Payments: Experience in the US, Canada, and Europe (Ogg and van Kooten)
- 2004-14 – Afforestation Generated Kyoto Compliant Carbon Offsets: A Case Study in Northeastern Ontario (Biggs)
- 2005-01 – Utility-scale Wind Power: Impacts of Increased Penetration (Pitt, van Kooten, Love and Djilali)
- 2005-02 – Integrating Wind Power in Electricity Grids: An Economic Analysis (Liu, van Kooten and Pitt)
- 2005-03 – Resolving Canada-U.S. Trade Disputes in Agriculture and Forestry: Lessons from Lumber (Biggs, Laaksonen-Craig, Niquidet and van Kooten)

- 2005–04–Can Forest Management Strategies Sustain the Development Needs of the Little Red River Cree First Nation? (Krcmar, Nelson, van Kooten, Vertinsky and Webb)
- 2005–05–Economics of Forest and Agricultural Carbon Sinks (van Kooten)
- 2005–06– Divergence Between WTA & WTP Revisited: Livestock Grazing on Public Range (Sun, van Kooten and Voss)
- 2005–07 –Dynamic Programming and Learning Models for Management of a Nonnative Species (Eiswerth, van Kooten, Lines and Eagle)
- 2005–08 –Canada-US Softwood Lumber Trade Revisited: Examining the Role of Substitution Bias in the Context of a Spatial Price Equilibrium Framework (Mogus, Stennes and van Kooten)
- 2005–09 –Are Agricultural Values a Reliable Guide in Determining Landowners’ Decisions to Create Carbon Forest Sinks?*(Shaikh, Sun and van Kooten) *Updated version of Working Paper 2003-03
- 2005–10 –Carbon Sinks and Reservoirs: The Value of Permanence and Role of Discounting (Benitez and van Kooten)
- 2005–11 –Fuzzy Logic and Preference Uncertainty in Non-Market Valuation (Sun and van Kooten)
- 2005–12 –Forest Management Zone Design with a Tabu Search Algorithm (Krcmar, Mitrovic-Minic, van Kooten and Vertinsky)
- 2005–13 –Resolving Range Conflict in Nevada? Buyouts and Other Compensation Alternatives (van Kooten, Thomsen and Hobby) *Updated version of Working Paper 2003-07
- 2005–14 –Conservation Payments Under Risk: A Stochastic Dominance Approach (Benítez, Kuosmanen, Olschewski and van Kooten) *Updated version of Working Paper 2004-05
- 2005–15 –The Effect of Uncertainty on Contingent Valuation Estimates: A Comparison (Shaikh, Sun and van Kooten)
- 2005–16 –Land Degradation in Ethiopia: What do Stoves Have to do with it? (Gebreegziabher, van Kooten and van Soest)
- 2005–17 –The Optimal Length of an Agricultural Carbon Contract (Gulati and Vercammen)
- 2006–01 –Economic Impacts of Yellow Starthistle on California (Eagle, Eiswerth, Johnson, Schoenig and van Kooten)
- 2006–02 –The Economics of Wind Power with Energy Storage (Benitez, Dragulescu and van Kooten)
- 2006–03 –A Dynamic Bioeconomic Model of Ivory Trade: Details and Extended Results (van Kooten)
- 2006–04 –The Potential for Wind Energy Meeting Electricity Needs on Vancouver Island (Prescott, van Kooten and Zhu)
- 2006–05 –Network Constrained Wind Integration: An Optimal Cost Approach (Maddaloni, Rowe and van Kooten)
- 2006–06 –Deforestation (Folmer and van Kooten)
- 2007–01 –Linking Forests and Economic Well-being: A Four-Quadrant Approach (Wang, DesRoches, Sun, Stennes, Wilson and van Kooten)
- 2007–02 –Economics of Forest Ecosystem Forest Sinks: A Review (van Kooten and Sohngen)
- 2007–03 –Costs of Creating Carbon Offset Credits via Forestry Activities: A Meta-Regression Analysis (van Kooten, Laaksonen-Craig and Wang)
- 2007–04 –The Economics of Wind Power: Destabilizing an Electricity Grid with Renewable Power (Prescott and van Kooten)
- 2007–05 –Wind Integration into Various Generation Mixtures (Maddaloni, Rowe and van Kooten)
- 2007–06 –Farmland Conservation in The Netherlands and British Columbia, Canada: A Comparative Analysis Using GIS-based Hedonic Pricing Models (Cotteleer, Stobbe and van Kooten)

- 2007-07 –Bayesian Model Averaging in the Context of Spatial Hedonic Pricing: An Application to Farmland Values (Cotteleer, Stobbe and van Kooten)
- 2007-08 –Challenges for Less Developed Countries: Agricultural Policies in the EU and the US (Schure, van Kooten and Wang)
- 2008-01 –Hobby Farms and Protection of Farmland in British Columbia (Stobbe, Eagle and van Kooten)
- 2008-01A-Hobby Farm’s and British Columbia’s Agricultural Land Reserve (Stobbe, Eagle, Cotteleer and van Kooten)
- 2008-02 –An Economic Analysis of Mountain Pine Beetle Impacts in a Global Context (Abbott, Stennes and van Kooten)
- 2008-03 –Regional Log Market Integration in New Zealand (Niquidet and Manley)
- 2008-04 –Biological Carbon Sequestration and Carbon Trading Re-Visited (van Kooten)
- 2008-05 –On Optimal British Columbia Log Export Policy: An Application of Trade theory (Abbott)
- 2008-06 –Expert Opinion versus Transaction Evidence: Using the Reilly Index to Measure Open Space premiums in the Urban-Rural Fringe (Cotteleer, Stobbe and van Kooten)
- 2008-07 –Forest-mill Integration: a Transaction Costs Perspective (Niquidet and O’Kelly)
- 2008-08 –The Economics of Endangered Species Poaching (Abbott)
- 2008-09 –The Ghost of Extinction: Preservation Values and Minimum Viable Population in Wildlife Models (van Kooten and Eiswerth)
- 2008-10 –Corruption, Development and the Curse of Natural Resources (Pendergast, Clarke and van Kooten)
- 2008-11 –Bio-energy from Mountain Pine Beetle Timber and Forest Residuals: The Economics Story (Niquidet, Stennes and van Kooten)
- 2008-12 –Biological Carbon Sinks: Transaction Costs and Governance (van Kooten)
- 2008-13 –Wind Power Development: Opportunities and Challenges (van Kooten and Timilsina)
- 2009-01 –Can Domestication of Wildlife Lead to Conservation? The Economics of Tiger Farming in China (Abbott and van Kooten)
- 2009-02 – Implications of Expanding Bioenergy Production from Wood in British Columbia: An Application of a Regional Wood Fibre Allocation Model (Stennes, Niquidet and van Kooten)
- 2009-03 – Linking Matlab and GAMS: A Supplement (Wong)
- 2009-04 – Wind Power: The Economic Impact of Intermittency (van Kooten)
- 2009-05 – Economic Aspects of Wind Power Generation in Developing Countries (van Kooten and Wong)
- 2009-06 – Niche and Direct Marketing in the Rural-Urban Fringe: A Study of the Agricultural Economy in the Shadow of a Large City (Stobbe, Eagle and van Kooten)
- 2009-07 – The Economics and Policy of Global Warming (van Kooten, Beisner and Geddes)
- 2010-01 – The Resource Curse: A State and Provincial Analysis (Olayele)
- 2010-02 – Elephants and the Ivory Trade Ban: Summary of Research Results (van Kooten)
- 2010-03 – Managing Water Shortages in the Western Electricity Grids (Scorah, Sopinka and van Kooten)
- 2010-04 - Bioeconomic modeling of wetlands and waterfowl in Western Canada: Accounting for amenity values (van Kooten, Withey and Wong)
- 2010-05 – Waterfowl Harvest Benefits in Northern Aboriginal Communities and Potential Climate Change Impacts (Krcmar, van Kooten and Chan-McLeod)
- 2011-01 – The Impact of Agriculture on Waterfowl Abundance: Evidence from Panel Data (Wong, van Kooten and Clarke)

- 2011-02 – Economic Analysis of Feed-in Tariffs for Generating Electricity from Renewable Energy Sources (van Kooten)
- 2011-03 – Climate Change Impacts on Waterfowl Habitat in Western Canada (van Kooten, Withey and Wong)
- 2011-04 – The Effect of Climate Change on Land Use and Wetlands Conservation in Western Canada: An Application of Positive Mathematical Programming (Withey and van Kooten)
- 2011-05 – Biotechnology in Agriculture and Forestry: Economic Perspectives (van Kooten)
- 2011-06 – The Effect of Climate Change on Wetlands and Waterfowl in Western Canada: Incorporating Cropping Decisions into a Bioeconomic Model (Withey and van Kooten)
- 2011-07 – What Makes Mountain Pine Beetle a Tricky Pest? Difficult Decisions when Facing Beetle Attack in a Mixed Species Forest (Bogle and van Kooten)

For copies of this or other REPA working papers contact:
REPA Research Group
Department of Economics
University of Victoria PO Box 1700 STN CSC Victoria, BC V8W 2Y2 CANADA
Ph: 250.472.4415
Fax: 250.721.6214
<http://web.uvic.ca/~repa/>

This working paper is made available by the Resource Economics and Policy Analysis (REPA) Research Group at the University of Victoria. REPA working papers have not been peer reviewed and contain preliminary research findings. They shall not be cited without the expressed written consent of the author(s).

What Makes Mountain Pine Beetle a Tricky Pest?

Difficult Decisions when Facing Beetle Attack in a Mixed Species

Forest

Tim Bogle and G. Cornelis van Kooten
University of Victoria

Abstract:

The pine forest of British Columbia is undergoing its largest recorded pest epidemic. The damage caused by native mountain pine beetle creates difficulties for the public owner of the resource, which is interested in protecting future timber supply while salvaging dead and dying pine. This paper addresses two problems that have often been over-looked: the variability and timing of beetle attack, and the variability of pine inventory in each stand. Management controls are limited to the annual rate of harvest and timber product outputs are based on shelf life – the length of time infested timber can still be used to produce lumber. Using mathematical programming to schedule harvest, we introduce a novel objective function based on the maximization of the net returns of the timber portfolio at the end of the 20 year time horizon under harvest and product flow constraints implemented by the public landowner to insure stability in the forest sector, and especially a stable supply of feedstock (bushchips) for bio-energy production, while recovering value from stands that would otherwise become uneconomical to harvest.

The optimal short-run response is to increase harvests over the baseline harvest without beetle. The use of future net returns as the optimization objective ensures that harvest during the 20 year

time horizon occurs in stands that would otherwise be economically unharvestable and also the harvest is generally above 70% pine in aggregate. Net returns do not exceed those of the baseline harvest without beetle, regardless of the scenario, as the harvest of low value bushchips must be subsidized by the harvest of timber that can be converted into lumber. Shelflife provides significant changes in NPV as more timber can be converted to lumber if shelflife is longer.

The government has a difficult fiscal management problem. Employing an evenflow of total harvest can yield higher net gains but at the risk of relying more heavily on the harvest of damaged timber and reduced future harvests of quality timber for dimensional lumber. This strategy would produce a “feast” of short term revenue followed by a “famine” when bushchip harvest is subsidized by the harvest of better quality timber. Alternatively, managing the individual forest products could yield some minimum government revenues but this strategy could also lead to the need to deplete reserves that could be reserved for future timber supply. Regardless of the strategy, to optimize for future timber supply potential means that a large percentage (25% in this study) of the damaged pine should only be harvested in the future and will not be of a quality to produce lumber.

Key words: optimal timber supply, catastrophic disturbance, shelf life of damaged trees

Introduction

The mountain pine beetle (*Dendroctonus ponderosae* Hopk. [Coleoptera: Scolytidae]) is a bark beetle that attacks and kills pine trees by burrowing under the bark and laying egg galleries (SAFRANYIK AND CARROLL 2006). The burrowing beetle also inoculates the sapwood of the attacked tree with a blue-stain fungus that interrupts the nutrient flow between the roots and the crown of the tree, causing the tree to die (WARING AND PITMAN 1985). The trees begin to dry out in the first couple of years after death, resulting in checks or cracks along the tree bole, which cause the greatest initial loss in commercial value as the orientation of the checks can limit opportunities for creating dimensional lumber (ORBAY AND GOUDIE 2006). With many management units in the interior of British Columbia possessing pine volumes in excess of 50% of the timber inventory, timber supply expectations need to be altered because fiber that was assumed to be available over a long time horizon must now be harvested quite quickly. Yet, it is anticipated that damaged timber will not be harvested soon enough to be converted into lumber, the primary and most valuable product of the forest industry.

The provincial government, which owns 96% of the province's timberlands, is contemplating bio-energy as an alternative use of the damaged timber (GOVERNMENT OF BRITISH COLUMBIA, 2007). However, studies examining the use of damaged timber for bio-energy have raised issues concerning the high costs of hauling fiber located at increasing distances from bio-energy facilities (NIQUIDET ET. AL. 2008; KUMAR ET. AL. 2008; STENNES AND MCBEATH 2006). The length of time between initial attack and the time a tree is no longer usable for dimensional lumber is known as the shelf life; once the shelf life is surpassed, timber can be used only as bushchips for bio-energy. Bushchips result from on-site chipping of timber deemed unusable for

lumber and are used for bio-energy purposes; other chips are residual to sawmilling but are allocated to existing secondary processing facilities such as pulp and paper mills. A rising pine beetle infestation at the stand level and the shelf life combine to diminish a stand's value. The decision maker must balance diminishing timber value against increasing marginal harvesting cost in the search for successful strategies for maintaining timber supply.

Studies such as those cited above have examined the economic consequences of mountain pine beetle (MPB) attack at the aggregate level, while neglecting the more difficult features of the MPB epidemic that occur at the stand level. In this regard, two particular issues are examined in the current study:

1. The forest is not homogeneous. Pure pine stands can be found in certain locations, but pine usually co-exists with other species. If traditional clear-cut practices are implemented in an effort to harvest all dead pine, this results in an estimated average 'by-harvest' of 1.3 cubic metres (m³) for every cubic metre of pine harvested (ENG ET. AL. 2005). Minimizing the by-harvest is necessary to maintain future timber supply.
2. The beetle does not, in a given year, completely attack each stand or kill every pine tree in a stand. This is a confounding issue because, while some trees remain alive and retain a high value, others in the same stand become marginal or useless by the time harvesting occurs.

We examine the intersection of the two problems in order to understand the tradeoffs required to make good strategic decisions. To explore the tradeoffs, three questions will guide the analysis: What are the product supply implications of the beetle attack? Is the province's current policy to increase short-term harvests a reasonable approach? How does the 'shelf life' of MPB-infected

timber affect outcomes?

Further, rather than use the common objectives of minimizing costs or maximizing net returns over some time horizon, we choose a novel approach, to maximize the value of the standing timber at the end of the time horizon. This is done to address the public owner's primary conundrum, namely, to salvage as much damaged forest without impacting the ability of the forests in the region to continue to provide employment and a stable rural economy in the future. Salvage harvesting will reduce short run timber values but the reduced supply in the future will increase the value of the remaining timber (PRESTEMON AND HOLMES 2000) so retaining as much of an economical supply of timber in the future could be the key to sustaining the local economy after the salvage period. Additional constraints related to fiber flows are implemented to ensure a smooth transition period.

Methods

A canonical forest estate similar in characteristics to management units in the interior of British Columbia is simulated. We assume a forest is made up of five watersheds, each containing ten stands of equal area, age and site productivity. Forest and stand sizes are unimportant for the analysis, so we simply assume each stand is one hectare (and upscale results for a 10,000 ha forest). Each stand is randomly assigned a pine proportion ranging from 0% to 100% in such a way that it produces a forest with roughly 50% pine and 50% non-pine on average. Each stand is assigned an initial standing inventory of 200 m³, representative of the study region, and a unique beetle attack pathway to mimic the rate and time of pine death in each stand. The possible beetle pathways replicate the general distribution of pine death at the forest level as an epidemic grows and then collapses. The cumulative annual forest-level attack is shown in Figure 1. Pine death

occurs between years 1 and 8 and eventually sums to 100% of the pine in the stand. The model employs a 20-year time horizon.




Figure 1: Annual volume of pine killed by mountain pine beetle

A number of fixed parameters used in this study are provided in Table 1. Each of these parameters exerts an important influence on the economics of timber supply. We do not examine other values of the parameters or their potential variability, leaving this to future research.

Choice of an appropriate objective function is also difficult. While the government of BC has chosen to increase short-term harvest levels significantly to capture value from the damaged timber, it is also concerned about the stability of forest-dependent communities and ensuring a stable supply of timber in the future. With respect to the latter, there is concern to protect non-pine timber, which is best done by avoiding the harvest of sites with high proportions of non-pine timber. As a starting point, therefore, we choose to maximize the value of the standing timber at the end of the 20-year time horizon, while providing a minimum stable economic supply of timber harvest (the pre-beetle sustainable harvest) over the planning horizon.

One purpose of the investigation is to examine how shelf life and the government's harvest flow

policy interact to create an optimal strategy. The ‘even-flow’ (non-declining) harvest policy is either applied to the total harvest or to an individual wood product – lumber or wood chips and residue for bio-energy (even flow is required as a biomass electrical generating facility requires a stable input of fiber). The harvest flow for bushchips is assumed to begin two years after the shelf life is surpassed; this ensures that an adequate bushchip supply exists for power production and avoids poor or infeasible solutions. The investment required to create a bio-energy facility also demands the certainty of supply, likely in excess of 10 years.

Table 1: Model parameters

Parameter	Value	Description
T	20 years	Length of the planning horizon
t	Annual	Time step
p_1	\$150/m ³	Price of lumber
p_2	\$75/m ³	Chip price obtained as a by-product of lumber manufacture
p_3	\$55/m ³	Cost adjusted price of bushchips (assumed \$20/m ³ cost of roadside chipping in the forest)
v	200 m ³ /ha	Volume per hectare in each stand
h	\$70/m ³	Variable logging cost as a function of volume per ha
c	\$10/ha	Fixed administration cost per harvested hectare
r	\$1200/ha	Fixed planting cost per harvested hectare
β	=1/(1+ δ)	Discount factor (assume discount rate of 2.5%, so $\delta = 0.025$)
ε_1	0.50	Proportion of merchantable volume of pine and non pine converted to lumber
ε_2	0.30/ ε_1	Proportion of merchantable volume converted to pulp chips
ε_3	1.00	Proportion of MPB damaged timber beyond shelf life converted to bushchips

The constrained optimization problem can be formulated as a linear programming model. The objective is:

$$(1) \quad \text{Maximize TV} = \sum_{k=1}^P \sum_{i=1}^W \sum_{j=1}^S \{p_k v_{i,j,T} \varepsilon_k z_{k,i,j,T} - h v_{i,j,T} - c - r\} (1 - a_{i,j,T}),$$

where TV is the value of the standing timber inventory at the end of the time horizon (T); P refers to the number of products ($=3$), W to watersheds ($=5$) and S to stands ($=10$) in each watershed; $(1-a_{i,j,T})$ is the proportion of stand j in watershed i remaining unharvested at time T ; $v_{i,j,T}$ is the volume of standing timber on stand j in watershed i at terminal time T ; $z_{k,i,j,T}$ represents the proportion of product k from stand j in watershed i at terminal time T ; and the remaining parameters are described in Table 1.

The model constraints are as follows:

- | | | |
|-----|--|---|
| (2) | $\sum_{t=1}^T a_{i,j,t} = 1, \forall i, j$ | Each stand can only be harvested in its entirety once |
| (3) | $\sum_{i=1}^W \sum_{j=1}^S v_{i,j,t+1} a_{i,j,t+1} \geq \sum_{i=1}^W \sum_{j=1}^S v_{i,j,t} a_{i,j,t}, t = 1, \dots, T-1$ | Even flow of total timber volume |
| (4) | $\sum_{i=1}^W \sum_{j=1}^S \varepsilon_k z_{k,i,j} a_{i,j,t+1} \geq \sum_{i=1}^W \sum_{j=1}^S \varepsilon_k z_{k,i,j} a_{i,j,t}, t = 1, \dots, T-1 \forall k = \{\text{lumber, bushchips}\}$ | Even flow of product volume |
| (5) | $\sum_{k=1}^P \sum_{i=1}^W \sum_{j=1}^S [p_k v_{i,j,t} \varepsilon_k z_{k,i,j,T} - h v_{i,j,t} - c - r] a_{i,j,t} \geq 0, t = 1, \dots, T$ | Non-negative annual net return |
| (6) | $a_{i,j,t} \geq 0, \forall i, j, t$ | Non-negativity |

Constraints (3) and (4) are modified, or lagged, in some scenarios to account for shelf life and an adequate supply of bushchips to avoid infeasibility or sub-optimal harvest levels; if the shelf life is zero, the even-flow constraint for bushchips would begin in the second year. In a particular model run, only one harvest flow objective, either constraint (3) or constraint (4) is employed.

Results

Scenarios are described by harvest control and shelf life assumptions and are summarized in

Table 2. For each scenario, we provide the discounted net financial returns, total production of lumber, chips and bushchips, area harvested, the remaining inventory by species, and the value of the end-period timber portfolio (TV). For the baseline scenario without beetle infestation, the forest landscape would produce about 283,333 m³ of lumber and 170,000 m³ of chips with a net present value of \$35.5 million (which includes the value of the terminal timber portfolio), and result in the annual harvest of 167 hectares for a total harvest of 3,333 hectares (Table 2). Without price differentiation between species, the total harvest is composed of 48% pine. As indicated in Figure 2, the total inventory begins with 886,380 m³ of pine and 813,620 m³ of other species. By the end of 20 years, the growing stock is expected to decline to 535,783 m³ of non-pine and 625,883 m³ of pine. The terminal timber portfolio value is \$34.6 million. In the baseline scenario, there are no bushchips as only lumber and the additional chip by-product are produced.




Figure 2: Scenario 1, Baseline harvest without beetle infestation

Given the need to sustain harvests, the minimum annual harvest in most scenarios is set to the baseline harvest of 28,333 m³ of timber to ensure the model adequately reduces boom and bust

outcomes. To ensure the timber harvest is also economically viable, net annual returns are constrained to be greater than or equal to zero. As a reference, the maximum terminal condition was found for three scenarios, each with a different shelf life (Scenarios 2 through 4). The model had no minimum harvest, but harvests were constrained to be even over each of the four pentads in the 20-year planning horizon. The TV for each of these scenarios is \$13.47 million and yields identical ending states for pine (225,420 m³) and non-pine (625,580 m³) inventories. Thus, with little harvest restriction, the best solution relegates one quarter of the pine inventory to bushchips to minimize the by-harvest and maintain future timber supply; 50% of the forest is harvested over one five-year period to achieve this. The resulting TV is only 40% of the no-beetle baseline. Clearly, the distribution of pine in the forest and the use of clear-cutting creates a lasting implication for future timber supply.

While scenarios 2 through 4 provide an indication of the best possible terminal condition, the stated objective for this forest was a continued economic supply of timber. Scenarios 5 through 7 examine the even flow of total timber harvest for three shelf life conditions and are graphed in Figure 3. The dashed lines represent total harvest and the solid lines represent bushchip harvest.

As shelf life increases, there is a steady decline in total harvest and bushchip harvest, as well as a delay in when bushchips become available. If shelf life is longer, maintaining a lower harvest is desirable as less area will be harvested, resulting in higher non-pine inventory and a higher TV. Despite a higher harvest level when shelf life is short (i.e., zero years), net present value is quite low with net returns in most years equal to zero as a result of reduced lumber production. As shelf life increases, more lumber is created than the baseline scenario without beetle.

Table 2: Scenario description and results

Scenario	Net present value (\$ ×10 ⁶)	Pine as a proportion of the harvest	Total lumber ('000 m ³)	Pulp chips ('000 m ³)	Bushchips ('000 m ³)	Total harvest area (ha)	Pine inventory ('000 m ³)	Non-pine inventory ('000 m ³)	Portfolio value in year 20 (\$ ×10 ⁶)	Sum of annual net returns (\$ ×10 ⁶)
1) Baseline scenario (no mountain pine beetle)	35.5	0.48	283.3	170.0	0	3333	625.9	535.8	34.6	11.6
2) Maximum harvest, no minimum & shelf life = 0 yrs	22.4	0.78	320.1	192.1	246.8	5000	225.4	624.6	13.47	10.4
3) Maximum harvest, no minimum & shelf life = 5yrs	33.1	0.78	425.0	255.0	0.01	5000	225.4	624.6	13.47	17.3
4) Maximum harvest, no minimum & shelf life = 10 yrs	18.5	0.78	308.8	185.3	273.5	5000	225.4	624.6	13.47	9.7
5) Even flow of total harvest, shelf life = 0 yrs	8.5	0.72	232.4	139.5	681.8	6143	165.1	542.7	12.69	2.3
6) Even flow of total harvest, shelf life = 5 yrs	16.8	0.76	281.3	168.8	402.8	5324	224.6	615.6	13.4	7.2
7) Even flow of total harvest, shelf life = 10 yrs	22.6	0.78	336.5	201.9	208.3	5000	252.1	640.4	13.47	11.5
8) Even flow of product harvest, shelf life = 0 yrs	7.1	0.68	262.6	157.6	768.5	6932	120.7	462.3	11.17	2.6
9) Even flow of product harvest, shelf life = 5 yrs	12.6	0.72	283.3	170.0	587.2	6269	161.5	538.8	12.52	5.4
10) Even flow of product harvest, shelf life = 10 yrs	17.4	0.75	304.6	182.8	400.3	5585	214.7	606.4	13.28	8.2




Figure 3: Even flow of total and bushchip harvest with different shelf life values for damaged timber (Scenarios 5 – 7)

Now consider what happens if government focuses on the flow of outputs, particularly ensuring that enough bushchips will be available to provide feedstock for a bio-energy facility, while also sustaining an even flow of lumber. Figure 4 summarizes some of the results for Scenarios 8-10, the even flow of lumber and bushchips with different shelf life values. In this case, as shelf life increases, the model increases the supply of lumber and bushchips simultaneously. The strategy of managing product recovery does have negative implications as can be seen by comparing Scenarios 5-7 with 8-10 in Table 2. For identical shelf lives, management for even flow of output yields lower NPV, lower TV and requires more area to be harvested than management for even flow of total harvest. Due to the even flow constraints, harvest levels do not increase significantly over the reference harvest level until bushchip harvests begin.




Figure 4: Even flow of lumber and bushchips with different shelf life values for damaged timber (Scenarios 8 – 10)

Based on a number of criteria, sustaining total harvest over 20 years yields a more attractive outcome than attempting to sustain product harvests. However, government revenues are generally projected annually and fiscal planning has traditionally been predicated on a continued annual revenue stream to offset the provision of public services. Figure 5 shows the annual net returns by harvest flow strategy for each shelf life value. The even flow of total harvest produces a windfall of short-term revenue, as net returns are extremely high while elevated harvests are focussed on converting pine trees into lumber. As the lumber component declines and the bushchip component increases, net returns go to zero. Conversely, by fixing the amount of output produced over the time horizon, a minimum net return can be achieved regardless of the shelf life. It can be seen that under the economic conditions modelled, the lumber value is subsidizing the harvest of bushchips as all of the stands with significant pine components would possess a negative terminal value if left unharvested.




Figure 5: Annual net returns by evenflow type for different shelflife values.

Discussion and Conclusions

The traditional economic objective of maximizing NPV is not conducive to maintaining future timber supply. Therefore, in this study, we maximized the terminal value of standing timber at the end of the time horizon which is consistent with the government desire to protect future timber supply. To focus the policy concerns, three questions were asked: What are the product supply implications of the beetle attack? Is the province's current policy to increase short term harvests a reasonable approach? How does the 'shelf life' of MPB-infected timber affect outcomes?

In response to the first question, the analysis has shown that forcing product objectives may not produce the most economically efficient solution. Indeed, by not considering an adequate product threshold, the forest resources needed to sustain future timber supply will be needlessly depleted. This has implications for bio-energy: subsidizing biomass electricity generation may not be a good policy. The analysis also showed that at least a quarter of the pine resource could be harvested after twenty years, when non-pine trees would be harvested.

Thus, if traditional clear cutting is practiced, this limits harvests of damaged pine in the short run.

In the scenarios examined here, harvests were consistently elevated above the no beetle reference case. This is consistent with BC government policy to increase harvest of beetle-damaged timber. However, depending on the shelf life of damaged trees and the harvest flow policy, the timing of the harvest uplift could vary from immediate to almost a decade into the future. This results in a key communication challenge in determining when to implement such an uplift. An immediate increase in harvests communicates the sense that beetle-damaged pine has a short shelf life and little economic value once it is attacked, and this might ensure production of a much lower level of lumber in the future.

The variability of the pine resource and the shelf-life of standing timber for lumber production define the economic access to the timber resource. We find throughout the analysis that lumber production subsidizes harvesting of bushchips for bio-energy. This subsidy is over and above any explicit subsidies to encourage bio-energy, particularly biomass burning for electricity production. If insufficient lumber is recoverable from the pine or non-pine species in a stand, the stand will be left in the timber portfolio as it has little economic value. Because the time horizon is short, we do not consider the growth of non-pine once the pine has been denuded by the mountain pine beetle. However, the non-pine could become valuable enough some time after the end of our time horizon to justify not harvesting beetle-damaged timber, but leaving it to decay and allow non-pine species to flourish (NIGHT ET. AL. 2008).

There remains uncertainty about the shelf life of standing MPB-affected timber. It is likely that shelf life is affected by the biogeoclimatic zone in which the pine is found. We developed

the model with five zones to explore the implications of variable transportation costs and shelf life as a function of location in future research. This could affect the conclusions significantly and thus policy related to the pine beetle. For example, it raises issues related to government tenure arrangements: the feedstock available for bio-energy will decline as shelf life increases if contracts to supply products recognize the principle of maintaining the highest and best use for as long as possible. If this requirement is removed, society could lose valuable forest rents to which it is entitled.

Clearly, we have greatly simplified reality. Perfect knowledge about when pine trees are affected by mountain pine beetle and the extent to which stands are infested are clear benefits, as is perfect knowledge about shelf life. In terms of policy, the BC government is faced with only a few key options: (i) ensure more or less continuous revenues by mandating the harvest of specific products from the forest; (ii) use the more flexible approach of simply managing total harvest, while letting companies decide what outputs to produce; or (iii) do nothing to speedup harvests of damaged pine and simply accommodate the damages through reduced harvest levels when the economic supply declines. The second approach may provide significantly larger short-term gains in government revenue during the years of ‘feast’ when damaged pine can still be used for lumber, but will require prudent fiscal management to distribute those gains into the future when expected net returns could decline substantially if harvests continue in the province’s interior pine-dominated zone. The government must also pay attention to the delicate economic balance between lumber and bushchips as companies are engaged in harvesting. Under current economic parameters, it is lumber recovered from damaged pine and non-pine species that enables the harvest of large amounts of bushchips. If the net returns from lumber turn out to be inadequate at some future time then harvest levels

must be reduced, making biomass electricity, for example, too costly to generate and requiring electricity from other sources as a replacement.

References

- ENG, M., FALL, A., HUGHES, J., SHORE, T., RIEL, B., HALL, P., AND WALTON, A., 2005. Provincial-level projection of the current mountain pine beetle outbreak: an overview of the model (BCMPBv2) and results of year 2 of the project. Natural Resources Canada, Canadian Forest Service, Pacific Forestry Centre, Victoria, BC.
- GOVERNMENT OF BRITISH COLUMBIA. 2007. The BC energy plan: A vision for clean energy leadership. Victoria, BC.
- KUMAR, A., FLYNN, P., AND SOKHANSANJ, S., 2008. Biopower generation from mountain pine infested wood in Canada: An economical opportunity for greenhouse gas mitigation, *Renewable Energy* 33, 1354-1363.
- NIGH, G.D., ANTOS, J.A., PARISH, R., 2008. Density and distribution of advance regeneration in mountain pine beetle killed lodgepole pine stands of the Montane Spruce zone of southern British Columbia, *Canadian Journal of Forest Research* 38, 2826-2836.
- NIQUIDET, K., STENNES, B., AND VAN KOOTEN, G.C., 2008. Bio-energy from mountain pine beetle timber and forest residuals: the economics story, *Resource Economics & Policy Analysis Working Paper 2008-11*. University of Victoria, Victoria, BC.
- ORBAY, L., AND GOUDIE, D., 2006. Quantifying lumber value recovery from beetle-killed trees. Mountain pine beetle initiative Working Paper 2006-09. Natural Resources Canada, Canadian Forest Service, Pacific Forestry Centre, Victoria, BC.

- PRESTEMON, J.P., AND HOLMES, T.P., 2000. Timber price dynamics following a natural catastrophe, *Amer. J. Agr. Econ.* 82, 145-160.
- SAFRANYIK, L., AND CARROLL, A.L., 2006. The biology and epidemiology of the mountain pine beetle in lodgepole pine forests. In: *Mountain pine beetle: a synthesis of biology, management and impacts on lodgepole pine*. Pp.3-66. Natural Resources Canada, Canadian Forestry Service, Victoria, BC.
- STENNES, B., AND MCBEATH, A., 2006. Bioenergy options for woody feedstock: are trees killed by mountain pine beetle in British Columbia a viable bioenergy resource? Information Report BC-X-405E. Natural Resources Canada, Canadian Forest Service, Pacific Forestry Centre, Victoria, BC.
- WARING, R.H., AND PITMAN, G.B. 1985. Modifying lodgepole pine stands to change susceptibility to mountain pine beetle attack, *Ecology* 66, 889-897.