



**AgEcon** SEARCH  
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

*The World's Largest Open Access Agricultural & Applied Economics Digital Library*

**This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.**

**Help ensure our sustainability.**

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

[aesearch@umn.edu](mailto:aesearch@umn.edu)

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

*No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.*

## Generalized Lorenz curves and related graphs: an update for Stata 7

Philippe Van Kerm  
CEPS/INSEAD, G.-D. Luxembourg  
University of Namur, Belgium  
philippe.vankerm@ceps.lu

Stephen P. Jenkins  
University of Essex, UK  
stephenj@essex.ac.uk

**Abstract.** The `glcurve` command is updated to a Stata 7 version, `glcurve7`, which is described and illustrated.

**Keywords:** `gr0001`, generalized Lorenz curves

### Introduction

In Jenkins and Van Kerm (1999), we presented `glcurve`, a program to draw “generalized Lorenz curves and related graphs”. The program works very much like the official programs `cumul` or `kdensity`: the program is fed with a single variable to be analyzed and returns a picture in the graph window and/or creates additional variables containing the coordinates of the requested graph. The (generalized) Lorenz curves produced by `glcurve` are of primary interest among economists involved in income distribution analyses.




Figure 1: Generalized Lorenz curves for household incomes by head of household gender.




Figure 2: Comparing Lorenz curves for the two groups in Figure 1.




Figure 3: Lorenz and concentration curves for child benefits.




Figure 4: TIP curves of absolute poverty gaps for home owners and renters.




Figure 5: TIP curves of relative poverty gaps.

Using some of the new features of Stata 7.0, we have written an upgrade of the `glcurve` program: `glcurve7`. Changes to the program have been made in the following ways:

1. Most noticeably, three new options have been added to automate the drawing of conventional Lorenz and concentration curves, as well as the Three I's of Poverty (TIP) curves; see Lambert (1993) and Jenkins and Lambert (1997).
2. By default, the program with the `by()` and `split` options, now produces dotted lines to distinguish subgroup curves. Furthermore, since the 8 characters variable

name length constraint is now lifted, if `glvar(glvarname)` is also specified, the created variable names are not truncated anymore after the first four characters of *glvarname*.

We have updated `glcurve` after the shipping of Stata 7.0, and the program now contains a `version 7.0` statement. As a consequence, `glcurve7` will not work with earlier Stata releases. If you use Stata versions 5.0 or 6.0, please continue to use `glcurve`.

## Full syntax

```
glcurve7 varname [weight] [if exp] [in range] [, pvar(pvarname)
      glvar(glvarname) sortvar(svarname) by(groupvar) split nograph replace
      lorenz rtip(string) atip(string) graph_options ]
```

`aweights` and `fweights` are allowed.

## New options

`lorenz` requires that the coordinates of the Lorenz curve are computed instead of generalized Lorenz coordinates. Lorenz *y*-ordinates are the generalized Lorenz *y*-ordinates divided by the mean of *varname*, and are thus bounded by 0 and 1. This option used in conjunction with `sortvar(svarname)` produces the conventional concentration curves.

`atip(povline)` and `rtip(povline)` require that the coordinates of TIP curves are computed instead of generalized Lorenz coordinates. *povline* specifies the value of the poverty line: it can be either a numeric value taken as the poverty line for all observations, or an existing variable name containing the value of individual specific poverty lines. `atip(povline)` draws “absolute” TIP curves (by cumulating `max(povline-varname,0)`), and `atip(povline)` draws “relative” TIP curves (by cumulating `max(1-(varname/povline),0)`).

## Examples

To illustrate the new options of `glcurve7`, let us reproduce the examples presented in Jenkins and Van Kerm (1999). We use the dataset `subcvse.dta` (extracted from a Belgian survey on low income households, the CVSEW; see the `notes` of `subcvse.dta`) provided in our initial STB insert. The dataset contains four variables: a (single adult equivalent) household income measure (`eqinc`), an indicator of the sex of the household head (`headfem`), an indicator of the home tenancy status of the household (`owner`), and the amount of child benefits received by the household (`chpay`).

Figure 1 in Jenkins and Van Kerm (1999) draws the Generalized Lorenz curves of income separately for female-headed households and male-headed households. This can now be obtained with a single line of command without recourse to Stage (now obsolete). Figure 1 is obtained by typing

```
. glcurve7 eqinc , by(headfem) split xlabel(0,0.25,0.50,0.75,1) ylabel
>l2title("Generalized Lorenz ordinates, GL[p_i]") b2title("Population share, p_i")
>title("Generalized Lorenz curves")
```

In our previous insert, we also showed how to use `glcurve` to draw and compare Lorenz curves instead of generalized Lorenz curves. This required a first step of variable preparation, which is now obsolete thanks to the addition of the `lorenz` option. Figure 2 in the previous insert can be obtained with

```
. glcurve7 eqinc , by(headfem) split lorenz
>xlabel(0,0.25,0.50,0.75,1) ylabel(0,0.25,0.50,0.75,1) border
>l2title("Lorenz ordinates, L[p_i]")
>l2title("Population share, p_i") title("Lorenz curves")
```

The sole missing feature of the new graph is the 45 degree line which corresponds to the Lorenz curve in case of an equally distributed income. To add this line one would need to save the Lorenz coordinates in new variables and draw the entire picture with the `graph` command:

```
. glcurve7 eqinc , by(headfem) split lorenz glvar(lorenzY) pvar(lorenzX) nograph
. graph lorenzY* lorenzX lorenzX , xlabel(0,0.25,0.50,0.75,1)
>ylabel(0,0.25,0.50,0.75,1) c(11[-]1) s(iii)
>border l2title("Lorenz ordinates, L[p_i]") b2title("Population share, p_i")
>title("Lorenz curves")
```

By the same token, the concentration curves in Figure 3 have also become straightforward to draw:

```
. glcurve7 eqinc , lorenz nograph glvar(lorenzY) pvar(lorenzX) replace
. glcurve7 chpay , sortvar(eqinc) lorenz nograph glvar(concentrationY)
. graph lorenzY concentrationY lorenzX lorenzX ,
xlabel(0,0.25,0.50,0.75,1) ylabel(0,0.25,0.50,0.75,1) c(11[-]1) s(iii) border
l2title("Lorenz L[p_i] & Concentration C[p_i]")
b2title("Population share, p_i")
title("Lorenz and Concentration curves")
```

Finally, the new options `atip`(*povline*) and `rtip`(*povline*) makes it very easy to draw TIP curves, as presented in Figures 4 and 5 in our previous insert. Figure 4 presents absolute TIP curves separately for two household types with a common poverty line of 200 monetary units:

```
. glcurve7 eqinc , by(owner) split atip(200)
>xlabel(0,0.25,0.50,0.75,1) ylabel l2title("TIP curves ordinates TIP[p_i]")
>b2title("Population share, p_i") title("Three I's of Poverty Curves")
```

Figure 5 presents relative TIP curves separately for two household types with distinct poverty lines for the different groups:

```
. gen povline = 170*(owner) + 200*(1-owner)
. glcurve7 eqinc , by(owner) split rtip(povline) xlabel(0,0.25,0.50,0.75,1)
  ylabel l2title("TIP curves ordinates TIP[p_i]")
  b2title("Population share, p_i") title("Three I's of Poverty Curves")
```

## References

- Jenkins, S. P. and P. Van Kerm. 1999. sg107: Generalized Lorenz curves and related graphs. *Stata Technical Bulletin* 48: 25–29. In *Stata Technical Bulletin Reprints*, vol. 8, 269–274. College Station, TX: Stata Press.
- Jenkins, S. P. and P. J. Lambert. 1997. Three ‘I’s of poverty curves, with an analysis of UK poverty trends. *Oxford Economic Papers* 49: 317–327.
- Lambert, P. J. 1993. *The Distribution and Redistribution of Income - A Mathematical Analysis, 2d ed.* Manchester: Manchester University Press.

## About the Authors

Philippe Van Kerm recently completed his PhD dissertation in Economics at the University of Namur (Belgium). He is currently research associate at CEPS/INSTEAD (G.-D. Luxembourg), with scientific interests focused on applied microeconometrics with particular reference to income distribution issues.

Stephen Jenkins is a Professor in the Institute for Social and Economic Research at the University of Essex, Colchester, UK. His current research focuses on longitudinal aspects of household income, benefits, and the labor market. Analysis of large household surveys (panel and cross-section) using Stata is an integral part of this work.