

The World's Largest Open Access Agricultural & Applied Economics Digital Library

# This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<a href="http://ageconsearch.umn.edu">http://ageconsearch.umn.edu</a>
aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

### Measuring the Importance of Pollination Externalities in Agriculture

**Antoine Champetier** 

University of California, Davis,
Agricultural Issues Center.
http://www.aic.ucdavis.edu

Corresponding author: <a href="mailto:antoine@primal.ucdavis.edu">antoine@primal.ucdavis.edu</a>

Selected poster prepared for presentation at the Agricultural & Applied Economics Association's 2011 AAEA & NAREA Joint Annual Meeting, Pittsburgh, Pennsylvania, July 24-26, 2011.

Copyright 2011 by [author(s)]. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided this copyright notice appears on all such copies.

# Measuring the Importance of Pollination Externalities in Agriculture

## The reciprocity of pollination in and outside pollination markets

#### Background

A betwice contains thousands of bees, each of which can fly several miles for a pinch of pollen or a drop of nectar. Unless farms using pollinators were hope or iositalet, it therefore seems unlikely that a betweeper could be erg all this growers located in the foraging range of her hives to pay for the pollination services provided by her foraging bees. Conversely, it is unlikely that a grower could neer find a way to charge all the betweepers for the pollen and nectar that their bees collect from her fields. With such a picture in mind, many economists would assume pollination in agriculture to be fertile ground for externalities. Vice[Meaded:952] was maybe the first economist to use the cannoical story of the betweeper and the page grower to illustrate how the esistence of "unpaid factors" of

#### Two illustrative examples

First, imagine amoud ordurals owned by separate inverse who test hive to politicals their copy. As a simplifying approximation, the abmond due previous on reconstructive and the only review to the betweeper in his bit context own ordinary allowing feet. The per his betweeper in his bit context own ordinary allowing and the per his per his betweeper in his bit context own ordinary and the registructive of the specific of diffusion across the ordinary and his registructive or the political to the marker tential rate for his sex. As a result, diffusion creates an externally among growers. A grower has clear incremites to free right on bees reserted by others. Underivenement in bees could result from free riding among the growers, but the relationship between a grower and her beedeeper is not much different than the ones the grower maintains with her fertilizer or labor providers. The externally is among growers and not between grower and beetweepers.

In the scored example, growers of circus lease their orchards to bedeepers as a source of nexts. Assume that the varieties of circus involved neither benefit for an ediamaged by bee visits. In this issuance, bedeepers, any a location feet for access to grows from which nextur can be collected and honey produced. The value of a location to bedeepers depends on how much nextur is accessible from it, all the market for brackins is competible, each grower will receive in the form of location feets me angrial value of the nexteat accessible from placing bees at her location as an input to honey production. Externallies occur when a grower rents out a location from which receives the production of the productio

#### A model of externalities among growers

The problem of first riding among crop growers case is mentioned by Cheng who notes the existence of an informal suboral among almost shirth documped first edining proplination services. According for the Design depiction of the Chicados." An information of the Chicados. In the Chicados of the Chicados. In the Chicados of the Chicados. In the Chicados of the Chicados of the Chicados of the Chicados. In the Chicados of the Chic

$$\Pi_i(b_i, f_i) = p_a a_i + p_h h_i - (p_b b_i + p_f f_i)$$

$$a_i = a(v_{i,i} + v_{i,-i})$$

$$h_i = h(v_{i,i} + v_{-i,i})$$

$$\begin{split} t_i^b &= p_a \frac{\partial a_{-i}}{\partial v} \left[ \frac{\partial v_{-i,i}}{\partial b_i} + \frac{\partial v_{-i,-i}}{\partial b_i} \right] + p_h \frac{\partial h_{-i}}{\partial v} \left[ \frac{\partial v_{i,-i}}{\partial b_i} + \frac{\partial v_{-i,-i}}{\partial b_i} \right] \\ t_i^f &= p_a \frac{\partial a_{-i}}{\partial v} \left[ \frac{\partial v_{-i,i}}{\partial f_i} + \frac{\partial v_{-i,-i}}{\partial f_i} \right] + p_h \frac{\partial h_{-i}}{\partial v} \left[ \frac{\partial v_{i,-i}}{\partial f_i} + \frac{\partial v_{-i,-i}}{\partial f_i} \right] \end{split}$$

#### Pollination Markets

ung noted the existence of pollination market

| Ex. (Same Repents) | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 1

#### Free riding among crop growers

The patient of feer foliage among crop growers costs is mentioned by Canung who notes the existence of an informal usatus among storating process with disconsigns fee fixing for pollutation involves. According to Chenergi Septician of "The Custom of the Orchards", almond growers expect each other to stock their orbitands with lives as a same density as their englightors. Although we have not beard mention of this custom is conversations with current almong growers in California, known free-riders are still considered to be bad neighbors. The problem has not involved any formal institution, and free riding is not filled anone granger conterning by growers in the almost ori industry.

$$\begin{split} t^{b}_{i,almonds} &= p_{a} \frac{\partial a_{-i}}{\partial v} \left[ \frac{\partial v_{-i,i}}{\partial b_{i}} + \frac{\partial v_{-i,-i}}{\partial b_{i}} \right. \\ t^{f}_{i,almonds} &= p_{a} \frac{\partial a_{-i}}{\partial v} \left[ \frac{\partial v_{-i,i}}{\partial f_{i}} + \frac{\partial v_{-i,-i}}{\partial f_{i}} \right. \end{split}$$



#### The pollination services provided by wild pollinators

Consider the diffusion of pollinators between wild habitat and farms. In this case, the diffusion is not limited to a single species but involves a number of wild insects in addition to managed beer. For simplicity, we consider wild pollinators as one group of pollinators and therefore only made a distinction between wild and managed pollinators. Under this saturation, the general model of pollinator diffusion above can be adapted to this special case by changing one of the farmers into the owner of with habitat.

$$\begin{split} t_{w}^{b} &= p_{a} \frac{\partial a}{\partial v} \left[ \frac{\partial v_{i,w}}{\partial b_{w}} + \frac{\partial v_{i,i}}{\partial b_{w}} \right] + p_{h} \frac{\partial h}{\partial v} \left[ \frac{\partial v_{u,i}}{\partial b_{w}} + \frac{\partial v_{i,i}}{\partial b_{w}} \right] \\ t_{w}^{f} &= p_{a} \frac{\partial a}{\partial v} \left[ \frac{\partial v_{i,w}}{\partial f_{w}} + \frac{\partial v_{i,j}}{\partial f_{w}} + p_{h} \frac{\partial h}{\partial v} \left( \frac{\partial v_{u,i}}{\partial f_{w}} + \frac{\partial v_{i,j}}{\partial v_{w}} \right) \right] \\ \end{split}$$



$$\begin{split} t_i^b &= V_{\text{wcs}} \frac{\partial_{\text{wcs}}}{\partial v} \left[ \frac{\partial v_{\text{w,i}}}{\partial b_i} + \frac{\partial v_{\text{w,w}}}{\partial b_i} \right] + V_{b_w} \frac{\partial b_w}{\partial v} \left[ \frac{\partial v_{\text{i,w}}}{\partial b_i} + \frac{\partial v_{\text{w,w}}}{\partial b_i} \right] \\ t_i^f &= V_{\text{wcs}} \frac{\partial_{\text{wcs}}}{\partial v} \left[ \frac{\partial v_{\text{i,w}}}{\partial f_i} + \frac{\partial v_{\text{w,w}}}{\partial f_i} \right] + V_{b_w} \frac{\partial b_w}{\partial v} \left[ \frac{\partial v_{\text{i,w}}}{\partial v} + \frac{\partial v_{\text{w,w}}}{\partial f_i} \right] \end{split}$$

#### Pesticide damage to honey bees

The third third case of externality caused by pollinator diffusion is that of pesticide damages to domestic honey best which have long been a concern for betekepers. In general, betekepers and the growers they contract with coordinate the properties of the propert


#### Crop damage from honey bee pollination


Cases where pollination visits by insects damage crops have been very rarely documented. \cite[Oinstead1987] reports that bees where thought once to be peads for allalf as early production but they turned out to be the opposite. A handful of authors argue that bees in large numbers may decrease crop yield, for instance by extracting large amounts of nectar and thus reducing the resources available to the plant for first production.

The difference in the political economy of beskepring in the two regions provides reasonable candidate hypothesis to explain the difference in the resolutioners of this negative politication neterrollisty. In California, between the way to a large almond industry to which they provide valuable politication services. In the region of Valencia, circus production is the single-largest activities of industry to which they provide valuable politication services. In the region of Valencia, circus production is the single-largest activities of industry and the provide valuable politication services. In the region of Valencia, circus production is the single-largest activities of industry to which they provide valuable politication services. In the very provide valuable provides are single-largest activities of the provides which they are single-largest provides are single-largest activities.

#### Modeling foraging behavior and spatial diffusion of bees

 $C_t(i,t) = \frac{2d_i}{v} + \frac{LoadSize}{CollectionRateP_{t,t}/F_t} VisitDuration + UnloadDuration \\$ 





#### Impact of buffer zone on hive location and bee foraging range

