

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
http://ageconsearch.umn.edu
aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

THE STATA JOURNAL

Editor

H. Joseph Newton Department of Statistics Texas A & M University College Station, Texas 77843 979-845-3142; FAX 979-845-3144 jnewton@stata-journal.com

Associate Editors

Christopher Baum Boston College

Rino Bellocco

Karolinska Institutet

David Clayton

Cambridge Inst. for Medical Research

Mario A. Cleves

Univ. of Arkansas for Medical Sciences

William D. Dupont

Vanderbilt University

Charles Franklin

University of Wisconsin, Madison

Joanne M. Garrett

University of North Carolina

Allan Gregory Queen's University

James Hardin

University of South Carolina

Ben Jann

ETH Zurich, Switzerland

Stephen Jenkins

University of Essex

Ulrich Kohler WZB, Berlin

Jens Lauritsen

Odense University Hospital

Editor

Nicholas J. Cox Geography Department

Durham University

South Road

Durham City DH1 3LE UK

n.j.cox@stata-journal.com

Stanley Lemeshow Ohio State University

J. Scott Long

Indiana University

Thomas Lumley

University of Washington, Seattle

Roger Newson

King's College, London

Marcello Pagano

Harvard School of Public Health

Sophia Rabe-Hesketh

University of California, Berkeley

J. Patrick Royston

MRC Clinical Trials Unit, London

Philip Ryan

University of Adelaide

Mark E. Schaffer

Heriot-Watt University, Edinburgh

Jeroen Weesie

Utrecht University

Nicholas J. G. Winter Cornell University

Jeffrey Wooldridge

Michigan State University

Stata Press Production Manager

Lisa Gilmore

Copyright Statement: The Stata Journal and the contents of the supporting files (programs, datasets, and help files) are copyright © by StataCorp LP. The contents of the supporting files (programs, datasets, and help files) may be copied or reproduced by any means whatsoever, in whole or in part, as long as any copy or reproduction includes attribution to both (1) the author and (2) the Stata Journal.

The articles appearing in the Stata Journal may be copied or reproduced as printed copies, in whole or in part, as long as any copy or reproduction includes attribution to both (1) the author and (2) the Stata Journal.

Written permission must be obtained from StataCorp if you wish to make electronic copies of the insertions. This precludes placing electronic copies of the Stata Journal, in whole or in part, on publicly accessible web sites, fileservers, or other locations where the copy may be accessed by anyone other than the subscriber.

Users of any of the software, ideas, data, or other materials published in the Stata Journal or the supporting files understand that such use is made without warranty of any kind, by either the Stata Journal, the author, or StataCorp. In particular, there is no warranty of fitness of purpose or merchantability, nor for special, incidental, or consequential damages such as loss of profits. The purpose of the Stata Journal is to promote free communication among Stata users.

The Stata Journal, electronic version (ISSN 1536-8734) is a publication of Stata Press, and Stata is a registered trademark of StataCorp LP.

```
The Stata Journal (2005) 5, Number 3, pp. 465–466
```

Stata tip 22: Variable name abbreviation

Philip Ryan University of Adelaide philip.ryan@adelaide.edu.au

Stata allows users to abbreviate any variable name to the shortest string of characters that uniquely identifies it, given the data currently loaded in memory (see [U] 11.2.3 Variable-name abbreviation). Stata also offers three wildcard characters, *, ~, and ? (see [U] 11.4.1 Lists of existing variables), so users have substantial flexibility in how variables may be referenced.

Stata also allows users to control the values of many of its system parameters using the set command (see [R] set). One of these parameters is varabbrev, which may be toggled on, allowing variable names to be abbreviated, or off, requiring the user to spell out entire variable names.

The default is to allow abbreviations. But this convenience feature can bite. Suppose that in a program we wish to confirm the existence of a variable and that variable does not in fact exist:

```
. clear
. set varabbrev on
. set obs 10
(obs was 0, now 10)
. generate byte myvar7 = 1
. confirm variable myvar
```

There is no error message here because myvar is an allowed abbreviation for myvar7. A bigger deal is that as myvar7 exists and not myvar, typing drop myvar would drop myvar7, which may or may not have been our intention.

But what if we had wanted to confirm explicitly the existence of variable myvar? There are two ways to do this:

1. Specify the confirm command with the exact option (see [P] confirm):

```
. confirm variable myvar, exact
variable myvar not found
r(111);
```

2. Toggle variable abbreviation off:

```
. set varabbrev off
. confirm variable myvar
variable myvar not found
r(111);
```

466 Stata tip 22

Note that the status of variable values not affect the display of variable names. For example,

- . sysuse auto, clear (1978 Automobile Data)
- . set varabbrev off
- . rename weight this_is_a_very_long_varname
- . regress price turn length this_is_a_very_long_varname
 (output omitted)

price	Coef.	Std. Err.	t	P> t	[95% Conf.	Interval]
turn length this_is_a_~e _cons	-318.2055	127.1241	-2.50	0.015	-571.7465	-64.66452
	-66.17856	39.87361	-1.66	0.101	-145.704	13.34684
	5.382135	1.116756	4.82	0.000	3.154834	7.609435
	14967.64	4541.836	3.30	0.002	5909.228	24026.04

In this display, Stata has abbreviated the long variable name, despite the current value of varabbrev.

Note that the list command has its own option to allow the user partial control of the display; see [D] list. As we set variable off, we must specify only unabbreviated variable names in a list command, but we can override Stata's default abbreviation in the display using the abbreviate() option:

. list make turn this_is_a_very_long_varname in 1/4, abb(21)

	make	turn	this_is_a_very_long~e
1.	AMC Concord	40	2,930
2.	AMC Pacer	40	3,350
3.	AMC Spirit	35	2,640
4.	Buick Century	40	3,250

The default value for abbreviate() is 8, so that otherwise the variable name would have been displayed as this_i~e.