



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

THE STATA JOURNAL

Editor

H. Joseph Newton
Department of Statistics
Texas A & M University
College Station, Texas 77843
979-845-3142; FAX 979-845-3144
jnewton@stata-journal.com

Associate Editors

Christopher Baum
Boston College

Rino Bellocco
Karolinska Institutet, Sweden and
Univ. degli Studi di Milano-Bicocca, Italy

A. Colin Cameron
University of California–Davis

David Clayton
Cambridge Inst. for Medical Research

Mario A. Cleves
Univ. of Arkansas for Medical Sciences

William D. Dupont
Vanderbilt University

Charles Franklin
University of Wisconsin–Madison

Joanne M. Garrett
University of North Carolina

Allan Gregory
Queen's University

James Hardin
University of South Carolina

Ben Jann
ETH Zurich, Switzerland

Stephen Jenkins
University of Essex

Ulrich Kohler
WZB, Berlin

Stata Press Production Manager

Stata Press Copy Editor

Editor

Nicholas J. Cox
Geography Department
Durham University
South Road
Durham City DH1 3LE UK
n.j.cox@stata-journal.com

Jens Lauritsen
Odense University Hospital

Stanley Lemeshow
Ohio State University

J. Scott Long
Indiana University

Thomas Lumley
University of Washington–Seattle

Roger Newson
Imperial College, London

Marcello Pagano
Harvard School of Public Health

Sophia Rabe-Hesketh
University of California–Berkeley

J. Patrick Royston
MRC Clinical Trials Unit, London

Philip Ryan
University of Adelaide

Mark E. Schaffer
Heriot-Watt University, Edinburgh

Jeroen Weesie
Utrecht University

Nicholas J. G. Winter
University of Virginia

Jeffrey Wooldridge
Michigan State University

Lisa Gilmore

Gabe Waggoner

Copyright Statement: The Stata Journal and the contents of the supporting files (programs, datasets, and help files) are copyright © by StataCorp LP. The contents of the supporting files (programs, datasets, and help files) may be copied or reproduced by any means whatsoever, in whole or in part, as long as any copy or reproduction includes attribution to both (1) the author and (2) the Stata Journal.

The articles appearing in the Stata Journal may be copied or reproduced as printed copies, in whole or in part, as long as any copy or reproduction includes attribution to both (1) the author and (2) the Stata Journal.

Written permission must be obtained from StataCorp if you wish to make electronic copies of the insertions. This precludes placing electronic copies of the Stata Journal, in whole or in part, on publicly accessible web sites, file servers, or other locations where the copy may be accessed by anyone other than the subscriber.

Users of any of the software, ideas, data, or other materials published in the Stata Journal or the supporting files understand that such use is made without warranty of any kind, by either the Stata Journal, the author, or StataCorp. In particular, there is no warranty of fitness of purpose or merchantability, nor for special, incidental, or consequential damages such as loss of profits. The purpose of the Stata Journal is to promote free communication among Stata users.

The *Stata Journal*, electronic version (ISSN 1536-8734) is a publication of Stata Press, and Stata is a registered trademark of StataCorp LP.

Stata tip 34: Tabulation by listing

David A. Harrison
Intensive Care National Audit and Research Centre
London, UK
david.harrison@icnarc.org

The command `list` is often regarded as simply a data management tool for listing observations, but it has several little-used options that make it a useful tool for producing customized tables.

The dataset `auto.dta` contains the 1978 repair records (rated 1–5) for various makes of car. We can use `list` in its typical manner to look at some of the data:

```
. use make rep78 using http://www.stata-press.com/data/r9/auto
(1978 Automobile Data)
. drop if missing(rep78)
(5 observations deleted)
. list in 1/5
```

	make	rep78
1.	AMC Concord	3
2.	AMC Pacer	3
3.	Buick Century	3
4.	Buick Electra	4
5.	Buick LeSabre	3

Suppose that we wish to tabulate the makes of car according to repair record. There is no simple approach to produce tables containing strings; however, if we can modify the data so that the variables in the new dataset represent the columns of our desired table and the observations represent the rows, then we can produce the table with a `list` command. The `reshape` command (see [D] `reshape`) provides the ideal tool to do this:

```
. by rep78 (make), sort: gen row = _n
. reshape wide make, i(row) j(rep78)
(note: j = 1 2 3 4 5)
Data                                long  ->  wide
-----
Number of obs.                      69   ->   30
Number of variables                  3    ->   6
j variable (5 values)               rep78 -> (dropped)
xij variables:
                                make  ->  make1 make2 ... make5
-----
```

The first command above generated a variable defining the rows of our table. Sorting on `make` will ensure that the makes of car appear in alphabetical order within the table. After this `reshape`, the results of a simple `list` will still not be ideal, as the columns

will be headed `make1`, `make2`, etc. We can change this by using the `subvarname` option, which substitutes the characteristic `varname` for each variable as the column heading. Characteristics (see [P] `char`) are named items of text that can be attached to any variable or to the entire dataset. We use `forvalues` to loop through the values of `rep78` creating these characteristics. A previous article in the *Stata Journal* has discussed more complex looping, including using the `levelsof` (previously `levels`) and `foreach` commands to cycle through all values of a variable (Cox 2003). Other options for `list` remove observation numbers, remove the default horizontal lines every five rows, insert dividers between the columns, and make the columns of equal width:

```
. forvalues i = 1/5 {
2.     char make'i'[varname] "Repair record 'i'"
3. }
. list make1-make3, noobs sep(0) divider nocompress subvarname
```

Repair record 1	Repair record 2	Repair record 3
Olds Starfire Pont. Firebird	Cad. Eldorado Chev. Monte Carlo Chev. Monza Dodge Diplomat Dodge Magnum Dodge St. Regis Plym. Volare Pont. Sunbird	AMC Concord AMC Pacer Audi Fox Buick Century Buick LeSabre Buick Regal Buick Riviera Buick Skylark Cad. Deville Cad. Seville Chev. Chevette Chev. Malibu Chev. Nova Fiat Strada

(output omitted)

Only the first three columns are displayed here because of the width of the page, but if you require more columns than can be displayed in your results window (and are logging your output), you can use the `linesize(#)` option to increase the available width.

Two-way tables can be achieved in a similar manner:

```
. use make rep78 foreign using http://www.stata-press.com/data/r9/auto
(1978 Automobile Data)
. drop if missing(rep78)
(5 observations deleted)
. by rep78 foreign (make), sort: gen row = _n
. qui reshape wide make, i(rep78 row) j(foreign)
. gen str1 rep78txt = string(rep78) if row == 1
(50 missing values generated)
. format rep78txt %-1s
. char rep78txt[varname] "Repair record"
. char make0[varname] "Domestic"
. char make1[varname] "Foreign"
```

```
. list rep78txt make0 make1, noobs sepby(rep78) div noc subvar abbrev(13)
```

Repair record	Domestic	Foreign
1	Olds Starfire Pont. Firebird	
2	Cad. Eldorado Chev. Monte Carlo Chev. Monza Dodge Diplomat Dodge Magnum Dodge St. Regis Plym. Volare Pont. Sunbird	
3	AMC Concord AMC Pacer Buick Century Buick LeSabre Buick Regal	Audi Fox Fiat Strada Renault Le Car

(output omitted)

Do not underestimate what can be achieved with a simple `list`!

References

Cox, N. J. 2003. Speaking Stata: Problems with lists. *Stata Journal* 3: 185–202.