

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
http://ageconsearch.umn.edu
aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

California Department of Food and Agriculture

Agricultural Commissioners' Crop Reports

Contra Costa County 2000-2004

California County Agricultural Commissioners' Reports from the California Department of Food and Agriculture. This collection consists of annual crop and livestock data from each of the 58 California Counties. The collection covers 1915-1981; digitization of the rest of the collection is forthcoming.

This digitization project was funded by the Giannini Foundation of Agricultural Economics, http://giannini.ucop.edu/.

The work was completed by the staff of the Giannini Foundation Library, University of California, Berkeley, http://are.berkeley.edu/library/. Please contact the Library to consult the originals.



Department of Agriculture

2366 A Stanwell Circle Concord, California 94520-4807 (925) 646-5250 FAX (925) 646-5732

Branch Office

724 - 3rd Street Brentwood, California 94513-1360 (925) 634-5682 FAX (925) 634-2201 Contra Costa County



Edward P. Meyer Agricultural Commissioner-Director Of Weights and Measures

To: BILL LYONS, JR., SECRETARY

CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE

and

THE HONORABLE BOARD OF SUPERVISORS

I am pleased to submit the 2000 Annual Crop and Livestock Report for Contra Costa County in accordance with the provisions of Section 2279 and 2272 of the California Food and Agricultural Code. This report includes information on Organic Farming and Biological Control Activities in our county.

The total gross value of agricultural crops and products in 2000 was \$92,597,600, up \$2,106,820 dollars from 1999. Despite this increase in gross value, most major crop categories had reductions in value. Only the categories of Nursery Products and Livestock & Poultry showed increases in 2000.

Market competition continued to keep prices low for many crops such as safflower, apricots, apples and tomatoes. This led to decreases in the acreage planted or harvested. With the exception of Granny Smith and Gala apples, most apple prices declined. These lower prices led growers to selectively pick many apple varieties, leading to lower overall yield. Closure of processing plants led to a reduction in tomato contracts, resulting in less acreage planted. Prices also decreased. Roses, as a cut flower, dropped from the list of Million Dollar Crops for the first time since 1964, due to growers going out of business.

Weather was an important factor for several crops in 2000. Lack of winter chilling lowered the yield of cherries, nectarines and peaches. Late spring rain damaged some early cherries and also the first cutting of alfalfa. On the other hand, nursery plant sales continued to increase in response to good planting weather and a booming housing market. Prices on walnuts rebounded from the low levels of 1999 and grape yields continued to improve as vineyards mature.

Several crop categories exceeded \$1 million in value. These categories in decreasing order include bedding plants, grapes, cattle and calves, milk, sweet corn, tomatoes, apples, herbaceous perennials, miscellaneous vegetables, rangeland pasture, field corn, miscellaneous nursery, indoor decoratives, alfalfa, vegetable plants, apricots, walnuts, cherries.


It should be emphasized the values stated in this report are \underline{gross} receipts and \underline{do} not include the cost of production, transportation, or marketing of the products.

I wish to thank the many individuals and organizations who supplied us with the information to complete this report. Their cooperation is truly appreciated. I also would like to thank Nancy Niemeyer and the rest of my staff for their diligent work in obtaining, compiling, and coordinating their efforts to put together our annual report.

Respectfully submitted,


Edward P. Myn

Edward P. Meyer Agricultural Commissioner In conjunction with our 2000 Crop Report, it seems appropriate to reflect on crop changes that took place in Contra Costa County during the $20^{\rm th}$ century. This was a period of both dramatic population growth and advances in science. These factors have influenced cropping patterns, productivity and marketing in this County and throughout the State.



John Muir's house in Martinez in the 1910's


Courtesy of the John Muir Historical Site



Hay stacking in the 1920's

Courtesy of the Concord Historical Society

The beginning of the 20th century was already a time of change for Contra Costa County agriculture. Wheat had been the main crop in the last half of the 19th century and Port Costa was one of the busiest ports in the world. However, a steady decline in world wheat prices led to a gradual change from wheat fields to orchards and vineyards. By 1900, Contra Costa County grew a large variety of fruit and nut crops such as almonds, grapes, pears, apricots, prunes, peaches, olives, and oranges. Hay and grain were still major field crops, along with sugar beets and tomatoes. Contra Costa County was also the home for many famous wineries such as Mont Alhambra Vineyard Company, Christian Brothers Winery, and the Mt. Diablo Vineyards & Winery. Cattle ranching remained an important part of the County's economy as it has been since the days of the Spanish land grants.



Pesticide Sprayer from the 1900's


Courtesy of the John Muir Historical Site



Plowing in the 1920's

Courtesy of the Concord Historical Society

One of the richest farming areas in the 1900's was the long valley stretching from Martinez and Concord in the north to Danville and San Ramon in the south. The Bishop Ranch in San Ramon, soon to become a leading producer of pears, was still a large cattle ranch. Farmland cost about \$50 per acre in what was to become the modern city of Walnut Creek. The Clayton area had over five hundred acres of wine grapes and several large wineries. In 1900, a ton of wine grapes cost \$18 (compared to over \$1000 now). Christian Brothers Winery in Martinez used grapes grown locally in the Alhambra Valley, many from vineyards near John Muir's house, where State Highway 4 runs today. There are still some vineyards dating back to the 1880's in the Martinez area.



Walnut Creek in the 1920's

Courtesy of the Shadelands Ranch Historical Society

Another major farming area at that time was in the eastern part of Contra Costa County, running from Oakley in the north to Byron in the south. This is the part of the County where agriculture is still strong today. The region's major crops were wheat and hay; however, growers were also producing many kinds of fruit and nuts. The rich peat soils of the Delta Islands east of Brentwood also grew large crops of asparagus, potatoes, and celery. Milk and cream were shipped from many dairy farms around Knightsen, via the Santa Fe Railroad lines running through the heart of East County. The County's only remaining dairy is still located north of Knightsen. The majority of Contra Costa County's oldest surviving vineyards are located in East County. Many were planted around Oakley in the late 1800's and early 1900's.


The San Pablo Valley and Rodeo Valley, in the western part of Contra Costa County, produced large hay and grain crops in the early 1900's. This era also saw the beginnings of cut flower nurseries and truck farms along the coast, where mild summer and winter temperatures allowed nearly year round production. Western Contra Costa County was the home of several large ports such as those at Crockett, Port Costa and Pinole. Richmond's natural harbor and its location as the western terminus for the Santa Fe Railroad led, by mid-century, to Richmond's becoming the greatest port in California.

In the years around World War I, fruit and nuts continued to be major The East County Irrigation Project started in 1913 and allowed increased planting of crops in the Oakley, Brentwood, and Byron areas that needed summer irrigation. Walnut production in the County had increased to the point that local growers founded the Contra Costa County Walnut Growers Association in 1920. This cooperative operated a walnut packing and processing plant in Walnut Creek. A second, independent walnut processing and packing plant was located near Acalanes High School on Pleasant Hill Road. Prohibition in the 1920's, wine making was virtually outlawed except for limited production by home winemakers. Many grape growers in Contra Costa County survived this period by selling to individual households on the East and West Coasts of the United States as well as to Canada. Many other local vineyards were torn out.




Pear packers in the 1920's

Courtesy of the Concord Historical Society



Walnut truck in the 1930's Courtesy of the Shadelands Ranch Historical Society

During the 1930's and 1940's, Contra Costa County agriculture was thriving. More than 130,000 acres of fruit, vegetable, and field crops were harvested in 1940, with a value of over \$7,000,000. Asparagus, apricots, tomatoes, and walnuts were the top crops of that year. Balfour-Guthrie & Company was a large East County grower who ran the largest fruit drying yard in the world. They operated until the mid 1940's when they sold off the land that would become much of what is now the city of Brentwood. Nursery and cut flower production had become a significant part of the County's agriculture, with over fifty nurseries recorded in 1939. Tragically, during World War II, Americans of Japanese descent were placed in internment camps. Some local growers lost their farms and nurseries or returned from the internment camps to find their property destroyed.




Harvesting wheat in the 1930's

Courtesy of the Concord Historical Society

Cities replaced farmland in Contra Costa County at an increased rate in the 1950's and 1960's. Between 1940 and 1970, more than half of our farmland was lost to development, with grape, peach, tomato, hay, and pear acreage declining 80% or more from their 1940 levels. Less than 60,000 acres of fruit, vegetable, nursery, and field crops were harvested in 1970, with a value of more than \$18,000,000. Lettuce, cut roses, asparagus, and walnuts were the top crops of that year. Some commodities that were not major crops in 1940, such as cherries, lettuce, and cut flowers, had become important in Contra Costa County by 1970.

In some cases, the replacement of farmland was accelerated by the introduction of new pests and diseases. In 1929, a disease of walnuts, called Black Line, was discovered for the first time in California in the City of Walnut Creek. The cause of this disease was unknown for about 50 years. Between 1955 and 1970, Contra Costa County walnut acreage dropped from 16,471 to 8,213. Most of this lost acreage was in the central part of the County from Martinez to San Ramon as the disease gradually spread to new locations.

During the 1950's and 1960's, the cut flower business boomed. Roses from Contra Costa County were shipped all over the United States. However in the 1970's, the United States began a program to encourage South America to grow flowers instead of drugs. They gave money and free entry into the USA for South American roses. These subsidized, imported roses have driven almost all of our local rose growers out of business.



Bishop Ranch in the 1960's (now Bishop Ranch Business Park)




Lettuce harvest in Brentwood in the 1960's

With the growth of Silicon Valley and other Bay Area industries in the 1980's and 1990's, the pressure to develop farmland and other open space became critical. Farming, except for nurseries and cattle ranching, has nearly disappeared from Contra Costa County west of Mount Diablo. Agriculture is still very much alive in the eastern region of the County, although housing developments continue to replace farmland at an alarming rate. Brentwood was one of the fastest growing cities in California during the last decade.

Between 1970 and 2000, 45% of our remaining farmland was lost to development. Less than 32,000 acres of fruit, vegetable, nursery, and field crops were harvested in 2000, with a value of more than \$72,000,000. Walnut, apricot, lettuce, and almond acreage declined 80% or more from their 1970 levels. Other crops which were not of major importance in 1970, nursery plants, grapes, sweet corn, tomatoes, and apples, have become the top crops of 2000. The 1980's and 1990's in Contra Costa County have seen the rise of

direct-to-consumer farming operations such as grower run markets, U-picks, and urban Farmers' Markets. During the 1990's, organic farming has also become an important part of the County's agriculture.



Nursery plant growing grounds in Richmond

As we head into the 21st Century, we can be sure that the face of agriculture in our county will continue to change. As an industry, agriculture needs to be able to adapt and respond to changes that affect marketing and production. This need for flexibility can be illustrated by the local changes that have taken place over the last 100 years. At the same time, many people are beginning to recognize that the loss of agricultural land represents a change in lifestyle and the quality of life for Contra Costa County residents. This realization has led to a growing concern for the loss of agricultural land in our County and has generated interest in ways to preserve this valuable resource. As we focus on protecting our remaining farmland, we need to recognize that a vital element in the preservation process is maintaining agriculture's viability. This can only be done if the industry is able to continue to respond to the changes it will face.





New housing development on agricultural land near Discovery Bay




Sweet corn field next to new housing in Brentwood

Top ten crops of 1940*, 1970, and 2000.







*1940 values do not include milk, nursery plants, and apiary.

Sweet Corn

CONTRA COSTA COUNTY DEPARTMENT OF AGRICULTURE

Agricultural Commissioner - Director of Weights & Measures

Edward P. Meyer

Chief Deputy Agricultural Commissioner/Sealer

Vince Guise

AGRICULTURE

Deputy Agricultural Commissioner

Cathleen M. Roybal Suzanne Maddux

Agricultural Biologist III

Larry Yost

Bob Case Ann McClure Patty Whitlock

Agricultural Biologist II

Jorge VargasRalph FonsecaLaurie StoutJoe DevineyGene ManginiNancy Niemeyer

Agricultural Biologist I

Beth Slate James Chan Tom Donlon

WEIGHTS and MEASURES

Deputy Sealer of Weights & Measures

Patrick J. Roof Ken Robinson

Weights & Measures Inspector III

Arthur Mangonon

Weights & Measures Inspector II

Cris Espejo Gil Rocha Marcin Tokarzewski

Weights & Measures Inspector I

Becky Schwenger

CLERICAL

Executive SecretarySusan Finley

Senior Clerk
Teri Murphy

Jacqueline Dixon

FIELD CROPS

| | | | 11422 | PRODUC | CTION | | VALUE | | |
|------------------------|-----------|--------------|--------------------|--------------|------------------|--------------|------------------|----------------------------|--|
| | CROP | YEAR | HARVESTED ACREAGE | PER ACRE | TOTAL | UNIT | PER UNIT | TOTAL \$ | |
| Field Cor | m · | 2000 1999 | 7,150 6,790 | 3.33 3.77 | 23,800 25,600 | Ton Ton | 86.70 87.10 | 2,065,000 2,227,000 | |
| Hay | Alfalfa | 2000 1999 | 3,290 3,500 | 5.61 6.41 | 18,500 22,400 | Ton Ton | 89.40 88.80 | 1,650,000 1,992,000 | |
| | Grain | 2000 1999 | 1,570 1,620 | 2.68 2.42 | 4,210 3,920 | Ton Ton | 64.60 67.60 | 272,000 265,000 | |
| Pasture | Irrigated | 2000 1999 | 5,890 5,970 | | Grazed Grazed | Acre Acre | 125.00 95.00 | 736,000 567,000 | |
| Pasture | Rangeland | 2000 1999 | 163,000 168,000 | | | Acre Acre | 17.40 14.80 | 2,836,000 2,486,000 | |
| Safflower | • | 2000 1999 | 1,570 2,070 | 1.02 1.05 | 1,610 2,180 | Ton Ton | 224.00 295.00 | 361,000 642,000 | |
| Wheat | | 2000 1999 | 2,150 2,690 | 1.70 2.20 | 3,660 5,930 | Ton Ton | 85.20 92.80 | 312,000 550,000 | |
| Miscellar Field Cro | | 2000 1999 | 3,350 2,660 | | | • | | 930,000 796,000 | |
| Total | | 2000 1999 | 187,970 193,300 | | | | | \$9,162,000 \$9,525,000 | |

^{*}Barley, Clover, Forage Hay, Hay (Wild), Oats, Milo, Rye, Silage, Sudan Grass, Sugar Beets

VEGETABLE & SEED CROPS

| | 2 i | | | VALUE | | | |
|---------------|------|-------------------|-----------------------|---------|------|-------------|--------------|
| CROP | YEAR | HARVESTED ACREAGE | PRODUC PER ACRE | TOTAL | UNIT | PER UNIT | TOTAL \$ |
| | | | | | | | 1 |
| Beans | 2000 | 318 | 2.87 | 915 | Ton | 963.00 | 881,000 |
| | 1999 | 304 | 2.65 | 805 | Ton | 998.00 | 804,000 |
| Onions | 2000 | 39 | 15.4 | 598 | Ton | 435.00 | 260,000 |
| | 1999 | 45 | 18.4 | 831 | Ton | 309.00 | 257,000 |
| Squash | 2000 | 14 | 2.09 | 29 | Ton | 848.00 | 24,400 |
| · | 1999 | 78 | 7.61 | 594 | Ton | 273.00 | 162,000 |
| Sweet Corn | 2000 | 2,380 | 9.62 | 22,900 | Ton | 305.00 | 6,980,000 |
| | 1999 | 2,430 | 9.50 | 23,100 | Ton | 274.00 | 6,326,000 |
| Tomatoes | | | | | | | |
| Total | 2000 | 2,643 | | 102,816 | Ton | | 5,742,000 |
| | 1999 | 3,089 | | 114,010 | Ton | | 7,177,000 |
| Fresh | 2000 | 43 | 18.90 | 816 | Ton | 879.00 | 718,000 |
| | 1999 | 89 | 11.40 | 1,010 | Ton | 726.00 | 732,000 |
| Processing | 2000 | 2,600 | 39.10 | 102,000 | Ton | 49.40 | 5,024,000 |
| | 1999 | 3,000 | 37.50 | 113,000 | Ton | 57.20 | 6,445,000 |
| Miscellaneous | | | | , | | | |
| Vegetable and | 2000 | 1,380 | | | | | 3,139,000 |
| Seed Crops* | 1999 | 1,490 | | | | | 3,572,000 |
| Total | 2000 | 6,774 | | | | | \$17,026,400 |
| | 1999 | 7,436 | | | | | \$18,298,000 |

^{*} Asparagus, Artichokes, Assorted Vegetables, Beets, Cabbage, Cardoon, Cucumbers, Eggplant, Garlic, Lettuce, Okra, Organic Greens, Herbs, Melons, Peas, Peppers.

FRUIT & NUT CROPS

| Apples | 2000 1999 2000 | 1,570 1,930 | PER ACRE 4.42 7.24 | 6,920 13,900 | UNIT | PER UNIT 590.00 | TOTAL \$ 4,086,000 |
|---------------|----------------------|----------------|-----------------------------|-----------------|------|-----------------------|--------------------------|
| | 1999 2000 | 1,930 | | | | 590.00 | 4.086.000 |
| | 1999 2000 | 1,930 | | | | 590.00 | 4.086.000 |
| | 2000 | | 7.24 | 13,900 | _ | | .,500,000 |
| Apricate* | | 570 | | , - | Ton | 371.00 | 5,165,000 |
| Apricois | | | | | | | |
| | 1000 | 576 | 5.95 | 3,430 | Ton | | 1,284,000 |
| | 1999 | 630 | 6.09 | 3,834 | Ton | | 1,188,000 |
| Fresh | 2000 | | | 460 | Ton | 1,030.00 | 474,000 |
| | 1999 | | | 774 | Ton | 451.00 | 349,000 |
| Processing | 2000 | | | 2,970 | Ton | 272.00 | 810,000 |
| · | 1999 | | | 3,060 | Ton | 274.00 | 839,000 |
| Cherries | 2000 | 322 | 1.33 | 429 | Ton | 2,360.00 | 1,013,000 |
| | 1999 | 372 | 2.85 | 1,060 | Ton | 1,900.00 | 2,007,000 |
| Grapes | 2000 | 1,640 | 5.24 | 8,570 | Ton | 1,030.00 | 8,869,000 |
| | 1999 | 1,580 | 4.07 | 6,440 | Ton | 1,080.00 | 6,978,000 |
| Nectarines | 2000 | 34 | 2.21 | 74 | Ton | 1,580.00 | 118,000 |
| | 1999 | 31 | 2.78 | 87 | Ton | 1,490.00 | 131,000 |
| Peaches | 2000 | 173 | 2.93 | 506 | Ton | 1,260.00 | 639,000 |
| | 1999 | 159 | 3.69 | 588 | Ton | 1,240.00 | 731,000 |
| Pears | 2000 | 77 | 13.20 | 1,020 | Ton | 152.00 | 155,000 |
| | 1999 | 102 | 12.70 | 1,300 | Ton | 196.00 | 255,000 |
| Plums | 2000 | 17 | 2.21 | 38 | Ton | 1,070.00 | 41,000 |
| | 1999 | 17 | 1.85 | 31 | Ton | 990.00 | 30,300 |
| Walnuts | 2000 | 1,070 | 0.95 | 1,010 | Ton | 1,160.00 | 1,175,000 |
| | 1999 | 1,138 | 1.26 | 1,440 | Ton | 799.00 | 1,148,000 |
| Miscellaneous | | | | | | | |
| | 2000 | 147 | | | | | 670,000 |
| | 1999 | 111 | | | | | 615,000 |
| Total | 2000 | 5,626 | | | | | \$18,050,000 |
| | 1999 | 6,070 | | | | | \$18,248,300 |

^{*1999} value revised

^{**}Almonds, Asian Pears, Berries, Figs, Kiwis, Pecans, Persimmons, Pistachios, Pluots, Pomegranates, Quince, Strawberries and other Miscellaneous Tree Crops.

NURSERY PRODUCTS

| | | PRODUCTION | | AREA* QUANTITY | | VALUE | |
|--------------|--------------|------------------------|------------------|----------------------|--------|-------------|--------------------------|
| CROP | YEAR | HOUSE SQ. FT. | FIELD ACRES | SOLD BY PRODUCERS | UNIT | PER UNIT | TOTAL \$ |
| sery Stock | | | | | | | |
| Bedding | | | | | • | | |
| Plants | 2000 1999 | 5,755,000 5,816,000 | 301.00 301.00 | | | | 22,675,000 19,733,000 |
| Herbaceous | | | | | | | • |
| Perennials | 2000 | 612,000 | 11.50 | | | | 3,286,000 |
| | 1999 | 611,000 | 12.70 | | | | 1,983,000 |
| Indoor | | | | | | | |
| Decoratives | 2000 | 840,000 | | | | | 1,669,000 |
| | 1999 | 533,000 | | | | | 1,162,000 |
| Vegetable | | | | | | | |
| Plants | 2000 | 110,000 | 8.30 | | | | 1,487,000 |
| | 1999 | 100,000 | 8.30 | | | | 1,276,000 |
| Christmas | | | | | | | |
| Trees | 2000 | | 64.00 | , 1,680 | Trees | 36.10 | 60,700 |
| | 1999 | | 62.00 | 1,980 | Trees | 30.90 | 61,200 |
| Cut Flowers | | | | | | | |
| Roses, Std. | 2000 | 328,000 | | 3,266,000 | Blooms | 0.25 | 806,000 |
| | 1999 | 836,000 | | 6,443,000 | Blooms | 0.24 | 1,517,000 |
| Roses, Min. | 2000 | 34,000 | | 545,000 | Blooms | 0.13 | 72,500 |
| | 1999 | 56,000 | | 907,000 | Blooms | 0.12 | 107,000 |
| cellaneous | | | | | | | |
| sery Crops** | 2000 | 254,000 | 22.20 | | | | 2,049,000 |
| | 1999 | 230,000 | 36.00 | | | | 2,363,000 |
| al | 2000 | 7,933,000 | 407.00 | | | | \$32,105,200 |
| | 1999 | 8,182,000 | 420.00 | | | | \$28,202,200 |

^{*}Gross Area

^{**}Carnations, Eucalyptus, Potted Flowers & Vegetables, Floral Fruit Twigs, Cut Flowers, Gerberas, Ground Covers, Hanging Baskets, Lavender, Lisianthus, Mums, Ornamental Trees & Shrubs, Fruit Trees, and Willow Foliage.

LIVESTOCK & POULTRY

| | | PROI | DUCTION | | VALUE | | |
|----------------------|--------|----------------|---------------------|------|-------------|-------------|--|
| ITEM | YEAR | NO. OF HEAD | TOTAL LIVEWEIGHT | UNIT | PER UNIT | TOTAL \$ | |
| Cattle & Calves | | | | | | | |
| | 2000 | 17,300 | 108,000 | cwt. | 78.10 | 8,401,000 | |
| | **1999 | 17,900 | 123,000 | cwt. | 60.00 | 7,368,000 | |
| Miscellaneous | | | | | | | |
| Livestock & Poultry* | 2000 | | | | | 428,000 | |
| • | 1999 | | | | | 426,000 | |
| Total | 2000 | | | | | \$8,829,000 | |
| | 1999 | | | | | \$7,794,000 | |

LIVESTOCK, APIARY & POULTRY PRODUCTS

| | | | | VALUE | | |
|---------------------|------|------------|----------|-------------|-------------|--|
| ITEM | YEAR | PRODUCTION | UNIT | PER UNIT | TOTAL \$ | |
| Milk - Market | 2000 | 628,000 | cwt. | 11.50 | 7,222,000 | |
| | 1999 | 614,000 | cwt. | 13.47 | 8,271,000 | |
| Honey | 2000 | 55,500 | lbs. | 1.50 | 83,200 | |
| · | 1999 | 64,500 | lbs. | 1.00 | 64,500 | |
| Beeswax | 2000 | 400 | lbs. | 2.00 | 800 | |
| | 1999 | 650 | lbs. | 1.20 | 780 | |
| Pollination | 2000 | 1,800 | colonies | 25.00 | 45,000 | |
| | 1999 | 1,800 | colonies | 35.00 | 63,000 | |
| Miscellaneous | | | | | | |
| Livestock & Poultry | 2000 | | | | 74,000 | |
| Products | 1999 | | | | 75,000 | |
| Total | 2000 | | | | \$7,425,000 | |
| | 1999 | | | | \$8,474,280 | |

^{*}Chickens, Ducks, Emus, Fish, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep and Turkeys.

^{**1999} Cattle categories revised and combined

MILLION DOLLAR CROPS CONTRA COSTA COUNTY

| CROP | GROSS VALUE/MILLION | I DOLLARS | RANK | | |
|-----------------------------------------------------------------|--------------------------------------|------------------|-------------|--------|--|
| | <u>2000</u> | 1999 | <u>2000</u> | 1999 | |
| Bedding Plants | 22.7 | 19.7 | 1 | 1 | |
| Grapes | 8.9 | 7.0 | 2 | 5 | |
| Cattle & Calves | 8.4 | *7.4 | 3 | 3 | |
| Milk, all | 7.2 | 8.3 | 4 | 2 | |
| Sweet Corn | 7.0 | 6.3 | 5 | • | |
| Tomatoes, all | 5.7 | 7.2 | 6 | 4 | |
| Apples, all | 4.1 | 5.2 | 7 | 7 | |
| Herbaceous Perennials | 3.3 | 2.0 | 8 | 14 | |
| Miscellaneous Vegetables | s 3.1 | 3.6 | 9 | 8 | |
| Rangeland Pasture | 2.8 | 2.5 | 10 | 9 | |
| Field Corn | 2.1 | 2.2 | 11 | 11 | |
| Miscellaneous Nursery | 2.0 | 2.4 | 12 | 10 | |
| Indoor Decoratives | 1.7 | 1.2 | 13 | 18 | |
| Hay - Alfalfa | 1.7 | 2.0 | 14 | 13 | |
| Vegetable Plants | 1.5 | 1.3 | 15 | 16 | |
| Apricots | 1.3 | *1.2 | 16 | 17 | |
| Walnuts | 1.2 | 1.1 | 17 | 19 | |
| Cherries | 1.0 | 2.0 | 18 | 12 | |
| | | | | | |
| <u>CATEGORY</u> | 2000 | 1999 | 2000 | 1999 | |
| | 2000 | 1777 | 2000 | 3.7-7- | |
| Nursery Products | 32.1 | 28.2 | 1 | 1 | |
| Fruit & Nut Crops | 18.1 | 18.2 | 2 | 3 | |
| Vegetable & Seed Crops | 17.0 | 18.3 | 3 | 2 | |
| | 17.0 | | | 4 | |
| - | 9.2 | 9.5 | 4 | 2 | |
| Field Crops | | 9.5 *7.8 | 4 5 | 4 | |
| Field Crops Livestock & Poultry Livestock Products | 9.2 | | | | |
| Field Crops Livestock & Poultry Livestock Products | 9.2 8.8 | *7.8 | 5 | | |
| Field Crops Livestock & Poultry Livestock Products Total | 9.2 8.8 7.4 | *7.8 8.5 | 5 | 4 | |
| Field Crops Livestock & Poultry Livestock Products Total Popu | 9.2 8.8 7.4 Acres in County | * 7.8 8.5 | 5 | | |

^{*1999} value revised

^{**}Jan. 2000

^{***1997} census

RECAPITULATION

| | <u>1999</u> | <u>2000</u> | <u>Change</u> |
|------------------------|----------------|--------------|---------------|
| Field Crops | 9,525,000 | 9,162,000 | -363,000 |
| Vegetable & Seed Crops | 18,298,000 | 17,026,400 | -1,271,600 |
| Fruit & Nut Crops | 18,197,300 | 18,050,000 | -147,300 |
| Nursery Crops | 28,202,200 | 32,105,200 | 3,903,000 |
| Livestock & Poultry | *7,794,000 | 8,829,000 | 1,035,000 |
| Livestock, Apiary & | 8,474,280 | 7,425,000 | -1,049,280 |
| Poultry Products | | | |
| Total | **\$90,490,780 | \$92,597,600 | 2,106,820 |

CONTRA COSTA COUNTY
ANNUAL SUSTAINABLE AGRICULTURE
REPORTING

COUNTY BIOLOGICAL CONTROL

| <u>Pest</u> | Agent/Mechanism | Scope of Program |
|----------------------------------------------|-----------------------------------------|-----------------------------------------------------------|
| Yellow Starthistle Centaurea solstitialis | Hairy weevil <u>Eustenopus villosus</u> | Two releases by CDFA*** and Contra Costa County Ag Dept |
| | YST flower weevil Larinus curtus | Five releases by CDFA *** and Contra Costa County Ag Dept |

^{*1999} Cattle categories revised and combined


^{**1999} value revised

^{***}CDFA is the California Department of Food and Agriculture, Biological Control Program, Sacramento

| PEST EXCLUSION-2000 | TYPE OF SHIPMENT | NUMBER REJECTE |
|-------------------------------------------------------|------------------------|-----------------|
| | FED-EX- UPS | |
| Burrowing Nematode | п | 13 |
| Caribbean Fruit Fly | и | 2 |
| Cereal Leaf Beetle | п | 1 |
| Cedar-Apple Rust | н | 1 |
| Chestnut Bark, Oak Wilt | н | 1 |
| Citrus Pests | п | 1 |
| Citrus Canker | п | 2 |
| Colorado Potato Beetle | п | 1 |
| Golden Nematode | н | 2 |
| Imported Fire Ant | п | 1 |
| Japanese Beetle | п | 2 |
| Live Pests | n | 14 |
| Balsam Gall Midge, not inc. above | n | 262 |
| Ozonium Root Rot | п | 2 |
| Plum Curculio | п | 2 |
| Total Rejections | | 307 |
| | TRUCK | |
| Quack Grass | | 3 |
| Imported Fire Ant | - | 1 |
| | HOUSEHOLD GOODS | |
| Gypsy Moth | HOGOLHOLD GOODO | 7 |
| Japanese Beetle | | 2 |
| Eastern Tent Caterpillar | | 14 |
| | | |
| | AL SHIPMENTS INSPECTED | |
| Household Goods | 220 | 23 |
| Mail/UPS/FEDEX | 34,659 | 782 |
| Truck | 229 | 24 |
| A & Q Rated Pests Intercepted | | <u>51</u> |
| ORGANIC | FARMING STATISTICS | |
| Crop | No. of Farms | Estimated Acres |
| Apples | 2 | 63.0 |
| Apricots | 3 | 3.6 |
| Cherries | 3 | 7.7 |
| Citrus (Lemons, Orange, Tangerine) | 3 | 2.6 |
| Figs | 3 | 2.5 |
| Flowers | 3 | 0.2 |
| Fruits, Misc. | 4 | 1.0 |
| Garlic/Leeks | 2 | 0.5 |
| Kiwi | 1 | 0.5 |
| Herbs | 4 | 4.5 |
| Nectarines | 3 | 9.0 |
| Onions | 2 | 0.6 |
| Peaches | 2 | 25.0 |
| Pears | 3 | 6.2 |
| Pistachios | 1 | 36.8 |
| Plums | 3 | 1.6 |
| Salad Green, Lettuce sp. | 4 | 1.1 |
| Squash, Melons | 3 | 1.4 |
| equality motoric | | |
| Table Grapes | 1 | 1.0 |
| Table Grapes | 1 3 | 1.0 1.0 |
| Table Grapes Tomatoes Vegetables, Misc. | • | |
| Table Grapes Tomatoes Vegetables, Misc. Walnuts TOTAL | 3 | 1.0 |

TYPE OF SHIPMENT NUMBER REJECTED

PEST EXCLUSION-2000



Department of Agriculture

2366 A Stanwell Circle Concord, California 94520-4807 (925) 646-5250 FAX (925) 646-5732

Branch Office
724 - 3rd Street
Brentwood, California 94513-1360
(925) 634-5682
FAX (925) 634-2201

Contra Costa County



Edward P. Meyer
Agricultural CommissionerDirector Of Weights and Measures

To: BILL LYONS, JR., SECRETARY
CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE
and
THE HONORABLE BOARD OF SUPERVISORS

I am pleased to submit the 2001 Annual Crop and Livestock Report for Contra Costa County in accordance with the provisions of Section 2279 and 2272 of the California Food and Agricultural Code. This report includes information on Organic Farming and Biological Control Activities in our county.

The total gross value of agricultural crops and products in 2001 was \$97,515,400, up \$4,917,800 dollars from 2000. Nursery stock sales continued to go up as new nurseries came to Contra Costa County and our existing nurseries increased their production. Alfalfa, wheat, and field corn showed significant improvement in the number of acres planted and value per ton. Poor prices for apples and grapes reduced the Fruit & Nut category by \$2,440,400.

Prices per ton were lower for many crops such as safflower, tomatoes, apples, and walnuts due to market competition. In some cases, the lower prices led to decreases in the acreage planted. Bedding plants, herbaceous perennials, vegetable plants, and miscellaneous nursery plants were in high demand to supply both the new housing market and the home gardener.

There were some significant changes in reporting for the 2001 Annual Crop and Livestock Report. Rangeland pasture acreage estimates were increased as new data became available from the California Gap Analysis Project. The low number of producers for milk and cut roses made it necessary to place them in grouped categories. Cut roses were placed with other flowers in a new category called Cut Flowers. Milk was placed in the Miscellaneous Livestock Product category.

Several crop categories exceeded \$1 million in value. These categories in decreasing order include bedding plants, miscellaneous livestock products, sweet corn, grapes, cattle and calves, rangeland pasture, herbaceous perennials, tomatoes, apples, miscellaneous vegetables, alfalfa, miscellaneous nursery, field corn, vegetable plants, apricots, indoor decoratives, cherries, walnuts, and miscellaneous field crops.

It should be emphasized the values stated in this report are gross receipts and do not include the cost of production, transportation, or marketing of the products.

I wish to thank the many individuals and organizations who supplied us with the information to complete this report. Their cooperation is truly appreciated. I also would like to thank Nancy Niemeyer and the rest of my staff for their diligent work in obtaining, compiling, and coordinating their efforts to put together our annual report.

Respectfully submitted,

Edward P. Meyer

Agricultural Commissioner

Edward P. Meyer

CONTRA COSTA COUNTY DEPARTMENT OF AGRICULTURE

Agricultural Commissioner - Director of Weights & Measures Edward P. Meyer

Chief Deputy Agricultural Commissioner/Sealer

Vince Guise

AGRICULTURE

Deputy Agricultural Commissioner

Larry Yost Cathleen M. Roybal Suzanne Maddux

Agricultural Biologist III

Bob Case Ann McClure Patty Whitlock

Agricultural Biologist II

Jorge VargasRalph FonsecaLaurie StoutJoe DevineyGene ManginiNancy Niemeyer

Beth Slate

Agricultural Biologist I

James Chan Tom Donlon

WEIGHTS and MEASURES

Deputy Sealer of Weights & Measures

Patrick J. Roof

Weights & Measures Inspector III

Arthur Mangonon

Weights & Measures Inspector II

Cris Espejo Gil Rocha Becky Schwenger

Weights & Measures Inspector I

Cecilie Siegel-Sebolt

CLERICAL

Executive SecretarySusan Finley
Senior Clerk
Teri Murphy

Senior Clerk Experienced Clerk
Teri Murphy Jacqueline Dixon

On the Cover: a glimpse at the poinsettia crop at Colorspot Nursery in Richmond.


FIELD CROPS



| | | | | PRODU | CTION | | VALUE | |
|--------------------|--------------------|--------------|----------------------|--------------|------------------|--------------|------------------|-----------------------------|
| | CROP | YEAR | HARVESTED ACREAGE | PER ACRE | TOTAL | UNIT | PER UNIT | TOTAL \$ |
| Field C | Corn | 2001 2000 | 6,650 7,150 | 3.72 3.33 | 24,700 23,800 | Ton Ton | 89.70 86.70 | 2,217,000 2,065,000 |
| Hay | Alfalfa | 2001 2000 | 3,610 3,290 | 5.76 5.61 | 20,800 18,500 | Ton Ton | 117.00 89.40 | 2,441,000 1,650,000 |
| | Grain | 2001 2000 | 1,340 1,570 | 2.14 2.68 | 2,860 4,210 | Ton Ton | 86.30 64.60 | 246,000 272,000 |
| Pasture | e Irrigated | 2001 2000 | 5,620 5,890 | | Grazed Grazed | Acre Acre | 150.00 125.00 | 843,000 736,000 |
| Pasture | e Rangeland | 2001 2000 | 259,000 * 163,000 | | | Acre Acre | 17.50 17.40 | 4,533,000 2,836,000 |
| Safflow | ver | 2001 2000 | 50 <u>4</u> 1,570 | 1.04 1.02 | 522 1,610 | Ton Ton | 219.00 224.00 | 114,000 361,000 |
| Wheat | | 2001 2000 | 3,150 2,150 | 2.16 1.70 | 6,790 3,660 | Ton Ton | 90.70 85.20 | 616,000 312,000 |
| Miscell Field C | laneous crops** | 2001 2000 | 2,088 3,350 | | | | | 1,130,000 930,000 |
| Total | | 2001 2000 | 281,962 187,970 | | | | | \$12,140,000 \$9,162,000 |

^{*2001} Acreage Value from the California Gap Analysis Project **Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass

VEGETABLE & SEED CROPS



| | | | | PRODUCTION | | VALUE | |
|------------------------------|--------------|----------------------|----------------|-------------------|------------|--------------------|------------------------------|
| CROP | YEAR | HARVESTED ACREAGE | PER ACRE | TOTAL | UNIT | PER UNIT | TOTAL \$ |
| Beans | 2001 2000 | 263 318 | 3.57 2.87 | 937 915 | Ton Ton | 1,010.00 963.00 | 950,000 881,000 |
| | 2000 | 310 | 2.01 | 910 | ION | 903.00 | 001,000 |
| Onions | 2001 2000 | 34 39 | 15.4 15.4 | 525 598 | Ton Ton | 409.00 435.00 | 215,000 260,000 |
| Squash | 2001 2000 | 18 14 | 4.01 2.09 | 70 29 | Ton Ton | 714.00 848.00 | 50,000 24,400 |
| Sweet Corn | 2001 2000 | 2,760 2,380 | 9.61 9.62 | 26,500 22,900 | Ton Ton | 327.00 305.00 | 8,652,000 6,980,000 |
| Tomatoes | | | | | | | |
| Total | 2001 2000 | 1,662 2,643 | | 59,264 102,816 | Ton Ton | | 3,518,000 5,742,000 |
| Fresh | 2001 2000 | 72 43 | 13.40 18.90 | 964 816 | Ton Ton | 790.00 879.00 | 761,000 718,000 |
| Processing | 2001 2000 | 1,590 2,600 | 36.60 39.10 | 58,300 102,000 | Ton Ton | 47.30 49.40 | 2,757,000 5,024,000 |
| Miscellaneous | | | | | . : | | |
| Vegetable and Seed Crops* | 2001 2000 | 1,270 1,380 | | | | | 2,670,000 3,139,000 |
| Total | 2001 2000 | 6,007 6,774 | | | | | \$16,055,000 \$17,026,400 |

^{*} Asparagus, Artichokes, Assorted Vegetables, Beets, Cabbage, Cardoon, Cucumbers, Eggplant, Garlic, Lettuce, Okra, Organic Greens, Herbs, Melons, Peas, Peppers, Wheatgrass.

FRUIT & NUT CROPS







| | | | PRODU | CTION | | v | ALUE |
|---------------|------|-----------------|-------------|-------|------|-------------|--------------|
| CROP | YEAR | BEARING ACREAGE | PER ACRE | TOTAL | UNIT | PER UNIT | TOTAL \$ |
| Apples | 2001 | 1,640 | 4.52 | 7,420 | Ton | 440.00 | 3,270,000 |
| | 2000 | 1,570 | 4.42 | 6,920 | Ton | 590.00 | 4,086,000 |
| Apricots | | | | | | , | |
| Total | 2001 | 639 | 6.31 | 4,030 | Ton | | 1,332,000 |
| | 2000 | 576 | 5.95 | 3,430 | Ton | | 1,284,000 |
| Fresh | 2001 | | | 340 | Ton | 714.00 | 243,000 |
| | 2000 | | | 460 | Ton | 1,030.00 | 474,000 |
| Processing | 2001 | | | 3,690 | Ton | 295.00 | 1,089,000 |
| | 2000 | | | 2,970 | Ton | 272.00 | 810,000 |
| Cherries | 2001 | 331 | 1.71 | 565 | Ton | 2,220.00 | 1,254,000 |
| | 2000 | 322 | 1.33 | 429 | Ton | 2,360.00 | 1,013,000 |
| Grapes | 2001 | 1,890 | 4.03 | 7,610 | Ton | 946.00 | 7,201,000 |
| • | 2000 | 1,640 | 5.24 | 8,570 | Ton | 1,030.00 | 8,869,000 |
| Nectarines | 2001 | . 31 | 2.07 | 64 | Ton | 1,600.00 | 103,000 |
| | 2000 | 34 | 2.21 | 74 | Ton | 1,580.00 | 118,000 |
| Peaches | 2001 | 141 | 3.51 | 495 | Ton | 1,250.00 | 617,000 |
| | 2000 | 173 | 2.93 | 506 | Ton | 1,260.00 | 639,000 |
| Pears | 2001 | 49 | 11.20 | 551 | Ton | 215.00 | 118,000 |
| | 2000 | 77 | 13.20 | 1,020 | Ton | 152.00 | 155,000 |
| Plums | 2001 | 23 | 2.24 | 51 | Ton | 931.00 | 47,600 |
| | 2000 | 17 | 2.21 | 38 | Ton | 1,070.00 | 41,000 |
| Walnuts | 2001 | 1,026 | 1.12 | 1,150 | Ton | 991.00 | 1,138,000 |
| | 2000 | 1,070 | 0.95 | 1,010 | Ton | 1,160.00 | 1,175,000 |
| Miscellaneous | | | | | | | , |
| Fruit & Nut | 2001 | 127 | | | | | 529,000 |
| Crops* | 2000 | 147 | | | | | 670,000 |
| Total | 2001 | 5,897 | | | | | \$15,609,600 |
| | 2000 | 5,626 | | | | | \$18,050,000 |

^{*}Almonds, Asian Pears, Berries, Citrus, Figs, Pecans, Persimmons, Pistachios, Pluots, Pomegranates, Strawberries and other Miscellaneous Tree Crops.

NURSERY PRODUCTS







| CROP | YEAR | PRODUCTION HOUSE SQ. FT. | AREA* FIELD ACRES | QUANTITY SOLD BY PRODUCERS | UNIT | PER UNIT | VALUE TOTAL |
|------------------------------------|--------------|--------------------------------|-------------------|----------------------------------|------------------|----------------|--------------------------|
| | | | | | | | |
| Nursery Stock Bedding Plants | 2001 2000 | 5,955,000 5,755,000 | 312.00 301.00 | | | | 26,921,000 22,675,000 |
| Herbaceous Perennials | 2001 2000 | 717,000 612,000 | 15.35 11.50 | | | | 3,842,000 3,286,000 |
| Indoor Decoratives | 2001 2000 | 760,000 840,000 | | | | | 1,281,000 1,669,000 |
| Vegetable Plants | 2001 2000 | 110,000 110,000 | 11.30 8.30 | | | | 2,216,000 1,487,000 |
| Christmas Trees | 2001 2000 | | 54.00 64.00 | 1,420 1,680 | Trees Trees | 36.40 36.10 | 51,500 60,700 |
| Cut Flowers** | 2001 2000 | 330,000 507,000 | 3.00 4.15 | | Blooms Blooms | | 767,000 1,216,000 |
| Miscellaneous Nursery Crops*** | 2001 2000 | 135,000 109,000 | 21.70 18.10 | | | | 2,431,000 1,711,000 |
| Total | 2001 2000 | 8,007,000 7,933,000 | 417 407 | | | | 37,509,500 32,104,700 |

^{*}Gross Area

^{**}Alstromeria, Carnations, Gerbera, Lilies, Roses, Misc. Flowers.

^{***}Potted Flowers & Vegetables, Ground Covers, Propagative Materials, Hanging Baskets Ornamental Trees & Shrubs, Fruit Trees.



LIVESTOCK & POULTRY

| | | PRO | DUCTION | | VALUE | | |
|---------------------------------------|--------------|------------------|---------------------|--------------|----------------|----------------------------|--|
| ITEM | YEAR | NO. OF HEAD | TOTAL LIVEWEIGHT | UNIT | PER UNIT | TOTAL \$ | |
| Cattle & Calves | 2001 2000 | 14,400 17,300 | 104,000 108,000 | cwt. cwt. | 66.90 78.10 | 6,953,000 8,401,000 | |
| Miscellaneous Livestock & Poultry* | 2001 2000 | | | | | 471,000 428,000 | |
| Total | 2001 2000 | | | | | \$7,424,000 \$8,829,000 | |

LIVESTOCK, APIARY & POULTRY PRODUCTS

| | | | | VA | LUE |
|----------------------------------------------------|--------------|----------------------|-------------------|----------------|----------------------------|
| ITEM | YEAR | PRODUCTION | UNIT | PER UNIT | TOTAL \$ |
| Honey | 2001 2000 | 36,000 55,500 | lbs. lbs. | 2.55 1.50 | 91,800 83,200 |
| Beeswax | 2001 2000 | 200 400 | lbs. lbs. | 2.50 2.00 | 500 800 |
| Pollination | 2001 2000 | 600 1,800 | colonies colonies | 25.00 25.00 | 15,000 45,000 |
| Miscellaneous Livestock & Poultry Products** | 2001 2000 | | | | 8,670,000 7,296,000 |
| Total | 2001 2000 | | | | \$8,777,300 \$7,425,000 |

^{*}Chickens, Ducks, Emus, Fish, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep and Turkeys. **Milk, Wool, Eggs.

RECAPITULATION







| | GROSS VALUE/N | AILLION DOLLARS | RANI | KING |
|------------------------|---------------|-----------------|-------------|-------------|
| CATEGORY | <u>2001</u> | <u>2000</u> | <u>2001</u> | <u>2000</u> |
| Nursery Products | 37.5 | 32.1 | 1 | 1 |
| Vegetable & Seed Crops | 17.0 | 17.0 | 2 | 3 |
| Fruit & Nut Crops | 15.6 | 18.1 | 3 | 2 |
| Field Crops | 12.5 | 9.2 | 4 | 4 |
| Livestock Products | 8.8 | 7.4 | 5 | 6 |
| Livestock & Poultry | 7.4 | 8.8 | 6 | 5 |

| | GROSS | S VALUE | CHANGE |
|--------------------------------------|--------------|--------------|--------------|
| CATEGORY | <u>2001</u> | 2000 | |
| Field Crops | 12,140,000 | 9,162,000 | 2,978,000 |
| Vegetable & Seed Crops | 16,055,000 | 17,026,400 | -971,400 |
| Fruit & Nut Crops | 15,609,600 | 18,050,000 | -2,440,400 |
| Nursery Crops | 37,509,500 | 32,105,200 | 5,404,300 |
| Livestock & Poultry | 7,424,000 | 8,829,000 | -1,405,000 |
| Livestock, Apiary & Poultry Products | 8,777,300 | 7,425,000 | 1,352,300 |
| Total | \$97,515,400 | \$92,597,600 | 4,917,800 |
| Total Acres in Cour | nty | 482,000 | |
| Population in Coun | • | 972,000 | |
| Land in Farms - Ac | | 147,859 | |
| Harvested Cropland | d - Acres** | 28,391 | |

^{*}Jan. 2001

| ORGANI(FARMIN(| | | | | ks | | • | | | | | | ens | Melons | rapes | | s, Misc. | |
|--------------------|--------|----------|----------|---------|------------|-------|------------|--------|---------|-------|------------|-------|-------------|-----------|-----------|----------|-----------|--|
| | Apples | Apricots | Cherries | Flowers | Garlic/Lee | Herbs | Nectarines | Onions | Peaches | Pears | Pistachios | Plums | Salad Greer | Squash, N | Table Gra | Tomatoes | Vegetable | |
| No. of Farms | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 2 | 1 | 1 | 1 | 1 | , 3 | 3 | 1 | 2 | 4 | |
| Estimated Acres | 1.5 | 2.0 | 5.0 | 0.8 | 0.3 | 1.6 | 1.6 | 0.1 | 8.0 | 6.0 | 36.8 | 1.0 | 0.4 | 0.2 | 1.0 | 0.3 | 3.5 | |

^{**1997} census

MILLION DOLLAR CROPS



| CROP GRO | SS VALUE/MIL | LION DOLLARS | R/ | NK. |
|---------------------------|--------------|--------------|------------|------|
| | <u>2001</u> | 2000 | 2001 | 2000 |
| Bedding Plants | \$26.9 | 22.7 | 1 | 1 |
| Misc. Livestock Products* | 8.7 | 7.3 | 2 | 4 |
| Sweet Corn | 8.7 | 7.0 | 3 | 5 |
| Grapes | 7.2 | 8.9 | 4 | . 2 |
| Cattle & Calves | 7.0 | 8.4 | 5 | 3 |
| Rangeland Pasture | 4.5 | 2.8 | 6 | 10 |
| Herbaceous Perennials | 3.8 | 3.3 | 7 | . 8 |
| Fomatoes, all | 3.5 | 5.7 | , 8 | 6 |
| Apples, all | 3.3 | 4.1 | . 9 | 7 |
| Miscellaneous Vegetables | 2.7 | 3.1 | 10 | 9 |
| lay - Alfalfa | 2.4 | 1.7 | . 11 | 14 |
| Miscellaneous Nursery | 2.4 | 2.0 | 12 | 12 |
| Field Corn | 2.2 | 2.1 | 13 | . 11 |
| /egetable Plants | 2.2 | 1.5 | 14 | 15 |
| Apricots | 1.3 | 1.3 | 15 | 16 |
| ndoor Decoratives | 1.3 | 1.7 | 16 | 13 |
| Cherries | 1.3 | 1.0 | 17 | 18 |
| <i>N</i> ainuts | 1.1 | 1.2 | . 18 | 17 |
| Misc. Field Crops | 1.1 | . ' | 19 | |

^{*}Revised Category

ANNUAL SUSTAINABLE AGRICULTURE REPORTING



COUNTY BIOLOGICAL CONTROL

| <u>Pest</u> | Agent/Mechanism | Scope of Program |
|-------------------------------------------|-------------------------------------|------------------------------------------------------|
| Yellow Starthistle Centaurea solstitialis | Hairy weevil Eustenopus villosus | Five releases by the Contra Costa County Ag Dept |
| | YST flower weevil Larinus curtus | Seven releases by the Contra Costa County Ag Dept |



Tussock Moth

Asiatic Garden Beetle, Other Scarab Beetles



| SHIPMENTS INSPECTED | Rejections | Total Inspec |
|-----------------------------------------------------|----------------|--------------|
| Household Goods | 28 | 167 |
| Mail/UPS/FEDEX | 84 | 36,135 |
| Truck | 6 | 305 |
| A & Q Rated Pests Intercepted | 70 | |
| | | |
| | | |
| Rejections from Fed-Ex & UPS Inspections | | |
| Cedar-Apple Rust | 14 | |
| Chestnut Bark, Oak Wilt | 1 | |
| Citrus Pests | 7 | |
| Citrus Canker | 1 | |
| Medfly/CA and Medfly/TX | 8 | |
| Japanese Beetle | 1 | |
| Live Pests | ' , , , | |
| Ants - Hawaii | 15 | |
| Aphids - Hawaii | 4 | |
| Mealybugs - Hawaii | 3 | |
| Scale Insects | 4 | |
| Whitefly | 3 | |
| Other Live Pests - Thrips, Planthoppers | 4 | |
| Nut Tree Pests | 2 | |
| Plum Curculio | 4 | |
| | 4 | |
| Sweet Potato Weevil | | |
| | | |
| Rejections from Truck Inspections | | |
| Mediterranean Fruit Fly larvae - Clementine Oranges | 3 | |
| Two Spotted Leafhopper - Nursery Shipments | 3 | |
| Glassy-Winged Sharpshooter Egg masses | 12 | |
| Glassy-Winged Sharpshooter Nymphs | 3 | |
| Glassy-Winged Sharpshooter Adults | 3 | |
| Quackgrass, Canada Thistle | 3 | |
| addong doo, Carlada Friiotio | | |
| Rejections from Household Goods Inspections | | |
| Gypsy Moth | 12 | |
| Japanese Beetle | 1 | |
| | 14 | |
| Eastern Tent Caterpillar | 14 | |

2

2

ABOUT THE DEPARTMENT

The Contra Costa County Department of Agriculture and Division of Weights and Measures is responsible for operating many statewide programs here in Contra Costa County through a combination of education, outreach, and enforcement. We work under the direction of the Contra Costa County Board of Supervisors, the California Department of Food and Agriculture, the Department of Pesticide Regulation, and the California Division of Measurement Standards. We also work in cooperation with many other federal, state, regional, and local agencies. Our main office is in Concord with a branch office in Brentwood.

Our Agriculture division's goal is to promote and protect agriculture, the environment, and the people of Contra Costa County. The goal of our Weights and Measures division is to help to ensure the honesty and integrity of everyday business transactions for the people of Contra Costa County. Weights and Measures protects buyers and sellers by promoting fair packaging and by checking commercial weighing, measuring and timing devices for accuracy. After all, businesses don't want to give away products for free any more than consumers want to pay for products they didn't get. Weights and Measures affects everyone. Whenever people buy any kind of goods, property, or service, some type of weights and measures is involved. The following is a summary of the Department's programs.

PEST EXCLUSION

Fruit, vegetables, and other plant material shipped in violation of state quarantines can be infested with exotic pests and diseases. If not intercepted, these pests and diseases could cause huge losses to California agriculture and its export markets. Exotic pests can affect the environment by infesting, preying on, or competing with native species of plants and animals. Most exotic pests come into California because people bring or send them. Contra Costa County Biologists do a wide range of quarantine inspections at package delivery services, markets, and nurseries to keep these pests out. Incoming nursery shipments from infested areas are checked for life stages of Glassy-winged Sharpshooter, a serious new insect pest. In 2001, Contra Costa Biologists performed over 36,000 exclusion inspections and wrote 188 rejections.








Monitoring for exotic insect pests

PEST DETECTION

Pest Detection Trappers from the Contra Costa County Department of Agriculture help find exotic pests before they grow into infestations costing California taxpayers hundreds of millions of dollars to eradicate. Insect traps are placed throughout the county and monitored regularly. Many of the traps are baited with pheromones, a chemical perfume that attracts the male insect. Other traps may use a food scented lure. In 2001, Contra Costa County Pest Detection Trappers placed over 5,000 insect traps. An infestation of Oriental Fruit Fly was also detected and treated before it became a major threat to agriculture.



Checking pesticide application equipment



Inspection of a pest control business

PESTICIDE USE ENFORCEMENT

The State of California has the toughest rules on pesticide use in the world. The Department of Agriculture monitors the use of pesticides in Contra Costa County to help ensure a safe food supply and to protect human health and the environment. Growers and production nurseries who have pesticides applied to their crops must get a permit from the County Department of Agriculture. Golf courses, cemeteries, and parks must also get permits if they use pesticides. Even cities and other government agencies that use pesticides on rights of way must get permits. Businesses that apply pesticides for hire must be licensed with the State of California and then registered with the Department of Agriculture in the counties in which they will work. This includes businesses that perform agricultural spraying, structural pest control, and landscape maintenance. All these pesticide applicators must report the amounts of each pesticide they use to their County Department of Agriculture. Contra Costa County Biologists monitor the use of pesticides by growers and by businesses that apply pesticides for hire by inspecting pesticide applications, equipment, records, and storage. We also evaluate and monitor pesticide applications on environmentally sensitive sites and provide training to fieldworkers and pesticide handlers in English and Spanish. In 2001, Contra Costa County Biologists inspected over 340 pesticide applications.

PEST MANAGEMENT

The Department of Agriculture has the responsibility for several pest management programs in Contra Costa County. Department staff control specific exotic noxious weeds such as Artichoke Thistle, Purple Starthistle, and Oblong Spurge on certain public and private lands. We also have a ground squirrel control program. The Department is one of over twenty organizations forming the Alameda-Contra Costa Weed Management Area. The Weed Management Area members work to accomplish an ecological and integrated approach to the management of noxious weeds. This includes mapping, monitoring, research, and the coordination of control efforts to halt the spread of noxious weeds and restore infested lands. Outreach efforts completed in 2001 include a brochure on Integrated Pest Management control options for Yellow Starthistle.



Weed management




Farmer's market inspection


QUALITY CONTROL

Contra Costa County Biologists inspect various agricultural commodities to ensure they meet established quality standards. Retail eggs are checked for compliance with state and federal requirements. At Certified Farmer's Markets, County Biologists make sure growers are only selling produce they have grown themselves. Nurseries that raise landscape plants, turf, trees, or vines are inspected at least once every two years for diseases, weeds, and pests. Growers producing organic commodities are audited to make sure they follow proper organic practices. Certain apple varieties can only be harvested when Biologists have determined they meet maturity standards.

EXPORT CERTIFICATION

Agriculture has played an important part in the economy of Contra Costa County from the time of the first pioneers up until today. From the nurseries of Richmond in the west end of the county to Oakley's wine vineyards in the east, Contra Costa County growers continue to produce a rich variety of fruits, vegetables, nursery products, and other agricultural commodities. Contra Costa County sweet corn, cherries, nursery stock, apples, and other produce find eager buyers all over the world. When requested, Contra Costa County Biologists help growers and packers by certifying commodities that are free of diseases and pests of concern to the importing state or nation.






Field bedded for tomatoes

Alfalfa

STATISTICS

The Department of Agriculture compiles many types of information on agriculture in Contra Costa County. Each year, the Department publishes an annual crop and livestock report showing the gross production and value of the county's agricultural commodities. During times when weather damage such as floods, storms, and freezing temperatures cause major losses to crops, the Department helps assess the damage in Contra Costa County. This information is used by state and federal agencies to provide emergency grants and loans to allow growers to get back into production as soon as possible.



Electric meter inspection



Checking a taxi for accuracy


DEVICE INSPECTION

Contra Costa County Weights and Measures Inspectors test a large variety of devices for accuracy. There are scales ranging from jeweler's scales used for tiny gemstones all the way up to scales that can weigh a fully loaded railroad car. Measuring devices come in a wide variety of types and capacities. There are meters for measuring gases such as propane and for liquids such as gasoline. There are length measuring meters used for purchases of wire or fabric. Taxis have meters that measure time as well as distance. There are even meters used to measure electricity.

You can be sure commercial scales and meters are accurate because a Weights and Measures Inspector has tested them. Before they can be put into commercial use and regularly after that, devices are inspected to make sure they are accurate and are a type approved for that use. After the inspection, the Weights and Measures Inspector seals any adjustable parts that might affect how they perform. Each commercial scale or meter that has been inspected will have a paper County seal attached to the front of it.



Large capacity scale inspection







Store scanner inspection

QUANTITY CONTROL

Weights and Measures Inspectors check that packaged commercial products actually contain the quantity stated on the label. While at a store, they also check store scanners for accuracy and make sure the price charged at the register is the same as the posted or advertised price. If a product comes up short weight or quantity, the Inspectors will investigate more packages of that brand. Over the last several years, the Contra Costa County Division of Weights and Measures has investigated shortages in sales of such diverse products as baked goods, gravel, catsup, and wood. When necessary, we work with the District Attorney in the prosecution of serious violations of state laws involving weights and measures in Contra Costa County.

There are fair packaging regulations that cover many aspects of labeling and packaging so consumers will know clearly just what they are getting. The regulations prohibit deceptive packaging such as false bottoms and sidewalls. The weight of a product's wrappings or container can not be included in the stated weight of the commodity. The fair packaging regulations specify the type of information on a label and even the way the label is written and placed on the package. The regulations also cover signs and advertising. Signs advertising gasoline and other petroleum products must meet certain standards as to content, placement, and legibility. These standards help to eliminate such misleading practices as "bait and switch" advertising, and advertising only the lowest of several fuel prices.

SUPPORT SERVICES

The Contra Costa County Division of Weights and Measures investigates consumer complaints. Many times these involve receiving short weight or quantity in a purchased commodity or having an advertised discount not taken off at the register. Other types of complaints we receive regard deceptive packaging or advertising, overcharges by taxi companies, inaccuracies by recycling companies, contamination of petroleum products, etc.



Department of Agriculture

2366 A Stanwell Circle Concord, California 94520-4807 (925) 646-5250 FAX (925) 646-5732

Branch Office 3020 Second Street Knightsen, California 94548 (925) 427-8610 FAX (925) 427-8612

Contra Costa County



Edward P. Meyer Agricultural Commissioner Director of Weights and Measures

To: A. G. KAWAMURA, SECRETARY

CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE

and

THE HONORABLE BOARD OF SUPERVISORS

I am pleased to submit the 2003 Annual Crop and Livestock Report for Contra Costa County in accordance with the provisions of Section 2279 and 2272 of the California Food and Agricultural Code. This report includes information on Organic Farming and Biological Control Activities in our county.

The total gross value of agricultural crops and products in 2003 was \$108,567,500, up \$8,413,400 dollars from 2002. Cattle production increased as the average price in 2003 improved dramatically. The miscellaneous vegetable category also went up due to increased production of specialty crops such as lettuce, potatoes, and asparagus.

Many categories had losses resulting from market competition and low prices. Contra Costa County's last dairy closed in the middle of 2003, leading to a large drop in the miscellaneous livestock product category. Apple values went down as many orchards were removed or not harvested. Cut flower values dropped as growers went out of business or reduced their operations. Low prices for sudan and safflower led to fewer acres being planted. In 2003, there were severe losses to wheat harvested both as hay and grain due to the disease wheat stripe rust. However, there was no significant difference from the previous year's values in those commodities due to weather related losses during the 2002 harvest.

Weather conditions in 2003 contributed to changes in several crop categories. Plentiful rain in winter and spring improved the value of rangeland. However, late spring rains hurt yields of crops such as peaches, apricots, and fresh market tomatoes. Extreme heat contributed to reduced pistachio yields.

Several crop categories exceeded \$1 million in value. These categories in decreasing order include bedding plants, cattle and calves, sweet corn, grapes, miscellaneous vegetables, miscellaneous livestock products, rangeland pasture, tomatoes, herbaceous perennials, miscellaneous nursery, alfalfa, indoor decoratives, field corn, apples, cherries, beans, vegetable plants, and walnuts.

It should be emphasized the values stated in this report are gross receipts and do not include the cost of production, transportation, or marketing of the products.

I wish to thank the many individuals and organizations who supplied us with the information to complete this report. Their cooperation is truly appreciated. I also would like to thank Nancy Niemeyer and the rest of my staff for their diligent work in obtaining, compiling, and coordinating their efforts to put together our annual report.

Respectfully submitted,

Edward P. Meyer

Agricultural Commissioner

CONTRA COSTA COUNTY DEPARTMENT OF AGRICULTURE

Agricultural Commissioner - Director of Weights & Measures

Edward P. Meyer

Chief Deputy Agricultural Commissioner/Sealer

Vince Guise

AGRICULTURE

Deputy Agricultural Commissioner

Suzanne Maddux Cathleen M. Roybal

Bob Case

Larry Yost

Agricultural Biologist III

Ann McClure Patty Whitlock

Agricultural Biologist II

Joe Deviney Ralph Fonseca Gene Mangini Jorge Vargas Nancy Niemeyer Beth Slate

Agricultural Biologist I

Matthew Slattengren Abdoulaye Niang Jodie Wyles

WEIGHTS and MEASURES

Deputy Sealer of Weights & Measures

Patrick J. Roof

Weights & Measures Inspector III

Arthur Mangonon

Weights & Measures Inspector II

Gil Rocha Becky Schwenger

Cecilie Siegel-Sebolt

Weights & Measures Inspector I

Ngozi Egbuna

CLERICAL

Executive Secretary
Susan Finley

Cris Espejo

Senior Clerk
Teri Murphy

On the Cover: The Concord Certified Farmers Market

FIELD CROPS



| | | | PRODU | JCTION | And the second s | | VALUE |
|-------------------------------|--------------|----------------------|-------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------|
| CROP | YEAR | HARVESTED ACREAGE | PER ACRE | TOTAL | UNIT | PER UNIT | TOTAL \$ |
| Field Corn | 2003 | 4,780 | 3.94 | 18,900 | Ton | 90.30 | 1,707,000 |
| | 2002 | 5,230 | 3.97 | 20,800 | Ton | 87.40 | 1,816,000 |
| Hay Alfalfa | 2003 | 3,950 | 5.60 | 22,100 | Ton | 94.10 | 2,080,000 |
| | 2002 | 3,610 | 5.36 | 19,300 | Ton | 105.00 | 2,036,000 |
| Grain | 2003 | 1,940 | 2.26 | 4,390 | Ton | 84.50 | 371,000 |
| | 2002 | 2,170 | 2.29 | 4,990 | Ton | 64.40 | 321,000 |
| Pasture | 2003 | 6,110 | | Grazed | Acre | 150.00 | 917,000 |
| Irrigated | 2002 | 5,550 | | Grazed | Acre | 155.00 | 860,000 |
| Pasture Rangeland | 2003 2002 | 252,000 258,000 | | | Acre Acre | 17.00 14.90 | 4,284,000 3,844,000 |
| Safflower | 2003 | 287 | 1.18 | 340 | Ton | 244.00 | 83,000 |
| | 2002 | 478 | 1.15 | 549 | Ton | 211.00 | 116,000 |
| Wheat | 2003 | 1,690 | 1.93 | 3,270 | Ton | 111.00 | 363,000 |
| | 2002 | 1,430 | 2.11 | 3,010 | Ton | 108.00 | 325,000 |
| Miscellaneous Field Crops* | 2003 2002 | 3,220 3,150 | | | | | 577,000 777,000 |
| Total | 2003 2002 | 273,977 279,618 | | | | | \$10,382,000 \$10,095,000 |
| | | | | | | | |

^{*}Barley, Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass

VEGETABLE & SEED CROPS



| | | | PRODU | JCTION | | | VALUE |
|-----------------------------------------------|--------------|----------------------|-------------|------------------|------------|-------------|------------------------------|
| CROP | YEAR | HARVESTED ACREAGE | PER ACRE | TOTAL | UNIT | PER UNIT | TOTAL \$ |
| Beans | 2003 | 303 | 4.09 | 1,240 | Ton | 1,030.00 | 1,278,000 |
| | 2002 | 283 | 3.42 | 965 | Ton | 1,020.00 | 986,000 |
| Onions | 2003 | 9 | 6.98 | 64 | Ton | 451.00 | 28,900 |
| | 2002 | 11 | 12.60 | 140 | Ton | 436.00 | 61,100 |
| Squash | 2003 | 30 | 6.49 | 193 | Ton | 567.00 | 109,000 |
| | 2002 | 21 | 4.38 | 91 | Ton | 627.00 | 57,000 |
| Sweet Corn | 2003 | 3,030 | 10.40 | 31,400 | Ton | 301.00 | 9,451,000 |
| | 2002 | 2,940 | 9.68 | 28,500 | Ton | 338.00 | 9,617,000 |
| Tomatoes Total | 2003 2002 | 1,299 1,089 | | 50,500 42,740 | Ton Ton | | 3,822,000 3,264,000 |
| Fresh | 2003 | 119 | 10.90 | 1,300 | Ton | 1,040.00 | 1,352,000 |
| | 2002 | 65 | 16.10 | 1,040 | Ton | 1,170.00 | 1,222,000 |
| Processing | 2003 | 1,180 | 41.70 | 49,200 | Ton | 50.20 | 2,470,000 |
| | 2002 | 1,024 | 40.70 | 41,700 | Ton | 49.00 | 2,042,000 |
| Miscellaneous Vegetable and Seed Crops* | 2003 2002 | 1,710 1,520 | | | | | 6,253,000 3,738,000 |
| Total | 2003 2002 | 6,381 5,864 | | | | | \$20,941,900 \$17,723,100 |

^{*} Asparagus, Artichokes, Beets, Cabbage, Cardoon, Carrots, Cauliflower, Cucumbers, Eggplant, Garlic, Ginseng, Lettuce, Okra, Greens, Herbs, Melons, Peas, Peppers, Potatoes, Pumpkins.

FRUIT & NUT CROPS







| | | | PROD | JCTION | | • | VALUE |
|------------------------------|--------------|--------------------|---------------|----------------|------------|------------------|------------------------|
| CROP | YEAR | BEARING ACREAGE | PER ACRE | TOTAL | UNIT | PER UNIT | TOTAL |
| Apples | 2003 2002 | 330 582 | 12.40 9.25 | 4,070 5,380 | Ton Ton | 336.00 444.00 | 1,368,000 2,390,000 |
| Apricots | 2002 | 002 | 3.20 | 0,000 | 1011 | 444.00 | 2,030,000 |
| Total | 2003 | 550 | 4.42 | 2,430 | Ton | | 960,000 |
| | 2002 | 559 | 4.91 | 2,750 | Ton | | 1,166,000 |
| Fresh | 2003 | | | 373 | Ton | 917.00 | 342,000 |
| | 2002 | | | 647 | Ton | 828.00 | 536,000 |
| Processing | 2003 | | | 2,060 | Ton | 300.00 | 618,000 |
| | 2002 | | | 2,100 | Ton | 300.00 | 630,000 |
| Cherries | 2003 | 282 | 1.94 | 548 | Ton | 2,460.00 | 1,348,000 |
| | 2002 | 284 | 1.30 | 369 | Ton | 2,860.00 | 1,054,000 |
| Grapes | 2003 | 2,030 | 3.96 | 8,030 | Ton | 814.00 | 6,536,000 |
| | 2002 | 1,960 | 3.97 | 7,790 | Ton | 848.00 | 6,609,000 |
| Nectarines | 2003 | 33 | 2.59 | 85 | Ton | 1,410.00 | 120,000 |
| | 2002 | 33 | 2.33 | 77 | Ton | 2,350.00 | 182,000 |
| Peaches | 2003 | 165 | 4.01 | 661 | Ton | 1,010.00 | 668,000 |
| | 2002 | 149 | 4.49 | 667 | Ton | 1,580.00 | 1,057,000 |
| Pears | 2003 | 79 | 12.30 | 968 | Ton | 202.00 | 196,000 |
| | 2002 | 53 | 18.20 | 968 | Ton | 203.00 | 197,000 |
| Plums | 2003 | 25 | 2.34 | 59 | Ton | 1,270.00 | 74,900 |
| | 2002 | 18 | 2.45 | 46 | Ton | 1,400.00 | 64,300 |
| Walnuts | 2003 | 848 | 1.39 | 1,180 | Ton | 942.00 | 1,112,000 |
| Adia a a lla a a a a a | 2002 | 856 | 1.21 | 1,040 | Ton | 1,040.00 | 1,083,000 |
| Miscellaneous Fruit & Nut | 2003 | 158 | | | | | 643,000 |
| Crops* | 2002 | 137 | | | | | 748,000 |
| Total | 2003 | 4,500 | | | | | \$13,025,900 |
| | 2002 | 4,631 | | | | | \$14,550,300 |

^{*}Almonds, Asian Pears, Berries, Citrus, Figs, Olives, Pecans, Persimmons, Pistachios, Pluots, Prunes, Pomegranates, Quinces, Strawberries and other Miscellaneous Tree Crops.

NURSERY PRODUCTS



| | | PRODUC | PRODUCTION AREA* | | | | |
|------------------|------|------------------|------------------|-------------|--|--|--|
| CROP | YEAR | HOUSE SQ. FT. | FIELD ACRES | TOTAL \$ | | | |
| Nursery Stock | | | | | | | |
| Bedding | 2003 | 6,105,000 | 315.00 | 25,493,000 | | | |
| Plants | 2002 | 5,030,000 | 315.00 | 26,111,000 | | | |
| Herbaceous | 2003 | 668,000 | 16.10 | 2,715,000 | | | |
| Perennials | 2002 | 668,000 | 17.10 | 2,967,000 | | | |
| Indoor | 2003 | 555,000 | 0.2 | 1,802,000 | | | |
| Decoratives | 2002 | 760,000 | | 1,296,000 | | | |
| Vegetable | 2003 | 100,000 | 11.30 | 1,236,000 | | | |
| Plants | 2002 | 100,000 | 11.30 | 2,227,000 | | | |
| Cut Flowers** | 2003 | 58,400 | 6.00 | 124,000 | | | |
| | 2002 | 278,000 | 0.50 | 463,000 | | | |
| Miscellaneous | 2003 | 18,000 | 30.90 | 2,316,000 | | | |
| Nursery Crops*** | 2002 | 18,000 | 15.60 | 2,321,000 | | | |
| Total | 2003 | 7,504,400 | 380 | 33,686,000 | | | |
| | 2002 | 6,854,000 | 360 | 35,385,000 | | | |

^{*}Gross Area

^{**}Alstromeria, Carnations, Gerbera, Lilies, Roses, Misc. Flowers

^{***}Christmas Trees, Potted Flowers & Vegetables, Ground Covers, Propagative Materials, Hanging Baskets Ornamental Trees & Shrubs, Fruit Trees.



LIVESTOCK & POULTRY

| | | PRO | PRODUCTION | | VALUE | | |
|---------------------------------------|--------------|------------------|---------------------|------|----------------|------------------------------|--|
| ITEM | YEAR | NO.OF HEAD | TOTAL LIVEWEIGHT | UNIT | PER UNIT | TOTAL \$ | |
| Cattle & Calves | 2003 2002 | 51,300 44,500 | 340,000 320,000 | cwt. | 74.70 59.70 | 25,400,000 15,109,000 | |
| Miscellaneous Livestock & Poultry* | 2003 2002 | | | | | 500,000 494,000 | |
| Total | 2003 2002 | | | | | \$25,900,000 \$15,603,000 | |

LIVESTOCK, APIARY & POULTRY PRODUCTS

| | | | | | /ALUE |
|----------------------------------------------------|--------------|------------------|----------------------|----------------|----------------------------|
| ITEM | YEAR | PRODUCTION | I UNIT | PER UNIT | TOTAL \$ |
| Honey | 2003 2002 | 48,000 37,000 | lbs. lbs. | 4.00 3.56 | 192,000 131,000 |
| Beeswax | 2003 2002 | 200 200 | lbs. | 3.50 3.50 | 700 700 |
| Pollination | 2003 2002 | 600 600 | colonies colonies | 50.00 45.00 | 30,000 27,000 |
| Miscellaneous Livestock & Poultry Products** | 2003 2002 | | | | 4,409,000 6,639,000 |
| Total | 2003 2002 | | | | \$4,631,700 \$6,797,700 |

^{*}Chickens, Ducks, Emus, Fish, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep and Turkeys.

^{**}Milk, Wool, Eggs.

RECAPITULATION







| <u>G</u> | RANKING | | | |
|------------------------|----------------|-------------|-------------|-------------|
| CATEGORY | <u>2003</u> | <u>2002</u> | <u>2003</u> | <u>2002</u> |
| Nursery Products | 33.7 | 35.4 | 1 | 1 |
| Livestock & Poultry | 25.9 | 15.6 | 2 | 2 |
| Vegetable & Seed Crops | 20.9 | 17.7 | 3 | 3 |
| Fruit & Nut Crops | 13.0 | 14.6 | 4 | 4 |
| Field Crops | 10.4 | 10.1 | 5 | 5 |
| Livestock Products | 4.6 | 6.8 | 6 | 6 |

| | GROS | S VALUE | CHANGE |
|--------------------------------------|---------------|---------------|------------|
| CATEGORY | <u>2003</u> | 2002 | |
| Field Crops | 10,382,000 | 10,095,000 | 287,000 |
| Vegetable & Seed Crops | 20,941,900 | 17,723,100 | 3,218,800 |
| Fruit & Nut Crops | 13,025,900 | 14,550,300 | -1,524,400 |
| Nursery Crops | 33,686,000 | 35,385,000 | -1,699,000 |
| Livestock & Poultry | 25,900,000 | 15,603,000 | 10,297,000 |
| Livestock, Apiary & Poultry Products | 4,631,700 | 6,797,700 | -2,166,000 |
| Total | \$108,567,500 | \$100,154,100 | 8,413,40 |
| Total Acres in County | | 482,000 | |
| Population in County * | | 1,033,800 | |
| Land in Farms - Acres' | ** | 147,859 | |
| Harvested Cropland - A | Acres** | 28,391 | |

^{*}July 2003 **1997 census

| ORG FARI | | | | | eks/Onions | | :: Beans/Peas | SS | | | တ္ | | Greens | Melons/Cucumber | səde | Tomatoes/Eggplant/Pepper | es, Leafy | es, Root |
|--------------------|--------|----------|----------|------|------------|-------|---------------|------------|---------|-------|------------|-------|----------|-----------------|--------------|--------------------------|------------|------------|
| | Apples | Apricots | Cherries | Corn | Garlic/Le | Herbs | Legumes: | Nectarines | Peaches | Pears | Pistachios | Plums | Salad Gr | Squash/Melon | Table Grapes | Tomatoe | Vegetables | Vegetables |
| No. of Farms | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 |
| Estimated Acres | 2.0 | 2.0 | 7.5 | 0.1 | 0.3 | 0.1 | 0.1 | 8.0 | 24.0 | 6.0 | 36.8 | 1.0 | 0.9 | 0.2 | 2.0 | 0.3 | 1.3 | 0.1 |

MILLION DOLLAR CROPS



| GRO | ION DOLLARS | RAN | KING | |
|--------------------------|-------------|-------------|-------------|-------------|
| CROP | <u>2003</u> | <u>2002</u> | <u>2003</u> | <u>2002</u> |
| Bedding Plants | 25.5 | \$26.1 | 1 | 1 |
| Cattle & Calves | 25.4 | 15.1 | 2 | 2 |
| Sweet Corn | 9.5 | 9.6 | 3 | 3 |
| Grapes | 6.5 | 6.6 | 4 | 5 |
| Miscellaneous Vegetables | 6.3 | 3.7 | 5 | 7 |
| Misc. Livestock Products | 4.6 | 6.6 | 6 | 4 |
| Rangeland Pasture | 4.3 | 3.8 | 7 | 6 |
| Tomatoes, all | 3.8 | 3.3 | 8 | 8 |
| Herbaceous Perennials | 2.7 | 3.0 | 9 | 9 |
| Miscellaneous Nursery | 2.3 | 2.3 | 10 | 11 |
| Hay - Alfalfa | 2.1 | 2.0 | 11 | 13 |
| Indoor Decoratives | 1.8 | 1.3 | 13 | 15 |
| Field Corn | 1.7 | 1.8 | 12 | 14 |
| Apples | 1.4 | 2.4 | 14 | 10 |
| Cherries | 1.3 | 1.1 | 15 | 19 |
| Beans | 1.3 | | 16 | |
| Vegetable Plants | 1.2 | 2.2 | 17 | 12 |
| Walnuts | 1.1 | 1.1 | 18 | 17 |

ANNUAL SUSTAINABLE AGRICULTURE REPORTING



COUNTY BIOLOGICAL CONTROL

| <u>Pest</u> | <u>Agent/Mechanism</u> | Scope of Program |
|----------------------------------------------|-------------------------------------|------------------|
| Yellow Starthistle Centaurea solstitialis | Hairy weevil Eustenopus villosus | Ongoing |
| | YST flower weevil Larinus curtus | Ongoing |



PEST EXCLUSION 2003

| SHIPMENTS INSPECTED | Rejections | Total Inspected |
|--------------------------------------------------------------------|------------|-------------------------------------|
| Household GoodS | 12 | 130 |
| Mail/UPS/FEDEX | 414 | 44,862 profiled 11,876 inspected |
| Truck | 4 | 161 |
| A & Q Rated Pests Intercepted Glassy-winged Sharpshooter (B rated) | 112 | 5,384 |
| Rejections from Fed-Ex & UPS Inspections | | |
| Burrowing Nematode | 15 | |
| Caribbean Fruit Fly | 9 | |
| Cedar-Apple Rust | 12 | |
| Cereal Leaf Beetle | 1 | |
| Cherry Fruit Fly | 2 | |
| Citrus Pests | 11 | |
| Citrus Canker | 1 | |
| Mexfly/CA and Mexfly/TX | 2 | |
| Colorado Potato Beetle | 2 | |
| Cotton Pests | 1 2 | |
| European Corn Borer Fire Ant | 1 | |
| Hydrilla | 1 | |
| Japanese Beetle | 14 | |
| Live Pests | | |
| Ants - Hawaii | 26 | |
| Scale - Hawaii | 3 | |
| Mealybug - Hawaii | 8 | |
| Aphid - Hawaii | 9 | |
| Other Live Pests - Hawaii | 21 | |
| Live Pests from other states | 8 | |
| Nut Tree Pests | 1 | |
| Ozonium Root Rot | 3 | |
| Peach Mosaic | 1 | |
| Pine Shoot Beetle | 1 | |
| Plum Curculio | 5 | |
| Sugarcane Root Borer | 1 | |
| Walnut and Pecan Pests | 1 | |
| Rejections from Truck Inspections | | |
| Glassy-Winged Sharpshooter Egg masses | 1 | |
| Glassy-Winged Sharpshooter Adults Trapped | 2 | |
| Apple Maggot, Weeds, Scales (B rated) | 17 | |
| Rejections from Household Goods Inspections | | |
| Gypsy Moth, Tussock Moth | 5 | |
| Japanese Beetle | 2 | |
| Eastern Tent Caterpillar | 3 | |
| | | |

Direct Marketing

It's hard to beat the taste of tree ripened fruit, picked just hours before being eaten. You don't have to grow up on a farm or be a gourmet cook to know there is a world of difference between fresh fruits and vegetables that are harvested with an emphasis on ripeness and full flavor rather than an emphasis on a longer shelf life for shipping. However, there are many who have yet to discover that the wonderful and healthy flavors of farm fresh produce are readily available to them at reasonable prices.


Luckily for Contra Costa and Bay Area residents, our county offers a wide range of Certified Farmers' Markets, grower's roadside stands, and U-Pick farms. These locations provide a great opportunity for consumers to reconnect to the seasons by meeting the growers while getting the freshest, California-grown produce available. There are so many types of produce to taste and try: new and old-fashioned varieties of fruit, specialty crops, ethnic vegetables, organic produce, and fresh herbs.

Certified Farmers' Markets and grower's roadside stands help to reestablish the links between growers and consumers and provide consumers with an opportunity to learn how their food supply is produced. Consumers can get recommendations on which varieties are best for baking, canning, or for eating fresh. They can often get information on how the produce is grown, ways to prepare the food, and other nutritional information. Along the way, the consumer gains a better understanding of the challenges faced by growers in producing the food we eat and often take for granted.

Included in this year's crop report is a listing of East Contra Costa County growers who offer fruit stands and U-Pick operations as part of the "Harvest Time in Brentwood" marketing group. These growers attract families from all over the Bay Area who have already discovered the outstanding quality and wide variety of crops available in our county.

Also included in this crop report is a listing of Certified Farmers' Markets that operate in Contra Costa County. In 1977, California direct marketing regulations were created to allow growers to sell their agricultural products, exempt from packing, sizing, and labeling requirements, at locations other than their roadside stands. These locations are called Certified Farmers' Markets. The intent of the direct marketing regulations was to allow California growers to sell their agricultural products directly to consumers while maintaining enough regulatory control to ensure consumers receive quality products in an honest and fair transaction. The produce sold at these locations must be sold by the grower and must meet the same health and quality standards that apply to roadside locations.

Both grower's stands and Certified Farmers' Markets represent examples of direct marketing by growers to consumers. This allows growers an alternative to large volume distribution marketing, with the ability to sell small amounts of produce as well as varieties that are too tender for large commercial production. Direct marketing eliminates the middleman, providing cost savings to consumers and higher profits to growers. Growers can market their produce without the added expense of shipping containers or commercial packaging.





U-Pick operation

Grower's Fruit Stand

Harvest Time


The Harvest Time members operate farms and ranches in eastern Contra Costa County that offers you the freshest, ripest, and tastiest produce found anywhere. Their produce is available as either U-Picked or Picked and provides a unique opportunity to see where the produce you see in the stores originates and take home some of the best produce available. Harvest Time began in 1976 with ten members and has since grown to over 32 members. For more information on Harvest Time, visit www.harvest4u.com, pick up a brochure from one of the member's locations, or send a self-addressed and stamped envelope to: Harvest Time, P.O. Box 810, Brentwood, CA 94513.

- Pomeroy Farm: Picked & U-Pick cherries starting mid May to mid June. Picked & U-Pick nectarines, peaches and apricots mid May through June. Walnuts & walnut meats available.
- 2. Dwelley Farms: Picked apples, berries, cherries, apricots, plums, pluots, peaches, nectarines, squash, onions, beans, corn, black-eyed peas, tomatoes, cucumbers, herbs, peppers, eggplant, melons, etc. Open daily in season.
- 3. Lopez Ranch: Picked and U-Pick cherries, peaches, plums, nectarines, and apples. Open daily in season.
- 4. Salvador's Cherry Farm: U-Pick cherries starting mid May. Open Friday Monday.
- 5. Maggiore Cherry Ranch: Picked & U-Pick cherries. Open daily in season.
- 7. Tachella Family Farms: Picked & U-Pick apricots, black-eyed peas, and okra. Picked apples, artichokes, asparagus, beans, beets, cherries, citrus, corn, cucumbers, figs, garlic, grapes, honey, melons, nectarines, onions, peaches, pears, peas, persimmons, pistachios, pomegranates, plums, pluots, potatoes, squash, strawberries, and tomatoes. Open daily except Mondays.
- 8. Arata Farms Produce: Picked peaches, fruits, and vegetables.
- 9. DC's Extraordinary Cherries: U-Pick cherries. Open daily in season.
- 10. Dell's Retail Nursery: perennials, shrubs, trees, etc. Open daily.

^{*} Numbers can be used to find the ranch location on the harvest time map at the end of this report

- 11. Nunn Better Farms: U-Pick cherries on Sellers Ave. 3.5 miles north of Hwy 4. Picked corn and apples. Picked produce sold by the box only. Call for availability.
- 12. Canciamilla Ranch: Picked & U-Pick peaches, nectarines, and plums. Open daily.
- 13. Brentwood Olive Oil Company: various olive oil related products Saturdays and Sundays.
- 14. T.K.'s Best Produce: Picked corn, tomatoes, peppers, melons, squash, pluots, onions, cucumbers, green beans, grapes, strawberries, cherries, apricots, peaches, plums, and nectarines. Open daily in season.
- 15. Bacchini's Fruit Tree: Picked and U-Pick cherries, apricots, plums, and pluots. Open daily in season.
- 16. Moffatt Ranch: Picked and U-Pick peaches and nectarines. Bring containers. Open daily in season.
- 16. Papini Farms: Picked and U-Pick cherries, peaches, apricots, nectarines, plums. Open daily in season.
- 19. Peter Wolfe: Picked apricots, peaches, plums, and wine grapes. Open daily.
- 20. The Gerrys' Fruit Bowl: Picked and U-Pick peaches, plums, nectarines, apples, and Asian pears. Open daily.
- 21. The Farmer's Daughter Produce: Picked and U-Pick cherries, apricots, peaches, nectarines, and plums. Picked corn and other produce.
- 22. The Gerrys' White Peaches: U-Pick peaches and nectarines. Open daily in season.
- 23. Wolfe Ranch Cherries: Picked and U-Pick cherries, peaches, loquats, nectarines, and apricots.
- 24. Tidrick Ranch: Picked and U-Pick cherries. Open daily in season.
- 25. Sharp Ranch U-Pick Cherries: U-pick cherries. Open Friday through Sunday in season.
- 26. Seko Ranch Cherries: Picked and U-Pick cherries. Open daily in season.
- 27. McKinney Farms: Picked and U-Pick peaches, apricots, and nectarines. Picked melons and other produce. Open daily in season.
- 28. Shelly's Garden: Picked herbs, etc.
- 29. Lewis Family Farms: Picked tomatoes, cucumbers, squash, peppers, apricots, plums, peaches, persimmons, pomegranates, figs, etc. Open daily in season.
- 30. Gursky Ranch Country Store: U-pick walnuts. Various dried fruits and nuts. Open daily in season.






U-Pick peaches

U-Pick cherries

- 31. Spinola Farm & Nursery: potted nursery stock.
- 32. Delta Diablo Vineyard: U-Pick grapes.
- 33. Smith Family Farm: Picked and U-Pick tomatoes, peppers, cucumbers, squash, beans. Picked herbs, eggplant, peaches, nectarines, apricots, corn, cherries, melons, onions, apples, and flowers. U-Pick boysenberries.
- 34. Pease Ranch: Picked and U-Pick cherries and berries. Open daily in season.
- 38. Fred's Cherries Brentwood Garden Ranch: U-Pick cherries.




Certified Farmers' Market inspection



Certified Farmers' Market stand



A produce stand



Contra Costa County Certified Farmers' Markets

There are approximately 368 Certified Farmers' Markets and approximately 2,900 certified producers in California. Of these markets, 51% are year-round markets and the balance is seasonal. In a typical year, the majority of the seasonal markets operate from April through October of each year. Contra Costa County currently has eleven Certified Farmers' Markets listed below.

Concord Certified Farmers' Market

Location: Todos Santos Park, Willow Pass and Grant. Telephone: (925) 825-9090 Hours: Tuesdays, 10 a.m. – 12 p.m. all year: Thursdays 4 – 8 p.m., June – November

Danville Certified Farmers' Market

Location: Hartz between Diablo and Prospect. Telephone: (925) 825-9090

Hours: Saturdays, 9 a.m. - 1 p.m. all year

El Cerrito Certified Farmers' Market

Location: 307 El Cerrito Plaza. Telephone: (510) 528-7992

Hours: Tuesdays, 9 a.m. - 1 p.m.: Saturdays 9 a.m. - 1 p.m. all year

Martinez Certified Farmers' Market

Location: Court between Escobar and Main. Telephone: (925) 426-5420

Hours: Thursdays, 10 a.m. – 2 p.m., May – November

Martinez Certified Farmers' Market

Location: Main between Castro and Ferry. Telephone: (925) 431-8361

Hours: Sundays, 8 a.m. - 1 p.m., May - October

Orinda Certified Farmers' Market

Location: Orinda at Camino Pablo. Telephone: (925) 431-8361

Hours: Saturdays, 9 a.m. - 1 p.m., June - November

Pinole Certified Farmers' Market

Location: City Hall parking lot between Plum and Prune. Telephone: (925) 825-9090

Hours: Saturdays, 8:30 a.m. – 12:30 p.m., May – November

Pleasant Hill Certified Farmers' Market

Location: 100 Gregory Ln. Telephone: (925) 431-8361 Hours: Saturdays, 10 a.m. – 2 p.m., May – November

Richmond Certified Farmers' Market

Location: Civic Center Drive, front of library. Telephone: (510) 758-3011

Hours: Fridays, 12 – 6 p.m., May – November

Rossmoor Certified Farmers' Market


Location: Rossmoor Clubhouse parking lot. Telephone: (925) 689-4141

Hours: Fridays, 12 – 6 p.m., May – October

Walnut Creek Certified Farmers' Market

Location: Broadway and Lincoln. Telephone: (925) 431-8361

Hours: Sundays, 8 a.m. – 1 p.m. all year





Contra Costa County 2002 Annual Crop Report





Department of Agriculture

2366 A Stanwell Circle Concord, California 94520-4807 (925) 646-5250 FAX (925) 646-5732

Branch Office 724 - 3rd Street Brentwood, California 94513-1360 (925) 634-5682 FAX (925) 634-2201





Edward P. Meyer Agricultural Commissioner-Director Of Weights and Measures

To: BILL LYONS, JR., SECRETARY
CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE
and
THE HONORABLE BOARD OF SUPERVISORS

I am pleased to submit the 2002 Annual Crop and Livestock Report for Contra Costa County in accordance with the provisions of Section 2279 and 2272 of the California Food and Agricultural Code. This report includes information on Organic Farming and Biological Control Activities in our county.

The total gross value of agricultural crops and products in 2002 was \$100,154,100, up \$2,638,700 dollars from 2001. Despite this increase in gross value, most major crop categories had reductions in value.

Nursery Product values dropped as some growers went out of business or reduced their operations. Grain Hay prices dropped due to a combination of overproduction and bad weather during harvest. Apple acreage dropped as growers removed varieties that tended to have lower yields and/or prices. Walnut acreage was reduced due to development.

Market competition held prices per ton low for many crops such as field corn, processing tomatoes, and processing apricots. In some cases, the lower prices led to decreases in the acreage planted. The price of wine grapes continued to decrease due to overproduction. Prices per ton went up for peaches, cherries, fresh market tomatoes, and other fresh market fruits and vegetables, as more growers sold commodities directly to consumers.

There were some significant changes in the 2002 Annual Crop and Livestock Report. The number of head of Cattle & Calves reported increased as new data became available. The Miscellaneous Livestock Product category decreased as Contra Costa County's largest dairy closed during 2002.

Several crop categories exceeded \$1 million in value. These categories in decreasing order include bedding plants, cattle and calves, sweet corn, miscellaneous livestock products, grapes, rangeland pasture, miscellaneous vegetables, tomatoes, herbaceous perennials, apples, miscellaneous nursery, vegetable plants, alfalfa, field corn, indoor decoratives, apricots, walnuts, peaches, and cherries.

It should be emphasized the values stated in this report are gross receipts and <u>do not</u> include the cost of production, transportation, or marketing of the products.

I wish to thank the many individuals and organizations who supplied us with the information to complete this report. Their cooperation is truly appreciated. I also would like to thank Nancy Niemeyer and the rest of my staff for their diligent work in obtaining, compiling, and coordinating their efforts to put together our annual report.

Respectfully submitted,

Edward P. Meyer

Agricultural Commissioner

Edward P Muy

CONTRA COSTA COUNTY DEPARTMENT OF AGRICULTURE

Agricultural Commissioner - Director of Weights & Measures
Edward P. Meyer

Chief Deputy Agricultural Commissioner/Sealer

Vince Guise

AGRICULTURE

Deputy Agricultural Commissioner

Suzanne Maddux Cathleen M. Roybal

Bob Case

Larry Yost

Agricultural Biologist III

Ann McClure Patty Whitlock

Agricultural Biologist II

Joe Deviney Ralph Fonseca Gene Mangini Jorge Vargas Nancy Niemeyer Beth Slate

Agricultural Biologist I

Matthew Slattengren Abdoulaye Niang Jodie Snowbarger

WEIGHTS and MEASURES

Deputy Sealer of Weights & Measures

Patrick J. Roof

Weights & Measures Inspector III

Arthur Mangonon

Weights & Measures Inspector II

Gil Rocha Becky Schwenger

Cecilie Siegel-Sebolt

Weights & Measures Trainee

Ngozi Egbuna

CLERICAL

Executive Secretary

Susan Finley

Cris Espejo

Senior Clerk

Teri Murphy

On the Cover: various Contra Costa County fruit crate labels from the mid 20th century.


FIELD CROPS



| | | | _ | PRODU | CTION | | | ALUE |
|----------------------|-----------|--------------|--------------------|--------------|----------------|--------------|-----------------|------------------------|
| , | 200 | VEAD | HARVESTED | PER | TOTAL | LINUT | PER | TOTAL |
| | ROP | YEAR | ACREAGE | ACRE | TOTAL | UNIT | UNIT | \$ |
| Field Co | orn | 2002 | 5,230 | 3.97 | 20,800 | Ton | 87.40 | 1,816,000 |
| | | 2001 | 6,650 | 3.72 | 24,700 | Ton | 89.70 | 2,217,000 |
| Hay | Alfalfa | 2002 | 3,610 | 5.36 | 19,300 | Ton | 105.00 | 2,036,000 |
| , | | 2001 | 3,610 | 5.76 | 20,800 | Ton | 117.00 | 2,441,000 |
| | Grain | 2002 | 2,170 | 2.29 | 4,990 | Ton | 64.40 | 321,000 |
| | | 2001 | 1,340 | 2.14 | 2,860 | Ton | 86.30 | 246,000 |
| Pasture | Irrigated | 2002 | 5,550 | | Grazed | Acre | 155.00 | 860,000 |
| | - | 2001 | 5,620 | , | Grazed | Acre | 150.00 | 843,000 |
| Pasture | | | | | | | 44.00 | 0.044.000 |
| | Rangeland | 2002 2001 | 258,000 259,000 | | | Acre Acre | 14.90 17.50 | 3,844,000 4,533,000 |
| Safflowe | er | 2002 | 478 | 1.15 | 549 | Ton | 211.00 | 116,000 |
| | | 2001 | 504 | 1.04 | 522 | Ton | 219.00 | 114,000 |
| Wheat | | 2002 2001 | 1,430 3,150 | 2.11 2.16 | 3,010 6,790 | Ton Ton | 108.00 90.70 | 325,000 616,000 |
| | | 2001 | 3,130 | 2.10 | 0,730 | 1 011 | 30.70 | 010,000 |
| Miscella Field Cr | | 2002 | 3,150 | | | | | 777,000 |
| | - | 2001 | 2,088 | | | | | 1,130,000 |
| Total | | 2002 | 279,618 | | | | | \$10,095,000 |
| | | 2001 | 281,962 | | | | | \$12,140,000 |

^{*}Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass

VEGETABLE & SEED CROPS



| | | | PRODU | CTION | | VA | ALUE |
|---------------|------|-----------|-------|--------|------|----------|--------------|
| | | HARVESTEE | PER | | • | PER | TOTAL |
| CROP | YEAR | ACREAGE | ACRE | TOTAL | UNIT | UNIT | \$ |
| Beans | 2002 | 283 | 3.42 | 965 | Ton | 1,020.00 | 986,000 |
| | 2001 | 263 | 3.57 | 937 | Ton | 1,010.00 | 950,000 |
| Onions | 2002 | 11 | 12.6 | 140 | Ton | 436.00 | 61,100 |
| | 2001 | 34 | 15.4 | 525 | Ton | 409.00 | 215,000 |
| Squash | 2002 | 21 | 4.38 | 91 | Ton | 627.00 | 57,000 |
| · | 2001 | 18 | 4.01 | 70 | Ton | 714.00 | 50,000 |
| Sweet Com | 2002 | 2,940 | 9.68 | 28,500 | Ton | 338.00 | 9,617,000 |
| | 2001 | 2,760 | 9.61 | 26,500 | Ton | 327.00 | 8,652,000 |
| Tomatoes | | | | | | | |
| Total | 2002 | 1,089 | | 42,740 | Ton | | 3,264,000 |
| | 2001 | 1,662 | | 59,264 | Ton | | 3,518,000 |
| Fresh | 2002 | 65 | 16.10 | 1,040 | Ton | 1,170.00 | 1,222,000 |
| | 2001 | 72 | 13.40 | 964 | Ton | 790.00 | 761,000 |
| Processing | 2002 | 1,024 | 40.70 | 41,700 | Ton | 49.00 | 2,042,000 |
| | 2001 | 1,590 | 36.60 | 58,300 | Ton | 47.30 | 2,757,000 |
| Miscellaneous | | | | | | | |
| Vegetable and | 2002 | 1,520 | | | | | 3,738,000 |
| Seed Crops* | 2001 | 1,270 | | | | | 2,670,000 |
| Total | 2002 | 5,864 | | | | | \$17,723,100 |
| | 2001 | 6,007 | | | | | \$16,055,000 |

^{*} Asparagus, Artichokes, Assorted Vegetables, Beets, Cabbage, Cardoon, Cucumbers, Eggplant, Garlic Lettuce, Okra, Organic Greens, Herbs, Melons, Peas, Peppers, Wheatgrass.

FRUIT & NUT CROPS







| | | _ | PRODU | CTION | _ | V | ALUE |
|---------------|------|---------|-------|-------|------|----------|--------------|
| | | BEARING | PER | | | PER | TOTAL |
| CROP | YEAR | ACREAGE | ACRE | TOTAL | UNIT | UNIT | \$ |
| Apples | 2002 | 582 | 9.25 | 5,380 | Ton | 444.00 | 2,390,000 |
| | 2001 | 1,640 | 4.52 | 7,420 | Ton | 440.00 | 3,270,000 |
| Apricots | | | | | | | |
| Total | 2002 | 559 | 4.91 | 2,750 | Ton | | 1,166,000 |
| | 2001 | 639 | 6.31 | 4,030 | Ton | | 1,332,000 |
| Fresh | 2002 | | | 647 | Ton | 828.00 | 536,000 |
| | 2001 | | | 340 | Ton | 714.00 | 243,000 |
| Processing | 2002 | | | 2,100 | Ton | 300.00 | 630,000 |
| _ | 2001 | | | 3,690 | Ton | 295.00 | 1,089,000 |
| Cherries | 2002 | 284 | 1.30 | 369 | Ton | 2,860.00 | 1,054,000 |
| | 2001 | 331 | 1.71 | 565 | Ton | 2,220.00 | 1,254,000 |
| Grapes | 2002 | 1,960 | 3.97 | 7,790 | Ton | 848.00 | 6,609,000 |
| | 2001 | 1,890 | 4.03 | 7,610 | Ton | 946.00 | 7,201,000 |
| Nectarines | 2002 | 33 | 2.33 | 77 | Ton | 2,350.00 | 182,000 |
| | 2001 | 31 | 2.07 | 64 | Ton | 1,600.00 | 103,000 |
| Peaches | 2002 | 149 | 4.49 | 667 | Ton | 1,580.00 | 1,057,000 |
| | 2001 | 141 | 3.51 | 495 | Ton | 1,250.00 | 617,000 |
| Pears | 2002 | 53 | 18.20 | 968 | Ton | 203.00 | 197,000 |
| | 2001 | 49 | 11.20 | 551 | Ton | 215.00 | 118,000 |
| Plums | 2002 | 18 | 2.45 | 46 | Ton | 1,400.00 | 64,300 |
| | 2001 | 23 | 2.24 | 51 | Ton | 931.00 | 47,600 |
| Walnuts | 2002 | 856 | 1.21 | 1,040 | Ton | 1,040.00 | 1,083,000 |
| | 2001 | 1,026 | 1.12 | 1,150 | Ton | 991.00 | 1,138,000 |
| Miscellaneous | | | | | | | |
| Fruit & Nut | 2002 | 137 | | | | | 748,000 |
| Crops* | 2001 | 127 | | | | | 529,000 |
| Total | 2002 | 4,631 | | | | | \$14,550,300 |
| | 2001 | 5,897 | | | | | \$15,609,600 |

^{*}Almonds, Asian Pears, Berries, Citrus, Figs, Pecans, Persimmons, Pistachios, Pluots, Pomegranates, Strawberries and other Miscellaneous Tree Crops.

NURSERY PRODUCTS







| | | PRODUCTION | | | | | ALUE |
|------------------|------|------------|--------|-----------|--------|-------|------------|
| | | HOUSE | FIELD | SOLD BY | | PER | TOTAL |
| СКОР | YEAR | SQ. FT. | ACRES | PRODUCERS | UNIT | UNIT | \$ |
| Nursery Stock | | | | | | | |
| Bedding | 2002 | 5,030,000 | 315.00 | | | | 26,111,000 |
| Plants | 2001 | 5,955,000 | 312.00 | | | | 26,921,000 |
| Herbaceous | 2002 | 668,000 | 17.10 | | | | 2,967,000 |
| Perennials | 2001 | 717,000 | 15.35 | | | | 3,842,000 |
| Indoor | 2002 | 760,000 | | | | | 1,296,000 |
| Decoratives | 2001 | 760,000 | | | | | 1,281,000 |
| Vegetable | 2002 | 100,000 | 11.30 | | | | 2,227,000 |
| Plants | 2001 | 110,000 | 11.30 | | | | 2,216,000 |
| Christmas | 2002 | | 32.00 | 1,120 | Trees | 37.70 | 42,000 |
| Trees | 2001 | | 54.00 | 1,420 | Trees | 36.40 | 51,500 |
| Cut Flowers** | 2002 | 278,000 | 0.50 | | Blooms | | 463,000 |
| out i ioweis | 2001 | 330,000 | 3.00 | | Blooms | | 767,000 |
| Miscellaneous | 2002 | 18,000 | 15.60 | | | | 2,279,000 |
| Nursery Crops*** | 2001 | 135,000 | 21.70 | | | | 2,431,000 |
| Γotal | 2002 | 6,854,000 | 392 | | | | 35,385,000 |
| | 2001 | 8,007,000 | 417 | | | | 37,509,500 |

^{*}Gross Area

^{**}Alstromeria, Carnations, Gerbera, Lilies, Roses, Misc. Flowers

^{***}Potted Flowers & Vegetables, Ground Covers, Propagative Materials, Hanging Baskets Omamental Trees & Shrubs, Fruit Trees.



LIVESTOCK & POULTRY

| | | PRO | DUCTION | | VALUE | |
|---------------------------------------|--------------|------------------|---------------------|------|----------------|-----------------------------|
| ITEM | YEAR | NO. OF HEAD | TOTAL LIVEWEIGHT | UNIT | PER Unit | TOTAL \$ |
| Cattle & Calves | 2002 2001 | 44,500 14,400 | • | cwt. | 59.70 66.90 | 15,109,000 6,953,000 |
| Miscellaneous Livestock & Poultry* | 2002 2001 | | | | | 494,000 471,000 |
| Total | 2002 2001 | | | | | \$15,603,000 \$7,424,000 |

LIVESTOCK, APIARY & POULTRY PRODUCTS

| | | | | VA | LUE |
|---------------------|------|------------|----------|-------|-------------|
| | | | | PER | TOTAL |
| ITEM | YEAR | PRODUCTION | UNIT | UNIT | \$ |
| Honey | 2002 | 37,000 | lbs. | 3.56 | 131,000 |
| • | 2001 | 36,000 | lbs. | 2.55 | 91,800 |
| Beeswax | 2002 | 200 | lbs. | 3.50 | 700 |
| | 2001 | . 200 | lbs. | 2.50 | 500 |
| Pollination | 2002 | 600 | colonies | 45.00 | 27,000 |
| | 2001 | 600 | colonies | 25.00 | 15,000 |
| Miscellaneous | | | | | |
| Livestock & Poultry | 2002 | | | | 6,639,000 |
| Products** | 2001 | | | | 8,670,000 |
| Total | 2002 | | | | \$6,797,700 |
| | 2001 | | | | \$8,777,300 |

^{*}Chickens, Ducks, Emus, Fish, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep and Turkeys.

^{**}Milk, Wool, Eggs

RECAPITULATION







| | GROSS VALUE/M | ILLION DOLLARS | <u>RANKING</u> | | |
|--------------------------------------|---------------|----------------|----------------|-------------|--|
| CATEGORY | 2002 | <u>2001</u> | 2002 | 2001 | |
| Nursery Products | 35.4 | 37.5 | 1 | 1 | |
| Vegetable & Seed Crops | 17.7 | 17.0 | 2 | 2 | |
| Livestock & Poultry | 15.6 | 7.4 | 3 | 6 3 4 | |
| Fruit & Nut Crops | 14.6 | 15.6 | 4 | 3 | |
| Field Crops | 10.1 | 12.5 | 5 | | |
| Livestock Products | 6.8 | 8.8 | 6 | 5 | |
| | GROSS | S VALUE | | CHANGE | |
| CATEGORY | 2002 | <u>2001</u> | | | |
| Field Crops | 10,095,000 | 12,140,000 | | -2,045,000 | |
| Vegetable & Seed Crops | 17,723,100 | 16,055,000 | | 1,668,100 | |
| Fruit & Nut Crops | 14,550,300 | 15,609,600 | | -1,059,300 | |
| Nursery Crops | 35,385,000 | 37,509,500 | | -2,124,500 | |
| Livestock & Poultry | 15,603,000 | 7,424,000 | | 8,179,000 | |
| Livestock, Apiary & Poultry Products | 6,797,700 | 8,777,300 | | -1,979,600 | |
| Total | \$100,154,100 | \$97,515,400 | | 2,638,700 | |
| Total Acres in Cou | | 482,000 | | | |
| Population in Coun | | 982,000 | | | |
| Land in Farms - Ac | res** | 147,859 | | | |


^{*}Jan. 2002 **1997 census

Tomatoes/Eggplant/Pepper **ORGANIC** Legumes: Beans/Peas Garlic/Leeks/Onions **FARMING** Vegetables, Leafy Vegetables, Root Squash, Melons Salad Greens Table Grapes Nuts/Walnuts Persimmon Nectarines **Pistachios** Fruit Misc. Cherries Peaches 1 2 1 2 2 2 3 3 3 2 4 3 2 2 2 2 2 1 3 3 4 1 4 3 3 0.2 2.5 0.5 25.0 6.1 0.3 36.8 1.5 0.8 0.9 2.0 1.3 0.4 0.3 0.4 0.3 No. of Farms Estimated Acres

28,391

Harvested Cropland - Acres**

MILLION DOLLAR CROPS



| CROP GROS | S VALUE/MI | RANK | | |
|--------------------------|------------|--------|------|------|
| | 2002 | 2001 | 2002 | 2001 |
| Bedding Plants | \$26.1 | \$26.9 | 1 | 1 |
| Cattle & Calves | 15.1 | 7.0 | 2 | 5 |
| Sweet Com | 9.6 | 8.7 | 3 | 3 |
| Misc. Livestock Products | 6.6 | 8.7 | 4 | 2 |
| Grapes | 6.6 | 7.2 | 5 | 4 |
| Rangeland Pasture | 3.8 | 4.5 | 6 | 6 |
| Miscellaneous Vegetables | 3.7 | 2.7 | 7 | 10 |
| Tomatoes, all | 3.3 | 3.5 | 8 | 8 |
| Herbaceous Perennials | 3.0 | 3.8 | 9 | 7 |
| Apples | 2.4 | 3.3 | 10 | 9 |
| Miscellaneous Nursery | 2.3 | 2.4 | 11 | 12 |
| Vegetable Plants | 2.2 | 2.2 | 12 | 14 |
| Hay - Alfalfa | 2.0 | 2.4 | 13 | 11 |
| Field Com | 1.8 | 2.2 | 14 | 13 |
| Indoor Decoratives | 1.3 | 1.3 | 15 | 16 |
| Apricots | 1.2 | 1.3 | 16 | 15 |
| Walnuts | 1.1 | 1.1 | 17 | 18 |
| Peaches | 1.1 | | 18 | |
| Cherries | 1.1 | 1.3 | 19 | 17 |

ANNUAL SUSTAINABLE AGRICULTURE REPORTING



COUNTY BIOLOGICAL CONTROL


| Pest | Agent/Mechanism | Scope of Program |
|----------------------------------------------|-------------------------------------|-----------------------------------------------------|
| Yellow Starthistle Centaurea solstitialis | Hairy weevil Eustenopus villosus | Six releases by the Contra Costa County Ag Dept. |
| | YST flower weevil Larinus curtus | Six releases by the Contra Costa County Ag Dept. |

Quarantine and Pest Exclusion

The last page of this crop report presents a summary of Pest Exclusion activity performed by our Department's staff in 2002. On that page, we list the results of over 46,000 shipments that were profiled or inspected. But what does this information represent and why is it important?

Our exclusion inspection activities are part of a larger statewide safety net designed to protect California's agriculture and native environment from the introduction of new exotic pests. This safety net involves Federal, State, and County agencies working cooperatively to enforce quarantines against exotic pests and diseases.

You may already be familiar with the inspection stations at airports, state border stations, and shipping ports where commodities and packages are checked for infested items. Our County Biologists perform a wide range of quarantine inspections at locations throughout Contra Costa County. They inspect shipments of nursery plants from out of state and infested areas within California. Plant material is inspected daily at parcel delivery services. During holiday seasons such as Christmas or on special occasions such as Valentines Day and Mother's Day, these facilities process hundreds of shipments of wreaths, flowers, fruit, and plants from all over the world. County Biologists also check shipments of seed for noxious weed seeds. Even moving vans are inspected for Gypsy Moth and other pests when they carry household goods from other states.



Border inspection station




Quarantine inspection

The fact is, most exotic pests come into California because people bring or send them. California has a higher risk from the introduction of exotic pests and diseases than any other state and in many ways we have the most to lose! California's major shipping ports, airports, and border with Mexico provides many opportunities for the introduction of exotic pests. Besides being the most populated state, we are also one of the nation's most diverse, with 32% being Hispanic or Latino, and 12% of Asian descent. The number of products that are imported by family members who visit relatives or send gifts from their native countries, along with the items brought by millions of foreign visitors who come to California every year, increases the potential for an occasional shipment to be contaminated with unwanted exotic pests.


What are exotic pests? These pests can be plants, insects, snails, weeds, diseases, nematodes, vertebrates, or other organisms. They are exotic in the sense that they are new to our State and/or the United States. Since they are new, the natural enemies that keep their populations under control in their native countries may not be present here. The result can lead to explosive populations that cause widespread damage to agricultural products or displace native species of plants, animals and insects. Likewise, exotic animal or plant diseases can have a dramatic impact when introduced into new areas. Local plant and animal populations haven't had the time to develop resistance to these new diseases so the results are often catastrophic.

Exotic pests can hide in produce, nursery plants, flowers, bulbs, soil, wood, meat, animals, equipment, clothing, and vehicles that originate outside of California. This is why the County Agricultural Commissioner offices throughout the state inspect shipments of potential host material being delivered to California. One contaminated item can be enough to lead to disaster. A single papaya could hold fifty Medfly maggots. One Gypsy Moth egg mass carried on someone's camper could hatch into hundreds of hungry caterpillars. An infected bay laurel leaf could contain thousands of Sudden Oak Death spores.

Insects most often come to mind when discussing exotic pests. This is because many of us have heard of new infestations of Mediterranean fruit fly, Africanized Honey Bees, Boll Weevil, Gypsy Moth, and Red Imported Fire Ant. For each of these exotic insects you've heard about, there are countless others worldwide that could also be devastating to California's agriculture and environment.



Gypsy Moth



Yellow Starthistle

Weeds are another common type of exotic pest. Many of our worst exotic weeds came to California as seed in animal feed or in contaminated crop seed. Others were brought in as ornamental plants that escaped into the wild. Exotic weeds can displace native plants. Most don't have the predators or natural diseases that have kept them under control in their native lands. Yellow Starthistle, for example, already infests more than 8 million acres statewide resulting in a dramatic loss in the productivity of grazing land. It has also made many recreational areas less accessible as it has choked out desired vegetation. Yet in its native land, Yellow Starthistle is a minor weed pest. Water hyacinth, an aquatic weed, grows so densely and quickly that it destroys habitat and ruins the recreational use of rivers, lakes and ponds. These and other exotic weeds threaten to infest an ever-increasing area of California.

Diseases that can affect plants, animals, or even humans are another type of exotic pest. Currently, Exotic Newcastle Disease, a highly contagious virus that affects all species of birds, has been found in Southern California. Exotic Newcastle Disease is one of the most infectious diseases of poultry in the world. It is so virulent that a fatality rate of nearly 100 percent can occur. This new infestation has led to an eradication effort consisting of quarantines, door-to-door surveys, and the destruction of millions of birds infected with or exposed to the disease. The eradication effort will likely cost taxpayers over \$100 million.

The Exotic Newcastle Disease outbreak illustrates how devastating new diseases can be to livestock, poultry, and to our economy. Other diseases such as Foot-and-Mouth Disease, Anthrax, and Bovine Spongiform Encephalopathy can pose a threat to people as well as livestock and native animals. Animal products as well as live animals can introduce exotic diseases. Clearly, the smuggling of animal or animal products, whether as pets or livestock, can have serious consequences to California and are subject to strict regulation.

Some diseases can threaten both agricultural and native plants. Sudden Oak Death (SOD) is an example of how an exotic plant disease can threaten entire ecosystems. It was discovered in 1995 in the coastal areas of central California. SOD attacks many native plants such as oaks, toyon, buckeye, manzanita, bay laurel, madrone, and rhododendron, with even more new hosts being identified as research on the disease continues. SOD has already killed tanoaks, black oaks, and coast live oaks in large numbers along California's north central coast and it seems to be spreading. As of the end of 2002, twelve counties including Contra Costa County have been declared infested.








We don't always fully appreciate the potential impact of new exotic pests when they are first detected. The Glassy-winged Sharpshooter did not attract much attention when it first became established in Southern California. However, it has now been recognized as a very efficient transmitter of diseases from one plant to another. Much of the wine industry in the Temecula region of Southern California faced disaster when the Glassy-winged Sharpshooter started a Pierce's disease epidemic in their vineyards. Pierce's disease is a lethal and untreatable disease of grapes. The disease itself is common in California but our native vectors had a limited ability to transmit the disease. The Glassy-winged Sharpshooter is now recognized as a significant threat to California's \$33 billion wine industry because it can efficiently spread the disease over large areas. Glassy-winged Sharpshooter is also recognized as a threat to other types of plants, as it is capable of spreading many other diseases to agricultural, landscape, and native plants.








Glassywinged Sharpshooter




Japanese Beetle

Inspections to enforce Federal and State quarantines are not the only ways exotic pests and diseases are found and controlled. California has a pest detection program deploying over 63,000 detection traps statewide just for exotic fruit flies. Contra Costa County has over 5,000 of these traps. Special surveys are conducted for other serious plant and animal diseases. Early detection of infestations is vitally important in any control program. When an infestation or outbreak is found, an aggressive eradication program begins. Eradication begins with intensive trapping or surveys to determine the size of the infestation. Quarantines may be established to prevent pests or diseases from moving out of the area. Finally, there is treatment of the infested area using sterile releases, pesticides or the destruction of infected animals or plants.

Once an exotic pest infestation has started, it may be difficult and expensive to eradicate. However, in many cases the long-term economic impacts make it even more expensive <u>not</u> to eradicate the pest. For example, Mediterranean fruit fly infests up to 260 types of produce grown in California. In Greece, where it comes from, up to 50% of the citrus crop is lost due to Medfly damage. If the Medfly became established in California there would be lower yields and reduced quality of both backyard and commercial crops. Pesticide use would increase greatly and there would be a loss of markets for California produce due to domestic and foreign quarantines. In 1980, it cost over one hundred million dollars to eradicate Medfly infestations in California. Nevertheless, the economic impacts of not eradicating this exotic pest would have far exceeded this cost.



Med Fly



Oriental Fruit Fly



Caribbean Fruit Fly

Other states and countries are concerned about exotic pests and impose quarantines for the same reasons we do. If a serious exotic pest or disease became established in California, other governments would protect their own environment and economies by banning California agricultural commodities. California produces more than 350 crop and livestock commodities, many of which go to the export market. A large part of California's economy is based on agriculture, with the statewide economic impact estimated at 100 billion dollars.

In the aftermath of September 11, people have come to think about the possibility that terrorists could try to introduce an exotic pest or disease into California as a simple way to cause our nation economic harm. While most people's concerns have centered on diseases affecting humans, pests that attack our food supply, environment, and economy also deserve consideration. However, the safety net of quarantine and detection procedures already established to prevent and control the accidental introduction of pests into our State will also help to protect us from intentional introductions.



Monitoring for exotic insect pests



Release of sterile flies


Each interception listed on the last page of this report represents an aborted opportunity for a new pest to be introduced into our State and County. Having an effective inspection program is one of our Department's highest priorities because it is the most cost effective way to protect both the agricultural industry and our native flora and fauna. Preserving both helps to protect our quality of life and our economy.

Everyone can help in this effort. Check quarantine and inspection requirements before bringing or mailing any produce, animal, or plant into California. If you are bringing food, plants, or animal products from a foreign county, declare them at your port of entry so they can be properly inspected. If you find a new pest (insect, weed, animal or disease) contact the County Department of Agriculture to receive help in identification. Your efforts may prevent an infestation that could cost California taxpayers millions of dollars and put our quality of life at serious risk.

PEST EXCLUSION 2002



| SHIPMENTS INSPECTED | Rejections | Total Inspected |
|---------------------------------------------|------------|-----------------|
| Household Goods | 18 | 158 |
| Mail/UPS/FEDEX | 84 | 36,944 profiled |
| | | 9,140 inspected |
| Truck | 6 | 269 |
| A & Q Rated Pests Intercepted | 59 | |
| Rejections from Fed-Ex & UPS Inspections | | |
| Burrowing Nematode | 10 | |
| Caribbean Fruit Fly | 4 | |
| Cedar-Apple Rust | 24 | |
| Cereal Leaf Beetle | 3 | |
| Cherry Fruit Fly | 1 | |
| Citrus Pests | 29 | |
| Citrus Canker | 1 | |
| Mexfly/CA and Mexfly/TX | 2 | |
| Colorado Potato Beetle | 2 | |
| Comstalk Borer | 2 | |
| Cotton Pests | 1 | |
| European Com Borer | 3 | |
| Fire Ant | 2 | |
| Golden Nematode | 1 | |
| Japanese Beetle | 21 | |
| Live Pests | | |
| Ants - Hawaii | 14 | |
| Scale - Hawaii | 3 | |
| Hibiscus Mealybug - Hawaii | 1 | |
| Snails and Slugs | 3 | |
| Other Live Pests - Hawaii | 18 | |
| Live Pests from other states | 13 | |
| Nut Tree Pests | 1 | |
| Ozonium Root Rot | 7 | |
| Plum Curculio | 19 | |
| Sweet Potato Weevil | 1 | |
| Walnut and Pecan Pests | 6 | |
| Rejections from Truck Inspections | | |
| Glassy-Winged Sharpshooter Egg masses | 5 | |
| Glassy-Winged Sharpshooter Adults Trapped | 2 | |
| Quackgrass, Canada Thistle | 8 | |
| • | Ū | |
| Rejections from Household Goods Inspections | | |
| Gypsy Moth | 4 | |
| Japanese Beetle | 4 | |
| Eastern Tent Caterpillar | 9 | |
| Scarab Beetles | 1 | |
| | | |



Department of Agriculture

2366 A Stanwell Circle Concord, California 94520-4807 (925) 646-5250 FAX (925) 646-5732

Branch Office

Knightsen Farm Center Delta Road @ Second Street P.O. Box 241 Knightsen, CA 94548 (925) 427-8610 FAX (925) 427-8612 Contra Costa County



Edward P. Meyer
Agricultural Commissioner
Director of Weights and Measures

To: A. G. KAWAMURA, SECRETARY
CALIFORNIA DEPARTMENT OF FOOD AND AGRICULTURE
and
THE HONORABLE BOARD OF SUPERVISORS

I am pleased to submit the 2004 Annual Crop and Livestock Report for Contra Costa County in accordance with the provisions of Section 2279 and 2272 of the California Food and Agricultural Code. This report includes information on Organic Farming and Biological Control Activities in our county.

The total gross value of agricultural crops and products in 2004 was \$94,753,220, down \$13,814,280 dollars from 2003. The Nursery Product values declined in all crop categories as some growers went out of business or reduced their operations. However, many crops such as field corn, sweet corn, apples, alfalfa, and fresh market apricots had significant increases in prices from those in 2003.

Field corn values increased sharply due to higher acreage, yield, and prices. Rangeland value per acre also went up significantly as beef prices improved. Good weather during spring and early summer helped yields for many crops including field corn, apricots, and processing tomatoes. Brentwood sweet corn did especially well in 2004 due to a steady market and good prices. Demand for fresh produce marketed directly to consumers improved prices for nectarines, peaches, cherries, and apricots. Some categories, such as safflower and beans, had losses resulting from market competition and low prices. Fresh market tomato prices started out low then radically improved late in the season when crops on the east coast failed due to bad weather.

The two previous categories of Livestock and Livestock Products were combined into a single category in the 2004 Annual Crop and Livestock Report. Miscellaneous Livestock Products, which includes milk, represented over 90% of the value of the Livestock Product category in 2003. When the only remaining dairy in Contra Costa County finally closed in the middle of 2003, we decided to combine the Livestock Products category with Livestock in 2004.

Several crop categories exceeded \$1 million in value. These categories in decreasing order include bedding plants, cattle and calves, sweet corn, grapes, rangeland pasture, field corn, miscellaneous vegetables, tomatoes, herbaceous perennials, alfalfa, apples, miscellaneous nursery, cherries, indoor decoratives, walnuts, apricots, beans, peaches, and vegetable plants.

It should be emphasized the values stated in this report are gross receipts and do not include the cost of production, transportation, or marketing of the products. The economic benefit of agricultural production is generally thought to be about three times the gross production value.

I wish to thank the many individuals and organizations who supplied us with the information to complete this report. Their cooperation is truly appreciated. I also would like to thank Nancy Niemeyer and the rest of my staff for their diligent work in obtaining, compiling, and coordinating their efforts to put together our annual report.

Respectfully submitted,

Edward P. Meyer

Agricultural Commissioner

Edward & Meyer

Contra Costa County Department of Agriculture

Agricultural Commissioner - Director of Weights & Measures Edward P. Meyer

Chief Deputy Agricultural Commissioner/Sealer
Vince Guise

Agriculture/Weights & Measures

Deputy Agricultural Commissioner

Cathleen M. Roybal

Larry Yost

Joe Deviney

Deputy Sealer of Weights & Measures

Patrick J. Roof

Weights & Measures Inspector III

Arthur Mangonon

Agricultural Biologist/Weights & Measures Inspector III

Ann McClure Gil Rocha Patty Whitlock Nancy Niemeyer Ralph Fonseca Beth Slate

Gene Mangini

Agricultural Biologist II

Jorge Vargas Matthew Slattengren Jodie Wyles

Weights & Measures Inspector II

Cecilie Siegel-Sebolt Steve Reymann

Agricultural Biologist I

Abdoulaye Niang

Weights & Measures Inspector I

Ngozi Egbuna

Administrative Support

Executive SecretarySusan Finley

Senior Clerk Teri Murphy

A History of Vineyards and Wineries in Contra Costa County

Contra Costa County has been producing award winning wine and grapes for well over 100 years. Our grape growing areas are located between the hot, San Joaquin valley and the cool, foggy coast which allows them to benefit from warm days and cool nights. This helps give the grapes a fine acid/pH ratio. The older vines, many of which were planted at the turn of the century, produce more sophisticated flavors, perfect for making fine wine.

One of the first vineyards in Contra Costa County was planted in Pinole in the first half of the 19th century when Don Ignacio Martinez was given a land grant reaching from Pinole to Martinez. By the late 1800's, vineyards producing many varieties of both table grapes and wine grapes were planted in the Alhambra valley south of the city of Martinez as well as in the areas near Clayton and Oakley. Major grape growers near Martinez included John Muir, Sturgis & Eddy, C. G. Merrill, and John Swett. In Clayton, Joel Clayton, Ernest Kohler, and Paul DeMartini were major growers.



Courtesy of the John Muir Historical Site




Courtesy of the Contra Costa County Historical Society

John Muir's house in Martinez 1910's


DeMartini Winery & Vineyards in Clayton

At one time, Contra Costa County had 6,000 acres of vineyards and some fifty wineries. The State Viticulture Report listed the county as having 300 acres in grapes in 1881, then 3,141 acres in 1891, and finally 6,000 acres in 1897. By 1919, forty percent of agricultural land in the county was devoted to grape growing. In 1900, a ton of wine grapes cost \$18 (compared with over \$800 today) and farmland cost \$20-50 an acre. Currently, there are about 2,000 acres of vines in Contra Costa County, specializing in red wine varietals such as Zinfandel, Carignane, and Mouvedre. The majority of Contra Costa County's oldest surviving vineyards are located in the sandy soils of the eastern part of Contra Costa County. Many were planted around Oakley in the late 1800's and early 1900's. The same families have operated many of our local vineyards for generations.

Grape Phylloxera, a serious pest of grapes, first became a threat to Contra Costa County vineyards near the end of the 19th century. Grape Phylloxera, a type of aphid, feeds on grape roots and is native to the American Mississippi River valley. Around 1860 it was introduced into and soon devastated vineyards all over Europe. The first plant quarantine laws in California were adopted as a result of attempts to deal with this pest. Since the American grape is resistant to Grape Phylloxera, European grapes had to be grafted to American rootstocks in infested areas. The damage



Courtesy of the Contra Costa County Historical Society



Courtesy of the Contra Costa County Historical Society

Upham vineyard in Martinez

Hutchinson vineyard in Clayton


to vineyards in Contra Costa County forced many growers to remove entire mature vineyards and replace them with grafted vines.

Grape Phylloxera is still present today in many parts of California, including Contra Costa County. These days it is controlled mostly through the use of improved, resistant rootstocks and by plant quarantine laws. Grape Phylloxera may limit the areas where grapes can be successfully planted. Certain types of soil can help vines resist infestation. Since Grape Phylloxera can reach roots through cracks in drying soil, the sandy soils in many parts of Contra Costa County have allowed its vines to survive attack while those planted in loamy or clay soils were destroyed.

The Clayton Sherry House, built in 1870 by Joel Clayton, was one of Contra Costa County's first wineries. It was bought by Paul DeMartini in 1876 and the DeMartini Winery was built at the site in 1885. Also located in Clayton was the Mt. Diablo Vineyards & Winery, the largest winery in Contra Costa County by the turn of the 20th century. At the same time, Martinez was home to many wineries such as the Mont Alhambra Vineyard Company, J. E. Colton Winery, Christian Brothers, and John Swett & Sons Winery. Martinez was a natural location for the wine industry due to its location on a main Santa Fe and Southern Pacific railroad line as well as on an important shipping route down the Sacramento River.







Courtesy of the Contra Costa County Historical Society


Martinez harbor 1885

Winehaven, located at Point Molate in Richmond, was once considered the largest winery in the world. It was built by the California Wine Association after their San Francisco location was destroyed by the 1906 earthquake and fire. Large tanker ships were able to load cargo at its 1,800 foot dock. At its peak, it employed over 1,000 people, used grapes from all over California, and produced champagne, brandy and 67 varieties of wine.

In the middle of the 19th century, there was a growing public concern about the effects of alcohol consumption on society. Alcohol was believed to be linked to gambling, prostitution, poverty, crime, and violence. In 1851, Maine was the first state to pass laws restricting alcohol manufacture and sales and soon other states followed suit. By the beginning of World War I, thirty three states had enacted prohibition laws. Wineries in states such as California that had not enacted "dry" laws were affected as the market for wine, beer, and liquor became more limited.



Courtesy of the Contra Costa County Historical Society



Courtesy of the Contra Costa County Historical Society

Winehaven in Richmond 1914

Vineyard in Clayton 1910's

The Volstead Act, which became the 18th Amendment to the United States Constitution, was passed by Congress in 1920. Also known as Prohibition, the Volstead Act prohibited the sale, manufacture, possession, and transportation of intoxicating liquors including beer, wine, and any other beverages which contained more than one half of one percent alcohol by volume. It was also unlawful to possess any machines, tools, or recipes used to make intoxicating liquors. Exemptions to Prohibition included liquor used as medicine or for religious purposes as well as an exemption allowing individuals to make up to 200 gallons of cider and juice per year for their own use. This exemption led many people to become home wine makers.

Prohibition led to the closure of more than 95% of American wineries. Virtually all of Contra Costa County's wineries went out of business by 1920. A notable exception was Christian Brothers Winery in Martinez. Christian Brothers was operated by a lay teaching order of the Roman Catholic Church and survived by making and selling both sacramental and medicinal wine. Wine grape growers were also hard hit by Prohibition. Many Contra Costa County grape growers survived this period by selling to individual home wine makers in Canada and the eastern United States, as well as locally. Many other local vineyards were torn out.









Fruit crate labels for juice grapes from the Antioch, Oakley, and Brentwood area

After Prohibition was repealed in 1933, few of our local wineries were able to reopen. Some that did go back into business in the Martinez area included J. E. Digardi Winery, Viano Vineyards, and the J. Gonsalves Winery. California had over 700 bonded wineries before Prohibition. About fifty years would pass after Prohibition ended before that number of wineries were operating in California again. Only Viano Vineyards winery has remained in operation in Contra Costa County in the past twenty years. However, several new wineries are in the planning stages in the Brentwood area and elsewhere.

In the 1940's, wineries outside of Contra Costa County began to discover and appreciate the distinct character and quality of our grapes. However, cities replaced farmland at an increased rate during the 1950's and 1960's. Between 1940 and 1970, more than half of our farmland was lost to development, with grape acreage declining more than 80% from 1940 levels.









Wine labels from Martinez area wineries 1930's - 1950's

As consumer appreciation for fine wines grew during the 1990's, the market for wine grapes increased. Contra Costa County growers began to plant more vineyards to supply the need for high quality, specialty grapes. Even though 45% of our remaining farmland was lost to development between 1970 and 2000, grape acreage has increased. During the 1990's, the amount of land planted to grapes more than doubled from 771 acres to 1,640. In 2004, there were about 2,000 acres of wine grapes in Contra Costa County.

Much has changed since 100 years ago. One of the biggest changes is the conversion of farmland in urban housing. Growers, as well as homeowners, have many adjustments to make when new housing developments move in next door to agriculture. Growers face the problems of trespassers, vandalism, theft, trash, increased traffic, and the general public's lack of knowledge about farming practices. Our local growers are aware of their urban neighbors and try to operate with as much courtesy as possible. Contra Costa County has a Right to Farm Ordinance. This means the County recognizes that growers have the right to follow normal farming practices in order to produce their crops.



Courtesy of the Contra Costa County Historical Society




Courtesy of the Contra Costa County Historical Society


Pleasant Hill farmer's market 1921

John Swett booth at Mechanics Fair 1899

Homeowners can help cooperate with the farmers by doing the following: Don't take short cuts through vineyards. They are private property. By entering a vineyard you may damage the vines or put yourself at risk from pesticides that could have been applied there. Don't allow children to play in vineyards. Damage that children do to the vines affects not only the current crop but also future ones. Destroying a grower's crop destroys his or her livelihood. Be patient with slow moving farm vehicles. Try to understand that normal farming practices may generate unpleasant odors, noise, and dust.



Courtesy of the Contra Costa County Historical Society



Courtesy of the Contra Costa County Historical Society

Mt. Diablo Winery 1911

Mt. Diablo vineyards 1911

A Year in the Life of a Vineyard

The year begins after the leaves have fallen and the vines become dormant. Winter is the time when farmers prune and fertilize. Prunings may be removed or burned to destroy insects and diseases in the wood. Weeds can become a problem due to winter rains and are controlled with herbicide sprays, cover crops, or by discing. Since mature wine grape vines need little or no irrigation, weed sprays are done mainly in winter. Herbicide sprays represented 27% of the pesticide applications made to grapes in Contra Costa County in 2004.

When the buds burst in the spring, the new shoots are susceptible to fungal diseases such as powdery mildew and bunch rot. Fungicide sprays are often needed and will continue regularly throughout the growing season. Spraying is usually done at night or early in the morning to take advantage of calm winds and cool temperatures. Sulfur, a naturally occurring mineral, is the most commonly used fungicide on grapes. Fungicide sprays represented 61% of the pesticide applications made to grapes in Contra Costa County in 2004, with sulfur representing 62% of those applications.

Rodents, such as ground squirrels, gophers, and mice, come out from hibernation in spring. Their chewing can cause considerable damage to roots, vines, and fruit. Rodents are usually controlled using traps, poison bait, or fumigants.


In late spring, the vines flower and produce young grape berries that will develop throughout the summer. Occasionally, pests such as caterpillars, leafhoppers, and mites become enough of a problem to require spraying. Insecticide sprays represented only 10% of the pesticide applications made to grapes in Contra Costa County in 2004.

As summer ends and grape berries mature and sweeten, birds become a serious pest. Flocks of birds can strip a ripening vineyard in less than a week. Control methods must begin well before the grapes ripen so birds do not become established in the vineyard. Farmers will generally start with flags or foil strips to frighten away the flocks of birds. Devices that make loud explosive noises or play tape recorded distress calls from other birds may be used later when bird damage threatens to become severe.

Harvest season in Contra Costa County begins in late summer or early fall. When the sugar content of the grapes is just right, picking crews fill bins and trailers that will be taken to wineries throughout California.











Field Crops



| | | | Product | ion | | | | Value |
|--------|-----------|------|-----------|------|--------|------|--------|--------------|
| Crop |) | Year | Harvested | Per | | | Per | |
| | | | Acreage | Acre | Total | Unit | Unit | Total |
| Field | l Corn | 2004 | 5,880 | 8.56 | 50,300 | Ton | 102.00 | 5,131,000 |
| | | 2003 | 4,780 | 3.94 | 18,900 | Ton | 90.30 | 1,707,000 |
| Hay | | | | | | | | |
| • | Alfalfa | 2004 | 3,490 | 5.60 | 19,500 | Ton | 107.00 | 2,087,000 |
| | | 2003 | 3,950 | 5.60 | 22,100 | Ton | 94.10 | 2,080,000 |
| | Grain | 2004 | 1,850 | 2.00 | 3,700 | Ton | 80.20 | 297,000 |
| | | 2003 | 1,940 | 2.26 | 4,390 | Ton | 84.50 | 371,000 |
| Past | ure | | | | | | | • |
| | Irrigated | 2004 | 5,060 | | | Acre | 100.00 | 506,000 |
| | | 2003 | 6,110 | | | Acre | 150.00 | 917,000 |
| | Rangeland | 2004 | 251,000 | | | Acre | 22.60 | 5,673,000 |
| | | 2003 | 252,000 | | | Acre | 17.00 | 4,284,000 |
| Saffle | ower | 2004 | 115 | 0.95 | 109 | Ton | 209.00 | 22,800 |
| | | 2003 | 287 | 1.18 | 340 | Ton | 244.00 | 83,000 |
| Whe | at | 2004 | 1,900 | 1.96 | 3,720 | Ton | 117.00 | 435,000 |
| | | 2003 | 1,690 | 1.93 | 3,270 | Ton | 111.00 | 363,000 |
| Misc | ellaneous | 2004 | 1,590 | | | | | 491,000 |
| Field | Crops* | 2003 | 3,220 | | | | | 577,000 |
| Total | | 2004 | 270,885 | | | | ; | \$14,642,800 |
| | | 2003 | 273,977 | | | | | \$10,382,000 |

^{*} Barley, Forage Hay, Hay (Wild), Rye, Silage, Straw, Sudan Grass



Vegetable & Seed Crops



| | | Produc | tion | | | | Value |
|----------------------------|------|-----------|-------|--------|------|----------|--------------|
| Crop | Year | Harvested | Per | | | Per | |
| - | | Acreage | Acre | Total | Unit | Unit | Total |
| Beans | 2004 | 320 | 4.07 | 1,300 | Ton | 976.00 | 1,269,000 |
| | 2003 | 303 | 4.09 | 1,240 | Ton | 1,030.00 | 1,278,000 |
| Onions | 2004 | 7 | 13.00 | 91 | Ton | 534.00 | 48,600 |
| | 2003 | 9 | 6.98 | 64 | Ton | 451.00 | 28,900 |
| Squash | 2004 | 18 | 3.00 | 54 | Ton | 756.00 | 40,800 |
| | 2003 | 30 | 6.49 | 193 | Ton | 567.00 | 109,000 |
| Sweet Corn | 2004 | 3,750 | 10.70 | 40,100 | Ton | 321.00 | 12,870,000 |
| | 2003 | 3,030 | 10.40 | 31,400 | Ton | 301.00 | 9,451,000 |
| Tomatoes | | | | | | | |
| Total | 2004 | 1,165 | | 52,130 | Ton | | 3,189,000 |
| - | 2003 | 1,299 | | 50,500 | Ton | | 3,822,000 |
| Fresh | 2004 | 105 | 10.80 | 1,130 | Ton | 656.00 | 741,000 |
| | 2003 | 119 | 10.90 | 1,300 | Ton | 1,040.00 | 1,352,000 |
| Processing | 2004 | 1,060 | 48.10 | 51,000 | Ton | 48.00 | 2,448,000 |
| | 2003 | 1,180 | 41.70 | 49,200 | Ton | 50.20 | 2,470,000 |
| Miscellaneous | 2004 | 1,540 | | | | | 3,942,000 |
| Vegetable & Seed Crops* | 2003 | 1,710 | | | | | 6,253,000 |
| Total | 2004 | 6,800 | | | | | \$21,359,400 |
| | 2003 | 6,381 | | | | | \$20,941,900 |

^{*} Asparagus, Artichokes, Beets, Cabbage, Cardoon, Carrots, Cauliflower, Cucumbers, Eggplant, Garlic, Ginseng, Lettuce, Okra, Greens, Herbs, Melons, Peas, Peppers, Potatoes, Pumpkins



Fruit & Nut Crops



| | | Product | ion | | | <u>Value</u> | | |
|--------------------|------|-----------|-------|--------------|------|--------------|----------------------|--|
| Crop | Year | Harvested | Per | | | Per | | |
| | | Acreage | Acre | <u>Total</u> | Unit | Unit | <u>Total</u> | |
| Apples | 2004 | 575 | 9.71 | 5,580 | Ton | 357.00 | 1,992,000 | |
| Тергоз | 2003 | 330 | 12.40 | 4,070 | Ton | 336.00 | 1,368,000 | |
| Apricots | | | | | _ | | 4 054 000 | |
| Total | 2004 | 534 | 7.06 | 3,770 | Ton | | 1,354,000 960,000 | |
| | 2003 | 550 | 4.42 | 2,430 | Ton | | 900,000 | |
| Fresh | 2004 | | | 310 | Ton | 1,020.00 | 316,000 | |
| | 2003 | | | 373 | Ton | 917.00 | 342,000 | |
| Processing | 2004 | | | 3,460 | Ton | 300.00 | 1,038,000 | |
| 1 1000001119 | 2003 | | | 2,060 | Ton | 300.00 | 618,000 | |
| Cherries | 2004 | 319 | 1.84 | 587 | Ton | 2,690.00 | 1,579,000 | |
| Chemes | 2004 | 282 | 1.94 | 548 | Ton | 2,460.00 | 1,348,000 | |
| Grapes | 2004 | 1,980 | 4.16 | 8,240 | Ton | 851.00 | 7,012,000 | |
| Grapes | 2003 | 2,030 | 3.96 | 8,030 | Ton | 814.00 | 6,536,000 | |
| Nectarines | 2004 | 37 | 3.50 | 130 | Ton | 2,330.00 | 303,000 | |
| Nectarines | 2003 | 33 | 2.59 | 85 | Ton | 1,410.00 | 120,000 | |
| Peaches | 2004 | 177 | 4.21 | 745 | Ton | 1,550.00 | 1,155,000 | |
| , odonos | 2003 | 165 | 4.01 | 661 | Ton | 1,010.00 | 668,000 | |
| Pears | 2004 | 82 | 9.67 | 793 | Ton | 336.00 | 266,000 | |
| 1 0010 | 2003 | 79 | 12.30 | 968 | Ton | 202.00 | 196,000 | |
| Plums | 2004 | 29 | 2.46 | 71 | Ton | 1,400.00 | 99,400 | |
| Tuttis | 2003 | 25 | 2.34 | 59 | Ton | 1,270.00 | 74,900 | |
| Walnuts | 2004 | 802 | 1.67 | 1,340 | Ton | 1,060.00 | 1,420,000 | |
| VVairiots | 2003 | 848 | 1.39 | 1,180 | Ton | 942.00 | 1,112,000 | |
| Miscellaneous | 2004 | 140 | | | | | 727,000 | |
| Fruit & Nut Crops* | 2003 | 158 | | | | | 643,000 | |
| Total | 2004 | 4,675 | | | | | \$15,907,400 | |
| iviai | 2003 | 4,500 | | | | | \$13,025,900 | |
| | | -, | | | | | | |

^{*} Almonds, Asian Pears, Berries, Citrus, Figs, Olives, Pecans, Persimmons, Pistachios, Pluots, Prunes, Pomegranates, Quinces, Strawberries, and other Miscellaneous Tree Crops



Nursery Products



| | | Production | n Area * | <u>Value</u> |
|-------------------|------|------------|----------|--------------|
| Crop | Year | House | Field | |
| • | | Sq. Ft. | Acres | Total |
| | | | | |
| Bedding Plants | 2004 | 6,170,000 | 316.00 | 21,470,000 |
| · · | 2003 | 6,105,000 | 315.00 | 25,493,000 |
| Herbaceous | 2004 | 597,000 | 14.60 | 2,394,000 |
| Perennials | 2003 | 668,000 | 16.10 | 2,715,000 |
| Indoor | 2004 | 479,000 | 0.20 | 1,454,000 |
| Decoratives | 2003 | 555,000 | 0.20 | 1,802,000 |
| Vegetable Plants | 2004 | 100,000 | 11.30 | 1,115,000 |
| - | 2003 | 100,000 | 11.30 | 1,236,000 |
| Cut Flowers ** | 2004 | 52,800 | 4.30 | 58,400 |
| | 2003 | 58,400 | 6.00 | 124,000 |
| Miscellaneous | 2004 | 8,000 | 25.50 | 1,850,000 |
| Nursery Crops *** | 2003 | 18,000 | 30.90 | 2,316,000 |
| | | | 0=1.00 | 000044 |
| Total | 2004 | 7,406,800 | 371.90 | \$28,341,400 |
| | 2003 | 7,504,400 | 380.00 | \$33,686,000 |

^{*} Gross Area

^{**} Alstromeria, Carnations, Gerbera, Lilies, Roses, Misc. Flowers

^{***} Christmas Trees, Potted Flowers & Vegetables, Ground Covers, Propagative Materials, Hanging Baskets, Ornamental Trees & Shrubs, Fruit Trees



Livestock*



| | | Proc | luction | | Value | | |
|-----------------|--------------|------------------|---------------------|------------|----------------|--------------------------|--|
| Item | Year | No. of Head | Total Liveweight | Unit | Per Unit | Total | |
| Cattle & Calves | 2004 2003 | 21,200 51,300 | 145,000 340,000 | Cwt Cwt | 95.20 74.70 | 13,804,000 25,400,000 | |

| | | | | | Value |
|------------------|--------------|------------|----------|-------|------------------------------|
| Item | Year | Production | | Per | |
| | | | Unit | Unit | <u>Total</u> |
| Honey | 2004 | 40,000 | Lbs. | 4.00 | 160,000 |
| , | 2003 | 48,000 | Lbs. | 4.00 | 192,000 |
| Beeswax | 2004 | 180 | Lbs. | 4.00 | 720 |
| Booman | 2003 | 200 | Lbs. | 3.50 | 700 |
| Pollination | 2004 | 500 | Colonies | 75.00 | 37,500 |
| 1 omnadon | 2003 | 600 | Colonies | 50.00 | 30,000 |
| Miscellaneous | 2004 | | | | 500,000 |
| Livestock Produc | 2003 | | | | 4,909,000 |
| | | | | | |
| Total | 2004 2003 | | | | \$14,502,220 \$30,531,700 |

^{*} Livestock and Livestock Product Categories combined

^{**} Chickens, Ducks, Emus, Goats, Hogs, Llamas, Ostriches, Pigs, Rabbits, Sheep, Turkeys, Milk, Wool, Eggs, Pollen



Recapitulation



| | <u> Gross Value/I</u> | <u> Million Dollars</u> | Ranking | | |
|------------------------|-----------------------|-------------------------|---------|------|--|
| Category | 2004 | 2003 | 2004 | 2003 | |
| Nursery Products | 28.3 | 33.7 | 1 | 1 | |
| Vegetable & Seed Crops | 21.3 | 17.7 | 2 | 3 | |
| Fruit & Nut Crops | 15.9 | 14.6 | 3 | 4 | |
| Field Crops | 14.6 | 10.4 | 4 | 5 | |
| Livestock* | 14.5 | 30.5 | 5 | 2 | |

| | Gross | Gross Value | | | | |
|------------------------|--------------|---------------|-------------|--|--|--|
| Category | 2004 | 2003 | | | | |
| Field Crops | 14,642,800 | 10,382,000 | 4,260,800 | | | |
| Vegetable & Seed Crops | 21,359,400 | 20,941,900 | 417,500 | | | |
| Fruit & Nut Crops | 15,907,400 | 13,025,900 | 2,881,500 | | | |
| Nursery Crops | 28,341,400 | 33,686,000 | -5,344,600 | | | |
| Livestock* | 14,502,220 | 30,531,700 | -16,029,480 | | | |
| Total | \$94,753,220 | \$108,567,500 | -13,814,280 | | | |

| Total Acres in County | 482,000 |
|--------------------------------|-----------|
| Population in County ** | 1,003,909 |
| Land in Farms - Acres *** | 126,338 |
| Harvested Cropland - Acres *** | 26,018 |

^{*} Livestock and Livestock Product Categories combined

^{*** 2002} Census



Organic Farming

| F | ar | m | in | g | | | :k/Flower | c/Leeks | | | other Nuts | | leafy | root | other |
|----------|----------|------|--------------|--------|-------|------------|----------------|----------------|---------|------------|---------------|-------|-------------|-------------|-------------|
| Apricots | Cherries | Figs | Fruit, other | Grapes | Herbs | Nectarines | Nursery Stock/ | Onions/Garlic/ | Peaches | Pears | Pistachios, c | Plums | Vegetables, | Vegetables, | Vegetables, |
| 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 1 | 1 |
| 11 2 | 15 N | 12 | Λ 1 | 0.5 | 0.2 | 17 N | 15 | በገ | 40 O | $^{\circ}$ | 36 B | 53 | በ 2 | Λ1 | በ 3 |

No. of Farms **Estimated Acres**

^{**} January 2004



Million Dollar Crops



| | Gross Value/N | <u> Million Dollars</u> | Ranking | | | |
|--------------------------|---------------|-------------------------|---------|------|--|--|
| Category | 2004 | 2003 | 2004 | 2003 | | |
| Bedding Plants | 21.5 | 25.5 | 1 | 1 | | |
| Cattle & Calves | 13.8 | 25.4 | 2 | 2 | | |
| Sweet Corn | 12.9 | 9.5 | 3 | 3 | | |
| Grapes | 7.0 | 6.5 | 4 | 4 | | |
| Rangeland Pasture | 5.7 | 4.3 | 5 | 7 | | |
| Field Corn | 5.1 | 1.7 | 6 | 13 | | |
| Miscellaneous Vegetables | 3.9 | 6.5 | 7 | 5 | | |
| Tomatoes, All | 3.2 | 3.8 | 8 | 8 | | |
| Herbaceous Perennials | 2.4 | 2.7 | 9 | 9 | | |
| Hay - Alfalfa | 2.1 | 2.1 | 10 | 11 | | |
| Apples | 2.0 | 1.4 | 11 | 14 | | |
| Miscellaneous Nursery | 1.9 | 2.3 | 12 | 10 | | |
| Cherries | 1.6 | 1.3 | 13 | 15 | | |
| Indoor Decoratives | 1.5 | 1.8 | 14 | 12 | | |
| Walnuts | 1.4 | 1.1 | 15 | 18 | | |
| Apricots, All | 1.4 | | 16 | | | |
| Beans | 1.3 | 1.3 | 17 | 16 | | |
| Peaches | 1.2 | | 18 | | | |
| Vegetable Plants | 1.1 | 1.2 | 19 | 17 | | |



Biological Control



| Pest | Agent/Mechanism | Scope of Program |
|---------------------------------------------------|---------------------------------------------------|------------------|
| Yellow Starthistle | Hairy Weevil (Eustenopus villosus) | Ongoing |
| (<u>Centaurea solstitialis</u>) | YST Flower Weevil (<u>Larinus curtus</u>) | Ongoing |
| | Rust Pathogen (Puccinia jaceae var. solstitialis) | One release |
| Red Gum Lerp Psyllid (Glycaspis brimblecombei) | Encytrid Parasitoid Wasp (Psyllaephagus bliteus) | Ongoing |



Pest Exclusion



| Shipments Inspected | Total Inspected | Rejections |
|----------------------------------------|-----------------|------------|
| Mail/UPS/Fed Ex | 55,037 | 373 |
| Truck shipments from within California | 5,466 | 3 |
| Truck shipments from other states | 239 | 17 |
| Household Goods | 170 | 5 |

| Quarantine Rejections | Rejections |
|----------------------------|------------|
| Burrowing Nematode | 8 |
| Caribbean Fruit Fly | 7 |
| Cedar-Apple Rust | 18 |
| Cherry Fruit Fly | 2 |
| Citrus Pests | 25 |
| Colorado Potato Beetle | 1 |
| Red Imported Fire Ant | 1 |
| Golden Nematode | 2 |
| Japanese Beetle | 15 |
| Oriental Fruit Fly | 4 |
| Ozonium Root Rot | 2 |
| Peach Mosaic | 1 |
| Pine Shoot Beetle | - 1 |
| Plum Curculio | 10 |
| Walnut and Pecan Pests | 1 |
| Origin/Markings | 244 |
| Live Pests | |
| A & Q rated pests | 142 |
| Glassy-winged Sharpshooter | 3 |
| Weed pests | 6 |
| Other pests | 4 |

"A" and "Q" Rated Pests

Pests vary as to the level of potential harm they can do, so it is necessary to have a rating system to represent the statewide importance of the pest to the agricultural, horticultural, forestry, environmental, and public health interests of California. The rating of a pest also determines what action is taken when it is found, such as: quarantines, eradication, rejection, control, cleanliness standards, holding, inspection, and the establishment of control districts. Of special interest are pests that are rated "A" or "Q". These organisms have the potential to cause serious harm and require enforcement action when they are found. "A" rated pests, such as the Mediterranean Fruit Fly, are known to cause serious harm. "Q" rated pests are those that are suspected to cause serious harm but their status is uncertain because of incomplete information about the species.

Contra Costa County regularly intercepts many of these types of pests in quarantine inspections. The following were intercepted during inspections in 2004.

| | Rating | Rejections |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------|
| ANTS Technomyrmex albipes / White-footed Ant Pheidole megacephala / Bigheaded Ant Anoplolepis longipes / Longlegged Ant Other ant species | Q Q Q Q | 32 10 4 4 |
| SCALES Pseudaulacaspis cockerelli / Magnolia White Scale Cocus viridis / Green Scale Pseudaulacospis pentagona / White Peach Scale Pinnaspis buxi / Boxwood Scale Milviscutulus mangiferae / Mango Shield Scale Other scale species | A A A Q Q | 17 3 3 2 6 4 |
| MEALYBUGS Pseudococcus jackbeardsleyi/ Jack Beardsley Mealybug Maconellicoccus hirsutus / Pink Hibiscus Mealybug Dysmicoccus boninsis/ Sugarcane Mealybug Other mealybug species | A A Q Q | 3 3 1 5 |
| WHITEFLIES Aleurodicus dispersus / Spiraling Whitefly Aleurotulus sp. / Anthurium Whitefly Other whitefly species | Q Q Q | 3 1 4 |
| THRIPS Thrips florum / Banana Flower Thrip Selenothrips rubrocinctus/Red Banded Thrip | A A | 1 1 |
| OTHER INSECTS, MITES & MOLLUSCS Lymantria dispar/Gypsy Moth Popillia japonica/ Japanese Beetle Kallitaxila granulata / Planthopper Grasshopper / Katydid species Leafminer species Other Homoptera species Other Lepidoptera species Mite species Mollusc species | A A Q Q Q Q Q Q | 2 1 9 2 2 2 1 1 |
| PLANT DISEASES Phytophthora ramorum / Sudden Oak Death Coleosporium plumierae / Plumeria Rust | Q Q | 13 1 |