AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

THE STATA JOURNAL

Editor

H. Joseph Newton
Department of Statistics
Texas A & M University
College Station, Texas 77843
979-845-8817; FAX 979-845-6077
jnewton@stata-journal.com

Associate Editors

Christopher F. Baum
Boston College
Rino Bellocchio
Karolinska Institutet, Sweden and
Univ. degli Studi di Milano-Bicocca, Italy
A. Colin Cameron
University of California–Davis
David Clayton
Cambridge Inst. for Medical Research
Mario A. Cleves
Univ. of Arkansas for Medical Sciences
William D. Dupont
Vanderbilt University
Charles Franklin
University of Wisconsin–Madison
Allan Gregory
Queen's University
James Hardin
University of South Carolina
Ben Jann
ETH Zürich, Switzerland
Stephen Jenkins
University of Essex
Ulrich Kohler
WZB, Berlin
Jens Lauritsen
Odense University Hospital

Stata Press Production Manager

Stata Press Copy Editor

Editor

Nicholas J. Cox
Department of Geography
Durham University
South Road
Durham City DH1 3LE UK
n.j.cox@stata-journal.com

Stanley Lemeshow
Ohio State University

J. Scott Long
Indiana University

Thomas Lumley
University of Washington–Seattle

Roger Newson
Imperial College, London

Marcello Pagano
Harvard School of Public Health

Sophia Rabe-Hesketh
University of California–Berkeley

J. Patrick Royston
MRC Clinical Trials Unit, London

Philip Ryan
University of Adelaide

Mark E. Schaffer
Heriot-Watt University, Edinburgh

Jeroen Weesie
Utrecht University

Nicholas J. G. Winter
University of Virginia

Jeffrey Wooldridge
Michigan State University

Lisa Gilmore

Deirdre Patterson

Copyright Statement: The Stata Journal and the contents of the supporting files (programs, datasets, and help files) are copyright © by StataCorp LP. The contents of the supporting files (programs, datasets, and help files) may be copied or reproduced by any means whatsoever, in whole or in part, as long as any copy or reproduction includes attribution to both (1) the author and (2) the Stata Journal.

The articles appearing in the Stata Journal may be copied or reproduced as printed copies, in whole or in part, as long as any copy or reproduction includes attribution to both (1) the author and (2) the Stata Journal.

Written permission must be obtained from StataCorp if you wish to make electronic copies of the insertions. This precludes placing electronic copies of the Stata Journal, in whole or in part, on publicly accessible web sites, fileservers, or other locations where the copy may be accessed by anyone other than the subscriber.

Users of any of the software, ideas, data, or other materials published in the Stata Journal or the supporting files understand that such use is made without warranty of any kind, by either the Stata Journal, the author, or StataCorp. In particular, there is no warranty of fitness of purpose or merchantability, nor for special, incidental, or consequential damages such as loss of profits. The purpose of the Stata Journal is to promote free communication among Stata users.

The *Stata Journal*, electronic version (ISSN 1536-8734) is a publication of Stata Press. Stata and Mata are registered trademarks of StataCorp LP.

Stata tip 54: Post your results

Philippe Van Kerm
CEPS/INSTEAD
Differdange, Luxembourg
philippe.vankerm@ceps.lu

The command `post` and its companion commands `postfile` and `postclose` are described in [P] `postfile` as “utilities to assist Stata programmers in performing Monte Carlo type experiments”. That description understates their usefulness, as `post` is one of the most flexible ways to accumulate results and save them for later use in an external file.

Stata output is displayed in the Results window and can be stored in log files. However, browsing log files and selecting particular results can be tedious and inefficient. Fortunately, there are several alternatives, including the use of `file` (see [P] `file`) or the `estimates` suite of commands (see [R] `estimates`), and `post`, the focus here.

Use of `post` is fully described in [P] `postfile`. The steps are in essence:

1. Call `postfile` to initialize the results file: identify the filename, name its variables, and determine their types.
2. Run the analysis and accumulate the results by repeatedly calling `post`. Each call to `post` adds one observation (record or line) to the results file.
3. Close the results file with `postclose`.

`post` is flexible in what it records: e-class, r-class, or s-class results, string or numeric values, locals, constants, etc. Posted results are recorded without disturbing the data in memory. This is particularly neat: it keeps datasets tidy and allows calling multiple files without interfering with the accumulation of results.

This first example uses the `auto` data. We loop over all possible combinations of `foreign` and `rep78` and save average `price` within each group. Estimates are recorded in a new file named `autoinfo.dta`, which is later opened for displaying results with `tabdisp`.

```
. tempname hdlc
. postfile `hdlc' foreign rep78 mean using autoinfo
. sysuse auto
(1978 Automobile Data)
. forvalues f=0/1 {
2.     forvalues r=1/5 {
3.         summarize price if foreign==`f' & rep78==`r', meanonly
4.         post `hdlc' (`f') (`r') (r(mean))
5.     }
6. }
. postclose `hdlc'
```

```
. use autoinfo, clear
. label define lf 0 "Domestic car" 1 "Foreign car"
. label values foreign lf
. label variable foreign "Origin of car"
. label variable rep78 "1978 repair record"
. tabdisp rep78 foreign, cell(mean)
```

1978 repair record	Origin of car	
	Domestic car	Foreign car
1	4564.5	
2	5967.625	
3	6607.074	4828.667
4	5881.556	6261.444
5	4204.5	6292.667

This example just shows the technique. In fact, for similar problems, the same effect can be produced easily with **statsby** (see [D] **statsby**):

```
. sysuse auto
(1978 Automobile Data)
. statsby mean=r(mean), by(foreign rep78) saving(autoinfo2): summarize price
(running summarize on estimation sample)
(output omitted)
. use autoinfo2
(statsby: summarize)
. tabdisp rep78 foreign, cell(mean)
(output omitted)
```

However, **statsby** is too restricted for more elaborate problems. A second example shows computations that store results for each of a series of files, here the numbers of observations and variables. It also demonstrates that graph commands are easily used for displaying results.

```
. tempname hdl
. postfile `hdl' str20 name str100 label nobs nvar using sysfilesinfo
. sysuse dir
(output omitted)
. local allfiles "`r(files)'"
. foreach dtafile of local allfiles {
2.     sysuse `dtafile', clear
3.     describe, short
4.     post `hdl' ("`dtafile'" ("`": data label`"' (r(N)) (r(k))
5. }
(output omitted)
. postclose `hdl'
. use sysfilesinfo
. keep if label!="
(18 observations deleted)
```

```

. replace name = substr(name, ".dta", ".")
(15 real changes made)
. label variable nobs "Number of observations in dataset"
. label variable nvar "Number of variables in dataset"
. scatter nvar nobs if nobs<250, mlabel(name) mlabposition(12)

```

Figure 1: Exploiting posted results

The flexibility of `post` for both collection, when relevant results are posted, and processing, when collected results are analyzed, makes it useful in a broad range of settings, which is different from Monte Carlo simulations.