



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.

Optimal control of a stochastic biological invasion

Morteza Chalak* and David Pannell

Centre for Environmental Economics and Policy, School of Agricultural and Resource
Economics, University of Western Australia

*Poster prepared for presentation at the Agricultural & Applied Economics Association's
2012 AAEA Annual Meeting, Seattle, Washington, August 12-14, 2012*

*Copyright 2012 by Morteza Chalak. All rights reserved. Readers may make verbatim copies
of this document for non-commercial purposes by any means, provided that this copyright
notice appears on all such copies.*

*Corresponding author. Contact: morteza.chalak@uwa.edu.au

Optimal control of a stochastic biological invasion



THE UNIVERSITY OF WESTERN AUSTRALIA


Morteza Chalak*, David Pannell*

*Centre of Environmental Economics and Policy, School of Agricultural and Resource Economics, University of Western Australia, Australia

Introduction:

Blackberry infests many natural ecosystems in many countries including Australia (e.g. Pemberton 2000).

Blackberry is considered as one of the worst weeds in Australia due to its invasiveness and environmental and economic impacts (Reid 2008).



There have been studies that have considered the economics of environmental weeds and pests (e.g. Odom *et al.* 2003; Cacho *et al.* 2007) but they did not study a large number of decision options.

In this paper we consider a large number of discrete control strategies that enables us to look at a list of Integrated Weed Management (IWM) strategies.

Research questions:

- What are optimal strategies to control blackberry in different circumstances?
- Are Integrated Weed Management strategies always superior to chemical-only strategies?
- How changes in model parameters affect optimal decision options?

Model:

Two different models are developed and applied:

- A stochastic dynamic simulation model that represents weed infestation as a stochastic process.
- A stochastic dynamic optimisation model.



Blackberry causes losses of social welfare in at least three ways:

- By obstructing people who wish to swim in the river.
- By obstructing fishers from using some of the river bank.
- By competing with native plants and degrading native habitat.

8 control options are considered:





All possible combinations of these options are considered.

The optimisation model finds the optimal control strategies in different circumstances.

Results and conclusions

Results show

- In most circumstances combination of a herbicide with mowing is optimal.
- The optimal strategy is not sensitive to change in land values. Only for very low land values is “no control” optimal.
- Integrated strategies are not necessarily better than single control options.



References:

Cacho, O.J., Hester, S., Spring, D. (2007). Applying search theory to determine the feasibility of eradicating an invasive population in natural environment. *Australian Journal of Agricultural Resource and Economics* 51, 425-443.

Odom, D.I.S., Cacho, O.J., Sinden, J.A., Griffith, G.R. (2003). Policies for the management of weeds in natural ecosystems: the case of scotch broom (*Cytisus scoparius*, L.) in an Australian national park, *Ecological Economics* 44, 119-135.

Pemberton, R.W. (2000). Predictable risk to native plants in weed biological control. *Oecologia* 125, 489-494.