



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.

5B 425 (1968)


USDA STATISTICAL BULLETINS

UPDATA


FRESH MARKET VEGETABLE PRICES, 1959-1965

1 OF 1

START



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963 A

R 630.5 453-13

425

REFERENCE
DO NOT LOAN

FRESH MARKET VEGETABLE PRICES

VEGETABLES • MELONS STRAWBERRIES

LOS ANGELES PUBLIC LIBRARY

JUN 18 1968

Monthly and Season Averages by Commodities, Seasonal Groups, States, and United States 1959-65

CROP REPORTING BOARD
STATISTICAL REPORTING SERVICE
U.S. DEPARTMENT OF AGRICULTURE

© UPDATA 1981

STATISTICAL BULLETIN NO. 425

CONTENTS

	<u>Page</u>
Introduction	3
Vegetables, Melons, and Strawberries for Fresh Market: Monthly and Season Average Prices, United States, 1959-65	5
Monthly and Season Average Prices by Commodities, Seasonal groups and States, 1959-65:	
Artichokes	9
Asparagus	9
Lima Beans	10
Snap Beans	11
Beets	17
Broccoli	18
Brussels Sprouts	19
Cabbage	20
Cantaloups	27
Carrots	31
Cauliflower	34
Celery	36
Sweet Corn	39
Cucumbers	43
Eggplant	47
Escarole	47
Garlic	48
Honeydew Melons	48
Kale	49
Lettuce	49
Onions	53
Green Peas	57
Green Peppers	57
Shallots	60
Spinach	60
Tomatoes	64
Watermelons	69
Strawberries	73

Issued May 1968

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20540

FRESH MARKET VEGETABLE PRICES

VEGETABLES, MELONS, STRAWBERRIES

Monthly and Season Averages

By Commodities, Seasonal Groups, States, and United States, 1959-65

This publication presents revised official estimates of prices of principal fresh market vegetables, by commodities, seasonal groups, States, and months from January 1959 through December 1965. Estimates in this bulletin for the period from January 1959 through December 1961 supersede fresh market vegetable prices published in Statistical Bulletin 318. That bulletin also included price data for the period from January 1954 through December 1958, and these data have not been revised. Price data by States and months are not available prior to 1954 for fresh market vegetables.

In this publication, the term "fresh market" refers to that crop or portion of a crop which has been sold for fresh consumption. It does not include the portion sold for canning, freezing, or other processing.

These price estimates are based primarily on information obtained by State Statisticians from growers, shippers, wholesale markets, and auction markets, and on quotations from the market news reports of USDA's Consumer and Marketing Service. They represent sales for the entire month, f. o. b. shipping point, except for garlic, for which prices are reported annually on a field run basis at the packinghouse door.

U. S. monthly average prices (excluding Alaska and Hawaii) were computed by weighting State prices by volume of sales during the month. Monthly prices are not estimated for a State when sales during the month total less than one-half of 1 percent of the season's total sales in that State. Season average prices pertain to a crop year and should not be confused with a calendar year average. The monthly prices published in this bulletin start with January 1959. Therefore, prices for sales of the 1959 winter crop that occurred in late 1958 are not shown. However, monthly prices for late marketing of the 1958 crop which extended into 1959 are shown.

Due to the seasonal nature of the production of vegetables and melons and their perishability, information on supplies available during specific periods of the years was needed to facilitate orderly marketing. Vegetable, strawberry, and melon estimates, by States, for the 28 principal crops are classified according to the season or period within the season when the bulk of each crop is usually harvested. Forecasts and estimates of acreage and production provide a measure of supplies available in specific seasonal periods. The seasonal groupings used are as follows:

SEASONAL GROUPS AND SUBGROUPS USED FOR VEGETABLE AND MELON CROPS

(Dates refer to period of most active harvest)

Classifications most commonly used

Winter: January, February, March
Spring: April, May, June
Early Spring: April 1-May 15
Late Spring: May 16-June 30
Summer: July, August, September

Early Summer: July 1-August 15
Late Summer: August 16-September 30
Fall: October, November, December
Early Fall: October 1-November 15
Late Fall: November 16-December 31

Classifications used for certain short-season crops

Early Spring: April
Midspring: May
Late Spring: June

Early Summer: July
Midsummer: August
Late Summer: September

The seasonal patterns of harvest do not correspond in all States exactly to the periods designated. Marketing seasons for individual crops overlap, and weather frequently disturbs normal harvesting schedules. Consequently, the classifications employed are frequently less precise than the dates indicate.



Table 1.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices, United States 1/, 1959-65

Commodity and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
ARTICHOKES													
1959	20.50	15.40	7.80	6.10	9.80	11.80	9.50	8.70	9.30	12.80	16.40	15.60	10.60
1960	14.60	14.90	13.40	6.40	6.10	12.00	11.90	9.90	11.80	11.10	11.70	14.20	10.40
1961	14.70	10.70	8.00	5.90	7.20	8.30	6.80	8.20	8.80	9.40	13.60	13.90	10.10
1962	17.20	14.40	17.10	8.60	8.00	9.90	13.30	8.20	12.70	10.50	13.90	11.60	11.60
1963	10.40	14.00	15.30	10.40	9.50	11.50	8.40	9.20	9.40	11.70	12.70	17.10	11.60
1964	15.80	17.00	16.00	8.70	6.20	6.50	9.70	8.30	9.00	10.00	11.50	8.70	11.30
1965	9.50	13.30	11.10	7.70	9.90	12.50	8.10	7.10	9.10	11.90	11.50	16.10	9.80
ASPARAGUS													
1959	---	29.00	18.30	11.60	12.90	11.10	12.20	---	---	---	---	---	13.66
1960	---	37.10	15.00	12.90	13.50	11.40	12.80	---	---	---	---	---	13.63
1961	---	22.20	17.30	14.20	14.70	13.10	13.20	---	---	---	---	---	15.15
1962	---	35.00	24.90	13.70	14.70	13.30	12.70	---	---	---	---	---	15.80
1963	---	29.50	18.80	14.10	16.10	13.50	14.10	---	---	---	---	---	16.33
1964	---	39.80	20.30	12.40	14.50	14.40	13.20	---	---	---	---	---	14.77
1965	---	23.00	16.90	15.30	15.40	16.30	17.10	---	---	---	---	---	16.27
LIMA BEANS													
1959	15.10	16.90	16.20	14.60	15.90	9.40	8.40	9.30	10.30	10.10	11.90	14.50	9.72
1960	15.50	17.10	18.90	15.30	12.30	8.40	7.70	7.10	8.60	8.50	13.30	14.50	8.08
1961	10.30	12.10	14.30	13.30	8.80	10.30	8.50	7.90	8.70	9.10	10.00	12.30	8.73
1962	12.80	12.80	10.30	13.30	14.20	10.50	8.10	9.20	8.60	8.70	10.60	12.30	9.07
1963	14.80	16.80	12.80	13.60	9.30	7.80	8.50	8.60	9.20	8.30	10.20	13.70	8.70
1964	13.40	15.50	14.30	13.10	13.60	10.60	9.70	9.30	9.10	10.00	10.30	13.00	9.96
1965	13.30	14.30	15.30	13.80	12.70	10.60	9.80	9.90	10.80	10.30	12.20	16.50	10.35
SNAP BEANS													
1959	12.40	11.60	10.40	12.40	9.00	6.90	8.10	7.60	9.60	9.10	13.20	12.70	9.23
1960	11.40	14.20	12.40	9.10	8.50	6.70	8.10	8.20	8.50	8.30	9.50	8.90	8.70
1961	11.70	11.50	9.70	9.30	9.50	9.20	8.30	8.00	8.30	7.80	8.20	8.30	8.81
1962	11.80	9.60	10.10	13.10	11.10	8.00	8.10	8.70	9.10	7.90	10.90	12.30	9.49
1963	14.00	9.60	10.20	10.70	9.60	8.60	9.50	8.50	8.60	8.80	11.00	12.90	9.64
1964	13.40	14.80	10.60	8.40	12.10	10.70	8.70	8.40	9.30	10.90	10.80	10.30	10.03
1965	10.80	13.20	12.90	12.00	11.80	10.30	9.50	8.50	10.10	9.80	13.10	13.40	10.70
BEETS													
1959	4.60	4.25	4.35	4.60	5.10	2.85	2.75	2.65	2.95	3.05	3.75	4.60	3.72
1960	4.80	4.35	4.35	4.90	5.10	3.20	3.50	2.95	2.85	3.20	3.35	4.65	4.09
1961	4.55	4.60	4.70	5.00	5.80	3.60	2.95	2.80	3.25	3.25	4.05	4.60	4.16
1962	4.35	3.80	3.75	3.90	5.40	3.15	2.90	3.15	3.05	3.05	3.95	4.85	3.75
1963	5.30	5.30	5.60	5.80	5.50	3.25	3.30	3.25	3.15	3.40	3.80	5.90	4.46
1964	5.40	5.50	5.10	5.30	5.50	3.80	3.65	3.60	3.80	3.95	4.60	6.20	4.68
1965	6.20	6.20	6.20	6.40	6.40	5.50	4.00	3.55	3.50	3.75	4.00	3.85	5.23
BROCCOLI													
1959	9.60	10.00	7.80	7.80	8.70	8.50	9.20	8.40	10.60	9.20	10.20	11.60	9.43
1960	11.80	10.40	9.70	9.50	10.40	9.70	9.40	8.90	9.20	8.40	8.90	10.50	9.83
1961	11.10	11.10	10.40	9.40	10.20	8.50	8.40	11.50	9.70	8.60	8.70	10.70	9.82
1962	11.20	11.40	10.60	9.90	11.90	10.80	9.80	11.50	10.80	9.10	9.40	10.60	10.51
1963	11.30	10.30	9.50	10.10	10.00	9.70	10.50	10.80	9.90	8.30	8.70	10.70	9.81
1964	10.30	10.30	10.50	8.90	10.00	10.40	10.90	10.80	10.40	10.10	9.30	10.10	10.14
1965	10.40	10.50	9.90	11.10	10.40	13.80	12.10	10.60	9.60	10.40	10.50	11.80	10.64
BRUSSELS SPROUTS													
1959	10.40	8.90	7.20	---	---	---	5.80	7.30	7.40	8.60	9.30	7.90	8.04
1960	7.10	8.50	9.20	---	---	---	---	5.90	5.80	6.80	7.20	7.90	7.60
1961	9.80	10.60	---	---	---	---	---	4.80	5.30	6.90	11.10	11.10	9.00
1962	10.70	11.00	11.00	---	---	---	---	11.50	9.10	9.80	11.30	14.10	11.57
1963	15.70	17.60	14.10	---	---	---	---	10.20	10.10	10.00	12.40	13.10	11.61
1964	11.60	10.70	15.10	---	---	---	---	13.40	11.10	10.50	12.20	11.50	11.60
1965	11.20	11.00	11.80	---	---	---	---	12.50	12.50	12.00	13.80	13.80	13.63
CABBAGE													
1959	3.25	2.45	2.30	1.85	1.85	2.05	2.65	2.20	2.50	3.00	3.85	4.25	2.65
1960	3.15	2.30	2.25	2.50	3.95	2.30	2.15	1.85	1.85	1.85	1.85	2.10	2.39
1961	2.05	2.00	2.05	1.95	1.60	3.30	2.90	1.95	1.85	1.80	1.90	1.95	2.18
1962	3.30	3.60	7.60	5.60	3.80	2.40	2.05	2.10	2.19	1.90	2.10	3.63	3.14
1963	4.30	4.30	2.75	2.75	2.20	2.25	2.55	2.20	2.10	2.05	2.05	2.40	2.69
1964	3.05	2.35	2.40	2.20	2.05	3.00	2.75	3.10	3.25	3.00	3.20	3.35	2.82
1965	2.45	2.55	2.95	4.05	5.90	3.45	2.50	2.05	2.00	2.05	2.15	2.70	2.86

I/ Excludes Alaska and Hawaii.

Table 1.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices, United States 1/, 1959-65--Con.

Commodity and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
	-- DOLLARS PER CWT. --												
CAMPALOUPE													
1959	---	---	---	6.50	8.20	4.20	4.40	4.10	4.00	3.70	2.50	---	4.38
1960	---	---	---	---	8.50	5.20	4.35	3.30	3.60	3.20	2.70	---	4.33
1961	---	---	---	10.60	9.40	6.80	4.95	3.55	3.85	3.35	4.05	---	5.01
1962	---	---	---	---	9.00	5.30	3.60	3.75	3.45	3.40	3.05	---	4.23
1963	---	---	---	---	7.40	6.20	5.70	3.35	3.60	3.20	3.45	---	4.96
1964	---	---	---	5.50	8.00	7.20	4.80	3.80	3.90	4.35	4.90	---	5.02
1965	---	---	---	5.30	9.30	7.10	5.50	4.55	4.40	4.25	3.90	4.65	5.51
CARROTS													
1959	4.80	4.25	4.40	4.60	4.45	4.40	4.45	3.75	3.90	3.90	4.30	4.05	4.27
1960	3.35	3.05	3.00	2.95	4.05	4.75	5.60	4.50	4.10	4.00	4.40	6.10	4.04
1961	5.60	5.70	6.00	7.00	7.00	5.60	4.75	4.00	3.70	3.70	4.10	4.70	5.20
1962	4.70	5.20	5.80	4.85	5.50	5.90	4.30	3.85	3.70	3.60	4.05	4.45	4.62
1963	4.15	3.55	3.30	3.60	4.15	3.65	3.65	3.90	3.90	4.25	4.40	5.00	3.90
1964	4.65	3.85	3.60	3.55	4.25	4.90	4.35	4.50	4.90	4.75	4.85	5.00	4.43
1965	4.05	3.70	3.20	3.65	4.95	6.40	6.00	5.10	4.50	4.45	4.30	4.65	4.54
CAULIFLOWER													
1959	6.80	7.10	5.70	5.50	6.20	5.90	6.60	7.50	7.30	8.00	7.00	8.80	7.13
1960	9.50	7.40	5.80	6.10	6.80	6.40	7.90	7.40	6.90	6.40	6.20	6.10	6.74
1961	7.20	5.90	5.50	6.20	5.70	6.60	7.40	7.90	7.40	6.90	7.80	8.60	7.36
1962	11.60	10.60	12.70	10.40	10.20	7.30	7.80	8.50	7.30	6.20	7.10	9.30	8.62
1963	11.30	10.00	10.20	11.10	10.00	8.60	8.70	8.20	8.60	6.00	7.80	11.50	8.75
1964	9.40	10.50	11.40	9.10	9.10	7.20	8.10	9.10	9.60	7.80	9.50	10.20	9.34
1965	10.80	11.20	10.90	11.50	10.30	9.40	8.30	8.20	9.60	9.10	9.10	12.20	10.10
CELERY													
1959	2.75	2.45	2.35	2.65	2.70	3.80	2.95	3.65	4.45	4.65	4.10	3.65	3.29
1960	3.60	3.65	3.10	2.45	3.45	3.80	3.80	4.05	3.65	3.10	2.85	2.45	3.33
1961	3.00	3.35	2.65	3.05	3.55	3.80	3.70	3.15	3.30	3.30	4.25	3.15	3.28
1962	4.70	5.80	7.10	7.20	5.40	6.10	6.00	3.40	3.15	2.85	2.85	3.70	4.74
1963	4.05	4.25	3.30	3.50	3.35	3.60	4.30	3.40	3.60	3.10	3.50	3.75	3.61
1964	4.75	6.40	6.60	3.80	3.65	4.75	4.50	4.45	4.85	4.30	4.20	3.55	4.59
1965	3.90	3.85	5.00	4.25	4.60	4.55	4.75	4.10	4.25	4.70	5.40	4.45	4.45
SWEET CORN													
1959	6.00	6.40	6.20	5.20	4.85	3.95	3.60	2.80	2.85	4.65	4.55	5.70	3.72
1960	6.90	8.20	7.80	7.00	4.70	3.55	4.45	3.45	3.45	4.15	5.60	6.00	4.04
1961	6.30	6.40	7.00	7.60	5.90	5.30	4.65	2.85	2.50	4.15	4.00	4.30	4.01
1962	8.20	7.20	7.10	5.90	5.40	3.95	3.30	3.05	3.05	3.65	5.10	6.10	3.92
1963	8.20	7.40	6.00	5.90	4.15	4.65	4.35	2.85	3.05	4.00	5.20	6.50	3.99
1964	7.50	8.30	7.80	8.00	5.20	5.80	4.10	3.75	3.35	4.15	5.40	5.50	4.50
1965	6.80	9.10	9.80	6.80	5.40	4.95	4.05	3.40	3.40	4.45	4.95	5.00	4.40
CUCUMBERS													
1959	11.20	14.00	8.60	7.80	8.60	3.75	4.20	3.45	5.00	5.50	7.50	14.90	5.73
1960	9.10	9.60	13.60	12.50	6.70	4.10	3.45	3.95	4.05	5.40	4.80	5.10	5.06
1961	9.40	11.20	9.40	6.10	5.50	6.70	4.10	3.85	4.80	4.00	4.45	4.60	5.09
1962	7.80	8.10	9.20	10.90	8.30	4.65	3.85	4.60	5.20	4.90	5.70	9.30	5.96
1963	11.10	---	5.80	6.40	4.55	5.50	5.30	4.05	3.90	4.60	4.80	6.90	5.16
1964	10.70	---	8.90	5.70	5.90	5.50	4.50	5.40	5.50	7.70	5.50	5.10	5.69
1965	8.20	10.40	12.40	7.60	5.10	5.30	4.90	5.80	6.60	5.20	5.10	6.80	5.88
EGGPLANT													
1959	8.10	10.40	6.10	6.90	6.20	7.00	6.40	3.90	3.95	6.00	8.00	9.50	6.29
1960	8.90	11.40	12.00	5.40	5.20	4.50	5.10	2.90	3.10	5.30	8.90	9.90	5.51
1961	5.90	8.30	11.40	4.30	4.95	7.40	7.70	4.40	3.10	5.20	3.80	3.60	5.24
1962	6.50	10.20	6.30	6.10	6.80	5.50	7.50	3.55	3.25	5.50	5.60	4.95	5.56
1963	6.00	10.70	4.85	4.95	7.00	5.60	7.60	3.30	3.25	5.90	6.50	5.90	5.41
1964	7.50	9.20	8.60	5.00	7.20	6.90	7.80	5.80	3.85	8.00	6.30	3.85	6.25
1965	4.85	5.50	8.10	5.50	7.20	5.00	9.70	4.65	4.50	7.10	7.70	4.95	5.88
ESCAROLE													
1959	4.00	4.00	3.55	5.00	6.50	6.00	5.30	6.50	7.30	5.10	8.20	7.30	4.90
1960	4.80	5.00	3.30	4.20	5.50	5.30	3.90	4.35	5.60	5.40	4.75	3.70	5.12
1961	4.30	3.50	4.10	4.25	8.30	8.20	6.60	6.50	6.80	5.20	5.20	8.10	5.19
1962	10.40	8.80	5.20	5.10	7.80	7.10	6.00	4.40	4.60	4.25	3.80	5.20	6.47
1963	5.60	4.90	4.65	4.70	5.90	8.40	5.60	6.20	5.70	5.10	5.30	5.70	5.34
1964	9.40	11.40	5.80	4.30	7.00	6.30	6.40	6.90	5.80	5.90	5.60	3.85	6.64
1965	4.05	7.00	7.00	5.00	6.90	7.60	6.20	5.60	6.50	6.20	4.70	3.90	5.89

1/ Excludes Alaska and Hawaii.

Table 1--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices, United States 1/, 1959-65--Con.

Commodity and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
	-- DOLLARS PER CWT. --												
CARLIC													
1959	---	---	---	---	---	---	---	---	---	---	---	---	10.70
1960	---	---	---	---	---	---	---	---	---	---	---	---	7.20
1961	---	---	---	---	---	---	---	---	---	---	---	---	8.90
1962	---	---	---	---	---	---	---	---	---	---	---	---	15.00
1963	---	---	---	---	---	---	---	---	---	---	---	---	11.00
1964	---	---	---	---	---	---	---	---	---	---	---	---	9.30
1965	---	---	---	---	---	---	---	---	---	---	---	---	8.00
HONEYDEW MELONS													
1959	---	---	---	---	7.90	7.50	4.95	5.50	5.40	5.60	---	---	5.58
1960	---	---	---	---	---	6.60	5.60	4.55	4.40	4.60	5.00	---	4.95
1961	---	---	---	---	10.30	7.60	5.80	5.20	4.85	5.30	---	---	5.64
1962	---	---	---	---	9.50	7.60	4.50	3.75	3.75	3.90	6.20	---	4.63
1963	---	---	---	---	7.80	7.00	7.40	5.50	4.90	5.00	5.80	6.80	5.81
1964	---	---	---	---	8.00	11.70	5.70	4.65	4.35	4.35	7.40	---	5.49
1965	---	---	---	---	8.50	6.60	6.90	4.55	5.00	5.10	4.80	---	5.62
KALE													
1959	4.60	3.90	3.70	3.80	3.60	3.60	3.60	---	---	7.40	5.10	5.20	4.00
1960	5.40	6.10	8.10	6.20	4.20	---	---	---	6.50	7.00	5.50	4.80	5.80
1961	4.80	5.30	5.60	5.70	6.10	6.10	---	---	4.50	6.70	7.40	7.00	5.40
1962	6.30	5.60	6.00	6.30	6.50	---	---	---	4.50	6.30	5.70	5.70	6.50
1963	6.40	6.50	6.50	7.00	7.00	---	---	---	5.00	6.80	6.10	6.50	6.30
1964	6.50	6.30	5.90	6.00	6.10	---	---	---	6.00	9.20	6.60	6.60	6.20
1965	6.70	7.00	7.30	7.50	7.00	7.00	---	---	9.30	10.00	8.30	7.50	7.00
LETTUCE													
1959	3.50	4.85	3.35	2.90	2.40	3.00	3.85	3.95	6.20	5.10	4.70	4.25	3.93
1960	6.90	4.65	4.10	5.40	2.95	3.05	3.60	3.35	3.50	4.85	3.75	4.80	4.14
1961	3.70	2.45	2.60	3.00	3.90	3.30	3.40	2.90	4.50	3.00	4.40	3.35	3.44
1962	3.70	4.45	6.50	5.10	6.70	3.20	3.45	2.70	4.35	4.35	4.15	3.35	4.35
1963	4.80	3.50	6.10	3.75	3.20	6.10	4.25	2.80	2.95	4.40	5.80	6.20	4.21
1964	7.00	5.30	5.00	2.80	3.10	2.95	3.60	3.95	4.25	3.80	6.00	4.55	4.39
1965	2.65	3.35	3.05	6.10	8.50	5.10	3.45	3.65	4.70	5.70	4.30	5.10	4.60
ONIONS													
1959	4.70	5.20	7.90	8.00	3.75	2.50	2.60	2.75	2.25	2.20	2.20	2.00	2.61
1960	1.90	1.70	1.95	2.80	2.75	2.50	3.30	3.00	2.20	1.95	2.00	2.05	2.53
1961	2.55	3.25	2.40	3.15	2.90	4.30	4.60	3.70	2.75	3.40	3.65	4.20	4.30
1962	6.00	7.10	7.00	5.10	3.60	3.90	3.25	3.05	2.40	2.30	2.40	2.30	3.02
1963	2.50	2.75	3.10	3.60	4.50	4.60	4.95	4.00	3.15	3.20	3.65	3.70	3.83
1964	3.60	3.55	3.60	2.70	2.50	2.65	3.20	2.90	3.10	3.25	3.30	3.35	2.95
1965	3.05	2.50	2.85	3.25	5.40	6.00	5.10	4.10	2.65	2.40	2.05	1.85	3.37
GREEN PEAS													
1959	7.50	7.50	8.60	10.10	9.60	9.20	10.30	10.00	13.00	14.80	13.60	11.50	10.17
1960	12.00	12.00	11.20	8.70	9.10	8.10	9.00	8.00	8.60	9.70	11.20	13.00	9.30
1961	17.60	12.40	9.60	7.60	8.30	10.60	10.40	9.20	14.80	15.40	14.50	16.30	9.56
1962	12.40	13.00	17.60	10.80	9.40	10.00	9.30	9.60	11.10	11.80	12.00	12.60	10.44
1963	12.50	16.40	13.60	12.50	10.90	8.60	10.30	10.20	11.80	11.00	11.00	13.80	10.78
1964	11.90	10.30	10.80	8.40	9.30	9.60	10.30	10.70	11.90	13.80	15.30	21.60	10.05
1965	14.90	12.00	10.90	9.70	11.00	11.70	12.40	9.80	10.90	15.20	14.80	14.80	11.15
GREEN PEPPERS													
1959	10.30	12.20	12.80	13.80	17.00	10.20	7.30	5.70	5.70	7.90	10.30	19.60	9.71
1960	17.10	14.00	10.40	10.10	11.90	7.50	7.60	4.75	4.90	6.00	10.00	13.70	8.57
1961	8.70	7.20	10.30	14.30	10.70	9.70	9.30	7.10	5.40	6.00	7.30	6.80	8.20
1962	10.00	10.60	10.40	14.00	15.30	9.50	8.20	6.50	5.30	5.90	9.60	13.10	9.18
1963	14.10	18.10	8.80	8.70	9.30	8.80	9.30	5.90	5.20	5.70	7.00	12.00	8.38
1964	12.40	11.40	14.80	13.80	12.90	10.90	9.50	8.40	5.70	9.20	11.50	8.80	10.31
1965	8.50	8.20	12.40	16.90	15.20	12.00	8.70	7.40	6.70	10.00	11.90	13.10	10.42
SHALLOTS													
1959	7.60	6.00	5.10	4.60	4.60	4.60	4.60	6.00	7.50	7.50	6.40	5.00	6.14
1960	5.00	4.90	4.50	4.20	4.25	4.25	4.25	5.70	7.50	7.40	6.40	5.80	5.31
1961	5.00	5.20	5.20	4.30	4.50	4.50	4.50	5.90	7.30	7.00	6.70	6.30	5.79
1962	6.50	7.20	8.80	7.00	4.50	4.00	4.00	5.70	7.50	7.50	8.00	9.80	6.63
1963	12.50	12.10	8.80	8.80	13.50	15.00	15.00	9.90	9.90	9.90	8.40	9.00	10.10
1964	11.00	9.40	9.30	8.60	9.00	9.90	10.00	10.80	11.60	12.40	11.20	10.30	9.76
1965	10.00	10.00	10.00	10.40	12.00	11.90	12.70	12.50	12.30	12.20	10.30	10.30	11.04

1/ Excludes Alaska and Hawaii.

Table 1.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices, United States 1/, 1959-65--Con.

Commodity and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
SPINACH													
1959	9.00	7.00	6.50	4.85	4.95	5.20	6.30	6.60	7.00	6.40	7.20	8.50	6.47
1960	7.00	7.50	7.80	5.10	5.00	5.50	6.00	6.10	6.70	6.70	6.00	7.30	6.67
1961	9.30	7.50	5.20	5.50	5.10	5.50	6.40	7.10	6.60	7.40	6.00	6.70	6.52
1962	9.30	9.90	11.40	7.70	5.80	5.80	6.50	6.90	6.30	6.20	6.80	8.30	7.26
1963	9.90	10.80	7.20	7.40	6.90	5.80	7.10	7.70	7.30	6.50	6.40	8.00	7.39
1964	8.80	7.40	6.80	6.10	5.70	7.10	7.70	7.70	7.50	8.10	8.40	8.00	7.42
1965	7.70	8.00	7.80	7.40	6.00	7.40	8.80	11.10	10.70	8.20	8.00	10.20	8.01
TOMATOES													
1959	11.00	8.80	9.40	11.00	7.30	7.00	7.20	5.70	5.80	8.70	9.70	11.20	7.69
1960	12.40	12.80	11.90	11.50	9.90	9.70	9.10	5.10	4.90	6.00	9.80	8.10	7.98
1961	6.60	7.00	9.70	9.50	6.70	10.50	8.30	6.40	5.50	6.70	8.50	8.20	7.59
1962	9.10	9.00	8.10	7.30	8.20	9.20	8.10	5.70	4.80	6.20	8.30	10.10	7.52
1963	12.90	11.30	6.30	7.90	6.60	8.80	8.40	5.80	5.00	6.40	12.80	9.50	7.67
1964	9.20	11.40	11.40	9.40	8.10	11.10	9.20	7.30	6.00	6.40	13.90	9.50	8.84
1965	8.60	8.20	11.20	11.00	10.40	10.00	8.80	8.00	7.90	9.60	13.40	9.60	9.42
WATERMELONS													
1959	---	---	---	4.40	3.50	2.10	1.35	1.35	1.55	1.90	---	---	1.73
1960	---	---	---	---	3.40	1.65	1.05	.95	1.10	1.15	---	---	1.28
1961	---	---	---	2.95	1.70	1.80	1.65	1.15	1.25	1.30	1.10	---	1.57
1962	---	---	4.15	3.85	2.70	1.75	.95	1.30	1.40	1.75	---	---	1.46
1963	---	---	---	3.15	1.60	1.35	1.50	1.25	1.25	1.50	1.25	---	1.43
1964	---	---	---	4.40	2.30	2.00	1.40	1.35	1.55	1.50	---	---	1.70
1965	---	---	3.65	3.05	2.25	1.70	1.25	1.25	1.30	1.00	---	---	1.59
-- CENTS PER POUND --													
STRAWBERRIES													
1959	53.4	50.7	32.2	28.3	20.7	20.9	22.3	20.3	21.8	22.4	27.5	30.0	22.3
1960	58.3	47.7	39.5	28.3	22.9	22.1	21.3	21.2	21.7	25.4	26.0	---	23.7
1961	59.8	47.9	29.7	29.1	20.3	20.2	21.3	18.6	19.1	19.5	20.0	---	21.9
1962	44.7	37.5	35.6	31.8	20.0	21.2	21.3	20.4	19.0	22.9	28.0	31.2	22.4
1963	43.8	35.9	32.9	29.7	22.7	20.8	21.5	21.6	21.4	25.3	30.5	43.0	23.6
1964	38.7	36.3	33.9	30.3	23.4	22.5	24.1	23.8	24.2	25.9	---	40.1	24.9
1965	37.2	36.9	30.4	25.1	24.1	25.5	25.8	27.3	25.9	26.8	33.0	43.7	25.9

1/ Excludes Alaska and Hawaii.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities; seasonal groups and States, 1959-65

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Winter													
ARTICHOKES													
California:													
1959	20.50	15.40	17.00	6.10	9.80	11.80	9.50	8.70	9.30	12.80	16.40	15.60	10.60
1960	14.60	14.90	13.40	6.40	6.10	12.00	11.90	9.90	11.80	11.10	11.70	14.20	10.40
1961	14.70	10.70	8.00	5.90	7.20	8.30	6.80	8.20	8.80	9.40	13.60	16.90	10.10
1962	17.20	14.40	17.10	8.60	8.00	9.90	13.30	8.20	12.70	10.50	13.90	11.60	11.60
1963	10.40	14.00	15.30	10.40	9.50	11.50	8.40	9.20	9.40	11.70	12.70	17.10	11.60
1964	15.80	17.00	16.00	8.70	6.20	6.50	9.70	8.30	9.00	10.00	11.50	8.70	11.30
1965	9.50	13.30	11.10	7.70	9.90	12.50	8.10	7.10	9.10	11.90	11.50	16.10	9.80
Spring													
ASPARAGUS													
California:													
1959	---	29.00	18.30	10.90	10.20	10.80	---	---	---	---	---	---	14.40
1960	---	37.10	15.00	12.20	11.20	9.90	12.80	---	---	---	---	---	14.00
1961	---	22.20	17.30	14.30	12.60	11.00	---	---	---	---	---	---	15.70
1962	---	35.00	24.90	13.80	12.00	11.50	11.70	---	---	---	---	---	16.80
1963	---	29.50	18.80	13.90	12.70	12.20	14.60	---	---	---	---	---	16.80
1964	---	39.80	20.30	12.10	11.40	13.10	13.30	---	---	---	---	---	14.50
1965	---	25.00	16.90	14.90	14.10	15.70	16.10	---	---	---	---	---	16.40
Late Spring													
Massachusetts:													
1959	---	---	---	---	15.60	16.10	14.40	---	---	---	---	---	15.80
1960	---	---	---	---	16.20	13.80	15.80	---	---	---	---	---	15.10
1961	---	---	---	---	16.20	14.90	16.50	---	---	---	---	---	15.50
1962	---	---	---	---	16.00	18.50	22.00	---	---	---	---	---	17.20
1963	---	---	---	---	18.50	17.50	13.00	---	---	---	---	---	17.80
1964	---	---	---	---	16.80	17.30	---	---	---	---	---	---	17.00
1965	---	---	---	---	16.80	18.30	---	---	---	---	---	---	17.40
New Jersey:													
1959	---	---	---	17.70	12.90	9.70	11.30	---	---	---	---	---	12.50
1960	---	---	---	18.40	13.80	9.70	---	---	---	---	---	---	12.90
1961	---	---	---	18.30	15.40	12.50	9.60	---	---	---	---	---	14.40
1962	---	---	---	13.50	15.20	12.10	---	---	---	---	---	---	14.10
1963	---	---	---	14.70	17.20	12.10	12.60	---	---	---	---	---	15.40
1964	---	---	---	16.10	14.60	13.70	9.90	---	---	---	---	---	14.30
1965	---	---	---	17.50	15.00	15.30	---	---	---	---	---	---	15.10
Illinois:													
1959	---	---	---	24.40	14.10	10.20	12.00	---	---	---	---	---	12.70
1960	---	---	---	16.70	15.00	11.10	---	---	---	---	---	---	15.50
1961	---	---	---	16.30	15.00	14.20	---	---	---	---	---	---	15.50
1962	---	---	---	18.00	18.00	18.00	18.00	---	---	---	---	---	18.00
1963	---	---	---	19.00	18.50	17.80	17.00	---	---	---	---	---	18.30
1964	---	---	---	19.50	17.40	19.10	18.30	---	---	---	---	---	18.00
1965	---	---	---	---	17.20	19.80	24.00	---	---	---	---	---	18.60
Michigan:													
1959	---	---	---	---	12.30	13.50	---	---	---	---	---	---	13.00
1960	---	---	---	---	14.50	14.50	---	---	---	---	---	---	14.50
1961	---	---	---	---	15.30	18.30	---	---	---	---	---	---	17.00
1962	---	---	---	---	15.00	18.00	---	---	---	---	---	---	16.20
1963	---	---	---	---	16.50	17.00	---	---	---	---	---	---	16.80
1964	---	---	---	---	16.60	17.70	---	---	---	---	---	---	17.00
1965	---	---	---	---	17.40	20.00	---	---	---	---	---	---	18.30
Maryland:													
1959	---	---	---	12.60	12.60	8.30	---	---	---	---	---	---	12.30
1960	---	---	---	13.00	12.50	11.20	---	---	---	---	---	---	12.20
1961	---	---	---	---	14.30	11.60	---	---	---	---	---	---	13.60
1962	---	---	---	---	16.10	13.00	---	---	---	---	---	---	15.00
1963	---	---	---	---	17.80	13.00	---	---	---	---	---	---	14.60
1964	---	---	---	---	15.80	15.00	---	---	---	---	---	---	15.40
1965	---	---	---	---	13.40	15.50	---	---	---	---	---	---	14.40
Washington:													
1959	---	---	---	10.70	10.80	10.50	---	---	---	---	---	---	10.70
1960	---	---	---	12.00	11.00	10.90	---	---	---	---	---	---	11.40
1961	---	---	---	13.10	12.70	12.60	---	---	---	---	---	---	12.90
1962	---	---	---	13.40	13.30	13.30	13.30	---	---	---	---	---	13.30
1963	---	---	---	13.60	13.30	13.40	---	---	---	---	---	---	13.40
1964	---	---	---	15.80	15.40	14.80	14.40	---	---	---	---	---	15.30
1965	---	---	---	17.40	16.40	16.30	16.00	---	---	---	---	---	16.80

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
	-- DOLLARS PER CWT. --												
LATE SPRING, Con.													
ASPARAGUS - Continued													
Oregon:													
1959	---	---	---	13.00	12.50	12.00	---	---	---	---	---	---	12.40
1960	---	---	---	13.00	12.30	12.50	---	---	---	---	---	---	12.40
1961	---	---	---	12.30	12.70	12.00	---	---	---	---	---	---	12.50
1962	---	---	---	15.50	15.50	15.50	---	---	---	---	---	---	15.50
1963	---	---	---	17.40	17.00	16.80	---	---	---	---	---	---	17.00
1964	---	---	---	14.20	14.20	14.00	14.00	---	---	---	---	---	14.10
1965	---	---	---	15.90	15.50	15.00	---	---	---	---	---	---	15.60
Other States: 1/													
1959	---	---	---	21.20	19.10	18.40	12.80	---	---	---	---	---	18.95
1960	---	---	---	19.00	16.70	18.00	18.00	---	---	---	---	---	17.28
1961	---	---	---	20.00	18.90	18.40	18.50	---	---	---	---	---	18.79
1962	---	---	---	22.00	16.50	15.50	---	---	---	---	---	---	16.90
1963	---	---	---	21.00	19.30	18.50	---	---	---	---	---	---	19.24
1964	---	---	---	21.00	18.70	17.10	---	---	---	---	---	---	18.38
1965	---	---	---	18.00	18.30	19.20	---	---	---	---	---	---	18.56
Group Total:													
1959	---	---	---	13.40	13.40	11.10	12.20	---	---	---	---	---	12.79
1960	---	---	---	14.70	13.90	11.60	12.80	---	---	---	---	---	13.25
1961	---	---	---	13.90	15.20	13.60	13.20	---	---	---	---	---	14.48
1962	---	---	---	13.30	15.30	13.70	15.60	---	---	---	---	---	14.56
1963	---	---	---	14.70	16.80	13.80	13.60	---	---	---	---	---	15.65
1964	---	---	---	16.20	15.30	14.70	13.20	---	---	---	---	---	15.15
1965	---	---	---	17.40	15.70	16.40	20.00	---	---	---	---	---	16.08
Spring													
LEMA BEANS													
Florida:													
1959	15.10	16.90	16.20	14.60	16.60	13.00	---	---	8.10	8.50	13.80	14.50	14.30
1960	15.50	17.10	18.90	15.30	12.30	8.30	---	---	---	11.80	13.30	14.50	10.90
1961	10.30	12.10	14.30	13.30	9.00	10.30	10.30	---	---	9.30	11.30	12.30	10.10
1962	12.80	12.80	10.30	13.30	14.20	9.70	6.80	---	---	9.30	12.30	12.30	11.90
1963	14.80	16.80	12.80	13.60	9.50	6.90	6.30	---	---	9.70	10.60	13.70	10.30
1964	13.40	15.50	14.30	13.10	13.60	9.90	---	---	---	9.70	10.30	13.00	12.40
1965	13.30	14.30	15.30	13.80	12.80	9.20	---	---	---	---	10.90	16.50	12.00
Summer													
New York: 2/													
1959	---	---	---	---	---	---	---	9.00	8.60	9.50	---	---	8.90
1960	---	---	---	---	---	---	---	7.80	7.80	7.40	---	---	7.70
1961	---	---	---	---	---	---	8.00	9.00	8.00	7.20	---	---	8.30
1962	---	---	---	---	---	---	8.50	8.70	8.50	8.00	---	---	8.50
1963	---	---	---	---	---	---	8.00	8.00	8.50	8.00	---	---	8.20
1964	---	---	---	---	---	---	10.00	10.00	9.50	9.00	---	---	9.70
New Jersey:													
1959	---	---	---	---	---	---	9.80	8.60	10.90	10.40	---	---	9.60
1960	---	---	---	---	---	---	7.60	6.40	9.40	9.10	---	---	7.40
1961	---	---	---	---	---	---	7.70	8.20	8.10	7.10	---	---	8.00
1962	---	---	---	---	---	---	7.90	7.90	7.20	7.40	---	---	7.70
1963	---	---	---	---	---	---	11.70	8.00	8.50	7.40	---	---	8.40
1964	---	---	---	---	---	---	9.40	10.90	8.30	8.10	---	---	9.60
1965	---	---	---	---	---	---	14.20	9.50	9.50	7.20	---	---	10.40
Maryland: 2/													
1959	---	---	---	---	---	---	6.90	8.30	8.30	9.00	---	---	7.50
1960	---	---	---	---	---	---	6.90	6.10	7.90	8.00	---	---	6.80
1961	---	---	---	---	---	---	7.60	6.70	8.20	9.00	---	---	7.40
1962	---	---	---	---	---	---	8.40	8.00	6.80	7.30	---	---	7.90
1963	---	---	---	---	---	---	10.10	7.40	8.90	6.80	---	---	8.70
1964	---	---	---	---	---	---	7.60	8.40	7.30	7.40	---	---	7.70
North Carolina:													
1959	---	---	---	---	---	10.00	8.30	9.30	12.20	---	---	---	9.40
1960	---	---	---	---	---	7.80	7.80	7.40	8.50	---	---	---	7.70
1961	---	---	---	---	---	---	---	10.00	9.60	11.40	---	---	9.98
1962	---	---	---	---	---	---	8.50	10.00	9.00	---	---	---	9.00
1963	---	---	---	---	---	---	9.50	9.80	10.30	---	---	---	9.60
1964	---	---	---	---	---	---	9.80	9.60	9.10	---	---	---	9.50
1965	---	---	---	---	---	---	9.40	9.60	10.00	---	---	---	9.50

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>LIMA BEANS - Continued</u>													
<u>Summer, Cal.</u>													
South Carolina:													
1959	---	---	---	---	5.50	9.00	8.50	10.50	---	---	---	---	9.00
1960	---	---	---	---	---	8.70	8.00	7.80	---	---	---	---	8.20
1961	---	---	---	---	7.60	10.60	8.40	8.60	---	---	---	---	9.10
1962	---	---	---	---	---	11.30	8.20	9.60	---	---	---	---	9.50
1963	---	---	---	---	---	8.10	7.50	9.50	---	---	---	---	8.00
1964	---	---	---	---	---	10.50	9.00	8.20	---	---	---	---	9.50
1965	---	---	---	---	12.30	11.00	8.00	9.00	---	---	---	---	9.50
Georgia:													
1959	---	---	---	---	---	9.30	8.80	9.60	10.50	10.00	10.00	---	9.70
1960	---	---	---	---	---	8.80	7.70	7.50	9.00	8.50	---	---	8.10
1961	---	---	---	---	---	9.60	7.80	8.00	10.00	11.00	---	---	8.90
1962	---	---	---	---	---	10.20	7.30	10.30	10.00	9.50	---	---	9.00
1963	---	---	---	---	7.60	7.60	7.70	8.70	10.00	9.50	---	---	8.30
1964	---	---	---	---	---	10.60	10.20	8.40	9.50	11.00	---	---	9.60
1965	---	---	---	---	---	10.20	8.50	9.30	11.00	9.50	---	---	9.50
Alabama:													
1959	---	---	---	---	---	8.30	8.20	10.20	10.00	10.20	---	---	8.70
1960	---	---	---	---	---	7.80	7.40	7.00	8.30	8.80	---	---	7.50
1961	---	---	---	---	---	11.00	8.40	6.90	7.10	7.70	8.60	---	7.70
1962	---	---	---	---	---	10.30	8.70	9.00	8.60	8.90	9.00	---	9.00
1963	---	---	---	---	8.50	8.00	8.10	8.40	9.50	9.70	9.80	---	8.50
1964	---	---	---	---	---	11.00	10.20	9.60	11.40	10.80	---	---	10.30
1965	---	---	---	---	---	11.00	10.70	12.60	12.60	13.50	13.50	---	11.40
Group Total:													
1959	---	---	---	---	5.50	9.00	8.40	9.30	10.30	10.10	10.00	---	9.21
1960	---	---	---	---	---	8.50	7.70	7.30	8.60	8.40	---	---	7.73
1961	---	---	---	---	7.60	10.20	8.50	7.90	8.70	9.10	8.60	---	8.51
1962	---	---	---	---	---	10.70	8.10	9.20	8.60	8.60	9.00	---	8.76
1963	---	---	---	---	8.00	7.90	8.50	8.60	9.20	8.30	9.80	---	8.52
1964	---	---	---	---	---	10.70	9.70	9.30	9.10	10.00	---	---	9.69
1965	---	---	---	---	12.30	10.70	9.80	9.90	10.80	10.30	13.50	---	10.17
<u>SNAP BEANS</u>													
<u>Winter</u>													
Florida:													
1959	12.40	11.60	10.40	---	---	---	---	---	---	---	---	---	11.30
1960	11.40	14.20	12.40	---	---	---	---	---	---	---	---	---	12.40
1961	11.70	11.50	9.70	---	---	---	---	---	---	---	---	---	10.80
1962	11.80	9.60	10.10	---	---	---	---	---	---	---	---	---	10.40
1963	14.00	9.60	10.20	---	---	---	---	---	---	---	---	---	10.70
1964	13.40	14.80	10.60	---	---	---	---	---	---	---	---	---	12.30
1965	10.80	13.20	12.90	---	---	---	---	---	---	---	---	---	12.20
<u>Early Spring</u>													
Florida:													
1959	---	---	---	11.90	11.10	8.40	---	---	---	---	---	---	11.50
1960	---	---	---	9.00	8.90	7.40	---	---	---	---	---	---	8.90
1961	---	---	---	9.30	8.80	7.80	---	---	---	---	---	---	9.10
1962	---	---	---	13.20	12.40	11.60	---	---	---	---	---	---	12.90
1963	---	---	---	10.50	9.40	9.40	---	---	---	---	---	---	10.20
1964	---	---	---	8.40	12.20	12.40	---	---	---	---	---	---	9.40
1965	---	---	---	11.90	11.20	13.50	---	---	---	---	---	---	11.70
Texas:													
1959	---	---	---	9.00	5.50	6.70	---	---	---	---	---	---	6.50
1960	---	---	---	12.50	9.10	5.30	5.00	---	---	---	---	---	7.60
1961	---	---	---	9.30	8.90	8.60	8.30	---	---	---	---	---	8.70
1962	---	---	---	10.00	9.20	6.80	7.00	---	---	---	---	---	8.10
1963	---	---	---	9.20	7.00	6.00	6.00	---	---	---	---	---	6.70
1964	---	---	---	9.50	11.20	11.50	9.80	---	---	---	---	---	11.00
1965	---	---	---	11.90	10.80	10.30	10.50	---	---	---	---	---	10.60
Group Total:													
1959	---	---	---	11.90	10.80	7.00	---	---	---	---	---	---	11.16
1960	---	---	---	9.00	8.90	6.60	5.00	---	---	---	---	---	8.85
1961	---	---	---	9.30	8.80	8.30	8.30	---	---	---	---	---	9.08
1962	---	---	---	13.20	12.20	8.00	7.00	---	---	---	---	---	12.56
1963	---	---	---	10.50	9.10	7.90	6.00	---	---	---	---	---	9.97
1964	---	---	---	8.40	12.10	12.00	9.80	---	---	---	---	---	9.50
1965	---	---	---	11.90	11.20	11.60	10.50	---	---	---	---	---	11.63

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
SNAP BEANS - Continued													
Mid-Spring													
South Carolina:													
1959	---	---	---	---	8.20	6.10	6.70	7.90	---	---	---	---	7.90
1960	---	---	---	---	6.80	7.00	6.50	6.30	---	---	---	---	6.80
1961	---	---	---	---	9.20	9.20	7.40	6.70	---	---	---	---	8.80
1962	---	---	---	---	10.30	8.60	7.20	8.10	---	---	---	---	8.90
1963	---	---	---	---	10.00	7.80	7.20	8.10	---	---	---	---	8.60
1964	---	---	---	---	12.00	9.00	8.50	10.00	---	---	---	---	9.60
1965	---	---	---	---	12.50	9.00	8.50	9.00	---	---	---	---	9.60
Georgia:													
1959	---	---	---	---	8.50	6.70	---	---	---	---	---	---	7.30
1960	---	---	---	---	7.00	7.10	---	---	---	---	---	---	7.00
1961	---	---	---	---	7.20	7.60	7.60	---	---	---	---	---	7.40
1962	---	---	---	---	8.10	7.00	6.00	---	---	---	---	---	7.50
1963	---	---	---	---	7.40	6.90	---	---	---	---	---	---	7.20
1964	---	---	---	---	10.00	9.40	---	---	---	---	---	---	9.80
1965	---	---	---	---	12.30	9.40	---	---	---	---	---	---	10.00
Alabama:													
1959	---	---	---	---	10.20	9.00	9.10	---	---	---	---	---	9.10
1960	---	---	---	---	8.60	7.20	6.70	---	---	---	---	---	7.20
1961	---	---	---	---	8.30	7.70	---	---	---	---	---	---	7.80
1962	---	---	---	---	8.60	5.90	5.80	---	---	---	---	---	5.50
1963	---	---	---	11.00	8.50	8.20	8.90	---	---	---	---	---	8.40
1964	---	---	---	---	10.40	13.00	---	---	---	---	---	---	12.70
1965	---	---	---	---	10.20	9.50	---	---	---	---	---	---	9.80
Mississippi: 2/:													
1959	---	---	---	---	5.60	5.40	6.20	---	---	---	---	---	5.50
1960	---	---	---	---	7.20	7.50	8.00	---	---	---	---	---	7.40
1961	---	---	---	---	8.60	7.00	8.40	---	---	---	---	---	7.40
1962	---	---	---	---	8.10	6.00	7.00	---	---	---	---	---	6.60
1963	---	---	---	---	8.20	7.20	---	---	---	---	---	---	7.80
1964	---	---	---	---	9.80	8.50	8.50	---	---	---	---	---	9.30
Louisiana:													
1959	---	---	---	---	7.00	5.70	---	---	---	---	---	---	6.90
1960	---	---	---	7.20	7.20	6.40	---	---	---	---	---	---	7.10
1961	---	---	11.00	11.00	9.20	8.50	8.30	---	---	---	---	---	9.00
1962	---	---	---	8.50	8.30	7.00	6.70	6.50	---	---	---	---	8.00
1963	---	---	---	10.80	6.50	7.00	6.70	6.50	---	---	---	---	6.80
1964	---	---	---	13.30	11.10	8.90	7.00	7.00	---	---	---	---	10.10
1965	---	---	---	13.50	9.20	8.90	10.00	8.70	---	---	---	---	9.20
Group Total:													
1959	---	---	---	---	7.60	6.90	8.80	7.90	---	---	---	---	7.43
1960	---	---	---	7.20	7.10	7.10	6.60	6.30	---	---	---	---	6.99
1961	---	---	11.00	11.00	8.60	8.40	7.70	6.70	---	---	---	---	8.38
1962	---	---	---	8.50	8.90	7.50	6.70	7.80	---	---	---	---	8.02
1963	---	---	---	10.80	8.10	7.60	7.20	7.90	---	---	---	---	7.88
1964	---	---	---	13.30	10.80	9.40	8.40	9.60	---	---	---	---	9.89
1965	---	---	---	13.50	10.40	9.10	8.60	9.00	---	---	---	---	9.62
Late Spring													
New Jersey:													
1959	---	---	---	---	---	7.70	5.90	6.00	---	---	---	---	7.10
1960	---	---	---	---	---	6.30	8.10	6.90	---	---	---	---	6.90
1961	---	---	---	---	---	9.40	7.80	7.10	---	---	---	---	8.50
1962	---	---	---	---	---	6.90	7.30	8.90	---	---	---	---	7.40
1963	---	---	---	---	---	12.10	9.10	7.70	---	---	---	---	10.10
1964	---	---	---	---	---	14.50	8.80	7.80	---	---	---	---	9.50
1965	---	---	---	---	---	10.30	9.10	8.00	---	---	---	---	9.30
Maryland:													
1959	---	---	---	---	---	5.90	5.60	5.70	---	---	---	---	5.80
1960	---	---	---	---	---	5.80	6.30	6.10	---	---	---	---	6.00
1961	---	---	---	---	---	5.70	5.90	6.30	---	---	---	---	5.90
1962	---	---	---	---	---	5.30	5.30	7.30	---	---	---	---	5.80
1963	---	---	---	---	---	7.30	6.70	6.40	---	---	---	---	6.80
1964	---	---	---	---	---	7.90	6.90	6.30	---	---	---	---	6.90
1965	---	---	---	---	---	6.40	5.90	7.00	---	---	---	---	6.30

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
SNAP BEANS - Continued													
Late Spring, Con.													
Virginia:													
1959	---	---	---	---	---	5.60	5.60	---	---	---	---	---	5.60
1960	---	---	---	---	9.00	5.90	5.40	---	---	---	---	---	5.90
1961	---	---	---	---	---	9.90	5.30	---	---	---	---	---	8.70
1962	---	---	---	---	---	7.00	5.80	---	---	---	---	---	6.90
1963	---	---	---	---	---	7.10	7.90	---	---	---	---	---	7.30
1964	---	---	---	---	---	8.00	7.70	---	---	---	---	---	7.90
1965	---	---	---	---	---	8.40	6.70	---	---	---	---	---	8.00
North Carolina:													
1959	---	---	---	---	6.70	5.40	5.40	---	---	---	---	---	5.90
1960	---	---	---	---	7.50	5.30	5.30	---	---	---	---	---	5.50
1961	---	---	---	---	10.00	7.50	6.50	---	---	---	---	---	7.40
1962	---	---	---	---	8.00	7.50	7.30	---	---	---	---	---	7.50
1963	---	---	---	---	11.00	6.50	8.60	---	---	---	---	---	7.40
1964	---	---	---	---	11.50	9.00	7.50	---	---	---	---	---	8.60
1965	---	---	---	---	12.50	7.90	6.50	---	---	---	---	---	7.80
Arkansas: 2/													
1959	---	---	---	---	6.00	5.60	4.90	4.90	---	---	---	---	5.50
1960	---	---	---	---	6.00	6.00	6.50	5.70	---	---	---	---	6.10
1961	---	---	---	---	6.00	5.50	5.30	5.50	---	---	---	---	5.60
California:													
1959	---	---	---	22.90	11.40	8.20	10.90	---	---	---	---	---	10.40
1960	---	---	---	11.40	11.40	9.30	9.60	---	---	---	---	---	9.90
1961	---	---	---	15.40	17.60	12.70	11.80	---	---	---	---	---	13.20
1962	---	---	---	---	19.80	11.70	11.40	---	---	---	---	---	12.60
1963	---	---	---	27.40	15.10	10.90	12.40	---	---	---	---	---	12.80
1964	---	---	---	---	25.20	17.20	9.60	---	---	---	---	---	13.40
1965	---	---	---	20.80	23.00	19.40	13.60	---	---	---	---	---	17.50
Group Total:													
1959	---	---	---	22.90	9.90	6.80	8.80	5.80	---	---	---	---	7.94
1960	---	---	---	11.40	10.60	6.50	8.00	6.40	---	---	---	---	7.23
1961	---	---	---	15.40	16.10	9.60	8.30	6.60	---	---	---	---	9.39
1962	---	---	---	---	16.50	8.10	8.40	8.20	---	---	---	---	8.60
1963	---	---	---	27.40	14.70	9.00	9.80	7.20	---	---	---	---	9.85
1964	---	---	---	---	22.00	11.40	8.70	7.40	---	---	---	---	10.03
1965	---	---	---	20.80	22.10	10.80	9.70	7.60	---	---	---	---	10.67
Summer													
New Hampshire:													
1959	---	---	---	---	---	11.70	10.00	9.90	---	---	---	---	10.60
1960	---	---	---	---	---	12.50	12.20	14.10	13.40	---	---	---	12.80
1961	---	---	---	---	---	13.50	11.50	11.80	15.00	---	---	---	12.10
1962	---	---	---	---	---	12.60	12.50	13.10	---	---	---	---	12.70
1963	---	---	---	---	---	14.00	12.60	13.50	---	---	---	---	13.20
1964	---	---	---	---	---	13.70	15.00	13.00	---	---	---	---	14.00
1965	---	---	---	---	---	14.00	12.40	15.80	---	---	---	---	14.00
Massachusetts:													
1959	---	---	---	---	21.00	10.10	10.30	12.30	10.90	---	---	---	10.80
1960	---	---	---	---	14.10	12.10	12.10	12.40	11.30	---	---	---	12.20
1961	---	---	---	---	---	12.90	12.40	11.50	15.00	---	---	---	12.30
1962	---	---	---	---	---	12.60	12.40	13.30	15.00	---	---	---	12.70
1963	---	---	---	---	---	13.70	13.00	12.50	---	---	---	---	13.20
1964	---	---	---	---	17.00	14.00	14.00	13.00	12.50	---	---	---	13.80
1965	---	---	---	---	---	13.50	12.70	14.50	14.00	---	---	---	13.30
Rhode Island:													
1959	---	---	---	---	17.00	10.30	11.60	11.20	10.40	---	---	---	10.90
1960	---	---	---	---	14.00	11.00	12.10	11.70	12.00	---	---	---	11.70
1961	---	---	---	---	---	12.50	11.70	11.00	15.30	---	---	---	12.00
1962	---	---	---	---	---	11.30	12.80	13.20	13.00	---	---	---	12.00
1963	---	---	---	---	---	11.20	10.50	12.80	13.00	---	---	---	11.40
1964	---	---	---	---	---	14.30	14.00	12.70	8.50	---	---	---	13.40
1965	---	---	---	---	---	13.50	11.50	15.00	12.00	---	---	---	12.80

See footnotes on page 76.

Table 2.--Vegetables, Malons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>STAP VEGETABLES - Continued</u>													
Connecticut:													
1959	---	---	---	---	---	17.00	10.40	10.70	11.80	11.00	---	---	10.90
1960	---	---	---	---	---	14.00	11.50	12.00	12.40	12.30	---	---	12.00
1961	---	---	---	---	---	14.50	13.60	13.40	12.80	14.50	---	---	13.40
1962	---	---	---	---	---	---	12.90	13.00	14.50	16.00	---	---	13.30
1963	---	---	---	---	---	---	14.00	12.50	13.50	---	---	---	13.20
1964	---	---	---	---	---	16.80	15.00	14.00	14.80	12.60	---	---	14.50
1965	---	---	---	---	---	---	13.60	12.90	16.60	13.50	---	---	14.00
New York:													
1959	---	---	---	---	---	---	7.20	7.40	8.50	6.50	---	---	7.60
1960	---	---	---	---	---	---	8.60	8.10	8.70	7.60	---	---	8.40
1961	---	---	---	---	---	---	8.40	8.50	7.00	8.30	---	---	8.00
1962	---	---	---	---	---	7.20	8.40	9.30	9.30	7.40	---	---	9.00
1963	---	---	---	---	---	---	10.50	8.20	9.00	8.70	---	---	9.00
1964	---	---	---	---	---	8.00	8.00	8.20	9.00	9.00	---	---	8.40
1965	---	---	---	---	---	---	9.90	8.00	9.80	8.00	---	---	8.90
Pennsylvania:													
1959	---	---	---	---	---	9.80	8.00	7.20	8.60	9.00	---	---	8.20
1960	---	---	---	---	---	9.80	9.20	7.90	7.60	8.40	---	---	8.20
1961	---	---	---	---	---	---	9.80	7.20	7.70	8.70	---	---	8.30
1962	---	---	---	---	---	10.40	8.30	8.40	9.20	8.40	---	---	8.60
1963	---	---	---	---	---	---	9.50	8.70	8.80	9.70	---	---	9.20
1964	---	---	---	---	---	11.40	10.00	8.80	9.40	8.90	---	---	9.50
1965	---	---	---	---	---	12.20	9.80	9.40	9.60	9.40	---	---	9.70
Ohio:													
1959	---	---	---	---	---	9.00	8.50	6.00	8.50	8.00	---	---	7.60
1960	---	---	---	---	---	7.00	8.00	7.40	6.80	8.00	---	---	7.40
1961	---	---	---	---	---	---	8.50	6.00	7.80	8.50	---	---	7.40
1962	---	---	---	---	---	9.20	7.30	7.50	8.80	7.40	---	---	7.80
1963	---	---	---	---	---	13.30	9.40	6.90	7.90	9.20	9.20	---	8.20
1964	---	---	---	---	---	11.90	8.60	8.10	9.20	11.00	11.00	---	9.00
1965	---	---	---	---	---	11.30	9.10	8.50	11.20	8.90	---	---	9.50
Illinois:													
1959	---	---	---	---	---	7.50	6.70	5.20	9.10	9.10	---	---	7.20
1960	---	---	---	---	---	8.30	8.20	6.50	7.30	7.00	---	---	7.40
1961	---	---	---	---	---	---	7.00	6.00	7.30	7.70	---	---	6.80
1962	---	---	---	---	---	9.50	7.10	7.80	9.90	9.00	---	---	8.40
1963	---	---	---	---	---	9.10	8.70	7.10	8.00	8.20	---	---	8.10
1964	---	---	---	---	---	12.00	7.80	8.10	8.00	12.40	---	---	9.10
1965	---	---	---	---	---	9.10	7.80	9.30	9.40	9.50	---	---	8.80
Michigan:													
1959	---	---	---	---	---	7.10	7.10	6.00	7.80	7.80	---	---	6.80
1960	---	---	---	---	---	---	7.30	7.50	6.80	6.80	---	---	7.30
1961	---	---	---	---	---	6.70	6.70	6.00	7.10	8.00	---	---	6.60
1962	---	---	---	---	---	---	7.80	7.40	8.00	8.50	---	---	7.70
1963	---	---	---	---	---	---	12.50	7.90	8.30	8.40	---	---	8.50
1964	---	---	---	---	---	---	10.00	10.00	10.00	11.00	---	---	10.10
1965	---	---	---	---	---	---	10.00	9.80	10.10	10.30	---	---	10.00
Virginia:													
1959	---	---	---	---	---	---	6.80	6.20	6.70	---	---	---	6.40
1960	---	---	---	---	---	---	5.50	6.00	6.90	---	---	---	6.00
1961	---	---	---	---	---	6.70	6.00	5.80	6.20	---	---	---	6.00
1962	---	---	---	---	---	---	5.40	6.10	8.10	---	---	---	6.30
1963	---	---	---	---	---	---	7.60	6.10	6.10	---	---	---	6.70
1964	---	---	---	---	---	---	5.70	6.00	6.70	---	---	---	6.20
1965	---	---	---	---	---	---	6.00	6.00	7.90	---	---	---	6.80
North Carolina:													
1959	---	---	---	---	---	---	6.70	6.80	8.00	8.00	---	---	7.20
1960	---	---	---	---	---	---	7.00	7.00	8.90	8.00	---	---	7.60
1961	---	---	---	---	---	---	6.30	6.40	7.90	7.00	---	---	6.80
1962	---	---	---	---	---	---	6.00	7.30	7.20	7.00	---	---	7.40
1963	---	---	---	---	---	---	7.80	7.50	7.90	7.30	---	---	7.70
1964	---	---	---	---	---	---	7.60	7.40	8.20	8.00	---	---	7.70
1965	---	---	---	---	---	---	7.50	6.90	9.50	9.80	---	---	8.00

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>Summer, Continued</u>													
<u>SNAP BEANS - Continued</u>													
Georgia:													
1959	---	---	---	---	---	8.50	7.90	8.50	9.00	9.50	---	---	8.50
1960	---	---	---	---	---	7.60	7.90	9.30	9.00	---	---	---	8.20
1961	---	---	---	---	---	6.80	7.80	9.50	10.00	10.00	---	---	9.40
1962	---	---	---	---	---	5.00	7.70	7.80	8.50	8.50	---	---	7.80
1963	---	---	---	---	---	7.60	8.10	8.70	9.00	9.50	---	---	8.60
1964	---	---	---	---	---	10.50	8.90	9.70	10.50	11.00	---	---	10.20
1965	---	---	---	---	---	7.50	8.50	10.20	9.20	10.00	---	---	9.10
Tennessee:													
1959	---	---	---	---	---	7.10	7.60	7.00	7.60	7.60	---	---	7.30
1960	---	---	---	---	---	7.70	7.40	7.40	8.20	7.90	---	---	7.60
1961	---	---	---	---	8.40	8.40	7.60	7.50	7.60	7.50	7.50	---	7.60
1962	---	---	---	---	---	6.80	6.90	7.40	7.60	7.60	---	---	7.20
1963	---	---	---	---	---	8.30	8.20	7.60	7.70	7.70	---	---	8.00
1964	---	---	---	---	---	9.10	7.80	7.40	8.50	8.10	---	---	8.10
1965	---	---	---	---	---	8.40	7.90	7.30	8.00	8.50	---	---	7.90
Alabama:													
1959	---	---	---	---	---	---	9.00	9.00	9.40	8.50	8.50	---	8.90
1960	---	---	---	---	---	---	6.10	6.90	6.40	6.40	5.40	---	6.50
1961	---	---	---	---	---	---	7.10	7.50	8.40	9.40	9.50	---	7.80
1962	---	---	---	---	---	---	7.10	9.40	10.20	8.80	---	---	8.60
1963	---	---	---	---	---	---	9.30	10.80	11.10	10.50	10.60	---	10.10
1964	---	---	---	---	---	13.50	11.90	10.00	10.70	13.00	13.00	---	11.30
1965	---	---	---	---	---	12.40	9.30	11.60	10.60	12.60	12.50	---	10.60
Colorado:													
1959	---	---	---	---	---	10.50	8.80	9.40	9.40	---	---	---	9.50
1960	---	---	---	---	---	8.80	9.00	9.50	8.00	---	---	---	8.80
1961	---	---	---	---	---	9.30	8.80	9.20	9.20	---	---	---	9.00
1962	---	---	---	---	---	9.10	9.30	9.50	9.50	---	---	---	9.30
1963	---	---	---	---	---	9.40	8.80	8.70	8.70	---	---	---	9.00
1964	---	---	---	---	---	9.90	8.80	10.00	10.00	---	---	---	9.50
1965	---	---	---	---	---	11.00	11.00	10.00	---	---	---	---	10.60
Group Total:													
1959	---	---	---	---	---	9.20	7.80	7.10	8.50	8.30	9.20	---	7.76
1960	---	---	---	---	---	9.20	8.30	7.90	8.40	7.90	5.40	---	8.17
1961	---	---	---	---	8.40	7.60	8.40	7.60	7.70	8.80	9.70	---	7.97
1962	---	---	---	---	---	8.50	8.10	8.60	9.00	8.20	8.50	---	8.52
1963	---	---	---	---	---	8.90	9.60	8.20	9.60	8.90	9.50	---	8.74
1964	---	---	---	---	---	10.30	8.80	8.30	9.10	10.20	11.10	---	8.84
1965	---	---	---	---	---	9.80	9.40	8.30	10.00	9.20	10.20	---	9.14
Early Fall													
New Jersey:													
1959	---	---	---	---	---	---	---	10.30	6.90	---	---	---	9.00
1960	---	---	---	---	---	---	---	7.10	7.70	---	---	---	7.30
1961	---	---	---	---	---	---	---	8.00	7.10	---	---	---	7.60
1962	---	---	---	---	---	---	---	8.90	8.10	---	---	---	8.50
1963	---	---	---	---	---	---	---	8.80	9.30	---	---	---	9.00
1964	---	---	---	---	---	---	---	9.20	9.00	---	---	---	9.10
1965	---	---	---	---	---	---	---	9.80	8.60	---	---	---	9.50
Maryland:													
1959	---	---	---	---	---	---	---	7.20	5.10	---	---	---	6.10
1960	---	---	---	---	---	---	---	5.30	6.80	6.30	---	---	6.10
1961	---	---	---	---	---	---	---	7.30	6.20	6.00	---	---	6.60
1962	---	---	---	---	---	---	---	8.10	5.70	5.20	---	---	6.60
1963	---	---	---	---	---	---	---	6.70	6.40	6.10	---	---	6.50
1964	---	---	---	---	---	---	---	7.60	7.80	7.80	---	---	7.70
1965	---	---	---	---	---	---	---	8.20	7.50	---	---	---	7.90
Virginia:													
1959	---	---	---	---	---	---	---	8.00	7.70	11.50	---	---	7.90
1960	---	---	---	---	---	---	---	6.00	6.90	7.20	---	---	6.80
1961	---	---	---	---	---	---	---	8.70	5.60	5.20	---	---	5.80
1962	---	---	---	---	---	---	---	6.00	7.30	6.90	7.30	---	7.00
1963	---	---	---	---	---	---	---	7.30	8.00	6.90	---	---	7.70
1964	---	---	---	---	---	---	---	7.50	8.00	10.00	11.00	---	9.40
1965	---	---	---	---	---	---	---	8.30	9.30	8.60	---	---	9.10

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodity, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
SNAP BEANS - Continued													
Early Fall, Con.													
North Carolina:													
1959	---	---	---	---	---	---	---	---	9.00	8.50	11.00	---	9.00
1960	---	---	---	---	---	---	---	---	---	7.10	7.90	---	7.10
1961	---	---	---	---	---	---	---	---	---	6.70	7.00	---	6.70
1962	---	---	---	---	---	---	---	---	---	6.80	6.80	---	6.80
1963	---	---	---	---	---	---	---	---	---	7.40	8.50	---	7.50
1964	---	---	---	---	---	---	---	---	---	9.00	8.90	---	9.00
1965	---	---	---	---	---	---	---	---	---	8.50	8.50	---	8.50
South Carolina:													
1959	---	---	---	---	---	---	---	---	8.00	7.00	7.60	---	7.50
1960	---	---	---	---	---	---	---	---	9.40	9.30	8.90	---	9.20
1961	---	---	---	---	---	---	---	---	7.10	7.40	7.40	---	7.40
1962	---	---	---	---	---	---	---	---	10.80	7.80	8.30	---	8.20
1963	---	---	---	---	---	---	---	---	9.70	8.30	8.00	---	8.30
1964	---	---	---	---	---	---	---	---	9.60	12.50	10.90	---	11.40
1965	---	---	---	---	---	---	---	---	9.50	9.50	9.80	---	9.60
Mississippi: 2/													
1959	---	---	---	---	---	---	---	---	10.50	9.40	---	---	9.70
1960	---	---	---	---	---	---	---	---	7.50	6.90	6.90	---	7.10
1961	---	---	---	---	---	---	---	---	7.70	5.40	5.40	---	5.70
1962	---	---	---	---	---	---	---	---	9.00	9.50	9.20	---	9.40
1963	---	---	---	---	---	---	---	---	---	7.00	7.00	---	7.00
1964	---	---	---	---	---	---	---	---	7.60	6.70	6.70	---	6.80
Arkansas: 2/													
1959	---	---	---	---	---	---	---	---	---	7.30	---	---	7.30
1960	---	---	---	---	---	---	---	---	6.70	7.00	---	---	6.70
1961	---	---	---	---	---	---	---	---	5.70	6.00	---	---	5.70
Louisiana:													
1959	---	---	---	---	---	---	---	---	11.00	8.00	12.00	---	9.20
1960	---	---	---	---	---	---	---	---	8.20	7.10	7.10	7.10	7.10
1961	---	---	---	---	---	---	---	---	8.20	7.00	6.40	---	6.90
1962	---	---	---	---	---	---	---	---	8.00	6.70	6.30	---	6.60
1963	---	---	---	---	---	---	---	---	9.00	8.00	8.20	---	8.10
1964	---	---	---	---	---	---	---	---	8.50	10.00	10.00	---	9.90
1965	---	---	---	---	---	---	---	---	---	11.40	11.30	---	11.40
California:													
1959	---	---	---	---	---	---	---	11.80	15.60	13.40	26.50	14.10	14.90
1960	---	---	---	---	---	---	---	12.90	11.70	14.30	15.50	8.40	13.20
1961	---	---	---	---	---	---	---	11.00	12.20	14.10	18.10	12.40	12.70
1962	---	---	---	---	---	---	---	10.20	11.60	10.70	14.30	15.80	11.40
1963	---	---	---	---	---	---	---	11.70	9.40	13.50	13.40	15.20	11.80
1964	---	---	---	---	---	---	---	9.70	12.90	14.90	17.50	19.70	12.90
1965	---	---	---	---	---	---	---	10.50	13.00	12.60	22.50	13.50	12.90
Group Total:													
1959	---	---	---	---	---	---	---	11.80	11.90	9.00	21.30	14.10	11.08
1960	---	---	---	---	---	---	---	12.90	8.80	8.40	11.00	8.00	9.21
1961	---	---	---	---	---	---	---	11.00	9.60	7.30	9.30	12.40	8.52
1962	---	---	---	---	---	---	---	10.10	9.40	7.70	10.40	15.80	8.76
1963	---	---	---	---	---	---	---	11.70	9.60	8.70	10.60	15.20	9.32
1964	---	---	---	---	---	---	---	9.60	9.80	10.80	13.20	19.70	10.63
1965	---	---	---	---	---	---	---	10.50	10.30	9.90	14.40	13.50	10.56
Late Fall													
Florida:													
1959	---	---	---	---	---	---	---	---	13.10	14.40	11.70	12.60	12.20
1960	---	---	---	---	---	---	---	---	---	8.90	9.10	8.90	9.00
1961	---	---	---	---	---	---	---	---	11.80	9.30	7.70	8.20	8.10
1962	---	---	---	---	---	---	---	---	---	9.30	11.20	12.20	11.50
1963	---	---	---	---	---	---	---	---	---	10.40	9.60	11.40	12.80
1964	---	---	---	---	---	---	---	---	---	13.90	9.90	10.20	10.20
1965	---	---	---	---	---	---	---	---	---	10.40	9.90	13.40	13.00

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodity, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Late Fall, Com.													
SNAP BEANS - Continued													
Texas:													
1959	---	---	---	---	---	---	---	---	---	9.40	10.00	11.50	9.90
1960	---	---	---	---	---	---	---	---	10.00	8.70	9.50	---	9.40
1961	---	---	---	---	---	---	---	15.00	15.00	9.00	9.10	9.00	10.10
1962	---	---	---	---	---	---	---	---	12.50	10.70	9.50	9.50	10.30
1963	---	---	---	---	---	---	---	---	10.60	10.30	8.90	9.80	9.70
1964	---	---	---	---	---	---	---	10.00	10.00	15.30	11.10	8.60	11.70
1965	---	---	---	---	---	---	---	12.50	12.50	10.00	9.20	9.20	9.50
Group Total:													
1959	---	---	---	---	---	---	---	---	13.10	13.50	11.70	12.60	12.16
1960	---	---	---	---	---	---	---	---	10.00	8.90	9.10	8.90	9.01
1961	---	---	---	---	---	---	---	15.00	12.30	9.30	7.70	8.20	8.14
1962	---	---	---	---	---	---	---	---	12.50	9.40	11.20	12.20	11.48
1963	---	---	---	---	---	---	---	---	10.40	9.70	11.40	12.70	11.85
1964	---	---	---	---	---	---	---	10.00	10.00	14.10	9.90	10.20	10.24
1965	---	---	---	---	---	---	---	12.50	10.40	9.90	12.90	13.40	12.91
Winter													
BEETS													
Texas:													
1959	4.85	4.45	4.40	4.40	4.35	3.65	---	---	---	4.90	4.90	4.90	4.50
1960	4.90	4.40	4.40	4.35	4.30	4.75	---	---	---	---	5.00	4.90	4.60
1961	4.75	4.75	4.75	4.75	4.75	3.90	3.60	---	---	---	4.80	4.80	4.75
1962	4.80	3.75	3.70	3.90	3.65	3.65	3.65	4.85	---	---	5.10	5.10	3.90
1963	5.50	5.80	5.80	5.80	5.80	5.80	5.80	---	---	6.50	6.50	6.50	5.60
1964	5.90	5.70	5.20	5.20	5.20	4.70	4.70	---	---	6.40	6.40	6.40	5.50
1965	6.40	6.40	6.40	6.40	6.40	6.40	6.40	5.30	---	5.30	4.60	4.15	6.40
Spring													
North Carolina^{2/}:													
1959	---	---	---	---	4.60	---	---	---	---	---	---	---	4.60
1960	---	---	---	---	4.30	3.50	---	---	---	---	---	---	4.10
1961	---	---	---	---	5.10	4.10	---	---	---	---	---	---	5.00
1962	---	---	---	---	4.90	4.60	---	---	---	---	---	---	4.85
1963	---	---	---	---	4.45	3.40	---	---	---	---	---	---	4.25
1964	---	---	---	---	5.00	---	---	---	---	---	---	---	5.00
South Carolina:													
1959	---	---	6.90	6.90	6.90	---	---	---	---	---	---	---	6.90
1960	---	---	---	8.30	8.00	8.50	---	---	---	---	---	---	8.10
1961	---	---	---	8.80	6.40	6.90	---	---	---	---	---	---	7.00
1962	---	---	---	6.70	7.10	7.10	---	---	---	---	---	---	7.30
1963	---	---	---	6.60	7.50	4.70	---	---	---	---	---	---	6.60
1964	---	---	---	7.30	6.50	7.30	---	---	---	---	---	---	---
Group Total: ^{2/}													
1959	---	---	6.90	6.90	5.40	---	---	---	---	---	---	---	5.52
1960	---	---	---	8.30	6.00	4.50	---	---	---	---	---	---	6.16
1961	---	---	---	8.80	5.90	5.50	---	---	---	---	---	---	5.94
1962	---	---	---	6.70	6.30	4.60	---	---	---	---	---	---	6.22
1963	---	---	---	6.60	5.80	3.40	---	---	---	---	---	---	5.50
1964	---	---	---	7.30	5.60	7.30	---	---	---	---	---	---	5.76
SUMMER													
New Jersey:													
1959	3.10	3.20	2.95	---	4.05	2.75	2.40	2.15	2.30	2.60	2.85	2.95	2.65
1960	2.75	2.35	2.50	2.15	3.20	2.75	2.75	2.20	2.35	2.45	2.35	2.80	2.65
1961	2.75	2.90	2.65	---	---	3.30	2.10	1.90	2.75	2.45	2.75	2.75	2.75
1962	3.05	4.20	4.90	---	5.40	2.90	2.15	2.00	2.00	1.90	2.05	2.75	2.55
1963	3.00	2.70	2.70	---	3.00	3.00	2.80	2.80	2.65	2.60	2.90	2.90	2.85
1964	3.00	3.20	3.65	---	---	3.50	2.95	3.15	3.30	3.45	3.25	4.25	3.35
1965	3.80	3.35	3.35	---	---	5.50	3.50	2.90	2.70	2.90	3.05	2.90	4.05
Pennsylvania:													
1959	3.25	3.10	3.15	---	---	2.90	3.10	3.15	3.45	3.15	3.20	3.50	3.15
1960	3.50	3.00	3.00	---	---	4.00	4.30	3.70	3.30	3.60	3.50	3.20	3.70
1961	3.10	3.00	3.00	---	---	4.60	4.00	3.90	3.70	3.75	3.65	3.50	3.90
1962	3.40	3.60	3.90	---	---	3.25	3.45	4.15	4.10	3.90	3.60	3.40	3.75
1963	3.40	3.70	3.70	---	---	3.60	3.80	3.90	3.75	3.80	3.95	4.00	3.80
1964	3.80	3.70	3.50	---	---	4.00	4.45	4.30	4.30	4.00	4.10	4.00	4.20
1965	---	3.40	3.40	---	---	4.85	4.40	4.00	4.20	4.40	3.75	3.70	4.20

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Summer, Con.													
BRETS - Continued													
Group Total:													
1959	3.15	3.10	3.10	---	4.05	2.80	2.75	2.65	2.95	2.85	3.00	3.25	2.87
1960	3.25	2.70	2.85	2.15	3.20	2.95	3.50	2.95	2.85	3.20	3.10	3.00	3.08
1961	3.00	2.95	2.80	---	---	3.45	2.95	2.80	3.25	3.25	3.35	3.10	3.20
1962	3.20	3.90	4.10	---	5.40	2.95	2.70	3.10	3.05	3.05	3.10	3.10	3.02
1963	3.15	3.20	3.30	---	3.00	3.10	3.15	3.25	3.15	3.15	3.30	3.45	3.19
1964	3.40	3.55	3.60	---	---	3.55	3.55	3.60	3.80	3.70	3.65	4.15	3.64
1965	3.80	3.40	3.40	---	---	5.40	3.85	3.35	3.50	3.70	3.35	3.15	4.10
Winter													
BROCCOLI													
South Carolina:													
1959	8.00	7.30	---	---	---	---	---	---	---	---	---	---	8.40
1960	9.00	8.50	9.00	---	---	---	---	---	---	---	---	10.80	8.90
1961	12.50	9.50	11.00	---	---	---	---	---	---	---	---	---	10.80
Texas:													
1959	9.10	9.10	8.80	---	---	---	---	---	---	---	8.90	8.90	8.90
1960	12.00	11.60	10.40	10.40	---	---	---	---	---	---	---	12.00	10.80
1961	12.00	10.80	12.50	12.50	---	---	---	---	---	---	12.00	12.00	11.40
1962	12.00	12.00	---	---	---	---	---	---	---	---	8.00	8.20	12.00
1963	8.60	8.70	8.70	8.70	8.70	---	---	---	---	---	12.70	12.70	6.70
1964	12.40	9.80	10.50	10.50	---	---	---	---	---	---	---	8.60	11.10
1965	8.70	8.70	8.70	8.70	---	---	---	---	---	---	8.20	8.20	8.70
Arizona:													
1959	12.10	11.90	11.50	11.50	---	---	---	---	---	---	14.30	13.50	11.90
1960	14.10	14.30	13.10	---	---	---	---	---	---	---	9.40	10.50	13.80
1961	13.10	13.10	13.10	---	---	---	---	---	---	---	14.30	12.30	12.90
1962	13.70	13.80	---	---	---	---	---	---	---	---	12.20	13.30	13.50
1963	15.50	13.30	---	---	---	---	---	---	---	---	10.90	12.30	13.70
1964	11.90	10.90	12.00	---	---	---	---	---	---	---	13.10	12.00	11.60
1965	14.20	11.00	---	---	---	---	---	---	---	---	13.30	14.60	12.80
Group Total:													
1959	10.30	10.10	9.50	11.50	---	---	---	---	---	---	12.80	11.20	10.10
1960	12.50	11.90	10.60	10.40	---	---	---	---	---	---	9.40	12.00	11.48
1961	12.60	11.40	12.60	12.50	---	---	---	---	---	---	14.30	12.10	11.86
1962	13.20	13.60	---	---	---	---	---	---	---	---	10.10	12.80	13.03
1963	10.80	10.30	8.70	8.70	8.70	---	---	---	---	---	11.80	12.40	10.83
1964	12.30	10.10	11.40	10.50	---	---	---	---	---	---	13.10	11.20	11.25
1965	10.00	9.00	8.70	8.70	---	---	---	---	---	---	12.00	13.00	9.70
Early Spring													
California:													
1959	9.40	9.80	7.40	7.60	8.80	8.60	---	---	---	---	---	12.00	8.20
1960	11.70	9.40	9.30	9.40	10.50	9.80	---	---	---	---	---	10.80	9.70
1961	10.60	10.50	9.80	9.20	10.30	8.60	---	---	---	---	---	10.40	9.80
1962	10.60	10.00	10.60	9.90	12.00	11.50	---	---	---	---	---	10.50	10.60
1963	11.50	10.20	9.50	10.10	10.10	9.50	---	---	---	---	---	---	10.00
1964	9.60	10.40	10.40	8.90	10.00	10.50	---	---	---	---	---	---	9.90
1965	10.80	11.80	10.00	11.20	10.60	13.90	---	---	---	---	---	11.80	10.90
Late Spring													
Virginia:													
1960	---	---	---	---	12.50	10.00	---	---	---	---	---	---	11.40
1961	---	---	---	---	8.00	9.00	---	---	---	---	---	---	8.50
Fall													
New York:													
1959	---	---	---	---	---	---	---	---	9.20	8.80	8.00	---	8.60
1960	---	---	---	---	---	10.50	9.30	8.50	8.20	8.60	10.00	---	9.00
1961	---	---	---	---	---	10.50	9.30	9.00	7.80	7.30	7.90	---	8.40
1962	---	---	---	---	---	10.50	9.00	9.50	10.20	9.80	9.50	---	9.80
1963	---	---	---	---	---	11.00	10.30	10.00	9.70	8.00	8.40	---	9.30
1964	---	---	---	---	---	10.50	9.00	8.00	8.50	8.10	8.00	---	8.60
1965	---	---	---	---	---	11.30	9.70	8.50	8.50	7.60	6.50	---	8.70

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
--- DOLLARS PER CWT. ---													
PROCCOLA - Continued													
Fall, Con.													
New Jersey:													
1959	---	---	---	---	6.90	6.80	6.60	5.90	7.20	6.30	5.10	---	6.30
1960	---	---	---	---	7.40	7.40	6.80	6.70	6.40	4.80	4.90	3.15	5.90
1961	---	---	---	---	---	7.30	6.20	6.40	4.80	4.80	3.95	3.90	5.10
1962	---	---	---	---	8.20	8.20	5.80	6.20	5.90	5.70	6.40	5.90	6.10
1963	---	---	---	---	6.90	6.90	5.80	6.60	6.40	4.20	4.55	4.25	4.60
1964	---	---	---	---	5.70	5.70	6.00	5.50	5.00	5.60	4.80	4.80	5.20
1965	---	---	---	5.10	5.10	5.10	4.00	4.20	4.40	6.40	4.75	4.05	5.20
Pennsylvania:													
1959	---	---	---	---	---	12.00	12.00	12.00	10.90	9.20	10.40	10.30	10.90
1960	---	---	---	---	---	13.50	13.00	11.50	13.50	10.70	10.60	10.50	11.90
1961	---	---	---	---	---	11.30	11.00	10.50	11.30	11.40	11.40	11.50	11.20
1962	---	---	---	---	---	10.70	10.70	12.50	12.80	11.00	11.90	---	11.60
1963	---	---	---	---	---	12.00	12.50	12.60	12.30	10.50	10.80	---	11.30
1964	---	---	---	---	---	12.50	12.50	12.00	13.00	12.50	11.10	10.80	12.00
1965	---	---	---	---	---	14.80	11.10	10.50	11.20	11.60	11.00	11.00	11.30
Virginia: 2/													
1959	---	---	---	---	---	---	---	---	---	10.00	9.50	9.30	8.40
1960	8.00	7.00	---	---	---	---	---	---	---	8.10	7.70	8.30	7.80
1961	---	---	---	---	---	---	---	---	---	---	8.20	---	8.20
1962	---	---	---	---	---	---	---	---	---	---	8.00	---	8.00
1963	---	---	---	---	---	---	---	---	---	8.50	8.50	---	8.50
1964	---	---	---	---	---	---	---	---	---	9.00	9.00	---	9.00
Washington:													
1959	---	---	---	---	---	---	---	---	13.50	11.80	11.80	---	12.60
1960	---	---	---	---	---	---	---	---	12.00	10.70	---	---	11.40
1961	---	---	---	---	---	---	---	---	11.00	11.00	10.80	11.10	11.00
1962	---	---	---	---	---	---	---	---	8.70	9.40	---	---	9.00
1963	---	---	---	---	---	---	---	---	9.80	9.80	10.40	10.00	10.00
1964	---	---	---	---	---	---	---	---	10.90	10.90	10.10	10.00	10.70
1965	---	---	---	---	---	---	---	---	10.30	10.30	9.40	9.70	10.10
Oregon:													
1959	---	---	---	---	---	---	---	---	12.50	11.00	10.50	9.50	10.60
1960	9.40	---	---	---	---	---	---	---	9.20	9.40	9.20	9.40	9.30
1961	---	---	---	---	---	---	---	---	9.50	9.50	9.50	9.40	9.50
1962	9.20	---	---	---	---	---	---	---	9.80	9.80	8.60	7.20	7.60
1963	---	---	---	---	---	---	---	---	---	8.10	7.00	6.60	6.60
1964	---	---	---	---	---	---	---	---	10.00	---	8.90	8.50	8.60
1965	---	---	---	---	---	---	---	---	10.00	10.00	10.10	9.80	9.60
California:													
1959	9.40	---	---	---	---	---	9.90	9.80	13.10	10.70	11.50	12.00	11.50
1960	11.70	---	---	---	---	---	9.80	9.60	9.60	10.30	9.80	10.80	10.20
1961	10.60	---	---	---	---	---	8.60	12.40	11.80	10.20	10.30	10.40	10.60
1962	10.60	---	---	---	---	---	11.40	12.50	11.40	10.90	10.10	10.50	10.90
1963	11.50	---	---	---	---	---	10.40	10.90	10.20	10.00	9.70	11.00	10.20
1964	9.60	---	---	---	---	---	11.00	11.00	11.10	11.20	10.80	10.30	10.90
1965	10.90	---	---	---	---	---	12.70	10.80	11.40	11.80	11.50	12.10	11.80
Group Total:													
1959	9.40	---	---	---	6.90	8.40	9.20	8.40	10.60	9.20	10.00	11.80	10.01
1960	11.30	7.00	---	---	7.40	9.60	9.40	8.90	9.20	8.40	8.90	10.40	9.30
1961	10.60	---	---	---	---	8.30	8.40	11.50	9.70	8.60	8.60	10.20	9.32
1962	10.60	---	---	---	8.20	9.70	9.80	11.50	10.80	9.10	9.40	10.10	9.97
1963	11.50	---	---	---	6.90	10.60	10.50	10.80	9.90	8.30	8.60	10.60	9.48
1964	9.60	---	---	---	5.70	8.10	10.90	10.80	10.40	10.10	9.30	9.90	10.07
1965	10.90	---	---	5.10	5.10	11.30	12.10	10.60	9.60	10.40	10.30	11.30	10.66
Winter.													
Texas: 2/													
1959	12.00	11.00	10.00	---	---	---	---	---	---	---	---	12.50	11.30
1960	12.50	11.50	11.50	---	---	---	---	---	---	---	---	---	12.00

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Fall													
New York:													
BRUSSELS SPROUTS - Continued													
1959	17.00	---	---	---	---	---	---	15.00	13.50	13.80	13.50	11.50	13.10
1960	12.00	12.50	---	---	---	---	---	12.00	12.00	12.20	12.20	11.20	12.00
1961	11.50	11.50	---	---	---	---	---	---	10.00	11.60	11.00	11.00	11.20
1962	13.00	12.50	---	---	---	---	---	---	11.70	11.00	11.50	11.50	11.80
1963	---	---	---	---	---	---	---	12.00	10.50	9.50	9.50	12.80	10.30
1964	11.00	10.00	---	---	---	---	---	---	11.50	10.20	9.50	9.50	9.90
1965	8.50	---	---	---	---	---	---	---	17.00	16.00	16.00	14.00	15.80
California:													
1959	10.30	8.60	7.20	---	---	---	5.80	6.70	6.40	6.90	7.90	7.30	7.10
1960	6.70	7.90	9.20	---	---	---	---	5.40	4.45	4.95	5.90	7.60	6.70
1961	9.70	15.50	---	---	---	---	---	4.80	5.10	6.30	11.10	11.10	8.80
1962	10.60	11.00	11.00	---	---	---	---	11.50	8.90	9.50	11.30	14.40	11.60
1963	15.70	17.60	14.10	---	---	---	---	10.20	10.00	10.20	13.10	13.10	11.80
1964	11.60	10.70	15.10	---	---	---	---	13.40	11.10	10.60	12.90	11.80	11.60
1965	11.20	11.00	11.80	---	---	---	---	12.50	11.60	10.80	13.00	13.80	13.20
Group Total:													
1959	10.30	8.60	7.20	---	---	---	5.80	7.30	7.40	8.60	9.30	7.90	8.02
1960	7.00	8.30	9.20	---	---	---	---	5.90	5.80	6.80	7.20	7.90	7.50
1961	9.80	10.60	---	---	---	---	---	4.80	5.30	6.90	11.10	11.10	9.00
1962	10.70	11.00	11.00	---	---	---	---	11.50	9.10	9.80	11.30	14.10	11.57
1963	15.70	17.60	14.10	---	---	---	---	10.20	10.10	10.00	12.40	13.10	11.61
1964	11.60	10.70	15.10	---	---	---	---	13.40	11.10	10.50	12.20	11.50	11.40
1965	11.20	11.00	11.80	---	---	---	---	12.50	12.50	12.00	13.80	13.80	13.63
Winter													
Florida:													
CABBAGE													
1959	3.60	2.30	2.15	2.00	2.40	---	---	---	---	---	5.50	4.70	2.50
1960	3.10	2.20	2.00	2.35	4.80	---	---	---	---	---	---	3.30	2.60
1961	2.10	2.00	1.95	2.00	2.25	---	---	---	---	---	---	2.25	2.10
1962	3.45	4.10	8.60	5.70	3.85	---	---	---	---	---	---	4.95	5.30
1963	4.80	4.95	2.70	2.90	3.00	---	---	---	---	---	---	3.60	3.45
1964	3.50	2.50	2.50	2.40	2.20	2.50	---	---	---	---	2.40	3.60	2.70
1965	2.30	2.35	2.80	4.60	6.90	---	---	---	---	---	3.50	2.95	3.25
Texas:													
1959	4.30	2.65	2.55	2.15	2.15	---	---	---	---	---	5.00	4.85	2.90
1960	3.10	2.45	2.75	3.10	4.70	---	---	---	---	3.00	2.75	2.45	3.20
1961	2.10	2.15	2.30	2.40	2.70	---	3.50	3.30	3.20	3.50	2.50	2.05	2.30
1962	3.55	4.00	7.00	7.50	5.40	5.40	3.70	3.70	3.50	3.20	4.90	5.00	3.80
1963	4.55	4.90	2.60	3.00	3.30	3.30	2.75	2.50	2.50	2.50	2.65	2.85	4.05
1964	3.15	2.50	2.60	2.00	2.25	3.90	3.20	3.90	3.95	3.50	3.50	3.50	2.65
1965	2.50	2.60	3.10	4.15	6.40	4.75	3.05	3.05	3.05	2.65	2.40	3.15	3.25
Arizona:													
1959	3.80	2.75	2.75	2.30	2.25	2.25	---	---	---	2.35	3.00	4.50	3.40
1960	3.10	2.00	2.05	4.50	5.80	---	---	---	---	---	2.10	3.10	3.60
1961	2.30	2.20	2.35	2.15	2.55	3.00	---	---	---	---	2.55	2.30	2.55
1962	4.00	3.95	9.00	6.10	4.65	3.60	---	---	---	2.25	2.65	4.15	4.05
1963	5.00	3.90	2.90	3.05	2.60	2.60	---	---	---	---	3.00	3.00	3.60
1964	4.10	2.50	2.30	2.65	3.45	3.60	---	---	---	---	3.85	3.60	3.10
1965	2.15	2.50	2.85	4.70	7.50	4.25	---	---	---	---	2.65	3.60	4.15
California:													
1959	3.10	2.35	1.95	---	---	---	---	---	---	---	---	3.05	2.50
1960	3.10	2.05	1.65	---	---	---	---	---	---	---	---	1.95	2.45
1961	2.15	1.85	1.90	---	---	---	---	---	---	---	---	2.40	1.95
1962	3.25	3.30	6.40	---	---	---	---	---	---	---	---	3.55	3.95
1963	4.10	3.20	2.55	---	---	---	---	---	---	---	---	2.00	3.35
1964	3.25	2.15	2.05	---	---	---	---	---	---	---	---	3.20	2.35
1965	2.00	2.00	2.30	---	---	---	---	---	---	---	---	2.65	2.30
Group Total:													
1959	3.65	2.45	2.30	2.05	2.30	2.25	---	---	---	2.35	4.30	4.20	2.67
1960	3.10	2.25	2.25	2.65	4.85	---	---	---	---	3.00	2.60	2.50	2.86
1961	2.10	2.05	2.10	2.15	2.35	3.00	3.50	3.30	3.20	3.35	2.50	2.15	2.17
1962	3.45	3.70	7.80	6.00	4.45	4.85	3.70	3.70	3.55	3.15	3.95	4.50	4.51
1963	4.50	4.30	2.65	2.90	3.05	3.20	2.75	2.50	2.50	2.50	2.65	2.80	3.64
1964	3.35	2.40	2.40	2.30	2.30	3.80	3.10	3.90	3.95	3.50	3.55	3.45	2.62
1965	2.30	2.40	2.85	4.40	6.80	4.65	3.05	3.05	3.05	2.65	2.50	3.00	3.10

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
	-- DOLLARS PER CWT. --												
CABBAGE - Continued													
Early Spring:													
South Carolina:													
1959	---	---	---	2.40	2.30	2.55	---	---	---	---	---	---	2.30
1960	---	---	---	2.95	4.90	3.25	---	---	---	---	---	---	4.80
1961	---	---	---	2.25	1.80	3.10	---	---	---	---	---	---	1.95
1962	---	---	---	5.50	4.15	3.45	---	---	---	---	---	---	4.50
1963	---	---	---	4.20	2.85	2.60	---	---	---	---	---	---	2.95
1964	---	---	---	3.25	2.40	3.35	---	---	---	---	---	---	2.50
1965	---	---	---	5.50	6.50	3.65	---	---	---	---	---	---	6.10
Georgia:													
1959	2.50	1.90	1.70	1.20	1.40	2.00	---	---	---	---	---	---	1.40
1960	---	---	---	1.85	3.50	3.00	---	---	---	---	---	---	3.15
1961	.70	.70	.70	.70	.60	1.00	---	---	---	---	---	---	.65
1962	---	---	---	4.00	2.30	2.00	---	---	---	---	---	---	3.05
1963	2.15	2.15	2.15	2.15	1.30	1.40	---	---	---	---	---	---	1.40
1964	---	2.25	2.25	2.10	1.00	2.00	---	---	---	---	---	---	1.25
1965	---	---	---	4.00	5.50	4.00	---	---	---	---	---	---	5.00
Alabama:													
1959	3.75	2.75	2.60	2.45	2.40	3.05	2.45	---	---	---	---	---	2.55
1960	---	---	---	3.10	4.05	3.35	---	---	---	---	---	---	3.70
1961	4.00	3.25	2.75	2.35	2.15	2.15	2.15	---	---	---	---	---	2.20
1962	---	---	6.50	5.40	3.00	2.95	2.75	---	---	---	---	---	3.60
1963	---	---	---	2.70	3.45	3.25	---	---	---	---	---	---	3.35
1964	---	---	3.75	3.60	3.65	4.20	4.00	---	---	---	---	---	3.80
1965	3.20	3.20	4.50	4.10	7.10	3.90	3.50	---	---	---	---	---	4.85
Mississippi:													
1959	---	---	---	.80	1.60	.85	---	---	---	---	---	---	1.60
1960	---	---	---	---	3.80	2.40	---	---	---	---	---	---	3.60
1961	---	---	---	1.50	1.30	1.60	---	---	---	---	---	---	1.35
1962	---	---	---	3.50	3.50	3.50	---	---	---	---	---	---	3.50
1963	---	---	---	2.35	1.45	1.00	---	---	---	---	---	---	1.45
1964	---	---	---	1.25	1.25	1.50	1.50	---	---	---	---	---	1.25
1965	---	---	---	6.80	5.50	2.60	---	---	---	---	---	---	4.85
Louisiana:													
1959	3.35	3.00	1.10	1.20	1.50	---	---	---	---	---	---	4.85	1.55
1960	3.30	3.00	2.90	2.00	2.90	4.00	---	---	---	---	2.00	2.00	2.80
1961	1.80	1.50	1.70	1.40	1.45	1.75	---	---	---	---	2.00	2.10	1.55
1962	2.00	2.35	6.80	4.30	2.50	---	---	---	---	---	3.50	3.75	3.40
1963	4.10	4.60	3.20	3.10	2.00	2.00	---	---	---	---	2.90	3.10	3.20
1964	3.45	2.55	2.75	2.20	1.65	1.65	---	---	---	---	3.40	3.40	2.35
1965	2.85	2.90	2.60	2.75	4.00	3.80	---	---	---	---	---	3.55	3.15
California:													
1959	---	---	---	1.25	1.30	1.45	---	---	---	---	---	---	1.30
1960	---	---	---	2.20	3.10	2.20	---	---	---	---	---	---	2.60
1961	---	---	---	1.65	1.75	2.30	---	---	---	---	---	---	1.85
1962	---	---	---	5.90	3.70	2.05	---	---	---	---	---	---	3.95
1963	---	---	---	2.05	1.75	1.70	---	---	---	---	---	---	1.85
1964	---	---	---	1.75	2.10	2.00	---	---	---	---	---	---	1.95
1965	---	---	---	3.25	5.40	3.25	---	---	---	---	---	---	4.10
Group Total:													
1959	3.25	2.80	1.20	1.35	1.65	1.65	2.45	---	---	---	---	4.85	1.58
1960	3.30	3.00	2.90	2.15	3.70	2.50	---	---	---	---	2.00	2.00	3.17
1961	1.60	1.40	1.85	1.50	1.40	2.15	2.15	---	---	---	2.00	2.10	1.55
1962	4.00	2.35	6.80	5.00	3.35	2.20	2.75	---	---	---	3.50	3.75	3.73
1963	3.80	4.05	3.05	2.20	1.95	1.80	---	---	---	---	2.90	3.10	2.08
1964	3.45	2.50	2.75	1.95	1.80	2.25	2.75	---	---	---	3.40	3.40	1.97
1965	2.85	2.90	2.95	3.55	5.60	3.35	3.50	---	---	---	---	3.55	4.46
Late Spring													
Ohio:													
1959	---	---	---	---	2.90	2.60	3.00	---	---	---	---	---	2.65
1960	---	---	---	---	4.00	2.85	2.00	---	---	---	---	---	2.75
1961	---	---	---	---	---	4.20	3.00	---	---	---	---	---	3.90
1962	---	---	---	---	---	2.30	1.95	---	---	---	---	---	2.30
1963	---	---	---	---	2.45	2.45	3.00	---	---	---	---	---	2.60
1964	---	---	---	---	---	3.45	3.25	---	---	---	---	---	3.40
1965	---	---	---	---	9.50	3.50	2.50	---	---	---	---	---	3.40

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Late Spring, Con.	CABBAGE - Continued												
Missouri:													
1959	---	---	---	---	3.70	2.60	2.40	2.30	3.10	3.90	4.00	---	2.75
1960	---	---	---	---	4.25	2.95	2.60	2.10	2.65	2.80	---	---	2.85
1961	---	---	---	---	---	4.50	3.55	2.40	2.00	2.00	---	---	3.90
1962	---	---	---	---	5.20	3.35	2.30	2.35	2.10	2.00	2.00	---	2.95
1963	---	---	---	---	3.25	2.55	3.40	3.10	2.05	1.90	3.90	---	2.80
1964	---	---	---	---	3.10	2.75	2.30	2.80	3.25	2.70	2.75	---	2.65
1965	---	---	---	---	4.50	2.70	3.50	2.90	2.20	2.10	2.10	---	2.80
Maryland:													
1959	---	---	---	---	2.35	2.35	3.30	2.70	---	---	---	---	2.65
1960	---	---	---	---	---	2.50	2.30	1.90	---	---	---	---	2.35
1961	---	---	---	---	3.15	3.15	2.55	2.05	2.05	2.10	1.90	2.05	2.80
1962	---	---	---	---	2.05	1.65	1.65	1.80	2.00	1.80	1.80	2.05	1.70
1963	---	---	---	---	1.95	1.90	2.50	2.25	2.35	2.45	1.95	2.05	2.15
1964	---	---	---	---	3.60	3.20	2.50	2.95	3.40	3.40	3.55	3.00	2.90
1965	---	---	---	---	---	2.15	1.85	2.25	2.10	2.05	2.00	2.00	2.00
Virginia:													
1959	---	---	---	---	2.80	1.70	---	---	---	---	---	---	1.95
1960	---	---	---	---	4.20	2.25	---	---	---	---	---	---	2.90
1961	---	---	---	---	2.55	4.00	2.00	---	---	---	---	---	3.55
1962	---	---	---	---	4.70	2.60	---	---	---	---	---	---	3.30
1963	---	---	---	---	2.45	1.90	---	---	---	---	---	---	3.30
1964	---	---	---	---	4.50	3.70	---	---	---	---	---	---	2.05
1965	---	---	---	---	8.00	3.55	2.25	---	---	---	---	---	3.80
North Carolina:													
1959	---	---	---	---	2.10	1.40	---	---	---	---	---	---	1.95
1960	---	---	---	---	3.20	1.20	---	---	---	---	---	---	2.00
1961	---	---	---	1.50	1.50	1.80	---	---	---	---	---	---	1.55
1962	---	---	---	---	4.70	1.60	---	---	---	---	---	---	3.75
1963	---	---	---	---	1.70	1.20	---	---	---	---	---	---	1.50
1964	---	---	---	3.00	2.80	2.60	---	---	---	---	---	---	2.70
1965	---	---	---	---	6.00	4.60	---	---	---	---	---	---	5.40
Tennessee:													
1959	---	---	---	---	2.20	1.80	3.80	---	---	---	---	---	2.10
1960	---	---	---	---	3.30	2.45	3.00	---	---	---	---	---	2.50
1961	---	---	---	---	2.55	2.90	3.15	3.15	---	---	---	---	2.85
1962	---	---	---	---	3.35	2.70	3.05	---	---	---	---	---	2.85
1963	---	---	---	---	2.75	2.25	2.75	---	---	---	---	---	2.45
1964	---	---	---	---	3.30	3.20	3.20	2.10	---	---	---	---	3.20
1965	---	---	---	---	5.80	3.50	1.80	2.95	---	---	---	---	3.55
Group Total:													
1959	---	---	---	---	2.25	2.05	3.15	2.65	3.10	3.90	4.00	---	2.20
1960	---	---	---	---	3.80	2.25	2.40	1.90	2.65	2.80	---	---	2.57
1961	---	---	---	1.50	1.80	3.45	2.80	2.30	2.00	2.05	1.90	2.05	2.82
1962	---	---	---	---	4.60	2.35	2.00	1.90	2.05	1.95	1.95	2.05	3.00
1963	---	---	---	---	2.10	2.00	2.85	2.55	2.05	1.95	2.90	2.05	2.13
1964	---	---	---	3.00	3.25	3.30	2.70	2.80	3.35	3.05	3.00	3.00	3.20
1965	---	---	---	---	6.30	3.45	2.30	2.60	2.15	2.05	2.05	2.00	3.71
Early Summer													
Massachusetts:													
1959	---	---	---	---	---	2.75	3.70	3.35	---	---	---	---	3.40
1960	---	---	---	---	---	3.00	2.70	2.45	---	---	---	---	2.65
1961	---	---	---	---	---	3.90	3.90	2.95	---	---	---	---	3.45
1962	---	---	---	---	---	2.90	2.70	2.80	---	---	---	---	2.75
1963	---	---	---	---	---	3.20	3.40	3.35	---	---	---	---	3.35
1964	---	---	---	---	---	4.00	3.20	4.20	---	---	---	---	3.70
1965	---	---	---	---	---	3.00	2.85	3.05	---	---	---	---	2.95
Rhode Island:													
1959	---	---	---	---	---	2.70	3.65	3.40	---	---	---	---	3.45
1960	---	---	---	---	---	2.80	2.65	2.45	---	---	---	---	2.55
1961	---	---	---	---	---	4.00	3.50	3.30	---	---	---	---	3.40
1962	---	---	---	---	---	2.90	3.00	2.80	---	---	---	---	2.90
1963	---	---	---	---	---	3.20	3.35	3.30	---	---	---	---	3.30
1964	---	---	---	---	---	3.90	3.20	4.20	---	---	---	---	3.60
1965	---	---	---	---	---	3.50	3.00	3.00	---	---	---	---	3.10

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities; seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CRT. --													
Early Summer, Con.													
CABBAGE - Continued													
Connecticut:													
1959	---	---	---	---	---	2.80	3.70	3.90	---	---	---	---	3.30
1960	---	---	---	---	---	2.90	2.65	2.50	---	---	---	---	2.70
1961	---	---	---	---	---	3.90	3.40	3.15	---	---	---	---	3.45
1962	---	---	---	---	---	3.00	2.65	2.65	---	---	---	---	2.75
1963	---	---	---	---	---	3.30	3.20	2.95	---	---	---	---	3.20
1964	---	---	---	---	---	4.00	3.80	3.90	---	---	---	---	3.90
1965	---	---	---	---	---	4.20	2.90	2.90	---	---	---	---	3.30
New Jersey:													
1959	---	---	---	---	3.60	2.05	2.90	2.60	---	---	---	---	2.45
1960	---	---	---	---	5.80	2.35	1.75	1.45	---	---	---	---	2.00
1961	---	---	---	---	---	3.90	2.95	2.10	---	---	---	---	3.25
1962	---	---	---	---	---	2.15	1.90	2.05	---	---	---	---	2.05
1963	---	---	---	---	---	2.65	2.40	2.00	---	---	---	---	2.40
1964	---	---	---	---	---	3.20	2.95	3.50	---	---	---	---	3.15
1965	---	---	---	---	---	3.05	1.95	1.80	---	---	---	---	2.40
Ohio:													
1959	---	---	---	---	---	---	3.00	2.30	3.00	---	---	---	2.75
1960	---	---	---	---	---	---	2.30	2.40	2.40	---	---	---	2.35
1961	---	---	---	---	---	---	3.00	1.80	1.60	---	---	---	2.10
1962	---	---	---	---	---	---	2.00	2.20	2.65	---	---	---	2.20
1963	---	---	---	---	---	---	3.00	2.40	2.15	---	---	---	2.60
1964	---	---	---	---	---	---	3.00	3.10	3.40	---	---	---	3.15
1965	---	---	---	---	---	---	2.30	2.05	1.75	---	---	---	2.10
Virginia:													
1959	---	---	---	---	---	---	1.80	1.55	1.90	---	---	---	1.75
1960	---	---	---	---	---	---	1.70	1.35	1.20	---	---	---	1.60
1961	---	---	---	---	---	---	1.95	1.25	1.25	---	---	---	1.55
1962	---	---	---	---	---	---	1.55	1.50	1.90	---	---	---	1.55
1963	---	---	---	---	---	---	2.00	1.50	1.50	---	---	---	1.70
1964	---	---	---	---	---	---	2.75	2.40	2.55	---	---	---	2.55
1965	---	---	---	---	---	---	1.90	1.65	1.75	---	---	---	1.75
Group Total:													
1959	---	---	---	---	3.60	2.15	2.90	2.55	2.90	---	---	---	2.61
1960	---	---	---	---	5.80	2.45	2.05	1.95	2.35	---	---	---	2.15
1961	---	---	---	---	---	3.90	2.95	2.15	1.55	---	---	---	2.81
1962	---	---	---	---	---	2.30	2.05	2.15	2.50	---	---	---	2.17
1963	---	---	---	---	---	2.75	2.70	2.35	2.00	---	---	---	2.54
1964	---	---	---	---	---	3.30	3.00	3.40	3.20	---	---	---	3.20
1965	---	---	---	---	---	3.15	2.20	2.15	1.75	---	---	---	2.40
Late Summer													
Pennsylvania:													
1959	---	---	---	---	---	2.90	2.85	2.40	2.00	2.20	3.30	---	2.35
1960	---	---	---	---	---	2.50	2.20	1.80	1.75	1.70	1.65	---	1.85
1961	---	---	---	---	---	3.60	3.10	1.95	1.90	1.70	1.70	---	2.10
1962	---	---	---	---	---	2.80	2.20	2.10	2.20	1.90	1.90	---	2.10
1963	---	---	---	---	---	2.85	2.90	2.00	1.90	2.30	2.05	---	2.15
1964	---	---	---	---	---	2.65	3.50	3.00	2.90	2.95	2.90	---	3.05
1965	---	---	---	---	---	3.80	3.20	2.30	2.10	2.20	1.90	---	2.35
Indiana:													
1959	---	---	---	---	---	2.00	1.70	2.20	2.65	3.20	4.00	---	2.20
1960	---	---	---	---	---	2.70	2.60	1.90	1.75	1.75	1.90	1.85	2.15
1961	---	---	---	---	---	2.80	2.75	1.75	2.00	2.10	2.20	---	2.25
1962	---	---	---	---	---	2.65	1.80	2.10	2.50	2.20	2.00	2.00	2.25
1963	---	---	---	---	---	3.00	2.70	1.65	2.80	2.35	2.30	2.55	2.45
1964	---	---	---	---	---	3.20	2.35	3.00	2.35	2.15	2.95	2.95	2.65
1965	---	---	---	---	---	3.80	2.30	1.60	1.85	1.80	1.90	2.00	2.40
Illinois:													
1959	---	---	---	---	---	2.75	2.50	2.25	3.00	3.30	4.30	---	2.75
1960	---	---	---	---	---	2.75	2.45	1.90	2.40	2.05	2.40	1.90	2.25
1961	---	---	---	---	---	3.60	2.30	1.40	1.95	1.45	1.80	1.85	1.90
1962	---	---	---	---	---	2.50	1.85	1.90	2.00	2.10	2.40	---	2.00
1963	---	---	---	---	---	2.00	2.00	2.20	2.80	2.60	2.20	1.80	2.30
1964	---	---	---	---	---	2.50	2.35	3.85	3.80	3.60	4.30	---	3.25
1965	---	---	---	---	---	4.20	2.50	2.15	2.30	2.50	2.60	2.25	2.45

Table 2.--Vegetables, Melons, and Strawberries for Fresh Markets: Monthly and season average prices by commodities; seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
CABBAGE - Continued													
Late Summer, Con.													
Iowa:													
1959	---	---	---	---	---	4.00	3.60	3.20	3.80	3.95	3.10	---	3.60
1960	---	---	---	---	---	3.15	2.95	3.05	2.75	2.70	2.15	2.40	2.90
1961	---	---	---	---	---	3.45	3.25	2.90	2.95	2.90	3.15	---	3.15
1962	---	---	---	---	---	3.20	3.00	2.25	2.25	2.60	2.90	---	2.90
1963	---	---	---	---	---	3.25	3.25	2.35	2.20	2.25	2.75	---	3.00
1964	---	---	---	---	---	---	3.20	2.80	2.45	2.60	---	---	2.90
1965	---	---	---	---	---	---	3.50	3.40	3.25	3.30	---	---	3.40
North Carolina:													
1959	---	---	---	---	---	2.00	2.00	1.70	2.20	2.90	---	---	2.25
1960	---	---	---	---	---	1.40	1.40	1.30	1.25	1.25	---	---	1.30
1961	---	---	---	---	---	2.60	2.50	1.40	1.40	1.25	---	---	1.60
1962	---	---	---	---	---	1.60	1.90	1.80	1.80	1.25	---	---	1.55
1963	---	---	---	---	---	1.55	1.60	1.45	1.40	1.35	---	---	1.45
1964	---	---	---	---	---	2.50	2.50	2.50	3.10	2.60	---	---	2.65
1965	---	---	---	---	---	4.30	1.75	1.60	1.55	1.40	---	---	2.00
Georgia:													
1959	---	---	---	---	---	---	2.40	2.20	2.10	3.00	3.30	3.50	2.50
1960	---	---	---	---	---	---	2.10	1.75	2.00	2.10	---	---	2.00
1961	---	---	---	---	---	---	2.90	1.65	2.00	2.00	---	---	2.35
1962	---	---	---	---	---	---	1.80	2.00	2.00	2.25	2.25	2.25	2.00
1963	---	---	---	---	---	---	2.20	2.00	2.50	2.50	2.50	2.50	2.30
1964	---	---	---	---	---	---	2.60	2.35	2.50	2.50	2.50	2.40	2.55
1965	---	---	---	---	---	---	3.50	3.35	3.25	3.20	3.20	3.20	3.40
Colorado:													
1959	---	---	---	---	---	3.60	2.05	1.50	2.20	2.85	2.35	---	2.15
1960	---	---	---	---	---	3.70	1.90	1.50	1.30	1.30	1.20	1.30	1.45
1961	---	---	---	---	---	4.00	2.30	1.25	1.05	1.15	1.10	1.10	1.30
1962	---	---	---	---	---	3.80	1.30	1.65	1.30	1.40	1.30	1.50	1.45
1963	---	---	---	---	---	4.50	2.35	1.70	1.50	1.70	2.00	2.00	1.85
1964	---	---	---	---	---	2.10	2.10	3.20	2.80	3.10	3.55	3.60	2.95
1965	---	---	---	---	---	2.65	2.65	1.80	1.50	1.70	1.80	2.60	1.80
Washington:													
1959	---	---	---	---	---	2.60	2.30	2.30	2.35	2.70	2.80	2.75	2.45
1960	---	---	---	---	---	2.45	2.50	2.80	2.90	2.80	2.65	2.70	2.70
1961	---	---	---	---	---	3.00	2.95	3.00	2.90	3.20	2.80	2.50	2.95
1962	2.85	---	---	---	---	2.90	2.35	2.40	2.30	2.10	1.85	1.85	2.30
1963	2.75	---	---	---	---	2.55	2.85	3.50	2.90	2.90	2.90	2.40	2.95
1964	2.10	2.25	---	---	---	3.15	3.30	3.30	3.65	3.75	3.55	4.25	3.50
1965	2.45	2.45	---	---	---	3.70	3.30	3.10	3.60	3.70	3.50	4.10	3.50
1965	4.65	4.85	---	---	---	---	---	---	---	---	---	---	---
California:													
1959	---	---	---	---	---	---	2.40	2.45	3.05	2.95	2.75	---	2.75
1960	---	---	---	---	---	---	2.05	1.85	1.90	1.70	1.65	---	1.80
1961	---	---	---	---	---	---	3.95	3.80	3.35	2.70	2.55	---	3.25
1962	---	---	---	---	---	---	1.90	1.95	2.00	2.30	1.95	---	2.00
1963	---	---	---	---	---	---	2.55	3.25	2.70	2.35	2.10	---	2.55
1964	---	---	---	---	---	---	2.35	2.65	3.95	3.80	3.25	---	3.20
1965	---	---	---	---	---	---	2.25	2.05	1.75	2.30	2.30	---	2.15
Group Total:													
1959	---	---	---	---	---	2.40	2.50	2.05	2.35	2.90	2.90	3.05	2.47
1960	---	---	---	---	---	2.00	2.20	1.75	1.65	1.60	1.75	1.90	1.80
1961	---	---	---	---	---	3.05	2.90	1.95	1.80	1.70	2.05	1.40	2.10
1962	2.85	---	---	---	---	2.35	1.90	1.90	1.90	1.75	1.90	1.75	1.89
1963	2.10	2.25	---	---	---	2.30	2.40	2.10	2.00	2.05	2.15	2.10	2.14
1964	2.45	2.45	---	---	---	2.70	2.60	3.00	3.20	3.15	3.45	3.30	3.01
1965	4.65	4.85	---	---	---	4.05	2.65	2.05	1.95	2.05	2.35	2.90	2.29
Early Fall													
New Hampshire:													
1959	3.20	3.40	5.00	---	---	---	3.60	3.60	3.20	3.80	4.20	5.90	3.95
1960	6.00	---	---	---	---	---	2.95	2.85	3.30	2.60	2.55	2.90	2.85
1961	3.00	---	---	---	---	---	3.80	3.35	2.75	2.65	2.60	2.85	2.95
1962	3.50	---	---	---	---	---	3.00	3.00	2.75	2.60	2.70	3.00	2.90
1963	4.80	6.40	---	---	---	---	3.75	3.45	3.35	3.20	3.10	3.40	3.35
1964	---	---	---	---	---	---	3.05	4.00	4.00	3.20	3.00	3.90	3.50
1965	3.30	---	---	---	---	---	3.00	3.30	2.95	2.60	2.60	2.80	2.80

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>CABBAGE - Continued</u>													
Early Fall, Con.													
Massachusetts:													
1959	---	---	---	---	---	---	---	---	3.50	3.75	4.20	5.00	3.75
1960	---	---	---	---	---	---	---	---	2.85	2.50	2.65	2.90	2.70
1961	3.20	---	---	---	---	---	---	---	2.25	2.60	2.70	2.80	2.60
1962	3.05	---	---	---	---	---	---	---	2.75	2.70	2.95	3.25	2.80
1963	4.00	---	---	---	---	---	---	---	3.35	2.95	3.00	3.15	3.15
1964	3.20	3.00	---	---	---	---	---	---	4.10	3.20	3.20	3.70	3.55
1965	3.10	---	---	---	---	---	---	---	2.90	2.50	2.75	2.90	2.75
Rhode Island:													
1959	3.60	---	---	---	---	---	---	---	3.70	4.00	3.80	4.00	3.85
1960	---	---	---	---	---	---	---	---	2.90	2.70	2.50	2.50	2.75
1961	---	---	---	---	---	---	---	---	3.10	2.85	2.95	3.10	3.00
1962	---	---	---	---	---	---	---	---	2.85	3.00	3.00	---	2.90
1963	---	---	---	---	---	---	---	---	3.40	3.00	2.95	3.00	3.15
1964	---	---	---	---	---	---	---	---	3.80	3.30	2.95	4.80	3.55
1965	---	---	---	---	---	---	---	---	3.00	2.90	2.75	3.10	2.95
Connecticut:													
1959	---	---	---	---	---	---	---	---	3.50	4.10	4.65	4.75	3.95
1960	---	---	---	---	---	---	---	---	2.70	2.70	3.00	3.50	2.80
1961	---	---	---	---	---	---	---	---	3.05	2.95	3.40	4.00	3.10
1962	---	---	---	---	---	---	---	---	2.70	2.85	2.85	---	2.80
1963	---	---	---	---	---	---	---	---	3.30	3.20	3.30	---	3.25
1964	---	---	---	---	---	---	---	---	4.20	3.85	3.90	5.10	3.95
1965	---	---	---	---	---	---	---	---	2.80	3.25	3.25	3.50	3.10
New York, L.I.:													
1959	---	---	---	---	---	2.40	2.65	2.20	3.30	3.40	4.80	4.80	3.40
1960	---	---	---	---	---	2.00	2.00	1.55	2.15	1.85	1.95	2.10	1.90
1961	---	---	---	---	---	3.50	3.20	2.20	2.40	2.20	2.15	2.25	2.45
1962	2.70	---	---	---	---	2.10	1.90	2.00	2.30	2.10	2.20	3.40	2.25
1963	4.50	---	---	---	---	2.85	2.20	1.95	2.45	2.10	2.00	2.80	2.25
1964	3.10	---	---	---	---	2.50	2.80	3.40	2.70	2.70	3.00	3.40	3.00
1965	---	---	---	---	---	1.90	1.40	1.25	1.85	2.10	2.50	3.15	2.05
New York, Upst.:													
1959	2.20	2.50	3.20	---	---	2.50	2.90	2.50	2.80	3.20	4.50	5.00	3.85
1960	4.10	4.20	4.20	---	---	2.80	2.20	1.80	2.00	1.90	1.70	1.80	1.80
1961	1.60	1.55	1.80	2.30	---	4.00	2.90	1.90	1.55	1.60	1.50	1.80	2.60
1962	3.20	2.80	6.50	7.50	---	2.25	2.00	2.00	2.30	1.70	2.00	3.20	2.75
1963	3.70	4.60	4.50	---	---	3.50	2.30	2.00	1.85	1.60	1.65	1.90	2.00
1964	2.20	2.10	2.30	2.40	---	3.10	2.70	2.80	3.10	2.60	3.25	3.45	3.25
1965	3.25	3.70	4.50	4.50	---	3.60	2.25	1.65	1.75	1.75	1.75	1.95	2.40
New Jersey:													
1959	2.45	2.65	3.30	---	---	---	---	---	3.50	3.40	4.50	3.90	3.70
1960	5.40	---	---	---	---	---	---	---	1.90	1.80	1.90	1.90	1.85
1961	---	---	---	---	---	---	---	---	2.30	2.20	2.10	2.00	2.20
1962	2.00	2.00	---	---	---	---	---	---	2.25	1.80	1.95	2.85	2.05
1963	2.85	2.85	---	---	---	---	---	---	2.25	2.05	2.10	2.65	2.20
1964	2.55	---	---	---	---	---	---	---	3.70	3.10	3.25	3.55	3.35
1965	---	---	---	---	---	---	---	---	2.15	2.30	2.55	2.80	2.35
Pennsylvania:													
1959	1.50	---	---	---	---	---	---	---	2.40	2.65	3.15	3.00	2.80
1960	---	---	---	---	---	---	---	---	1.75	1.80	1.70	1.60	1.75
1961	1.50	---	---	---	---	---	---	---	1.80	1.70	1.70	1.80	1.70
1962	1.90	2.00	---	---	---	---	---	---	2.15	2.00	1.95	2.20	2.05
1963	2.20	2.20	---	---	---	---	---	---	1.90	2.20	2.05	2.15	2.10
1964	2.20	2.20	---	---	---	---	---	---	3.10	3.05	2.70	2.25	2.85
1965	2.00	---	---	---	---	---	---	---	2.30	2.20	1.90	1.70	2.05
Ohio:													
1959	---	---	---	---	---	---	---	---	---	3.40	3.80	3.80	3.50
1960	---	---	---	---	---	---	---	---	---	2.50	2.40	2.40	2.45
1961	2.10	---	---	---	---	---	---	---	---	1.75	2.00	1.80	1.85
1962	---	---	---	---	---	---	---	---	---	2.40	2.30	2.30	2.35
1963	---	---	---	---	---	---	---	---	---	2.25	2.25	2.30	2.25
1964	1.90	---	---	---	---	---	---	---	---	3.35	3.50	3.50	3.40
1965	3.45	---	---	---	---	---	---	---	---	1.60	1.55	1.55	1.55

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
--- DOLLARS PER CWT. ---													
CABBAGE - Continued													
Early Fall, Con.													
Michigan:													
1959	2.20	---	---	---	---	2.35	3.25	2.60	2.70	3.00	4.00	5.70	2.95
1960	---	---	---	---	---	2.80	2.80	2.40	2.10	2.00	1.90	2.00	2.20
1961	---	---	---	---	---	3.90	3.05	1.90	1.80	1.85	1.85	1.85	2.00
1962	1.85	---	---	---	---	3.30	2.20	2.50	2.40	2.10	2.20	2.80	2.30
1963	---	---	---	---	---	3.10	3.25	3.05	2.35	2.00	2.00	2.40	2.50
1964	---	---	---	---	---	4.20	2.50	3.25	3.20	2.80	3.45	4.10	3.10
1965	---	---	---	---	---	3.55	2.60	2.10	1.95	1.95	1.90	1.90	2.05
Wisconsin:													
1959	1.50	1.60	1.70	---	---	---	1.50	1.85	1.70	2.50	3.30	4.00	2.20
1960	3.90	2.50	---	---	---	---	1.30	1.30	1.35	1.50	1.50	1.15	1.40
1961	1.20	1.25	---	---	---	---	1.70	1.20	1.25	1.15	1.25	1.20	1.35
1962	2.00	2.30	6.40	---	---	---	2.00	2.10	1.75	1.55	1.70	3.00	1.95
1963	4.00	5.80	4.20	---	---	---	1.80	1.65	1.60	1.40	1.70	1.55	1.65
1964	1.90	1.95	3.10	---	---	---	2.25	2.45	3.00	2.70	2.60	4.10	2.70
1965	3.70	3.75	---	---	---	---	3.25	1.50	1.85	1.50	1.65	2.20	1.85
Minnesota:													
1959	1.35	---	---	---	---	2.30	2.45	2.30	2.20	3.20	3.35	3.50	2.75
1960	---	---	---	---	---	---	2.60	2.25	2.15	1.90	1.80	1.90	2.05
1961	1.90	---	---	---	---	---	3.35	2.50	1.80	1.80	1.70	1.70	2.05
1962	1.70	---	---	---	---	2.70	2.60	2.65	2.70	2.35	2.30	2.20	2.45
1963	2.20	2.20	---	---	---	2.85	2.85	2.60	2.20	2.10	2.20	1.85	2.40
1964	1.85	---	---	---	---	2.95	2.95	3.60	3.30	2.95	2.80	3.25	3.15
1965	---	---	---	---	---	---	3.85	2.50	2.15	2.05	2.00	---	2.55
Utah: 2/													
1959	---	---	---	---	---	---	---	1.75	1.75	1.50	1.50	---	1.60
1960	---	---	---	---	---	---	---	---	---	2.00	1.70	---	1.80
1961	---	---	---	---	---	---	2.25	2.25	2.25	1.60	1.45	1.45	1.80
1962	---	---	---	---	---	---	---	2.15	1.65	1.60	1.60	1.60	1.70
1963	---	---	---	---	---	---	2.20	2.20	2.20	2.20	2.20	2.20	2.20
1964	---	---	---	---	---	---	---	2.20	3.30	3.15	3.25	3.25	2.95
Oregon:													
1959	3.10	3.45	---	---	---	3.10	3.10	2.40	2.50	2.70	2.70	2.75	2.70
1960	2.65	2.65	2.65	---	---	3.20	3.10	2.95	2.75	2.65	2.45	2.35	2.50
1961	2.30	2.30	2.35	2.35	---	3.20	3.20	3.00	2.40	2.35	2.35	2.50	2.55
1962	2.65	2.70	2.70	---	---	3.00	2.75	2.80	2.05	1.80	1.85	1.85	2.10
1963	2.80	---	---	---	---	3.55	3.55	3.60	3.10	2.60	2.30	2.25	2.70
1964	2.35	2.35	2.25	---	---	3.45	3.45	2.90	2.95	2.75	2.45	2.70	2.80
1965	2.70	---	---	---	---	4.20	4.20	3.40	3.20	3.10	3.00	2.95	3.25
Group Total:													
1959	2.10	2.45	3.00	---	---	2.45	2.50	2.25	2.55	3.05	4.00	4.55	3.14
1960	4.10	3.55	4.00	---	---	2.65	2.25	1.85	2.00	1.95	1.90	1.90	1.93
1961	1.70	1.55	1.85	2.30	---	3.75	2.95	1.75	1.95	1.85	1.80	1.90	2.24
1962	3.00	2.75	6.50	7.50	---	2.60	2.15	2.20	2.25	1.95	2.10	2.95	2.40
1963	3.50	4.45	4.45	---	---	3.25	2.70	2.25	2.20	2.00	2.00	2.15	2.19
1964	2.20	2.10	2.35	2.40	---	3.40	2.60	2.90	3.25	2.90	3.15	3.40	3.13
1965	3.25	3.70	4.50	4.50	---	3.30	2.70	1.90	2.05	2.00	2.05	2.20	2.29
Late Fall													
Virginia:													
1959	2.90	---	---	---	---	---	---	---	---	3.45	5.10	3.90	4.35
1960	2.70	---	---	---	---	---	---	---	---	2.25	2.30	2.55	2.45
1961	2.15	---	---	---	---	---	---	---	---	2.25	3.10	3.20	3.05
1962	2.90	3.00	---	---	---	---	---	---	---	2.70	2.05	2.45	2.35
1963	---	---	---	---	---	---	---	---	---	2.60	2.25	2.65	2.55
1964	3.00	3.00	3.00	---	---	---	---	---	---	3.30	3.50	3.30	3.35
1965	3.30	---	---	---	---	---	---	---	---	3.90	3.60	3.65	3.60
North Carolina:													
1959	1.25	---	---	---	---	---	---	---	---	2.60	3.80	3.75	3.60
1960	1.60	---	---	---	---	---	---	---	---	1.45	1.05	.95	1.00
1961	.95	---	---	---	---	---	---	---	---	1.40	1.20	1.00	1.10
1962	1.00	---	---	---	---	---	---	---	---	1.15	1.35	1.85	1.55
1963	1.60	---	---	---	---	---	---	---	---	1.30	1.30	1.15	1.25
1964	1.40	---	---	---	---	---	---	---	---	2.50	2.55	2.50	2.50
1965	2.20	---	---	---	---	---	---	---	---	1.45	1.85	1.65	1.75

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	S/pt.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
CABBAGE - Continued													
Late Fall, Con.													
South Carolina:													
1959	3.50	2.95	---	---	---	---	---	---	---	3.50	3.50	4.00	3.80
1960	4.10	5.00	---	---	---	---	---	---	---	2.00	1.85	1.90	1.90
1961	2.05	2.05	---	---	---	---	---	---	---	---	2.35	2.35	2.35
1962	2.20	2.35	---	---	---	---	---	---	---	3.50	2.85	2.60	2.75
1963	2.50	2.60	---	---	---	---	---	---	---	3.85	3.00	3.00	3.15
1964	3.40	3.00	---	---	---	---	---	---	---	4.00	4.00	3.75	3.30
1965	3.10	2.90	2.60	---	---	---	---	---	---	2.50	3.00	3.10	2.90
Group Total:													
1959	2.35	2.95	---	---	---	---	---	---	---	2.70	3.90	3.80	3.69
1960	2.10	5.00	---	---	---	---	---	---	---	1.95	1.20	1.20	1.25
1961	1.60	2.05	---	---	---	---	---	---	---	1.85	1.50	1.40	1.47
1962	1.35	2.50	---	---	---	---	---	---	---	2.10	1.50	2.00	1.78
1963	2.15	2.60	---	---	---	---	---	---	---	2.25	1.45	1.35	1.50
1964	2.65	3.00	3.00	---	---	---	---	---	---	3.20	2.70	2.60	2.66
1965	2.65	2.90	2.60	---	---	---	---	---	---	2.35	2.05	2.00	2.09
Spring													
Florida:													
1959	---	---	---	6.50	6.70	5.80	---	---	---	---	---	---	6.20
1960	---	---	---	---	7.20	6.00	4.40	---	---	---	---	---	6.20
1961	---	---	---	---	6.10	5.80	---	---	---	---	---	---	6.00
1962	---	---	---	---	4.40	3.80	---	---	---	---	---	---	4.00
1963	---	---	---	---	2.90	2.30	---	---	---	---	---	---	2.65
1964	---	---	---	5.50	5.00	4.85	---	---	---	---	---	---	4.95
1965	---	---	---	5.30	4.70	4.20	---	---	---	---	---	---	4.50
Texas:													
1959	---	---	---	---	7.70	4.90	4.25	---	---	---	---	---	5.10
1960	---	---	---	---	10.20	6.70	6.20	---	---	---	---	---	6.70
1961	---	---	---	10.60	9.90	7.60	5.10	---	---	---	---	---	8.30
1962	---	---	---	---	9.20	6.60	5.50	---	---	---	---	---	7.90
1963	---	---	---	---	7.20	6.20	6.00	---	---	---	---	---	6.80
1964	---	---	---	---	8.50	7.10	6.30	---	---	---	---	---	7.90
1965	---	---	---	---	10.10	6.70	6.40	---	---	---	---	---	7.70
Arizona:													
1959	---	---	---	---	8.20	4.40	---	---	---	---	---	---	4.65
1960	---	---	---	---	9.00	5.30	5.30	---	---	---	---	---	5.40
1961	---	---	---	---	10.40	7.30	6.60	---	---	---	---	---	7.50
1962	---	---	---	---	---	5.50	4.40	---	---	---	---	---	5.40
1963	---	---	---	---	9.40	6.80	8.00	---	---	---	---	---	7.10
1964	---	---	---	---	---	7.70	7.00	---	---	---	---	---	7.50
1965	---	---	---	---	---	8.30	6.70	---	---	---	---	---	7.90
California:													
1959	---	---	---	---	8.40	3.85	3.40	---	---	---	---	---	4.90
1960	---	---	---	---	8.40	4.65	2.85	---	---	---	---	---	5.40
1961	---	---	---	---	9.00	6.00	3.80	---	---	---	---	---	6.70
1962	---	---	---	---	9.50	4.85	3.55	---	---	---	---	---	4.80
1963	---	---	---	---	8.00	5.70	6.30	---	---	---	---	---	6.10
1964	---	---	---	---	9.00	6.70	6.10	---	---	---	---	---	6.60
1965	---	---	---	---	9.00	6.80	5.70	---	---	---	---	---	6.50
Group Total:													
1959	---	---	---	6.50	8.20	4.25	3.85	---	---	---	---	---	4.83
1960	---	---	---	---	8.50	5.30	4.85	---	---	---	---	---	5.56
1961	---	---	---	10.60	9.40	7.00	5.20	---	---	---	---	---	7.35
1962	---	---	---	---	9.00	5.40	4.10	---	---	---	---	---	5.69
1963	---	---	---	---	7.40	6.40	7.40	---	---	---	---	---	6.73
1964	---	---	---	5.50	8.00	7.40	6.80	---	---	---	---	---	7.29
1965	---	---	---	5.30	9.30	7.50	6.40	---	---	---	---	---	7.48
Early Summer													
South Carolina:													
1959	---	---	---	---	---	3.80	3.35	3.40	3.55	---	---	---	3.45
1960	---	---	---	---	---	3.10	2.75	2.30	3.75	---	---	---	2.70
1961	---	---	---	---	---	4.70	3.30	2.00	2.50	2.25	---	---	3.00
1962	---	---	---	---	---	3.80	2.70	3.30	3.80	---	---	---	2.80
1963	---	---	---	---	---	5.30	3.00	2.55	3.05	---	---	---	2.95
1964	---	---	---	---	---	4.40	3.20	2.75	4.50	---	---	---	3.20
1965	---	---	---	---	---	4.15	3.10	2.90	3.50	---	---	---	3.10

Table 2.--Vegetables, Nuts, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>CANWALCUTS - Continued</u>													
Early Summer Con:													
Georgia:													
1959	---	---	---	---	---	4.00	3.20	7.00	---	---	---	---	3.75
1960	---	---	---	---	---	4.60	2.30	3.00	---	---	---	---	3.05
1961	---	---	---	---	---	5.40	3.80	3.75	4.10	---	---	---	4.20
1962	---	---	---	---	---	4.30	2.80	4.50	5.50	---	---	---	3.55
1963	---	---	---	---	---	3.10	2.90	4.50	5.50	---	---	---	3.10
1964	---	---	---	---	---	5.60	3.30	3.75	---	---	---	---	4.30
1965	---	---	---	---	---	3.30	2.90	3.50	---	---	---	---	3.20
Alabama:													
1959 3/	---	---	---	---	---	---	---	---	---	---	---	---	2.90
1960 3/	---	---	---	---	---	---	---	---	---	---	---	---	2.40
1961	---	---	---	---	---	4.85	2.60	2.10	2.45	---	---	---	2.40
1962	---	---	---	---	---	2.75	1.95	3.15	3.85	---	---	---	2.40
1963	---	---	---	---	---	3.60	3.40	3.15	3.55	---	---	---	3.35
1964	---	---	---	---	---	4.00	4.05	3.25	4.80	---	---	---	3.85
1965	---	---	---	---	---	3.00	3.25	3.90	5.00	---	---	---	3.40
Oklahoma:													
1959	---	---	---	---	---	---	3.40	2.40	---	---	---	---	2.70
1960	---	---	---	---	---	---	1.75	2.60	---	---	---	---	2.65
1961	---	---	---	---	---	---	3.00	3.00	---	---	---	---	3.00
1962	---	---	---	---	---	---	---	2.80	---	---	---	---	2.80
1963	---	---	---	---	---	4.00	3.00	2.80	2.00	---	---	---	2.95
1964	---	---	---	---	---	3.90	3.00	2.95	---	---	---	---	3.10
1965	---	---	---	---	---	---	2.90	2.80	---	---	---	---	2.90
Arizona:													
1959	---	---	---	---	---	4.35	4.50	---	---	---	---	---	4.35
1960	---	---	---	---	---	5.10	5.70	---	---	---	---	---	5.20
1961	---	---	---	---	---	6.70	6.40	---	---	---	---	---	6.50
1962	---	---	---	---	---	3.70	4.35	---	---	---	---	---	4.20
1963	---	---	---	---	---	8.10	8.00	---	---	---	---	---	8.00
1964	---	---	---	---	---	7.10	5.90	---	---	---	---	---	6.00
1965	---	---	---	---	---	7.20	7.20	---	---	---	---	---	7.20
Group Total:													
1959	---	---	---	---	---	4.20	3.50	2.85	3.55	---	---	---	3.72
1960	---	---	---	---	---	4.90	2.85	2.60	3.75	---	---	---	3.39
1961	---	---	---	---	---	6.10	4.30	2.55	2.80	2.25	---	---	4.33
1962	---	---	---	---	---	4.15	2.95	3.20	4.45	---	---	---	3.29
1963	---	---	---	---	---	3.35	3.80	3.15	3.45	---	---	---	3.58
1964	---	---	---	---	---	5.50	3.65	3.20	4.65	---	---	---	4.07
1965	---	---	---	---	---	3.35	3.65	3.40	4.50	---	---	---	3.52
Mid-Summer													
Indiana:													
1959	---	---	---	---	---	---	4.40	2.85	3.00	---	---	---	3.20
1960	---	---	---	---	---	---	3.75	3.25	2.45	---	---	---	3.20
1961	---	---	---	---	---	---	3.50	3.00	3.10	---	---	---	3.10
1962	---	---	---	---	---	---	3.50	3.00	2.00	---	---	---	3.30
1963	---	---	---	---	---	---	3.90	3.00	2.60	---	---	---	3.40
1964	---	---	---	---	---	---	5.10	4.50	4.00	---	---	---	4.85
1965	---	---	---	---	---	---	4.00	3.50	3.00	---	---	---	3.80
Illinois:													
1959	---	---	---	---	---	---	---	2.55	2.55	---	---	---	2.55
1960	---	---	---	---	---	---	---	2.75	2.60	2.50	---	---	2.65
1961	---	---	---	---	---	---	---	3.40	3.15	---	---	---	3.30
1962	---	---	---	---	---	---	---	2.30	1.70	---	---	---	2.10
1963	---	---	---	---	---	---	---	2.50	3.65	2.55	---	---	3.20
1964	---	---	---	---	---	---	---	2.00	2.05	2.30	---	---	2.15
1965	---	---	---	---	---	---	---	3.40	2.70	2.20	---	---	2.90
Iowa: 2/													
1959	---	---	---	---	---	---	5.60	4.20	4.20	4.25	---	---	4.25
1960	---	---	---	---	---	---	5.80	4.30	3.60	4.00	---	---	4.25
1961	---	---	---	---	---	---	3.50	3.80	4.10	4.10	---	---	3.85
1962	---	---	---	---	---	---	4.00	4.00	4.50	4.90	---	---	4.10
1963	---	---	---	---	---	---	4.50	4.25	4.20	4.75	---	---	4.30
1964	---	---	---	---	---	---	4.75	3.30	3.50	---	---	---	3.40

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- BELLARS PER CWT. --													
CANTALOUPS - Continued													
Mid-Summer, Con.													
Missouri: 2/													
1959	---	---	---	---	---	---	4.00	3.15	3.40	---	---	---	3.40
1960	---	---	---	---	---	---	3.85	2.80	2.65	3.50	---	---	2.95
1961	---	---	---	---	---	---	---	2.30	2.05	---	---	---	2.25
1962	---	---	---	---	---	---	3.05	2.45	2.50	---	---	---	2.75
1963	---	---	---	---	---	---	3.85	2.85	2.70	---	---	---	3.05
1964	---	---	---	---	---	---	2.90	2.95	3.45	---	---	---	2.95
Delaware:													
1959	---	---	---	---	---	---	3.25	3.00	2.00	---	---	---	3.05
1960	---	---	---	---	---	---	3.05	2.55	---	---	---	---	2.65
1961	---	---	---	---	---	---	3.05	2.85	2.75	---	---	---	2.90
1962	---	---	---	---	---	---	3.15	2.95	2.20	---	---	---	2.90
1963	---	---	---	---	---	---	5.30	2.85	2.30	---	---	---	3.05
1964	---	---	---	---	---	---	4.10	2.60	2.30	---	---	---	2.70
1965	---	---	---	---	---	---	3.35	2.65	2.65	---	---	---	2.75
Maryland:													
1959	---	---	---	---	---	---	3.00	3.50	3.30	---	---	---	3.35
1960	---	---	---	---	---	---	3.95	2.30	3.00	---	---	---	2.60
1961	---	---	---	---	---	---	3.00	2.85	3.10	---	---	---	2.90
1962	---	---	---	---	---	---	3.15	2.95	2.20	---	---	---	2.90
1963	---	---	---	---	---	---	5.30	2.85	2.30	---	---	---	3.05
1964	---	---	---	---	---	---	4.10	2.60	2.30	---	---	---	2.70
1965	---	---	---	---	---	---	3.35	2.65	2.65	---	---	---	2.75
North Carolina:													
1959	---	---	---	---	---	---	3.50	3.60	---	---	---	---	3.50
1960	---	---	---	---	---	---	3.55	3.10	---	---	---	---	3.45
1961	---	---	---	---	---	3.90	3.70	3.70	4.00	---	---	---	3.70
1962	---	---	---	---	---	---	3.80	4.00	---	---	---	---	3.80
1963	---	---	---	---	---	---	5.70	4.20	---	---	---	---	4.90
1964	---	---	---	---	---	---	4.80	4.30	---	---	---	---	4.70
1965	---	---	---	---	---	---	3.50	3.80	---	---	---	---	3.60
Arkansas: 2/													
1959	---	---	---	---	---	---	2.15	2.00	2.25	---	---	---	2.10
1960	---	---	---	---	---	---	2.75	2.00	2.25	---	---	---	2.40
1961	---	---	---	---	---	---	2.80	1.90	1.75	---	---	---	2.20
1962	---	---	---	---	---	---	2.95	2.45	2.10	---	---	---	2.90
1963	---	---	---	---	---	---	2.40	2.25	---	---	---	---	2.40
1964	---	---	---	---	---	---	2.75	2.35	---	---	---	---	2.70
Texas:													
1959	---	---	---	---	---	---	3.70	4.00	4.15	---	---	---	3.95
1960	---	---	---	---	---	---	2.70	3.25	3.80	4.10	---	---	3.25
1961	---	---	---	---	---	---	6.40	5.10	4.65	4.60	---	---	4.85
1962	---	---	---	---	---	---	4.25	3.25	3.50	3.60	3.60	---	3.45
1963	---	---	---	---	---	---	---	5.90	5.00	4.50	---	---	5.20
1964	---	---	---	---	---	---	---	5.50	5.50	3.65	4.05	---	5.40
1965	---	---	---	---	---	---	---	6.40	5.70	5.80	3.00	---	5.80
New Mexico: 2/													
1959	---	---	---	---	---	---	4.70	4.00	---	---	---	---	4.10
1960	---	---	---	---	---	---	5.00	3.00	2.00	---	---	---	3.10
1961	---	---	---	---	---	---	4.50	4.00	2.50	---	---	---	4.10
1962	---	---	---	---	---	---	3.50	4.50	3.60	---	---	---	4.40
1963	---	---	---	---	---	---	---	2.30	2.30	---	---	---	2.30
1964	---	---	---	---	---	---	---	2.50	2.50	---	---	---	2.50
California:													
Cantaloups:													
1959	---	---	---	---	---	3.75	4.70	4.75	4.25	3.40	2.50	---	4.50
1960	---	---	---	---	---	4.75	4.70	3.45	4.10	3.15	2.65	---	4.15
1961	---	---	---	---	---	6.10	5.10	3.60	4.00	2.95	---	---	4.40
1962	---	---	---	---	---	---	3.65	3.90	3.45	3.45	---	---	3.70
1963	---	---	---	---	---	---	6.00	3.20	3.60	2.85	---	---	4.40
1964	---	---	---	---	---	---	4.45	3.45	3.95	4.25	---	---	4.00
1965	---	---	---	---	---	---	5.70	4.50	4.35	4.00	---	---	4.85

See footnotes on page 76.

Table 2.—Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65—Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
--- DOLLARS PER CWT. ---													
Mid-Summer, Con.	CARVALOSPS - Continued												
California:													
Perkins:													
1959	---	---	---	---	---	6.50	6.30	5.00	4.85	6.50	---	---	5.50
1960	---	---	---	---	---	7.00	6.00	6.70	4.00	4.15	3.40	---	5.50
1961	---	---	---	---	---	8.90	8.50	7.30	6.10	4.20	3.05	---	6.70
1962	---	---	---	---	---	4.50	4.40	4.60	4.40	3.55	---	---	4.35
1963	---	---	---	---	---	8.80	9.00	5.30	3.90	3.70	3.65	---	4.65
1964	---	---	---	---	---	---	8.00	5.60	4.85	4.25	4.80	---	5.30
1965	---	---	---	---	---	---	9.80	6.30	5.50	5.50	5.50	---	6.10
Group Total:													
1959	---	---	---	---	---	3.80	4.50	4.35	4.15	3.70	2.50	---	4.31
1960	---	---	---	---	---	4.85	4.55	3.35	3.90	3.30	2.70	---	3.98
1961	---	---	---	---	---	6.10	5.00	3.65	4.05	3.30	3.05	---	4.33
1962	---	---	---	---	---	4.30	3.60	3.80	3.45	3.50	---	---	3.65
1963	---	---	---	---	---	8.80	5.80	3.30	3.60	3.00	3.65	---	4.33
1964	---	---	---	---	---	---	4.50	3.55	3.90	4.25	4.80	---	4.05
1965	---	---	---	---	---	---	5.50	4.45	4.35	4.05	5.90	---	4.77
Late Summer													
New York:													
1959	---	---	---	---	---	---	---	5.20	4.80	---	---	---	5.00
1960	---	---	---	---	---	---	---	5.00	4.50	4.10	---	---	4.70
1961	---	---	---	---	---	---	---	6.00	5.80	4.55	3.90	---	4.75
1962	---	---	---	---	---	---	---	---	4.90	4.00	---	---	4.50
1963	---	---	---	---	---	---	---	---	5.00	4.00	4.10	---	4.20
1964	---	---	---	---	---	---	---	---	5.20	4.10	4.00	---	4.90
1965	---	---	---	---	---	---	---	---	6.20	5.40	---	---	5.60
New Jersey:													
1959	---	---	---	---	---	---	2.55	2.10	2.10	---	---	---	2.38
1960	---	---	---	---	---	---	3.45	1.90	2.00	---	---	---	1.95
1961	---	---	---	---	---	---	---	2.35	2.40	---	---	---	2.35
1962	---	---	---	---	---	---	---	---	2.90	2.00	---	---	2.75
1963	---	---	---	---	---	---	---	2.55	2.55	2.50	---	---	2.55
1964	---	---	---	---	---	---	4.00	3.65	2.85	---	---	---	3.55
1965	---	---	---	---	---	---	4.85	3.40	2.45	---	---	---	3.35
Ohio:													
1959	---	---	---	---	---	---	---	4.50	4.50	---	---	---	4.50
1960	---	---	---	---	---	---	---	5.00	5.00	4.50	---	---	4.65
1961	---	---	---	---	---	---	---	---	5.90	3.90	3.50	---	3.90
1962	---	---	---	---	---	---	---	4.20	4.20	3.20	---	---	3.80
1963	---	---	---	---	---	---	---	---	3.65	3.65	3.10	---	3.65
1964	---	---	---	---	---	---	---	4.95	5.80	5.30	---	---	5.60
1965	---	---	---	---	---	---	---	4.30	5.60	5.80	---	---	5.70
Michigan:													
1959	---	---	---	---	---	---	10.00	4.95	3.85	---	---	---	4.65
1960	---	---	---	---	---	---	---	3.20	2.65	---	---	---	2.80
1961	---	---	---	---	---	---	---	5.70	4.90	4.90	---	---	5.00
1962	---	---	---	---	---	---	---	5.50	5.00	---	---	---	5.30
1963	---	---	---	---	---	---	---	5.60	4.75	5.00	---	---	5.30
1964	---	---	---	---	---	---	---	7.60	6.10	---	---	---	7.30
1965	---	---	---	---	---	---	---	6.80	5.60	---	---	---	6.40
Kansas:													
1959	---	---	---	---	---	---	4.00	3.40	3.40	---	---	---	3.40
1960	---	---	---	---	---	---	4.00	3.80	3.90	---	---	---	3.90
1961	---	---	---	---	---	---	---	---	3.10	3.40	---	---	3.35
1962	---	---	---	---	---	---	---	4.00	3.15	3.10	---	---	3.20
1963	---	---	---	---	---	---	---	3.95	3.15	3.00	---	---	3.20
1964	---	---	---	---	---	---	---	4.25	3.70	2.90	---	---	2.90
1965	---	---	---	---	---	---	---	4.00	4.00	3.85	---	---	3.95
Colorado:													
1959	---	---	---	---	---	---	---	2.35	2.40	3.00	---	---	2.40
1960	---	---	---	---	---	---	---	2.75	2.35	2.10	---	---	2.50
1961	---	---	---	---	---	---	---	2.45	2.40	2.05	---	---	2.40
1962	---	---	---	---	---	---	---	---	2.35	2.50	3.55	---	2.40
1963	---	---	---	---	---	---	---	---	3.00	2.85	3.60	---	2.95
1964	---	---	---	---	---	---	---	4.00	3.15	2.65	2.90	---	2.95
1965	---	---	---	---	---	---	---	4.00	4.50	3.30	3.60	---	3.95

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
CANTALOUPE - Continued													
Late Summer, Calif.:													
Washington:													
1959	---	---	---	---	---	---	7.00	3.75	3.60	---	---	---	3.90
1960	---	---	---	---	---	---	4.55	2.80	2.75	---	---	---	2.80
1961	---	---	---	---	---	---	3.75	2.15	2.50	---	---	---	2.20
1962	---	---	---	---	---	---	---	2.65	3.00	---	---	---	2.65
1963	---	---	---	---	---	---	---	2.25	2.50	2.50	---	---	2.30
1964	---	---	---	---	---	---	---	2.90	3.30	---	---	---	3.00
1965	---	---	---	---	---	---	---	3.90	3.60	3.70	---	---	3.60
Oregon: 2/													
1959	---	---	---	---	---	---	---	3.50	3.40	3.30	---	---	3.40
1960	---	---	---	---	---	---	---	3.00	3.00	2.85	---	---	3.00
1961	---	---	---	---	---	---	3.20	3.15	2.50	2.50	---	---	2.80
1962	---	---	---	---	---	---	---	4.00	3.75	4.05	---	---	3.80
1963	---	---	---	---	---	---	---	3.15	2.90	3.00	---	---	3.00
1964	---	---	---	---	---	---	---	4.00	3.35	3.35	---	---	3.50
Group Total:													
1959	---	---	---	---	---	---	6.80	3.60	3.65	3.20	---	---	3.63
1960	---	---	---	---	---	---	4.05	3.15	3.05	2.75	---	---	3.16
1961	---	---	---	---	---	---	4.75	3.30	3.50	3.45	---	---	3.39
1962	---	---	---	---	---	---	4.05	3.60	3.55	4.05	---	---	3.60
1963	---	---	---	---	---	---	3.80	3.70	3.55	3.70	---	---	3.64
1964	---	---	---	---	---	---	4.30	5.10	3.75	3.35	---	---	4.52
1965	---	---	---	---	---	---	4.35	5.10	4.60	3.65	---	---	4.88
Early Fall													
Arizona: 2/													
1964	---	---	---	---	---	---	---	---	---	4.60	5.00	---	4.60
1965	---	---	---	---	---	---	---	---	4.70	4.70	3.95	---	4.50
California: 2/													
1961	---	---	---	---	---	---	---	---	---	4.05	4.10	---	4.05
1962	---	---	---	---	---	---	---	---	3.45	3.25	3.05	---	3.20
1963	---	---	---	---	---	---	---	---	---	3.40	3.45	---	3.40
1964	---	---	---	---	---	---	---	---	---	4.50	4.90	---	4.60
1965	---	---	---	---	---	---	---	---	---	4.60	3.85	4.65	4.30
Group Total: 2/													
1961	---	---	---	---	---	---	---	---	---	4.05	4.10	---	4.05
1962	---	---	---	---	---	---	---	---	3.45	3.25	3.05	---	3.20
1963	---	---	---	---	---	---	---	---	---	3.40	3.45	---	3.40
1964	---	---	---	---	---	---	---	---	---	4.50	4.90	---	4.60
1965	---	---	---	---	---	---	---	---	4.70	4.65	3.90	4.65	4.35
Winter													
Texas:													
1959	5.70	4.60	4.90	5.00	4.20	4.50	---	---	---	---	4.40	4.40	4.90
1960	3.65	3.10	3.00	2.85	3.95	4.20	---	---	---	---	7.70	7.70	3.40
1961	5.90	6.00	6.20	6.90	6.60	---	---	---	---	---	6.00	5.00	6.50
1962	5.00	5.60	5.80	4.70	5.80	5.80	---	---	---	---	5.00	4.70	5.40
1963	4.30	3.60	3.30	3.60	4.60	4.60	---	---	---	---	---	5.40	3.80
1964	4.70	3.65	3.25	3.15	4.20	5.80	---	---	---	---	5.20	5.20	3.80
1965	3.90	3.45	2.95	3.35	5.20	7.60	5.50	---	---	---	5.00	5.00	3.85
California:													
1959	4.95	4.60	4.50	4.55	4.60	4.40	---	---	---	---	---	3.50	4.60
1960	3.00	2.95	3.10	3.45	4.40	4.35	---	---	---	---	---	5.80	3.55
1961	5.90	6.00	6.20	7.40	7.00	7.00	---	---	---	---	---	4.40	6.60
1962	4.50	5.00	6.00	5.10	5.20	5.40	---	---	---	---	---	4.55	5.20
1963	4.00	3.40	3.15	3.30	3.70	3.45	---	---	---	---	---	6.20	3.55
1964	5.40	4.60	4.80	4.70	4.10	4.70	---	---	---	---	---	5.30	4.80
1965	4.35	4.15	3.75	4.30	4.60	5.40	---	---	---	---	---	5.80	4.35

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
WINTER, CON.													
CARROTS - Continued													
Group Total:													
1959	5.50	4.60	4.70	4.80	4.46	4.45	---	---	---	---	4.40	4.30	4.77
1960	3.55	3.05	3.00	3.00	4.10	4.25	---	---	---	---	7.70	7.50	3.43
1961	5.80	6.00	6.20	7.20	7.00	7.00	---	---	---	---	6.00	4.85	6.53
1962	4.85	5.30	5.90	4.85	5.60	5.70	---	---	---	---	5.00	4.65	5.32
1963	4.20	3.55	3.25	3.50	4.20	4.40	---	---	---	---	---	5.80	3.73
1964	4.85	3.85	3.55	3.55	4.15	5.00	---	---	---	---	5.20	5.20	4.08
1965	4.00	3.65	3.15	3.70	4.90	6.70	5.50	---	---	---	5.00	5.40	4.01
Spring													
Arizona:													
1959	5.60	3.80	3.15	2.85	4.25	3.80	3.20	---	---	---	6.30	6.30	4.05
1960	4.55	3.60	3.50	3.50	4.00	4.20	4.25	---	---	---	6.50	7.20	4.05
1961	5.90	4.65	6.20	8.00	7.40	5.50	6.60	---	---	---	---	4.50	6.40
1962	4.15	4.50	5.20	4.20	5.20	6.10	4.90	---	---	---	---	4.80	5.10
1963	4.20	3.25	4.75	5.40	4.60	4.05	4.80	---	---	---	---	5.90	4.50
1964	4.60	4.55	5.00	4.45	5.20	5.40	4.60	---	---	---	4.75	5.30	5.10
1965	4.00	3.85	3.60	3.40	5.70	5.70	5.80	---	---	---	6.00	5.80	4.90
Early Summer													
California:													
1959	---	---	---	---	4.60	4.60	4.65	3.80	---	---	---	---	4.45
1960	---	---	---	---	3.75	5.00	5.80	4.45	---	---	---	---	5.00
1961	---	---	---	---	6.70	5.60	4.70	3.90	---	---	---	---	5.00
1962	---	---	---	---	5.40	5.90	4.20	3.50	---	---	---	---	4.75
1963	---	---	---	---	3.75	3.45	3.40	3.30	---	---	---	---	3.45
1964	---	---	---	---	4.10	4.75	4.25	4.25	---	---	---	---	4.40
1965	---	---	---	---	4.90	6.50	6.10	5.10	---	---	---	---	6.00
Late Summer													
New Jersey:													
1959	2.25	2.35	3.45	---	---	4.60	3.40	2.40	2.45	2.45	2.55	3.00	2.80
1960	2.90	2.45	2.35	2.35	---	5.60	5.10	3.05	3.30	2.90	2.50	2.75	3.55
1961	2.90	3.55	3.30	---	---	---	3.45	2.40	2.90	2.70	2.95	3.10	3.05
1962	2.90	3.00	3.00	---	---	4.15	4.15	2.60	2.50	2.55	2.55	2.70	3.15
1963	2.70	2.45	2.45	---	---	---	3.70	3.00	2.70	2.40	2.45	2.35	2.95
1964	3.00	3.00	3.10	3.00	---	---	4.05	3.75	3.50	3.45	3.75	3.50	3.70
1965	3.00	---	---	---	---	---	5.30	4.25	3.65	2.55	2.50	2.30	3.65
Ohio:													
1959	3.00	2.90	3.00	---	---	---	4.00	3.00	3.00	2.60	2.50	3.00	2.85
1960	2.60	2.00	2.00	---	---	---	4.50	4.50	3.50	3.30	3.20	3.30	3.55
1961	3.00	2.50	2.00	---	---	---	4.00	3.35	3.00	3.05	3.05	3.50	3.15
1962	2.50	2.50	2.50	---	---	---	3.75	3.00	2.90	2.80	2.75	3.15	3.05
1963	3.20	3.05	3.35	---	---	---	3.30	3.00	2.90	2.85	2.95	3.05	3.00
1964	3.20	3.20	---	---	---	---	2.70	2.85	2.95	2.95	2.95	3.00	2.90
1965	3.85	---	---	---	---	---	3.75	3.45	3.65	3.15	2.75	2.85	3.40
Illinois:													
1959	2.20	2.00	2.05	3.35	---	---	---	2.70	2.40	2.10	2.10	2.20	2.30
1960	2.30	1.95	2.55	2.10	---	---	---	2.95	2.55	1.95	2.15	2.25	2.60
1961	2.10	3.20	3.60	---	---	---	---	2.35	2.40	2.00	2.30	2.25	2.50
1962	2.30	2.50	4.10	---	---	---	---	2.15	2.40	2.00	2.25	2.00	2.10
1963	1.85	2.30	2.15	---	---	---	---	2.40	2.50	2.25	2.25	2.25	2.35
1964	1.85	2.00	1.95	---	---	---	---	2.55	3.40	3.70	3.50	3.50	3.45
1965	---	---	---	---	---	---	---	3.05	3.05	2.35	2.35	2.35	3.05
Group Total:													
1959	2.40	2.30	2.85	3.35	---	4.60	3.55	2.75	2.70	2.45	2.45	2.90	2.72
1960	2.60	2.20	2.40	2.25	---	5.60	5.00	3.70	3.25	2.85	2.90	2.75	3.37
1961	2.55	3.25	2.90	---	---	---	3.55	2.95	2.75	2.65	2.85	3.25	2.94
1962	2.55	2.65	3.65	---	---	4.15	4.05	2.75	2.65	2.35	2.60	2.75	2.83
1963	2.80	2.55	2.70	---	---	---	3.55	2.95	2.65	2.45	2.75	2.85	2.79
1964	3.15	2.85	3.10	3.00	---	---	3.65	3.30	3.35	3.35	3.35	3.30	3.40
1965	3.30	---	---	---	---	---	4.75	3.75	3.25	2.90	2.65	2.50	3.40
Early Fall													
Massachusetts:													
1959	4.30	3.55	3.30	---	---	---	7.60	5.70	6.00	4.55	5.00	4.50	5.10
1960	2.90	---	---	---	---	---	9.10	6.90	6.00	5.00	4.90	5.90	5.50
1961	4.20	3.40	4.10	---	---	---	8.40	7.20	5.70	5.10	5.10	5.20	5.50
1962	3.30	---	---	---	---	---	8.80	6.90	5.80	5.30	5.30	5.40	5.60
1963	4.60	4.00	---	---	---	---	10.00	6.20	6.50	5.50	5.40	5.30	5.70
1964	4.50	3.00	---	---	---	---	8.80	7.00	6.20	5.50	4.80	5.80	5.70
1965	3.50	3.30	---	---	---	---	9.40	7.10	6.00	5.60	5.90	4.30	5.90

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Early Fall, Con.													
CONNECTICUT:													
CARROTS - Continued													
1959	4.30	3.55	3.70	---	---	---	7.60	5.70	6.00	4.60	5.00	4.50	5.10
1960	2.90	2.20	2.40	---	---	---	9.00	6.80	5.80	5.00	4.80	5.80	5.30
1961	4.20	---	---	---	---	---	8.50	7.50	6.00	5.20	5.00	5.20	5.60
1962	4.00	---	---	---	---	---	8.00	6.90	5.20	5.20	5.40	5.60	5.60
1963	4.60	---	---	---	---	---	9.00	5.90	6.40	5.50	5.30	5.50	5.70
1964	5.00	---	---	---	---	---	---	7.00	6.00	5.50	5.40	5.80	5.80
1965	3.50	---	---	---	---	---	---	7.50	6.00	5.60	5.50	4.30	5.80
New York:													
1959	2.90	2.80	2.75	2.75	---	---	2.00	2.30	2.70	3.10	3.00	2.60	2.60
1960	2.30	2.00	2.00	2.00	---	---	3.25	2.85	2.80	2.55	2.50	2.70	2.75
1961	2.90	2.45	2.95	3.05	---	---	3.00	2.85	2.30	2.05	2.15	2.30	2.40
1962	2.35	2.25	2.50	2.65	---	3.30	3.30	3.30	3.10	2.85	3.00	3.25	3.05
1963	3.00	3.00	3.00	2.50	2.50	---	3.50	3.40	3.10	2.40	2.25	2.15	2.65
1964	2.25	2.20	2.10	2.10	---	---	3.20	3.20	3.60	3.15	2.85	2.55	3.10
1965	3.00	3.25	3.10	3.00	---	---	3.50	3.30	3.90	3.65	3.45	3.30	3.55
Pennsylvania: 2/:													
1959	2.70	2.65	3.00	---	---	---	---	3.90	3.50	3.75	3.80	3.80	3.80
1960	4.30	3.50	3.50	---	---	---	---	3.75	3.60	3.50	3.40	3.20	3.35
1961	3.25	3.35	---	---	---	---	---	---	3.90	3.45	3.45	3.25	3.40
1962	3.25	3.30	---	---	---	---	---	---	---	3.70	3.55	3.75	3.65
1963	3.70	3.60	3.45	---	---	---	---	---	4.30	4.00	4.00	3.80	3.95
1964	3.40	---	---	---	---	---	---	---	---	4.10	4.00	3.90	4.05
Michigan:													
1959	2.40	---	---	---	---	---	---	2.95	3.30	3.25	3.35	3.10	3.25
1960	---	---	---	---	---	---	4.90	4.50	3.00	2.70	3.00	3.00	3.10
1961	---	---	---	---	---	---	3.30	3.30	2.80	2.90	3.10	3.10	3.00
1962	---	---	---	---	---	---	4.00	3.75	3.10	3.00	2.90	3.10	3.20
1963	3.10	---	---	---	---	---	---	4.55	3.75	3.70	3.70	3.80	3.80
1964	---	---	---	---	---	---	4.50	4.50	4.00	3.55	3.35	4.00	3.85
1965	---	---	---	---	---	---	6.10	5.00	4.15	4.10	4.10	4.00	4.30
Wisconsin:													
1959	2.70	2.70	2.70	3.00	---	---	---	3.00	3.00	2.60	---	---	2.95
1960	---	---	---	---	---	---	---	4.00	3.25	3.00	2.90	2.90	3.25
1961	---	---	---	---	---	---	---	3.00	3.40	3.10	3.50	---	3.25
1962	---	---	---	---	---	---	---	4.00	4.15	4.05	3.80	---	4.10
1963	---	---	---	---	---	---	---	4.10	4.25	4.00	3.80	4.00	4.05
1964	---	---	---	---	---	---	---	3.00	4.00	4.25	---	---	3.40
1965	---	---	---	---	---	---	---	3.50	4.15	4.20	4.00	---	3.95
Minnesota:													
1959	---	---	---	---	---	---	---	4.10	3.75	3.50	3.50	---	3.60
1960	---	---	---	---	---	---	---	4.90	5.00	5.50	5.50	---	5.30
1961	---	---	---	---	---	---	---	5.00	5.00	5.00	5.00	---	5.00
1962	5.00	5.00	---	---	---	---	---	5.40	5.20	4.90	4.70	4.50	4.85
1963	5.30	5.30	---	---	---	---	---	6.10	6.20	5.50	4.35	4.40	5.00
1964	---	---	---	---	---	---	---	---	6.70	5.90	4.50	---	6.10
1965	---	---	---	---	---	---	---	3.50	3.50	3.50	3.50	3.95	3.60
Texas:													
1959	---	---	---	---	---	---	4.70	4.40	4.00	4.10	4.35	4.60	4.30
1960	---	---	---	---	---	---	---	4.60	4.10	3.80	3.80	5.00	4.10
1961	6.20	---	---	---	---	---	5.50	4.60	3.90	3.80	4.20	5.10	4.40
1962	5.10	---	---	---	---	---	5.50	4.20	4.00	4.20	4.70	4.70	4.45
1963	4.30	---	---	---	---	---	4.30	4.10	4.15	4.30	4.50	4.70	4.35
1964	4.25	---	---	---	---	---	---	4.85	4.50	4.60	5.20	5.20	4.90
1965	3.95	---	---	---	---	---	---	5.00	4.50	3.95	3.60	3.90	4.05
Colorado:													
1959	---	---	---	---	---	---	5.90	5.30	4.65	4.40	3.80	3.80	4.35
1960	3.60	---	---	---	---	---	6.40	5.70	5.50	5.00	5.00	5.00	5.20
1961	---	---	---	---	7.00	7.00	7.00	5.40	3.80	3.90	4.00	4.00	4.20
1962	---	---	---	---	---	---	5.00	4.00	4.00	4.00	4.00	4.00	4.00
1963	---	---	---	---	---	---	8.50	6.00	4.75	4.50	4.70	4.50	5.10
1964	---	---	---	---	---	---	9.20	8.70	7.90	6.90	7.20	---	7.50
1965	---	---	---	---	---	7.50	7.50	7.00	6.10	5.50	6.00	6.00	6.10

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
EARLY FALL, CONT.													
CARROTS - Continued													
New Mexico: 2/													
1959	1.35	---	---	---	---	---	2.15	1.80	2.35	2.30	2.30	2.30	2.30
1960	---	---	---	---	---	---	---	2.00	2.00	2.25	2.25	---	2.20
1961	---	---	---	---	---	---	---	---	1.80	1.80	2.00	---	1.85
1962	---	---	---	---	---	---	---	2.00	2.35	2.20	2.20	---	2.25
1963	---	---	---	---	---	---	---	2.00	2.00	2.25	2.20	---	2.15
1964	---	---	---	---	---	---	---	---	2.45	2.45	2.45	2.45	2.45
Washington:													
1959	3.60	3.70	3.70	---	---	---	---	4.90	4.90	4.90	5.40	5.40	5.00
1960	5.20	5.20	5.20	---	---	---	4.00	4.00	3.90	3.80	3.75	3.95	4.00
1961	4.15	5.20	5.20	---	---	---	4.05	4.05	3.95	3.65	3.55	3.55	3.75
1962	3.55	3.95	4.25	---	---	---	---	4.35	4.00	3.55	3.45	3.40	3.65
1963	3.85	---	---	---	---	---	3.85	4.15	3.95	4.00	4.00	3.95	4.00
1964	3.90	---	---	---	---	---	4.00	4.90	6.60	6.70	7.20	7.40	6.70
1965	7.40	---	---	---	---	---	7.40	6.70	6.70	5.60	5.20	4.95	5.70
Oregon:													
1959	4.90	5.00	---	---	---	---	---	3.80	2.90	2.95	3.00	3.00	3.00
1960	2.90	2.90	2.90	---	---	---	---	3.90	3.00	2.90	2.75	2.85	2.90
1961	2.95	3.05	3.00	---	---	---	---	3.55	3.20	3.20	3.15	3.10	3.25
1962	3.20	3.50	3.50	3.50	---	---	4.00	4.00	3.95	3.80	3.30	3.75	3.70
1963	3.70	3.60	3.00	---	---	---	4.00	4.00	3.90	3.90	3.90	3.90	4.00
1964	4.20	4.00	3.90	3.90	---	---	4.15	4.10	4.10	4.05	4.00	4.35	4.10
1965	4.45	4.35	---	---	---	---	4.30	4.30	4.70	4.70	4.85	4.80	4.75
Group Total:													
1959	3.20	3.05	3.00	2.85	---	---	3.90	3.80	3.85	3.70	4.00	4.00	3.84
1960	3.20	3.75	4.35	2.00	---	---	4.10	4.60	4.00	3.75	3.75	4.10	3.91
1961	3.60	3.00	3.10	3.05	7.00	7.00	5.00	4.20	3.55	3.60	3.80	4.70	3.90
1962	4.00	3.05	2.65	2.75	---	3.30	4.95	4.10	3.75	3.75	4.05	4.30	3.96
1963	3.95	3.70	3.10	2.90	2.50	---	5.50	4.55	4.25	4.10	4.20	4.35	4.25
1964	3.95	3.00	2.40	2.55	---	---	5.60	4.80	5.00	4.70	4.75	4.90	4.80
1965	4.00	3.40	3.10	3.00	---	7.50	5.60	5.10	4.65	4.35	4.15	4.05	4.46
Late Fall													
California:													
1959	3.20	2.15	2.20	2.20	---	---	---	---	4.05	4.25	4.60	3.80	3.90
1960	2.20	2.55	2.00	2.00	---	---	---	---	4.35	4.55	4.70	5.80	5.00
1961	5.70	5.00	5.20	6.20	---	---	---	---	4.10	4.10	4.40	4.65	4.55
1962	4.70	5.30	6.00	5.30	---	---	---	---	3.65	3.45	4.00	4.45	3.90
1963	3.95	3.40	3.25	3.60	---	---	---	---	3.50	4.75	4.90	4.90	4.35
1964	3.55	3.35	4.25	3.75	---	---	---	---	5.00	5.10	5.10	4.95	4.85
1965	4.35	4.15	3.75	3.80	---	---	---	---	4.45	4.70	4.65	5.00	4.80
Winter													
Florida: 2/													
1959	8.40	6.70	7.50	5.80	8.50	---	---	---	---	---	---	13.30	7.30
1960	9.30	9.50	10.00	8.00	8.40	---	---	---	---	---	---	12.20	9.50
1961	10.10	7.40	4.20	12.00	10.70	---	---	---	---	---	---	---	8.80
Texas:													
1959	9.10	10.00	8.20	---	---	---	---	---	---	---	---	11.30	9.90
1960	11.80	13.30	14.20	---	---	---	---	---	---	---	11.10	11.10	12.10
1961	10.50	9.80	9.80	---	---	---	---	---	---	---	10.40	10.70	10.30
1962	11.30	10.50	---	---	---	---	---	---	---	---	---	14.20	10.90
1963	12.80	9.00	---	---	---	---	---	---	---	---	14.00	15.10	12.20
1964	11.10	9.60	10.50	---	---	---	---	---	---	---	13.50	11.80	11.90
1965	12.80	13.10	13.10	---	---	---	---	---	---	---	15.60	15.60	12.50
Arizona:													
1959 3/	---	---	---	---	---	---	---	---	---	---	---	---	9.30
1960 3/	---	---	---	---	---	---	---	---	---	---	---	---	11.10
1961	9.90	9.80	9.90	---	---	---	---	---	---	---	---	10.90	9.60
1962	12.30	10.40	15.00	---	---	---	---	---	---	---	---	10.90	12.00
1963	13.50	12.00	10.90	---	---	---	---	---	---	---	---	13.60	11.90
1964	10.00	12.10	11.00	9.00	---	---	---	---	---	---	---	---	11.30
1965	12.00	13.00	11.70	---	---	---	---	---	---	---	---	14.00	12.10

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
CAULIFLOWER - Continued													
Winter, Con.													
Group Total:													
1959	9.00	9.30	7.80	5.80	8.50	---	---	---	---	---	---	11.30	9.42
1960	11.50	12.70	11.60	8.00	8.40	---	---	---	---	---	11.10	11.20	11.64
1961	10.30	9.40	9.20	12.00	10.70	---	---	---	---	---	10.40	10.70	9.99
1962	11.70	10.40	15.00	---	---	---	---	---	---	---	---	---	13.00
1963	12.90	10.20	10.90	---	---	---	---	---	---	---	14.00	14.90	12.10
1964	11.00	10.80	10.90	9.00	---	---	---	---	---	---	13.50	11.80	11.40
1965	12.50	13.00	11.80	---	---	---	---	---	---	---	15.60	15.00	12.36
Early Spring													
California:													
1959	---	6.30	5.60	5.50	6.20	5.60	5.60	---	---	---	---	---	5.80
1960	---	5.60	5.60	6.10	6.70	5.80	5.80	---	---	---	---	---	5.80
1961	---	4.40	5.10	6.10	5.60	5.80	6.30	---	---	---	---	---	5.30
1962	---	10.60	12.60	10.40	10.40	7.30	7.80	---	---	---	---	---	10.40
1963	---	9.90	10.20	11.10	10.00	9.10	9.40	---	---	---	---	---	10.10
1964	---	10.40	11.50	9.10	9.10	7.30	8.40	---	---	---	---	---	9.60
1965	---	11.00	10.80	11.50	10.30	9.40	8.10	---	---	---	---	---	10.50
Summer													
New York:													
1959	---	---	---	---	---	8.40	7.00	7.10	7.60	7.50	9.10	---	7.30
1960	---	---	---	---	---	7.50	9.10	8.70	7.60	7.30	7.50	7.50	8.10
1961	---	---	---	---	---	---	9.10	9.40	8.20	7.50	8.20	7.30	8.40
1962	---	---	---	---	---	8.60	8.50	9.20	8.10	6.40	6.30	5.60	7.80
1963	---	---	---	---	---	---	7.90	8.30	10.50	6.60	4.40	---	7.80
1964	---	---	---	---	---	7.80	7.00	8.50	9.00	7.00	6.00	5.00	7.70
1965	---	---	---	---	---	9.30	9.10	8.80	10.20	9.50	8.00	8.00	9.40
New Jersey:													
1959	---	---	---	---	6.80	5.40	3.25	5.00	5.50	6.20	7.30	7.00	5.70
1960	---	---	---	---	10.00	6.50	7.60	8.50	6.20	6.30	7.10	---	6.80
1961	---	---	---	---	9.60	9.30	10.20	5.60	5.60	7.30	8.20	8.20	8.80
1962	---	---	---	---	6.30	7.00	7.90	7.40	6.90	6.00	7.60	7.60	6.80
1963	---	---	---	---	9.50	7.60	8.00	8.20	8.30	5.10	4.20	5.00	7.10
1964	---	---	---	---	5.50	6.60	6.50	9.60	9.60	8.50	8.20	---	7.60
1965	---	---	---	---	8.80	9.00	6.30	5.50	5.50	13.00	9.80	7.70	9.00
Colorado: 2/													
1959	---	---	---	---	---	---	10.90	7.50	5.50	8.20	7.30	---	7.00
1960	---	---	---	---	---	---	10.90	5.30	5.80	5.10	5.20	---	5.80
1961	---	---	---	---	---	---	9.10	6.70	7.10	7.10	7.10	7.10	7.10
1962	---	---	---	---	---	---	4.50	7.00	5.00	5.20	5.50	5.50	5.40
1963	---	---	---	---	---	---	6.20	5.50	5.90	4.90	---	---	5.40
1964	---	---	---	---	---	---	7.60	8.00	8.40	8.40	8.40	---	8.30
Washington:													
1959	---	---	---	---	---	7.30	6.40	8.50	8.60	8.50	9.10	---	7.90
1960	---	---	---	---	---	9.30	8.80	9.00	9.40	9.00	8.40	---	9.10
1961	---	---	---	---	---	6.60	6.90	6.40	5.50	6.20	7.40	---	6.30
1962	---	---	---	---	---	7.00	7.40	6.00	6.10	6.50	6.80	---	6.60
1963	---	---	---	---	---	7.50	7.40	6.90	6.40	7.10	7.10	---	6.90
1964	---	---	---	---	---	8.60	8.50	9.30	8.80	7.40	7.70	---	8.30
1965	---	---	---	---	---	11.00	9.00	8.70	10.20	9.60	6.30	---	9.20
Group Total:													
1959	---	---	---	---	6.80	6.10	7.10	7.30	6.90	7.70	8.20	7.00	7.13
1960	---	---	---	---	10.00	7.10	9.20	7.90	7.30	6.70	7.00	7.50	7.58
1961	---	---	---	---	9.60	8.80	8.80	8.00	7.50	7.20	7.90	7.50	7.78
1962	---	---	---	---	6.30	7.20	7.70	8.40	7.00	6.10	6.40	5.60	7.08
1963	---	---	---	---	9.50	7.60	7.60	7.30	8.50	6.20	4.55	5.00	7.26
1964	---	---	---	---	5.50	7.00	7.50	8.60	8.90	7.30	7.20	5.00	7.90
1965	---	---	---	---	8.80	9.40	8.90	8.80	9.90	9.90	7.90	8.00	9.32
Early Fall													
New York, L. I.:													
1959	---	---	---	---	---	---	---	---	4.90	8.50	7.10	6.70	7.30
1960	---	---	---	---	---	---	---	---	6.10	6.60	7.00	6.40	6.70
1961	---	---	---	---	---	---	---	---	---	7.10	7.80	4.80	7.20
1962	---	---	---	---	---	---	---	---	7.00	5.60	6.20	5.50	6.10
1963	---	---	---	---	---	---	---	---	8.60	5.50	7.50	9.50	6.80
1964	---	---	---	---	---	---	---	---	8.70	8.20	9.00	7.90	8.60
1965	---	---	---	---	---	---	---	---	9.40	9.20	8.40	8.80	8.80

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
--- DOLLARS PER CWT. ---													
Early Fall, Con.	CAULIFLOWER - Continued												
Ohio: 2/													
1959	---	---	---	---	---	10.90	10.90	10.90	10.90	10.50	12.00	---	10.90
1960	---	---	---	---	---	10.90	10.00	11.80	9.40	9.10	10.00	8.90	9.50
1961	---	---	---	---	---	10.70	10.70	7.60	7.60	6.70	7.10	6.50	7.50
1962	---	---	---	---	---	10.00	10.00	8.20	8.20	8.50	10.00	7.60	8.90
1963	---	---	---	---	---	15.20	15.20	15.20	15.20	7.80	8.40	8.40	8.40
1964	---	---	---	---	---	8.50	8.50	8.50	6.50	6.20	6.00	---	6.30
Michigan:													
1959	---	---	---	---	---	---	7.40	7.40	7.40	7.70	7.70	---	7.60
1960	---	---	---	---	---	---	7.10	7.10	6.40	5.20	6.30	---	5.80
1961	---	---	---	---	---	---	8.50	8.50	7.10	6.20	6.70	6.70	6.70
1962	---	---	---	---	---	---	8.80	8.80	6.60	5.90	6.00	---	6.40
1963	---	---	---	---	---	---	9.50	9.50	9.50	5.20	5.60	---	6.30
1964	---	---	---	---	---	---	11.00	11.00	8.40	7.00	6.50	---	7.50
1965	---	---	---	---	---	---	8.80	8.20	8.50	7.00	7.10	---	7.70
Wisconsin: 2/													
1959 3/	---	---	---	---	---	---	---	---	---	---	---	---	10.00
1960 3/	---	---	---	---	---	---	---	---	---	---	---	---	8.80
1961	---	---	---	---	---	---	---	7.50	8.00	8.00	10.00	---	8.20
1962	---	---	---	---	---	---	---	7.50	10.00	9.00	---	---	9.40
1963	---	---	---	---	---	---	---	9.50	10.40	8.10	7.50	---	8.90
1964	---	---	---	---	---	---	---	14.30	12.00	9.50	9.40	---	9.90
Oregon:													
1959	6.50	6.50	6.50	6.50	---	6.70	6.70	6.70	6.90	6.40	5.30	5.40	6.10
1960	---	---	---	---	6.90	6.60	6.40	5.80	7.10	6.40	7.30	7.80	6.90
1961	7.80	7.90	8.00	8.00	8.00	8.00	8.00	8.00	6.40	6.40	6.40	6.10	6.90
1962	6.00	---	---	---	6.80	6.80	6.80	6.80	5.80	5.00	5.00	6.70	5.60
1963	7.10	---	---	5.80	5.80	5.80	5.80	4.90	4.55	4.10	4.60	4.65	4.65
1964	---	---	---	7.10	7.10	7.10	7.10	7.10	7.10	6.00	5.80	6.10	6.50
1965	---	---	---	---	---	8.50	8.50	8.50	8.10	7.40	6.60	7.50	7.60
Group Total:													
1959	6.50	6.50	6.50	6.50	---	8.40	7.90	7.30	7.10	8.40	7.10	6.60	7.65
1960	---	---	---	---	6.90	8.30	7.80	8.00	6.40	6.40	7.10	6.50	6.82
1961	7.80	7.90	8.00	8.00	8.00	9.40	9.90	7.80	7.20	6.90	7.70	5.10	7.20
1962	6.00	---	---	---	6.80	7.90	8.50	8.20	7.20	5.90	6.30	5.90	6.41
1963	7.10	---	---	5.80	5.80	5.80	7.05	6.00	8.80	5.70	7.40	8.30	6.78
1964	---	---	---	7.10	7.10	7.10	8.10	10.80	8.50	7.70	8.60	7.80	8.15
1965	---	---	---	---	---	8.50	8.50	8.30	9.00	8.60	8.20	8.70	8.50
Late Fall													
California:													
1959	6.10	---	---	---	---	---	---	8.50	8.90	7.50	6.50	7.90	7.50
1960	7.50	---	---	---	---	---	---	6.20	7.00	5.90	5.00	5.00	5.30
1961	5.00	---	---	---	---	---	---	7.80	7.30	6.70	7.80	8.70	8.70
1962	11.50	---	---	---	---	---	---	8.60	8.40	7.20	8.00	9.30	8.70
1963	10.20	---	---	---	---	---	---	9.10	8.30	7.00	8.50	11.30	9.10
1964	8.90	---	---	---	---	---	---	9.20	12.30	8.30	10.10	10.00	9.90
1965	10.00	---	---	---	---	---	---	7.90	9.90	9.60	9.80	12.10	10.50
Winter													
Florida:													
1959	2.50	2.35	2.15	2.25	---	---	---	---	---	---	4.30	3.05	2.55
1960	3.00	3.50	2.75	2.40	---	---	---	---	---	---	3.20	2.35	3.10
1961	2.75	3.25	2.70	3.00	---	---	---	---	---	---	4.55	3.40	2.80
1962	4.85	5.80	7.50	---	---	---	---	---	---	---	3.10	3.60	5.50
1963	4.00	4.25	3.40	---	---	---	---	---	---	---	3.80	3.75	3.80
1964	4.75	6.40	7.00	---	---	---	---	---	---	---	4.65	3.60	5.40
1965	3.85	3.85	5.30	---	---	---	---	---	---	---	5.70	4.45	4.20
Arizona: 2/													
1959	3.70	3.00	2.90	3.15	3.15	3.15	---	---	---	---	---	5.20	3.45
1960	4.60	5.00	3.75	3.00	---	---	---	---	---	---	---	---	4.10
1961	4.60	4.30	2.95	3.15	---	---	---	---	---	---	---	---	3.20
1962	5.60	6.80	9.00	7.50	5.80	---	---	---	---	---	---	---	7.90
1963	4.90	4.15	3.40	3.90	---	---	---	---	---	---	---	---	3.50
1964	5.70	7.40	5.30	4.55	---	---	---	---	---	---	---	---	5.20

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
--DOLLARS PER CWT.--													
<u>WINTER, CON.</u>													
<u>California:</u>													
1959	2.95	2.60	2.45	---	---	---	---	---	---	---	3.11	3.40	2.75
1960	4.15	3.95	3.45	---	---	---	---	---	---	---	2.75	2.30	3.65
1961	3.20	3.40	2.50	---	---	---	---	---	---	---	3.90	2.80	2.85
1962	4.95	5.70	6.10	---	---	---	---	---	---	---	2.40	3.50	4.80
1963	4.20	4.25	3.15	---	---	---	---	---	---	---	3.00	3.70	3.65
1964	4.75	6.40	6.20	---	---	---	---	---	---	---	3.65	3.60	5.40
1965	4.00	3.90	4.75	---	---	---	---	---	---	---	5.00	4.70	4.15
<u>Group Total:</u>													
1959	2.75	2.50	2.35	2.35	3.15	3.15	---	---	---	---	3.50	3.25	2.67
1960	3.55	3.70	3.10	2.45	---	---	---	---	---	---	2.80	2.35	3.38
1961	2.95	3.30	2.60	3.05	---	---	---	---	---	---	4.25	3.15	2.83
1962	4.70	5.80	7.10	7.50	5.80	---	---	---	---	---	2.65	3.55	5.25
1963	4.10	4.25	3.30	3.90	---	---	---	---	---	---	3.60	3.75	3.74
1964	4.75	6.40	6.70	4.55	---	---	---	---	---	---	4.35	3.60	5.40
1965	3.90	3.85	5.00	---	---	---	---	---	---	---	5.50	4.50	4.18
<u>Spring:</u>													
<u>Florida:</u>													
1959	---	---	---	2.25	2.45	2.95	---	---	---	---	---	---	2.45
1960	---	---	---	2.40	2.80	3.10	---	---	---	---	---	---	2.70
1961	---	---	---	3.00	3.35	4.00	3.80	---	---	---	---	---	3.35
1962	---	---	---	7.40	5.80	6.00	---	---	---	---	---	---	6.60
1963	---	---	---	3.50	3.30	3.45	---	---	---	---	---	---	3.40
1964	---	---	---	3.90	3.60	4.60	---	---	---	---	---	---	3.90
1965	---	---	---	4.20	4.40	4.70	---	---	---	---	---	---	4.40
<u>California:</u>													
1959	---	---	---	3.00	2.85	4.00	2.05	2.35	---	---	---	---	3.10
1960	---	---	---	2.55	4.00	3.65	2.85	3.50	---	---	---	---	3.45
1961	---	---	---	3.10	3.70	3.70	3.30	3.40	---	---	---	---	3.50
1962	---	---	---	6.70	4.95	6.00	6.60	2.70	---	---	---	---	5.80
1963	---	---	---	3.50	3.40	3.45	3.85	2.65	---	---	---	---	3.45
1964	---	---	---	3.65	3.70	4.40	4.55	3.90	---	---	---	---	3.95
1965	---	---	---	4.35	4.95	4.35	4.40	4.05	---	---	---	---	4.55
<u>Group Total:</u>													
1959	---	---	---	2.65	2.70	3.60	2.05	2.35	---	---	---	---	2.84
1960	---	---	---	2.45	3.45	3.50	2.85	3.50	---	---	---	---	3.13
1961	---	---	---	3.05	3.50	3.80	3.35	3.40	---	---	---	---	3.43
1962	---	---	---	7.20	5.40	6.00	6.60	2.70	---	---	---	---	6.21
1963	---	---	---	3.50	3.35	3.45	3.85	2.65	---	---	---	---	3.43
1964	---	---	---	3.80	3.65	4.45	4.55	3.90	---	---	---	---	3.92
1965	---	---	---	4.25	4.60	4.50	4.40	4.05	---	---	---	---	4.47
<u>Early Summer:</u>													
<u>California:</u>													
1959	---	---	---	---	2.85	4.00	2.55	3.75	---	---	---	---	3.35
1960	---	---	---	---	4.45	4.45	3.65	4.45	---	---	---	---	4.10
1961	---	---	---	---	3.70	3.60	3.70	3.40	---	---	---	---	3.60
1962	---	---	---	---	4.95	6.30	5.80	3.00	---	---	---	---	4.70
1963	---	---	---	---	---	3.75	4.05	3.00	---	---	---	---	3.65
1964	---	---	---	---	---	5.20	4.25	4.40	---	---	---	---	4.50
1965	---	---	---	---	---	4.40	4.35	4.10	---	---	---	---	4.30
<u>Summer:</u>													
<u>Massachusetts:</u>													
1959	---	---	---	---	---	---	9.10	8.40	10.80	8.90	10.90	---	9.40
1960	---	---	---	---	---	---	12.60	13.00	12.00	8.90	10.30	---	11.10
1961	---	---	---	---	---	---	14.00	11.20	10.20	8.70	8.70	---	10.10
1962	---	---	---	---	---	---	15.00	12.50	9.80	9.00	10.00	---	10.50
1963	---	---	---	---	---	---	12.40	10.10	9.10	8.70	9.90	---	9.60
1964	---	---	---	---	---	---	13.40	12.20	11.30	10.50	11.50	---	11.50
1965	---	---	---	---	---	---	15.50	13.40	12.30	12.00	13.00	---	12.80
<u>New York:</u>													
1959	---	---	---	---	---	---	3.50	3.80	4.50	4.80	5.00	---	4.15
1960	---	---	---	---	---	---	4.60	4.10	4.20	3.70	3.50	---	4.10
1961	---	---	---	---	---	---	4.25	3.20	3.55	3.90	4.00	---	3.65
1962	---	---	---	---	---	---	5.90	3.70	3.60	3.20	3.90	---	3.80
1963	---	---	---	---	---	---	4.00	3.40	3.60	3.20	3.45	---	3.45
1964	---	---	---	---	---	---	4.50	4.40	5.20	4.60	5.20	---	4.75
1965	---	---	---	---	---	---	5.00	3.85	4.05	4.75	6.50	---	4.40

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>CELERY - Continued</u>													
Summer, Con.													
New Jersey:													
1959	---	---	---	---	---	4.70	3.40	2.40	3.10	4.00	3.40	---	3.40
1960	---	---	---	---	---	4.90	3.80	3.70	3.90	3.40	3.00	---	3.65
1961	---	---	---	---	---	4.60	3.15	2.70	2.85	2.95	3.00	---	2.95
1962	---	---	---	---	---	6.20	6.20	3.65	3.70	3.55	3.90	---	4.30
1963	---	---	---	---	---	---	4.25	2.95	3.90	2.95	3.05	---	3.45
1964	---	---	---	---	---	4.25	4.70	3.40	3.60	3.85	3.80	---	3.90
1965	---	---	---	---	---	4.00	4.95	3.15	2.85	3.30	5.10	---	3.70
Pennsylvania:													
1959	---	---	---	---	---	---	---	5.00	4.50	4.25	5.00	---	4.75
1960	---	---	---	---	---	---	5.40	3.00	3.80	4.50	4.75	---	4.55
1961	---	---	---	---	---	---	---	4.75	4.80	5.60	5.50	---	5.20
1962	---	---	---	---	---	---	6.80	5.50	6.00	5.80	6.00	---	5.90
1963	---	---	---	---	---	---	---	6.00	5.00	5.90	5.30	---	5.40
1964	---	---	---	---	---	---	---	6.00	5.00	5.60	---	---	5.50
1965	---	---	---	---	---	---	---	4.55	5.40	4.20	---	---	4.70
Ohio:													
1959	---	---	---	---	---	7.00	4.00	3.40	5.20	5.60	6.40	---	4.65
1960	---	---	---	---	---	7.50	4.20	3.05	3.10	3.10	3.25	---	3.65
1961	---	---	---	---	---	7.20	3.20	2.20	2.05	2.45	3.40	3.40	2.70
1962	---	---	---	---	---	4.95	4.95	3.50	3.50	3.95	4.15	---	4.05
1963	---	---	---	---	---	9.60	10.10	7.60	5.80	5.10	4.30	---	7.30
1964	---	---	---	---	---	15.00	6.70	5.20	5.00	6.10	6.10	---	5.90
1965	---	---	---	---	---	11.40	7.70	5.20	4.70	5.80	5.80	---	6.20
Michigan:													
1959	---	---	---	---	---	5.40	4.05	3.20	3.95	4.50	4.50	4.50	3.85
1960	---	---	---	---	---	5.70	4.05	3.50	3.20	2.90	2.90	2.90	3.40
1961	---	---	---	---	---	---	3.80	2.50	2.80	3.10	3.10	3.10	2.95
1962	---	---	---	---	---	7.20	6.30	3.60	3.00	2.70	2.70	2.70	3.85
1963	---	---	---	---	---	---	3.80	2.70	3.05	3.20	3.20	3.10	3.15
1964	---	---	---	---	---	6.70	4.55	4.05	4.75	3.70	3.60	3.60	4.30
1965	---	---	---	---	---	6.40	4.90	3.80	4.25	4.05	4.00	---	4.25
Colorado: 2/													
1959	---	---	---	---	---	4.70	4.70	4.50	4.20	5.00	5.00	5.00	4.50
1960	---	---	---	---	---	---	5.30	4.35	3.95	3.90	3.90	3.90	4.20
1961	---	---	---	---	---	5.00	5.00	4.80	4.70	4.70	4.70	4.70	4.80
1962	---	---	---	---	---	---	5.00	4.60	5.00	5.00	5.00	5.00	4.80
1963	---	---	---	---	---	---	5.50	5.00	5.00	5.00	5.00	---	5.00
1964	---	---	---	---	---	5.00	5.00	5.00	5.00	5.00	5.10	5.10	5.00
Washington:													
1959	---	---	---	---	---	6.20	4.50	4.40	4.00	4.20	---	---	4.50
1960	---	---	---	---	---	2.90	3.10	3.40	3.00	2.85	---	---	3.10
1961	---	---	---	---	---	4.40	4.10	3.40	3.30	3.80	---	---	3.55
1962	---	---	---	---	---	---	4.55	3.45	3.00	3.30	3.35	---	3.40
1963	---	---	---	---	---	---	3.60	3.30	3.15	3.40	---	---	3.30
1964	---	---	---	---	---	---	6.60	6.00	5.00	5.40	---	---	5.60
1965	---	---	---	---	---	---	4.50	5.30	4.95	5.90	---	---	5.10
Group Total:													
1959	---	---	---	---	---	6.10	3.95	3.70	4.40	4.70	4.75	4.60	4.21
1960	---	---	---	---	---	6.40	4.35	3.75	3.85	3.55	3.50	3.25	3.85
1961	---	---	---	---	---	6.60	3.90	2.95	3.20	3.60	3.85	3.55	3.39
1962	---	---	---	---	---	5.70	6.00	3.75	3.60	3.35	3.75	3.65	4.00
1963	---	---	---	---	---	9.60	5.00	3.85	3.80	3.60	3.65	3.10	3.94
1964	---	---	---	---	---	9.90	4.95	4.55	5.10	4.55	4.80	4.10	4.84
1965	---	---	---	---	---	8.50	5.60	4.10	4.35	4.60	5.90	---	4.64
Late Fall:													
California:													
1959	2.90	2.05	---	---	---	---	---	---	4.45	4.65	4.40	4.15	4.35
1960	3.70	2.65	3.00	---	---	---	---	---	3.45	2.90	2.80	2.55	2.90
1961	3.20	3.55	2.75	---	---	---	---	---	3.35	3.10	4.30	3.10	3.65
1962	4.65	5.50	---	---	---	---	---	---	2.70	2.55	2.80	3.90	3.00
1963	3.85	4.05	---	---	---	---	---	---	3.40	2.75	3.45	3.75	3.40
1964	4.55	5.80	5.50	---	---	---	---	---	4.60	4.20	4.10	3.50	4.05
1965	3.50	3.50	4.20	---	---	---	---	---	4.10	4.75	5.30	4.30	4.80

See footnotes on page 76.

Table 2.—Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65—Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
--- DOLLARS PER CWT. ---													
SWEET CORN													
Winter													
Florida:													
1959	6.00	6.40	6.20	---	---	---	---	---	---	---	---	5.90	6.20
1960	6.90	8.20	7.80	---	---	---	---	---	---	---	---	---	7.60
1961	6.30	6.40	7.00	---	---	---	---	---	---	---	---	---	6.70
1962	8.20	7.20	7.10	---	---	---	---	---	---	---	---	---	7.30
1963	8.20	7.40	6.00	---	---	---	---	---	---	---	---	---	6.40
1964	7.50	8.30	7.80	---	---	---	---	---	---	---	---	---	7.80
1965	6.80	9.10	9.80	---	---	---	---	---	---	---	---	---	8.30
Early Spring													
Florida:													
1959	---	---	---	5.40	4.95	4.45	3.75	---	---	---	---	---	4.95
1960	---	---	---	7.00	4.60	3.15	5.00	---	---	---	---	---	4.40
1961	---	---	---	7.50	5.40	5.20	6.00	---	---	---	---	---	5.70
1962	---	---	---	5.80	4.95	3.90	3.45	---	---	---	---	---	4.75
1963	---	---	---	5.90	4.00	4.80	6.20	---	---	---	---	---	4.75
1964	---	---	---	8.00	5.00	6.00	4.90	---	---	---	---	---	5.70
1965	---	---	---	6.70	5.10	4.85	4.90	---	---	---	---	---	5.40
Texas:													
1959	---	---	---	4.50	4.00	3.40	3.25	---	---	---	---	---	3.80
1960	---	---	---	---	3.25	2.30	3.00	---	---	---	---	---	2.95
1961	---	---	---	8.00	6.80	5.30	4.60	4.60	---	---	---	---	6.30
1962	---	---	---	7.60	6.50	4.55	4.40	4.40	---	---	---	---	5.80
1963	---	---	---	7.60	4.25	4.95	7.50	5.80	5.80	---	---	---	4.80
1964	---	---	---	8.40	6.20	6.00	5.10	5.10	---	---	---	---	6.20
1965	---	---	---	8.60	6.90	4.90	4.00	---	---	---	---	---	6.10
Group Total:													
1959	---	---	---	5.40	4.75	4.30	3.65	---	---	---	---	---	4.78
1960	---	---	---	7.00	4.40	3.05	4.15	---	---	---	---	---	4.21
1961	---	---	---	7.50	5.70	5.20	5.20	4.60	---	---	---	---	5.81
1962	---	---	---	5.90	5.30	4.00	3.90	4.40	---	---	---	---	4.91
1963	---	---	---	5.90	4.05	4.80	6.80	5.80	5.80	---	---	---	4.76
1964	---	---	---	8.00	5.20	6.00	4.95	5.10	---	---	---	---	5.76
1965	---	---	---	6.80	5.30	4.85	4.70	---	---	---	---	---	5.48
Late Spring													
South Carolina:													
1959	---	---	---	---	---	4.15	4.15	4.30	---	---	---	---	4.15
1960	---	---	---	---	---	4.75	3.85	4.30	---	---	---	---	4.20
1961	---	---	---	---	---	4.70	5.00	4.80	---	---	---	---	4.90
1962	---	---	---	---	---	4.00	3.50	3.90	---	---	---	---	3.70
1963	---	---	---	---	---	3.65	3.40	4.10	---	---	---	---	3.95
1964	---	---	---	---	---	5.00	3.90	3.80	---	---	---	---	4.40
1965	---	---	---	---	---	4.45	3.85	4.25	---	---	---	---	4.10
Georgia:													
1959	---	---	---	---	5.00	4.40	4.60	---	---	---	---	---	4.50
1960	---	---	---	---	4.00	3.80	3.20	---	---	---	---	---	3.55
1961	---	---	---	---	4.50	3.80	3.40	---	---	---	---	---	3.60
1962	---	---	---	---	---	3.90	3.25	---	---	---	---	---	3.60
1963	---	---	---	---	4.50	4.15	4.10	---	---	---	---	---	4.15
1964	---	---	---	---	---	4.50	4.15	---	---	---	---	---	4.35
1965	---	---	---	---	---	4.20	3.80	---	---	---	---	---	4.00
Alabama:													
1959	---	---	---	---	---	4.00	2.70	---	---	---	---	---	3.80
1960	---	---	---	---	---	2.70	2.60	---	---	---	---	---	2.65
1961	---	---	---	---	---	3.70	3.20	---	---	---	---	---	3.45
1962	---	---	---	---	3.30	3.10	2.45	---	---	---	---	---	2.95
1963	---	---	---	---	4.15	3.50	3.00	---	---	---	---	---	3.40
1964	---	---	---	---	---	5.70	4.95	---	---	---	---	---	5.40
1965	---	---	---	---	---	5.40	3.50	---	---	---	---	---	4.70
California:													
1959	---	---	---	6.50	5.20	3.50	---	---	---	---	---	---	4.50
1960	---	---	---	9.70	6.80	4.90	---	---	---	---	---	---	5.80
1961	---	---	---	10.30	6.60	6.20	---	---	---	---	---	---	6.50
1962	---	---	---	7.00	6.80	4.25	4.60	---	---	---	---	---	4.95
1963	---	---	---	6.10	5.00	5.80	4.80	---	---	---	---	---	5.40
1964	---	---	---	6.80	6.40	6.20	4.65	---	---	---	---	---	5.80
1965	---	---	---	7.00	6.70	5.60	4.90	---	---	---	---	---	5.70

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>Late Spring, Con.</u>													
<u>SWEET CORN - Continued</u>													
<u>Group Total:</u>													
1959	---	---	---	6.50	5.20	3.80	3.85	4.30	---	---	---	---	4.35
1960	---	---	---	9.70	6.80	4.20	3.20	4.30	---	---	---	---	4.80
1961	---	---	---	10.30	6.60	5.40	3.65	4.80	---	---	---	---	5.49
1962	---	---	---	7.00	6.70	3.95	3.25	3.90	---	---	---	---	4.28
1963	---	---	---	6.10	5.00	5.00	4.00	4.10	---	---	---	---	4.82
1964	---	---	---	6.80	6.40	5.90	4.55	3.80	---	---	---	---	5.47
1965	---	---	---	7.00	6.70	5.40	4.25	4.25	---	---	---	---	5.21
<u>Early Summer</u>													
<u>New Jersey:</u>													
1959	---	---	---	---	---	---	4.10	2.40	2.65	2.65	---	---	3.65
1960	---	---	---	---	---	4.30	5.60	3.05	2.80	---	---	---	4.75
1961	---	---	---	---	---	---	5.60	2.90	2.45	---	---	---	4.25
1962	---	---	---	---	---	---	3.20	3.05	2.45	3.25	---	---	3.10
1963	---	---	---	---	---	---	4.30	2.40	2.75	---	---	---	3.40
1964	---	---	---	---	---	---	3.95	3.75	3.25	---	---	---	3.85
1965	---	---	---	---	---	---	3.50	2.50	2.65	---	---	---	3.10
<u>Missouri:</u>													
1959	---	---	---	---	---	4.00	2.35	2.10	2.50	2.50	---	---	2.70
1960	---	---	---	---	---	2.70	3.15	2.60	2.80	---	---	---	3.00
1961	---	---	---	---	---	---	3.80	2.20	2.30	2.40	---	---	2.90
1962	---	---	---	---	---	4.00	2.90	3.35	3.20	2.85	---	---	3.15
1963	---	---	---	---	---	2.90	3.70	3.00	2.45	---	---	---	3.55
1964	---	---	---	---	---	6.00	4.60	4.20	2.70	---	---	---	4.70
1965	---	---	---	---	---	7.50	4.40	3.95	---	---	---	---	4.50
<u>Kansas:</u>													
1959	---	---	---	---	---	---	2.35	2.20	2.20	---	---	---	2.25
1960	---	---	---	---	---	---	2.60	2.30	2.70	---	---	---	2.55
1961	---	---	---	---	---	---	2.70	2.30	2.70	---	---	---	2.90
1962	---	---	---	---	---	---	2.65	2.60	2.60	---	---	---	2.65
1963	---	---	---	---	---	---	2.50	2.35	2.20	---	---	---	2.40
1964	---	---	---	---	---	---	2.75	2.90	2.80	---	---	---	2.75
1965	---	---	---	---	---	---	2.60	2.60	3.00	---	---	---	2.75
<u>Virginia:</u>													
1959	---	---	---	---	---	3.00	3.75	---	---	---	---	---	3.70
1960	---	---	---	---	---	3.50	3.80	2.70	2.70	---	---	---	3.70
1961	---	---	---	---	---	---	5.90	3.80	4.00	---	---	---	5.70
1962	---	---	---	---	---	3.55	3.60	3.75	3.75	---	---	---	3.60
1963	---	---	---	---	---	---	6.40	5.00	5.00	---	---	---	6.30
1964	---	---	---	---	---	5.50	4.90	3.75	3.75	---	---	---	4.85
1965	---	---	---	---	---	6.50	4.60	4.45	4.45	---	---	---	4.60
<u>North Carolina:</u>													
1959	---	---	---	---	---	3.00	3.30	3.25	3.30	---	---	---	3.10
1960	---	---	---	---	---	3.00	3.05	3.50	3.50	---	---	---	3.05
1961	---	---	---	---	---	3.10	3.75	3.20	3.50	---	---	---	3.70
1962	---	---	---	---	---	4.00	3.60	4.00	4.20	---	---	---	3.70
1963	---	---	---	---	---	4.10	4.50	4.00	4.00	---	---	---	4.40
1964	---	---	---	---	---	4.75	4.20	4.05	4.00	---	---	---	4.35
1965	---	---	---	---	---	4.70	3.90	4.50	4.75	---	---	---	4.10
<u>Kentucky: 2/</u>													
1959	---	---	---	---	---	4.40	3.40	3.10	---	---	---	---	3.35
1960	---	---	---	---	---	---	4.40	3.15	3.45	---	---	---	3.65
1961	---	---	---	---	---	---	5.50	3.10	2.60	---	---	---	3.60
1962	---	---	---	---	---	---	2.90	3.15	3.50	3.50	---	---	3.05
1963	---	---	---	---	---	---	4.40	2.80	2.95	2.95	---	---	3.35
1964	---	---	---	---	---	---	4.20	3.15	4.00	---	---	---	3.85
<u>Arkansas: 2/</u>													
1959	---	---	---	---	---	4.05	2.75	3.90	---	---	---	---	3.10
1960	---	---	---	---	---	3.10	3.05	3.25	---	---	---	---	3.10
1961	---	---	---	---	---	3.40	3.50	3.50	---	---	---	---	3.50
1962	---	---	---	---	---	3.25	3.00	3.50	---	---	---	---	3.00
1963	---	---	---	---	---	3.25	3.60	4.00	---	---	---	---	3.50
1964	---	---	---	---	---	3.75	3.70	3.45	---	---	---	---	3.70

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>SWEET CORN - Continued</u>													
Early Summer, Con.													
Oklahoma:													
1959	---	---	---	---	---	---	---	---	---	---	---	---	1.65
1960	---	---	---	---	---	---	---	---	---	---	---	---	2.00
1961	---	---	---	---	---	---	2.50	2.50	---	---	---	---	2.50
1962	---	---	---	---	---	1.30	1.30	---	---	---	---	---	1.30
1963	---	---	---	---	---	1.20	1.50	---	---	---	---	---	1.35
1964	---	---	---	---	---	2.95	2.85	---	---	---	---	---	2.90
1965	---	---	---	---	---	4.30	4.30	---	---	---	---	---	4.30
California:													
1959	---	---	---	---	---	3.70	4.35	5.60	5.20	5.00	5.00	---	4.55
1960	---	---	---	---	---	5.80	5.20	4.70	5.20	4.70	5.00	---	5.10
1961	---	---	---	---	---	6.00	4.70	4.05	4.20	4.30	---	---	4.45
1962	---	---	---	---	---	4.45	3.50	3.90	3.45	3.40	---	---	3.65
1963	---	---	---	---	---	5.80	4.55	4.25	4.60	4.50	---	---	4.50
1964	---	---	---	---	---	4.75	4.35	3.85	4.50	5.00	---	---	4.25
1965	---	---	---	---	---	5.30	5.10	3.90	4.35	4.90	---	---	4.50
Group Total:													
1959	---	---	---	---	---	3.55	3.80	3.30	3.95	4.50	5.00	---	3.67
1960	---	---	---	---	---	4.50	4.60	3.45	4.05	4.70	5.00	---	4.22
1961	---	---	---	---	---	6.00	4.70	3.15	3.30	4.05	---	---	4.11
1962	---	---	---	---	---	3.75	3.25	3.40	3.10	3.30	---	---	3.30
1963	---	---	---	---	---	2.70	4.35	2.90	3.60	4.25	---	---	3.80
1964	---	---	---	---	---	4.40	4.10	3.75	4.05	5.00	---	---	4.04
1965	---	---	---	---	---	4.85	4.00	3.05	3.55	4.90	---	---	3.78
Late Summer:													
New Hampshire:													
1959	---	---	---	---	---	---	4.25	3.30	3.10	---	---	---	3.40
1960	---	---	---	---	---	---	4.60	4.40	4.25	4.40	---	---	4.35
1961	---	---	---	---	---	---	4.30	3.70	3.40	---	---	---	3.65
1962	---	---	---	---	---	---	5.10	3.90	3.40	---	---	---	3.85
1963	---	---	---	---	---	---	4.40	4.00	4.10	4.20	---	---	4.10
1964	---	---	---	---	---	---	4.90	5.30	4.00	---	---	---	4.85
1965	---	---	---	---	---	---	4.40	3.80	4.50	---	---	---	4.10
Massachusetts:													
1959	---	---	---	---	---	---	4.20	3.00	3.10	---	---	---	3.45
1960	---	---	---	---	---	---	5.30	4.25	4.05	4.60	---	---	4.40
1961	---	---	---	---	---	---	5.50	3.95	3.40	3.70	---	---	4.00
1962	---	---	---	---	---	---	5.10	4.10	3.50	3.60	---	---	4.10
1963	---	---	---	---	---	---	5.10	3.60	4.40	4.30	---	---	4.10
1964	---	---	---	---	---	---	5.20	5.20	4.00	5.70	---	---	4.90
1965	---	---	---	---	---	---	5.20	4.10	5.10	5.50	---	---	4.50
Rhode Island:													
1959	---	---	---	---	---	---	4.10	3.20	3.50	---	---	---	3.55
1960	---	---	---	---	---	---	4.90	4.30	4.00	4.50	---	---	4.40
1961	---	---	---	---	---	---	5.40	3.95	3.30	3.60	---	---	3.95
1962	---	---	---	---	---	---	4.70	4.00	3.40	3.80	---	---	3.95
1963	---	---	---	---	---	---	4.50	3.50	3.90	4.00	---	---	3.80
1964	---	---	---	---	---	---	5.10	5.00	3.80	---	---	---	4.75
1965	---	---	---	---	---	---	5.20	4.50	4.60	4.00	---	---	4.70
Connecticut:													
1959	---	---	---	---	---	---	4.20	3.30	3.30	---	---	---	3.65
1960	---	---	---	---	---	---	5.30	4.20	4.25	4.50	---	---	4.50
1961	---	---	---	---	---	---	5.70	3.85	3.20	3.50	---	---	4.05
1962	---	---	---	---	---	---	4.90	3.40	2.90	3.80	---	---	3.65
1963	---	---	---	---	---	---	4.00	3.10	3.90	3.90	---	---	3.50
1964	---	---	---	---	---	---	5.20	4.90	3.70	---	---	---	4.80
1965	---	---	---	---	---	---	5.30	4.10	4.30	5.00	---	---	4.35
New York:													
1959	---	---	---	---	---	---	2.90	2.15	2.35	3.30	---	---	2.30
1960	---	---	---	---	---	---	4.20	3.40	3.25	3.55	---	---	3.40
1961	---	---	---	---	---	---	4.20	2.55	2.20	3.20	---	---	2.50
1962	---	---	---	---	---	---	3.70	3.30	2.65	3.00	---	---	3.10
1963	---	---	---	---	---	---	3.00	2.40	2.35	2.60	---	---	2.40
1964	---	---	---	---	---	---	3.20	3.40	3.10	3.00	---	---	3.25
1965	---	---	---	---	---	---	3.00	3.00	3.40	3.50	---	---	3.20

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
SWEET CORN - Continued													
Late Summer, Con.:													
Pennsylvania:													
1959	---	---	---	---	---	---	4.25	3.00	2.60	2.80	---	---	3.15
1960	---	---	---	---	---	---	4.90	3.90	3.60	3.80	---	---	3.85
1961	---	---	---	---	---	---	5.30	3.35	2.80	3.80	---	---	3.20
1962	---	---	---	---	---	---	4.80	4.10	4.15	4.40	---	---	4.25
1963	---	---	---	---	---	---	6.00	3.90	3.85	4.25	---	---	4.20
1964	---	---	---	---	---	---	5.80	4.15	3.95	4.00	---	---	4.30
1965	---	---	---	---	---	---	5.60	4.30	4.20	4.55	---	---	4.50
Ohio:													
1959	---	---	---	---	---	3.50	3.00	2.75	2.95	3.10	---	---	2.90
1960	---	---	---	---	---	---	4.25	3.00	3.25	3.30	---	---	3.30
1961	---	---	---	---	---	---	4.90	2.50	2.05	2.65	---	---	2.70
1962	---	---	---	---	---	2.60	2.60	2.70	2.75	3.15	---	---	2.70
1963	---	---	---	---	---	4.10	4.10	2.45	2.50	3.30	---	---	2.95
1964	---	---	---	---	---	5.20	3.55	2.90	2.60	3.45	---	---	3.15
1965	---	---	---	---	---	3.45	3.45	3.05	2.95	3.65	---	---	3.20
Illinois:													
1959	---	---	---	---	---	---	2.20	1.65	2.25	---	---	---	1.95
1960	---	---	---	---	---	---	3.00	2.20	1.85	---	---	---	2.30
1961	---	---	---	---	---	---	3.10	1.95	1.90	---	---	---	1.65
1962	---	---	---	---	---	---	2.90	2.20	2.10	2.60	---	---	2.45
1963	---	---	---	---	---	---	2.40	1.65	2.40	2.75	---	---	1.95
1964	---	---	---	---	---	---	2.60	2.25	2.70	2.75	---	---	2.45
1965	---	---	---	---	---	---	2.50	2.05	2.05	1.80	---	---	2.15
Michigan:													
1959	---	---	---	---	---	---	3.45	2.50	2.10	---	---	---	2.75
1960	---	---	---	---	---	---	3.80	3.10	3.35	3.20	---	---	3.25
1961	---	---	---	---	---	---	3.90	1.90	2.00	2.50	---	---	2.05
1962	---	---	---	---	---	---	2.00	2.80	2.90	3.00	---	---	2.65
1963	---	---	---	---	---	---	4.00	2.75	2.75	3.00	---	---	2.90
1964	---	---	---	---	---	---	3.20	3.10	2.75	3.10	---	---	3.00
1965	---	---	---	---	---	---	4.10	3.35	3.10	3.00	---	---	3.35
Maryland:													
1959	---	---	---	---	---	---	2.25	1.90	1.90	---	---	---	2.05
1960	---	---	---	---	---	---	3.65	3.10	2.50	3.00	---	---	3.10
1961	---	---	---	---	---	---	3.00	2.10	2.05	2.25	---	---	2.25
1962	---	---	---	---	---	2.95	2.45	2.80	2.80	2.45	---	---	2.65
1963	---	---	---	---	---	---	3.80	2.50	2.15	2.80	---	---	2.75
1964	---	---	---	---	---	---	3.85	2.85	3.00	3.40	---	---	3.25
1965	---	---	---	---	---	---	2.65	2.25	2.30	---	---	---	2.40
Colorado:													
1959	---	---	---	---	---	---	3.95	3.20	3.30	3.50	---	---	3.30
1960	---	---	---	---	---	---	3.85	3.25	3.15	3.50	---	---	3.30
1961	---	---	---	---	---	---	4.00	2.85	2.60	2.60	---	---	2.90
1962	---	---	---	---	---	---	3.80	3.45	3.60	3.60	---	---	3.60
1963	---	---	---	---	---	---	4.50	3.25	2.90	2.90	---	---	3.40
1964	---	---	---	---	---	---	4.20	3.65	3.35	2.90	---	---	3.60
1965	---	---	---	---	---	---	6.10	3.90	3.40	3.00	---	---	3.90
Washington:													
1959	---	---	---	---	---	---	3.90	4.15	3.90	4.20	4.00	---	4.00
1960	---	---	---	---	---	---	4.40	4.25	4.00	3.80	3.60	---	4.10
1961	---	---	---	---	---	---	3.50	3.25	3.25	3.80	---	---	3.35
1962	---	---	---	---	---	---	2.80	3.20	2.70	2.80	3.05	---	2.95
1963	---	---	---	---	---	---	3.60	2.85	3.00	2.35	---	---	2.95
1964	---	---	---	---	---	---	5.10	4.95	5.30	4.35	4.65	---	5.00
1965	---	---	---	---	---	---	6.00	5.70	3.95	5.10	4.25	---	5.30
Oregon:													
1959	---	---	---	---	---	---	---	5.20	4.85	4.20	3.05	---	4.85
1960	---	---	---	---	---	---	---	4.80	3.60	3.05	3.00	---	3.60
1961	---	---	---	---	---	---	---	3.50	3.30	2.50	2.90	---	2.90
1962	---	---	---	---	---	---	---	4.30	4.30	2.80	2.55	---	3.05
1963	---	---	---	---	---	---	---	5.40	3.95	3.70	3.60	3.80	3.70
1964	---	---	---	---	---	---	---	3.30	3.30	3.05	2.90	2.40	3.00
1965	---	---	---	---	---	---	---	4.50	3.30	2.80	3.40	---	3.00

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>SWEET CORN - Continued</u>													
<u>Late Summer, Con.</u>													
Group total:						3.50	3.35	2.70	2.70	3.55	3.60	---	2.90
1959	---	---	---	---	---	---	4.35	3.45	3.40	3.55	3.30	---	3.55
1960	---	---	---	---	---	---	4.65	2.75	2.40	3.00	3.10	---	2.82
1961	---	---	---	---	---	---	2.60	3.25	3.30	3.05	3.30	---	3.22
1962	---	---	---	---	---	---	4.10	4.20	2.85	2.95	3.35	---	3.12
1963	---	---	---	---	---	---	5.20	3.95	3.75	3.25	3.35	---	3.61
1964	---	---	---	---	---	---	3.45	4.10	3.50	3.40	3.65	---	3.59
1965	---	---	---	---	---	---	---	---	---	---	---	---	---
<u>Fall</u>													
<u>Florida:</u>													
1959	---	---	---	---	---	---	---	---	---	4.95	4.35	5.90	4.75
1960	---	---	---	---	---	---	---	---	---	7.00	6.10	5.80	6.10
1961	---	---	---	---	---	---	---	---	---	4.80	4.10	4.25	4.30
1962	---	---	---	---	---	---	---	---	---	4.95	5.30	6.30	5.50
1963	---	---	---	---	---	---	---	---	---	6.00	5.60	6.60	6.00
1964	---	---	---	---	---	---	---	---	---	8.30	5.80	5.50	5.90
1965	---	---	---	---	---	---	---	---	---	6.60	5.30	5.10	5.50
<u>California:</u>													
1959	---	---	---	---	---	---	---	---	5.80	5.00	5.00	5.40	5.10
1960	---	---	---	---	---	---	---	---	4.75	5.40	5.30	6.80	5.50
1961	6.80	---	---	---	---	---	---	---	4.00	5.00	3.75	5.40	4.50
1962	---	---	---	---	---	---	---	---	---	3.80	4.80	5.40	4.30
1963	---	---	---	---	---	---	---	---	---	4.35	4.50	5.80	4.50
1964	---	---	---	---	---	---	---	---	---	4.95	4.70	6.80	4.90
1965	---	---	---	---	---	---	---	---	---	4.60	4.40	4.45	4.50
Group Total:													
1959	---	---	---	---	---	---	---	---	5.80	4.95	4.55	5.70	4.87
1960	---	---	---	---	---	---	---	---	4.75	5.90	5.70	6.00	5.80
1961	6.80	---	---	---	---	---	---	---	4.00	4.90	4.00	4.30	4.36
1962	---	---	---	---	---	---	---	---	---	4.30	5.10	6.10	5.01
1963	---	---	---	---	---	---	---	---	---	5.00	5.30	6.50	5.46
1964	---	---	---	---	---	---	---	---	---	5.90	5.50	5.50	5.61
1965	---	---	---	---	---	---	---	---	---	5.50	5.00	5.00	5.17
<u>Early Spring</u>													
<u>Florida:</u>													
1959	---	---	8.60	7.20	10.00	5.70	---	---	---	---	---	---	8.40
1960	---	---	13.70	12.40	6.50	4.50	---	---	---	---	---	---	7.80
1961	---	---	9.20	5.80	4.70	7.20	---	---	---	---	---	---	5.80
1962	---	---	9.20	10.60	8.20	6.20	---	---	---	---	---	---	8.90
1963	---	---	5.80	6.20	3.95	7.10	---	---	---	---	---	---	5.20
1964	---	---	8.90	5.60	5.30	5.60	---	---	---	---	---	---	5.80
1965	---	---	12.30	7.30	4.70	4.60	---	---	---	---	---	---	6.10
<u>Texas:</u>													
1959	---	---	---	9.10	8.30	4.90	4.90	---	---	---	---	---	7.70
1960	---	---	---	---	5.40	4.90	5.20	---	---	---	---	---	5.30
1961	---	---	---	4.90	4.50	4.90	5.30	5.20	---	---	---	---	4.80
1962	---	---	---	5.60	7.80	4.20	4.20	3.50	---	---	---	---	6.20
1963	---	---	---	7.00	4.50	4.80	5.10	5.10	---	---	---	---	4.80
1964	---	---	---	8.10	7.30	6.70	5.20	5.30	---	---	---	---	6.70
1965	---	---	---	8.90	7.60	5.80	5.50	5.90	---	---	---	---	6.40
Group Total:													
1959	---	---	8.60	7.20	9.70	5.20	4.90	---	---	---	---	---	8.34
1960	---	---	13.70	12.40	6.40	4.70	5.20	---	---	---	---	---	7.50
1961	---	---	9.20	5.80	4.70	6.10	5.30	5.20	---	---	---	---	5.70
1962	---	---	9.20	10.60	8.10	5.40	4.20	3.50	---	---	---	---	8.57
1963	---	---	5.80	6.20	4.00	5.80	5.10	5.10	---	---	---	---	5.17
1964	---	---	8.90	5.60	5.50	6.30	5.20	5.30	---	---	---	---	5.87
1965	---	---	12.30	7.30	4.85	5.60	5.50	5.90	---	---	---	---	6.13
<u>Late Spring</u>													
<u>N. Carolina:</u>													
1959	---	---	---	---	---	2.90	3.10	---	---	---	---	---	2.95
1960	---	---	---	---	---	2.60	2.80	---	---	---	---	---	2.65
1961	---	---	---	---	---	7.40	4.30	---	---	---	---	---	5.80
1962	---	---	---	---	---	3.05	3.20	4.10	4.00	4.00	---	---	3.20
1963	---	---	---	---	12.00	7.50	5.20	3.50	3.80	3.70	---	---	5.70
1964	---	---	---	---	---	5.60	4.35	4.50	4.50	4.50	---	---	5.10
1965	---	---	---	---	---	4.50	3.15	6.00	5.00	5.00	---	---	4.25

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
Late Spring, Con.													
S. Carolina:													
1959	---	---	---	---	8.00	4.40	4.10	---	---	---	---	---	4.90
1960	---	---	---	---	5.20	3.80	2.90	3.25	---	---	---	---	3.90
1961	---	---	---	---	7.90	6.30	4.40	3.30	---	---	---	---	6.20
1962	---	---	---	---	6.80	5.10	4.15	---	---	---	---	---	5.10
1963	---	---	---	---	5.00	4.55	4.40	---	---	---	---	---	4.60
1964	---	---	---	---	9.30	4.75	3.40	---	---	---	---	---	4.70
1965	---	---	---	---	5.20	5.00	3.30	---	---	---	---	---	5.00
Georgia: 2/													
1959	---	---	---	---	4.70	4.50	5.50	5.50	5.40	5.00	4.50	---	4.80
1960	---	---	---	---	5.10	4.15	3.50	4.90	3.90	3.90	3.80	---	4.05
1961	---	---	---	---	5.50	4.20	3.65	3.60	4.35	4.40	4.40	---	4.15
1962	---	---	---	---	5.50	4.15	3.00	4.00	5.50	4.50	---	---	4.10
1963	---	---	---	---	4.20	4.10	4.25	4.25	5.00	3.75	3.60	---	4.10
1964	---	---	---	---	5.40	5.10	4.25	5.00	5.20	5.20	4.90	---	4.95
Alabama: 2/													
1959	---	---	---	---	8.10	4.10	4.40	---	---	---	---	---	7.10
1960	---	---	---	---	5.40	3.95	3.75	3.95	4.05	---	---	---	4.20
1961	---	---	---	---	4.30	4.10	4.10	---	---	---	---	---	4.10
1962	---	---	---	---	6.60	3.90	3.70	4.40	5.00	6.00	---	---	4.20
1963	---	---	---	---	4.30	4.40	4.20	4.15	5.10	5.10	---	---	4.35
1964	---	---	---	---	4.90	5.40	4.20	5.80	5.60	5.60	---	---	4.75
Louisiana:													
1959	---	---	---	---	6.40	3.40	4.40	---	---	---	---	---	4.30
1960	---	---	---	---	4.10	3.55	3.50	---	---	---	---	---	3.75
1961	---	---	---	---	5.00	5.00	4.25	---	---	---	---	---	4.85
1962	---	---	---	---	5.40	3.50	4.40	4.00	---	---	---	---	3.90
1963	---	---	---	---	2.90	2.50	3.10	---	---	---	---	---	2.75
1964	---	---	---	---	6.90	4.45	3.40	3.40	---	---	---	---	4.40
1965	---	---	---	---	4.40	4.00	4.00	4.40	---	---	---	---	4.10
California:													
1959	---	---	---	13.40	6.50	3.55	4.10	---	---	---	---	---	5.10
1960	---	---	13.20	13.20	10.20	7.60	2.95	---	---	---	---	---	6.60
1961	---	---	13.10	8.70	8.40	8.20	4.30	---	---	---	---	---	7.10
1962	---	---	11.20	13.70	9.90	7.00	4.20	---	---	---	---	---	7.20
1963	---	---	---	9.10	8.30	8.10	6.60	---	---	---	---	---	7.70
1964	---	---	10.20	10.20	8.80	7.40	5.40	---	---	---	---	---	7.00
1965	---	---	13.90	13.90	7.20	8.10	7.00	---	---	---	---	---	7.90
Group Total:													
1959	---	---	---	13.40	7.00	3.70	3.90	5.50	5.40	5.00	4.50	---	4.60
1960	---	---	13.20	13.20	8.20	4.00	2.95	3.90	4.00	3.90	3.80	---	4.48
1961	---	---	13.10	8.70	8.20	6.70	4.30	3.70	4.35	4.40	4.40	---	6.28
1962	---	---	11.20	13.70	9.00	4.70	4.00	4.15	4.30	4.25	---	---	5.35
1963	---	---	---	9.10	6.30	5.50	5.70	3.65	4.00	3.70	3.60	---	5.70
1964	---	---	10.20	10.20	8.60	5.40	4.80	4.70	4.70	4.70	4.50	---	5.53
1965	---	---	13.90	13.90	6.50	5.20	5.40	5.90	5.00	5.00	---	---	5.61
Early Summer													
New Jersey:													
1959	---	---	---	---	---	5.70	3.60	2.95	5.80	5.80	---	---	3.60
1960	---	---	---	---	---	4.40	3.35	2.70	3.75	---	---	---	3.35
1961	---	---	---	---	---	---	3.45	3.00	3.25	---	---	---	3.35
1962	---	---	---	---	---	6.90	3.40	3.40	4.95	---	---	---	3.70
1963	---	---	---	---	---	4.40	4.40	3.30	2.55	2.55	---	---	3.95
1964	---	---	---	---	---	---	3.75	3.80	4.65	6.80	---	---	3.85
1965	---	---	---	---	---	5.10	4.55	4.60	5.50	6.60	---	---	4.65
Illinois:													
1959	---	---	---	---	---	5.00	5.50	2.30	4.90	3.50	---	---	4.80
1960	---	---	---	---	---	6.00	4.60	3.00	4.35	5.10	---	---	4.40
1961	---	---	---	---	---	---	4.60	2.85	2.95	3.50	---	---	3.60
1962	---	---	---	---	---	6.00	5.20	3.40	6.20	7.30	---	---	5.30
1963	---	---	---	---	---	12.00	7.00	3.05	4.10	4.60	---	---	5.30
1964	---	---	---	---	---	7.40	5.10	3.45	5.90	9.10	---	---	5.70
1965	---	---	---	---	---	7.30	5.30	4.35	4.55	4.85	---	---	5.30

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>CUCUMBERS - Continued</u>													
<u>Early Summer, Con.</u>													
<u>Delaware:</u>													
1959	---	---	---	---	---	3.25	4.60	2.75	4.35	---	---	---	4.30
1960	---	---	---	---	---	4.35	2.85	2.10	3.15	5.50	---	---	3.20
1961	---	---	---	---	---	---	3.30	2.90	3.50	5.20	---	---	3.35
1962	---	---	---	---	---	3.15	3.20	3.85	3.70	3.85	---	---	3.40
1963	---	---	---	---	---	---	4.30	3.75	4.30	4.80	---	---	4.20
1964	---	---	---	---	---	---	3.60	4.40	5.70	6.20	---	---	3.90
1965	---	---	---	---	---	4.20	4.20	5.80	6.00	---	---	---	4.80
<u>Maryland:</u>													
1959	---	---	---	---	---	3.15	4.30	3.30	4.80	6.00	---	---	4.00
1960	---	---	---	---	---	4.40	3.05	3.35	3.20	5.50	---	---	3.45
1961	---	---	---	---	---	6.60	3.60	3.65	4.25	4.70	---	---	3.90
1962	---	---	---	---	---	3.15	3.20	4.15	4.40	4.50	---	---	3.35
1963	---	---	---	---	---	10.00	4.45	3.75	4.50	4.60	---	---	4.40
1964	---	---	---	---	---	6.30	3.95	3.75	5.50	6.40	---	---	4.30
1965	---	---	---	---	---	5.10	4.20	4.70	7.90	4.60	4.60	---	4.70
<u>Virginia:</u>													
1959	---	---	---	---	---	4.00	3.40	3.00	---	---	---	---	3.75
1960	---	---	---	---	---	4.00	3.40	4.00	---	---	---	---	3.70
1961	---	---	---	---	---	7.00	3.95	4.00	---	---	---	---	4.10
1962	---	---	---	---	---	3.30	3.20	3.00	---	---	---	---	3.25
1963	---	---	---	---	---	11.80	6.40	4.50	---	---	---	---	6.60
1964	---	---	---	---	---	6.80	4.60	3.85	---	---	---	---	4.90
1965	---	---	---	---	---	6.80	4.55	4.15	---	---	---	---	4.85
<u>Group Total:</u>													
1959	---	---	---	---	---	3.70	4.00	2.90	5.10	5.60	---	---	3.90
1960	---	---	---	---	---	4.25	3.35	2.85	3.50	5.40	---	---	3.51
1961	---	---	---	---	---	6.70	3.60	3.10	3.65	4.50	---	---	3.63
1962	---	---	---	---	---	4.00	3.35	3.50	4.65	5.50	---	---	3.61
1963	---	---	---	---	---	9.20	4.85	3.45	3.95	4.40	---	---	4.52
1964	---	---	---	---	---	6.80	4.00	3.80	5.30	7.30	---	---	4.28
1965	---	---	---	---	---	6.20	4.45	4.65	6.30	5.20	4.60	---	4.75
<u>Late Summer</u>													
<u>Massachusetts:</u>													
1959	---	---	---	---	---	---	5.70	4.70	5.10	---	---	---	5.10
1960	---	---	---	---	---	---	5.30	4.45	4.40	---	---	---	4.85
1961	---	---	---	---	---	---	6.00	4.50	4.30	---	---	---	4.80
1962	---	---	---	---	---	---	5.70	5.30	7.10	---	---	---	5.50
1963	---	---	---	---	---	---	5.70	3.90	5.00	---	---	---	4.50
1964	---	---	---	---	---	---	5.50	5.80	6.20	---	---	---	5.80
1965	---	---	---	---	---	---	7.30	6.30	8.30	---	---	---	6.70
<u>New York:</u>													
1959	---	---	---	---	---	4.00	3.80	3.00	3.55	---	---	---	3.25
1960	---	---	---	---	---	---	4.45	4.50	3.90	3.65	---	---	4.25
1961	---	---	---	---	---	---	6.40	4.00	3.80	3.50	---	---	4.05
1962	---	---	---	---	---	---	4.30	4.40	5.00	5.50	---	---	4.55
1963	---	---	---	---	---	---	5.50	4.50	4.00	4.00	---	---	4.40
1964	---	---	---	---	---	---	5.40	6.50	5.70	5.80	---	---	6.10
1965	---	---	---	---	---	---	5.90	7.20	7.60	4.50	---	---	7.20
<u>Pennsylvania:</u>													
1959	---	---	---	---	---	---	5.20	4.00	3.80	---	---	---	4.50
1960	---	---	---	---	---	---	5.50	5.20	4.15	4.30	---	---	4.60
1961	---	---	---	---	---	---	6.00	4.00	3.75	3.20	---	---	4.40
1962	---	---	---	---	---	---	5.40	4.60	4.55	4.80	---	---	4.95
1963	---	---	---	---	---	---	6.40	4.05	3.90	3.70	---	---	4.70
1964	---	---	---	---	---	---	5.80	4.60	4.00	4.20	---	---	4.90
1965	---	---	---	---	---	---	5.30	4.40	5.00	4.35	---	---	4.75
<u>Michigan:</u>													
1959	---	---	---	---	---	---	6.00	3.70	5.50	---	---	---	4.60
1960	---	---	---	---	---	---	4.75	4.75	5.00	4.40	---	---	4.80
1961	---	---	---	---	---	---	5.90	4.10	6.00	6.50	---	---	4.85
1962	---	---	---	---	---	---	7.00	5.60	7.00	---	---	---	6.20
1963	---	---	---	---	---	---	7.20	4.10	4.05	4.50	---	---	4.20
1964	---	---	---	---	---	---	6.20	7.40	6.00	---	---	---	6.70
1965	---	---	---	---	---	---	6.60	5.30	6.20	6.00	---	---	5.70

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Late Summer Con.													
Group Total:													
1959	---	---	---	---	---	4.00	5.20	3.50	4.05	---	---	---	3.96
1960	---	---	---	---	---	5.50	4.95	4.55	4.20	4.00	---	---	4.50
1961	---	---	---	---	---	---	6.10	4.10	4.20	4.45	---	---	4.35
1962	---	---	---	---	---	---	5.40	4.80	5.50	5.30	---	---	5.09
1963	---	---	---	---	---	---	5.90	4.25	4.05	4.20	---	---	4.41
1964	---	---	---	---	---	---	5.70	6.20	5.70	5.60	---	---	6.00
1965	---	---	---	---	---	---	6.10	6.20	7.10	4.70	---	---	6.46
Early Fall													
Virginia:													
1959	---	---	---	---	---	---	---	---	6.40	4.25	5.40	---	5.40
1960	---	---	---	---	---	---	---	---	4.10	4.10	5.30	---	4.10
1961	---	---	---	---	---	---	---	---	6.20	3.80	4.15	---	4.95
1962	---	---	---	---	---	---	---	---	4.85	5.20	4.90	---	5.00
1963	---	---	---	---	---	---	---	---	3.70	4.20	3.50	---	3.95
1964	---	---	---	---	---	---	---	---	4.95	6.50	---	---	5.60
1965	---	---	---	---	---	---	---	---	7.70	4.85	4.50	---	6.50
South Carolina:													
1959	---	---	---	---	---	---	---	---	6.80	4.20	4.80	---	5.20
1960	---	---	---	---	---	---	---	---	4.50	5.60	5.60	---	5.40
1961	---	---	---	---	---	---	---	---	5.20	3.90	3.75	---	3.95
1962	---	---	---	---	---	---	---	---	7.40	5.40	5.10	---	5.60
1963	---	---	---	---	---	---	---	---	5.90	5.40	5.00	---	5.40
1964	---	---	---	---	---	---	---	---	6.30	9.20	8.70	---	9.00
1965	---	---	---	---	---	---	---	---	4.85	4.50	5.00	---	4.55
Louisiana:													
1959	---	---	---	---	---	---	---	5.20	4.00	3.70	3.70	---	3.95
1960	---	---	---	---	---	---	---	6.60	3.30	3.50	5.40	---	3.65
1961	---	---	---	---	---	---	---	---	4.00	3.00	3.00	---	3.25
1962	---	---	---	---	---	---	---	---	4.80	4.45	3.65	---	4.45
1963	---	---	---	---	---	---	---	---	3.75	3.80	4.30	---	3.80
1964	---	---	---	---	---	---	---	---	4.00	4.70	4.50	---	4.35
1965	---	---	---	---	---	---	---	---	5.20	4.35	4.75	---	4.60
Texas:													
1959	---	---	---	---	---	---	---	---	5.50	6.00	7.50	---	6.20
1960	---	---	---	---	---	---	---	---	5.50	5.20	6.00	---	5.90
1961	---	---	---	---	---	---	---	---	5.00	4.80	3.30	3.00	4.30
1962	---	---	---	---	---	---	---	---	2.90	3.20	3.30	2.95	3.15
1963	2.95	---	---	---	---	---	---	5.00	4.50	5.20	4.60	4.90	4.85
1964	---	---	---	---	---	---	---	---	5.90	8.30	8.40	8.00	7.90
1965	---	---	---	---	---	---	---	---	7.40	7.10	6.10	6.00	6.50
California:													
1959	---	---	---	---	---	---	---	3.70	4.55	5.90	8.40	8.60	5.20
1960	---	---	---	---	---	---	---	3.20	3.60	5.40	5.10	4.55	4.00
1961	---	---	---	---	---	---	---	3.70	5.60	5.30	6.60	6.30	4.95
1962	6.30	---	---	---	---	---	---	5.30	5.60	5.10	5.30	5.90	5.30
1963	5.90	---	---	---	---	---	---	4.30	3.65	5.30	5.00	5.60	4.40
1964	---	---	---	---	---	---	---	4.75	6.20	8.60	7.50	4.85	6.20
1965	---	---	---	---	---	---	---	6.20	5.00	6.20	6.30	6.20	5.80
Group Total:													
1959	---	---	---	---	---	---	---	3.70	5.50	4.80	7.90	8.60	5.25
1960	---	---	---	---	---	---	---	3.25	4.00	5.00	5.40	4.55	4.43
1961	---	---	---	---	---	---	---	3.70	5.80	4.20	4.75	4.05	4.61
1962	6.30	---	---	---	---	---	---	5.30	5.20	4.95	4.50	4.15	4.94
1963	4.70	---	---	---	---	---	---	4.10	3.80	4.95	4.75	5.30	4.51
1964	---	---	---	---	---	---	---	4.75	5.40	7.90	8.10	7.10	6.58
1965	---	---	---	---	---	---	---	6.20	6.40	5.30	6.00	6.00	5.86
Late Fall													
Florida:													
1959	11.20	14.00	---	---	---	---	---	---	---	6.30	7.40	15.70	8.30
1960	9.10	9.60	---	---	---	---	---	---	---	9.00	4.70	5.10	5.50
1961	9.40	11.20	---	---	---	---	---	---	---	3.55	4.40	4.65	4.50
1962	7.90	8.10	---	---	---	---	---	---	---	4.90	6.10	10.00	7.10
1963	12.20	---	---	---	---	---	---	---	---	4.15	4.80	7.10	5.90
1964	10.70	---	---	---	---	---	---	---	---	7.80	4.90	5.00	5.70
1965	8.20	10.40	---	---	---	---	---	---	---	5.10	4.90	6.90	6.40

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
	-- DOLLARS PER CWT. --												
EGGPLANT													
Winter													
Florida:													
1959	8.10	10.40	6.10	---	---	---	---	---	---	---	---	---	7.50
1960	8.90	11.40	12.00	---	---	---	---	---	---	---	---	---	10.30
1961	5.90	8.30	11.40	---	---	---	---	---	---	---	---	---	8.10
1962	6.50	10.20	6.30	---	---	---	---	---	---	---	---	---	7.10
1963	6.00	10.70	4.85	---	---	---	---	---	---	---	---	---	5.90
1964	7.90	9.20	8.60	---	---	---	---	---	---	---	---	---	8.20
1965	4.85	5.50	8.10	---	---	---	---	---	---	---	---	---	6.00
Spring													
Florida:													
1959	---	---	---	6.50	6.20	7.00	7.70	---	---	---	---	---	6.70
1960	---	---	---	5.40	5.20	4.50	4.45	---	---	---	---	---	5.00
1961	---	---	---	4.30	4.90	7.30	6.90	---	---	---	---	---	5.30
1962	---	---	---	6.10	6.80	5.50	6.20	---	---	---	---	---	6.20
1963	---	---	---	4.95	7.00	5.80	5.40	---	---	---	---	---	5.80
1964	---	---	---	5.00	7.20	6.90	6.30	---	---	---	---	---	6.20
1965	---	---	---	5.50	7.20	5.00	7.90	---	---	---	---	---	6.00
Summer													
New Jersey:													
1959	---	---	---	---	---	---	6.30	3.80	3.80	5.70	4.75	---	4.55
1960	---	---	---	---	---	---	5.10	2.70	2.80	4.65	4.50	---	3.45
1961	---	---	---	---	---	---	8.70	4.30	2.90	4.40	3.60	---	4.20
1962	---	---	---	---	---	---	8.40	3.55	3.25	5.10	5.10	---	4.20
1963	---	---	---	---	---	---	9.40	3.30	3.25	5.40	4.40	---	4.20
1964	---	---	---	---	---	---	8.80	5.80	3.85	6.40	---	---	5.50
1965	---	---	---	---	---	---	10.40	4.65	4.50	6.60	---	---	5.40
Fall													
Florida:													
1959	---	---	---	---	---	---	---	---	6.90	6.40	8.20	9.50	8.30
1960	---	---	---	---	---	---	---	---	---	7.30	9.30	5.80	7.20
1961	---	---	---	---	---	---	---	---	---	6.20	3.75	3.55	4.05
1962	---	---	---	---	---	---	---	---	---	6.90	5.60	4.95	5.40
1963	---	---	---	---	---	---	---	---	---	7.30	6.80	5.90	6.40
1964	---	---	---	---	---	---	---	---	---	12.50	6.30	3.85	5.60
1965	---	---	---	---	---	---	---	---	---	8.00	7.70	4.95	6.50
Texas: 2/													
1959	---	---	---	---	---	8.20	6.00	6.50	6.50	7.00	7.90	7.90	6.90
1960	---	---	---	---	---	---	7.80	7.80	7.50	7.20	8.10	8.30	7.70
1961	---	---	---	---	8.50	8.50	7.50	6.50	5.80	5.90	6.00	6.00	6.70
Group Total:													
1959	---	---	---	---	---	8.20	6.00	6.50	6.60	6.50	8.20	9.50	8.10
1960	---	---	---	---	---	---	7.80	7.80	7.50	7.20	9.10	5.90	7.31
1961	---	---	---	---	8.50	8.50	7.50	6.50	5.80	6.20	3.85	3.60	4.39
1962	---	---	---	---	---	---	---	---	---	6.90	5.60	4.95	5.40
1963	---	---	---	---	---	---	---	---	---	7.30	6.80	5.90	6.40
1964	---	---	---	---	---	---	---	---	---	12.50	6.30	3.85	5.60
1965	---	---	---	---	---	---	---	---	---	8.00	7.70	4.95	6.50
ESCAROLE													
Winter													
Florida:													
1959	4.00	4.00	3.55	5.00	6.60	---	---	---	---	---	8.30	7.30	4.45
1960	4.80	5.00	3.30	4.20	5.50	---	---	---	---	---	4.70	3.70	5.20
1961	4.30	3.50	4.10	4.25	8.20	6.40	---	---	---	5.00	5.10	8.10	4.55
1962	10.40	8.80	5.20	5.10	7.80	6.40	---	---	---	5.20	3.75	5.20	7.00
1963	5.60	4.90	4.65	4.70	5.90	---	---	---	---	4.70	5.30	5.70	4.95
1964	9.40	11.40	5.80	4.30	7.00	---	---	---	---	---	5.30	3.85	6.80
1965	4.05	7.00	7.00	5.00	6.90	4.90	---	---	---	4.80	4.40	3.90	5.60
Summer													
New Jersey:													
1959	---	---	---	---	4.35	4.65	4.10	5.30	6.80	4.70	7.00	---	5.20
1960	---	---	---	---	5.40	4.30	2.90	3.60	4.90	4.90	4.45	---	4.15
1961	---	---	---	---	10.20	7.70	4.65	5.00	5.20	3.95	3.05	---	5.30
1962	---	---	---	---	7.60	5.10	4.45	3.25	3.40	3.25	3.50	---	4.00
1963	---	---	---	---	8.10	8.00	4.15	5.90	4.60	4.30	4.25	---	5.40
1964	---	---	---	---	---	5.30	6.00	6.80	4.90	5.50	6.40	---	5.70
1965	---	---	---	---	---	7.30	5.60	4.60	5.90	6.00	5.30	---	6.00

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
ESCAROLE - Continued													
Summer-Con.													
Ohio:													
1959	---	---	---	---	---	9.70	7.80	8.10	8.20	8.40	---	---	8.40
1960	---	---	---	---	---	8.40	6.00	5.60	6.70	7.70	6.80	---	6.70
1961	---	---	---	---	---	10.40	9.40	8.00	8.60	8.80	8.20	8.00	8.80
1962	---	---	---	---	---	10.80	8.50	6.40	6.90	7.20	7.20	7.20	8.10
1963	---	---	---	---	---	9.70	8.00	7.10	7.20	7.30	8.60	8.60	7.80
1964	---	---	---	---	---	8.20	6.90	7.10	7.50	8.00	8.50	---	7.50
1965	---	---	---	---	12.70	8.70	7.10	7.00	7.70	8.30	9.90	---	7.80
Group Total:													
1959	---	---	---	---	4.35	6.00	5.30	6.50	7.30	5.10	7.00	---	6.15
1960	---	---	---	---	5.40	5.30	3.90	4.35	5.60	5.40	4.95	---	4.91
1961	---	---	---	---	10.20	8.30	6.60	6.50	6.80	5.20	4.50	8.00	6.56
1962	---	---	---	---	7.60	7.20	6.00	4.40	4.60	4.15	4.10	7.20	5.31
1963	---	---	---	---	8.10	8.40	5.60	6.20	5.70	5.10	5.20	8.60	6.22
1964	---	---	---	---	---	6.30	6.40	6.90	5.80	5.90	6.90	---	6.31
1965	---	---	---	---	12.70	7.70	6.20	5.60	6.50	6.30	6.60	---	6.58
Summer													
California:													
1959	---	---	---	---	---	---	---	---	---	---	---	---	10.70
1960	---	---	---	---	---	---	---	---	---	---	---	---	7.20
1961	---	---	---	---	---	---	---	---	---	---	---	---	8.90
1962	---	---	---	---	---	---	---	---	---	---	---	---	15.00
1963	---	---	---	---	---	---	---	---	---	---	---	---	11.00
1964	---	---	---	---	---	---	---	---	---	---	---	---	9.30
1965	---	---	---	---	---	---	---	---	---	---	---	---	8.00
Spring													
Texas:													
1959	---	---	---	---	7.90	7.60	5.60	---	---	---	---	---	7.50
1960	---	---	---	---	---	7.40	7.20	---	---	---	---	---	7.30
1961	---	---	---	---	10.50	8.30	8.30	---	---	---	---	---	9.10
1962	---	---	---	---	9.50	7.10	6.00	---	---	---	---	---	8.10
1963	---	---	---	---	7.80	6.80	6.80	---	---	---	---	---	7.00
1964	---	---	---	---	8.00	11.70	12.80	12.80	---	---	---	---	11.30
1965	---	---	---	---	8.50	6.60	6.70	---	---	---	---	---	6.90
California:													
1959	---	---	---	---	---	7.00	5.30	---	---	---	---	---	6.60
1960	---	---	---	---	---	5.80	5.20	---	---	---	---	---	5.70
1961	---	---	---	---	5.20	6.20	4.20	---	---	---	---	---	5.40
1962	---	---	---	---	---	8.70	4.20	---	---	---	---	---	6.40
1963	---	---	---	---	---	7.90	7.00	---	---	---	---	---	7.40
1964	---	---	---	---	---	10.20	6.10	4.50	---	---	---	---	6.20
1965	---	---	---	---	---	10.40	7.70	---	---	---	---	---	7.90
Group Total:													
1959	---	---	---	---	7.90	7.50	5.40	---	---	---	---	---	7.30
1960	---	---	---	---	---	6.70	6.60	---	---	---	---	---	6.63
1961	---	---	---	---	10.40	7.60	4.35	---	---	---	---	---	7.74
1962	---	---	---	---	9.50	7.60	4.30	---	---	---	---	---	7.49
1963	---	---	---	---	7.80	7.00	7.00	---	---	---	---	---	7.09
1964	---	---	---	---	8.00	11.70	7.40	7.80	---	---	---	---	10.07
1965	---	---	---	---	8.50	6.60	7.40	---	---	---	---	---	7.04
Early Summer													
Arizona:													
1959	---	---	---	---	---	---	6.70	5.80	---	---	---	---	6.60
1960	---	---	---	---	---	6.10	5.80	5.10	---	---	---	---	5.80
1961	---	---	---	---	8.00	7.80	6.40	6.20	---	---	---	---	6.40
1962	---	---	---	---	---	5.20	5.20	4.85	6.20	6.20	6.20	---	5.30
1963	---	---	---	---	---	---	7.70	6.80	6.80	6.80	6.80	6.80	7.20
1964	---	---	---	---	---	---	6.80	5.40	6.50	7.40	7.40	---	6.00
1965	---	---	---	---	---	---	7.10	4.80	4.30	3.75	5.20	---	6.10
Late Summer													
California:													
1959	---	---	---	---	---	---	4.55	5.50	5.40	5.60	---	---	5.30
1960	---	---	---	---	---	---	5.20	4.55	4.40	4.60	5.00	---	4.60
1961	---	---	---	---	---	---	5.80	5.20	4.85	5.30	---	---	5.10
1962	---	---	---	---	---	---	4.30	3.75	3.75	3.80	---	---	3.85
1963	---	---	---	---	---	---	7.40	5.40	4.90	4.95	---	---	5.20
1964	---	---	---	---	---	---	4.65	4.50	4.35	3.95	7.40	---	4.45
1965	---	---	---	---	---	---	6.60	4.55	5.00	5.20	4.75	---	5.10

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>KALE</u>													
<u>Winter</u>													
<u>Virginia:</u>													
1959	4.60	3.90	3.70	3.80	3.60	3.60	3.60	---	---	7.40	5.10	5.20	4.00
1960	5.40	6.10	8.10	6.20	4.20	---	---	---	6.50	7.00	5.50	4.80	5.80
1961	4.80	5.30	5.60	5.70	6.10	6.10	---	---	4.50	6.70	7.40	7.00	5.40
1962	6.30	5.60	6.00	6.30	6.50	---	---	---	4.50	6.30	5.70	5.70	6.50
1963	6.40	6.50	6.50	7.00	7.00	---	---	---	5.00	6.80	6.10	6.50	6.30
1964	6.50	6.30	5.90	6.00	6.10	---	---	---	6.00	9.20	6.60	6.60	6.20
1965	6.70	7.00	7.30	7.50	7.00	7.00	---	---	9.30	10.00	8.30	7.50	7.00
<u>LETTUCE</u>													
<u>Winter</u>													
<u>Florida:</u>													
1959	4.80	5.10	3.80	5.20	4.65	---	---	---	---	---	7.20	7.20	5.10
1960	7.20	8.20	6.90	5.70	6.20	6.20	---	---	---	---	4.90	6.00	6.90
1961	5.20	4.90	4.60	4.90	7.90	---	---	---	---	7.40	7.30	6.90	5.20
1962	7.40	8.90	7.40	9.90	6.40	6.40	---	---	---	---	5.40	8.90	7.90
1963	6.40	7.40	6.40	5.40	7.40	---	---	---	---	6.90	8.30	8.10	6.60
1964	10.10	10.30	8.70	6.70	5.00	---	---	---	---	---	8.40	6.60	8.40
1965	5.60	7.30	9.00	7.60	7.70	---	---	---	---	---	6.90	6.70	7.40
<u>Texas:</u>													
1959	4.20	5.60	4.45	2.85	---	---	---	---	---	---	---	4.10	4.40
1960	8.90	5.10	4.40	5.20	5.50	---	---	---	---	---	---	4.45	6.30
1961	3.60	2.50	2.50	3.00	3.00	---	---	---	---	---	3.50	3.15	3.30
1962	2.45	2.45	4.30	6.30	6.30	---	---	---	---	---	---	3.95	3.35
1963	5.50	4.40	5.40	3.50	3.50	---	---	---	---	---	6.30	6.30	4.90
1964	7.60	5.60	5.90	3.55	3.50	---	---	---	---	---	6.50	5.50	6.30
1965	2.80	3.60	2.90	2.80	---	---	---	---	---	---	5.00	5.00	3.60
<u>Arizona, Yuma:</u>													
1959	4.10	5.70	3.75	3.45	---	---	---	---	---	---	5.60	4.60	4.00
1960	7.60	5.10	4.30	---	---	---	---	---	---	---	2.75	5.20	5.20
1961	4.15	2.50	2.45	---	---	---	---	---	---	---	4.40	3.50	3.60
1962	3.95	5.30	7.60	4.20	---	---	---	---	---	---	2.80	3.50	5.00
1963	5.60	3.60	6.80	3.50	---	---	---	---	---	---	4.85	7.10	4.70
1964	8.20	4.75	4.85	2.55	---	---	---	---	---	---	7.70	4.70	5.80
1965	2.75	3.60	3.05	5.70	---	---	---	---	---	---	4.20	5.60	3.75
<u>California:</u>													
1959	3.35	4.70	3.20	---	---	---	---	---	---	---	4.85	3.80	3.70
1960	6.20	4.40	4.00	---	---	---	---	---	---	---	3.50	5.00	4.65
1961	3.15	2.40	2.35	---	---	---	---	---	---	---	4.75	2.85	3.20
1962	3.65	4.20	6.00	3.95	---	---	---	---	---	---	2.80	3.15	4.30
1963	4.90	3.30	5.50	3.05	---	---	---	---	---	---	4.85	6.00	3.95
1964	6.40	5.40	4.95	2.50	---	---	---	---	---	---	5.40	3.80	5.40
1965	2.55	3.20	2.90	4.60	---	---	---	---	---	---	4.05	5.10	3.15
<u>Group Total:</u>													
1959	3.55	4.90	3.40	3.90	4.65	---	---	---	---	---	5.10	4.05	3.82
1960	6.90	4.65	4.15	5.60	6.00	6.20	---	---	---	---	3.35	5.00	5.00
1961	3.65	2.45	2.45	4.40	6.60	---	---	---	---	7.40	4.80	3.15	3.35
1962	3.70	4.45	6.40	5.10	6.40	6.40	---	---	---	---	3.00	3.40	4.52
1963	4.80	3.50	5.90	3.95	6.20	---	---	---	6.90	---	5.10	6.50	4.27
1964	7.00	5.30	5.10	2.80	4.35	---	---	---	---	---	6.20	4.25	5.63
1965	2.65	3.35	3.00	5.30	7.70	---	---	---	---	---	4.45	5.30	3.41
<u>Early Spring</u>													
<u>North Carolina:</u>													
1959	---	---	---	3.30	3.20	---	---	---	---	---	---	---	3.20
1960	---	---	---	2.60	2.60	---	---	---	---	---	---	---	2.60
1961	---	---	---	4.30	5.00	---	---	---	---	---	---	---	4.80
1962	---	---	---	7.10	5.90	---	---	---	---	---	---	---	6.10
1963	---	---	---	4.00	3.50	4.50	---	---	---	---	---	---	3.60
1964	---	---	---	4.00	4.20	---	---	---	---	---	---	---	4.20
1965	---	---	---	6.40	7.10	---	---	---	---	---	---	---	7.00
<u>South Carolina:</u>													
1959	---	---	---	4.00	4.90	---	---	---	---	---	---	---	4.25
1960	---	---	---	6.10	5.50	---	---	---	---	---	---	---	5.80
1961	---	---	---	5.70	6.30	---	---	---	---	---	---	---	6.10

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodity, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>LETTUCE - Continued</u>													
Early Spring, Con.													
Georgia: 2/													
1959	---	---	---	4.90	3.50	---	---	---	---	---	---	---	4.05
1960	---	---	---	4.00	4.10	---	---	---	---	---	---	---	4.10
1961	---	---	4.25	4.25	3.90	3.90	---	---	---	---	---	---	4.10
New Mexico:													
1959	---	---	---	---	2.45	2.20	---	---	---	---	---	---	2.40
1960	---	---	---	---	2.95	3.00	---	---	---	---	---	---	2.95
1961	---	---	---	---	4.80	4.80	---	---	---	---	---	---	4.80
1962	---	---	---	---	6.30	6.30	---	---	---	---	---	---	6.30
1963	---	---	---	---	3.45	4.25	---	---	---	---	---	---	3.55
1964	---	---	---	---	2.90	2.75	---	---	---	---	---	---	2.85
1965	---	---	---	---	9.90	7.00	---	---	---	---	---	---	9.30
Arizona:													
1959	---	---	3.30	3.10	2.85	4.00	---	---	---	---	---	---	3.15
1960	---	---	3.75	5.50	3.40	2.85	---	---	---	---	---	---	4.60
1961	---	---	2.85	3.05	3.90	4.05	---	---	---	---	---	---	3.20
1962	---	---	7.60	5.20	7.60	3.90	---	---	---	---	---	---	5.80
1963	---	---	6.80	4.20	4.15	7.10	---	---	---	---	---	---	4.75
1964	---	---	4.05	2.95	3.50	2.90	---	---	---	---	---	---	3.20
1965	---	---	3.40	6.90	10.90	7.80	---	---	---	---	---	---	7.40
California:													
1959	---	---	2.95	2.25	2.10	---	---	---	---	---	---	---	2.20
1960	---	---	4.30	5.10	2.55	---	---	---	---	---	---	---	3.15
1961	---	---	2.25	2.65	3.70	---	---	---	---	---	---	---	3.45
1962	---	---	5.10	4.50	6.40	---	---	---	---	---	---	---	6.10
1963	---	---	4.35	2.60	2.70	---	---	---	---	---	---	---	2.70
1964	---	---	---	2.30	2.90	---	---	---	---	---	---	---	2.75
1965	---	---	3.00	4.25	7.50	---	---	---	---	---	---	---	6.60
Group Total:													
1959	---	---	3.25	2.90	2.35	3.75	---	---	---	---	---	---	2.77
1960	---	---	3.80	5.40	2.85	2.85	---	---	---	---	---	---	4.07
1961	---	---	2.80	3.00	3.80	4.10	---	---	---	---	---	---	3.34
1962	---	---	7.40	5.10	6.70	4.00	---	---	---	---	---	---	5.93
1963	---	---	6.50	3.75	3.10	6.80	---	---	---	---	---	---	3.78
1964	---	---	4.50	2.80	3.10	2.90	---	---	---	---	---	---	3.01
1965	---	---	3.35	6.30	8.40	7.70	---	---	---	---	---	---	7.14
Late Spring													
Massachusetts:													
1959	---	---	---	---	11.50	4.50	5.00	6.80	9.30	7.60	7.50	---	5.20
1960	---	---	---	---	9.50	5.10	5.60	7.30	7.60	7.60	7.50	---	5.90
1961	---	---	---	---	---	5.70	5.30	6.90	7.50	7.60	---	---	5.90
1962	---	---	---	---	---	6.00	5.30	7.30	7.50	7.30	5.80	---	6.10
1963	---	---	---	---	10.30	8.40	7.00	7.90	6.60	7.50	7.50	---	7.60
1964	---	---	---	---	11.00	5.50	6.80	7.90	7.20	7.40	7.20	---	6.70
1965	---	---	---	---	12.00	8.30	6.30	6.70	8.30	7.80	7.50	---	7.40
Connecticut:													
1959	---	---	---	---	8.30	4.70	4.90	6.70	8.80	7.50	---	---	5.10
1960	---	---	---	---	7.30	4.95	5.70	6.30	7.20	7.90	---	---	5.40
1961	---	---	---	---	12.80	6.30	5.90	6.60	7.00	7.00	---	---	6.30
1962	---	---	---	---	---	6.50	6.10	7.50	8.00	---	---	---	6.50
1963	---	---	---	---	10.20	8.50	8.20	7.20	6.50	8.00	---	---	8.20
1964	---	---	---	---	11.00	7.40	7.70	8.80	8.50	7.40	---	---	7.90
1965	---	---	---	---	---	9.00	8.10	8.60	8.20	7.80	---	---	8.50
New Jersey:													
1959	---	---	---	---	2.85	2.30	2.00	3.15	---	---	---	---	2.45
1960	---	---	---	---	3.05	2.65	2.65	2.75	---	---	---	---	2.75
1961	---	---	---	---	7.20	4.40	2.90	3.30	---	---	---	---	4.35
1962	---	---	---	---	6.30	4.35	3.45	3.15	---	---	---	---	4.55
1963	---	---	---	---	5.00	6.90	4.35	3.40	---	---	---	---	5.80
1964	---	---	---	---	4.50	3.35	3.10	3.85	---	---	---	---	3.55
1965	---	---	---	---	9.70	8.60	3.20	3.35	---	---	---	---	7.90
Pennsylvania: 2/													
1959	---	---	---	7.00	7.00	4.85	4.00	3.75	4.00	4.00	---	---	5.10
1960	---	---	---	---	7.00	5.50	5.80	3.75	4.00	4.50	---	---	5.30
1961	---	---	---	---	7.00	5.50	4.70	4.35	4.50	4.60	---	---	5.00
1962	---	---	---	---	5.90	4.75	5.20	4.70	4.10	3.90	---	---	5.00
1963	---	---	---	---	7.00	6.80	5.80	4.40	4.00	---	---	---	6.20
1964	---	---	---	---	6.80	7.10	5.80	4.60	4.80	4.70	4.70	---	6.20

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities; seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>LETTUCE - Continued</u>													
Late Spring, Con.:													
Group Total:													
1959	---	---	---	7.00	3.25	3.10	3.55	4.40	8.60	7.00	7.50	---	3.40
1960	---	---	---	---	3.30	3.40	4.10	4.40	6.90	7.00	7.50	---	3.71
1961	---	---	---	---	7.40	4.80	4.30	4.75	7.00	6.70	---	---	4.94
1962	---	---	---	---	6.30	4.90	4.65	4.45	7.40	6.60	5.80	---	5.09
1963	---	---	---	---	5.20	7.20	5.70	5.10	6.40	7.60	7.50	---	6.36
1964	---	---	---	---	5.10	4.00	5.20	5.50	7.20	7.20	6.60	---	4.67
1965	---	---	---	---	9.70	8.60	5.30	5.10	8.30	7.80	7.50	---	7.89
Summer:													
Maine:													
1959	---	---	---	---	---	4.80	5.90	6.00	9.80	7.80	---	---	6.30
1960	---	---	---	---	---	7.10	4.85	5.30	5.80	5.30	---	---	5.30
1961	---	---	---	---	---	5.90	5.70	5.50	6.30	6.30	---	---	5.80
1962	---	---	---	---	---	6.30	5.90	5.80	7.00	6.20	---	---	6.10
1963	---	---	---	---	---	10.50	6.50	5.20	5.80	5.50	---	---	6.50
1964	---	---	---	---	---	6.60	6.40	7.20	7.20	7.50	---	---	6.90
1965	---	---	---	---	---	---	7.00	6.70	7.50	8.00	---	---	7.00
New York:													
1959	---	---	---	---	3.75	3.00	3.10	3.50	4.20	4.20	---	---	3.35
1960	---	---	---	---	---	3.00	2.60	3.20	3.50	3.10	2.60	---	2.95
1961	---	---	---	---	---	4.00	3.80	3.60	4.20	4.20	---	---	3.85
1962	---	---	---	---	---	3.50	3.80	3.00	4.00	3.50	3.20	---	3.55
1963	---	---	---	---	---	6.50	4.80	4.10	3.50	3.50	3.50	---	4.60
1964	---	---	---	---	---	4.00	4.60	4.95	4.80	3.50	2.00	---	4.50
1965	---	---	---	---	---	3.60	3.90	4.40	5.00	3.90	3.60	---	4.10
Ohio:													
1959	---	---	---	---	16.00	9.00	14.00	13.00	16.00	14.00	---	---	13.10
1960	---	---	---	---	18.00	12.00	7.00	7.00	7.50	8.50	---	---	8.80
1961	---	---	---	---	18.80	8.10	6.20	7.30	13.50	13.00	---	---	9.30
1962	---	---	---	---	13.20	8.00	6.30	7.30	6.30	6.70	---	---	7.20
1963	---	---	---	---	15.30	8.60	7.60	10.20	9.70	6.20	---	---	8.70
1964	---	---	---	---	14.00	7.80	7.30	14.30	12.90	13.50	---	---	10.80
1965	---	---	---	---	17.70	14.00	8.80	7.50	13.30	18.50	---	---	11.50
Michigan:													
1959	---	---	---	---	---	5.00	4.40	4.80	6.20	6.80	---	---	4.90
1960	---	---	---	---	---	4.75	4.75	4.50	5.10	5.00	---	---	4.75
1961	---	---	---	---	---	4.25	4.25	3.00	3.55	4.00	---	---	3.80
1962	---	---	---	---	---	2.00	4.15	3.65	4.10	4.00	---	---	3.75
1963	---	---	---	---	---	8.00	5.10	3.35	4.00	4.00	---	---	4.50
1964	---	---	---	---	---	4.55	4.15	4.00	5.00	5.00	---	---	4.35
1965	---	---	---	---	---	5.70	4.50	4.20	5.40	5.00	---	---	4.65
Wisconsin:													
1959	---	---	---	---	---	---	---	---	---	---	---	---	6.70
1960	---	---	---	---	---	---	4.25	4.35	4.30	3.50	---	---	4.30
1961	---	---	---	---	---	---	4.25	4.10	6.10	---	---	---	4.75
1962	---	---	---	---	---	---	4.80	3.75	5.80	3.10	---	---	4.60
1963	---	---	---	---	---	---	5.20	4.00	4.80	4.00	---	---	4.75
1964	---	---	---	---	---	---	4.80	5.10	5.60	---	---	---	5.10
1965	---	---	---	---	---	---	4.60	4.90	6.70	---	---	---	5.10
Colorado:													
1959	---	---	---	---	---	2.80	3.30	3.40	5.80	5.80	---	---	4.05
1960	---	---	---	---	---	3.00	3.00	2.55	2.50	2.35	---	---	2.60
1961	---	---	---	---	---	6.00	2.20	1.65	2.65	---	---	---	2.05
1962	---	---	---	---	---	5.20	3.75	2.30	2.70	---	---	---	2.75
1963	---	---	---	---	---	2.80	4.25	2.75	2.60	2.80	---	---	3.15
1964	---	---	---	---	---	4.50	4.15	3.80	3.95	3.80	---	---	3.95
1965	---	---	---	---	---	4.30	4.20	3.80	4.50	4.10	---	---	4.10
Washington:													
1959	---	---	---	---	2.50	1.90	2.05	2.65	3.25	4.00	4.00	---	2.55
1960	---	---	---	---	3.25	1.95	2.20	2.05	2.80	2.80	3.25	---	2.30
1961	---	---	---	---	3.25	2.80	2.60	2.70	2.70	2.65	2.40	---	2.70
1962	---	---	---	---	4.00	3.00	2.70	2.65	3.10	3.00	3.30	---	2.90
1963	---	---	---	---	3.20	3.40	3.15	2.85	2.85	3.05	3.30	---	3.10
1964	---	---	---	---	---	3.40	3.20	4.00	3.35	4.05	4.05	---	3.65
1965	---	---	---	---	9.00	5.30	4.15	3.20	4.80	5.10	5.40	---	4.65

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Summer, Con.													
LETTUCE - Continued													
Oregon:													
1959	---	---	---	---	2.70	2.70	2.60	2.90	3.10	3.05	3.05	---	2.85
1960	---	---	---	---	2.60	3.00	3.10	2.55	3.10	3.50	3.30	---	3.05
1961	---	---	---	---	5.70	3.55	3.70	3.25	3.10	3.20	3.55	---	3.35
1962	---	---	---	---	2.90	3.20	2.70	2.65	2.35	2.35	3.05	---	2.65
1963	---	---	---	---	4.40	5.10	5.20	3.80	3.80	4.65	5.20	---	4.45
1964	---	---	---	---	5.70	5.30	4.90	4.50	5.90	5.70	5.60	---	5.20
1965	---	---	---	---	5.70	5.70	4.80	4.80	5.60	5.90	6.00	---	5.40
California:													
1959	---	---	---	---	---	2.85	3.95	4.00	---	---	---	---	3.55
1960	---	---	---	---	---	2.95	3.70	3.40	---	---	---	---	3.35
1961	---	---	---	---	---	2.90	3.30	3.00	---	---	---	---	3.05
1962	---	---	---	---	---	2.80	3.15	2.55	---	---	---	---	2.85
1963	---	---	---	---	---	5.90	3.95	2.50	---	---	---	---	4.15
1964	---	---	---	---	---	2.65	3.15	3.60	---	---	---	---	3.10
1965	---	---	---	---	---	4.25	2.90	3.25	---	---	---	---	3.55
Group Total:													
1959	---	---	---	---	5.30	2.90	3.90	3.95	5.70	6.00	3.85	---	3.85
1960	---	---	---	---	7.40	3.05	3.60	3.35	3.30	3.50	2.75	---	3.34
1961	---	---	---	---	5.80	3.00	3.35	2.85	3.95	4.90	2.80	---	3.15
1962	---	---	---	---	6.60	2.90	3.40	2.65	3.65	3.70	3.25	---	3.06
1963	---	---	---	---	7.30	5.90	4.20	2.75	3.35	3.80	3.60	---	4.11
1964	---	---	---	---	12.30	2.85	3.55	3.90	4.60	4.95	4.10	---	3.58
1965	---	---	---	---	11.50	4.35	3.40	3.60	5.30	5.70	5.20	---	3.93
Early Fall													
New Jersey:													
1959	---	---	---	---	---	---	---	---	3.85	3.80	4.10	---	3.85
1960	---	---	---	---	---	---	---	---	4.15	4.90	4.50	---	4.70
1961	---	---	---	---	---	---	---	---	4.05	3.15	3.45	---	3.40
1962	---	---	---	---	---	---	---	---	3.75	4.55	4.90	---	4.60
1963	---	---	---	---	---	---	---	---	4.10	5.50	5.20	3.80	5.30
1964	---	---	---	---	---	---	---	---	4.60	4.80	4.20	4.20	4.55
1965	---	---	---	---	---	---	---	---	4.70	5.20	4.45	2.85	4.85
Texas:													
1959	---	---	---	---	---	---	---	---	5.20	4.10	4.60	---	4.25
1960	---	---	---	---	---	---	---	---	4.10	3.90	4.70	---	4.00
1961	---	---	---	---	---	---	---	6.00	5.80	2.60	2.55	---	3.10
1962	---	---	---	---	---	---	---	---	4.30	4.10	3.40	---	4.00
1963	---	---	---	---	---	---	---	---	4.15	4.90	6.10	---	4.95
1964	---	---	---	---	---	---	---	---	4.95	3.95	4.25	---	4.10
1965	---	---	---	---	---	---	---	---	6.20	5.70	4.15	---	5.40
New Mexico:													
1959	---	---	---	---	---	---	---	3.90	6.00	3.90	3.90	---	4.20
1960	---	---	---	---	---	---	3.30	3.50	3.00	5.40	5.20	---	4.85
1961	---	---	---	---	---	---	---	---	---	2.90	4.50	---	3.55
1962	---	---	---	---	---	---	---	---	6.10	6.10	5.60	---	5.80
1963	---	---	---	---	---	---	---	---	2.60	4.40	4.00	---	4.10
1964	---	---	---	---	---	---	---	---	4.70	3.20	4.45	---	3.95
1965	---	---	---	---	---	---	---	---	6.10	5.50	4.20	---	4.95
California:													
1959	3.60	3.60	---	---	---	---	---	---	6.00	5.20	3.85	3.10	5.40
1960	---	---	---	---	---	---	---	---	3.50	4.80	4.00	3.25	4.05
1961	---	---	---	---	---	---	---	---	4.55	2.70	3.65	3.40	3.75
1962	---	---	---	---	---	---	---	---	4.55	3.75	3.30	2.20	4.05
1963	---	---	---	---	---	---	---	---	2.70	3.75	5.20	3.85	3.40
1964	---	---	---	---	---	---	---	---	4.05	3.45	4.50	4.95	3.90
1965	---	---	---	---	---	---	---	---	4.45	5.30	4.00	4.10	4.75
Group Total:													
1959	3.60	3.60	---	---	---	---	---	3.90	6.00	4.85	3.95	3.10	5.17
1960	---	---	---	---	---	---	3.30	3.50	3.50	4.70	4.25	3.25	4.11
1961	---	---	---	---	---	---	---	6.00	4.60	2.70	3.65	3.40	3.67
1962	---	---	---	---	---	---	---	---	4.55	3.90	3.75	2.20	4.12
1963	---	---	---	---	---	---	---	---	2.75	4.10	5.20	3.85	3.68
1964	---	---	---	---	---	---	---	---	4.05	3.60	4.40	4.95	3.95
1965	---	---	---	---	---	---	---	---	4.50	5.40	4.10	3.95	4.82

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Lettuce - Continued													
Late Fall													
Arizona:													
1959	3.00	---	---	---	---	---	---	---	9.20	5.60	4.90	4.85	5.30
1960	---	---	---	---	---	---	---	---	3.60	5.50	3.70	4.40	4.15
1961	4.60	---	---	---	---	---	---	---	5.40	3.40	4.55	3.75	4.15
1962	3.70	---	---	---	---	---	---	---	5.40	6.40	4.55	3.40	4.70
1963	4.60	---	---	---	---	---	---	---	4.30	6.10	6.20	5.80	6.10
1964	7.90	---	---	---	---	---	---	---	4.60	4.35	7.20	5.30	6.10
1965	---	---	---	---	---	---	---	---	5.60	7.70	4.30	4.30	4.80
Early Spring													
Texas:													
1959	---	---	9.40	7.20	4.10	3.35	---	---	---	---	---	---	5.40
1960	---	2.85	2.75	3.00	2.95	3.00	---	---	---	---	---	---	2.95
1961	---	4.60	4.60	3.50	2.95	5.00	5.90	---	---	---	---	---	3.45
1962	---	---	7.80	5.30	3.60	3.40	---	---	---	---	---	---	4.60
1963	---	---	4.25	3.75	4.60	4.90	---	---	---	---	---	---	4.15
1964	---	---	4.15	2.75	2.45	2.80	---	---	---	---	---	---	2.75
1965	---	4.00	3.90	3.35	4.95	6.20	---	---	---	---	---	---	3.95
Late Spring													
North Carolina^{2/}:													
1959	---	---	---	---	2.70	2.60	2.70	---	---	---	---	---	2.65
1960	---	---	---	---	---	2.75	---	---	---	---	---	---	2.75
1961	---	---	---	---	---	4.50	---	---	---	---	---	---	4.90
1962	---	---	---	---	---	4.50	3.80	---	---	---	---	---	4.40
1963	---	---	---	---	---	4.25	4.10	3.00	4.00	---	---	---	4.05
1964	---	---	---	---	2.90	2.70	---	---	---	---	---	---	2.70
Georgia: ^{2/}:													
1959	---	---	---	---	3.40	3.75	---	---	---	---	---	---	3.55
1960	---	---	---	---	2.90	2.85	---	---	---	---	---	---	2.90
1961	---	---	---	---	3.95	5.00	---	---	---	---	---	---	4.80
1962	---	---	---	---	5.00	5.40	---	---	---	---	---	---	5.30
1963	---	---	---	---	3.80	5.00	---	---	---	---	---	---	3.90
1964	---	---	---	3.00	3.00	3.40	---	---	---	---	---	---	3.15
Texas:													
1959	---	---	---	---	3.35	3.15	3.50	---	---	---	---	---	3.15
1960	---	---	---	---	3.50	3.65	4.00	---	---	---	---	---	3.75
1961	---	---	---	---	3.50	5.00	5.90	---	---	---	---	---	4.55
1962	---	---	---	---	4.50	5.00	---	---	---	---	---	---	4.85
1963	---	---	---	---	4.60	4.60	---	---	---	---	---	---	4.60
1964	---	---	---	---	---	2.80	---	---	---	---	---	---	2.80
1965	---	---	---	---	---	6.40	---	---	---	---	---	---	6.40
Arizona:													
1959	---	---	---	5.70	2.55	2.00	2.00	---	---	---	---	---	2.35
1960	---	---	---	---	2.40	2.55	2.70	---	---	---	---	---	2.50
1961	---	---	---	---	3.10	4.95	---	---	---	---	---	---	4.15
1962	---	---	---	---	3.65	4.10	3.30	---	---	---	---	---	3.90
1963	---	---	---	3.30	4.40	4.60	---	---	---	---	---	---	4.50
1964	---	---	---	---	2.70	2.60	2.40	---	---	---	---	---	2.60
1965	---	---	---	---	6.10	5.30	5.00	---	---	---	---	---	5.90
California:													
1959	---	---	---	9.20	3.45	2.30	1.90	---	---	---	---	---	3.05
1960	---	---	---	3.80	2.45	2.10	2.60	---	---	---	---	---	2.40
1961	---	---	---	3.25	2.50	3.75	3.45	---	---	---	---	---	3.35
1962	---	---	---	5.00	3.50	3.20	3.50	---	---	---	---	---	3.40
1963	---	---	---	3.65	4.50	4.65	4.60	---	---	---	---	---	4.55
1964	---	---	---	2.10	2.95	2.55	2.40	---	---	---	---	---	2.60
1965	---	---	---	3.90	6.40	6.40	5.00	---	---	---	---	---	6.00
Group Total:													
1959	---	---	---	8.90	3.15	2.35	1.95	---	---	---	---	---	2.91
1960	---	---	---	3.80	2.45	2.35	2.75	---	---	---	---	---	2.50
1961	---	---	---	3.25	2.80	4.20	3.90	---	---	---	---	---	3.65
1962	---	---	---	5.00	3.65	3.70	3.90	---	---	---	---	---	3.67
1963	---	---	---	3.55	4.40	4.60	4.60	3.00	4.00	---	---	---	4.51
1964	---	---	---	2.40	2.90	2.60	2.40	---	---	---	---	---	2.64
1965	---	---	---	3.90	6.30	5.90	5.00	---	---	---	---	---	5.82

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities; seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
OHIO - Continued													
Early Summer													
New Jersey:													
1959	---	---	---	---	---	3.00	3.55	3.40	3.40	---	---	---	3.50
1960	---	---	---	---	---	3.50	4.50	3.50	---	---	---	---	4.35
1961	---	---	---	---	---	4.75	5.20	4.80	3.70	---	---	---	5.10
1962	---	---	---	---	---	3.30	3.25	3.70	3.20	2.75	---	---	3.25
1963	---	---	---	---	---	---	5.70	4.00	3.15	3.25	---	---	5.30
1964	---	---	---	---	---	---	4.20	3.00	3.75	3.20	---	---	3.95
1965	---	---	---	---	---	5.30	5.10	5.50	3.40	2.40	---	---	4.95
Illinois:													
1959	---	---	---	---	---	---	3.00	3.30	2.65	2.10	2.30	2.05	2.70
1960	---	---	---	---	---	---	3.50	2.95	2.50	1.90	1.85	2.10	2.60
1961	---	---	---	---	---	---	4.50	3.30	2.45	3.00	3.25	3.30	3.40
1962	---	---	---	---	---	---	2.70	2.70	2.60	2.40	2.50	2.20	2.60
1963	---	---	---	---	---	---	5.00	3.40	2.40	2.80	3.30	3.30	3.40
1964	---	---	---	---	---	---	3.10	2.90	3.15	3.30	3.30	3.30	3.10
1965	---	---	---	---	---	---	3.70	4.10	3.05	2.70	2.30	2.10	3.15
Virginia: 2/													
1959	---	---	---	---	---	2.60	2.60	---	---	---	---	---	2.60
1960	---	---	---	---	---	2.95	3.00	---	---	---	---	---	3.00
1961	---	---	---	---	---	---	5.00	---	---	---	---	---	5.00
Texas:													
1959	---	---	---	---	---	2.80	3.00	3.05	2.80	2.90	---	---	2.95
1960	---	---	---	---	---	3.10	3.50	3.30	3.25	3.00	---	---	3.35
1961	---	---	---	---	5.00	5.40	5.40	5.60	5.60	---	---	---	5.50
1962	---	---	---	---	4.00	5.00	3.40	3.35	2.45	2.45	---	---	3.65
1963	---	---	---	---	4.50	4.60	5.40	5.40	5.00	5.00	---	---	5.30
1964	---	---	---	---	2.50	2.40	3.30	2.90	3.65	4.50	4.50	---	3.15
1965	---	---	---	---	6.20	6.20	5.40	4.70	3.65	3.80	2.75	---	5.10
New Mexico:													
1959	---	---	---	---	---	2.40	2.25	2.90	2.40	3.00	3.10	---	2.50
1960	---	---	---	---	3.40	2.30	2.60	3.70	3.20	2.70	---	---	2.65
1961	---	---	---	---	4.20	4.50	5.00	4.50	4.50	4.50	---	---	4.55
1962	---	---	---	---	---	4.30	3.80	3.10	2.35	2.35	---	---	3.80
1963	---	---	---	---	---	4.75	4.75	4.25	3.80	4.10	---	---	4.65
1964	---	---	---	---	---	2.90	3.00	2.55	2.55	2.30	---	---	2.80
1965	---	---	---	---	---	6.00	5.00	5.00	2.50	---	---	---	5.50
Washington:													
1959	---	---	---	---	---	1.85	2.00	2.30	---	---	---	---	2.00
1960	---	---	---	---	---	1.95	2.15	2.05	---	---	---	---	2.10
1961	---	---	---	---	---	2.95	3.10	4.50	---	---	---	---	3.10
1962	---	---	---	---	---	3.00	2.50	2.85	---	---	---	---	2.60
1963	---	---	---	---	---	4.10	3.85	4.25	---	---	---	---	3.90
1964	---	---	---	---	---	2.95	3.00	3.20	---	---	---	---	3.00
1965	---	---	---	---	---	6.50	5.60	4.70	---	---	---	---	5.60
Group Total:													
1959	---	---	---	---	---	2.50	2.85	3.00	2.80	2.80	2.60	2.05	2.78
1960	---	---	---	---	3.40	2.55	3.55	3.35	3.00	2.45	1.85	2.10	3.19
1961	---	---	---	---	4.55	4.50	5.00	5.00	4.25	3.40	3.25	3.30	4.85
1962	---	---	---	---	4.00	4.40	3.20	3.25	2.55	2.50	2.50	2.20	3.46
1963	---	---	---	---	4.50	4.70	5.20	4.60	3.40	3.75	3.30	3.30	4.90
1964	---	---	---	---	2.50	2.80	3.45	2.80	3.40	3.65	3.95	3.30	3.15
1965	---	---	---	---	6.20	6.00	5.30	3.85	3.45	2.95	2.50	2.10	5.17
Late Summer													
Massachusetts: 2/													
1959	3.60	3.30	---	---	---	---	2.40	2.35	1.85	1.60	1.60	1.70	2.20
1960	1.75	---	---	---	---	---	3.10	2.20	1.75	1.45	1.45	1.45	2.05
1961	1.45	---	---	---	---	---	4.20	3.60	2.65	2.70	2.85	3.40	3.20
1962	---	---	---	---	---	---	3.90	2.90	2.60	2.00	---	---	2.60
1963	---	---	---	---	---	---	4.50	3.80	3.20	3.10	3.10	---	3.45
1964	---	---	---	---	---	---	3.70	3.30	3.50	3.50	3.60	---	3.45

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
ONIONS - Continued													
Late Summer, Con.													
New York:													
1959	5.40	5.60	8.20	10.20	---	---	3.50	3.00	2.20	2.25	2.35	2.25	2.25
1960	2.10	1.80	2.30	1.70	1.50	---	3.10	2.80	1.90	1.70	1.70	1.85	2.30
1961	2.90	3.65	2.30	2.60	2.10	2.40	3.00	2.75	2.45	3.40	3.55	4.40	4.50
1962	6.30	7.30	7.20	4.60	3.20	---	2.80	2.65	2.40	2.20	2.45	2.40	2.65
1963	2.75	3.10	3.30	3.00	3.45	3.70	4.50	3.15	2.60	2.90	3.45	3.70	3.05
1964	3.50	2.90	2.90	2.20	1.60	1.60	3.00	2.60	3.35	3.60	3.60	3.50	3.25
1965	3.40	3.00	2.90	3.50	3.15	---	4.25	3.65	2.25	1.95	1.65	1.65	2.65
Ohio:													
1959	5.00	5.20	7.00	---	---	---	3.50	3.50	2.85	2.40	2.65	2.20	2.50
1960	2.00	1.85	1.80	---	---	---	---	3.50	2.50	2.40	2.00	2.40	2.60
1961	2.85	3.40	2.05	2.05	---	---	---	3.50	2.90	3.10	3.25	3.65	4.50
1962	5.00	7.00	6.80	6.80	---	---	---	3.15	3.10	2.85	2.40	2.25	2.70
1963	2.70	2.90	2.95	---	---	---	---	3.50	3.05	3.10	3.20	3.25	3.10
1964	3.15	2.95	3.00	3.00	---	---	---	4.00	3.95	4.35	3.95	3.80	3.65
1965	3.40	3.00	2.90	---	---	---	---	5.00	3.30	3.30	2.60	2.35	2.75
Indiana:													
1959	4.40	5.10	7.20	7.00	---	---	---	3.10	2.70	2.65	2.60	2.40	2.45
1960	2.25	2.05	2.10	1.70	---	---	---	3.60	2.75	2.45	2.00	2.05	2.45
1961	2.75	3.00	2.00	1.90	---	---	---	2.50	2.20	3.10	3.45	3.90	4.85
1962	6.30	6.70	7.00	4.00	---	---	---	---	2.90	2.70	2.30	2.25	2.50
1963	2.45	3.10	3.10	---	---	---	---	3.00	2.80	3.70	3.60	3.60	3.40
1964	3.35	3.05	3.40	---	---	---	---	---	3.60	3.50	3.40	3.30	3.00
1965	2.90	2.55	2.35	---	---	---	---	---	---	2.70	2.00	1.70	1.95
Michigan:													
1959	4.85	5.60	8.20	9.20	5.00	---	3.00	2.90	1.90	1.60	1.90	1.70	1.70
1960	1.50	1.25	1.60	1.30	---	---	---	2.60	2.00	1.85	1.90	2.00	2.20
1961	2.50	3.20	1.80	1.80	---	---	---	3.00	2.50	3.25	3.40	4.70	4.60
1962	6.00	7.00	6.60	4.00	---	---	---	3.00	2.50	2.35	2.30	2.20	2.60
1963	2.40	3.10	3.20	3.00	---	---	---	3.95	2.60	2.65	3.10	3.10	3.00
1964	3.10	2.90	2.90	2.10	---	---	---	3.95	3.05	3.00	2.85	2.65	2.60
1965	2.35	2.00	1.80	1.75	---	---	4.55	4.00	2.35	2.05	1.70	1.30	1.95
Wisconsin:													
1959	4.80	5.50	7.90	8.20	---	---	---	3.00	2.35	1.95	2.00	1.95	1.85
1960	1.70	1.40	1.70	---	---	---	---	3.10	2.25	1.80	1.70	1.60	2.10
1961	2.00	3.00	2.00	1.90	---	---	---	---	2.50	3.00	3.15	3.50	4.55
1962	5.30	6.80	6.20	3.50	---	---	---	3.25	2.35	2.35	2.10	2.00	2.20
1963	1.95	2.50	2.25	2.25	---	---	---	4.40	3.00	3.05	3.50	3.25	3.15
1964	3.20	2.65	3.10	2.80	---	---	---	4.50	3.35	3.80	3.30	3.20	2.40
1965	2.60	2.05	1.60	1.60	---	---	---	---	3.05	2.50	2.00	1.95	2.20
Minnesota:													
1959	4.85	5.50	8.00	8.00	5.00	---	---	---	2.00	1.90	2.00	1.90	1.75
1960	1.65	1.45	1.40	1.25	---	---	---	---	2.00	1.90	1.90	1.90	2.00
1961	2.15	2.95	1.65	1.15	---	---	---	---	2.20	3.00	2.90	3.75	5.00
1962	5.80	6.60	6.30	3.25	---	---	---	---	2.50	2.40	2.15	1.90	2.15
1963	2.05	2.35	2.10	2.20	---	---	---	---	3.00	2.65	3.20	3.60	2.85
1964	3.00	2.40	2.80	1.50	---	---	---	---	3.00	3.15	3.25	3.10	2.50
1965	2.65	2.00	1.60	1.55	---	---	---	---	2.50	2.25	2.15	1.55	1.90
Iowa:													
1959	4.80	4.95	8.00	8.40	---	---	2.75	2.00	1.70	1.40	1.75	1.65	2.00
1960	1.60	1.35	1.50	---	---	---	2.25	1.75	2.00	1.70	1.50	1.60	1.95
1961	1.90	2.45	1.40	1.00	---	---	3.40	3.00	2.10	2.40	3.15	3.85	3.55
1962	5.40	6.90	6.50	2.60	---	---	2.10	1.80	2.00	2.20	2.00	1.95	2.10
1963	2.05	2.25	---	---	---	---	3.25	3.50	3.50	2.20	2.20	2.75	3.00
1964	2.85	2.60	2.55	---	---	---	2.90	2.90	3.00	3.20	3.10	2.95	2.75
1965	2.60	1.90	1.70	---	---	---	3.00	3.50	3.60	2.70	1.90	1.50	2.60
Nebraska: 2/													
1959	---	---	---	---	---	---	---	---	---	2.00	2.00	2.00	2.00
1960	---	---	---	---	---	---	---	---	---	1.90	1.90	1.90	1.90
1961	1.90	---	---	---	---	---	---	---	---	2.25	2.25	2.25	2.25
1962	---	---	---	---	---	---	---	---	---	1.10	1.10	1.10	1.10
1963	---	---	---	---	---	---	---	---	---	2.00	2.00	2.00	2.00
1964	---	---	---	---	---	---	---	---	---	---	2.00	2.00	2.00

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
ONIONS - Continued													
Late Summer, Con.													
Kansas: 2/													
1959	---	---	---	---	---	---	---	3.00	2.70	3.00	3.10	---	2.85
1960	---	---	---	---	---	---	---	2.85	2.85	3.40	3.50	---	3.40
1961	---	---	---	---	---	---	---	---	---	3.50	---	---	3.50
1962	---	---	---	---	---	---	---	2.60	2.40	2.40	---	---	2.50
1963	---	---	---	---	---	---	---	4.65	4.80	4.80	---	---	4.75
1964	---	---	---	---	---	---	---	5.00	4.50	4.50	---	---	4.60
Colorado:													
1959	4.20	4.65	8.20	---	---	---	2.80	3.35	2.15	2.15	2.05	1.85	2.05
1960	1.85	1.40	1.35	---	---	---	3.10	3.55	2.50	1.85	1.75	1.80	2.25
1961	2.15	2.70	2.10	1.70	---	---	---	3.80	2.60	3.20	3.45	3.95	3.85
1962	6.00	6.50	6.80	5.20	---	---	4.20	3.30	2.20	2.55	2.85	2.85	2.70
1963	3.00	2.75	2.35	---	---	---	4.20	4.80	3.35	3.80	4.25	4.00	3.95
1964	3.75	3.35	3.90	---	---	---	3.10	3.25	2.85	3.00	3.45	3.55	3.10
1965	3.20	2.90	2.65	---	---	---	3.00	4.40	3.35	3.35	2.60	2.30	3.10
Utah:													
1959	4.45	4.55	6.60	---	---	---	---	2.70	2.50	2.65	2.70	2.50	2.55
1960	2.55	2.55	2.50	2.50	---	---	---	2.70	2.70	2.80	2.80	2.70	2.80
1961	2.70	3.00	3.10	---	---	---	---	3.40	3.40	3.80	4.40	4.85	5.50
1962	7.70	7.70	8.40	---	---	---	---	2.50	2.50	2.50	3.00	2.15	2.30
1963	2.30	2.00	1.65	1.65	---	---	---	3.90	3.90	3.65	4.15	4.15	3.90
1964	3.60	4.15	3.65	---	---	---	---	---	3.00	3.00	3.25	3.55	3.25
1965	3.35	2.75	2.75	---	---	---	2.60	2.60	2.60	2.30	1.90	1.85	2.10
Nevada: 2/													
1959	5.40	5.20	---	---	---	---	---	---	---	---	4.45	4.40	4.50
1960	4.65	4.70	4.50	4.40	---	---	---	---	4.80	4.80	4.80	4.80	4.90
1961	5.00	5.00	5.00	5.00	---	---	---	---	2.40	2.40	4.00	4.25	3.25
1962	6.80	6.50	---	---	---	---	---	---	---	1.80	1.85	1.85	1.85
1963	1.85	1.85	1.85	1.85	---	---	---	---	---	1.95	1.90	1.85	1.95
1964	1.85	1.85	1.85	---	---	---	---	---	---	1.65	1.65	1.70	1.65
Washington:													
1959	3.95	5.60	8.30	7.30	---	---	---	2.30	2.20	1.90	1.90	1.85	2.00
1960	1.95	2.05	2.00	---	---	---	---	2.10	2.10	2.15	1.80	1.80	1.95
1961	1.85	1.90	2.00	---	---	---	---	4.80	3.65	3.85	4.00	4.25	5.10
1962	5.70	6.50	6.50	6.20	---	---	---	2.85	2.55	2.35	2.40	2.35	2.50
1963	2.45	2.45	2.55	3.30	---	---	---	---	3.30	3.95	4.65	4.85	4.45
1964	4.95	5.20	6.90	---	---	---	---	---	3.30	2.95	2.95	3.10	3.15
1965	3.45	3.25	3.20	---	---	---	---	---	3.90	2.90	2.90	2.90	3.25
Idaho & Eastern:													
Oregon:													
1959	4.15	4.40	6.50	---	---	---	---	2.55	2.30	2.25	2.20	2.00	2.15
1960	2.15	2.05	1.85	---	---	---	---	2.40	2.30	2.40	2.35	2.40	2.65
1961	2.90	3.40	2.95	---	---	---	4.15	3.35	3.20	3.95	4.35	4.85	4.75
1962	6.30	7.00	6.40	---	---	---	---	2.40	2.05	2.00	2.00	2.00	2.10
1963	2.30	2.20	1.75	---	---	---	---	3.50	3.55	3.40	4.20	3.80	3.95
1964	3.80	5.00	5.20	---	---	---	---	2.80	2.60	3.25	3.60	4.10	3.40
1965	3.70	2.70	3.30	---	---	---	---	3.10	2.35	2.40	2.20	1.95	2.60
Western Oregon:													
1959	4.40	4.45	6.50	---	---	---	---	2.30	2.05	1.90	1.80	1.65	1.70
1960	1.70	1.60	1.60	1.60	---	---	---	---	2.70	2.35	2.20	2.15	2.40
1961	2.20	2.85	2.75	2.10	---	---	---	2.55	2.55	3.00	3.60	3.85	4.55
1962	5.20	8.00	8.60	4.55	---	---	---	---	2.80	2.75	2.40	2.35	2.40
1963	2.30	2.25	2.15	3.40	---	---	---	---	---	3.40	3.65	4.65	4.65
1964	4.90	4.80	5.40	5.00	---	---	---	---	1.95	2.00	2.10	2.45	2.15
1965	2.30	1.85	2.15	1.90	---	---	---	---	2.20	2.20	2.15	2.10	2.85
California:													
1959	5.10	5.80	8.30	7.30	---	---	1.90	1.95	2.30	2.70	2.55	2.50	2.35
1960	2.30	2.60	---	---	---	---	2.50	2.60	2.55	2.30	2.45	2.45	2.50
1961	2.45	2.45	2.45	2.45	---	---	3.45	3.30	3.35	3.50	4.15	5.10	3.80
1962	6.30	8.70	8.70	---	---	---	3.50	3.25	2.60	2.40	2.50	2.55	2.80
1963	2.70	2.85	2.95	---	---	---	4.60	4.50	4.35	3.50	4.00	4.65	4.30
1964	5.10	5.00	5.10	---	---	---	2.40	2.80	2.85	3.00	3.40	3.55	3.00
1965	3.65	2.85	2.95	---	---	---	4.05	3.70	3.10	2.95	2.95	2.90	3.30

See footnotes on page 75.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
ONIONS - Continued													
Late Summer, Con.													
Group Total:													
1959	4.70	5.20	7.90	9.30	5.00	---	2.75	2.70	2.20	2.20	2.20	2.00	2.10
1960	1.90	1.70	1.85	1.60	1.50	---	2.70	2.85	2.20	1.95	2.00	2.05	2.34
1961	2.55	3.20	2.20	2.25	2.10	2.40	3.45	3.20	2.70	3.35	3.65	4.20	4.45
1962	6.00	7.10	6.90	4.40	3.20	---	3.00	2.95	2.35	2.30	2.40	2.30	2.54
1963	2.50	2.75	2.80	3.05	3.45	3.70	4.25	3.85	3.15	3.20	3.65	3.70	3.49
1964	3.60	3.55	3.50	2.40	1.60	1.60	2.90	2.95	3.05	3.25	3.30	3.35	3.01
1965	3.05	2.45	2.45	2.70	3.15	---	3.85	3.75	2.60	2.40	2.05	1.85	2.59
Early Spring													
California:													
1959	7.50	7.50	8.60	10.10	9.60	8.30	---	---	---	---	---	---	9.30
1960	12.00	12.00	11.20	8.70	9.10	7.10	---	---	---	---	---	---	9.00
1961	10.00	12.40	9.60	7.60	8.30	10.00	---	---	---	---	---	---	8.50
1962	12.40	13.00	17.60	10.80	9.40	10.40	---	---	---	---	---	---	10.60
1963	12.50	16.40	13.60	12.50	10.90	7.80	---	---	---	---	---	---	10.80
1964	11.90	10.30	10.80	8.40	9.30	9.00	---	---	---	---	---	---	9.80
1965	14.90	12.00	10.90	9.70	11.00	11.70	---	---	---	---	---	---	10.70
Summer													
New York: 2/													
1959	---	---	---	---	---	10.00	11.90	11.50	---	---	---	---	11.00
1960	---	---	---	---	---	9.30	9.70	9.70	---	---	---	---	9.50
1961	---	---	---	---	---	11.50	10.30	10.50	---	---	---	---	10.80
1962	---	---	---	---	---	9.60	10.10	---	---	---	---	---	9.80
1963	---	---	---	---	---	10.50	9.00	---	---	---	---	---	9.60
1964	---	---	---	---	---	10.90	9.50	---	---	---	---	---	9.90
Colorado: 2/													
1959	---	---	---	---	---	9.00	8.80	8.00	8.00	---	---	---	8.60
1960	---	---	---	---	---	9.00	8.20	8.00	7.00	---	---	---	8.00
1961	---	---	---	---	---	10.40	10.20	8.10	---	---	---	---	9.50
1962	---	---	---	---	---	10.00	9.00	10.00	10.00	---	---	---	9.40
1963	---	---	---	---	---	13.50	11.00	8.50	8.00	---	---	---	10.20
1964	---	---	---	---	---	14.00	11.50	10.60	10.00	---	---	---	11.30
Group Total: 2/													
1959	---	---	---	---	---	9.90	10.20	8.50	8.00	---	---	---	9.86
1960	---	---	---	---	---	9.30	9.00	8.10	7.00	---	---	---	8.78
1961	---	---	---	---	---	11.50	10.20	8.30	---	---	---	---	10.10
1962	---	---	---	---	---	9.60	9.50	10.00	10.00	---	---	---	9.62
1963	---	---	---	---	---	10.80	10.10	8.50	8.00	---	---	---	9.91
1964	---	---	---	---	---	11.20	10.50	10.60	10.00	---	---	---	10.60
Early Fall													
California:													
1959	---	---	---	---	---	---	11.40	13.40	15.00	14.80	13.60	11.50	13.90
1960	---	---	---	---	---	---	---	7.70	9.30	9.70	11.20	13.00	10.80
1961	17.30	---	---	---	---	---	11.20	12.80	14.80	15.40	14.50	16.30	14.10
1962	---	---	---	---	---	---	8.60	8.80	11.20	11.80	12.00	12.60	11.00
1963	---	---	---	---	---	---	11.60	11.80	11.80	11.00	11.00	13.80	11.70
1964	---	---	---	---	---	---	9.70	10.50	12.10	13.80	15.30	21.60	12.30
1965	---	---	---	---	---	---	12.40	9.80	10.90	15.20	14.80	14.80	12.20
Winter													
Florida:													
1959	10.30	12.20	12.80	---	---	---	---	---	---	---	---	---	11.60
1960	17.30	14.00	10.40	---	---	---	---	---	---	---	---	---	13.40
1961	8.50	7.10	10.30	---	---	---	---	---	---	---	---	---	8.60
1962	10.20	10.60	10.40	---	---	---	---	---	---	---	---	---	10.40
1963	15.20	18.10	8.80	---	---	---	---	---	---	---	---	---	12.40
1964	12.40	11.40	14.80	---	---	---	---	---	---	---	---	---	12.80
1965	8.50	8.20	12.40	---	---	---	---	---	---	---	---	---	9.50

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Spring													
GREEN PEPPERS - Continued													
Florida:													
1959	---	---	---	13.30	17.80	11.60	---	---	---	---	---	---	14.60
1960	---	---	---	9.90	11.50	6.30	5.40	---	---	---	---	---	9.20
1961	---	---	---	13.60	10.00	8.80	4.45	---	---	---	---	---	10.80
1962	---	---	---	13.90	14.80	9.20	6.90	---	---	---	---	---	13.30
1963	---	---	---	8.60	8.50	6.60	---	---	---	---	---	---	8.20
1964	---	---	---	13.80	12.10	9.90	---	---	---	---	---	---	12.30
1965	---	---	---	16.70	14.70	9.50	---	---	---	---	---	---	14.50
Texas:													
1959	---	---	10.00	9.50	9.50	8.00	7.60	---	---	---	---	---	8.20
1960	---	---	10.50	9.50	9.20	8.40	7.10	---	---	---	---	---	8.90
1961	---	---	9.20	9.20	11.60	7.50	7.50	---	---	---	---	---	9.20
1962	---	---	11.50	11.50	12.40	7.80	6.70	---	---	---	---	---	9.80
1963	---	---	---	---	13.10	11.00	8.20	---	---	---	---	---	11.00
1964	---	---	---	---	16.50	12.50	10.00	---	---	---	---	---	13.20
1965	---	---	---	---	16.70	12.40	12.10	---	---	---	---	---	14.00
Group Total:													
1959	---	---	10.00	13.30	15.60	9.40	7.60	---	---	---	---	---	12.78
1960	---	---	10.50	9.50	11.30	6.80	6.00	---	---	---	---	---	9.12
1961	---	---	9.20	13.60	10.20	8.50	6.40	---	---	---	---	---	10.55
1962	---	---	11.50	13.90	14.50	8.80	6.80	---	---	---	---	---	12.85
1963	---	---	---	8.60	8.70	8.40	8.20	---	---	---	---	---	8.58
1964	---	---	---	13.80	12.60	10.90	10.00	---	---	---	---	---	12.45
1965	---	---	---	16.70	15.00	10.60	12.10	---	---	---	---	---	14.41
Early Summer													
North Carolina:													
1959	---	---	---	---	---	12.40	6.00	6.60	9.00	---	---	---	7.50
1960	---	---	---	---	---	10.00	6.30	7.00	7.80	---	---	---	6.60
1961	---	---	---	---	---	13.30	9.70	9.10	8.00	---	---	---	10.00
1962	---	---	---	---	---	12.50	7.10	8.80	---	---	---	---	8.00
1963	---	---	---	---	---	12.00	10.50	7.50	7.30	---	---	---	10.30
1964	---	---	---	---	---	11.00	9.00	10.00	8.50	---	---	---	9.30
1965	---	---	---	---	---	13.00	6.50	8.20	7.00	---	---	---	8.30
Mississippi: 2/													
1959	---	---	---	---	---	9.60	7.20	8.00	---	---	---	---	7.90
1960	---	---	---	---	---	9.30	9.30	9.50	---	---	---	---	9.30
1961	---	---	---	---	---	12.00	10.50	8.00	8.00	---	---	---	10.40
1962	---	---	---	---	---	9.00	5.60	6.20	---	---	---	---	7.20
1963	---	---	---	---	---	6.20	6.30	6.00	---	---	---	---	6.30
1964	---	---	---	---	---	8.00	6.50	6.50	---	---	---	---	6.80
Louisiana:													
1959	---	---	---	---	21.50	8.70	8.20	---	---	---	---	---	8.80
1960	---	---	---	---	---	7.40	8.40	---	---	---	---	---	7.80
1961	---	---	---	---	11.00	9.00	8.00	8.50	---	---	---	---	8.80
1962	---	---	---	---	12.50	7.50	5.30	5.30	---	---	---	---	7.20
1963	---	---	---	---	8.60	6.40	4.20	4.20	---	---	---	---	5.80
1964	---	---	---	---	14.60	10.30	8.50	8.50	---	---	---	---	9.90
1965	---	---	---	---	16.40	13.60	7.30	7.30	---	---	---	---	12.10
Group Total:													
1959	---	---	---	---	21.50	11.00	6.10	7.10	9.00	---	---	---	7.67
1960	---	---	---	---	---	8.30	6.60	7.40	7.80	---	---	---	6.93
1961	---	---	---	---	11.00	10.40	9.60	8.80	8.00	---	---	---	9.76
1962	---	---	---	---	12.50	9.40	7.00	8.40	---	---	---	---	7.79
1963	---	---	---	---	8.60	7.40	9.00	7.20	7.30	---	---	---	9.18
1964	---	---	---	---	14.60	10.50	8.90	9.80	8.50	---	---	---	9.29
1965	---	---	---	---	16.40	13.20	6.50	8.10	7.00	---	---	---	8.99
Late Summer													
Massachusetts:													
1959	---	---	---	---	---	12.50	8.30	7.70	8.80	---	---	---	8.10
1960	---	---	---	---	---	10.50	5.70	4.90	5.00	---	---	---	5.40
1961	---	---	---	---	---	11.00	8.40	6.30	5.20	---	---	---	6.90
1962	---	---	---	---	---	11.00	7.40	5.60	5.80	---	---	---	6.40
1963	---	---	---	---	---	11.30	6.90	5.90	5.40	---	---	---	6.20
1964	---	---	---	---	---	13.50	8.80	6.50	6.90	---	---	---	7.40
1965	---	---	---	---	---	12.50	8.10	6.40	8.00	---	---	---	7.20

See footnotes on page 76.

Table 2.--Vegetables, Malons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CMT. --													
<u>GREEN PEPPERS - Continued</u>													
Late Summer, Con.													
Rhode Island:													
1959	---	---	---	---	---	---	13.00	9.00	7.80	9.10	---	---	8.60
1960	---	---	---	---	---	---	11.00	5.20	4.70	5.20	---	---	5.00
1961	---	---	---	---	---	---	11.00	8.00	5.50	6.20	---	---	6.80
1962	---	---	---	---	---	---	11.50	6.90	5.30	5.40	---	---	6.20
1963	---	---	---	---	---	---	12.50	5.80	5.80	5.50	---	---	6.00
1964	---	---	---	---	---	---	13.00	9.40	5.90	6.00	---	---	7.80
1965	---	---	---	---	---	---	11.50	8.50	7.20	7.10	---	---	7.90
Connecticut:													
1959	---	---	---	---	---	---	12.90	8.80	7.20	9.30	---	---	8.50
1960	---	---	---	---	---	---	11.50	5.60	5.40	5.80	---	---	6.30
1961	---	---	---	---	---	---	12.50	8.60	7.00	7.20	---	---	8.00
1962	---	---	---	---	---	---	12.50	7.10	7.00	---	---	---	7.10
1963	---	---	---	---	---	---	12.00	7.60	6.20	---	---	---	7.20
1964	---	---	---	---	---	---	14.00	10.50	7.20	7.30	---	---	9.50
1965	---	---	---	---	---	---	12.70	9.00	8.00	8.00	---	---	8.70
New York:													
1959	---	---	---	---	---	---	10.00	8.00	6.60	7.40	---	---	7.20
1960	---	---	---	---	---	---	---	7.40	5.40	6.00	7.20	---	6.20
1961	---	---	---	---	---	---	---	8.50	7.40	7.40	7.40	---	7.60
1962	---	---	---	---	---	---	10.00	7.60	7.40	7.00	6.80	---	7.40
1963	---	---	---	---	---	---	---	8.00	6.80	7.20	7.00	---	7.20
1964	---	---	---	---	---	---	---	10.50	7.20	7.80	---	---	8.20
1965	---	---	---	---	---	---	9.00	7.90	6.10	6.70	6.40	---	6.70
New Jersey:													
1959	---	---	---	---	---	---	8.50	5.40	5.60	6.30	5.40	---	6.10
1960	---	---	---	---	---	---	8.30	3.85	4.25	4.80	4.80	---	4.70
1961	---	---	---	---	---	---	9.60	6.20	5.20	4.90	5.40	---	6.10
1962	---	---	---	---	---	---	10.10	5.40	4.70	5.20	5.10	---	5.50
1963	---	---	---	---	---	---	10.40	5.70	4.70	5.20	5.30	---	5.60
1964	---	---	---	---	---	---	13.10	8.10	5.20	6.80	---	---	7.40
1965	---	---	---	---	---	---	11.10	6.80	6.20	7.40	---	---	7.40
Ohio:													
1959	---	---	---	---	---	---	9.00	4.80	6.00	7.70	7.70	---	6.10
1960	---	---	---	---	---	---	11.00	5.00	4.30	4.80	4.80	---	4.80
1961	---	---	---	---	---	---	13.80	8.00	5.00	5.20	5.20	---	6.00
1962	---	---	---	---	---	---	7.70	6.50	5.20	6.00	6.00	---	6.00
1963	---	---	---	---	---	---	11.00	5.90	4.95	5.60	5.60	---	5.70
1964	---	---	---	---	---	---	11.70	7.30	6.10	8.10	---	---	7.10
1965	---	---	---	---	---	---	10.00	7.40	6.40	7.50	7.90	---	7.30
Michigan:													
1959	---	---	---	---	---	---	---	---	---	---	---	---	6.50
1960	---	---	---	---	---	---	10.40	6.30	7.10	5.70	---	---	6.80
1961	---	---	---	---	---	---	---	8.50	6.00	5.80	---	---	6.90
1962	---	---	---	---	---	---	---	8.50	5.60	6.50	---	---	6.80
1963	---	---	---	---	---	---	---	6.50	5.50	6.00	---	---	5.80
1964	---	---	---	---	---	---	---	11.70	6.50	7.30	---	---	7.70
1965	---	---	---	---	---	---	---	8.50	5.40	6.30	---	---	6.30
California:													
1959	---	---	---	17.30	17.80	11.60	8.20	5.40	4.60	8.50	11.00	20.00	9.50
1960	---	---	---	19.30	16.00	11.20	10.50	4.40	4.45	6.50	9.50	11.40	7.80
1961	---	---	---	23.00	15.10	14.80	8.70	7.40	4.35	6.50	11.00	7.90	8.50
1962	---	---	---	18.00	24.80	12.50	12.30	8.10	5.00	6.70	10.10	12.90	9.00
1963	---	---	---	11.70	15.50	13.30	7.00	4.80	4.75	5.70	6.20	9.40	6.80
1964	---	---	---	---	18.60	12.00	8.50	7.60	4.85	11.20	12.00	10.40	9.60
1965	---	---	---	22.60	19.10	17.50	10.10	7.60	7.90	11.30	11.60	12.10	10.60
Group Total:													
1959	---	---	---	17.30	17.80	11.60	8.50	5.70	5.60	7.90	10.50	20.00	7.85
1960	---	---	---	19.30	16.00	11.20	9.50	4.65	4.80	5.90	8.90	11.40	6.18
1961	---	---	---	23.00	15.10	14.80	9.30	7.00	5.40	6.00	9.10	7.90	7.22
1962	---	---	---	18.00	24.80	12.50	10.90	6.50	5.30	6.20	9.70	12.90	7.11
1963	---	---	---	11.70	15.50	13.30	8.40	5.80	5.20	5.60	6.00	9.40	6.27
1964	---	---	---	---	18.60	12.00	10.40	8.30	5.60	9.70	12.00	10.40	8.39
1965	---	---	---	22.60	19.10	17.50	10.60	7.30	6.60	9.90	11.50	12.10	8.62

See footnotes on page 76.

Table 2.--Vegetables, Malons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Fall													
GREEN PEPPERS - Continued													
Virginia:													
1959	---	---	---	---	---	---	5.00	5.60	6.20	6.80	6.00	---	6.20
1960	---	---	---	---	---	4.50	4.50	3.80	3.65	3.50	---	---	3.90
1961	---	---	---	---	---	---	2.20	3.00	4.25	4.75	4.80	---	4.50
1962	---	---	---	---	---	---	3.80	4.00	4.30	4.70	4.90	---	4.70
1963	---	---	---	---	---	---	4.25	4.25	4.40	5.50	5.10	5.10	5.20
1964	---	---	---	---	---	---	8.50	8.50	4.85	7.50	9.70	---	7.50
1965	---	---	---	---	---	---	8.50	8.50	6.90	9.60	10.20	---	9.30
Florida:													
1959	---	---	---	---	---	---	---	---	---	9.40	11.20	24.30	19.90
1960	---	---	---	---	---	---	---	---	---	17.90	14.90	14.90	15.10
1961	---	---	---	---	---	---	---	---	---	13.40	8.90	7.00	7.60
1962	---	---	---	---	---	---	---	---	---	7.60	13.20	16.00	15.00
1963	---	---	---	---	---	---	---	---	---	9.80	10.80	13.60	13.10
1964	---	---	---	---	---	---	---	---	---	---	11.70	8.60	9.10
1965	---	---	---	---	---	---	---	---	---	10.40	18.80	15.00	15.60
Texas:													
1959	---	---	---	---	---	---	---	---	9.70	10.50	11.10	12.00	11.20
1960	12.00	---	---	---	---	---	---	8.00	8.00	7.20	10.20	12.90	10.40
1961	11.70	11.70	---	---	---	---	---	6.00	6.40	5.80	6.20	6.00	6.10
1962	6.00	---	---	---	---	---	---	7.80	5.10	4.55	9.40	11.70	9.70
1963	10.00	---	---	---	---	---	---	7.80	5.90	6.00	7.20	10.90	8.10
1964	10.90	---	---	---	---	---	---	6.10	6.50	6.20	11.40	8.90	10.20
1965	8.10	---	---	---	---	---	---	10.70	9.40	11.10	11.40	11.50	11.30
Group Total:													
1959	---	---	---	---	---	---	5.00	5.60	6.40	8.20	10.20	19.50	11.99
1960	12.00	---	---	---	---	4.50	4.50	7.10	7.10	6.70	10.40	13.90	11.00
1961	11.70	11.70	---	---	---	---	2.20	6.00	6.40	6.00	6.80	6.70	6.67
1962	6.00	---	---	---	---	---	3.80	6.50	5.00	4.75	9.60	13.20	10.03
1963	10.00	---	---	---	---	---	4.25	7.40	5.80	5.90	7.40	12.20	9.10
1964	10.90	---	---	---	---	---	8.50	7.10	5.80	7.00	11.40	8.70	9.65
1965	8.10	---	---	---	---	---	8.50	10.00	9.10	10.70	12.00	13.10	12.03
SHALLOTS													
Winter													
Louisiana:													
1959	7.60	6.00	---	---	---	---	---	---	---	7.50	6.40	5.00	7.20
1960	---	4.90	---	---	---	---	---	---	---	7.40	6.40	5.80	5.70
1961	5.50	5.20	---	---	---	---	---	---	---	7.00	6.70	6.30	6.10
1962	6.00	7.20	---	---	---	---	---	---	---	7.50	8.00	9.80	6.70
1963	12.50	12.10	---	---	---	---	---	---	---	9.90	8.40	9.00	10.00
1964	11.00	9.40	---	---	---	---	---	---	---	12.40	11.20	10.30	9.50
1965	10.00	10.00	---	---	---	---	---	---	---	12.20	10.30	10.30	10.70
Spring													
Louisiana:													
1959	---	---	5.10	4.60	4.60	4.60	4.60	6.00	7.50	---	---	---	4.95
1960	---	---	4.50	4.20	4.25	4.25	4.25	5.70	7.50	---	---	---	4.65
1961	---	---	5.20	4.30	4.50	4.50	4.50	5.90	7.30	---	---	---	5.40
1962	---	---	8.80	7.00	4.50	4.00	4.00	5.70	7.50	---	---	---	6.60
1963	---	---	8.80	8.80	13.50	15.00	15.00	9.90	9.90	---	---	---	10.20
1964	---	---	9.30	8.60	9.00	9.90	10.00	10.80	11.60	---	---	---	10.00
1965	---	---	10.00	10.40	12.00	11.90	12.70	12.50	12.30	---	---	---	11.30
SPINACH													
Winter													
South Carolina:													
1959	9.50	7.80	6.90	---	---	---	---	---	---	---	---	8.00	8.70
1960	8.00	7.80	7.10	6.70	---	---	---	---	---	---	---	8.50	7.20
1961	8.40	8.70	8.00	8.80	---	---	---	---	---	---	---	---	8.40
Texas:													
1959	9.60	7.50	7.60	7.60	---	---	---	---	---	---	14.00	9.80	8.20
1960	6.80	8.00	9.00	8.80	---	---	---	---	---	---	12.20	10.30	8.60
1961	10.10	7.90	5.70	6.00	---	---	---	---	---	---	7.20	7.70	8.70
1962	10.60	10.40	11.90	15.00	15.00	---	---	---	---	---	10.00	9.60	10.30
1963	10.70	11.80	7.50	7.30	---	---	---	---	---	---	---	9.90	9.90
1964	8.90	7.10	6.80	5.80	---	---	---	---	---	---	10.00	8.20	8.00
1965	7.40	8.10	8.30	8.30	8.30	8.30	---	---	---	---	12.20	11.40	8.10

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
SPINACH - Continued													
Winter, Cms.													
California:													
1959	5.20	4.80	4.50	5.10	6.00	5.90	6.80	7.60	8.00	8.30	7.70	7.50	5.70
1960	7.80	5.40	4.05	5.80	6.50	5.10	5.70	6.10	7.50	6.80	6.00	6.60	6.30
1961	7.20	5.50	5.10	5.30	5.30	4.95	6.90	7.70	7.40	7.90	7.90	6.00	6.10
1962	7.00	7.60	10.80	7.80	9.20	7.20	5.90	8.20	8.90	7.60	7.00	6.40	7.80
1963	7.20	7.70	6.30	6.30	8.70	8.70	8.80	9.00	9.70	10.00	9.60	8.10	7.60
1964	8.70	8.00	7.00	5.60	6.00	7.80	9.00	8.80	9.90	12.30	10.70	7.30	7.90
1965	8.50	7.80	6.90	8.30	9.50	9.10	7.60	9.90	9.50	10.90	10.00	11.00	8.70
Group Total:													
1959	9.00	7.00	7.00	6.10	6.00	5.90	6.80	7.60	8.00	8.30	11.20	9.40	7.40
1960	7.00	7.50	7.90	7.10	6.50	5.10	5.70	6.10	7.50	6.80	7.60	9.40	7.87
1961	9.60	7.50	5.60	5.40	5.30	4.95	6.90	7.70	7.40	7.90	7.80	7.30	7.60
1962	9.30	9.90	11.60	10.00	9.80	7.20	5.90	8.20	8.90	7.60	7.80	8.80	9.18
1963	9.90	10.80	7.20	6.40	8.70	8.70	8.80	9.00	9.70	10.00	9.60	9.30	8.86
1964	8.90	7.40	6.90	5.60	6.00	7.80	9.00	8.80	9.90	12.30	10.40	8.00	7.95
1965	7.60	8.00	7.80	8.30	9.30	9.00	7.60	9.90	9.50	10.90	10.60	11.30	8.37
Spring													
Massachusetts: 2/													
1959	---	---	---	---	7.60	6.00	7.90	8.40	---	---	---	---	6.90
1960	---	---	---	11.00	7.10	6.60	8.40	7.50	---	---	---	---	7.20
1961	---	---	---	9.00	8.60	7.10	8.60	8.80	---	---	---	---	8.00
1962	---	---	---	7.50	7.50	7.20	8.00	7.20	---	---	---	---	7.40
1963	---	---	---	---	8.70	6.50	6.90	9.50	---	---	---	---	7.40
1964	---	---	---	---	7.30	9.60	10.40	8.40	---	---	---	---	8.80
Connecticut: 2/													
1959	---	---	---	---	7.90	6.40	7.70	8.90	---	---	---	---	7.30
1960	---	---	---	---	7.40	7.80	11.00	9.20	---	---	---	---	8.20
1961	---	---	---	11.00	8.10	7.60	9.90	10.10	---	---	---	---	8.20
1962	---	---	---	---	8.40	7.30	10.00	9.00	---	---	---	---	8.30
1963	---	---	---	---	9.80	7.40	9.10	9.50	---	---	---	---	8.70
1964	---	---	---	---	8.60	9.90	10.20	8.30	---	---	---	---	9.20
New York:													
1959	---	---	---	---	5.30	4.70	5.80	---	---	---	---	---	5.20
1960	---	---	---	---	5.30	5.50	5.50	---	---	---	---	---	5.40
1961	---	---	---	---	5.00	5.10	5.50	---	---	---	---	---	5.20
1962	---	---	---	5.40	5.40	5.20	6.50	---	---	---	---	---	5.50
1963	---	---	---	---	5.90	4.80	6.60	---	---	---	---	---	5.50
1964	---	---	---	---	5.50	6.50	6.50	---	---	---	---	---	6.10
1965	---	---	---	---	4.75	5.80	7.90	---	---	---	---	---	6.00
New Jersey:													
1959	---	---	---	6.60	3.95	3.80	5.80	---	---	---	---	---	4.40
1960	---	---	---	3.68	3.70	4.10	5.60	---	---	---	---	---	3.95
1961	---	---	---	7.80	3.90	4.45	5.30	---	---	---	---	---	4.45
1962	---	---	---	5.40	4.00	4.60	5.90	---	---	---	---	---	4.40
1963	---	---	---	9.00	6.60	3.90	5.70	---	---	---	---	---	5.90
1964	---	---	---	5.28	4.65	6.60	6.20	---	---	---	---	---	5.30
1965	---	---	---	5.10	4.65	6.00	6.70	---	---	---	---	---	5.20
Pennsylvania:													
1959	---	---	---	6.50	6.00	5.60	5.50	---	---	---	---	---	5.80
1960	---	---	---	4.00	6.30	7.00	6.60	---	---	---	---	---	6.40
1961	---	---	---	7.60	7.00	6.10	6.90	---	---	---	---	---	6.70
1962	---	---	---	8.40	7.00	7.40	7.80	---	---	---	---	---	7.40
1963	---	---	---	7.30	8.00	7.20	7.80	---	---	---	---	---	7.70
1964	---	---	---	7.50	6.90	7.60	7.20	---	---	---	---	---	7.20
1965	---	---	---	8.00	7.00	7.40	7.60	---	---	---	---	---	7.40
Ohio:													
1959	---	---	---	6.50	6.80	6.10	10.80	---	---	---	---	---	7.40
1960	---	---	---	7.00	7.00	6.50	8.00	---	---	---	---	---	7.00
1961	---	---	---	9.10	9.20	7.20	7.00	---	---	---	---	---	7.40
1962	---	---	---	9.10	8.20	5.90	8.10	---	---	---	---	---	7.20
1963	---	---	---	7.10	7.10	6.00	8.00	---	---	---	---	---	6.90
1964	---	---	---	7.10	7.10	7.30	10.80	---	---	---	---	---	8.30
1965	---	---	---	---	8.20	7.10	8.40	---	---	---	---	---	7.80

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>Spring, Con.</u>													
<u>SPINACH - Continued</u>													
<u>Missouri: 2/</u>													
1959	---	---	---	5.20	4.90	6.00	---	---	---	---	---	---	5.10
1960	---	---	---	5.30	5.80	5.30	---	---	---	---	---	---	5.60
1961	---	---	---	6.70	5.00	5.70	7.00	7.00	---	---	---	---	5.70
1962	---	---	---	8.30	5.40	---	---	---	---	---	---	---	5.70
1963	---	---	---	6.80	5.10	5.30	---	---	---	---	---	---	5.70
1964	---	---	---	6.20	6.10	6.40	---	---	---	---	---	---	6.20
<u>Md. & Va.:</u>													
1959	---	---	4.00	4.25	3.90	5.30	6.30	---	---	---	---	---	4.19
1960	---	---	4.70	4.60	4.25	3.10	5.90	---	---	---	---	---	4.58
1961	---	---	5.40	6.70	5.00	5.90	---	---	---	---	---	---	6.14
1962	---	---	8.00	7.00	5.10	6.20	---	---	---	---	---	---	6.93
1963	---	---	9.00	7.70	6.20	5.80	6.70	---	---	---	---	---	7.19
1964	---	---	6.30	6.70	6.10	10.20	---	---	---	---	---	---	6.66
1965	---	---	7.90	7.30	5.40	5.70	---	---	---	---	---	---	6.80
<u>Arkansas: 2/</u>													
1959	---	---	3.00	2.50	2.50	---	---	---	---	---	---	---	2.60
1960	---	---	---	3.25	2.50	---	---	---	---	---	---	---	3.10
1961	---	---	2.85	3.45	3.50	---	---	---	---	---	---	---	3.30
<u>Oklahoma: 2/</u>													
1959	---	---	3.70	2.75	---	---	---	---	---	---	---	---	3.35
1960	---	---	---	3.90	5.50	---	---	---	---	---	---	---	4.20
1961	---	---	3.40	3.00	3.25	---	---	---	---	---	---	---	3.10
<u>Group Total:</u>													
1959	---	---	3.65	4.35	4.80	5.00	6.70	8.60	---	---	---	---	4.91
1960	---	---	4.70	4.25	4.80	5.50	6.30	8.10	---	---	---	---	5.09
1961	---	---	4.45	5.50	5.10	5.50	6.30	8.40	---	---	---	---	5.45
1962	---	---	8.00	7.00	5.20	5.60	7.20	7.80	---	---	---	---	6.02
1963	---	---	9.00	7.80	6.60	5.20	6.90	9.50	---	---	---	---	6.53
1964	---	---	6.30	6.40	5.60	7.00	7.80	8.40	---	---	---	---	6.42
1965	---	---	7.90	7.10	5.00	6.20	7.80	---	---	---	---	---	6.26
<u>Summer</u>													
<u>Colorado:</u>													
1959	---	---	---	---	6.00	5.00	4.75	5.00	5.00	5.00	---	---	5.00
1960	---	---	---	---	6.50	6.20	5.50	5.50	6.00	---	---	---	5.50
1961	---	---	---	---	6.00	6.00	6.50	6.00	5.50	5.50	---	---	5.90
1962	---	---	---	---	5.50	5.50	6.00	6.00	5.00	5.00	5.00	---	5.50
1963	---	---	---	---	6.50	6.90	6.40	6.20	5.00	5.00	5.00	---	5.80
1964	---	---	---	---	6.50	6.30	6.00	5.50	4.95	4.95	---	---	5.80
1965	---	---	---	---	12.00	12.50	12.00	11.10	10.20	8.00	8.00	---	11.00
<u>Early Fall</u>													
<u>Massachusetts: 2/</u>													
1959	---	---	---	---	---	---	---	---	9.00	6.30	7.10	9.70	7.10
1960	---	---	---	---	---	---	---	---	6.60	7.00	7.40	8.50	7.10
1961	---	---	---	---	---	---	---	---	8.00	8.20	8.00	7.00	8.10
1962	---	---	---	---	---	---	---	---	7.30	7.00	8.30	---	7.30
1963	---	---	---	---	---	---	---	---	8.20	5.90	7.00	7.50	7.00
1964	---	---	---	---	---	---	---	---	8.20	8.10	8.50	8.00	8.20
<u>Connecticut: 2/</u>													
1959	---	---	---	---	---	---	---	---	10.00	8.70	8.30	9.00	8.70
1960	---	---	---	---	---	---	---	---	7.50	8.30	8.00	8.00	8.00
1961	---	---	---	---	---	---	---	---	10.00	10.50	9.60	---	10.10
1962	---	---	---	---	---	---	---	---	9.50	8.50	8.70	---	8.90
1963	---	---	---	---	---	---	---	---	8.90	7.30	8.10	8.70	8.00
1964	---	---	---	---	---	---	---	---	8.80	10.00	10.00	---	9.60

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>Early Fall, Con.</u>	<u>SPINACH - Continued</u>												
<u>New York:</u>													
1959	---	---	---	---	---	---	---	5.80	6.20	5.00	5.40	5.80	5.50
1960	---	---	---	---	---	---	---	6.10	5.90	5.50	5.00	5.00	5.70
1961	---	---	---	---	---	---	---	7.00	6.80	6.30	5.80	6.00	6.30
1962	---	---	---	---	---	---	---	7.50	6.50	6.10	5.50	4.50	6.10
1963	---	---	---	---	---	---	---	10.50	8.00	6.50	6.00	5.50	6.90
1964	---	---	---	---	---	---	---	7.00	6.50	7.00	6.60	5.80	6.80
1965	---	---	---	---	---	---	---	11.50	10.80	7.50	5.90	6.00	8.00
<u>New Jersey:</u>													
1959	---	---	---	---	---	---	---	7.50	10.50	5.10	5.20	6.10	6.00
1960	---	---	---	---	---	---	---	6.20	7.50	6.30	5.40	4.75	6.10
1961	---	---	---	---	---	---	---	7.00	6.20	6.50	5.00	4.50	5.70
1962	---	---	---	---	---	---	---	6.30	5.60	5.00	5.20	5.20	5.30
1963	---	---	---	---	---	---	---	9.70	8.10	4.80	4.90	5.10	5.60
1964	---	---	---	---	---	---	---	8.00	7.30	7.70	7.30	7.30	7.50
1965	---	---	---	---	---	---	---	9.50	12.60	6.90	6.20	6.20	7.50
<u>Pennsylvania:</u>													
1959	---	---	---	---	---	---	---	6.50	6.70	7.30	7.00	7.10	7.10
1960	---	---	---	---	---	---	---	7.00	7.00	7.50	7.80	8.00	7.60
1961	---	---	---	---	---	---	---	7.50	6.40	8.00	7.50	7.50	7.60
1962	---	---	---	---	---	---	---	8.00	7.10	7.60	7.90	8.00	7.80
1963	---	---	---	---	---	---	---	7.20	6.50	7.00	6.70	6.70	6.80
1964	---	---	---	---	---	---	---	6.80	7.20	9.40	8.50	---	8.60
1965	---	---	---	---	---	---	---	---	7.20	8.00	8.30	8.30	8.10
<u>Ohio:</u>													
1959	---	---	---	---	---	---	---	12.00	12.80	9.40	7.90	6.90	10.60
1960	---	---	---	---	---	---	---	10.00	9.70	7.30	6.20	6.00	8.20
1961	---	---	---	---	---	---	---	9.00	9.70	9.00	8.20	9.30	9.00
1962	---	---	---	---	---	---	---	8.00	7.60	6.30	8.50	10.80	7.60
1963	---	---	---	---	---	---	---	10.00	9.60	7.00	6.80	6.80	8.50
1964	---	---	---	---	---	---	---	13.70	8.60	6.80	7.30	7.60	8.30
1965	---	---	---	---	---	---	---	14.70	13.50	10.30	8.90	7.10	12.30
<u>Missouri: 2/</u>													
1959	---	---	---	---	---	---	---	---	7.50	7.00	7.00	---	7.10
1960	---	---	---	---	---	---	---	---	7.20	6.60	5.60	5.00	5.90
1961	5.00	5.00	---	---	---	---	---	8.10	8.10	6.20	3.70	4.60	5.50
1962	---	---	---	---	---	---	---	---	6.40	4.45	4.70	7.20	5.20
1963	7.20	---	---	---	---	---	---	---	6.90	5.20	4.70	5.00	5.20
1964	---	---	---	---	---	---	---	---	8.10	5.20	6.50	---	6.10
<u>Group Total:</u>													
1959	---	---	---	---	---	---	---	7.60	8.90	6.30	6.50	6.80	6.84
1960	---	---	---	---	---	---	---	6.80	7.30	6.70	6.60	6.50	6.75
1961	5.00	5.00	---	---	---	---	---	7.80	7.60	7.20	6.40	6.40	6.95
1962	---	---	---	---	---	---	---	7.40	6.90	6.20	6.70	7.10	6.62
1963	7.20	---	---	---	---	---	---	9.50	8.30	6.10	5.90	6.40	6.55
1964	---	---	---	---	---	---	---	9.20	7.90	7.50	7.40	6.30	7.66
1965	---	---	---	---	---	---	---	11.90	12.30	7.70	7.00	6.30	8.53
<u>Late Fall</u>													
<u>Md. & Va.:</u>													
1959	---	---	---	---	---	---	---	7.60	6.60	5.80	5.50	5.91	---
1960	5.20	6.00	---	---	---	---	---	10.10	7.20	5.20	6.00	5.89	---
1961	5.00	---	---	---	---	---	---	---	---	8.10	6.20	6.10	6.95
1962	8.80	---	---	---	---	---	---	6.00	6.80	6.60	7.10	6.79	---
1963	9.00	9.50	---	---	---	---	---	9.00	6.80	6.30	7.10	6.78	---
1964	8.20	9.50	---	---	---	---	---	9.90	9.90	8.20	8.90	8.85	---
1965	9.20	9.20	---	---	---	---	---	7.40	7.40	7.70	8.60	7.94	---
<u>Arkansas: 2/</u>													
1959	---	---	---	---	---	---	---	---	---	2.50	4.50	4.10	4.30
1960	---	---	---	---	---	---	---	---	---	---	3.10	3.55	3.35
1961	3.75	---	---	---	---	---	---	---	---	---	2.50	2.25	2.45

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodity, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Late Fall, Con.													
SPINACH - Continued													
Oklahoma: 2/													
1959	---	---	---	---	---	---	---	---	---	---	7.50	4.00	5.00
1960	---	---	---	---	---	---	---	---	---	---	3.50	3.10	3.20
1961	3.25	---	---	---	---	---	---	---	---	---	3.00	2.70	3.00
Group Total:													
1959	---	---	---	---	---	---	---	---	7.60	6.60	5.60	5.20	5.69
1960	5.20	6.00	---	---	---	---	---	---	10.10	7.20	4.60	4.65	5.04
1961	4.15	---	---	---	---	---	---	---	---	8.10	4.65	5.10	5.59
1962	8.80	---	---	---	---	---	---	---	6.00	6.80	6.60	7.10	6.79
1963	9.00	9.50	---	---	---	---	---	---	9.00	6.80	6.30	7.10	6.78
1964	8.20	9.50	---	---	---	---	---	---	9.90	9.90	8.20	8.50	8.85
1965	9.20	9.20	---	---	---	---	---	---	7.40	7.40	7.70	8.60	7.94
Winter													
TOMATOES													
Florida:													
1959	10.30	8.30	8.80	10.30	---	---	---	---	---	---	---	---	9.10
1960	10.80	11.60	11.60	11.20	---	---	---	---	---	---	---	8.10	11.30
1961	6.30	6.60	9.50	9.20	---	---	---	---	---	---	---	7.50	7.80
1962	9.00	9.00	8.00	7.20	---	---	---	---	---	---	---	---	8.40
1963	12.60	11.30	6.30	7.80	---	---	---	---	---	---	---	---	8.60
1964	9.00	11.30	11.40	9.40	---	---	---	---	---	---	---	---	10.20
1965	8.50	8.20	11.20	11.00	---	---	---	---	---	---	---	---	9.40
Early Spring													
Florida:													
1959	---	---	8.80	10.60	8.50	5.30	---	---	---	---	---	---	9.10
1960	---	---	---	11.20	9.80	8.40	---	---	---	---	---	---	9.80
1961	---	---	---	9.20	6.50	7.50	---	---	---	---	---	---	7.30
1962	---	---	---	7.20	7.70	8.70	---	---	---	---	---	---	7.60
1963	---	---	---	7.80	6.10	7.20	---	---	---	---	---	---	6.50
1964	---	---	---	9.40	7.90	9.40	---	---	---	---	---	---	8.30
1965	---	---	---	11.00	10.20	10.70	---	---	---	---	---	---	10.50
Texas:													
1959	---	---	---	---	6.10	6.00	---	---	---	---	---	---	6.10
1960	---	---	---	---	7.20	7.30	7.10	---	---	---	---	---	7.30
1961	---	---	---	7.80	5.30	7.20	---	---	---	---	---	---	5.90
1962	---	---	---	---	7.90	7.20	---	---	---	---	---	---	7.60
1963	---	---	---	---	6.30	7.40	---	---	---	---	---	---	7.30
1964	---	---	---	---	6.10	6.50	6.70	---	---	---	---	---	6.30
1965	---	---	---	---	10.10	6.90	---	---	---	---	---	---	7.30
California:													
1959	19.50	12.20	14.10	13.80	7.00	7.20	---	---	---	---	---	---	9.50
1960	20.20	17.20	17.60	21.30	11.90	11.00	---	---	---	---	---	---	13.30
1961	11.80	12.40	16.90	13.90	9.80	10.40	10.50	---	---	---	---	---	11.00
1962	10.90	9.10	15.50	11.00	14.20	13.10	9.00	---	---	---	---	---	12.40
1963	17.70	9.40	11.60	13.80	10.70	12.20	11.10	---	---	---	---	---	11.80
1964	15.00	12.70	16.60	13.00	10.50	14.30	10.50	---	---	---	---	---	13.20
1965	11.50	7.80	9.20	12.00	14.70	12.90	11.70	---	---	---	---	19.20	12.60
Group Total:													
1959	19.50	12.20	11.30	11.00	7.30	6.20	---	---	---	---	---	---	8.26
1960	20.20	17.20	17.60	11.80	9.90	8.60	7.10	---	---	---	---	---	10.10
1961	11.80	12.40	16.90	9.70	6.60	8.30	10.50	---	---	---	---	---	7.65
1962	10.90	9.10	15.50	7.30	8.10	9.30	9.00	---	---	---	---	---	8.26
1963	17.70	9.40	11.60	8.00	6.50	8.80	11.10	---	---	---	---	---	7.39
1964	15.00	12.70	16.60	9.50	7.80	10.40	10.30	---	---	---	---	---	8.72
1965	11.50	7.80	9.20	11.00	10.40	9.50	11.70	---	---	---	---	19.20	10.42
Late Spring													
South Carolina:													
1959	---	---	---	---	7.00	7.00	4.65	4.50	---	---	---	---	6.90
1960	---	---	---	---	---	8.70	6.00	3.85	6.00	5.50	---	---	8.10
1961	---	---	---	---	---	8.60	4.70	4.05	4.00	5.80	---	---	7.50
1962	---	---	---	---	---	6.00	6.20	5.50	---	---	---	---	6.00
1963	---	---	---	---	---	6.10	5.30	5.30	6.40	---	---	---	5.90
1964	---	---	---	---	---	9.20	8.20	6.60	6.30	---	---	---	9.00
1965	---	---	---	---	9.80	8.00	6.70	6.60	6.30	6.30	---	---	7.90

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Late Spring-Con.													
TOMATOES - Continued													
Georgia:													
1959	---	---	---	---	---	3.50	4.55	7.00	7.50	8.00	---	---	4.25
1960	---	---	---	---	---	6.30	4.45	5.00	5.50	---	---	---	5.30
1961	---	---	---	---	---	6.50	4.50	5.00	5.50	---	---	---	5.40
1962	---	---	---	---	---	4.60	5.10	6.60	6.50	---	---	---	5.40
1963	---	---	---	---	5.20	4.35	4.45	5.30	8.00	7.50	---	---	4.85
1964	---	---	---	---	---	6.40	5.90	6.50	7.80	7.50	---	---	6.30
1965	---	---	---	---	7.50	7.40	5.80	6.30	7.50	7.50	---	---	6.80
Mississippi:													
1959	---	---	---	---	10.00	4.20	5.50	---	---	---	---	---	4.50
1960	---	---	---	---	---	11.50	9.30	7.50	---	---	---	---	10.30
1961	---	---	---	---	---	7.00	6.10	---	---	---	---	---	6.90
1962	---	---	---	---	---	10.00	6.70	---	---	---	---	---	9.00
1963	---	---	---	---	---	9.00	6.80	---	---	---	---	---	8.60
1964	---	---	---	---	---	8.00	7.70	---	---	---	---	---	8.00
1965	---	---	---	---	---	8.50	6.40	6.40	---	---	---	---	8.10
Louisiana:													
1959	---	---	---	---	19.40	10.50	7.30	6.00	---	---	---	---	10.40
1960	---	---	---	---	15.00	13.20	9.50	---	---	---	---	---	12.60
1961	---	---	---	---	11.00	12.50	7.50	---	---	---	---	---	12.30
1962	---	---	---	---	13.00	9.50	6.70	---	---	---	---	---	9.50
1963	---	---	---	---	16.50	8.60	8.10	8.10	---	---	---	---	9.80
1964	---	---	---	---	18.00	13.70	11.40	---	---	---	---	---	13.30
1965	---	---	---	---	23.30	15.40	8.50	---	---	---	---	---	15.20
Texas:													
1959	---	---	---	---	---	9.70	10.50	9.10	10.00	10.30	---	---	10.10
1960	---	---	---	---	---	9.50	8.00	10.30	9.70	9.20	9.20	---	9.40
1961	---	---	---	---	---	7.50	11.80	9.50	11.00	12.00	11.00	---	10.40
1962	---	---	---	---	---	11.20	10.50	9.50	9.50	9.40	8.50	---	10.10
1963	---	---	---	---	---	9.00	9.60	8.80	8.40	9.30	10.50	---	9.40
1964	---	---	---	---	---	11.80	11.20	7.50	5.80	8.00	---	---	10.80
1965	---	---	---	---	---	7.50	5.90	6.30	8.20	7.80	---	---	6.40
Group Total:													
1959	---	---	---	---	9.50	6.70	7.80	7.30	9.50	10.10	---	---	7.11
1960	---	---	---	---	10.00	8.20	7.80	7.30	6.80	8.40	9.20	---	8.20
1961	---	---	---	---	7.90	9.00	6.60	7.50	8.20	9.90	---	---	8.16
1962	---	---	---	---	11.60	7.50	7.30	7.30	7.60	8.50	---	---	7.55
1963	---	---	---	---	13.00	6.90	6.20	6.10	8.50	10.20	---	---	6.95
1964	---	---	---	---	18.00	9.60	9.40	6.80	6.50	7.90	---	---	9.37
1965	---	---	---	---	15.40	8.40	6.20	6.30	7.60	7.30	---	---	7.84
Early Summer													
New Jersey:													
1959	---	---	---	---	---	9.00	5.60	4.00	6.40	6.30	---	---	5.30
1960	---	---	---	---	---	17.50	8.10	3.65	4.15	5.00	---	---	6.10
1961	---	---	---	---	---	---	7.70	5.00	4.60	5.20	---	---	6.20
1962	---	---	---	---	---	---	7.90	4.75	3.75	4.25	---	---	6.30
1963	---	---	---	---	---	---	10.90	5.10	4.50	4.05	---	---	7.30
1964	---	---	---	---	---	7.40	8.50	6.60	4.60	5.10	---	---	6.90
1965	---	---	---	---	---	14.70	8.60	7.40	6.60	5.70	---	---	7.80
Ohio:													
1959	---	---	---	---	---	20.00	11.30	4.70	---	---	---	---	10.10
1960	---	---	---	---	---	20.00	14.00	5.10	---	---	---	---	13.10
1961	---	---	---	---	---	---	15.00	7.90	4.50	---	---	---	13.30
1962	---	---	---	---	---	---	14.00	5.00	---	---	---	---	12.60
1963	---	---	---	---	---	---	14.90	8.00	---	---	---	---	14.00
1964	---	---	---	---	---	---	13.00	8.70	---	---	---	---	12.70
1965	---	---	---	---	---	---	10.70	7.50	---	---	---	---	10.30
Illinois:													
1959	---	---	---	---	9.90	9.90	5.80	---	---	---	---	---	9.30
1960	---	---	---	---	13.20	13.20	7.50	---	---	---	---	---	12.00
1961	---	---	---	---	13.50	12.50	9.20	---	---	---	---	---	11.60
1962	---	---	---	---	14.00	11.00	7.00	---	---	---	---	---	11.10
1963	---	---	---	---	14.00	13.00	9.00	---	---	---	---	---	12.50
1964	---	---	---	---	16.20	14.00	11.00	---	---	---	---	---	14.40
1965	---	---	---	---	14.90	10.40	8.10	---	---	---	---	---	11.10

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
TOMATOES - Continued													
Early Summer Con.													
Missouri:													
1959	---	---	---	---	11.00	11.00	6.40	4.30	6.10	---	---	---	6.20
1960	---	---	---	---	---	18.00	6.30	4.35	6.00	6.70	---	---	5.90
1961	---	---	---	---	---	20.10	10.10	3.90	6.50	5.50	---	---	6.30
1962	---	---	---	---	11.00	11.00	7.00	5.20	6.20	5.90	---	---	7.00
1963	---	---	---	---	---	15.30	8.40	5.60	5.00	4.20	---	---	7.00
1964	---	---	---	---	---	8.20	7.60	4.25	5.60	5.20	---	---	6.50
1965	---	---	---	---	---	10.50	5.90	5.30	8.50	---	---	---	6.20
Delaware:													
1959	---	---	---	---	---	7.20	6.40	4.05	5.80	5.40	---	---	6.00
1960	---	---	---	---	---	---	5.50	2.90	3.25	4.05	---	---	4.75
1961	---	---	---	---	---	---	3.95	3.25	3.80	4.40	---	---	3.65
1962	---	---	---	---	---	---	3.35	3.20	4.70	4.85	---	---	3.45
1963	---	---	---	---	---	---	7.50	5.20	4.25	3.60	---	---	5.70
1964	---	---	---	---	---	---	5.00	4.30	4.95	5.80	---	---	4.80
1965	---	---	---	---	---	---	6.30	3.65	4.15	6.70	7.60	---	5.00
Maryland:													
1959	---	---	---	---	---	---	6.40	4.05	5.90	6.10	---	---	5.60
1960	---	---	---	---	---	---	6.80	3.30	4.05	4.85	---	---	4.75
1961	---	---	---	---	---	---	6.00	3.70	3.80	4.85	---	---	4.50
1962	---	---	---	---	---	---	6.70	3.20	4.70	4.85	---	---	5.30
1963	---	---	---	---	---	---	8.00	5.30	4.35	3.75	6.00	---	5.90
1964	---	---	---	---	---	---	8.90	4.40	5.00	6.00	5.40	---	6.40
1965	---	---	---	---	---	---	6.40	3.75	4.25	6.80	7.70	---	5.10
Virginia:													
1959	---	---	---	---	---	3.15	2.45	4.50	---	---	---	---	2.60
1960	---	---	---	---	---	4.90	3.15	4.50	5.00	---	---	---	3.30
1961	---	---	---	---	---	---	3.10	4.15	5.00	---	---	---	3.30
1962	---	---	---	---	---	7.40	6.60	4.00	4.00	---	---	---	6.40
1963	---	---	---	---	---	---	4.80	3.90	3.50	---	---	---	4.65
1964	---	---	---	---	---	6.20	5.40	4.20	5.00	---	---	---	5.30
1965	---	---	---	---	---	15.00	8.60	8.50	---	---	---	---	8.80
N. Carolina:													
1959	---	---	---	---	---	5.00	6.60	5.50	6.10	6.10	---	---	5.60
1960	---	---	---	---	---	4.50	4.40	3.80	5.30	5.30	---	---	4.70
1961	---	---	---	---	---	5.40	5.10	---	---	---	---	---	5.20
1962	---	---	---	---	---	7.00	6.80	---	---	---	---	---	6.90
1963	---	---	---	---	---	6.30	6.70	---	---	---	---	---	6.60
1964	---	---	---	---	---	9.00	6.90	---	---	---	---	---	7.40
1965	---	---	---	---	---	7.60	5.50	---	---	---	---	---	5.80
Kentucky:													
1959	---	---	---	---	---	---	7.60	7.00	---	---	---	---	7.50
1960	---	---	---	---	---	---	8.50	5.10	5.50	---	---	---	6.60
1961	---	---	---	---	---	---	12.00	6.20	5.00	---	---	---	7.50
1962	---	---	---	---	---	13.00	8.20	5.00	4.00	---	---	---	7.80
1963	---	---	---	---	---	13.00	11.00	5.70	4.65	---	---	---	8.00
1964	---	---	---	---	18.00	18.00	10.10	7.00	6.10	6.10	---	---	9.50
1965	---	---	---	---	19.00	19.00	8.90	6.00	7.00	7.00	---	---	8.60
Tennessee:													
1959	---	---	---	---	---	7.60	6.40	6.60	7.60	---	---	---	6.60
1960	---	---	---	---	---	15.40	8.10	5.90	6.00	6.00	---	---	7.60
1961	---	---	---	---	---	11.60	7.80	5.50	5.80	5.80	---	---	7.10
1962	---	---	---	---	---	9.00	7.20	6.40	7.20	---	---	---	7.20
1963	---	---	---	---	---	10.00	7.80	6.40	7.00	7.00	---	---	7.60
1964	---	---	---	---	---	11.60	7.80	7.20	7.20	7.20	---	---	8.30
1965	---	---	---	---	---	11.10	6.90	6.50	9.30	9.70	---	---	7.50
Alabama:													
1959	---	---	---	---	8.70	6.00	5.30	4.20	4.40	4.95	---	---	5.40
1960	---	---	---	---	---	7.90	4.80	4.85	4.55	5.30	4.90	---	5.30
1961	---	---	---	---	---	6.90	4.35	4.75	4.25	4.60	4.75	---	4.75
1962	---	---	---	---	---	5.70	5.20	4.55	5.20	5.40	4.50	---	5.10
1963	---	---	---	---	---	5.50	4.45	4.85	6.00	6.60	6.70	---	5.00
1964	---	---	---	---	---	12.50	8.40	4.95	5.90	6.30	5.90	---	7.90
1965	---	---	---	---	12.50	11.20	5.60	6.20	5.70	6.60	6.80	---	7.70

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities; seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
TOMATOES - Continued													
Early Summer, Con.													
Arkansas:													
1959	---	---	---	---	---	9.50	8.00	6.20	7.70	---	---	---	8.80
1960	---	---	---	---	---	11.50	9.00	7.10	8.50	---	---	---	9.90
1961	---	---	---	---	---	15.50	10.50	6.00	6.00	---	---	---	12.20
1962	---	---	---	---	---	11.10	9.50	7.50	7.80	---	---	---	10.20
1963	---	---	---	---	---	11.00	8.50	6.60	---	---	---	---	9.90
1964	---	---	---	---	---	13.00	10.50	9.10	---	---	---	---	12.00
1965	---	---	---	---	---	13.00	7.50	6.50	---	---	---	---	10.40
California:													
1959	---	---	---	---	7.00	8.60	7.70	5.80	---	---	---	---	7.40
1960	---	---	---	---	---	13.30	11.90	5.00	---	---	---	---	9.40
1961	---	---	---	---	15.00	15.00	9.70	7.30	---	---	---	---	9.90
1962	---	---	---	---	---	---	13.90	8.20	5.20	---	---	---	7.30
1963	---	---	---	---	---	12.00	14.90	8.00	5.20	---	---	---	7.30
1964	---	---	---	---	---	18.50	18.50	9.60	7.40	---	---	---	9.50
1965	---	---	---	---	---	11.70	13.80	9.90	10.20	---	---	---	10.30
Group Total:													
1959	---	---	---	---	7.30	7.90	6.70	5.30	6.10	5.90	---	---	6.60
1960	---	---	---	---	---	12.60	8.90	4.65	4.65	5.30	4.90	---	7.69
1961	---	---	---	---	15.00	14.30	8.20	6.10	4.60	5.10	4.75	---	8.06
1962	---	---	---	---	---	---	11.00	10.70	7.90	4.95	4.60	---	7.09
1963	---	---	---	---	---	12.00	11.40	8.10	5.20	4.85	4.35	---	7.27
1964	---	---	---	---	---	18.50	14.00	8.70	6.80	5.10	5.80	---	8.54
1965	---	---	---	---	---	12.10	12.80	8.70	8.60	6.10	6.30	7.00	8.88
Late Summer													
Massachusetts:													
1959	---	---	---	---	---	---	18.00	8.90	7.20	6.30	---	---	8.60
1960	---	---	---	---	---	---	17.00	6.10	7.30	5.90	---	---	7.00
1961	---	---	---	---	---	---	19.00	8.70	7.00	7.00	---	---	8.60
1962	---	---	---	---	---	---	16.50	8.30	6.40	5.40	---	---	7.90
1963	---	---	---	---	---	---	20.00	8.50	6.30	5.50	---	---	8.20
1964	---	---	---	---	---	---	22.00	10.00	6.80	5.50	---	---	8.90
1965	---	---	---	---	---	---	18.00	8.20	8.80	10.00	---	---	8.90
Rhode Island:													
1959	---	---	---	---	---	---	16.00	7.50	5.70	5.50	---	---	8.00
1960	---	---	---	---	---	---	14.00	5.10	6.60	6.10	---	---	6.60
1961	---	---	---	---	---	---	16.50	8.20	6.50	7.50	---	---	8.20
1962	---	---	---	---	---	---	15.00	8.00	5.70	6.20	---	---	7.50
1963	---	---	---	---	---	---	16.00	6.50	6.00	5.40	---	---	7.40
1964	---	---	---	---	---	---	21.00	8.00	6.30	6.50	---	---	9.20
1965	---	---	---	---	---	---	17.00	8.40	9.30	9.00	---	---	10.10
Connecticut:													
1959	---	---	---	---	---	---	23.00	9.00	7.10	7.00	---	---	10.00
1960	---	---	---	---	---	---	18.50	5.80	6.80	7.00	---	---	7.40
1961	---	---	---	---	---	---	21.50	9.20	7.30	8.50	---	---	8.70
1962	---	---	---	---	---	---	19.00	8.50	6.40	7.80	---	---	8.60
1963	---	---	---	---	---	---	18.00	8.40	6.90	7.30	---	---	9.50
1964	---	---	---	---	---	---	24.00	9.80	7.00	7.50	---	---	9.60
1965	---	---	---	---	---	---	20.00	9.00	8.80	10.30	---	---	10.00
New York:													
1959	---	---	---	---	---	---	12.00	3.80	3.90	5.00	---	---	4.30
1960	---	---	---	---	---	---	15.00	4.20	3.30	3.50	3.50	---	4.30
1961	---	---	---	---	---	---	15.00	5.30	3.80	4.60	---	---	4.40
1962	---	---	---	---	---	---	10.00	4.80	3.80	4.30	---	---	4.55
1963	---	---	---	---	---	---	8.00	4.80	3.80	3.00	4.00	---	4.05
1964	---	---	---	---	---	---	10.00	5.10	4.70	3.50	---	---	4.95
1965	---	---	---	---	---	---	12.00	5.90	5.70	4.75	---	---	5.80
Pennsylvania:													
1959	---	---	---	---	---	---	12.50	4.40	3.50	5.70	---	---	4.50
1960	---	---	---	---	---	---	12.00	5.00	3.60	4.70	5.00	---	4.55
1961	---	---	---	---	---	---	12.00	4.50	3.15	3.90	4.00	---	3.85
1962	---	---	---	---	---	---	12.00	4.70	3.85	4.15	---	---	4.80
1963	---	---	---	---	---	---	14.00	6.60	4.15	4.60	4.60	---	5.20
1964	---	---	---	---	---	---	15.10	6.20	4.00	4.45	---	---	5.70
1965	---	---	---	---	---	---	14.30	6.40	5.60	5.90	---	---	6.60

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Late Summer-Con.													
TOMATOES - Continued													
Ohio:													
1959	---	---	---	---	---	---	11.90	5.80	5.00	6.60	---	---	7.00
1960	---	---	---	---	---	---	15.00	7.00	5.40	6.50	---	---	7.80
1961	---	---	---	---	---	---	18.00	9.10	6.30	7.10	---	---	8.60
1962	---	---	---	---	---	---	16.50	6.40	8.00	8.30	---	---	7.90
1963	---	---	---	---	---	---	14.90	8.00	7.30	5.60	---	---	8.20
1964	---	---	---	---	---	---	13.00	8.70	8.80	8.70	---	---	9.30
1965	---	---	---	---	---	---	10.70	7.70	9.10	9.80	---	---	8.80
Indiana:													
1959	---	---	---	---	---	---	8.00	6.20	8.00	---	---	---	7.50
1960	---	---	---	---	---	---	8.00	6.00	4.50	4.50	---	---	6.10
1961	---	---	---	---	---	---	12.00	7.00	5.50	6.00	---	---	7.40
1962	---	---	---	---	---	---	10.00	7.10	6.20	6.00	---	---	8.10
1963	---	---	---	---	---	---	13.00	5.20	5.60	5.20	---	---	8.90
1964	---	---	---	---	---	---	14.60	10.70	8.90	8.00	---	---	11.80
1965	---	---	---	---	---	---	10.60	8.50	8.00	6.60	---	---	9.10
Illinois:													
1959	---	---	---	---	---	---	---	3.50	4.15	4.50	---	---	3.95
1960	---	---	---	---	---	---	---	4.50	4.45	4.70	---	---	4.50
1961	---	---	---	---	---	---	---	6.00	5.10	3.90	---	---	5.40
1962	---	---	---	---	---	---	---	4.00	4.15	3.45	---	---	3.95
1963	---	---	---	---	---	---	---	5.20	5.20	4.50	---	---	5.00
1964	---	---	---	---	---	---	---	7.30	6.00	4.60	---	---	6.20
1965	---	---	---	---	---	---	8.50	6.20	6.10	5.10	---	---	6.10
Michigan:													
1959	---	---	---	---	---	---	12.50	8.00	7.50	8.50	---	---	8.40
1960	---	---	---	---	---	---	12.00	6.00	4.25	4.40	---	---	5.20
1961	---	---	---	---	---	15.00	14.50	8.00	7.00	6.50	---	---	7.70
1962	---	---	---	---	---	---	10.00	7.50	4.00	7.00	---	---	6.50
1963	---	---	---	---	---	---	10.00	7.50	4.60	5.00	---	---	5.80
1964	---	---	---	---	---	---	13.00	11.00	5.00	5.20	---	---	8.60
1965	---	---	---	---	---	---	15.70	8.90	6.50	9.00	---	---	8.50
Iowa: 2/													
1959	---	---	---	---	---	---	8.70	3.85	3.80	4.00	---	---	4.35
1960	---	---	---	---	---	---	10.60	6.20	3.40	3.40	---	---	5.20
1961	---	---	---	---	---	---	11.00	6.40	4.00	4.50	---	---	5.70
1962	---	---	---	---	---	---	14.00	6.20	6.00	5.40	---	---	6.80
N. Carolina:													
1959	---	---	---	---	---	---	---	5.80	6.10	6.10	6.20	---	6.00
1960	---	---	---	---	---	---	---	6.20	6.60	6.70	6.60	---	6.50
1961	---	---	---	---	---	---	---	5.80	6.10	6.00	6.00	---	6.00
1962	---	---	---	---	---	---	---	7.50	7.20	6.70	---	---	7.30
1963	---	---	---	---	---	---	---	6.90	6.70	7.00	---	---	6.80
1964	---	---	---	---	---	---	---	6.00	6.20	7.10	---	---	6.20
1965	---	---	---	---	---	---	---	6.40	6.20	7.30	---	---	6.40
Colorado:													
1959	---	---	---	---	---	---	---	4.20	2.35	2.90	---	---	2.75
1960	---	---	---	---	---	---	5.90	5.10	2.75	2.90	2.90	---	3.60
1961	---	---	---	---	---	---	---	4.20	3.45	3.55	---	---	3.70
1962	---	---	---	---	---	---	---	5.50	3.70	3.25	---	---	3.95
1963	---	---	---	---	---	---	---	6.00	4.50	4.55	---	---	4.80
1964	---	---	---	---	---	---	7.50	7.50	5.00	4.50	---	---	5.40
1965	---	---	---	---	---	---	7.20	7.00	5.10	4.90	---	---	5.40
New Mexico: 2/													
1959	---	---	---	---	---	---	---	---	3.00	3.00	3.00	---	3.00
1960	---	---	---	---	---	---	---	---	3.00	3.00	---	---	3.00
1961	---	---	---	---	---	---	---	---	3.00	3.00	---	---	3.00
1962	---	---	---	---	---	---	---	---	2.75	2.75	---	---	2.75
1963	---	---	---	---	---	---	---	---	3.00	3.00	3.00	---	3.00
1964	---	---	---	---	---	---	---	---	2.75	2.75	2.75	---	2.75

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
<u>Late Summer, Con.</u> TOMATOES - Continued													
<u>Washington:</u>													
1959	---	---	---	---	---	6.00	5.10	5.10	---	---	---	---	5.10
1960	---	---	---	---	---	6.50	5.30	5.00	5.00	---	---	---	5.30
1961	---	---	---	---	---	---	5.90	5.20	4.80	---	---	---	5.20
1962	---	---	---	---	---	---	5.40	5.40	4.70	---	---	---	5.20
1963	---	---	---	---	---	---	---	5.10	5.10	---	---	---	5.10
1964	---	---	---	---	---	---	---	5.50	5.50	5.80	---	---	5.50
1965	---	---	---	---	---	8.60	6.20	5.60	---	---	---	---	6.10
<u>Oregon:</u>													
1959	---	---	---	---	---	6.50	5.40	6.30	---	---	---	---	5.70
1960	---	---	---	---	---	---	4.80	5.20	4.00	---	---	---	4.90
1961	---	---	---	---	---	6.00	5.00	3.90	4.20	---	---	---	4.70
1962	---	---	---	---	---	5.70	5.70	4.75	5.00	---	---	---	5.40
1963	---	---	---	---	---	---	8.40	8.10	7.30	7.40	---	---	7.80
1964	---	---	---	---	---	8.00	7.20	6.50	5.10	---	---	---	6.90
1965	---	---	---	---	---	---	7.00	6.20	7.00	---	---	---	6.80
<u>Group Total:</u>													
1959	---	---	---	---	---	10.50	6.10	4.95	5.30	3.70	---	---	6.23
1960	---	---	---	---	---	6.50	12.50	5.60	4.30	4.45	4.20	---	5.50
1961	---	---	---	---	---	15.00	13.70	6.80	4.90	5.60	4.65	---	6.18
1962	---	---	---	---	---	5.70	11.50	6.40	4.75	5.30	---	---	6.11
1963	---	---	---	---	---	---	13.30	6.80	4.95	4.70	3.65	---	6.26
1964	---	---	---	---	---	---	14.00	8.00	5.60	5.20	2.75	---	7.28
1965	---	---	---	---	---	---	12.90	7.40	6.60	6.90	---	---	7.53
<u>Early Fall</u>													
<u>California:</u>													
1959	11.00	---	---	---	---	---	---	5.80	6.50	9.00	9.40	11.70	8.60
1960	18.80	---	---	---	---	---	---	---	5.60	6.30	8.70	8.10	6.80
1961	7.70	---	---	---	---	---	---	---	6.50	6.90	9.30	10.50	7.60
1962	10.10	---	---	---	---	---	---	---	4.90	6.50	7.80	14.30	7.30
1963	13.60	---	---	---	---	---	---	---	5.10	7.20	15.80	17.60	8.50
1964	11.60	12.70	---	---	---	---	---	---	6.70	6.60	15.10	10.50	8.50
1965	9.70	---	---	---	---	---	---	---	9.80	10.10	13.40	18.50	10.90
<u>Late Fall</u>													
<u>Florida:</u>													
1959	---	---	---	---	---	---	---	---	---	8.30	10.60	10.50	10.50
1960	10.80	---	---	---	---	---	---	---	---	16.90	8.10	---	9.80
1961	---	---	---	---	---	---	---	---	---	11.30	7.80	7.50	7.70
1962	---	---	---	---	---	---	---	---	---	9.40	8.30	---	8.70
1963	---	---	---	---	---	---	---	---	---	11.30	8.10	---	9.30
1964	---	---	---	---	---	---	---	---	---	12.20	8.90	---	9.90
1965	---	---	---	---	---	---	---	---	---	13.50	8.60	---	10.10
<u>Texas:</u>													
1959	---	---	---	---	---	---	---	---	---	11.50	14.50	12.90	---
1960	---	---	---	---	---	---	---	---	---	8.60	8.60	8.60	---
1961	---	---	---	---	---	---	---	---	---	11.30	8.30	9.60	---
1962	8.00	---	---	---	---	---	---	---	---	8.60	8.50	8.80	---
1963	10.20	---	---	---	---	---	---	---	---	9.10	9.80	9.30	---
1964	9.80	---	---	---	---	---	---	---	---	16.50	18.20	16.90	---
1965	8.70	---	---	---	---	---	---	---	---	15.30	12.10	13.40	---
<u>Group Total:</u>													
1959	---	---	---	---	---	---	---	---	---	8.30	10.60	10.60	10.57
1960	10.80	---	---	---	---	---	---	---	---	15.60	8.10	---	9.74
1961	---	---	---	---	---	---	---	---	---	11.30	7.90	7.50	7.77
1962	8.00	---	---	---	---	---	---	---	---	9.40	8.30	---	8.70
1963	10.20	---	---	---	---	---	---	---	---	11.20	8.10	---	9.30
1964	9.80	---	---	---	---	---	---	---	---	12.70	9.20	---	10.32
1965	8.70	---	---	---	---	---	---	---	---	13.60	8.70	---	10.26
<u>Late Spring</u>													
<u>Florida:</u> WATERMELONS													
1959	---	---	---	4.40	3.45	2.20	.90	---	---	---	---	---	2.50
1960	---	---	---	---	3.40	1.35	.75	---	---	---	---	---	1.55
1961	---	---	---	2.95	1.60	1.45	1.80	---	---	---	---	---	1.65
1962	---	---	4.15	3.85	2.65	1.55	1.15	---	---	---	---	---	1.95
1963	---	---	---	3.15	1.60	1.05	1.00	---	---	---	---	---	1.40
1964	---	---	---	4.40	2.30	1.85	1.25	---	---	---	---	---	2.10
1965	---	---	3.65	3.05	2.25	1.55	1.15	---	---	---	---	---	2.05

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
	-- DOLLARS PER CWT. --												
Late Spring, Con:	WATERMELONS - Continued												
California:													
1959	---	---	---	---	4.00	2.55	1.65	---	---	---	---	---	2.75
1960	---	---	---	---	3.00	2.45	1.95	---	---	---	---	---	2.40
1961	---	---	---	---	3.65	2.75	2.60	---	---	---	---	---	2.85
1962	---	---	---	---	---	2.75	1.65	1.95	---	---	---	---	2.35
1963	---	---	---	---	4.95	3.00	2.10	---	---	---	---	---	2.75
1964	---	---	---	---	---	3.70	2.35	---	---	---	---	---	2.65
1965	---	---	---	---	---	3.05	2.05	---	---	---	---	---	2.45
Group Total:													
1959	---	---	---	4.40	3.55	2.30	1.00	---	---	---	---	---	2.56
1960	---	---	---	---	3.40	1.55	.95	---	---	---	---	---	1.70
1961	---	---	---	2.95	1.70	1.70	1.90	---	---	---	---	---	1.80
1962	---	---	4.15	3.85	2.65	1.75	1.35	1.95	---	---	---	---	2.01
1963	---	---	---	3.15	1.60	1.35	1.60	---	---	---	---	---	1.56
1964	---	---	---	4.40	2.30	1.90	1.80	---	---	---	---	---	2.15
1965	---	---	3.65	3.05	2.25	1.70	1.95	---	---	---	---	---	2.09
North Carolina:													
1959	---	---	---	---	---	---	1.30	1.10	---	---	---	---	1.25
1960	---	---	---	---	---	---	.75	.60	1.20	---	---	---	.65
1961	---	---	---	---	---	---	1.40	1.20	1.00	---	---	---	1.25
1962	---	---	---	---	---	---	1.25	1.00	1.00	---	---	---	1.15
1963	---	---	---	---	---	---	1.80	1.15	1.10	---	---	---	1.30
1964	---	---	---	---	---	---	1.40	1.20	1.10	---	---	---	1.30
1965	---	---	---	---	---	---	1.25	1.05	---	---	---	---	1.15
South Carolina:													
1959	---	---	---	---	---	2.15	1.35	1.30	1.55	---	---	---	1.40
1960	---	---	---	---	---	1.65	1.10	.75	1.20	---	---	---	1.05
1961	---	---	---	---	---	2.00	1.65	1.10	1.25	---	---	---	1.50
1962	---	---	---	---	---	4.70	.85	1.00	1.25	---	---	---	1.00
1963	---	---	---	---	---	1.55	1.70	1.35	1.25	---	---	---	1.60
1964	---	---	---	---	---	2.55	1.55	1.05	1.00	---	---	---	1.90
1965	---	---	---	---	---	1.95	1.20	1.15	1.50	---	---	---	1.25
Georgia:													
1959	---	---	---	---	---	1.75	1.00	1.00	1.00	---	---	---	1.15
1960	---	---	---	---	---	1.10	.80	1.00	1.50	---	---	---	.90
1961	---	---	---	---	---	1.90	1.40	1.00	1.25	---	---	---	1.40
1962	---	---	---	---	---	1.35	.70	.80	.90	---	---	---	.85
1963	---	---	---	---	---	1.00	1.15	1.60	1.75	---	---	---	1.15
1964	---	---	---	---	---	1.90	1.20	2.10	2.25	---	---	---	1.45
1965	---	---	---	---	---	1.80	1.15	1.20	1.30	---	---	---	1.40
Alabama:													
1959	---	---	---	---	---	1.95	1.10	.90	1.05	---	---	---	1.10
1960	---	---	---	---	---	1.70	1.05	.80	.90	1.90	---	---	.95
1961	---	---	---	---	---	1.60	1.20	1.05	.95	1.00	---	---	1.15
1962	---	---	---	---	---	1.55	.70	.90	1.25	1.30	---	---	1.00
1963	---	---	---	---	---	1.40	1.35	1.20	1.05	1.25	---	---	1.30
1964	---	---	---	---	---	2.50	1.55	1.35	1.30	1.55	---	---	1.60
1965	---	---	---	---	---	1.40	1.40	1.30	1.50	---	---	---	1.40
Mississippi:													
1959	---	---	---	---	---	---	1.25	1.20	---	---	---	---	1.25
1960	---	---	---	---	---	---	1.70	1.30	1.20	1.20	---	---	1.25
1961	---	---	---	---	---	---	2.50	1.50	1.05	1.00	---	---	1.30
1962	---	---	---	---	---	---	1.70	1.30	1.10	1.10	---	---	1.25
1963	---	---	---	---	---	---	2.00	1.25	1.10	1.00	---	---	1.20
1964	---	---	---	---	---	---	1.80	1.40	1.20	1.00	---	---	1.35
1965	---	---	---	---	---	---	1.50	1.20	1.30	---	---	---	1.25

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Early Summer, Con.													
WATERMELONS - Continued													
Arkansas:													
1959	---	---	---	---	---	---	1.25	1.10	1.05	---	---	---	1.15
1960	---	---	---	---	---	---	1.55	1.00	.80	---	---	---	1.10
1961	---	---	---	---	---	---	1.95	1.00	.75	1.00	---	---	1.20
1962	---	---	---	---	---	---	1.10	1.05	1.20	---	---	---	1.05
1963	---	---	---	---	---	---	1.60	1.10	.95	---	---	---	1.20
1964	---	---	---	---	---	---	1.50	1.25	1.25	---	---	---	1.35
1965	---	---	---	---	---	---	1.50	1.15	1.75	---	---	---	1.25
Louisiana:													
1959	---	---	---	---	---	2.00	1.30	.90	---	---	---	---	1.20
1960	---	---	---	---	---	2.10	1.50	.75	---	---	---	---	1.25
1961	---	---	---	---	---	2.30	1.50	1.00	---	---	---	---	1.75
1962	---	---	---	---	---	---	1.10	.80	.80	---	---	---	1.00
1963	---	---	---	---	---	2.00	1.40	1.10	1.45	---	---	---	1.30
1964	---	---	---	---	---	---	1.50	1.25	1.45	---	---	---	1.45
1965	---	---	---	---	---	2.00	1.00	.90	1.40	---	---	---	1.05
Oklahoma:													
1959	---	---	---	---	---	---	1.70	.85	.75	---	---	---	1.00
1960	---	---	---	---	---	---	1.35	1.00	.95	.75	---	---	1.00
1961	---	---	---	---	---	---	1.30	1.30	1.10	---	---	---	1.25
1962	---	---	---	---	---	---	1.50	1.30	1.20	---	---	---	1.30
1963	---	---	---	---	---	---	1.50	1.50	1.00	---	---	---	1.45
1964	---	---	---	---	---	1.50	1.30	1.30	1.50	---	---	---	1.30
1965	---	---	---	---	---	1.50	1.40	1.00	1.25	---	---	---	1.10
Texas:													
1959	---	---	---	---	3.40	1.90	.95	.80	1.00	---	---	---	1.30
1960	---	---	---	---	4.10	2.15	1.00	.90	.95	1.00	---	---	1.20
1961	---	---	---	---	1.65	1.80	1.55	1.00	1.50	1.00	---	---	1.50
1962	---	---	---	---	3.00	1.65	.85	1.50	1.75	---	---	---	1.45
1963	---	---	---	---	1.60	1.30	1.30	1.25	1.25	1.25	1.25	---	1.30
1964	---	---	---	---	3.25	2.10	.90	.80	.70	1.00	---	---	1.35
1965	---	---	---	---	3.00	1.75	.90	.75	.65	.40	---	---	1.15
Arizona:													
1959	---	---	---	---	---	1.85	1.90	1.90	---	---	---	---	1.85
1960	---	---	---	---	---	1.90	1.75	---	---	---	---	---	1.85
1961	---	---	---	---	3.65	2.70	2.25	---	---	---	---	---	2.60
1962	---	---	---	---	---	2.70	1.30	1.30	---	---	---	---	2.05
1963	---	---	---	---	---	2.80	1.80	---	---	---	---	---	2.20
1964	---	---	---	---	---	3.65	2.20	2.00	---	---	---	---	2.45
1965	---	---	---	---	---	2.90	1.75	1.50	---	---	---	---	1.90
California:													
1959	---	---	---	---	---	2.15	3.50	2.25	2.05	2.15	---	---	2.90
1960	---	---	---	---	---	---	1.45	1.30	1.55	1.65	---	---	1.40
1961	---	---	---	---	---	---	2.70	1.45	1.60	1.80	---	---	1.95
1962	---	---	---	---	---	---	1.40	1.95	2.40	2.25	---	---	1.70
1963	---	---	---	---	---	---	2.20	1.40	1.70	1.80	---	---	1.70
1964	---	---	---	---	---	---	2.20	2.15	2.20	2.15	---	---	2.15
1965	---	---	---	---	---	---	2.00	1.80	1.75	1.85	---	---	1.85
Group Total:													
1959	---	---	---	---	3.40	1.90	1.40	1.20	1.40	2.15	---	---	1.45
1960	---	---	---	---	4.10	1.80	1.05	.95	1.10	1.10	---	---	1.32
1961	---	---	---	---	1.75	2.05	1.65	1.15	1.30	1.25	---	---	1.53
1962	---	---	---	---	3.00	1.75	.95	1.30	1.50	1.80	---	---	1.26
1963	---	---	---	---	1.60	1.40	1.50	1.30	1.30	1.50	1.25	---	1.39
1964	---	---	---	---	3.25	2.15	1.35	1.50	1.50	1.50	---	---	1.52
1965	---	---	---	---	3.00	1.75	1.20	1.19	1.25	.95	---	---	1.33
Late Summer													
Indiana:													
1959	---	---	---	---	---	---	1.70	1.60	1.70	---	---	---	1.60
1960	---	---	---	---	---	---	---	1.00	1.00	1.00	---	---	1.00
1961	---	---	---	---	---	---	2.00	1.20	1.00	1.00	---	---	1.15
1962	---	---	---	---	---	---	1.00	1.20	.85	---	---	---	1.15
1963	---	---	---	---	---	---	2.30	1.20	1.00	1.20	---	---	1.20
1964	---	---	---	---	---	---	1.90	1.20	1.10	---	---	---	1.20
1965	---	---	---	---	---	---	1.35	1.40	.95	---	---	---	1.35

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Late Summer, Con.													
WATERMELONS - Continued													
Illinois:													
1959	---	---	---	---	---	---	---	2.00	2.05	1.70	---	---	1.95
1960	---	---	---	---	---	---	---	1.60	1.55	1.00	---	---	1.45
1961	---	---	---	---	---	---	---	1.45	1.50	1.60	---	---	1.50
1962	---	---	---	---	---	---	---	1.75	1.75	2.25	2.00	---	2.00
1963	---	---	---	---	---	---	---	1.75	1.65	1.55	---	---	1.65
1964	---	---	---	---	---	---	---	2.45	1.90	1.55	---	---	1.95
1965	---	---	---	---	---	---	---	2.05	1.60	1.55	---	---	1.75
Iowa: 2/													
1959	---	---	---	---	---	---	3.00	2.00	2.05	2.00	---	---	2.05
1960	---	---	---	---	---	---	4.00	2.10	1.60	1.75	---	---	1.80
1961	---	---	---	---	---	---	---	1.75	1.65	1.60	1.10	---	1.65
1962	---	---	---	---	---	---	---	1.80	1.70	1.70	---	---	1.75
1963	---	---	---	---	---	---	---	1.75	1.65	1.60	---	---	1.70
1964	---	---	---	---	---	---	---	2.30	2.10	---	---	---	2.20
Missouri:													
1959	---	---	---	---	---	---	1.00	.85	.70	---	---	---	.90
1960	---	---	---	---	---	---	1.20	1.00	.80	---	---	---	1.00
1961	---	---	---	---	---	---	1.20	.85	.85	---	---	---	.90
1962	---	---	---	---	---	---	---	.70	.80	---	---	---	.75
1963	---	---	---	---	---	---	1.40	1.00	.60	---	---	---	1.10
1964	---	---	---	---	---	---	1.25	1.00	.95	---	---	---	1.10
1965	---	---	---	---	---	---	1.25	1.25	1.00	---	---	---	1.25
Delaware:													
1959	---	---	---	---	---	---	1.75	2.30	2.10	---	---	---	2.25
1960	---	---	---	---	---	---	1.20	1.10	1.10	---	---	---	1.10
1961	---	---	---	---	---	---	1.55	1.55	1.85	---	---	---	1.60
1962	---	---	---	---	---	---	1.60	1.40	1.30	---	---	---	1.40
1963	---	---	---	---	---	---	2.35	1.25	.85	---	---	---	1.20
1964	---	---	---	---	---	---	1.65	1.10	1.70	---	---	---	1.20
1965	---	---	---	---	---	---	1.00	1.20	.70	---	---	---	1.10
Maryland:													
1959	---	---	---	---	---	---	1.90	2.25	1.60	---	---	---	2.10
1960	---	---	---	---	---	---	1.10	1.05	1.00	---	---	---	1.05
1961	---	---	---	---	---	---	1.65	1.45	1.75	---	---	---	1.50
1962	---	---	---	---	---	---	1.60	1.40	1.30	---	---	---	1.40
1963	---	---	---	---	---	---	2.35	1.25	.85	---	---	---	1.20
1964	---	---	---	---	---	---	1.65	1.10	1.70	---	---	---	1.20
1965	---	---	---	---	---	---	1.00	1.20	.70	---	---	---	1.10
Virginia:													
1959	---	---	---	---	---	---	1.45	1.35	1.30	---	---	---	1.40
1960	---	---	---	---	---	---	.80	.65	1.00	---	---	---	.70
1961	---	---	---	---	---	---	1.30	.65	.70	---	---	---	.65
1962	---	---	---	---	---	---	.90	1.00	.80	---	---	---	.95
1963	---	---	---	---	---	---	2.25	1.00	.80	---	---	---	1.00
1964	---	---	---	---	---	---	1.35	.85	.80	---	---	---	.90
1965	---	---	---	---	---	---	.95	1.00	.95	---	---	---	1.00
Washington:													
1959 3/	---	---	---	---	---	---	---	---	---	---	---	---	1.25
1960 3/	---	---	---	---	---	---	---	---	---	---	---	---	.90
1961	---	---	---	---	---	---	---	1.35	1.20	1.20	---	---	1.30
1962	---	---	---	---	---	---	---	1.40	1.25	---	---	---	1.30
1963	---	---	---	---	---	---	---	1.40	1.45	---	---	---	1.40
1964	---	---	---	---	---	---	---	2.60	2.50	2.35	---	---	2.55
1965	---	---	---	---	---	---	---	2.95	2.80	---	---	---	2.90
Oregon:													
1959	---	---	---	---	---	---	---	1.60	1.40	---	---	---	1.55
1960	---	---	---	---	---	---	---	1.90	1.45	1.30	---	---	1.70
1961	---	---	---	---	---	---	---	2.00	1.60	1.50	---	---	1.90
1962	---	---	---	---	---	---	---	2.00	1.75	1.50	---	---	1.90
1963	---	---	---	---	---	---	---	1.85	1.85	1.85	---	---	1.85
1964	---	---	---	---	---	---	---	2.75	1.90	1.50	---	---	2.10
1965	---	---	---	---	---	---	---	2.40	2.10	2.10	---	---	2.25

See footnotes on page 76.

Table 2.--Vegetables, Nuts, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- DOLLARS PER CWT. --													
Late Summer, Con.													
WATERMELONS - Continued													
Group Total:													
1959	---	---	---	---	---	---	1.25	1.60	1.65	1.75	---	---	1.53
1960	---	---	---	---	---	---	1.05	1.00	1.15	1.25	---	---	1.02
1961	---	---	---	---	---	---	1.25	1.15	1.25	1.50	1.10	---	1.19
1962	---	---	---	---	---	---	.80	1.25	1.35	1.65	---	---	1.16
1963	---	---	---	---	---	---	1.60	1.20	1.10	1.55	---	---	1.22
1964	---	---	---	---	---	---	1.35	1.15	1.60	1.55	---	---	1.27
1965	---	---	---	---	---	---	1.25	1.35	1.40	1.75	---	---	1.34
Winter:													
Florida:													
-- CANS PER POUND --													
1959	53.4	51.4	38.4	30.4	---	---	---	---	---	---	---	---	46.4
1960	58.3	48.7	43.4	34.8	29.8	---	---	---	---	---	---	---	43.7
1961	59.8	48.3	31.5	28.8	---	---	---	---	---	---	---	---	38.0
1962	44.7	37.5	35.2	40.2	---	---	---	---	---	---	---	45.7	38.5
1963	43.8	35.9	32.0	36.8	37.0	---	---	---	---	---	---	43.0	35.5
1964	38.7	36.3	32.3	31.4	---	---	---	---	---	---	---	40.1	33.7
1965	37.2	36.9	28.6	26.9	---	---	---	---	---	---	---	43.7	31.4
Spring													
California:													
1959	---	---	25.3	25.5	22.6	22.1	21.9	20.3	21.8	22.4	27.5	30.0	23.0
1960	---	---	35.4	24.7	24.3	24.2	21.9	21.2	21.7	25.4	26.0	---	24.1
1961	---	---	26.0	26.3	20.4	20.0	20.5	18.6	19.1	19.5	20.0	---	21.2
1962	---	---	---	26.7	19.8	20.8	21.2	20.4	19.0	22.9	28.0	29.5	21.0
1963	---	---	32.6	27.7	22.9	19.6	20.9	21.6	21.4	25.3	30.5	---	22.9
1964	---	---	39.5	28.0	23.9	22.3	24.2	23.8	24.2	25.9	---	---	24.4
1965	---	---	36.5	25.4	25.0	26.2	25.2	27.3	25.9	26.8	33.0	---	26.0
Early Spring													
Louisiana:													
1959	---	---	55.0	35.0	19.4	---	---	---	---	---	---	---	28.5
1960	---	---	---	34.2	29.3	---	---	---	---	---	---	---	32.0
1961	---	---	37.2	37.6	21.0	---	---	---	---	---	---	---	31.9
1962	---	---	44.0	36.0	22.4	---	---	---	---	---	---	---	30.8
1963	---	---	51.2	36.4	21.1	---	---	---	---	---	---	---	34.1
1964	---	---	46.4	34.9	28.6	---	---	---	---	---	---	---	33.5
1965	---	---	30.0	24.2	21.6	---	---	---	---	---	---	---	24.0
Texas:													
1959	---	35.0	32.5	26.0	21.0	---	---	---	---	---	---	---	29.2
1960	---	33.3	34.5	26.0	25.0	---	---	---	---	---	---	---	30.5
1961	---	35.0	26.5	25.0	25.0	---	---	---	---	---	---	---	25.3
1962	---	35.0	32.0	31.1	27.0	---	---	---	---	---	---	---	30.7
1963	---	35.0	35.0	24.0	24.0	---	---	---	---	---	---	---	26.1
1964	---	---	32.5	24.0	25.0	---	---	---	---	---	---	---	25.6
1965	---	---	30.0	23.8	25.0	---	---	---	---	---	---	---	24.1
Group Total:													
1959	---	35.0	37.0	34.7	19.4	---	---	---	---	---	---	---	28.6
1960	---	33.3	34.5	33.3	29.2	---	---	---	---	---	---	---	31.8
1961	---	35.0	31.5	36.2	21.2	---	---	---	---	---	---	---	30.5
1962	---	35.0	36.6	35.3	22.6	---	---	---	---	---	---	---	30.8
1963	---	35.0	40.9	33.7	21.3	---	---	---	---	---	---	---	32.2
1964	---	---	38.0	33.4	28.5	---	---	---	---	---	---	---	32.4
1965	---	---	30.0	24.2	21.8	---	---	---	---	---	---	---	24.0
Mid-Spring													
Illinois:													
1959	---	---	---	---	20.6	16.8	---	---	---	---	---	---	19.9
1960	---	---	---	---	21.0	18.4	---	---	---	---	---	---	19.0
1961	---	---	---	---	19.0	18.0	---	---	---	---	---	---	18.2
1962	---	---	---	---	17.0	16.0	---	---	---	---	---	---	16.9
1963	---	---	---	---	22.0	20.0	---	---	---	---	---	---	21.1
1964	---	---	---	---	20.0	17.0	---	---	---	---	---	---	19.2
1965	---	---	---	---	22.0	18.0	---	---	---	---	---	---	21.3
Missouri:													
1959	---	---	---	---	16.5	14.0	---	---	---	---	---	---	16.0
1960	---	---	---	---	20.8	20.2	---	---	---	---	---	---	20.5
1961	---	---	---	---	22.7	19.7	---	---	---	---	---	---	20.8
1962	---	---	---	---	20.2	19.1	---	---	---	---	---	---	20.0
1963	---	---	---	---	23.9	15.4	---	---	---	---	---	---	21.4
1964	---	---	---	---	21.8	18.2	---	---	---	---	---	---	20.4
1965	---	---	---	---	24.2	26.1	---	---	---	---	---	---	24.4

Table 2.--Vegetables, Malons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued.

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season Average
-- CENTS PER POUND --													
Mid-Spring-Corn.	STRAWBERRIES - Continued												
Kansas: 2/													
1959					18.7	18.0							18.2
1960					19.3	20.5							20.1
1961						19.2							19.2
1962					20.3	19.3							19.9
1963					21.2	20.8							21.0
1964					20.7	19.6							20.0
Maryland:													
1959					20.0	14.6							19.4
1960					19.6	18.8							19.4
1961					19.5	16.0							18.1
1962					19.2	16.4							18.7
1963					22.9	17.2							21.7
1964					21.4	18.6							20.7
1965					23.0	19.8							21.8
Virginia:													
1959					21.0	17.9							20.9
1960					20.0	18.0							19.8
1961					20.5	15.0							19.7
1962					18.8	15.0							18.7
1963					25.0	20.0							24.8
1964					22.6	20.0							22.4
1965					21.6	21.0							21.5
N. Carolina:													
1959				37.2	25.0								26.3
1960				42.0	30.0	23.0							30.5
1961				42.0	30.0								31.2
1962				38.2	27.0								27.9
1963				42.0	34.7	28.0							35.7
1964					30.0	30.0							30.0
1965				35.0	29.0	25.0							29.1
Kentucky:													
1959					23.0	20.0							22.0
1960					23.0	19.5							21.1
1961					22.0	17.0							19.4
1962					22.5	18.0							22.0
1963					20.0	16.0							19.1
1964					18.7	19.2							18.8
1965					21.7	28.1							22.2
Tennessee:													
1959				19.5	18.5	18.4							18.6
1960					18.5	18.5							18.5
1961					17.5	18.0							17.6
1962					18.2	17.8							18.1
1963				21.0	19.5	19.5							19.6
1964					21.0	20.0							21.0
1965					21.0	20.5							21.0
Alabama:													
1959				27.5	18.5	18.1							21.2
1960				30.5	18.9	17.4							19.6
1961			25.2	20.9	16.6	16.0							17.1
1962			29.0	24.5	18.6								19.6
1963				22.0	17.3								18.0
1964				23.0	19.4								19.6
1965				25.0	23.0								23.0
Arkansas:													
1959				30.0	17.0								17.8
1960					20.0	18.0							19.9
1961				25.0	17.1	19.0							17.2
1962				25.0	17.3								17.4
1963				22.5	18.3								19.1
1964				25.0	20.0								20.0
1965				27.2	22.7								22.7

See footnotes on page 76.

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- CENTS PER POUND --													
-- STRAWBERRIES - Continued --													
Mid-Spring, Con.													
Oklahoma:													
1959	---	---	---	---	16.0	---	---	---	---	---	---	---	16.0
1960	---	---	---	---	16.3	15.0	---	---	---	---	---	---	16.0
1961	---	---	---	---	18.5	---	---	---	---	---	---	---	18.5
1962	---	---	---	---	20.0	---	---	---	---	---	---	---	20.0
1963	---	---	---	21.0	17.7	---	---	---	---	---	---	---	18.0
1964	---	---	---	---	23.0	---	---	---	---	---	---	---	23.0
1965	---	---	---	---	26.0	---	---	---	---	---	---	---	26.0
Group Total:													
1959	---	---	---	29.3	19.2	16.8	---	---	---	---	---	---	19.5
1960	---	---	---	38.6	20.4	19.0	---	---	---	---	---	---	20.3
1961	---	---	25.2	34.6	19.9	17.8	---	---	---	---	---	---	19.7
1962	---	---	29.0	31.6	19.6	17.7	---	---	---	---	---	---	19.7
1963	---	---	---	26.6	22.2	18.7	---	---	---	---	---	---	22.1
1964	---	---	---	23.5	22.2	18.7	---	---	---	---	---	---	21.8
1965	---	---	---	29.3	23.6	21.1	---	---	---	---	---	---	23.4
Late Spring													
Maine:													
1959	---	---	---	---	---	33.5	35.7	---	---	---	---	---	35.5
1960	---	---	---	---	---	29.5	27.0	---	---	---	---	---	27.4
1961	---	---	---	---	---	28.0	30.0	---	---	---	---	---	29.8
1962	---	---	---	---	---	32.5	32.5	---	---	---	---	---	32.5
1963	---	---	---	---	---	34.0	32.2	---	---	---	---	---	32.4
1964	---	---	---	---	---	32.0	32.0	---	---	---	---	---	32.0
1965	---	---	---	---	---	33.5	35.0	---	---	---	---	---	34.6
Massachusetts:													
1959	---	---	---	---	---	32.6	37.0	---	---	---	---	---	33.4
1960	---	---	---	---	---	27.0	31.0	---	---	---	---	---	27.9
1961	---	---	---	---	---	30.5	30.5	---	---	---	---	---	30.5
1962	---	---	---	---	---	32.5	35.0	---	---	---	---	---	32.9
1963	---	---	---	---	---	33.5	33.0	---	---	---	---	---	33.4
1964	---	---	---	---	---	31.2	34.0	---	---	---	---	---	31.6
1965	---	---	---	---	---	32.0	34.0	---	---	---	---	---	32.3
Connecticut:													
1959	---	---	---	---	---	34.2	40.0	---	---	---	---	---	34.4
1960	---	---	---	---	---	27.4	27.4	---	---	---	---	---	27.4
1961	---	---	---	---	---	29.5	32.0	---	---	---	---	---	29.6
1962	---	---	---	---	---	32.0	38.0	---	---	---	---	---	32.3
1963	---	---	---	---	---	34.0	34.0	---	---	---	---	---	34.0
1964	---	---	---	---	---	32.0	36.0	---	---	---	---	---	32.6
1965	---	---	---	---	---	32.0	35.0	---	---	---	---	---	32.1
New York:													
1959	---	---	---	---	---	27.9	23.9	---	---	---	---	---	27.4
1960	---	---	---	---	---	27.4	22.4	---	---	---	---	---	27.0
1961	---	---	---	---	---	25.2	24.6	---	---	---	---	---	25.1
1962	---	---	---	---	---	27.0	23.0	---	---	---	---	---	25.9
1963	---	---	---	---	---	31.0	25.0	---	---	---	---	---	29.7
1964	---	---	---	---	---	29.0	27.0	---	---	---	---	---	29.0
1965	---	---	---	---	---	32.0	27.0	---	---	---	---	---	31.7
New Jersey:													
1959	---	---	---	---	21.5	17.6	---	---	---	---	---	---	20.6
1960	---	---	---	---	25.0	20.9	---	---	---	---	---	---	21.4
1961	---	---	---	---	24.9	19.5	---	---	---	---	---	---	19.7
1962	---	---	---	---	22.4	20.0	---	---	---	---	---	---	20.6
1963	---	---	---	---	25.1	20.6	17.8	---	---	---	---	---	21.3
1964	---	---	---	---	21.3	19.9	23.6	---	---	---	---	---	20.1
1965	---	---	---	---	29.3	22.0	---	---	---	---	---	---	22.4
Pennsylvania:													
1959	---	---	---	---	25.5	23.0	23.0	---	---	---	---	---	23.2
1960	---	---	---	---	27.9	22.5	21.6	---	---	---	---	---	22.6
1961	---	---	---	---	26.0	23.0	21.3	---	---	---	---	---	22.9
1962	---	---	---	---	23.5	24.5	22.5	---	---	---	---	---	24.4
1963	---	---	---	---	26.0	25.3	25.6	---	---	---	---	---	25.4
1964	---	---	---	---	27.0	25.6	26.0	---	---	---	---	---	25.8
1965	---	---	---	---	23.0	28.4	28.3	---	---	---	---	---	27.8

Table 2.--Vegetables, Melons, and Strawberries for Fresh Market: Monthly and season average prices by commodities, seasonal groups and States, 1959-65--Continued

Season, State, and year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Season average
-- CENTS PER POUND --													
Late Spring, Con.:	STRAWBERRIES - Continued												
Ohio:													
1959	---	---	---	---	23.4	23.6	---	---	---	---	---	---	23.6
1960	---	---	---	---	---	24.0	25.0	---	---	---	---	---	24.0
1961	---	---	---	---	24.5	22.5	23.0	---	---	---	---	---	22.6
1962	---	---	---	---	23.0	20.0	---	---	---	---	---	---	20.1
1963	---	---	---	---	27.7	18.3	20.2	---	---	---	---	---	18.4
1964	---	---	---	---	29.8	22.1	24.5	---	---	---	---	---	22.2
1965	---	---	---	---	24.8	24.0	---	---	---	---	---	---	24.0
Indiana:													
1959	---	---	---	---	19.0	19.0	---	---	---	---	---	---	19.0
1960	---	---	---	---	19.0	19.0	---	---	---	---	---	---	19.0
1961	---	---	---	---	19.0	18.0	---	---	---	---	---	---	18.0
1962	---	---	---	---	19.0	17.0	---	---	---	---	---	---	18.5
1963	---	---	---	---	23.0	18.0	---	---	---	---	---	---	20.0
1964	---	---	---	---	21.0	19.0	---	---	---	---	---	---	20.0
1965	---	---	---	---	19.0	20.0	---	---	---	---	---	---	19.3
Michigan:													
1959	---	---	---	---	---	16.8	19.0	---	---	---	---	---	17.0
1960	---	---	---	---	---	19.3	18.3	---	---	---	---	---	19.0
1961	---	---	---	---	---	18.4	18.9	---	---	---	---	---	18.5
1962	---	---	---	---	---	19.2	19.0	---	---	---	---	---	19.2
1963	---	---	---	---	---	19.5	19.0	---	---	---	---	---	19.4
1964	---	---	---	---	---	20.5	19.5	---	---	---	---	---	20.5
1965	---	---	---	---	---	23.0	25.0	---	---	---	---	---	23.2
Wisconsin:													
1959	---	---	---	---	---	20.0	19.4	---	---	---	---	---	19.7
1960	---	---	---	---	---	26.2	21.5	---	---	---	---	---	21.7
1961	---	---	---	---	---	23.1	23.1	---	---	---	---	---	23.1
1962	---	---	---	---	---	21.3	20.7	---	---	---	---	---	20.8
1963	---	---	---	---	---	21.8	21.8	---	---	---	---	---	21.8
1964	---	---	---	---	---	22.6	22.3	---	---	---	---	---	22.4
1965	---	---	---	---	---	25.7	26.6	---	---	---	---	---	26.3
Utah: 2/													
1959	---	---	---	---	29.5	20.7	20.5	20.0	---	---	---	---	21.0
1960	---	---	---	---	29.0	22.1	21.5	---	---	---	---	---	22.5
1961	---	---	---	---	28.0	21.2	20.4	---	---	---	---	---	21.5
1962	---	---	---	---	25.8	21.3	22.0	---	---	---	---	---	21.5
1963	---	---	---	---	26.9	19.8	19.0	---	---	---	---	---	20.0
1964	---	---	---	---	---	20.0	22.0	---	---	---	---	---	20.2
Washington:													
1959	---	---	---	---	---	18.5	18.6	---	---	---	---	---	18.5
1960	---	---	---	---	---	22.0	20.0	---	---	---	---	---	21.7
1961	---	---	---	---	---	16.5	16.5	---	---	---	---	---	16.5
1962	---	---	---	---	---	19.0	16.9	---	---	---	---	---	18.0
1963	---	---	---	---	---	18.5	18.5	---	---	---	---	---	18.5
1964	---	---	---	---	---	21.8	21.6	---	---	---	---	---	21.6
1965	---	---	---	---	---	26.3	25.1	---	---	---	---	---	26.0
Oregon:													
1959	---	---	---	---	---	26.5	25.0	---	---	---	---	---	26.2
1960	---	---	---	---	29.0	25.5	24.0	---	---	---	---	---	24.6
1961	---	---	---	---	---	24.0	22.5	---	---	---	---	---	23.3
1962	---	---	---	---	---	22.4	22.3	---	---	---	---	---	22.3
1963	---	---	---	---	---	24.0	24.0	---	---	---	---	---	24.0
1964	---	---	---	---	---	24.4	25.0	---	---	---	---	---	24.7
1965	---	---	---	---	---	29.4	27.6	---	---	---	---	---	29.3
Group Total:													
1959	---	---	---	---	21.2	20.8	22.7	20.0	---	---	---	---	21.1
1960	---	---	---	---	23.1	22.2	21.0	---	---	---	---	---	21.9
1961	---	---	---	---	24.1	20.7	22.1	---	---	---	---	---	21.0
1962	---	---	---	---	20.8	21.6	21.4	---	---	---	---	---	21.5
1963	---	---	---	---	24.4	21.7	22.4	---	---	---	---	---	22.0
1964	---	---	---	---	22.0	22.9	23.8	---	---	---	---	---	23.0
1965	---	---	---	---	21.4	25.5	26.9	---	---	---	---	---	25.4

1/ Pennsylvania, Ohio and Indiana.
 2/ Prices estimated only for the years listed.
 3/ Monthly prices not available.

END