

The World's Largest Open Access Agricultural & Applied Economics Digital Library

# This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search http://ageconsearch.umn.edu aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

#### **EPTD DISCUSSION PAPER NO. 95**

## Assessing and Attributing the Benefits from Varietal Improvement Research: Evidence from Embrapa, Brazil

Philip G. Pardey, Julian M. Alston, Connie Chan-Kang, Eduardo C. Magalhães, and Stephen A. Vosti

**Environment and Production Technology Division** 

International Food Policy Research Institute 2033 K STREET, N.W. Washington, D.C. 20006 U.S.A.

August 2002

*EPTD Discussion Papers contain preliminary material and research results, and are circulated prior to a full peer review in order to stimulate discussion and critical comment. It is expected that most Discussion Papers will eventually be published in some other form, and that their content may also be revised.* 

#### ACKNOWLEDGMENTS

This project entailed a large amount of data collection and processing that involved a great deal of effort from many of people. This publication is dedicated to the memory of Lídia Pacheco Yokoyama (an economist at CNPAF, the Embrapa rice and bean center) who contributed to resolving key conceptual and measurement issues, was instrumental in assembling the excellent data we compiled for that center, and who served as liaison with many of her colleagues working at other Embrapa centers. Antonio Carlos Roessing (an economist at CNPSo, the Embrapa soybeans center) was also most helpful in compiling data and aiding in our interpretation of these data.

Embrapa colleagues dealing with experimental yield data, in particular Flávio Breseghello, Maria Jose Del Peloso, Élcio Perpétuo Guimarães, and Milton Kaster worked extremely hard to find and organize these data in ways that facilitated the study. We truly appreciate their considerable efforts on our behalf. We also consulted with and received substantial guidance and assistance from numerous other Embrapa colleagues, and would especially like to thank Beatriz da Silveira Pinheiro, Emílio de Maia Castro, Geovando Pereira Vieira, João Kluthcouski, Evaldo Pacheco Santana, Michael Thung, Pedro Antonio Arraes Pereira, and Luis Fernando Stone from CNPAF, and Caio Vidor, Paulo Galerani, and Jose Renato Bouças Farias from CNPSo.

We also had the cooperation of several colleagues from SEA headquarters, including José Reinaldo Borges, Antonio de Freitas Filho, Geraldo Souza e Silva, Mierson Mota Martins, Rita de Cássia Vieira, and João Alves Filho. A special thanks is due to Renner Marra who provided much assistance in organizing and helping us understand the research

i

cost figures. In addition, we thank Fábio Almeida and Cloves Terra Wetzel for providing and explaining to us the seed production data, what they contain and how they were constructed, and for their continuing support throughout work. We also thank the support staffs from Embrapa DAP (Personnel Department), Negócios Tecnológicos (Science and Technology Business), and Embrapa DAF (Financial Department) for data assistance at various junctures of this project.

We received considerable help from researchers at CNPT (Embrapa's wheat center located in Rio Grande do Sul) regarding the area-by-variety data for soybeans in Rio Grande do Sul. In particular, we thank Joao Carlos Ignazack for his generous support in gathering these data. Plínio Itamar de Mello de Souza (Embrapa Cerrados) and José Ubirajara Garcia Fontoura (CPAO) also provided additional crucial area estimates for soybeans, while colleagues at IAC (Agronomic Institute of Campinas), especially Luiz D'Artangnan de Almeida and Jussara Vieira, provided area-by-variety and other background information for edible beans.

Much of the hard work in collecting and entering the data, making Xerox copies, checking out bibliographical details, and so on was also done by the Embrapa interns hired specifically for this project, both those located at the various centers and those at Embrapa headquarters. Our thanks go to Agnelo de Souza, Cleiton Jerônimo De Souza (CNPAF), Cristiane Feitosa (Headquarters), Marcia Veppo, Luciana Oliveira, Fernanda Ramos, and Ronaldo Balestra Chose (SEA).

ii

Throughout the course of this study we received wise council and helpful practical assistance from Eliseu Alves, Elisio Contini, and other senior SEA staff, in particular Mariza Barbosa, and Flavio Avila (who managed the project on behalf of Embrapa), for which we are most grateful. We also drew heavily at times on some of our IFPRI colleagues, especially Nienke Beintema, Kate Sebastian, and Stanley Wood, as well as colleagues from elsewhere, including Edie Paul (GeneFlow), Garcia Gasques (IPEA), Luis Roberto Sanint (FLAR/CIAT), Oswaldo Voysest Voysest, Fernando Rojas (CIAT), José Cavalcanti Negreiros (CONAB) and Randall Nelson (USDA, National Soybean Research Center). We thank them all for their generous assistance.

#### ABSTRACT

In general, reported rates of return to agricultural R&D are high, but questions have been raised about upward biases in the evidence. Among the reasons for this bias, insufficient attention to attribution aspects—matching of research benefits and costs—is a pervasive problem, the magnitude of which is illustrated here with new evidence for Brazil. Over the period 1981 to 2003, varietal improvements in upland rice, edible beans, and soybeans yielded benefits attributable to research of \$14.8 billion in present value (1999 prices) terms; 6.1 percent of the corresponding value of crop output. If all of those benefits were attributed to Embrapa, a public research corporation accounting for more than half Brazil's agricultural R&D spending, the benefit-cost ratio would be 78:1. If a geometric attribution rule based on genetic histories is used in conjunction with quantitative evidence on the extent of research collaborations to account for the innovative effort of others, the ratio drops substantially to 16:1. The sources of these gains vary markedly among crops and over time, making it hard to generalize about the international and institutional origins of varietal innovations in Brazilian agriculture during the past several decades.

Keywords: Brazil, agricultural R&D, attribution, soybeans, rice, beans, benefit-cost ratios

# ASSESSING AND ATTRIBUTING THE BENEFITS FROM VARIETAL IMPROVEMENT RESEARCH: EVIDENCE FROM EMBRAPA, BRAZIL

### Philip G. Pardey<sup>1</sup>, Julian M. Alston<sup>2</sup>, Connie Chan-Kang<sup>3</sup>, Eduardo C. Magalhães<sup>4</sup>, and Stephen A. Vosti<sup>5</sup>

The returns-to-research literature has contributed to a widespread agreement among agricultural economists and other agricultural scientists that the payoffs to agricultural R&D have been high (Alston et al. 2000). Much of this literature has dealt with varietal-improvement research. Nevertheless, relatively little is known about the precise origins of the relevant R&D or sources of many of the varietal innovations that gave rise to the historically unprecedented growth in yields of particular crops in particular countries during the last half of the 20<sup>th</sup> century, nor how the sources of innovation may have changed over time.<sup>6</sup> Are the gains largely attributable to homegrown technologies or spillins of results developed elsewhere, what shares of the gains are attributable to efforts by farmers or public versus private research, or research done by particular agencies, and do these dimensions remain stable over time or vary among crops?

<sup>&</sup>lt;sup>1</sup> Philip Pardey is a Professor, Department of Applied Economics, University of Minnesota (previously Senior Research Fellow, the International Food Policy Research Institute, when this study was conducted).
<sup>2</sup> Julian Alston is a Professor, Department of Agricultural and Resource Economics, University of

California, Davis, and a member of the Giannini Foundation of Agricultural Economics.

<sup>&</sup>lt;sup>3</sup> Connie Chan-Kang is a Research Analyst at the International Food Policy Research Institute.

<sup>&</sup>lt;sup>4</sup> Eduardo C. Magalhães is a Research Assistant at the International Food Policy Research Institute

<sup>&</sup>lt;sup>5</sup> Stephen Vosti is an Assistant Adjunct Professor, Department of Agricultural and Resource Economics, University of California, Davis.

<sup>&</sup>lt;sup>6</sup> The more-general literature contains several excellent general treatments of elements of the topic. Smith (1998) describes the origins of plant and animal domestication, and Diamond (1997) analyzes their subsequent spread worldwide. Evans (1993) deals mainly with the scientific underpinnings of the growth in crop yields, while Olmstead and Rhode (2002) using the example of wheat, re-examine the timing and magnitude of the effects of biological innovations in U.S. agriculture. And there are a small number of specific exceptions, such as Griliches' (1957) pioneering study of hybrid corn in the United States.

Here we deal with how to attribute the credit for varietal improvements in Brazil to research expenditures undertaken at different times, in different places, and by different agencies. It is relatively straightforward in principle, and in practice if suitable data are available, to obtain a measure of the total benefits from the adoption of new, improved crop varieties (in this case, upland rice, edible beans, and soybeans). It is more difficult to measure the benefits attributable to any one agency such as Embrapa—the primary agricultural research agency in Brazil—when some of the benefits are attributable to other private and public research institutions in Brazil and elsewhere. When assessing crop improvement research, the institutional dimension of the attribution problem is to determine which crop varieties are attributable to Embrapa (or, if partially attributable, to what extent) and how much of the overall yield improvement is attributable to those varieties. Further challenges arise in defining the relevant counterfactual—what is it reasonable to assume would remain constant, and what else would be different if Embrapa's research investment had been different? A related problem is to define the relevant costs, apportioning costs among the different activities undertaken by research institutions, and some other considerations in measuring the costs associated with a particular stream of research benefits.

In dealing with these generally neglected attribution problems, we show they have substantial implications for the reported returns to research while also substantially enriching our understanding of the international and institutional sources of crop varietal change in Brazil. To do this we use an entirely new, detailed set of data compiled specifically for the purpose.

#### ECONOMIC EFFECTS OF NEW VARIETIES

For an imported good (such as edible beans or rice in the Brazilian economy) or an exported good (such as soybeans in the Brazilian economy) it is necessary to allow explicitly for international trade when computing the price and welfare effects of a given innovation. It is also necessary to allow for technology spillovers (i.e., when other countries adopt the results from domestic R&D or vice versa) in order to obtain correct measures of the domestic effects of domestic research. When producers in more than one country can adopt and benefit from the new technology, it is the consequent increase in *worldwide* production that determines the price effects of new varieties. The international distribution of the benefits and costs of the new varieties depends on the global pattern of trade in the commodity and the applicability of the new technology in different places, reflected in the pattern of adoption.

Figure 1 represents the adoption of higher-yielding crop varieties in the case of a large-country exporter. In this model S represents Brazil's supply,  $D_T$  represents the total demand (the sum of domestic and export demand) and  $D_d$  represents domestic demand. When supply shifts down by *R* per unit through competitive responses to the lower cost of production, adoption of the new variety leads to an increase in production and consumption from  $Q_0$  to  $Q_1$ , and the world market price falls from  $P_0$  to  $P_1$ .




Figure 1--Benefits from adopting a high yielding variety in a large exporting country

Although they receive a lower price per unit, producers are better off, because their unit costs have fallen by an amount, *R* per unit, that is more than the change in price,  $\Delta P = P_1 - P_0$ .<sup>7</sup> Producer profits per unit rise by  $R + \Delta P$  (where  $\Delta P$  is a negative number in the case of a research-induced fall in price). Hence producer benefits are

<sup>7</sup> For reasonably small price changes (say, less than 10 percent) we can use the approximation:  $\Delta P = \frac{(v-R)}{(\varepsilon+\eta)} - R/(\varepsilon+\eta)$ , where  $\varepsilon$  is the elasticity of supply and  $\eta$  is the absolute value of the elasticity of

demand. Similarly, we can approximate the change in quantity using  $\Delta Q = (Q/P)(\eta R)/(\varepsilon + \eta)$ . For traded goods the relevant elasticities of demand are those facing suppliers of the domestic product, after allowing for the demand for exports or the supply of imports as well as the domestic demand.

approximately equal to quantity produced times the benefit per unit—i.e.,  $Q \times (R + \Delta P)$ . Consumers benefit from the lower price by an amount approximately equal to their costsaving on the total quantity consumed—i.e.,  $-\Delta P \times Q$ . Total benefits are obtained as the sum of producer and consumer benefits.

As an approximation, the cost-saving per unit multiplied by the total quantity is often used as the measure of *gross annual research benefits*—i.e.,  $GARB = R \times Q$ .<sup>8</sup> Some of the consumer benefits, however, accrue to foreign "consumers." Here, the benefits can be approximated as:<sup>9</sup>

domestic consumer benefit:

$$\Delta C S_d = C \times \Delta P \tag{1a}$$

foreign "consumer" benefit:

$$\Delta C S_f = (C - Q) \times \Delta P \tag{1b}$$

domestic producer benefit:

$$\Delta PS = Q \times (R + \Delta P) \tag{1c}$$

total domestic benefit:

 $<sup>^{8}</sup>$  Martin and Alston (1997) showed that this same approximation to producer surplus would be an *exact* measure of the change in producer profit under the functional forms and other assumptions that often underpin the producer surplus estimation.

<sup>&</sup>lt;sup>9</sup> The conventional measures include the triangles as well as the rectangles of producer and consumer surplus trapezoids. Hence, a slightly better approximation to the conventional measures of benefits is given by replacing the relevant initial quantity,  $C_0$  or  $Q_0$ , with the average of the corresponding pre- and post-research quantities.

$$\Delta NS = Q \times R - (C - Q) \times \Delta P \tag{1d}$$

global benefit:

$$\Delta WS = Q \times R \tag{1e}$$

The total domestic benefit depends on the change in the world price. Hence, if the technological change leads to significant changes in the world price, we have to measure this price change, and pay attention to the difference between quantities produced and consumed, in order to measure the total domestic benefits. In the present context, it is important to allow for "spillins" of technology to Brazil from other countries (especially for soybeans) and from the international agricultural research (or CGIAR) centers (especially for beans and rice) in determining the part of the total technological improvement in Brazil that is attributable to Embrapa's research investment. However, the extent of technology "spillouts" of crop varieties from Brazil to other countries is not likely to have been large enough to have had important impacts on world prices for the commodities of interest. Even though we might safely assume away technology spillout effects, we cannot assume that world prices are unaffected by the adoption of Embrapa crop varieties in Brazil, at least in the case of soybeans.<sup>10</sup>

<sup>&</sup>lt;sup>10</sup> In 1998, Brazil exported 9.274 million metric tons (mmt), 30 percent of its production of soybeans; 10.447 mmt, 61 percent of its production of soybean cake; and 1.365 mmt, 33 percent of its production of soybean oil (FAOSTAT 2002). Although the export market is clearly important to Brazil, it is Brazil's production as a share of global production that determines the extent of Brazil's ability to influence the world price. In 1998, Brazil's shares of global production were 5.8 percent for soybeans, 10.2 percent for soybean cake, and 5.8 percent for soybean oil. If the elasticity of final demand for these products were, say  $\eta = -0.5$ , then the short-run elasticity of demand facing Brazil,  $\eta_B$  would be approximately equal to the overall demand elasticity divided by Brazil's share of world production ( $s_B = 0.058$  to 0.102):  $\eta_B = \eta/s_B = -4$  to -9. This is a short-run elasticity because it does not allow for any supply response in other countries. Such elasticities mean that a 10 percent increase in Brazil's supply of soybeans might give rise to a fall in the world price of 1 to 3 percent, which is not negligible but would not have a very great effect on the

#### Indexes of Varietal Improvement

Measuring varietal improvement, involves comparing individual varieties, or indexes that aggregate across varieties, with some base or numeraire variety or index. Experimental data have the advantage that many of the variables that influence yields are deliberately held constant; a practice that helps to isolate the effect of the variety *per se* but that also means that variable inputs are not "optimized" differentially among the varieties, so the cost differences between varieties cannot be inferred directly. On the other hand, it is industry yield that is really relevant for measuring benefits, and past studies have shown that the correspondence between experimental yields and industry yields is poor.<sup>11</sup> Here we apply an index of proportional growth of experimental yields to industry output.

Aggregate industry-wide yield data show the changes in yields over time, representing "before-and-after" measures of yield change associated with varietal adoption and other changes, whereas we want a "with-and-without" measure of the effect of varietal change. That is, we want to know the answer to counterfactual questions of the form (a) what would yields have been if there had not been any change in varieties over the period since Embrapa began to release varieties, or (b) what would yields have been if there had been *some* varietal change, associated with the release and adoption of non-Embrapa varieties, but no adoption of Embrapa varieties? To answer either of these

measure of research benefits. For the other commodities, Brazil imports a small but significant share of its consumption (about 7 percent for beans and 17 percent for rice in 1998). Moreover, these imports represent a very small fraction of the world market, and so it is reasonable to treat Brazil as a price taker.

<sup>&</sup>lt;sup>11</sup> Typically, experimental yields are substantially higher than average or representative yields found in farmers' fields. But it is yield gains or differences in yields between, say, new and old crop varieties, not yield levels, that are relevant here. Alston, Norton, and Pardey (1995, pp. 338-340), and the references cited therein, discuss these issues in more detail. There may be grounds for scaling down experimental yield gains to better reflect yield gains on-farm—but it would probably be an over-correction to scale down the gains in proportion to the usual differences between experimental and industry yields.

questions we want to have information on the adoption of varieties over time (and, for question (b), whether they were Embrapa releases), and measures of varietal performance.

A measure of *actual* experimental yield performance in region r in year t, given the actual adoption pattern and the observed experimental yields can be defined as

$$Y_{rt}^{a} = \sum_{i=1}^{n} Y_{irt} \pi_{irt} \text{ where } \pi_{irt} = \frac{A_{irt}}{A_{rt}} \text{ where } A_{rt} = \sum_{i=1}^{n} A_{irt}$$
(2)

where  $Y_{irt}$  is the experimental yield of variety *i* in region *r* in year *t*, and  $\pi_{irt}$  is the proportion of area in region *r* in year *t*,  $A_{rb}$  sown to variety *i*. An index of *counterfactual* yield performance in region *r* in year *t*, given a *counterfactual* adoption pattern would differ in terms of the adoption weights applied to the same experimental yields. Specifically, to represent a counterfactual scenario of no change in varieties over time, we would hold the adoption proportions constant over time at their values in the base year (i.e., in the above equation, setting  $\pi_{irt} = \pi_{irb}$  for all years, *t*, where  $\pi_{irb}$  represents the share of the total area planted to variety *i* in region *r* in the base year)

$$Y_{rt}^b = \sum_{i=1}^n Y_{irt} \pi_{irb}$$
(3)

In comparing the counterfactual yield measure of what yields would have been in the absence of any varietal innovations, to the actual yield measure, the proportional gain in yield attributable to varietal improvement, for each region is given by:

$$k_{rt} = \left(\frac{Y_{rt}^a - Y_{rt}^b}{Y_{rt}^a}\right),\tag{4}$$

where, as defined above,  $Y_{rt}^{\ b}$  denotes an index of experimental yield computed using the base-year area weights (i.e., in the absence of varietal innovation), and  $Y_{rt}^{\ a}$ denotes an index of experimental yield computed using the actual area weights (i.e., reflecting the adoption of new varieties).

These measures rest on having a full set of observations of experimental yields by region (if we are taking regional measures) for every variety adopted but usually the "experimental design" is incomplete and lacking data on performance of every variety for every location and in every year; as is the case for our Brazilian data on experimental yields. To address this data deficiency, we adopt an approach that was developed and applied by Venner (1997) and James (2000), as follows.

Given data on yields of several varieties of varying release vintages, each possibly grown on several sites (each found in one of various regions), in each of several years we can estimate a regression model of the form:

$$Y_{ist} = \sum_{i=1}^{I} \alpha_i DV_i + \sum_{v=1}^{t} \beta_v V_i + \sum_{t=1}^{T} \gamma_t DT_t + \sum_{s=1}^{S} \delta_s DS_s + \phi_r W_{r(s)t} + e_{ist}$$
(5)

where the variables in the regression are defined as follows:  $Y_{ist}$  is the experimental yield of variety *i* at site *s* in year *t*;  $DV_i$  is a dichotomous dummy variable set equal to one for variety *i* and zero otherwise, and there is one such dummy variable for each of the *I* total varieties in the data set;  $V_i$  is the year of release of variety *i*, which must fall before the year of the trial;  $DT_t$  is a dichotomous dummy variable, equal to one if the year of the trial is *t* and zero otherwise, and there is one such dummy variable for each of the *T* years covered by the data set;  $DS_s$  is a dichotomous dummy variable set equal to one for site *s* and zero otherwise, and there is one such dummy variable for each

of the *S* total number of sites in the data set;  $W_{r(s)t}$  is an index of weather in region *r* (that contains site *s*) in year *t* (or it could be a vector of such indexes); and  $e_{ist}$  is the residual from the model.

Then, taking the estimated parameters of the model (denoted by the "hats") we can compute fitted values (also denoted by "hats") for the experimental yields of each variety included in the sample, for every year and every region as follows:

$$\hat{Y}_{irt} = \sum_{i=1}^{I} \hat{\alpha}_i DV_i + \sum_{v=1}^{t} \hat{\beta}_v V_i + \sum_{t=1}^{T} \hat{\gamma}_t DT_t + \hat{\delta}_s DS_{s(r)} + \hat{\phi}_r W_{rt}$$
(5)

where  $DS_{s(r)}$  is the site-dummy for the site, s(r), that is selected to represent region r. These fitted values can then play the role of data in the indexes, above.

The *k* factor (equation 4) can be used as a measure of the proportional shift in supply, as a result of the actual varietal adoption pattern relative to the counterfactual alternative scenario of no varietal change.<sup>12</sup> Multiplying this factor times the actual value of production yields a measure of the additional value of production attributable to the adoption of new, higher-yielding varieties. That is, the total benefits from varietal improvement in region *r* in year *t*, may be written as:

$$B_{rt} = k_{rt} P_t Q_{rt}.$$
 (7)

<sup>&</sup>lt;sup>12</sup> Typically there will be a link between yields and varietal adoption. Farmers may opt not to change their varietal mix over time or, for reasons they do not control (such as dysfunctional seed markets), be unable to do so. In this case, changes in the counterfactual index of yields would arise only from changes in yields of the base-year varieties over time, and the ratio of indexes of actual and counterfactual yields would be constant over time. Typically, but not always, the yields of base-year varieties tend to deteriorate over time as their resistance to evolving populations of pests and disease deteriorates, or decline relative to the yields of newly released varieties with superior yield prospects (or at least farmers perceive relative yields in this way, as they typically do not observe the comparative yields of base-year and new varieties in each year). In this case, farmers would change their varietal mix over time and the index of counterfactual yields would diverge from the index of actual yields because of changes in both variety-specific yields and in the varietal mix.

#### ATTRIBUTION OF CREDIT

Embrapa's varietal improvement research is not done in isolation from the research that preceded it, nor from the contemporary research done by others. Some of Embrapa's research draws on this contemporary research in an arms-length fashion; some is done as joint research. If only a fraction,  $E_i$  of the credit for variety *i* is attributable to Embrapa then, a measure of the share of the total benefits attributable to Embrapa can be defined by weighting each of those variety-specific fractions by the proportion of total area planted to that variety. Hence, the benefits attributable to Embrapa are defined as

$$B_{rt}^E = B_{rt} \sum_{i=1}^n E_i \pi_{irt}.$$
 (8)

Here we consider two options for estimating attribution weights (i.e., the  $E_i$ s) that reflect these other participants. One approach is to share the *genetic* content of a variety equally between (the breeders of) its parents, and by serial division, among all its antecedents. But the contribution of the parents, grandparents, and so on, to the offspring's yield, cannot be attributed accurately in this fashion.<sup>13</sup> Plausible arguments could be made in support of any one of these rules—which has major implications for the attribution of benefits—but the choice of a particular rule is essentially arbitrary. In this study we applied two rules, in which the attribution weights were dictated by the incidence of "Embrapaness" in the pedigrees of the crop varieties that were of

<sup>&</sup>lt;sup>13</sup> A multiplicity of rules has been used in the past to attribute benefits from varietal improvement across stages of varietal development (Pardey et al. 1996). In essence, these rules vary in terms of the benefits they ascribe on the basis of breeders' efforts (i.e., using crosses as the basis of attribution) and on the basis of various views on genetic content (i.e., using heritability of important traits as the basis of attribution), and also vary in terms of the weight given to more-recent versus distant-past aspects of the development of the new variety. Brennan and Fox, for example, applied two variants of a "binary rule" at the level of parents. One variant assigned benefits equally to each parent depending on the source of the parent (thus a parent bred by CIMMYT, an international research center located in Mexico, was assigned 50 percent of the benefits). The other variant also shared benefits equally among each parent, but in this case 50 percent of the benefits went to CIMMYT if a parent had any CIMMYT "blood" in its pedigree. See Brennan (1986, 1989) and Byerlee and Moya for other examples.

commercial significance. These were a "last-cross" rule and a truncated variant of a "geometric rule," specifically:

*Rule 1: Last-cross rule.* This rule gives all the credit for a particular variety to the breeder who produced it, none to its parents that still exist as varieties in their own right. This is a 0 or 1 index, which is 1 for varieties (or breeding lines) released by the program and 0 for all others.

*Rule 2: Geometric rule.* This rule uses a geometrically declining set of weights, mimicking somewhat the share of genetic material carried forward from earlier nodes in the pedigree into the present variety according to Mendel's law of heredity. When the allocation stops at generation G,  $1/2^{(2G)}$  of the benefits are attributed to that generation, in order to arrive at attribution shares that sum to 1. Thus, applying the rule through the level of grandparents as we did in this study,  $1/2^3 = 1/8$  of the benefit would be attributed to the breeders of each of the parents (generation 1) and  $1/2^4 = 1/16$  to the breeders of each of the grandparents (generation 2).

Another, sometimes complementary, approach is to attribute benefits on an *institutional* basis, recognizing the contemporary role of other state agencies and universities (and even some private firms) in the conduct of Embrapa research. One simple option is to prorate the benefits on the basis of the number of partners. However, the contributions of the partners may not be equal (in terms of the financial or genetic resources provided, the breeding acumen brought to bear on the exercise, or some other factor), and it may be more appropriate to take account of these unequal contributions. For each of the new varieties included in this study, we elicited a set of weights from scientific staff at CNPAF (Embrapa's upland rice and bean center) and CNPSo

(Embrapa's soybean research center) designed to reflect the perceived importance of Embrapa regarding the scientific outcomes of the research. This approach involves more subjectivity than the genetic attribution rules (given that the existence or extent of collaboration regarding a specific variety is, perhaps, in the eye of the beholder), but neither rule is intrinsically better or worse than the other and they can be used in conjunction with one another as we do here.<sup>14</sup>

#### VARIETAL RESEARCH, RELEASES, UPTAKE, AND YIELD CONSEQUENCES

Embrapa, a public corporation established by the Brazilian federal government in 1972, accounts for more than one quarter of the total agricultural research spending in Latin America and is the country's dominant research agency with about 57 percent of total agricultural research spending in 1996, the latest year for which national totals are available (Beintema, Avila and Pardey 2001). About one-half of Embrapa's research is concerned with crops and over one-third of that research deals directly with crop genetic improvement (i.e., breeding and related research). Embrapa's Upland Rice and Bean Research Center (CNPAF) is headquartered in Goiânia, Goiás and was formally established in 1974. The agency's Soybean Research Center (CNPSo) began operations in 1975 and is headquartered in Londrina, Paraná.

We used a combination of survey and secondary data sources to develop research cost data, for the period 1975-1998, for each crop varietal improvement program within Embrapa, for the respective Embrapa center conducting the varietal-improvement research, and for Embrapa's overall program of research (see Pardey et al. 2002 for

<sup>&</sup>lt;sup>14</sup> The shares assigned CNPAF for rice varieties released by them ranged from 0 to 50 percent. Corresponding shares for beans ranged from 28 to 100 percent, and for soybeans the range was 45 to 100 percent.

details). A set of baseline costs include the costs of all the research and support staff involved in crop improvement research (i.e., crop breeders as well as the appropriate shares of agronomy, plant pathology, entomology and other scientific staff) and associated capital and operational costs incurred at the centers. Center budgets do not account for all of the crop-improvement costs incurred by Embrapa. Some of the relevant costs are budgeted against Embrapa headquarters, Sede. In addition, some of the costs incurred by the pre-breeding and other biotechnology activities undertaken by CENARGEN (Embrapa's genetic resources and biotechnology center) can be considered a form of "overhead" cost to be charged against the crop-improvement research undertaken at the respective centers. The augmented cost series reported in this paper includes center-specific costs to which have been added a suitable share of Sede and CENARGEN costs in order to match the benefit stream more closely to the total cropimprovement costs incurred by Embrapa.

From 1976 to 1998, investments in crop-improvement research for all three crops trended upward in real terms, with higher rates of growth for soybeans (7.92 percent per year) than for upland rice (5.16 percent) and edible beans (4.32 percent) and some variation around this trend. In present value terms, compounding forward from 1976 to 1998 using a real discount rate of 4 percent per annum, \$83.6 million (1999 prices) was invested in varietal improvement research related to soybeans (including prorated CENARGEN and Sede costs), nearly twice the \$44.7 million present value of investment in varietal improvement research for beans, and substantially more than the \$61.6 million invested in rice. The crop-specific investment in crop improvement represents about one quarter of the total research investment in edible beans and soybeans, and more than one

third of the total investment in rice-related research. Factoring in a share of the costs incurred by Sede (Embrapa headquarters) and CENARGEN as a kind of institutional overhead gives an augmented crop-improvement cost series that is 38 percent higher than the corresponding baseline costs (which only include costs managed directly by the respective Embrapa centers) for edible beans, 27 percent higher for upland rice, and about 36 percent higher in the case of soybeans.

Among the three crops studied, the rate of varietal release was highest for soybeans: a total of 330 varieties from 1976 to 1998, averaging 13.8 varieties per year (Table 1).

		Number of varieties			
			Average	Share of	1991-99 share
Crop/Institution	Period	Total	per year	total	of period total
		(count)		(percentage)	
Upland rice <sup>a</sup>	1976-99				
Embrapa (CNPAF)		27	1.13	77.1	55.6
Cooperative system		6	0.25	17.1	83.3
IAC		2	0.08	5.7	0.0
Total		35	1.46	100	57.1
Edible beans <sup>b</sup>	1984-99				
Embrapa (CNPAF)		22	1.38	29.3	72.7
International Agencies		18	1.13	24.0	38.9
Other Public		25	1.56	33.3	60.0
University		3	0.19	4.0	66.7
Private		7	0.44	9.3	57.1
Total		75	4.69	100	58.7
Soybeans	1976-98				
Embrapa (CNPSo)		122	5.08	37.0	66.4
Other public		36	1.50	10.9	33.3
University		17	0.71	5.2	29.4
Private		152	6.33	46.1	56.6
Others		3	0.13	0.9	0.0
Total		330	13.75	100	55.8

#### Table 1--Summary of varieties released

*Source*: Authors' calculations based on own survey data and CNPAF (1974-1993, 1994-2000), Embrapa and OCEPAR (not dated), Embrapa (various years), Embrapa (2000a - f), Martinez and Cuevas-Pérez (1995), Ministério da Agricultura e do Abastecimento (2001), and Voysest (2000).

<sup>a</sup> CNPAF produced the only upland rice variety released in Brazil in 2000.

<sup>b</sup> There were no edible bean varieties released in Brazil in 2000. Two new varieties were released in 2001, both developed by CNPAF.

Embrapa accounted for the lion's share (77 percent) of all upland rice varieties

released in Brazil between 1976 and 1999, but contributed a smaller share of the

country's edible bean and soybean releases. Less than 30 percent of the bean varieties

came from Embrapa and only 37 percent of the soybeans. About one-third of the bean

varieties were released by other public research agencies, mostly state public institutions

such as EMGOPA (Goiás) and EPAMIG (Minas Gerais), as well as research and

extension agencies like EMPAER (Mato Grosso and Mato Grosso do Sul). About onequarter of the edible bean varieties were local releases of internationally developed varieties (principally bean varieties developed by the international research center CIAT, which is based in Colombia, but had a continuing research presence at CNPAF by way of an out-posted crop breeder from 1982 to 1996, who continued to contribute from CIAT on a contract basis since then).<sup>15</sup> Less than 10 percent of the bean releases came from the private sector while nearly half the soybean releases from 1976 to 1999 were by private firms, with a notable but more limited role played by other public agencies. For all three crops in our study comparatively few of the releases came from universities.

The area-by-variety data we compiled for upland rice, edible beans, and soybeans reveal a complex, location-specific, and time-varying pattern, from which few generalizations are possible.<sup>16</sup> In 1986, several varieties developed by Instituto Agronômico de Campinas, IAC,<sup>17</sup> (specifically *IAC 25, 47, 164, and 165*) were among the most-widely planted varieties in all eight states for which we have upland rice data; accounting for more than 40 percent (a total of 1.73 million hectares) of the acreage sown to upland rice in five of those states. By 1999, we estimate these rice varieties occupied only 50,780 hectares and were of commercial significance (i.e., grown on at least 10 percent of the area under upland rice) in only two states. *IAC 47*, the most-widely planted upland rice variety in five of the seven states in 1986, was released 15 years

<sup>&</sup>lt;sup>15</sup> The French agency Centre de Coopération Internationale en Recherche Agronomique pour le Développement (CIRAD) has also maintained a continuous presence in Brazil for the past 20 years or so, involving a number of scientists (but typically only one at any point in time) covering a range of scientific specialties related to rice research. Presently one economist from CIRAD is located at CNPAF in Goiânia. We used unpublished seed production data obtained from Embrapa and returns from our own recall survey of breeders and those knowledgeable about the respective crop industries to construct area-byvariety estimates for each of the major crop producing states, mindful of the pitfalls in translating seed production to sown area estimates. <sup>17</sup> IAC is a state public research agency located in Campinas, São Paulo that has been operating since 1887.

earlier, in 1971. *Caiapó*, the most-widely planted variety in five of eight states in 1999 (accounting for a total of nearly 234,000 hectares) was released only seven years earlier, in 1992

As with upland rice, it appears that only a few varieties of edible beans had wide appeal to farmers. In 1985, *Carioca* (a local variety of unknown origin that was purified and officially released by IAC in 1969) was the most-widely planted variety in all nine states for which we have data, and continued to be the most-widely (or second-most widely) planted variety in seven states in 1999. The continuing dominance of a few key varieties throughout the latter half of the 1980s and the 1990s is a feature of both rice and beans (*Carioca* and *Pérola* for beans and *Caiapó* and *Guarani* for upland rice). Farmers appear to use a greater mix of varieties for beans than for upland rice. This is perhaps a reflection of the greater total number of bean varieties released since the mid-1980s, combined with a persistence of traditional varieties in states like Bahia (which accounted for 17 percent of the total Brazilian area sown to edible beans in 1997), where such varieties still accounted for over 60 percent of the area under edible beans by the late 1990s.

We developed area-by-variety estimates for four states that in 1998 accounted for a combined total of 76 percent of the 10.04 million hectares sown to soybeans throughout Brazil. About 94 percent of Brazil's 1960 soybean area was in the southern state of Rio Grande do Sul, but by 1998 this state accounted for only 24 percent of the total. The states of Goiás and Mato Grosso (both located in the Cerrados) and Paraná (another southern state) are now also important soybean producers, in 1998 accounting for a combined total of 51 percent of Brazilian soybean area. The pace of varietal turnover

seems to have been higher for soybeans than it was for either upland rice or edible beans. In Goiás, Paraná, and Mato Grosso, none of the soybean varieties that predominated in the mid-to-late 1970s did so in 1998. In 1998, the top three varieties in Goiás and Mato Grosso were released only two or three years earlier, and in Paraná, the top three varieties were all released in the 1990s.

We worked closely with Embrapa breeders to compile over 1,600 trial results for upland rice and soybeans (and more than 2,000 observations for edible beans) of the experimental yield performance of particular varieties, in particular locations, in particular years. Table 2 summarizes these data, which we used in our regression analysis to compute fitted values for the experimental yields of each adopted variety at each experimental site in each year. The fitted models accounted for a substantial share of the observed variation in experimental yields with  $R^2$  adjusted for degrees of freedom of 0.39 for upland rice and 0.48 for both edible beans and soybeans.

	Years of Trials	Year of release	Number of trial locations	Number of varieties	Number of observations	Adjusted R <sup>2</sup>
Upland rice	1984-99	1971, 1974, 1983 1985-89, 1991-93, 1996-97, 1999	66	29	1,680	0.39
Edible beans	1985-89 1991-99	1984-94, 1996-97	110	73	2,281	0.48
Soybeans	1976-78, 1980-97, 1999	1965-67, 1969, 1972-73, 1976-77, 1979-85, 1987-93, 1995-97	124	72	1,673	0.48

Table 2--Overview of data and goodness of fit of regression models

Figure 2 plots various state-level soybean yield estimates: average industry yields obtained from the Brazilian statistical agency IBGE; average experimental yields, representing an arithmetic average of the experimental yields of 50 soybean varieties for 22 trial locations in Paraná<sup>18</sup> (noting that the number of trial sites varies from year to year, and typically is around 13 sites); average fitted yields, representing a simple average of the fitted experimental yields for 50 soybean varieties in each of the 22 trial sites for each year; weighted average fitted yields, representing a weighted average of the fitted experimental yields is a state yields, representing a weighted average of the fitted experimental yields for 50 soybean varieties in each of the 22 trial sites for each year; weighted average fitted yields, representing a weighted average of the fitted experimental yields using the actual harvested area shares of each variety as the weights (i.e., the *actual* yield performance,  $Y_n^a$ , computed using equation 2).

<sup>&</sup>lt;sup>18</sup> With 21.9 percent of the country' soybean production in 2001, Paraná was second to Mato Grosso, which had 26.8 percent of total output.




Figure 2--Various soybean yield estimates for the state of Paraná

Source: Authors' calculations.

The fitted experimental soybean yields were higher than the corresponding commercial yields: fitted experimental yields averaged 709 kg per hectare (33 percent) more than industry yield from 1981 to 1998, with the difference being a little less in the 1990s (695 kg per hectare, 30 percent) than the 1980s (723 kg per hectare, 36 percent). There were also substantial differences in the rate of change in yields; industry yields grew by 1.68 percent per year from 1981 to 1998, compared with 1.22 percent per year for the weighted average of the fitted experimental yields. During the 1980s, industry yields grew by 1.06 percent per year while the weighted average of the fitted experimental yields continued to grow during the

1990s (at 2.75 percent per year), but experimental yields grew even faster, albeit erratically, at an average rate of 4.76 percent per year for the period.

Differences in the weighted-average of the fitted experimental yields, with and without varietal change, provide the basis for estimating the benefits from varietal change. Panels a, b, and c in Figure 3 plot estimates of the proportional shift in the industry supply of upland rice, edible beans, and soybeans, respectively. This supply shift was estimated using a counterfactual alternative of no varietal change since a reference or base year (which was 1985 for edible beans, 1984 for upland rice, and 1981 for soybeans), such that  $k_{rt} = 1 - I_{rt}$ , where  $I_{rt}$  is the ratio given by the *counterfactual* index of experimental yields,  $Y_{rt}^b$  (i.e., assuming the pattern of varietal use observed in the base year for each state remained unchanged over the subsequent years), divided by the *actual* index of experimental yields,  $Y_{rt}^a$  (i.e., using the actual pattern of varietal use). There are substantial differences among states in the patterns of supply curve shifts for each crop, reflecting local differences in the performance of each variety and the changing mix of varietal use over time. Clearly, a national average would not represent the pattern of change in any particular state.



Figure 3--Proportionate shifts in supply (k) for various states and various crops

#### BENEFIT MEASURES AND THEIR ATTRIBUTION

Supply shift estimates,  $k_{rt}$ , illustrated for selected states in Figure 3, in conjunction with world market prices for 1999 (expressed in U.S. dollar terms) and the annual quantity produced of each crop in each state,  $Q_{rt}$ , were used to estimate a stream of total benefits from improved varieties.<sup>19</sup>

We estimate the present value of total benefits to Brazil from yield-improving varietal changes in upland rice from 1984 to 2003 was \$1.68 billion (1999 prices) or 3.8 percent of the present value of total production over the entire period (Table 3, top half). The total present value of benefits from adopting improved edible bean varieties is estimated to be \$678 million (1.73 percent of the corresponding value of production) while the use of improved soybean varieties was worth an estimated \$12.5 billion to Brazil (nearly 8 percent of the \$159 billion present value of production). These estimates represent upper bound estimates of the benefits attributable to Embrapa, since some of the benefits are attributable to the efforts of others.

<sup>&</sup>lt;sup>19</sup> National totals were formed by first summing the benefits across nine states for upland rice (representing 82 percent of Brazilian production in 1998), ten states for edible beans (accounting for 80 percent of output in 1998), and four states for soybeans (that produced 78 percent of Brazil's total output in 1998). Then, taking developments in these states to be representative of developments elsewhere in Brazil, the multi-state totals were recalibrated on a year-by-year basis to generate a national total according to their corresponding share of Brazilian production.

	Total benefits	All credit to	All credit to last cross		Geometric rule	
	from varietal change	Not partitioned	Partitioned	Not partitioned	Partitioned	
Present value of benefits			sands 1999 U.S.			
Upland rice	1,683,861	1,201,092	642,020	611,387	326,265	
Edible beans	677,538	328,443	212,634	221,232	144,172	
Soybeans	12,473,825	5,022,045	4,472,371	2,901,042	2,626,328	
All three crops	14,835,224	6,551,580	5,327,026	3,733,661	3,096,765	
Benefit-cost ratios with a	ugmented costs					
Upland rice	27	20	10	10	5	
Edible beans	15	7	5	5	3	
Soybeans	149	60	54	35	31	
All three crops	78	35	28	20	16	

#### Table 3--Present value of research benefits

*Source:* Authors' calculations using data from CONAB (1970-2000), Embrapa (2000a – f), Embrapa-DAP (2000), FVG (various years), IBGE (various years), LSPA and IBGE (2001), and Martinez and Cuevas-Pérez (1995).

*Note*: Stream of benefits discounted using a 4 percent rate of interest. "Not Partitioned" indicates full credit was given to Embrapa for varieties it developed alone or jointly with others. "Partitioned" indicates Embrapa was given partial credit for varieties developed jointly with others. Direct estimates of the benefits from varietal change in upland rice were for the period 1984 to 1999 (and from 1985 to 1998 for edible beans, and 1981 to 1998 for soybeans). To get a better temporal match between the annual stream of research benefits and costs (which were from 1976 to 1998) benefits for 1998 were projected forward (unchanged for each year) to 2003 in each instance.

If, in spite of this fact, we attribute all of the benefits to Embrapa, the benefit-cost comparison is very favorable. For every dollar invested by Embrapa in developing new upland rice varieties, about 27 dollars of benefits accrued to Brazil (left-hand data column, bottom half of Table 3), and 149 dollars of benefits for every dollar invested in soybean research. Even edible bean research, the least profitable of the three programs

evaluated in this study, generated 15 dollars of benefits for every dollar invested by Embrapa in breeding new varieties for this crop.

#### Genetic History and International-cum-Institutional Attribution of Benefits

Beginning in the 1950s, a substantial amount of innovative breeding by USDA researchers located in Illinois, Mississippi and several other southern U.S. states developed a number of commercially successful, day-length insensitive soybean varieties (Warnken 1999).<sup>20</sup> These varieties made it possible to grow soybeans successfully in tropical latitudes like the Cerrados region in Brazil, which sits well to the north of the Tropic of Capricorn. During the 1960s and 1970s, U.S. varieties and breeding lines were introduced and tested in Brazil, with support from U.S. foreign assistance programs. As one consequence of this international technology transfer, we estimate that fully one-half of the grandparents of all the commercially successful varieties grown in Brazil since 1981 came from the United States. Given the reliance of more-contemporary releases by CNPSo on material developed elsewhere, the question remains as to what share of the benefits attributable to specific varieties are attributable to the efforts of CNPSo, and what share should be attributed to the work done by other breeders, without which the Brazilian releases would not have been forthcoming.

Using the last-cross rule, 40 percent of the total benefits from the use of improved soybeans (i.e., \$5.0 billion of the total of \$12.5 billion) are attributed to Embrapa research (Table 3). Using the geometric rule that gives weight to prior research as well as the

<sup>&</sup>lt;sup>20</sup> Breeding soybeans suitable for the tropics requires modifying the plant's juvenile period. Day-length insensitive varieties were developed in the southern United States from research dating back to the 1930s. Research was also required to develop soil management and fertilizer practices that dealt with the low pH and low fertility of soils in the Cerrados and varieties that resist a range of pests and diseases.

agency that released the variety, the Embrapa share drops to \$2.9 billion, or 23 percent of the total benefits, reflecting less "Embrapaness" in earlier generations.<sup>21</sup>

The same general pattern—that is a decline in the benefits attributable to Embrapa as one shifts from the last-cross rule to the geometric rule—is evident for both upland rice and edible beans. However, compared with soybeans, the share of total benefits attributable to non-Embrapa research is less for both upland rice and edible beans. For example, under the last-cross rule, Embrapa is assigned only 40 percent of the total benefits from the use of improved soybean varieties; Embrapa gets 71 percent of the upland rice benefits and 48 percent of the edible beans benefits. This reflects the much higher share of commercially successful soybean releases coming from agencies other than Embrapa, compared with either upland rice or edible beans. Using the geometric rule, Embrapa's share of the total benefits from varietal change in soybeans drops to 23 percent, compared with 36 percent for upland rice and 33 percent for edible beans. This indicates that the development of commercially successful soybean varieties draws more intensively on genetic material developed by agencies other than Embrapa (at least back to the level of grandparents in each of the pedigrees) then does research aimed at breeding new varieties of the other two crops.

#### Attribution among Collaborators

All of the upland rice and edible bean varieties involved some research collaboration. Over half the rice releases were developed jointly with one partner; one

<sup>&</sup>lt;sup>21</sup> Ayres estimated the benefits from Brazilian soybean research conducted between 1955 and 1983 using supply shift parameters based on estimated production and industry yield functions that included research stock measures as estimators. Research stocks were formed using comparatively short lag lengths (ranging from 9 to 15 years) and an estimate of the total Brazilian investment in soybean research, but omitting investments made outside Brazil. All of the gains were attributed to Brazilian research investments. The reported marginal internal rates of return ranged from 40 to 49 percent and, for selected states within Brazil, from 21 to 74 percent.

quarter of the varieties involved two partners. For edible beans, the tendency was to have even more partners—nearly 70 percent of the varieties involved two or more partners and some varieties involved as many as 11 or 12 partners. The propensity to work with partners was much lower for soybean research. CNPSo alone developed about one-third of the Embrapa releases, and one-half of the releases involved only a single collaborating institution.

A significant proportion of these partnerships were with other Embrapa centers. Of the 104 partnerships CNPSo formed in developing 122 soybean varieties from 1976 to 1999 (noting that an additional 44 varieties were developed without partners), 19 percent of these partnerships involved other Embrapa centers. About 9 percent of the partnerships CNPAF formed to develop 27 rice varieties from 1976 to 1999 were with other Embrapa centers; 11 percent of the partners CNPAF worked with to produce 22 edible bean varieties were also from Embrapa. For rice and beans all the remaining collaborators were other public institutions (mainly state agencies).<sup>22</sup> Soybean varieties developed by CNPSo involved less collaboration than the rice and beans research at CNPAF, but a greater diversity of collaborators. Only 39 percent of the collaborators were other public agencies, about 16 percent of the partnerships involved private firms.

In the case of upland rice, using the last-cross rule the benefits attributed to Embrapa drop by 47 percent if the role of research partners is taken into account (for example, comparing \$1.2 million with \$642,020 in Table 3) whereas for edible beans they were reduced by 35 percent (comparing \$328,443 with \$212,634). Nevertheless, the benefit-cost ratios remained substantially greater than 1:1. Embrapa's soybean breeders relied less on external partners, so factoring in their contribution did little to diminish the

<sup>&</sup>lt;sup>22</sup> Public institutions include other federal and state agencies and universities.

benefits attributable to Embrapa (for instance comparing \$5.02 million with \$4.47 million in Table 3).

The geometric rule gives more weight to earlier ancestors than the last-cross rule. Because Embrapa releases feature more heavily in the more recent past of most varietal pedigrees, the geometric rule coupled with the partitioning procedure that attributes some of the benefit to Embrapa partners provides the smallest estimate of the benefits attributable to Embrapa (right-hand column of Table 3).

#### Synthesis of Elements of Attribution

Based on the two attribution rules used above, and in conjunction with data on the institutional origin of each variety (and the components of each pedigree back to the level of grandparents), we extended the attribution exercise beyond an Embrapa versus non-Embrapa split to give a more refined breakdown of the institutional origins of the non-Embrapa varieties (Table 4).

	Present value	of benefits	Share of total benefits		
	All to last cross	Geometric	All to last cross	Geometric	
	(thousands 1999	(thousands 1999 U.S. dollars)		(percentage)	
Upland rice					
Embrapa	1,201,092	611,387	71.3	36.3	
Non-Embrapa	482,769	1,072,474	28.7	63.7	
Foreign	0	105,654	0.0	6.3	
Domestic <sup>a</sup>	482,769	444,183	28.7	26.4	
Unknown	0	522,637	0.0	31.0	
Total benefits	1,683,861	1,683,861	100	100	
Edible beans					
Embrapa	328,443	221,232	48.5	32.7	
Non-Embrapa	349,095	456,306	51.5	67.3	
CIAT	83,169	49,075	12.3	7.2	
Other Foreign	2,071	126,720	0.3	18.7	
Domestic <sup>a</sup>	263,856	195,006	38.9	28.8	
Unknown	0	85,505	0.0	12.6	
Total benefits	677,538	677,538	100	100	

#### Table 4--Institutional origins of research benefits

Soybeans				
Embrapa	5,022,045	2,901,042	40.3	23.3
Non-Embrapa	7,451,780	9,572,783	59.7	76.7
United States	518,140	2,711,042	4.2	21.7
Other Foreign	0	9,424	0.0	0.1
Domestic <sup>a</sup>	6,182,063	5,126,377	49.6	41.1
Unknown	751,577	1,725,940	6.0	13.8
Total benefits	12,473,825	12,473,825	100	100

*Source:* Authors' calculations as well as Martinez and Cuevas-Pérez (1995), NGRP (2001), USDA-ARS (2001a and b), and Voysest (2000).

*Note:* Stream of benefits discounted using a 4 percent rate of interest. The present value of benefits from varietal change includes a stream of benefits from 1984 to 2003 for upland rice; 1985-2003 for beans; and 1981-2003 for soybeans.

<sup>a</sup> Includes varietal selections made from local material, some of which originated elsewhere.

Using the last-cross rule, 59.7 percent of the total soybean benefits are attributed to non-Embrapa sources and most of that benefit is attributed to domestic (and a few unknown) sources, including state-level public agencies and domestic private firms. Using the geometric rule, the non-Embrapa share increases to 76.7 percent of the total benefits, the domestic share remains about the same, and the share attributable to foreign (mainly United States) sources increases substantially from 4.2 to 21.7 percent. Drawing on all this evidence, we see that since 1981, CNPSo accounted for a sizable but not dominant *share* of the benefits from improved soybean varieties; CNPSo's share of the benefits from more contemporary releases is higher than it was for earlier releases<sup>23</sup>; and the genetic material underpinning Brazilian soybean varieties has drawn heavily from non-Embrapa (significantly United States) sources. The non-Embrapa content of upland rice varieties has been much more reliant on domestic sources compared with soybeans, while edible bean varieties have drawn more heavily on foreign sources than either rice

<sup>&</sup>lt;sup>23</sup> In 1981, varieties released by Embrapa accounted for only 10 percent of soybean total acreage; by 1998 this share increased to 50 percent.

or soybeans (CIAT is a major source of the pedigree material used by CNPAF and other local breeders, and a nontrivial amount of foreign-sourced varieties are used directly by Brazilian farmers).

## SENSITIVITY ANALYSIS

Even after apportioning varietal improvement benefits to the research efforts of various public and private agencies located within Brazil and elsewhere, and applying attribution rules that give more weight to distant past research compared with more recent times when Embrapa has been more prominent, the benefits attributed to Embrapa are large absolutely and relative to the crop-improvement costs incurred by Embrapa. Some might question the magnitude of these benefits and, implicitly, the measurement details that lie behind them. Here we evaluate the sensitivity of the benefit estimates to variations in some key parameters, specifically the interest rate used to calculate present values of the benefit and cost streams and the lag lengths chosen for the stream of benefits to be compared with a given stream of past R&D expenditures. We also investigate the implications of accounting for the full social costs of government spending, not simply the expenditures incurred by Embrapa.

Table 5 reports the present value of benefits and benefit-cost ratios for each crop using two discount rates (4 and 6 percent) and a longer (through to 2003) and shorter (through to 1998) lag length for the stream of benefits against which the 1976-1998 cost streams are compared. It typically takes 7-10 years of directed breeding to develop a new crop variety, but the cumulative nature of innovation means the lag between investing in R&D and reaping the full rewards of that investment are very long, perhaps infinite (Alston, Craig, and Pardey 1998). This is especially true of crop improvement research

31

where breeding lines and varieties developed in the distant past form parts of the pedigrees of contemporary varietal releases. Thus any analysis that uses the evaluation techniques we employed, linking a stream of past research to a *finite* stream of research benefits, is bound to understate the total benefits attributable to that cost stream.<sup>24</sup> The magnitude of the bias is unknown, depending on the time path of the future benefits from research and the share of the benefits attributable to past research costs. To gain a sense of the biases, we truncated the stream of benefits attributable to Embrapa to 1998 (columns denoted "shorter" in Table 5), instead of 2003 reported elsewhere in this paper (and denoted "longer" in Table 5). Longer benefit streams naturally resulted in higher benefit-cost ratios: in this instance the increases were greatest for edible beans research and smallest for upland rice.

<sup>&</sup>lt;sup>24</sup> If econometric techniques are used instead of the economic surplus methods we employed here the likely bias is in the other direction as Alston and Pardey (1996) described, and as borne out by the meta-analysis by Alston et al. (2000).

	4 perc	4 percent		6 percent	
	Longer	Shorter	Longer	Shorter	
	_	(thousands 1999 U.S. dollars)			
Present value of research ben	efits				
Upland rice	326,265	252,093	355,634	296,296	
Edible beans	144,172	80,971	150,497	80,971	
Soybeans	2,626,328	1,569,043	2,831,584	1,753,966	
		(1999 U.S. dollars)			
Benefit-cost ratios					
Upland rice	5.3	4.1	4.6	3.8	
Edible beans	3.2	1.8	2.7	1.4	
Soybeans	31.4	18.8	27.6	17.1	
Benefit-cost ratios (with costs	s increased by 20 percent	t)			
Upland rice	4.4	3.4	3.8	3.2	
Edible beans	2.7	1.5	2.2	1.2	
Soybeans	26.2	15.6	23.0	14.3	

#### Table 5--Sensitivity analysis

Source: Authors' calculations.

*Note:* Benefits are those attributed to Embrapa using a geometric rule and partitioned among research partners. Stream of costs are augmented crop improvement cost from 1976 to 1998 expressed in 1999 present value terms. The "longer" stream of benefits is from 1984 to 2003 for upland rice, 1985-2003 for beans, and 1981-2003 for soybeans. The "shorter" stream of benefits is from 1984 to 1998 for upland rice, 1985-1998 for beans, and 1981-1998 for soybeans.

The appropriate interest rate for discounting streams of research costs and benefits is the social opportunity cost of public funds committed to long-term investments. Since our costs and benefits are in real (inflation adjusted) terms we opted for a real, risk-free, long-run rate of interest of 4 percent. It could be argued that a higher rate is warranted in developing economies where capital costs are typically higher than in comparable developed-country markets, so Table 5 also presents results for a 6 percent discount rate. For all three crops the higher rate of interest increases the total benefits (expressed in present value 1999 terms), with the smallest effect being for edible beans indicating that a comparatively higher proportion of the total benefits for this crop were realized in more recent years compared with the other crops. All the benefit-cost ratios were lower when the discount rate was increased from 4 to 6 percent, indicating a greater proportion of the overall costs than benefits occurred in earlier years. In all cases the total benefits and benefit-cost ratios were more sensitive to changes in lag length than changes in interest rates.

Comparing the second and third tiers of Table 5 reveals the sensitivity of the results when the full social costs of government funds used to conduct the Embrapa research are taken into account. The estimates presented above assume that the marginal opportunity cost of government spending is the amount spent. However, a more comprehensive assessment would include the deadweight costs of taxation in a more complete measure of the full social costs of government spending. The evidence presented and discussed by Fullerton (1991) suggests a social cost of U.S. government spending in the range of 1.07 to 1.24 times the amount spent.<sup>25</sup> In developing countries with less efficient taxation mechanisms the deadweight costs may be even higher. We took the social costs of Embrapa spending (which is mainly sourced from general government revenues) to be 1.20 times the amount spent, thereby raising the stream of relevant costs by 20 percent with a consequent reduction in the benefit-cost ratios as revealed by a comparison of the middle and bottom blocks of data in Table 5.<sup>26</sup>

### CONCLUSION

As pointed out by Alston and Pardey (2001), attribution problems abound in the assessment of agricultural R&D. While it seems clear that many studies of agricultural research benefits have not paid enough attention to attribution problems, the nature and

<sup>&</sup>lt;sup>25</sup> Fox (1985) introduced this argument into the evaluation of agricultural research investments and Dalrymple (1990) summarized the relevant literature.

<sup>&</sup>lt;sup>26</sup> Benefit-cost ratios that take account of these social costs are not directly comparable with those from other studies that do not.

importance of the consequences for biases in estimation and interpretation of the evidence is less clear. In this study we have emphasized the role of three types of attribution challenges in the context of an ex post evaluation of the returns to public varietal improvement research investments undertaken by Embrapa, in Brazil: (1) attribution among institutions that operate independently, taking account of spillovers of technologies both within and among countries, (2) attribution among institutes that collaborate in research, both within and among countries, and (2) attribution within an institution, taking account of the allocation of overhead costs both within centers and between centers and head office.

In the case of Embrapa's varietal improvement research, all of these elements of attribution played significant roles, varying in importance from one crop to another. If we had ignored these attribution issues, as many studies have done, and given Embrapa credit for all of the benefits from improvement in Brazil's varieties of soybeans, edible beans, and upland rice over the past 30 years, we would have grossly overestimated the benefit-cost ratio for Embrapa's work. Even after we have taken account of the international and intranational institutional spillovers of research results, which are especially important for soybeans, the rate of return to Embrapa's research remains high, particularly for soybeans.

This study has revealed the importance of taking greater care in the attribution of benefits and costs of research in a context in which the attribution problems are made more transparent through the availability of information on the genetic history of crop varieties—information on which institution released a particular variety and its parents. Nevertheless, implementation of the methods used in this study requires a great deal of

35

information on the experimental and commercial performance and adoption rates of individual varieties, and such information is often not readily available. In many cases the results from experimental trials are not kept in an appropriate form, if they are kept at all for the longer time periods required for this kind of work, and information on adoption is often sketchy at best. Even with good information on genetic histories, performance, and adoption patterns, we are obliged to use arbitrary but nonetheless transparent procedures to apportion credit among institutions. Other types of (non-varietal) technologies may pose different, and in some senses even greater, challenges both in terms of conceptualizing how to address them and in obtaining data (especially, perhaps, privately produced technologies), but if our results are any guide it will be important to give greater attention to attribution issues in studies of research benefits of all types.

### REFERENCES

- Alston, J.M. and P.G. Pardey. 2001. Attribution and other problems in assessing the returns to agricultural R&D." *Agricultural Economics* 25 (2-3): 141-152
- Alston, J.M., M. C. Marra, P.G. Pardey, and T.J. Wyatt. 2000. A meta analysis of rates of return to agricultural R&D: Ex pede herculem? IFPRI Research Report No 113. Washington D.C.: International Food Policy Research Institute.
- Alston, J.M., B.J. Craig, and P.G. Pardey. 1998. Dynamics in the creation and depreciation of knowledge, and the returns to Research. EPTD Discussion Paper No. 35, Washington, D.C.: International Food Policy Research Institute.
- Alston, J.M. and P.G. Pardey. 1996. *Making science pay: The economics of agricultural R&D policy*. Washington, D.C.: American Enterprise Institute (AEI) Press.
- Alston, J.M., G.W. Norton, and P.G. Pardey. 1995. *Science under scarcity: Principles and practice for agricultural research evaluation and priority setting.* Ithaca, N.Y.: Cornell University Press.
- Ayres, C.H.S. 1985. *The contribution of agricultural research to soybean productivity in Brazil.* PhD dissertation, University of Minnesota, Minneapolis.
- Beintema, N.M., A.F.D. Avila, and P.G. Pardey. 2001. Agricultural research and development in Brazil: Policy investments and institutional profile. Washington, D.C.: International Food Policy Research Institute, Embrapa (Empresa Brasileira de Pesquisa Agropecuária), and FONTAGRO (Regional Fund for Agriculture).
- Brennan, J.P. 1986. *Impact of wheat varieties from CIMMYT on Australian wheat production*. Agricultural Economics Bulletin No. 5: Sydney: New South Wales Department of Agriculture, 1986.
- Brennan, J.P. 1989. Spillover effects of international agricultural research: CIMMYTbased semi-dwarf wheats in Australia. *Agricultural Economics* 3:323-332.
- Brennan, J.P., and P.N. Fox. 1995. *Impact of CIMMYT wheats in Australia: Evidence of international research spillovers*. Economics Research Report No. 1/95. Wagga Wagga, Australia: New South Wales Department of Agriculture.
- Byerlee, D., and P. Moya. 1993. *Impacts of international wheat breeding research in the developing world, 1966-1990.* CIMMYT, Mexico, DF.
- CNPAF (Embrapa Arroz e Feijão). Various years, 1974-1993. Programa Nacional de Pesquisa de Arroz. Goiás: Embrapa. CNPAF (Embrapa Arroz e Feijão). various years, 1974-1993. Programa Nacional de Pesquisa de Feijão. Goiás: Embrapa.

- CNPAF (Embrapa Arroz e Feijão). Various years, 1994-2000. Sistema Embrapa de Planejamento. Goiás: CTP (Comissão Técnica de Programas/ Grãos).
- CONAB (Companhia Nacional de Abastecimento). Various years 1970-2000. Rice Prices. Brasilia: Companhia Nacional de Abastecimento.
- Dalrymple, D.G. 1990. The excess burden of taxation and public agricultural research. In Methods of diagnosing research system constraints and assessing the impact of agricultural research. Volume II assessing the impact of agricultural research, ed. R.G. Echeverria. The Hague, the Netherlands: International Service for National Agricultural Research.
- Diamond, J. 1997. *Guns, germs, and steel: The fates of human societies*. New York: W.W. Norton & Company, Inc.
- Embrapa (Empresa Brasileira de Pesquisa Agropecuária) and OCEPAR Various years. (Organização das Cooperativas do Paraná). *Comissão de avaliação e recomendação de cultivares de Soja - Região I*. Mimeo.
- Embrapa (Empresa Brasileira de Pesquisa Agropecuária). Various years. *Comissão de avaliação de cultivares de Soja Região II*. Mimeo.
  - \_\_\_\_\_. Unpublished Cost Information for CNPAF, 2000a.
- \_\_\_\_\_. Unpublished Cost Information for CNPSo, 2000b.
  - \_\_\_\_. *Orçamento da Embrapa 1975-1998*. Financial Resources Data. Computer Disk. Brasilia: Embrapa, 2000c.
    - \_. *Center Annual Reports*. Brasilia: Embrapa (Empresa Brasileira de Pesquisa Agropecuária), 2000d.
- Embrapa-DAP (Empresa Brasileira de Pesquisa Agropecuária-Departamento de Administração de Pessoal). *Evolução do quadro de pessoal 1975-1998*. Human Resources Data. Brasilia: Embrapa, 2000e.
- Embrapa (Empresa Brasileira de Pesquisa Agropecuária). *Cultivares de Soja: Conquistando o Brasil*. Londrina: Embrapa (Empresa Brasileira de Pesquisa Agropecuária). Brochure, 2000f.
- Evans, L.T. 1993. *Crop evolution, adaptation and yield*. Cambridge: Cambridge University Press.
- FAO (Food and Agriculture Organization of the United Nations). FAOSTAT. http://faostat.fao.org/default.htm (accessed January 2002).

- FGV (Fundaçao Getúlio Vargas). various years. PIB Agrícola. *Conjuntura Econômica*. Rio de Janeiro: Fundaçao Getúlio Vargas.
- Fox, G. 1985. Is the United States really underinvesting in agricultural research? *American Journal of Agricultural Economics* Vol. 67 (4): 806-812.
- Fullerton, D. 1991. Reconciling recent estimates of the marginal welfare cost of taxation. *American Economic Review* 81 (1): 302-308.
- Griliches, Z. 1957. Hybrid corn: An exploration in the economics of technological change. *Econometrica* 25 (4): 501-522.
- IBGE (Instituto Brasileiro de Geografia Estatística). Various years. *Anuário estatístico*. Brasilia: Instituto Brasileiro de Geografia Estatística.
- James, J.S. 2000. *Quality responses to commodity policies*. Unpublished PhD dissertation. University of California-Davis, California.
- LSPA (Levantamento Sistemático da Produção Agrícola) and IBGE (Instituto Brasileiro de Geografia Estatística). 2001. *Dados de Área, Produção e Rendimento para Arroz, Feijão, Milho e Soja*. Computer disk. Brasilia.
- Martin, W.J. and J.M. Alston. 1997. Producer surplus without apology: Evaluating investments in R&D. *The Economic Record* 73 (221): 146-158.
- Martinez, C.P. and F. Cuevas-Pérez. 1995. *Registro de cruzamientos de arroz: P1 a P5617* y CT5618 a CT13800. Cali: CIAT (Centro International de Agricultura Tropical).
- Ministério da Agricultura e do Abastecimento. 2001. *Listagem nacional de cultivares protegidas e registradas*. Brasília: Serviço Nacional de Proteção de Cultivares, January.
- NGRP (National Genetic Resources Program). 2001. Germplasm Resources Information Network (GRIN). <a href="http://www.ars-grin.gov/">http://www.ars-grin.gov/</a>. Updated March 18, 2001 (accessed March 20, 2001).
- Olmstead, A.L. and P.W. Rhode. 2002. *The red queen and the hard reds: Productivity growth in American wheat, 1800-1940.* NBER Working Paper No. 8863. Washington D.C.: National Bureau of Economic Research.
- Pardey, P.G., J.M. Alston, J. Christian, and S. Fan. 1996. Summary of a productive partnership: The benefits from U.S. participation in the CGIAR. Environment and Production Technology Division Discussion Paper No. 62. Washington, D.C.: International Food Policy Research Institute.

- Pardey, P.G., J.M. Alston, C.Chan-Kang, E.C. Magalhães, and S.A. Vosti. 2002. Assessing and attributing the benefits of varietal improvement research: Evidence from Embrapa, Brazil. Washington, D.C.: International Food Policy Research Institute.
- Pardey, P.G., J.M. Alston, J. Christian, and S. Fan. 1996. *Hidden harvest: U.S. benefits* from international research aid. Food Policy Report. Washington, D.C.: International Food Policy Research Institute.
- Smith, B.D. 1998. The emergence of agriculture. New York: Scientific American Library.
- USDA-ARS (U.S.Department of Agriculture-Agricultural Research Service). 2001a. RiceGenes. < http://ars-genome.cornell.edu/cgi-in/WebAce/ webace?db= ricegenes>. (accessed March 15, 2001).
- USDA-ARS (U.S.Department of Agriculture-Agricultural Research Service) and USDA. BeanGenes. < http://ars-genome.cornell.edu/cgibin/WebAce/webace?db=beangenes >. (accessed March 16, 2001), 2001b.
- Venner, R.J. An Economic Analysis of the U.S. Plant Variety Protection Act. Unpublished PhD dissertation. University of California, Davis, 1997.
- Voysest, O.V. 2000. *Mejoramiento génetico del frijol (Phaseolus vulgaris L.): Legado de Variedades de América Latina, 1930-1999.* Cali: CIAT (Centro International de Agricultura Tropical).
- Warnken, P.F. 1999. *The development and growth of the soybean industry in Brazil.* Ames: Iowa State University Press.

# LIST OF EPTD DISCUSSION PAPERS

- 01 *Sustainable Agricultural Development Strategies in Fragile Lands*, by Sara J. Scherr and Peter B.R. Hazell, June 1994.
- 02 *Confronting the Environmental Consequences of the Green Revolution in Asia*, by Prabhu L. Pingali and Mark W. Rosegrant, August 1994.
- 03 Infrastructure and Technology Constraints to Agricultural Development in the Humid and Subhumid Tropics of Africa, by Dunstan S.C. Spencer, August 1994.
- 04 *Water Markets in Pakistan: Participation and Productivity*, by Ruth Meinzen-Dick and Martha Sullins, September 1994.
- 05 *The Impact of Technical Change in Agriculture on Human Fertility: District-level Evidence From India*, by Stephen A. Vosti, Julie Witcover, and Michael Lipton, October 1994.
- 06 Reforming Water Allocation Policy Through Markets in Tradable Water Rights: Lessons from Chile, Mexico, and California, by Mark W. Rosegrant and Renato Gazri S, October 1994.
- 07 *Total Factor Productivity and Sources of Long-Term Growth in Indian Agriculture*, by Mark W. Rosegrant and Robert E. Evenson, April 1995.
- 08 *Farm-Nonfarm Growth Linkages in Zambia*, by Peter B.R. Hazell and Behjat Hoijati, April 1995.
- 09 Livestock and Deforestation in Central America in the 1980s and 1990s: A Policy Perspective, by David Kaimowitz (Interamerican Institute for Cooperation on Agriculture), June 1995.
- 10 Effects of the Structural Adjustment Program on Agricultural Production and Resource Use in Egypt, by Peter B.R. Hazell, Nicostrato Perez, Gamal Siam, and Ibrahim Soliman, August 1995.
- 11 Local Organizations for Natural Resource Management: Lessons from Theoretical and Empirical Literature, by Lise Nordvig Rasmussen and Ruth Meinzen-Dick, August 1995.
- 12 Quality-Equivalent and Cost-Adjusted Measurement of International Competitiveness in Japanese Rice Markets, by Shoichi Ito, Mark W. Rosegrant, and Mercedita C. Agcaoili-Sombilla, August 1995.

- 13 *Role of Inputs, Institutions, and Technical Innovations in Stimulating Growth in Chinese Agriculture,* by Shenggen Fan and Philip G. Pardey, September 1995.
- 14 Investments in African Agricultural Research, by Philip G. Pardey, Johannes Roseboom, and Nienke Beintema, October 1995.
- 15 Role of Terms of Trade in Indian Agricultural Growth: A National and State Level Analysis, by Peter B.R. Hazell, V.N. Misra, and Behjat Hoijati, December 1995.
- 16 *Policies and Markets for Non-Timber Tree Products*, by Peter A. Dewees and Sara J. Scherr, March 1996.
- 17 Determinants of Farmers' Indigenous Soil and Water Conservation Investments in India's Semi-Arid Tropics, by John Pender and John Kerr, August 1996.
- 18 Summary of a Productive Partnership: The Benefits from U.S. Participation in the CGIAR, by Philip G. Pardey, Julian M. Alston, Jason E. Christian, and Shenggen Fan, October 1996.
- *Crop Genetic Resource Policy: Towards a Research Agenda*, by Brian D. Wright, October 1996.
- 20 *Sustainable Development of Rainfed Agriculture in India,* by John M. Kerr, November 1996.
- 21 Impact of Market and Population Pressure on Production, Incomes and Natural Resources in the Dryland Savannas of West Africa: Bioeconomic Modeling at the Village Level, by Bruno Barbier, November 1996.
- 22 Why Do Projections on China's Future Food Supply and Demand Differ? by Shenggen Fan and Mercedita Agcaoili-Sombilla, March 1997.
- *Agroecological Aspects of Evaluating Agricultural R&D*, by Stanley Wood and Philip G. Pardey, March 1997.
- 24 Population Pressure, Land Tenure, and Tree Resource Management in Uganda, by Frank Place and Keijiro Otsuka, March 1997.
- 25 *Should India Invest More in Less-favored Areas?* by Shenggen Fan and Peter Hazell, April 1997.

- 26 Population Pressure and the Microeconomy of Land Management in Hills and Mountains of Developing Countries, by Scott R. Templeton and Sara J. Scherr, April 1997.
- 27 Population Land Tenure and Natural Resource Management: The Case of Customary Land Area in Malawi, by Frank Place and Keijiro Otsuka, April 1997.
- 28 Water Resources Development in Africa: A Review and Synthesis of Issues, Potentials, and Strategies for the Future, by Mark W. Rosegrant and Nicostrato D. Perez, September 1997.
- 29 Financing Agricultural R&D in Rich Countries: What's Happening and Why? by Julian M. Alston, Philip G. Pardey, and Vincent H. Smith, September 1997.
- 30 *How Fast Have China's Agricultural Production and Productivity Really Been Growing?* by Shenggen Fan, September 1997.
- 31 Does Land Tenure Insecurity Discourage Tree Planting? Evolution of Customary Land Tenure and Agroforestry management in Sumatra, by Keijiro Otsuka, S. Suyanto, and Thomas P. Tomich, December 1997.
- 32 Natural Resource Management in the Hillsides of Honduras: Bioeconomic Modeling at the Micro-Watershed Level, by Bruno Barbier and Gilles Bergeron, January 1998.
- 33 Government Spending, Growth, and Poverty: An Analysis of Interlinkages in Rural India, by Shenggen Fan, Peter Hazell, and Sukhadeo Thorat, March 1998. Revised December 1998.
- 34 Coalitions and the Organization of Multiple-Stakeholder Action: A Case Study of Agricultural Research and Extension in Rajasthan, India, by Ruth Alsop, April 1998.
- 35 *Dynamics in the Creation and Depreciation of Knowledge and the Returns to Research*, by Julian Alston, Barbara Craig, and Philip Pardey, July, 1998.
- 36 *Educating Agricultural Researchers: A Review of the Role of African Universities*, by Nienke M. Beintema, Philip G. Pardey, and Johannes Roseboom, August 1998.

- 37 *The Changing Organizational Basis of African Agricultural Research*, by Johannes Roseboom, Philip G. Pardey, and Nienke M. Beintema, November 1998.
- 38 Research Returns Redux: A Meta-Analysis of the Returns to Agricultural R&D, by Julian M. Alston, Michele C. Marra, Philip G. Pardey, and T.J. Wyatt, November 1998.
- 39 *Technological Change, Technical and Allocative Efficiency in Chinese Agriculture: The Case of Rice Production in Jiangsu,* by Shenggen Fan, January 1999.
- 40 The Substance of Interaction: Design and Policy Implications of NGO-Government Projects in India, by Ruth Alsop with Ved Arya, January 1999.
- 41 Strategies for Sustainable Agricultural Development in the East African Highlands, by John Pender, Frank Place, and Simeon Ehui, April 1999.
- 42 *Cost Aspects of African Agricultural Research*, by Philip G. Pardey, Johannes Roseboom, Nienke M. Beintema, and Connie Chan-Kang, April 1999.
- 43 Are Returns to Public Investment Lower in Less-favored Rural Areas? An Empirical Analysis of India, by Shenggen Fan and Peter Hazell, May 1999.
- 44 Spatial Aspects of the Design and Targeting of Agricultural Development Strategies, by Stanley Wood, Kate Sebastian, Freddy Nachtergaele, Daniel Nielsen, and Aiguo Dai, May 1999.
- 45 Pathways of Development in the Hillsides of Honduras: Causes and Implications for Agricultural Production, Poverty, and Sustainable Resource Use, by John Pender, Sara J. Scherr, and Guadalupe Durón, May 1999.
- 46 Determinants of Land Use Change: Evidence from a Community Study in Honduras, by Gilles Bergeron and John Pender, July 1999.
- 47 *Impact on Food Security and Rural Development of Reallocating Water from Agriculture*, by Mark W. Rosegrant and Claudia Ringler, August 1999.
- 48 Rural Population Growth, Agricultural Change and Natural Resource Management in Developing Countries: A Review of Hypotheses and Some Evidence from Honduras, by John Pender, August 1999.

- 49 Organizational Development and Natural Resource Management: Evidence from Central Honduras, by John Pender and Sara J. Scherr, November 1999.
- 50 Estimating Crop-Specific Production Technologies in Chinese Agriculture: A Generalized Maximum Entropy Approach, by Xiaobo Zhang and Shenggen Fan, September 1999.
- 51 *Dynamic Implications of Patenting for Crop Genetic Resources,* by Bonwoo Koo and Brian D. Wright, October 1999.
- 52 Costing the Ex Situ Conservation of Genetic Resources: Maize and Wheat at CIMMYT, by Philip G. Pardey, Bonwoo Koo, Brian D. Wright, M. Eric van Dusen, Bent Skovmand, and Suketoshi Taba, October 1999.
- 53 Past and Future Sources of Growth for China, by Shenggen Fan, Xiaobo Zhang, and Sherman Robinson, October 1999.
- 54 The Timing of Evaluation of Genebank Accessions and the Effects of Biotechnology, by Bonwoo Koo and Brian D. Wright, October 1999.
- 55 *New Approaches to Crop Yield Insurance in Developing Countries,* by Jerry Skees, Peter Hazell, and Mario Miranda, November 1999.
- 56 Impact of Agricultural Research on Poverty Alleviation: Conceptual Framework with Illustrations from the Literature, by John Kerr and Shashi Kolavalli, December 1999.
- 57 Could Futures Markets Help Growers Better Manage Coffee Price Risks in Costa Rica? by Peter Hazell, January 2000.
- 58 *Industrialization, Urbanization, and Land Use in China,* by Xiaobo Zhang, Tim Mount, and Richard Boisvert, January 2000.
- 59 *Water Rights and Multiple Water Uses: Framework and Application to Kirindi Oya Irrigation System, Sri Lanka,* by Ruth Meinzen-Dick and Margaretha Bakker, March 2000.
- 60 *Community natural Resource Management: The Case of Woodlots in Northern Ethiopia,* by Berhanu Gebremedhin, John Pender and Girmay Tesfaye, April 2000.

- 61 What Affects Organization and Collective Action for Managing Resources? Evidence from Canal Irrigation Systems in India, by Ruth Meinzen-Dick, K.V. Raju, and Ashok Gulati, June 2000.
- 62 The Effects of the U.S. Plant Variety Protection Act on Wheat Genetic Improvement, by Julian M. Alston and Raymond J. Venner, May 2000.
- 63 Integrated Economic-Hydrologic Water Modeling at the Basin Scale: The Maipo River Basin, by M. W. Rosegrant, C. Ringler, D.C. McKinney, X. Cai, A. Keller, and G. Donoso, May 2000.
- 64 Irrigation and Water Resources in Latin America and he Caribbean: Challenges and Strategies, by Claudia Ringler, Mark W. Rosegrant, and Michael S. Paisner, June 2000.
- 65 The Role of Trees for Sustainable Management of Less-favored Lands: The Case of Eucalyptus in Ethiopia, by Pamela Jagger & John Pender, June 2000.
- 66 *Growth and Poverty in Rural China: The Role of Public Investments,* by Shenggen Fan, Linxiu Zhang, and Xiaobo Zhang, June 2000.
- 67 Small-Scale Farms in the Western Brazilian Amazon: Can They Benefit from *Carbon Trade?* by Chantal Carpentier, Steve Vosti, and Julie Witcover, September 2000.
- 68 *An Evaluation of Dryland Watershed Development Projects in India*, by John Kerr, Ganesh Pangare, Vasudha Lokur Pangare, and P.J. George, October 2000.
- 69 *Consumption Effects of Genetic Modification: What If Consumers Are Right?* by Konstantinos Giannakas and Murray Fulton, November 2000.
- 70 South-North Trade, Intellectual Property Jurisdictions, and Freedom to Operate in Agricultural Research on Staple Crops, by Eran Binenbaum, Carol Nottenburg, Philip G. Pardey, Brian D. Wright, and Patricia Zambrano, December 2000.
- 71 *Public Investment and Regional Inequality in Rural China*, by Xiaobo Zhang and Shenggen Fan, December 2000.
- 72 Does Efficient Water Management Matter? Physical and Economic Efficiency of Water Use in the River Basin, by Ximing Cai, Claudia Ringler, and Mark W. Rosegrant, March 2001.

- 73 Monitoring Systems for Managing Natural Resources: Economics, Indicators and Environmental Externalities in a Costa Rican Watershed, by Peter Hazell, Ujjayant Chakravorty, John Dixon, and Rafael Celis, March 2001.
- 74 *Does Quanxi Matter to NonFarm Employment?* by Xiaobo Zhang and Guo Li, June 2001.
- 75 The Effect of Environmental Variability on Livestock and Land-Use Management: The Borana Plateau, Southern Ethiopia, by Nancy McCarthy, Abdul Kamara, and Michael Kirk, June 2001.
- 76 *Market Imperfections and Land Productivity in the Ethiopian Highlands*, by Stein Holden, Bekele Shiferaw, and John Pender, August 2001.
- 77 Strategies for Sustainable Agricultural Development in the Ethiopian Highlands, by John Pender, Berhanu Gebremedhin, Samuel Benin, and Simeon Ehui, August 2001.
- 78 *Managing Droughts in the Low-Rainfall Areas of the Middle East and North Africa: Policy Issues*, by Peter Hazell, Peter Oram, Nabil Chaherli, September 2001.
- 79 Accessing Other People's Technology: Do Non-Profit Agencies Need It? How To Obtain It, by Carol Nottenburg, Philip G. Pardey, and Brian D. Wright, September 2001.
- 80 The Economics of Intellectual Property Rights Under Imperfect Enforcement: Developing Countries, Biotechnology, and the TRIPS Agreement, by Konstantinos Giannakas, September 2001.
- 81 *Land Lease Markets and Agricultural Efficiency: Theory and Evidence from Ethiopia*, by John Pender and Marcel Fafchamps, October 2001.
- 82 *The Demand for Crop Genetic Resources: International Use of the U.S. National Plant Germplasm System*, by M. Smale, K. Day-Rubenstein, A. Zohrabian, and T. Hodgkin, October 2001.
- 83 *How Agricultural Research Affects Urban Poverty in Developing Countries: The Case of China*, by Shenggen Fan, Cheng Fang, and Xiaobo Zhang, October 2001.
- 84 *How Productive is Infrastructure? New Approach and Evidence From Rural India*, by Xiaobo Zhang and Shenggen Fan, October 2001.

- 85 Development Pathways and Land Management in Uganda: Causes and Implications, by John Pender, Pamela Jagger, Ephraim Nkonya, and Dick Sserunkuuma, December 2001.
- 86 Sustainability Analysis for Irrigation Water Management: Concepts, Methodology, and Application to the Aral Sea Region, by Ximing Cai, Daene C. McKinney, and Mark W. Rosegrant, December 2001.
- 87 *The Payoffs to Agricultural Biotechnology: An Assessment of the Evidence*, by Michele C. Marra, Philip G. Pardey, and Julian M. Alston, January 2002.
- 88 *Economics of Patenting a Research Tool*, by Bonwoo Koo and Brian D. Wright, January 2002.
- 89 Assessing the Impact of Agricultural Research On Poverty Using the Sustainable Livelihoods Framework, by Michelle Adato and Ruth Meinzen-Dick, March 2002.
- 90 *The Role of Rainfed Agriculture in the Future of Global Food Production*, by Mark Rosegrant, Ximing Cai, Sarah Cline, and Naoko Nakagawa, March 2002.
- 91 *Why TVEs Have Contributed to Interregional Imbalances in China*, by Junichi Ito, March 2002.
- 92 Strategies for Stimulating Poverty Alleviating Growth in the Rural Nonfarm Economy in Developing Countries, by Steven Haggblade, Peter Hazell, and Thomas Reardon, July 2002.
- 93 *Local Governance and Public Goods Provisions in Rural China*, by Xiaobo Zhang , Shenggen Fan, Linxiu Zhang, and Jikun Huang, July 2002.
- 94 *AgriculturalResearch and Urban Poverty in India,* by Shenggen Fan, September 2002.