

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search http://ageconsearch.umn.edu aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

WORKING PAPER 2014-03

REPA

Resource Economics & Policy Analysis Research Group

Department of Economics University of Victoria

Financial Weather Options for Crop Production

Baojing Sun and G. Cornelis van Kooten

February 2014

Copyright 2014 by B. Sun and G.C. van Kooten. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

REPA Working Papers:

- 2003-01 Compensation for Wildlife Damage: Habitat Conversion, Species Preservation and Local Welfare (Rondeau and Bulte)
- 2003-02 Demand for Wildlife Hunting in British Columbia (Sun, van Kooten and Voss)
- 2003-03 Does Inclusion of Landowners' Non-Market Values Lower Costs of Creating Carbon Forest Sinks? (Shaikh, Suchánek, Sun and van Kooten)
- 2003-04 Smoke and Mirrors: The Kyoto Protocol and Beyond (van Kooten)
- 2003-05 Creating Carbon Offsets in Agriculture through No-Till Cultivation: A Meta-Analysis of Costs and Carbon Benefits (Manley, van Kooten, Moeltne, and Johnson)
- 2003-06 Climate Change and Forest Ecosystem Sinks: Economic Analysis (van Kooten and Eagle)
- 2003-07 Resolving Range Conflict in Nevada? The Potential for Compensation via Monetary Payouts and Grazing Alternatives (Hobby and van Kooten)
- 2003-08 Social Dilemmas and Public Range Management: Results from the Nevada Ranch Survey (van Kooten, Thomsen, Hobby and Eagle)
- 2004-01 How Costly are Carbon Offsets? A Meta-Analysis of Forest Carbon Sinks (van Kooten, Eagle, Manley and Smolak)
- 2004-02 Managing Forests for Multiple Tradeoffs: Compromising on Timber, Carbon and Biodiversity Objectives (Krcmar, van Kooten and Vertinsky)
- 2004-03 Tests of the EKC Hypothesis using CO2 Panel Data (Shi)
- 2004-04 Are Log Markets Competitive? Empirical Evidence and Implications for Canada-U.S. Trade in Softwood Lumber (Niquidet and van Kooten)
- 2004-05 Conservation Payments under Risk: A Stochastic Dominance Approach (Benítez, Kuosmanen, Olschewski and van Kooten)
- 2004-06 Modeling Alternative Zoning Strategies in Forest Management (Krcmar, Vertinsky and van Kooten)
- 2004-07 Another Look at the Income Elasticity of Non-Point Source Air Pollutants: A Semiparametric Approach (Roy and van Kooten)
- 2004-08 Anthropogenic and Natural Determinants of the Population of a Sensitive Species: Sage Grouse in Nevada (van Kooten, Eagle and Eiswerth)
- 2004-09 Demand for Wildlife Hunting in British Columbia (Sun, van Kooten and Voss)
- 2004-10 Viability of Carbon Offset Generating Projects in Boreal Ontario (Biggs and Laaksonen-Craig)
- 2004-11 Economics of Forest and Agricultural Carbon Sinks (van Kooten)
- 2004-12 Economic Dynamics of Tree Planting for Carbon Uptake on Marginal Agricultural Lands (van Kooten) (Copy of paper published in the Canadian Journal of Agricultural Economics 48(March): 51-65.)
- 2004-13 Decoupling Farm Payments: Experience in the US, Canada, and Europe (Ogg and van Kooten)
- 2004–14– Afforestation Generated Kyoto Compliant Carbon Offsets: A Case Study in Northeastern Ontario (Biggs)
- 2005–01– Utility-scale Wind Power: Impacts of Increased Penetration (Pitt, van Kooten, Love and Djilali)
- 2005–02 –Integrating Wind Power in Electricity Grids: An Economic Analysis (Liu, van Kooten and Pitt)
- 2005–03 –Resolving Canada-U.S. Trade Disputes in Agriculture and Forestry: Lessons from Lumber (Biggs, Laaksonen-Craig, Niquidet and van Kooten)

- 2005–04–Can Forest Management Strategies Sustain the Development Needs of the Little Red River Cree First Nation? (Krcmar, Nelson, van Kooten, Vertinsky and Webb)
- 2005–05–Economics of Forest and Agricultural Carbon Sinks (van Kooten)
- 2005–06– Divergence Between WTA & WTP Revisited: Livestock Grazing on Public Range (Sun, van Kooten and Voss)
- 2005–07 –Dynamic Programming and Learning Models for Management of a Nonnative Species (Eiswerth, van Kooten, Lines and Eagle)
- 2005–08 –Canada-US Softwood Lumber Trade Revisited: Examining the Role of Substitution Bias in the Context of a Spatial Price Equilibrium Framework (Mogus, Stennes and van Kooten)
- 2005–09 –Are Agricultural Values a Reliable Guide in Determining Landowners' Decisions to Create Carbon Forest Sinks?* (Shaikh, Sun and van Kooten) *Updated version of Working Paper 2003-03
- 2005–10 –Carbon Sinks and Reservoirs: The Value of Permanence and Role of Discounting (Benitez and van Kooten)
- 2005–11 Fuzzy Logic and Preference Uncertainty in Non-Market Valuation (Sun and van Kooten)
- 2005–12 –Forest Management Zone Design with a Tabu Search Algorithm (Krcmar, Mitrovic-Minic, van Kooten and Vertinsky)
- 2005–13 –Resolving Range Conflict in Nevada? Buyouts and Other Compensation Alternatives (van Kooten, Thomsen and Hobby) *Updated version of Working Paper 2003-07
- 2005–14 –Conservation Payments Under Risk: A Stochastic Dominance Approach (Benítez, Kuosmanen, Olschewski and van Kooten) *Updated version of Working Paper 2004-05
- 2005–15 The Effect of Uncertainty on Contingent Valuation Estimates: A Comparison (Shaikh, Sun and van Kooten)
- 2005–16 –Land Degradation in Ethiopia: What do Stoves Have to do with it? (Gebreegziabher, van Kooten and.van Soest)
- 2005–17 The Optimal Length of an Agricultural Carbon Contract (Gulati and Vercammen)
- 2006–01 –Economic Impacts of Yellow Starthistle on California (Eagle, Eiswerth, Johnson, Schoenig and van Kooten)
- 2006–02 -The Economics of Wind Power with Energy Storage (Benitez, Dragulescu and van Kooten)
- 2006–03 A Dynamic Bioeconomic Model of Ivory Trade: Details and Extended Results (van Kooten)
- 2006–04 The Potential for Wind Energy Meeting Electricity Needs on Vancouver Island (Prescott, van Kooten and Zhu)
- 2006–05 –Network Constrained Wind Integration: An Optimal Cost Approach (Maddaloni, Rowe and van Kooten)
- 2006–06 Deforestation (Folmer and van Kooten)
- 2007–01 –Linking Forests and Economic Well-being: A Four-Quadrant Approach (Wang, DesRoches, Sun, Stennes, Wilson and van Kooten)
- 2007–02 Economics of Forest Ecosystem Forest Sinks: A Review (van Kooten and Sohngen)
- 2007–03 –Costs of Creating Carbon Offset Credits via Forestry Activities: A Meta-Regression Analysis (van Kooten, Laaksonen-Craig and Wang)
- 2007–04 –The Economics of Wind Power: Destabilizing an Electricity Grid with Renewable Power (Prescott and van Kooten)
- 2007–05 Wind Integration into Various Generation Mixtures (Maddaloni, Rowe and van Kooten)
- 2007–06 –Farmland Conservation in The Netherlands and British Columbia, Canada: A Comparative Analysis Using GIS-based Hedonic Pricing Models (Cotteleer, Stobbe and van Kooten)

- 2007–07 –Bayesian Model Averaging in the Context of Spatial Hedonic Pricing: An Application to Farmland Values (Cotteleer, Stobbe and van Kooten)
- 2007–08 –Challenges for Less Developed Countries: Agricultural Policies in the EU and the US (Schure, van Kooten and Wang)
- 2008–01 –Hobby Farms and Protection of Farmland in British Columbia (Stobbe, Eagle and van Kooten)
- 2008-01A-Hobby Farm's and British Columbia's Agricultural Land Reserve (Stobbe, Eagle, Cotteleer and van Kooten)
- 2008–02 –An Economic Analysis of Mountain Pine Beetle Impacts in a Global Context (Abbott, Stennes and van Kooten)
- 2008–03 Regional Log Market Integration in New Zealand (Niquidet and Manley)
- 2008–04 Biological Carbon Sequestration and Carbon Trading Re-Visited (van Kooten)
- 2008–05 –On Optimal British Columbia Log Export Policy: An Application of Trade theory (Abbott)
- 2008–06 –Expert Opinion versus Transaction Evidence: Using the Reilly Index to Measure Open Space premiums in the Urban-Rural Fringe (Cotteleer, Stobbe and van Kooten)
- 2008–07 Forest-mill Integration: a Transaction Costs Perspective (Niquidet and O'Kelly)
- 2008-08 The Economics of Endangered Species Poaching (Abbott)
- 2008–09 The Ghost of Extinction: Preservation Values and Minimum Viable Population in Wildlife Models (van Kooten and Eiswerth)
- 2008–10 –Corruption, Development and the Curse of Natural Resources (Pendergast, Clarke and van Kooten)
- 2008–11 –Bio-energy from Mountain Pine Beetle Timber and Forest Residuals: The Economics Story (Niquidet, Stennes and van Kooten)
- 2008-12 Biological Carbon Sinks: Transaction Costs and Governance (van Kooten)
- 2008-13 Wind Power Development: Opportunities and Challenges (van Kooten and Timilsina)
- 2009-01 –Can Domestication of Wildlife Lead to Conservation? The Economics of Tiger Farming in China (Abbott and van Kooten)
- 2009-02 Implications of Expanding Bioenergy Production from Wood in British Columbia: An Application of a Regional Wood Fibre Allocation Model (Stennes, Niquidet and van Kooten)
- 2009-03 Linking Matlab and GAMS: A Supplement (Wong)
- 2009-04 Wind Power: The Economic Impact of Intermittency (van Kooten)
- 2009-05 Economic Aspects of Wind Power Generation in Developing Countries (van Kooten and Wong)
- 2009-06 Niche and Direct Marketing in the Rural-Urban Fringe: A Study of the Agricultural Economy in the Shadow of a Large City (Stobbe, Eagle and van Kooten)
- 2009-07 The Economics and Policy of Global Warming (van Kooten, Beisner and Geddes)
- 2010-01 The Resource Curse: A State and Provincial Analysis (Olayele)
- 2010-02 Elephants and the Ivory Trade Ban: Summary of Research Results (van Kooten)
- 2010-03 Managing Water Shortages in the Western Electricity Grids (Scorah, Sopinka and van Kooten)
- 2010-04 Bioeconomic modeling of wetlands and waterfowl in Western Canada: Accounting for amenity values (van Kooten, Withey and Wong)
- 2010-05 Waterfowl Harvest Benefits in Northern Aboriginal Communities and Potential Climate Change Impacts (Krcmar, van Kooten and Chan-McLeod)
- 2011-01 The Impact of Agriculture on Waterfowl Abundance: Evidence from Panel Data (Wong, van Kooten and Clarke)

- 2011-02 Economic Analysis of Feed-in Tariffs for Generating Electricity from Renewable Energy Sources (van Kooten)
- 2011-03 Climate Change Impacts on Waterfowl Habitat in Western Canada (van Kooten, Withey and Wong)
- 2011-04 The Effect of Climate Change on Land Use and Wetlands Conservation in Western Canada: An Application of Positive Mathematical Programming (Withey and van Kooten)
- 2011-05 Biotechnology in Agriculture and Forestry: Economic Perspectives (van Kooten)
- 2011-06 The Effect of Climate Change on Wetlands and Waterfowl in Western Canada: Incorporating Cropping Decisions into a Bioeconomic Model (Withey and van Kooten)
- 2011-07 What Makes Mountain Pine Beetle a Tricky Pest? Difficult Decisions when Facing Beetle Attack in a Mixed Species Forest (Bogle and van Kooten)
- 2012-01 Natural Gas, Wind and Nuclear Options for Generating Electricity in a Carbon Constrained World (van Kooten)
- 2012-02 Climate Impacts on Chinese Corn Yields: A Fractional Polynomial Regression Model (Sun and van Kooten)
- 2012-03 Estimation of Forest Fire-fighting Budgets Using Climate Indexes (Xu and van Kooten)
- 2012-04 Economics of Forest Carbon Sequestration (van Kooten, Johnston and Xu)
- 2012-05 Forestry and the New Institutional Economics (Wang, Bogle and van Kooten)
- 2012-06 Rent Seeking and the Smoke and Mirrors Game in the Creation of Forest Sector Carbon Credits: An Example from British Columbia (van Kooten, Bogle and de Vries)
- 2012-07 Can British Columbia Achieve Electricity Self-Sufficiency and Meet its Renewable Portfolio Standard? (Sopinka, van Kooten and Wong)
- 2013-01 Climate Change, Climate Science and Economics. Prospects for an Alternative Energy Future: Preface and Abstracts (van Kooten)
- 2013-02 Weather Derivatives and Crop Insurance in China (Sun, Guo and van Kooten)
- 2013-03 Prospects for Exporting Liquefied Natural Gas from British Columbia: An Application of Monte Carlo Cost-Benefit Analysis (Zahynacz)
- 2013-04 Modeling Forest Trade in Logs and Lumber: Qualitative and Quantitative Analysis (van Kooten)
- 2013-05 Living with Wildfire: The Impact of Historic Fires on Property Values in Kelowna, BC (Xu and van Kooten)
- 2013-06 Count Models and Wildfire in British Columbia (Xu and van Kooten)
- 2014-01 Is Free Trade the End All Be All? The Case of Log Exports (van Kooten)
- 2014-02 Bioeconomics of a Marine Disease (Conrad and Rondeau)
- 2014-03 Financial Weather Options for Crop Production (Sun and van Kooten)

For copies of this or other REPA working papers contact: REPA Research Group Department of Economics University of Victoria PO Box 1700 STN CSC Victoria, BC V8W 2Y2 CANADA Ph: 250.472.4415 Fax: 250.721.6214 http://web.uvic.ca/~repa/

This working paper is made available by the Resource Economics and Policy Analysis (REPA) Research Group at the University of Victoria. REPA working papers have not been peer reviewed and contain preliminary research findings. They shall not be cited without the expressed written consent of the author(s).

Financial Weather Options for Crop Production

Baojing Sun

and

G. Cornelis van Kooten

Department of Economics University of Victoria

DRAFT: February 20, 2014

Abstract

Weather derivatives based on heating degree days or cooling degree days have been traded in financial markets for more than 10 years. Although used by the energy sector, agricultural producers have been slow to adopt this technology even though agriculture is particularly vulnerable to weather uncertainty. In agriculture, few studies have focused on the pricing of weather derivatives for hedging weather risks for crop production. In this study, we employ data from an earlier study of climate on corn yields in northern China to compare different methods for pricing weather options based on growing degree days (GDDs). For pricing weather options, we investigate the use of weather indexes based on an econometric approach, a mean reverting stochastic process, and simple historical averages (burn analysis). For the econometric model, we use a sine function to estimate expected GDDs. The stochastic model is also based on the sine function, but employs Monte Carlo simulation with mean-reversion parameters to predict daily average temperatures; the reversion parameters are estimated using three alternative methods. For the historical approach, a 10-year moving average of GDDs is used. Results for the period 2001-2011 indicate that the historical average method fits actual GDDs best, followed in order by the stochastic process with a high mean reversion speed (0.9763), the econometrically estimated sine function, and the stochastic processes with medium (0.2698) and low (0.02399) mean reversion speeds. Depending on the method used, premiums for weather derivative options vary from \$21.27 to \$24.39 per standard deviation in GDD.

Key Words: Stochastic process for pricing weather options; growing degree days; agricultural finance

JEL Categories: Q14, G11, G12, G32

1. INTRODUCTION

Financial weather derivatives and weather-indexed insurance are alternative private-sector instruments that can be used to hedge production risks related to weather outcomes. Payoffs depend on a weather index that has been carefully chosen to represent the weather conditions against which protection is being sought. The problems of moral hazard and adverse selection that exist in traditional crop insurance disappear since the value of the weather index does not depend on the individual actions of market participants. Although the two hedging methods – weather derivatives and weather indexed insurance – are essentially similar, there exist mature exchange markets for some financial weather derivatives while weather-indexed insurance relies solely on over-thecounter (OTC) contracts. Another important difference is that financial weather derivatives not only provide economic agents impacted by weather (e.g., farmers, energy firms) with a tool for hedging weather risks, but also provide an investment instrument that participants in financial markets can purchase for diversifying their portfolios.

Trading in financial weather derivatives began in 1997, with an OTC contract based on heating degree days (HDDs) struck between Koch Industrial and Enron Corporation (Brockett et al. 2007). Since then, trading has grown rapidly as the Chicago Mercantile Exchange (CME) began offering financial exchange-traded weather derivatives based on two weather indexes, HDDs and CDDs (cooling degree days) (Considine 2009). A party wishing to hedge against adverse weather can purchase an option on one of these two weather indexes: A call option can be claimed when the value of the weather index is above a specified exercise or strike value, while a put option can be claimed when the value of the weather index is below a specified value. The cost of

1

acquiring an option is its premium. For call or put options, buyers take a long position, while sellers take a short position.

Weather derivatives can be used to protect against crop losses associated with cold weather, extreme heat, and/or too much or too little precipitation, although financial rainfall products are generally traded OTC. For example, a crop producer could insure against too little growing season warmth by holding a put option based on growing degree days (GDDs), which measure the dependence of crops on warmth and are defined with respect to a 5°C or 10°C threshold. Alternatively, if precipitation is a concern, an option on cumulative rainfall (CR) can be purchased. A farmer could hedge against too few GDDs or too little CR by purchasing a put option that reduces the financial risk of low crop yield. If the realized weather outcome is at or above the strike value, the farmer would not exercise the option and lose the premium paid for the option contract; in that case, yields are likely higher than expected, which would more than compensate for the premium. If the weather outcome is below the strike value, the farmer receives a payout to compensate for the lower yields and reduced revenue from the adverse weather.

In this paper, we examine potential pricing of weather derivatives in China, which is the second largest maize producing country in the world after the United States (FAO 2010). Crop yields in northern China (mainly areas in Inner Mongolia and Shaanxi province) are highly dependent on growing season weather conditions, especially heat conditions during the growing season (Sun and van Kooten 2013). Therefore, farmers could use a GDD-based financial weather product to mitigate weather risk.

A number of studies have focused on methods for pricing weather derivative contracts, including Alaton et al. (2002), Brody et al. (2002), Campbell and Diebold

2

(2005), and Jewson et al. (2005). In these studies, burn analysis and parametric or nonparametric methods were used to specify a probability distribution of the weather index, or, alternatively, a stochastic process was employed to model weather outcomes. Not surprisingly, most studies of weather derivatives focused on market-based HDD or CDD indexes in the energy sector (Huang et al. 2008 ; Goncu 2011; Schiller et al. 2012). In agriculture, where financial weather derivatives have not been adopted on the same scale as in the energy sector, studies have looked at rainfall or heat index-based weather derivatives, using historical data to construct such indexes (Turvey 2001; Stoppa and Hess 2003; Vedenov and Barnett 2004 ; Musshoff et al. 2011; Sun and Lou 2013).

The main objective of the current study is to examine three pricing methods for weather derivatives and compare them on the basis of historic weather conditions and weather predictions. The methods we employ to price weather derivatives based on GDDs are a weather index distribution method using historic averages (burn analysis), an estimated non-stochastic sine function, and a stochastic process with Monte Carlo simulation (and three approaches for estimating the mean-reverting parameter). Our application is to a major corn growing region in northern China, using historic weather data to estimate the required relationships; to do so, we rely on information from an earlier study on weather effects on corn yields in northern China (Sun and van Kooten 2013).

The study is structured as follows. We begin in the next section with a discussion of the development of daily average temperatures, followed by the stochastic method for simulating daily average temperatures and description of a weather index distribution method to price weather derivatives. We end by discussing and analyzing the results, and

3

making some concluding remarks.

2. DATA DESCRIPTION

Weather data are from the China Meteorological Data Sharing System. A plot of daily average temperatures for the period 2001 to 2011 at Etuokeqi in the Inner Mongolia Autonomous Region is provided in Figure 1. This 11-year period includes two leap years and has 4,017 observations; the daily average temperature over this period is 8.0 °C, with a standard deviation of 11.99 °C. The minimum and maximum temperatures are -22.4 °C and +29.9 °C, respectively, while daily average temperatures range from -15 °C in winter to 25 °C in summer. The figure illustrates the seasonality in average daily temperature movements, indicating in particular its similarity to a sine function.



Figure 1: Daily Average Temperatures, 2001 through 2011, Etuokeqi, Inner Mongolia (107°59 E, 39°6 N)

Growing degree days are a measure of the heat to which crops are exposed during the growing season. In an earlier study, Sun and van Kooten (2013) show that corn yields are negatively impacted when growing season GDDs are too low or high, with GDD $\frac{D}{D}$

defined as: GDD = $\sum_{d=1}^{D} Max(0, T_d - 10)$, where D (=153) refers to the number of days in

the growing season (May to September) and T_d is the average temperature on day d. For the 11 years in our sample, the average growing-season GDDs is 1,449.78 ^oC with a standard deviation of 78.97 ^oC, and minimum and maximum values of 1,294.1 ^oC and 1,584.4 ^oC, respectively. A Shapiro-Wilk test for normality (W-statistic = 0.9683) cannot reject the null hypothesis that GDDs are normally distributed (z = -1.121, p = 0.869).

3 METHODS

3.1 Model Specification

A key step in pricing weather derivative contracts is to estimate the expected value of the underlying weather index. We examine three methods: (i) historical burn analysis, (ii) an estimated econometric model, and (iii) a mean-reverting stochastic process with different parameters using Monte Carlo simulation. In the burn analysis, the average value over the previous decade is set as the estimated expected value for the contract year. Ten years are considered to be a reasonable time window for temperature data (Jewson et al. 2005). The mathematical formula is as follows:

[1]
$$g_i = \sum_{k=i-10}^{i-1} g_k$$
,

where g_i refers to growing degree days for year *i*, and g_k is growing degree days for years beginning a decade before year *i*.

As is shown in Figure 1, daily average temperatures clearly follow a sine function. Daily average temperatures are used to calculate GDDs, and an estimated sine function can be used to estimate daily average temperatures. The following functional form is assumed:

$$[2] T_t = \sin(\omega t + \theta)$$

where $\overline{T}_t = \frac{1}{2} (T_t^{\max} + T_t^{\min})$ is the mean of the daily average temperature at day t (= 1, 2, ..., 365 or 366). Thus, while average daily temperatures \overline{T}_t follow a sine curve, the realized average temperature (T_t) on a given day t fluctuates randomly about that average. Further $\omega = 2\pi/365$ since the oscillation period is one year. As the yearly minimum and maximum mean temperatures do not usually occur at the troughs and peaks in Figure 1, a phase angle θ is introduced in the mean temperature model. In addition, as the global temperature gets warmer, there might be a positive upward trend in the data. Therefore, the model for the mean daily average temperature might have the following form:

$$[3] \qquad \overline{T}_t = b_0 + b_1 t + b_2 \sin(\omega t + \theta),$$

where b_i and θ are parameters to be estimated and *t* is a trend variable causing \overline{T}_t to rise over time. We can then rewrite equation [3] as:

[4]
$$\overline{T}_t = b_0 + b_1 t + b_2 (\cos \theta \times \sin \omega t + \sin \theta \times \cos \omega t)$$
$$= b_0 + b_1 t + a_2 \sin \omega t + a_3 \cos \omega t,$$

where b_0 , b_1 , $a_2 (= b_2 \cos \theta)$ and $a_3 (= b_2 \sin \theta)$ are parameters to be estimated.

As temperatures cannot rise or fall indefinitely, a stochastic process model cannot allow temperature to deviate much from its mean value in the long run. In other words, the stochastic process describing the temperature should have a mean-reverting property. Temperature can be modelled by the following mean-reverting process, which is an example of an Ito Process (Dixit and Pindyk 1994):

$$[5] dT_t = \alpha (\overline{T}_t - T_t) dt + \sigma_t dw_t$$

where $\alpha(\overline{T}_t - T_t)$ is a drift term and $\sigma_t dw_t$ is the dispersion of the Weiner process w_t (Brownian motion), with $dw_t \sim N(0 \sqrt{dt})$ and σ_t is the volatility of the daily average temperature. In this case, T_t is the realized or actual daily average temperature, \overline{T}_t is the mean average temperature for day t, and α is the speed of reversion to the mean temperature. Thus, the stochastic difference equation [5] describes an Ornstein-Uhlenbeck process.

Because the drift term in [5] only ensures that temperatures revert toward the mean cyclical temperature (Figure 1), it is necessary to add a component that ensures the temperature also reverts toward the long-run average temperature. To do so, Alaton et al. (2002) added the following $d\overline{T}_t/dt$ term to the drift component:

[6]
$$\frac{d\bar{T}_t}{dt} = a_1 + b_2 \omega \cos(\omega t + \theta).$$

Then the mean-reverting process in equation [5] can be written as

[7]
$$dT_t = [\alpha (\overline{T}_t - T_t) + \frac{d\overline{T}_t}{dt}] dt + \sigma_t dw_t.$$

Assuming the first day is *s* and the final day is *t*, the general solution to equation [7] is:

[8]
$$T_t = \overline{T}_t + (T_s - \overline{T}_s) e^{-\alpha(t-s)} + \int_s^t e^{\alpha(t-\tau)} \sigma_\tau dw_\tau,$$

where $\tau \in [s, t]$ and other terms are defined as previously.

3.2 Parameter Estimation

Any Δw corresponding to a time interval Δt satisfies the following equation (Dixit and Pindyk 1994; Alaton et al. 2002):

$$[9] \qquad \Delta w = \gamma_t \left(\Delta t\right)^{\frac{1}{2}},$$

where $\gamma_t \sim N(0,1)$ is a random variable that is serially uncorrelated so $E[\gamma_t, \gamma_s]=0$ for $t \neq s$. As

 Δt becomes infinitesimally small, we can represent the increment of a continuous Wiener process, dw, in time t as:

$$[10] \quad \mathrm{d}w = \gamma_t \, (\mathrm{d}t)^{\frac{1}{2}}.$$

The temperature variation $\hat{\sigma}_t$ can be defined as (Alaton et al. 2002):

[11]
$$\hat{\sigma}_t = \frac{1}{N_{i,m}} \sum_{t=1}^{N_i} (T_t - T_{t-1})^2$$

where T_i is defined as above, and *i* is the number of periods (years) used to determine the average temperature \overline{T} ; and $N_{i,m}$ is the number of days in month *m* in year *i*.

The speed at which the process reverts back to the mean (α) is an important parameter. Three methods are used to estimate the parameter: a first-order autoregressive process AR (1), a discrete-time data equation and a martingale estimation function. Consider first the AR(1) process for temperature:

$$[12] \quad T_t = c_0 + c_1 T_{t-1} + \delta_t,$$

where c_0 and c_1 are parameters to be estimated, and δ_t is a normally distributed random variable with zero mean. The estimated parameter c_1 , which measures the speed that today's temperature reverts back to yesterday's temperature, is identically the meanreverting parameter α , so $\hat{\alpha}_1 = \hat{c}_1$.

The parameters of the mean-reverting process could also be estimated using the discrete-time data equation (Dixit and Pindyk 1994):

$$[13] \quad T_t - T_{t-1} = d_0 + d_1 T_{t-1} + \zeta_t,$$

where d_0 and d_1 are parameters to be estimated, and ζ_t is a normally distributed random variable with zero mean. Then, by estimating the parameters in [13], we obtain a second

estimate of the mean-reversion parameter as $\hat{\alpha}_2 = -\ln(1+\hat{d}_1)$.

Finally, the martingale estimation function can also be used to estimate α . Based on Bibby and Sørensen (1995), Alaton et al. (2002) derive the following estimate of the mean-reversion parameter:

$$[14] \qquad \hat{\alpha}_{3} = -\ln\left[\frac{\sum_{t=1}^{N} \frac{\left(\overline{T}_{t-1} - T_{t-1}\right)\left(T_{t} - \overline{T}_{t}\right)}{\sigma_{t-1}^{2}}}{\sum_{t=1}^{N} \frac{\left(\overline{T}_{t-1} - T_{t-1}\right)\left(T_{t-1} - \overline{T}_{t-1}\right)}{\sigma_{t-1}^{2}}}\right],$$

where \overline{T}_t is the average daily temperature from the previously estimated sine-function, T_t is again the realized average temperature, and σ_t is the standard deviation of the realized daily average temperatures for day *t*.

3.3 Payoffs and Premiums of Put and Call Options

Farmers can purchase a put option in the event that the weather index (growing degree days) is too low, or a call option in the event that it is too high. From the standpoint of the buyers, the payoff functions for put and call contracts are given by (Jewson et al. 2005):

[15]
$$p(x)_{put} = \begin{cases} D(K_1 - x), & x \le K_1 \\ 0, & x > K_1 \end{cases}$$

[16]
$$p(x)_{call} = \begin{cases} 0, & x < K_2 \\ D(x - K_2), & x \ge K_2 \end{cases}$$

where p(x) is the payoff; D is the tick size (dollar value per unit of the weather index); K_1 and K_2 are the strike (trigger) values for the put and call options, respectively; and x is the weather index. For put and call contracts, these are the payoffs against low and high values of the weather index, respectively. Using historic daily average temperatures and assuming that the weather index employed for a financial instrument follows a normal distribution, the expected payoff is (Jewson et al. 2005):

[17]
$$E_p = \int_{-\infty}^{\infty} f(x) p(x) dx,$$

where f(x) is the probability density function (PDF) of rainfall, growing degree days or whatever measure is used for the weather index, and p(x) is the payoff associated with the financial instrument for each outcome x of the weather variable or index. Denote the payoffs for put and call options as $p(x)_{put}$ and $p(x)_{call}$, respectively. Upon transforming the weather index into a standard normal distribution, the payoff function becomes,

[18]
$$E_p = \frac{1}{\sigma} \int_{-\infty}^{\infty} \phi(z) p(x) dx,$$

where σ is the standard deviation of the weather index and $\phi(z)$ is the probability density function (PDF) of a standard normal distribution, $z = \frac{x - \mu}{\sigma}$ and $f(x) = \frac{\phi(z)}{\sigma}$.

Inserting payoff functions [15] and [16] for the put and call contracts into [18] gives the following respective closed-form functions for uncapped put and call options:

$$[19] \qquad E_{p,PUT} = \frac{1}{\sigma} \int_{-\infty}^{K_1} D(K_1 - x) \phi\left(\frac{x - \mu}{\sigma}\right) dx = D\sigma\phi\left(\frac{K_1 - \mu}{\sigma}\right) + D\Phi\left(\frac{K_1 - \mu}{\sigma}\right) (K_1 - \mu),$$

$$[20] \qquad E_{p,CALL} = \frac{1}{\sigma} \int_{-\infty}^{K_1} D(x - K_2) \phi\left(\frac{x - \mu}{\sigma}\right) dx = D\sigma\phi\left(\frac{K_2 - \mu}{\sigma}\right) + D(\mu - K_2) \left[1 - \Phi\left(\frac{K_2 - \mu}{\sigma}\right)\right],$$

where μ is the mean value of the weather index; K_1 and K_2 are the lower and upper strike values, respectively; ϕ and Φ refer to the normal probability density function and the cumulative probability distribution (CDF), respectively; and *x* is the weather index.

Let
$$k_1 = \frac{K_1 - \mu}{\sigma} = -m$$
 and $k_2 = \frac{K_2 - \mu}{\sigma} = m$, where $m = \{0.2, 0.4, ..., 2.0\}$. Then

equations [19] and [20] can be written as:

[21]
$$E_{p,PUT} = D \sigma \left[\phi(-m) - m \Phi(-m) \right]$$
 and

[22]
$$E_{p,CALL} = D \sigma [\phi(m) - m + m \Phi(-m)].$$

The price of an option (or its premium) is calculated from the expected payoff as (Alaton et al. 2002):

$$[23] \quad c = e^{-r(u-v)}E_p,$$

where *c* is the premium that the hedgers (buyers) need to pay for a contract, *r* is a riskfree periodic market interest rate, *v* is the date that the contract is issued (purchased), and *u* is the date the contract is claimed or the expiration date. For the stochastic model, E_p is based on predicted temperatures; for the weather index distribution model (discussed further below), it is based on the historic mean value of the corresponding weather index and its historic distribution. The seller of the option would expect a reward for taking on risk and, hence, the premium would be higher than the expected payoff by an amount known as the risk loading, which is often between 20% and 30% of the payoffs (Jewson et al. 2005). In the current application, we set the risk loading at 20% of the expected payoff of the contract.

4. RESULTS

The parameters of the sine-function are estimated using linear estimation and are provided in Table 1. Using the results from Table 1, we can write the equation for mean temperatures as:

[24] $\overline{T}_t = 8.18 + 15.8 \sin[(2\pi/365) t - 1.76].$

From [24], it is evident that the average temperature is 8.18 0 C, and there appears to be no warming trend. As the estimated parameter for the time-trend variable *t* is not significant, the model is re-estimated with the time trend variable removed. We can see that the magnitude of the remaining parameters changes only slightly, while \overline{R}^{2} does not change. This model explains 89.4% of the variation in daily average temperatures. As shown in Figure 2, as the errors only deviate slightly from a normal distribution, it is assumed that the errors are normally distributed.

Table 1: Estimated Parameters for	Sine Function, V	With and Without a	a Time Trend

	Esti	mated with ti	me trend t	Estim	ated without t	ime trend t
Explanatory	Estimated	Standard	prob> t-	Estimated	Standard	prob> t-
variable	Coefficient	Error	statistic	Coefficient	Error	statistic
t	0.000676	0.000922	0.463			
$\sin(\omega t)$	-2.92	0.137	0	-3.00	0.086	0
$\cos(\omega t)$	-15.52	0.086	0	-15.51	0.086	0
constant	8.05	0.179	0	8.18	0.061	0
\overline{R}^2	0.894			0.894		



Figure 2: Quintiles of normal distribution plot for errors

From the 11-year historic daily temperature data, the estimated values of σ are given in Table 2. The regression results for two of the three alternative estimates for the mean-reverting speed parameter, namely, equations [12] and [13], are as follows:

[25]
$$T_t = 0.38 + 0.9763T_{t-1}, \overline{R}^2 = 0.956,$$

(0.05) (0.0033)

[26]
$$T_t - T_{t-1} = 0.3801 - 0.0237T_{t-1}$$
, $\overline{R}^2 = 0.012$,
(0.0478) (0.0033)

The estimated values for the mean reversion speed are $\hat{\alpha}_1 = 0.9763$ (estimated from the AR (1) process) and $\hat{\alpha}_2 = -\ln(1-0.0237) = 0.02399$ (estimated from the discrete-time data equation). Finally, using martingale estimation function [14], we find $\hat{\alpha}_3 = 0.2698$.

Table 2: Estimated σ for each of the 12 Months

Month	Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
σ	2.72	2.68	3.43	3.45	2.88	2.28	2.27	1.95	2.28	2.42	2.45	2.79

Fluctuations of historic and estimated (predicted) daily average temperatures are provided in Figure 3, and these indicated that estimates using the sine function (solid line) fit the trend of the actual daily average temperatures (dots) quite closely. By adding a Wiener process to the sine function, we then simulate the daily average temperatures using Monte Carlo simulation with different mean reversion speeds – parameters from the AR (1) process, discrete-time data equation and the Martingale estimation function. We also predict the daily average temperatures only by the sine function without the stochastic process. Finally, we generate the weather index (GDDs) from the estimated daily average temperatures.

To compare the estimated growing degree days by different methods and with

different mean reversion parameters, the variations between estimated and actual GDDs over the period of 2001 and 2011 are plotted in Figure 4, with values presented in Table 3. The absolute variations between estimated and actual GDDs, measured from the smallest to the largest, are those based on the historical average method (*H*), the stochastic process with a high mean reversion speed of 0.9763 (R_1), and the method based on the sine function without a stochastic process (*M*). The remaining estimated variations, R_2 (with mean reversion speed of 0.270) and R_3 (with mean reversion speed of 0.024), are much larger and, thus, are excluded from further analysis. In other words, the historical average values of the historical GDDs fit the actual GDDs best, followed by the simulated GDDs from the stochastic process with a high mean reversion speed (α_1) and by the sine function without a stochastic process.



Figure 3: Fluctuation of historical daily average temperatures from estimated sine curve (line: estimated sine curve; dots: historical data)

In the mean reversion method, the performance in predicting growing degree days declines in going from the stochastic process with a high mean reversion speed

(estimated from the autoregressive function) to the estimated sine function without a stochastic process. This is followed by the stochastic process with a low mean reversion speed (estimated from the martingale estimation function), with the stochastic process with a low mean reversion speed (estimated from the discrete-time data equation) proving to perform worst according to our criterion – the value of the mean value of the annual absolute deviations. Therefore, when pricing weather derivatives, the first choice is the weather index based on the distribution of historic means, followed by a method based on the mean reversion method with a high mean reversion parameter estimated from the autoregressive function.



Figure 4: Differences between estimated GDDs and actual GDDs, 2001-2011 (Variations: M from sine-function; R_1 from stochastic model with $\hat{\alpha}_1$; R_2 from stochastic model with $\hat{\alpha}_2$; R_3 from stochastic model with $\hat{\alpha}_3$; H from average value for past decade)

Variation	Average of annual absolute variations ^a	Estimated expected value for GDD in 2012
Method 1: Sine function (M) Method 2: Mean reversion	73.59	<u>1494.91</u>
R ₁	70.02	<u>1487.06</u>
\mathbf{R}_2	444.24	1894.98
R ₃	99.10	1540.98
Method 3: Historic average (H)	64.18	<u>1455.71</u>

Table 3: Variations between estimated and realized GDDs, 2001-2011^a

^a Used as the standard deviation of the GDD in the pricing of weather derivative contracts.

To price the financial weather derivatives, we assume a tick size D=\$1 and risk free interest rate r=0.08, $\Delta t=3/4$ year (time between the issue date and the expiry date), and risk loading b=20%. Results for our study region in northern China are provided in Table 4. The premiums are the same for the estimated GDDs from the sine function and from the stochastic process with a high mean reversion speed; these, in turn, are 9% below those when GDDs are estimated from the historical average. As the GDDs from the historical average method track realized GDDs more closely, however, the premium from this method might well be more accurate. The method of the stochastic process with Monte Carlo simulation, or the econometric method using sine function, undervalues the premiums of the weather derivative contracts.

i	1	
Items	Put Option	Call Option
Weather Index	GDD	GDD
	$1455.71^{\circ}\text{C}-0.2 \times 64.18^{\circ}\text{C}$	$1455.71^{\circ}C-0.2 \times 64.18^{\circ}C$
Strike Level (K_1 or K_2)	1487.06^{0} C-0.2×70.02 ⁰ C	$1487.06^{0}C - 0.2 \times 70.02^{0}C$
	$1494.91^{\circ}C - 0.2 \times 73.59^{\circ}C$	1494.91^{0} C-0.2×73.59 ⁰ C
Tick Size (D)	\$ 1	\$ 1
	\$ 21.27	\$ 21.27
Premium ^b	\$ 23.20	\$ 23.20
	\$ 24.39	\$ 24.39
Payoff	Max (K ₁ –GDD, 0)	Max (GDD–K ₂ , 0)
Issue date	December 31, 2011	December 31, 2011
Maturity date	September 31, 2012	September 31, 2012

Table 4: Specification of GDD options^a

^a The strike values are μ -0.2 σ , or *m*=0.2; when *m*=0.2, ϕ (-0.2)=0.3910, Φ (-0.2)=0.4207, ϕ (0.2)=0.3910, and Φ (0.2)=0.5792. The premiums are calculated from payoff equations [21] and [22], and using [23] plus a 20% risk loading factor to calculate the premiums. ^b Premium for a standard deviation difference in mean weather index for the M, R₁ and H approaches to estimating GDDs.

5. CONCLUSIONS

The agricultural sector is particularly vulnerable to weather risks, but financial weather derivatives can be developed to reduce farmers' exposure to such risk. This may particularly be the case for developing counties where a large portion of the population is still dependent on agriculture and government insurance and other support is lagging. Indeed, studies have shown that farmers in central and northwestern China, for example, are interested in weather indexed insurance (Turvey et al. 2009; Liu et al. 2010). Given that farmers are interested in financial weather products in China, in this study we focused on the setting of premiums for puts and calls on growing-degree-day weather options. We used existing relationships between corn yields and weather parameters for northern China (Sun and van Kooten 2013).

We considered several models for forecasting future temperatures upon which to

base a GDD weather index. These in turn would determine the premiums that markets would charge, excluding transaction costs. We investigated a more traditional burn analysis, which employed a simple historic temperature trend regression, several models that used a sophisticated stochastic process, and a Martingale approach. We found that a simple autoregressive AR(1) process led to the best approximation of realized temperatures and that premiums for options based on a GDD weather index derived from the estimated AR(1) model were lower than premiums derived from other methods. Further, if temperature was assumed to follow a stochastic process, the mean reversion parameter obtained from the AR(1) method gave a better result compared with other methods for mean reversion speed estimation.

Projecting future temperatures and growing degree days is fraught with uncertainty, which is why farmers wish to hedge against weather risk. However, markets need to provide farmers with hedges that are attractive, effective and truly representative of the risks producers encounter. Further research is required to better link crop yields to growing degree days – to match crop losses due to weather risks to the weather index – and to identify a proper tick size for pricing GDD-based weather derivatives.

Acknowledgements

The authors are grateful for research support from the Canadian Social Sciences and Humanities Research Council and the LEARN-ERCA network of Agriculture and Agri-Food Canada.

REFERENCES

- Alaton, P., B. Djehiche and D. Stillberger (2002). On modelling and pricing weather derivatives, *Applied Mathematical Finance* 9: 1-20.
- Bibby, B.M. and M. Sørensen (1995). Probability Martingale Estimation Functions for Discretely Observed Diffusion Processes, *Bernoulli*, 1(1/2): 17-39.
- Brockett, P.L., L.L. Golden, C.C. Yang and H. Zou (2007). Addressing Credit and Basis Risk Arising From Hedging Weather-related Risk with Weather Derivatives. At: <u>http://www.actuaries.org/ASTIN/Colloquia/Manchester/Papers/brockett_paper_f</u> <u>inal.pdf</u> (Viewed January 4, 2013).
- Brody, D.C., J. Syroka and M. Zervos (2002). Dynamical pricing of weather derivatives, *Quantitative Finance* 2: 189-198.
- Campbell, S. D. and F. X. Diebold (2005). Weather Forecasting for Weather Derivatives, *Journal of the American Statistical Association* 100: 6-16.
- Considine, G. (2009). Introduction to Weather Derivatives. Weather Derivatives Group, Aquila Energy. Available online at (verified 12 March 2013): <u>http://www.</u> <u>dmeoncmeglobex.net/trading/weather/files/WEA_intro_to_weather_der.pdf</u>.
- Dixit, A.K. and R.S. Pindyck (1994). Investment under uncertainty, Princeton University Press, Princeton, New Jersey: 59-88.
- FAO (2010). Food and Agricultural Commodities Production. Rome: Food and Agricultural Organization. Available online at: http://faostat.fao.org/site/339/default.aspx (verified 12 March 2013).
- Goncu, A. (2011). Pricing temperature-based weather contracts an application to China, *Applied Economics Letters* 18: 1349–1354.
- Huang, H., Y. Shiu and P. Lin (2008). HDD and CDD option pricing with market price of weather risk for Taiwan, *Journal of Futures Markets* 28(8): 790–814.
- Jewson, S., A. Brix and C. Ziehmann (2005). *Meteorological, Statistical, Financial and Mathematical Foundations*. Cambridge, UK: Cambridge University Press.
- Liu, B., M. Li, Y. Guo and K. Shan (2010). Analysis of the Demand for Weather Index Agricultural Insurance on Household level in Anhui, China, *Agriculture and Agricultural Science Procedia* 1: 179–186.
- Musshoff, O., M. Odening and W. Xu (2011). Management of climate risks in agriculture–will weather derivatives permeate, *Applied Economics* 43(9): 1067-1077.
- Schiller, F., G. Seidler and M.Wimmer (2012). Temperature models for pricing weather derivatives, *Quantitative Finance* 12(3): 489–500.
- Stoppa, A. and U. Hess (2003). Design and Use of Weather Derivatives in Agricultural Policies-the Case of Rainfall Index Insurance in Morocco. Contributed paper presented at the International Conference Agricultural policy reform and the WTO: where are we heading? Capri (Italy).

- Sun, B.J. and G.C. van Kooten (2013). Weather effects on corn yields in Northern China, *Journal of Agricultural Science (Cambridge)* xx(yy): Early view.
- Sun, W. and S. Lou (2013). Design of agricultural insurance policy for tea tree freezing damage in Zhejiang Province, China, *Theoretical and Applied Climatology* 111: 713-728.
- Turvey, C.G. (2001). Weather Derivatives for Specific Event Risks in Agriculture, *Review of Agricultural Economics* 23(2): 333-351.
- Turvey, C.G. and R. Kong, et al (2009). Weather Risk and the Viability of Weather Insurance in Western China. Selected Paper annual conference of the American Agricultural Economics Association Milwaukee Wisconsin. July 26-28, 2009.
- Vedenov, D.V. and B.J. Barnett (2004). Efficiency of Weather Derivatives as Primary Crop Insurance Instruments, *Journal of Agricultural and Resource Economics* 29(3): 387-400.