



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

Linking Farmers' Nutrient Management Choices with Downstream

Environmental Quality

Wendong Zhang

Department of Agricultural, Environmental and Development Economics,

the Ohio State University

zhang.822@osu.edu

Incomplete and Preliminary Draft

Please Do Not Cite

Date: May 28, 2014

Selected Paper prepared for presentation at the Agricultural & Applied Economics Association's 2014 AAEA Annual Meeting, Minneapolis, MN, July 27-29, 2014.

Copyright 2014 by Wendong Zhang. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

Abstract

Excessive agricultural nutrient runoff has substantially degraded water quality and ecosystem services in many freshwater and marine ecosystems around the world, including Lake Erie and the Gulf of Mexico (Hudnell, 2010). Changes in management practices, which are needed to improve environmental outcomes will incur fundamental trade-offs by imposing costs on farmers and generating benefits by improving ecosystem services. However, these economic trade-offs of nutrient management policies are largely unknown due to the complex economic and ecological linkages. In particular, these trade-offs are dependent on ecological and economic spatial processes and the distribution of heterogeneous farmer and land characteristics. The existing literature shows that farmer heterogeneity is crucial in determining best management practice adoption (Norris and Batie 1987) and spatial heterogeneity is important in both farmer decisions and ecological damages (Wu et al. 2004). However, the relative importance of these sources of heterogeneity is unknown.

This paper aims to fill this knowledge gap by developing a farmer decision-making model that incorporates both individual and spatial heterogeneity. Specifically, we estimate an econometric model of farmers' heterogeneous derived demand for phosphorus fertilizer that varies by both farmer and field characteristics using data from an extensive survey of 7,500 farmers in the Maumee River watershed of Lake Erie – the largest in the Great Lakes Region (Reutter et al. 2011). In addition, this research is part of a larger, multidisciplinary NSF-funded project (Martin et al. 2010), and we account for the influence of space on ecological outcomes by explicitly representing factors like distance from field to lake or stream, and by making use of estimates from existing hydrological model – the Soil and Water Assessment Tool, and statistical ecological models (Gebremariam et al. 2013) that translate predicted land use and management outcomes into phosphorus loadings and water quality variables.

Using estimates of anglers' willingness-to-pay for water quality improvements based on a choice experiment (Zhang and Sohngen 2014), we are able to quantify the benefits of improved ecosystem services in Lake Erie due to changes in farmers' actions. We will then construct an efficient frontier to quantify the ecological and economic trade-offs among predicted changes in agricultural profits, phosphorus loadings and associated economic damages under a uniform fertilizer tax versus one

that is targeted either spatially or based on farmer characteristics. We focus on fertilizer tax policy because previous studies have shown that additional conservation is needed beyond current voluntary adoption by some farmers (e.g. USDA-CEAP, 2011), and several economists have argued that fertilizer tax should be the most effective and efficient form of policy (e.g. Lichtenberg, 2004; Sohngen et al., 2013).

This research makes at least two important contributions to the literature on modeling of agricultural production and its environmental impacts. First, by analyzing both farmers and anglers, we could directly compare upstream costs and downstream benefits resulting from nutrient management policies, and this analysis of ecological and economic trade-offs could help optimal policy design. Second, this model allows us to assess the relative importance of both spatial and farmer heterogeneity in driving farmer decisions and the provisioning of ecosystem services.

References:

- Gebremariam, S. Y., Jay, F.M., DeMarchi, C., Bosch, N. S., Confesor, R., Ludsin, S. A. 2013. "Comprehensive Evaluation of Three Watershed Models to Predict Maumee River Flow Regime and Discharge into Lake Erie." Unpublished Manuscript.
- Hundell, H. K. 2010. "The State of U.S. Freshwater Harmful Algal Blooms Assessments, Policy and Legislation," *Toxicon* 55: 1024-34.
- Lichtenberg, E. 2004. "Some Hard Truths About Agriculture and the Environment," *Agricultural and Resource Economics Review* 24-33.
- Martin, J., DeMarchi, C., Irwin, E. G., Ludsin, S., Roe, B. E., Toman, E., and Wilson, R. "Co-Evolution of Upstream Human Behavior and Downstream Ecosystem Services in a Changing Climate." National Science Foundation Coupled Human and Natural Systems program. Dates: 9/2011- 8/2015.
- Norris, P. E., and S. S. Batie. 1987. "Virginia Farmers' Soil Conservation Decisions: an Application of Tobit Analysis." *Southern Journal of Agricultural Economics* 19:79-90.
- Reutter, J. M., Ciborowski, J., DePinto, J., Bade, D., Baker, D., Bridgeman, T. B., Culver, D. A., Davis, S., Dayton, E., Kane, D., Mullen, R. W., and Pennuto, C. M. 2011. Lake Erie Nutrient Loading and Harmful Algal Blooms: Research Findings and

Management Implications. Final Report of the Lake Erie Millennium Network Synthesis Team. Technical Summary Number: OHSU-TS-060.

Sohngen, B., Kim, S. J., Sam, A., and King, K. 2013. "The Implication of Environmental Policy on Nutrient Outputs in Agricultural Watersheds," Selected Paper prepared for presentation at the Agricultural & Applied Economics Association's 2013 AAEA & CAES Joint Annual Meeting, Washington, DC, August 4-6, 2013.

U.S. Department of Agriculture - Conservation Effects Assessment Program (USDA-CEAP). 2011. "Assessment of the Effects of Conservation Practices on Cultivated Cropland in the Great Lakes Region," USDA Natural Resources Conservation Service Report.

Wu, J., Adams, R. M., Kling, C. L. and Tanaka, K. 2004. "From Micro-Level Decisions to Landscape Changes: An Assessment of Agricultural Conservation Policies," *American Journal of Agricultural Economics* 86: 26-41.

Zhang, W., and Sohngen, B. 2014. "Heterogeneous Preferences for Water Quality Attributes: A Choice Experiment of Lake Erie Recreational Anglers," *Unpublished Manuscript*