



The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.



ELSEVIER

Agricultural Economics 27 (2002) 333–354

AGRICULTURAL
ECONOMICS

www.elsevier.com/locate/agecon

Land use dynamics in the central highlands of Vietnam: a spatial model combining village survey data with satellite imagery interpretation

Daniel Müller*, Manfred Zeller

*Institute of Rural Development, Georg-August University of Göttingen,
Waldweg 26, 37073 Göttingen, Germany*

Abstract

The paper investigates geo-physical, agro-ecological, and socio-economic determinants of past land use change in two districts of Dak Lak province in the Central Highlands of Vietnam and assesses the influence of rural development policies on land cover change. Landsat satellite images from the years 1975, 1992 and 2000 are interpreted to detect land cover in two time periods. A survey in randomly selected villages provides primary recall data on socio-economic and policy variables hypothesised to influence land use change. Secondary data on rainfall, soil suitability, and topography was obtained from meteorological stations and from a digital soil map and digital elevation model. All data were spatially referenced using geographic information systems (GIS) software. A reduced-form, multinomial logit model is used to estimate the influence of hypothesised determinants on land use and the probabilities that a certain pixel has one of five land classes during either of the two periods.

Results suggest that the first period from 1975 to 1992 was characterised by land-intensive agricultural expansion and the conversion of forest into grass and agricultural land. During the second period, since 1992, the rapid, more labour- and capital-intensive growth in the agricultural sector was enabled by the introduction of fertiliser, improved access to rural roads and markets, and expansion of the irrigated area. These policies, combined with the introduction of protected forest areas and policies discouraging shifting cultivation during the second period reduced the pressure on forests while at the same time increasing agricultural productivity and incomes for a growing population. Forest cover during the second period mainly increased due to the regeneration of areas formerly used for shifting cultivation.

© 2002 Elsevier Science B.V. All rights reserved.

JEL classification: C 25; O 13; R 14; R 22

Keywords: Land use change; Deforestation; Geographic information systems (GIS); Spatial modelling; Multinomial logit; Vietnam

1. Introduction

Land use change, the physical change in land cover caused by human activities such as agriculture and silviculture, is a common phenomenon associated with population growth, market development, technical and institutional innovation, and related rural development policy. Changes in land use can have various

* Corresponding author. Tel.: +49-551-393901;
fax: +49-551-393076.

E-mail address: danielix@gmx.net (D. Müller).

URL: <http://www.gwdg.de/~uare>

consequences on economic growth, the level and distribution of income, and on natural resources such as biodiversity, ecosystems, water, and soils. Land use change leads to change in—and is influenced by—socio-economic indicators such as agricultural productivity, wealth, and human capital. A better understanding of the complex interactions of these changes over time can enable decision makers at various policy levels to design and implement regionally adapted policy interventions which stimulate benefits and counteract negative consequences of land use change by considering the trade-offs among economic, environmental, and social objectives in the process of sustainable rural development.

The paper emanated from a larger research program that attempts to assess the impact of policy, technology, socio-economic, and geo-physical conditions on land use change and its related outcomes on economic growth, welfare, and the protection of forests. The research program is taking place in two districts of Dak Lak province in the Central Highlands of Vietnam. Dak Lak exhibits an interesting case in the study of land use dynamics with its abundant forest resources, ethnic diversity, high immigration rates, and dynamic agricultural and socio-economic development, particularly during the last decade.

Spatial data analysis gives valuable insights into processes of land use change and their underlying causes. The paper employs recently developed methods for combining data from a village-level survey with remote sensing data derived from Landsat images. Our objective is to analyse the influence of socio-economic, agro-ecological, geo-physical, and policy variables on land use, using an ex-post research design and a reduced-form, spatially referenced multinomial logit model.

After a brief description of major trends in agricultural and socio-economic development in the research area, we present the conceptual framework and methodology, including issues and related innovative methods employed in combining geo-referencing data from various sources, and present the hypotheses concerning determinants of land use change. Section 3 presents results of the econometric model. We conclude with a discussion of results and their implications for policy and future research.

2. Trends in population, agricultural growth, and land use in the research area

The research area is situated in Dak Lak province, the largest of a total of 63 provinces in Vietnam. The province has a forest cover of 52% compared to 33% in the overall country (General Statistical Office, 2001). Dak Lak has experienced high immigration rates since Liberation Day in 1976. During the last decade, its economy grew rapidly. Major factors of growth include the rising population supported by in-migration from other provinces, increases in the agricultural and irrigated area, improved agricultural productivity, and rising production and marketed surpluses in higher-value crops and animals. Apart from rice, the rapidly growing cash crop production of mainly coffee and rubber, and more recently pepper, is the major factor for the growth in agricultural exports from Vietnam (Minot and Goletti, 2000). Despite annual growth rates in the population of about 7.7% during 1975–1990 and 6.4% during 1991–2000, the massive agricultural growth enabled large increases in per-capita income during the 1990s. According to official data, forest cover in Dak Lak province has declined steadily, particularly where soil conditions allow large-scale coffee production. The basaltic soils suitable for coffee cultivation cover 40% of Dak Lak province (Dak Lak Statistical Office, 2001).

The research area is situated in two districts (Lak and Krong Bong) in the southeastern part of Dak Lak province. Sixty percent of the entire area consisting of 2400 km² is covered by forest. In 2000, the population in the research area was around 124,000 inhabitants (Dak Lak Statistical Office, 2001). Population has doubled since 1981. Roughly 20% of the population growth was due to government-controlled resettlement programs in areas delineated as new economic zones (NEZ) following the fixed cultivation and resettlement program (FCRP) implemented mainly during the 1980s. Uncontrolled immigration was strongest during the last decade with high coffee prices stimulating migration from Central and North Vietnam to the Central Highlands. However, the research area did not participate in the ‘coffee boom’ as much as other districts of the Central Highlands because only small areas of the two selected districts have the basaltic soil suitable for coffee production.

Agriculture is the main source of income. Paddy is the most important crop with respect to the factors income share and area cultivated. Degrees of market integration differ significantly between villages and ethnic groups. Ethnic Vietnamese (*kinh*)¹ have a long tradition of intensively growing wetland rice and marketing surplus production to local traders. Their villages have a tendency to be located close to roads, and they usually market a large share of their agricultural production. On average, they own more paddy area per head, which they cultivate more intensively than villages inhabited by ethnic minorities. Before 1990, very little fertiliser and pesticides were used in the research area. During the nineties, the adoption of new crops (maize and coffee), fertilisers (Urea and NPK), and pesticides was promoted by governmental extension programs and related investments in the road and market infrastructures. Today, the second most important crop is maize, with hybrid varieties cultivated by 65% of households in the research area. Maize has turned into a major source of cash income during the last five years, especially for households which are not able to produce rice above their subsistence needs and lack suitable soil for coffee production. Livestock is another important production activity; however, it will not be considered further in this article because of its minor importance for land use change in the area. For possible effects of livestock on land use, see for example Cattaneo (2001).

According to our analysis of the Landsat images, forests cover in 1990 accounted for 69% of the total research area. In 2000, forested area increased to 77%, only two absolute percentage points below the level observed in 1975. At lower elevations and in locations close to villages and roads, bush land, open canopy, and bamboo forests prevail. Mountainous evergreen forests dominate areas with altitudes above 600 m. Bush and bamboo forests as well as young open canopy forests are found as secondary vegetation on areas formerly used for upland cultivation. About 7% of the research area belongs to nature reserves and

protected areas designated for forest rehabilitation and biodiversity conservation. Strict enforcement of forest protection in recent years might have facilitated the restoration of forest cover in these areas to a fairly homogenous, closed canopy cover.

3. Methodology

3.1. Conceptual framework

Our conceptual framework draws heavily from the theory of induced innovation (Boserup, 1965; Ruthenberg, 1980; Ruttan and Hayami, 1984). We distinguish two key processes of land use change as a source for increasing agricultural production: first, agricultural expansion into previously uncultivated areas, which usually takes place at an extensive and constant technological level; and second, agricultural intensification on already cultivated land. Intensification involves the substitution of land with labour or capital-intensive technology such as irrigation, improved seeds, and fertiliser. Boserup (1965) and Ruthenberg (1980) emphasise the responses of households, communities, and societies to pressures and opportunities induced by exogenous shift factors such as population growth, improvement of rural road networks, and investments in markets and the agribusiness sector enabling the introduction of higher-value perennial crops. In the research area, additional pressures on land use change include the introduction of protected areas during the 1990s, and a more effective enforcement of state policies discouraging shifting cultivation.

These policies and driving forces at the macro and regional levels induce changes in land use undertaken by local agents (Pender et al., 1999; Scherr et al., 1996; Templeton and Scherr, 1997). With the switch from a planned rural economy to a household responsibility system in the early 1990s, changes in prices, transaction costs, and availability of technology induced private farmers and entrepreneurs to adjust their land use patterns quite rapidly, as can be witnessed in Dak Lak Province. Moreover, the Vietnamese policy transformation towards more market orientation was supported by significant public investments in the rural infrastructure and agricultural extension services, which promoted the adoption of new technologies,

¹ People of ethnic Vietnamese origin are called *kinh* people, which we will use hereinafter to distinguish them from people belonging to ethnic minority groups (referred to as '*ethnic people*'). Politically, both groups are Vietnamese citizens. Also note that we use the expression '*minority*' in a purely quantitative sense indicating that people belonging to ethnic '*minority*' groups are outnumbered by the *kinh* in Vietnam.

crops, and animal husbandry systems. As an indication for the scale of improvement in the rural infrastructure, the average distance from a village to an all-year road in the research area decreased from 18 to 6 km between the two periods under consideration. Apart from policy and socio-economic factors, changes in the use of land by agriculture or forestry are determined by a range of mainly time-invariant, natural conditions (Ruthenberg, 1980) such as rainfall, topography, soil quality, and other geo-physical and agro-ecological variables.

Chomitz and Gray (1996) developed a widely cited spatially explicit model based on survey and satellite data from Belize. They assessed the effect of roads on land use and employed a land rent model based on theories developed by Ricardo and von Thünen. Nelson and Hellerstein (1997) estimated a similar model for Mexico, including corrections for spatial dependence. Both models rely on satellite data to derive land cover and employ geophysical data and limited secondary information for socio-economic characteristics as independent variables.

Following the conceptual framework of induced innovation and taking into account recent advances in the literature using spatial analysis in combining geo-physical and socio-economic data,² we explain land use change as a function of geophysical variables (level and variance of rainfall, soil suitability, the altitude and slope of land), endogenous (and therefore lagged) population growth, socio-economic village characteristics, and operational variables for measuring the spatial placement of policy-induced investments in road and market infrastructures and the introduction of new agricultural technology and crops. We will explore the causal relationships between these variables in a spatially explicit framework and attempt to quantify their respective direction and magnitude.

3.2. Sources and methods used for collecting data

This section briefly describes the specification of the left-hand-side variable land cover³ and distin-

guishes various categories for the underlying hypothesised determinants as right-hand-side variables. The right-hand variables are separated into geophysical variables mainly determining the natural agricultural potential, variables describing the socio-economic village characteristics influencing land use, and policy-induced variables.

3.2.1. Land cover data

Changes in land cover were measured using time series of satellite data. Landsat images for the research area were visually interpreted for the years 1975 (multi-spectral scanner, MSS), 1992 (thematic mapper, TM), and 2000 (enhanced thematic mapper, ETM).⁴ All images were taken in the spring season between March 4th and April 7th. Hence, they stem from the same cropping season and from comparable climatic conditions. This enhances the interpretation as the spectral reflection of land cover is easier to compare. In addition, recently updated 1:50,000 UTM maps were scanned, geo-referenced, and merged to obtain a consistent set of base information. These maps allow the verification of land cover delineation using additional point information and linear features such as contours, roads, and rivers. The interpretation resulted in land cover maps, which indicate physical land cover of the respective years for the major land use classes. Overlays produce quantitative estimates of changes in land cover over time.

For the econometric analysis, the land cover data was aggregated into five classes, which were used for subsequent analysis:

- (1) mixed agricultural land, including cash and food crops as well as plots under shifting cultivation;
- (2) paddy fields, both with one and two crops a year;
- (3) closed canopy, dense forest;
- (4) open canopy, mixed and secondary forest;

² As this special issue features reviews of spatial modeling approaches for explaining changes in land use, we have chosen to not include a review section in this paper. Other reviews include Kaimowitz and Angelsen (2002) and van der Veen and Otter (2001).

³ Precisely defined, land cover is the (bio) physical cover of the land surface and immediate subsurface. Land use, on the other

hand, describes human employment of that land. In that sense, e.g. hunting would be a kind of land use while shrub could be the corresponding cover. However, in literature the two are used almost synonymously. For the purposes of this paper, we will use 'cover' to denote the categories of the dependent variables and refer to land 'use' when interpreting the results of the analysis.

⁴ To match remote sensing data with recall information, cloud-free satellite images from 1980 to 1990 should have been used. They were, however, not available.

- (5) mixed grass land containing bamboo, bush, and shrub as well as re-growing shifting cultivation fields.⁵

3.2.2. Geophysical data

To a considerable extent, data on geophysical variables determine the agricultural potential inherent in a specific plot. Geophysical variables include rainfall-time series, soil types, elevation, and slope values. Rainfall data stems from five rainfall stations in, and several others around the research area. Daily time series were available starting from Liberation Day in 1976. We calculated the yearly mean and the variance of daily rainfall amounts for both time periods considered in the data analysis.⁶ Continuous surfaces for these layers were created by interpolating the point coverage with a regularised spline interpolator.

A digital soil map (DSM) on a scale of 1:250,000 has been reclassified into nine suitability classes for paddy and mixed agricultural production with 'one' exhibiting the most suitable soils and 'nine' the least suitable soils. The suitability classes are based on interviews with soil experts from the region. The digital elevation model (DEM) is based on contour lines from American topographic UTM maps, scaled at 1:50,000. The DEM has a spatial resolution of 50 m × 50 m. Slope degrees were calculated from this DEM.

3.2.3. Socio-economic village characteristics

A village survey was conducted in 101 randomly selected villages out of a total of 191 villages in the research area. The survey provides primary data on the current status and changes in land use practices since Liberation Day in 1975, and on the causes of these changes and their effects on economic, socio-cultural,

and ecological variables. Recall techniques were employed to obtain estimates from villagers for Liberation Day in 1976, 1980 and 1990.⁷ Additional socio-economic indicators were collected from interviews with communal people's committees and from secondary sources such as official government statistics.

A metric variable was created for the age of the villages in years since their foundation. Villages in the research area are usually inhabited by *kinh* or ethnic minority people. Mixed villages do not exist, apart from one or two Vietnamese families, who usually own a shop in an ethnic village. For that reason a dummy variable coded one for an *ethnic minority village*, and zero otherwise, was included to capture the effect of ethnic composition on patterns of land use. Another dummy was created for villages awarded the status of a '*hero village*.' Villages, which assisted the Northern Vietnamese government in the fight against the South and the USA were awarded this title after the war. A variable for land suitable for permanent agricultural production was computed on a pixel basis by subtracting already cultivated land, land with a slope over 20°, and land belonging to a soil suitability class smaller than six. The lagged value of this continuous dummy variable *convertible land* was included in the regressions. For *population* data, an inverse distance weighted interpolation technique, which calculates a linearly weighted combination from the set of sample points, was used to derive a continuous population surface. Thus, we account for the fact that the population is highest at actual village locations and pressure decreases as one moves away from population centres. The population surface aims to represent population distribution more realistically with a distribution of the data values as a property of location rather than an entire area (Bracken, 1994). The lagged value of the continuous population map was included in the data analysis as a pre-determined variable and, therefore, treated as an exogenous factor in our reduced-form equations.

There is possibly a range of other important variables, which can have a substantial effect on land use.

⁵ Field verification reveals that most shifting cultivation plots, which were in fallow for one or two years, were still classified as agricultural land. Longer fallow periods result in the category 'mixed grassland.'

⁶ The rain-fed cropping season is almost all-year-round, and only 4 months of the year, i.e. December–March, are considered to be the dry season. During this dry season, however, there is considerable variation with respect to the commencement and end of rainfall during these months due to regional diversity in altitude and micro-climate (proximity to forests). Rainfall during the dry season influences soil moisture for the planting season and has an effect on water availability in semi-technical irrigations systems that use collected rainfall water as a source. Therefore, we chose to calculate the mean and variance of rainfall data for the entire year.

⁷ We related the questions for 1980 to a large flood that occurred in 1981, which nearly all of the villagers remembered. The recall information from 1990 is related to a period characterized by economic renovation policy (*doi moi*), which also provided a suitable point of reference.

For instance, land tenure and property rights shifted recently from a system based on customary rights to an official recognition of property rights. The first land use titles for agricultural land were issued in 1996. Until today, 65% of the households received these certificates—45% of them in the past 2 years. Therefore, it is too early to estimate the effects of secure property rights on land use given our land cover data.

3.2.4. Policy variables

Policy-induced variables reflect investments from external sources such as governments and donors in infrastructure and technologies as well as restrictions on land use imposed by the government.

Surface vectors for roads obtained on a scale of 1:250,000 were corrected for the research area to a scale of 1:50,000 using the digitised UTM base maps and the pan-chromatic band from the Landsat ETM. Market access was measured by the Euclidean distance to nearest all-year roads for trucks and to district centres. Based on recall information, we approximated a second road network for the year 1990, which was, however, highly correlated with distance to district capitals and, therefore, dropped. We tried to capture the effect of road upgrades by incorporating the lagged travel time in hours to the nearest all-year road from the survey as an additional measure for market proximity, thus taking the means of transport and their changes into account. The number of years since the establishment of a primary school in a village was included as an indicator of investment in primary education.

Technology variables are incorporated in the analysis with regard to the time of the introduction of a new technology for agricultural production: (a) the number of years since the introduction of NPK as a yield-increasing technology, (b) the number of years since the construction of a reservoir for irrigation of agricultural land, and (c) the increase of irrigated area per village multiplied by the number of years already irrigated as a measure for the number of irrigated hectare-years.

The boundaries for National Parks and Nature Reserves were included as a policy variable (Chomitz and Gray, 1996; Deininger and Minten, 2001). We incorporated the time of protection as the number of years since a pixel belongs to a protected area, zero otherwise.


3.3. Integration of village and remotely sensed data

Farmers, and other land users, make their land management decisions based on objectives, constraints, and the potentials of their households and individual members. At the village-level, we observed aggregate behaviour of all land users and other stakeholders in land allocation and management. Ideally, to integrate grid-based data with survey data, the scale of the analysis should match the unit of decision-making. Yet, in Vietnam as in most developing countries, plot maps and village boundaries are not available. This renders spatial modelling a time-consuming and costly task due to the necessary delineation of the spatial extent of plots or villages, e.g. using global positioning systems (GPS).

The spatial extent of village boundaries could not be delineated with the time and budget available.⁸ To demarcate the spatial base unit for the integration of socio-economic variables, the geographic positions of all villages were recorded with GPS and point coverages created. Village boundaries for all surveyed villages were then defined using Thiessen polygons, which are constructed so that each location within a polygon is closer to all its contained points than to any other point in the layer (Aronoff, 1995). These polygons were then used as a base unit for village-level data in sub-sequent analyses (Entwistle et al., 1998). Hence, survey data—apart from population—takes the value of the interviewed village for each point, which is closer to the village's centroid than to any other centroid (see Fig. 1).⁹ The vast areas of virtually unused

⁸ Delineating plot boundaries as the base unit of analysis would match the unit of decision-making of an individual land user much more accurate, thereby being considerably closer to economic reality. However, this is obviously not feasible for an area of 2400 km² with approximately 124,000 households involved in agriculture, each typically having several dispersed plots. Examples of analysis at the plot level linking geophysical, agro-ecological data on plots with socio-economic data of farms or villages include Mertens et al. (2000) and Fox et al. (1994).

⁹ This method implies that surveyed and (non-sampled) neighbor villages are similar with respect to land use data. Apart from numerous field visits into the research area, however, we cannot validate this assumption because of lack of data on non-sampled villages. In order to avoid similar issues arising in future research, we recommend to first construct the Thiessen polygons, and then randomly select a subset of Thiessen polygons with probabilities proportionately to size of area for subsequent village-level survey.



Source: Subset of Landsat ETM, date: 03 March 2000; purchased at the Tropical Rain Forest Information Center (<http://www.bsrsi.msu.edu>); village positions from GPS survey of authors.

Notes: Image displayed in band combination 5-4-3.

Fig. 1. Landsat satellite image with survey village positions and Thiessen polygons.

and remote forestland are implicitly integrated via geophysical indicators such as topography, soil quality, and slope as well as distance to major roads, which all render land use unprofitable on these marginal lands and should therefore not distort results considerably.

In this study, the unit of analysis is a pixel. The research area was spatially referenced to pixels with a size of 50 m × 50 m. Each pixel, therefore, represents an area of a quarter of a hectare. After resampling all spatially available information to above grid size, data was stored as surfaces in a raster GIS.

The research area contains 964,000 grids cells. To compensate for potential spatial dependence in the dependent variables, Besag's coding scheme was used {Besag, 1974, 663/id}, also employed by Nelson and Hellerstein (1997), Munroe et al. (2001) and Nelson et al. (2001) in similar studies. The regular spatial

sample was drawn by selecting every fifth cell in the X- and Y-directions so that no selected cells are physical neighbours. This sampling procedure allows us to apply standard estimation techniques (Anselin, 1999). To control potential border effects, an inside buffer of 75 m was cut-off the outer boundary of the research area. After merging data from the socio-economic survey with geophysical and land use data, 33% of the grid cells were randomly sampled. These sampling procedures resulted in a dataset of 20,000 observations used for subsequent econometric modelling.

3.4. Expected effects of regressors

We ran regressions on four types of regressors. First, we used time-invariant geophysical variables, with the exception of rainfall, which we observe in both

periods, and second, historical variables, which describe socio-economic characteristics of the villages. Here, we include population and land available for conversion as a time-variant, but lagged variables referring to the state in the previous period. Third, exogenous policy variables to describe government investments and macro-level policies are included in the model.¹⁰

At present, there are no models and test statistics available which account for substantive spatial interaction in a qualitative dependent variable framework (Anselin, 2001) as cited in Munroe et al. (2001). To compensate for potential spatial effects, we used the coding scheme described in Section 3.3. In addition, we included two exogenous variables indicating the X- and Y-co-ordinates of each cell in the grid as a spatial filter (Nelson et al., 1999; Munroe et al., 2001).

Hypothesised effects of regressors on land use categories can be anticipated based on previously outlined theoretical considerations, research findings, and field experience. Table 1 summarises the variables and their expected effects where a plus sign indicates a positive expected influence of that variable on the respective land cover class and a minus indicates a negative effect. Question marks indicate potentially ambiguous outcomes. In the following, the hypotheses are stated for the four types of regressors.

3.4.1. Geophysical variables

On higher *elevations*, agricultural land use is less feasible and less likely due to more difficult climatic conditions such as lower temperatures and more difficult terrain. Equally, agriculture on steeper *slopes* and poorer *soils* is usually less profitable and more difficult. We hypothesise that the coefficients for elevation, slope, and soil are negative for agricultural land use and positive for forest land.

The *amount and variance of rainfall* critically affect agricultural activities in several ways. In areas with high absolute rainfall, more water-demanding crops can be cultivated. To decrease risks from highly variable and, therefore, more insecure rainfall, more drought-resistant crops and a higher crop diversification should be expected. However, since the land cover data at hand does not enable us to explain crop choice,

we can only deduce the following hypotheses: More absolute amounts of rainfall in the moderate climate prevailing in the research area¹¹ can be expected to increase the natural potential for agriculture, while, due to increasing risks, one would expect that higher rainfall variation would reduce land under agriculture in the absence of irrigation facilities and increase the likelihood of other uses.

3.4.2. Variables describing the socio-economic history of the villages

Rural development is essentially path-dependent. Hence, initial states and historical events influence current and future socio-economic situation of villages, including land use. In this context, several variables will be considered and explained in the following.

A positive relation is expected between ethnic minority villages and former shifting cultivation areas, be they fallow or cultivated. Fallow fields are either interpreted as grass land or as agricultural land, depending on the time of fallow. Some fields might have already recovered to become secondary, open canopy forest. Due to these traditional land-intensive cultivation techniques and presumably less political power, ethnic villages might be associated with more agricultural area (cultivated less intensively), less irrigated paddy area, and more grass land. Common belief also attributes deforestation to ethnic people; therefore, we would expect less open and closed canopy forest.

Available *convertible land* provides the potential for agricultural expansion. A higher lagged value should increase the probability that these patches will be converted for agricultural land uses. We would expect a strong positive relation for agriculture and paddy land and negative signs for other land uses.

Higher lagged *populations* should be associated with increasing demand for agricultural land uses and is often cited as a major factor influencing deforestation (Tachibana et al., 1998; Kaimowitz and Angelsen, 2000).

The status of 'hero villages' is used as a proxy operational variable to measure the *political capital* of a

¹⁰ The former we assume to be exogenous, but later may deal with sample selection problems.

¹¹ In more tropical settings with higher amounts of rainfall other authors found the opposite effect (Chomitz and Thomas, 2001). In the research area rainfall averaged 1800 mm between 1976 and 1999. In drier climates where absolute rainfall is a restricting factor at least part of the year, we do expect an increase in agricultural production for higher amounts of rainfall.

Table 1
Description and predicted signs of exogenous variables

	Level of measurement	Pixel/village	Source	Mixed agriculture	Paddy	Closed forest	Open forest	Mixed grass
Geophysical								
Slope degrees	Degrees	Pixel	Digital elevation model (DEM)	–	–	+	+	?
Elevation	100 m	Pixel	Digital elevation model (DEM)	–	–	+	+	?
Soil suitability classes ^a	9 classes	Pixel	Digital soil map (DSM)	–	–	+	+	+
Mean rainfall amount	100 mm	Pixel	Point interpolation	+	+	+	–	–
Mean variance of rainfall	100 mm	Pixel	Point interpolation	–	+	+	+	+
Socio-economic history of village								
Years since village establishment	2000-year	Village	Survey	+	+	–	–	–
Ethnic composition	0/1	Village	Survey	+	–	–	–	+
Land suitable for conversion	0/1	Pixel	Land use maps maps and DEM	+	+	–	–	–
Lagged population	Households	Pixel	Survey (interpolation)	+	+	–	–	?
Hero village	0/1	Village	Survey	+	+	+	–	–
Policy variables								
Distance to district centre	Kilometres	Pixel	Road network	–	–	+	+	?
Distance to all-year road	Kilometres	Pixel	Road network/survey	–	–	+	+	–
Travel time to all-year road	Hours	Village	Survey	–	–	+	+	–
Years since primary school	2000-year	Village	Survey	+	+	+	–	–
Technology								
Years since construction of reservoir	2000-year	Village	Survey	–	+	+	+	–
Increase in irrigated area	Hectare	Village	Survey	–	+	+	+	–
Years since introduction of NPK	2000-year	Village	Survey	?	?	?	?	?
Nature conservancy								
Nature reserve areas	0/1	Pixel	Official park boundaries	–	–	+	+	–
Spatial effects								
X- and Y-coordinates	Every 5th	Pixel	Sampled from grid	?	?	?	?	?

^a One variable for soil suitability for paddy and one for mixed agricultural production with 1 = highest suitability and 9 = lowest suitability.

village. We hypothesise that higher political capital (Birner and Wittmer, 2002) is expected to improve the access to government programs and outside assistance. This may well lead to an improved infrastructure such as irrigation facilities and better access to extension services and credit supplies. Subsequently, the intensification effect might be associated with a reduction of land expansion, therefore, reducing the pressure on forest land and allowing grass land to recover to become forest once again.

3.4.3. Policy variables

With respect to *infrastructure investments* by the government, we employed several operational variables derived from the village survey. Distance and travel time from the village to all-year roads and to the two district capitals serve as a proxy for market access and access to political centres. Lower values of these variables might be associated with lower forest cover because of higher producer prices, lower input prices, and lower transaction costs compared to remote locations. Yet, Deininger and Minten (2001) find that these variables are highly correlated with population density, soil fertility, and physical capital such as irrigation facilities. However, that was not the case in our dataset where these variables all showed correlation coefficients below 0.5. Since no farm-gate prices for inputs or outputs are available with spatial variation, distance and travel times to roads and markets serve as a proxy for prices as well as transaction costs (Deininger and Minten, 2001). Agricultural land use is expected to be more likely to occur closer to all-year roads, while forest cover should be less likely (Chomitz and Gray, 1996; Pfaff, 1997; Nelson and Hellerstein, 1997). Again, the effect on mixed grass land cannot be hypothesised a priori.

Access to education is proxied by the availability of primary schools in years since their opening. The effect might be uncertain. Common sense tells us that farmers with better access to education should be expected to use land more intensively and adopt new technologies earlier, thus saving land to achieve a given income or farm output. However, there is also empirical evidence that educated households might engage more in land clearing (Pichon, 1997).

Technological change, which has been promoted by a variety of government agencies, is incorporated via the introduction of NPK, one example for a

yield-increasing technology. NPK increases first and foremost the productivity of land, and one might expect land expansion to become more attractive with NPK, provided farmers have sufficient labour and the ability to finance the purchase of agricultural inputs. However, given current labour constraints and incomplete rural financial markets, we rather expect increasing yields and more input in production on existing fields. The longer ago the introduction of NPK, the more likely the possibility of forest cover. On the other hand, more profitable agriculture could increase the incentive to expand area under cultivation and, therefore, lead to a lower forest cover and a positive coefficient for agriculture (Angelsen and Kaimowitz, 2001). Therefore, the overall expected sign of the effect is ambiguous. Another variable related to technological change are years since the construction of a reservoir for agricultural *irrigation*. We anticipate that this labour-intensive intensification on existing agricultural areas will induce households to allocate less time to land clearing and land expansion into upland areas; accordingly, forested pixels will be more likely (Shively and Martinez, 2001; Pender et al., 2001).

Inside a *protected area*, it is impossible to establish property rights for long-term secure cultivation, thereby decreasing the profitability of agriculture (Deininger and Minten, 2001). We expect a significant positive coefficient for non-agricultural land uses and a regeneration of grass to secondary forest. Protected areas may be located on more marginal lands with steeper slopes and on less suitable soils. For that reason, we interact the protection dummy with slope and soil suitability for mixed agriculture. If our hypothesis holds, the introduction of these interaction terms should reduce the significance and the effect of the protection dummy on preserving forest land.

4. Models and results

4.1. Descriptive statistics

Agricultural land increased by 9% from 1975 to 1992, and has stagnated since then (Table 2). The agricultural area mainly developed from open canopy forest and grass. Grassland decreased in the second period from 11 to 4%. It is interesting to look at total forest cover, which declined by 10% in the first period,

Table 2
Land cover in km², percent of total land and number of patches

Cover class	2000			1992			1975 ^a	
	km ²	%	Patches	km ²	%	Patches	km ²	%
Mixed agriculture	339.8	14.2	141	352.0	14.6	339	146.7	6.1
Paddy	111.0	4.6	62	117.0	4.9	57	67.2	2.8
Closed forest	866.6	36.4	14	828.2	34.5	17	836.2	34.9
Open forest	962.6	40.5	56	827.9	34.6	74	1052.3	44.0
Grass	101.5	4.3	159	273.5	11.4	259	295.7	12.2
Total	2381.6 ^b	100	432	2398.6	100	746	2398.2	100

Source: interpretation of Landsat satellite images by Nguyen Thanh Huong (Tay Nguyen University, Buon Ma Thuot) and authors for Lak and Krong Bong districts, Dak Lak Province, Central Highlands, Vietnam.

^a Number of patches only counted for the images from 1992 to 2000, which have the same spatial resolution of 30 m × 30 m.

^b 18 km² missing in 2000, because part of the research area was not covered by the scene.

but has grown by eight percent since 1992. Thus, no severe deforestation has taken place over the last 25 years, with total forest cover decreasing by about 2%.

Another notable feature from Table 2 is the spatial pattern of land fragmentation, measured as the number of patches under a specific land cover. Land fragmentation in the last eight years decreased dramatically from 746 patches of land cover in 1992, to 432 in 2000. Most of that change was due to the high fragmentation of agriculture and grass in 1992, compared to 2000, and it reflects the virtual disappearance of shifting cultivation in the research area, which until today has often been made responsible for large-scale deforestation.

Detailed descriptive statistics of the independent variables are reported in Table 4 of the Appendix A. The range of values in socio-economic and policy variables demonstrates the diverse characteristics of villages. The mean population per pixel increased from three in the first period to more than five households in the second period, indicating higher population pressure in the last decade. The Euclidean distance to all-year roads averages 6 km for all villages, albeit with a large standard deviation indicating the considerable variation in village locations. Construction of reservoirs and more irrigated land boosted rice production by allowing two harvests of wetland rice per year.

4.2. Multinomial logit

To explore relationships between exogenous and predetermined variables and the land cover categories as left-hand side (LHS) variables, a multinomial logit

specification (MNL) was employed. MNL models estimate the direction and intensity of the explanatory variables on the categorical dependent variable by predicting a probability outcome associated with each category of the dependent variable. The probability that $Y = h$ can be stated as (Greene, 1997):

$$\text{PROB}(Y = h) = \frac{e^{\beta' x_{lh}}}{\sum_{m=1}^M e^{\beta' x_{lm}}} \quad (1)$$

In (1), m denotes the land cover classes used for analysis, β a vector of estimation parameters and x_l are the exogenous variables for all Y and at all locations l . Eq. (1) holds, if the error terms are independently and identically distributed as log Weibull (McFadden, 1973). Normalising on all probabilities yields a log-odds ratio (Greene, 1997):

$$\ln \left[\frac{p_{lh}}{p_{lm}} \right] = x'_l (\beta_h - \beta_m) \quad (2)$$

The dependent variable is expressed as the log of the odds of one alternative relative to a base alternative. If model assumptions hold, the maximum likelihood estimators are asymptotically normally distributed, with a mean of zero and a variance of one for large samples. Significance of estimators is tested with z -statistics, which are reported in the output tables. Likelihood-ratio (LR) tests compare the log likelihood from the full model with the one from a reduced model omitting explanatory variables. To test the hypothesis with $(m - 1)$ parameters, a likelihood-ratio and Wald test can be used. Here, only LR test statistics are reported as the two tests showed no major differences.

4.3. Empirical results

The MNL has five land cover classes as categorical, unordered dependent variables. One multinomial logit model was performed for each of the two time periods, i.e. for 1975–1992 and 1992–2000. Hereafter, we will refer to the ‘model 1990’ for the first period and ‘model 2000’ for the second period. Survey recall data for Liberation Day and 1980 was used as ‘best estimate’ for predetermined variables in 1975 and, similarly, recall data from 1990 was employed for 1992. It would have been more suitable to arrive at equally long time periods, which, however, was not possible.⁴ To control potential endogeneity problems, only lagged values for time-variant independent variables such as population growth and placement of schools are considered in the empirical applications. In addition, all variables were tested for multi-collinearity. Model results are reported as raw coefficients in Table 5 in the Appendix A for closed forest as the comparison group. In the discussion, we will also mention the signs of other interesting coefficients not included in Table 5.

The model does not include lagged values of land use due to relatively little variation in the overall land


cover over time. About 70% of the pixels from 1992 to 2000 and 60% in the period 1975 to 1992 did not change over time. Therefore, the lagged values predict present land use almost perfectly, making model estimation problematic. In the ‘model 1990’ the variable for convertible land was dropped due to perfect prediction of paddy land. Since the first nature reserve in the research area was established in 1991, we included the protection variable only in the ‘model 2000’.

Test statistics are reported in Table 6 in the Appendix A. Overall, the model for the second period performs better than the model for the first period due to fewer missing values and more exact data on land cover and recall information. Likelihood-ratio tests for independent variables (Table 7 in the Appendix A) reveal that most coefficients are significant on the 1% level in both models, except the interaction coefficients of protected areas with soil suitability. Likelihood-ratio tests for combining dependent categories let us reject the hypothesis that categories are indistinguishable. Overall predictive power as measured by the locations predicted correctly is high for both models, with 81% of the pixels predicted correctly in ‘model 2000’ and 69% in ‘model 1990’, respectively (Table 3). The majority of the false

Table 3
Predictive power of land use

	Predicted land use, 2000						
	Mixed agriculture	Paddy	Closed forest	Open forest	Grass	Total	% correct
Observed land use, 2000							
Mixed agriculture	2289	178	10	251	41	2769	82.7
Paddy	304	561	0	16	10	891	63.0
Closed forest	8	1	6084	1042	7	7142	85.2
Open forest	294	9	844	6793	55	7995	85.0
Grass	302	6	38	403	73	822	8.9
Total	3197	755	6976	8505	186	19619	80.5
Predicted land use, 1990							
Observed land use, 1990							
Mixed agriculture	1743	259	29	555	327	2913	59.8
Paddy	253	657	2	24	3	939	70.0
Closed forest	20	0	5627	943	205	6795	82.8
Open forest	329	2	968	5137	409	6845	75.0
Grass	678	30	116	982	460	2266	20.3
Total	3023	948	6742	7641	1404	19758	69.0

Source: own calculation. Notes: land use with highest predicted probability as predicted land use; bold entries along the diagonals indicate correct predictions; number of entries correspond to the number of pixels, i.e. to 900 m².



Source: own calculation

Notes: The likelihood increases in magnitude from left to right; initial letters indicate variable values of land use classes: M = Mixed agriculture, P = Paddy, C = Closed forest, O = Open forest, G = Grass; grass (G) as the comparison group has a factor change scale of one; variables are either evaluated for a change in 1 SD (Std Coef) or for a discrete change from 0 to 1 values connected by lines are NOT significant at the 5 % level; one example for interpretation for ethnic minority villages in row two: grass (G) is significantly more likely than all other land uses, while closed forest (C) is the least likely land use class; paddy (P) is NOT significantly more likely than closed forest (C) as the two are connected by a line.

Fig. 2. Odds ratios of selected explanatory variables for land use in year 2000.

predictions in the ‘model 1990’ are pixels covered with grass, which were predicted to be mixed agriculture in 23% of the cases.

Coefficients for most topographic variables are significant at the 1% level and show the expected signs.¹² Agriculture is more likely at lower altitudes, on flatter land, and on better soils. Rainfall variance does not always show the expected signs, which might be due to relatively little dependence on precipitation due to irrigation in the ‘model 2000’ and little rainfall variance in the ‘model 1990’.


Soil suitability for paddy shows the expected signs, and better suitability increases the probability of paddy against all and the probability of agriculture against the remaining soil classes. Surprisingly, better soils increase the odds of closed canopy forest compared to all other land use categories; however, it also makes agricultural land uses more probable compared to grass and open forests.

Odds ratios can facilitate model interpretation as they are constant for changes in other categories of dependent variables. In Figs. 2 and 3, odds ratios of selected socio-economic and policy variables are plotted for both models.

Older villages increase the likelihood of closed forest in the ‘model 1990.’ All coefficients have the opposite direction relative to closed forest in the ‘model 2000’ (row one in Figs. 2 and 3). This result mirrors the settlement location of younger villages closer to roads and populated areas, while older villages are more evenly scattered across the area. Ethnic villages have the lowest odds for closed forest (C) in both models. In the ‘model 2000,’ open forest and grass are significantly more likely closer to ethnic villages than other land uses, which points to a regeneration of forest on formerly used shifting cultivation plots and to a decrease in these cultivation techniques over time.

Lagged population increases the probability of other land use classes relative to closed forest in ‘model 2000,’ as we expected. A comparison between the two periods reveals some interesting changes. Greater population density is significant at the 1% level in the ‘model 2000,’ but had small and insignificant effects in the ‘model 1990.’ These results indicate that—

¹² Note that the multinomial logit model with five outcomes yields 10 possible combinations of outcomes to be compared for each independent variable, hence, 230 coefficients for 23 variables. Here, we will focus on closed forest as the comparison group (base category), if not indicated otherwise.



Source: own calculation

Fig. 3. Odds ratios of selected explanatory variables for land use in year 1990.

at lower levels of population density during the first period—population induced little pressure on change in land use, but growing population density generated a demand for paddy and agricultural land. The coefficients for distance from markets and all-year roads have the expected signs and higher values increase the odds for closed canopy forest. The availability of primary schools increases all land use classes in the ‘model 1990,’ while it decreases the probability of land area covered with agriculture and paddy. Irrigation has a two-fold effect. Older reservoirs decrease while more irrigated area increase the likelihood of pixels to be covered by primary forest in the first period (Table 5). More irrigated area might, thus, have a positive effect on forest protection through an increase in land use intensity. The age of protected areas increases the likelihood of open and closed forest cover compared to all other categories and, therefore, contributed to forest regeneration. On steeper land, forest protection increases the probability of a pixel covered with closed forest relative to grass land while the interaction terms with soil quality do not affect land use classes.

The filter to correct for spatial autocorrelation yields significant coefficients in X- and Y-direction. The direction of the coefficients indicates the upper-left (lower X- and Y-values) as the main area in which agricultural development is concentrated.

4.4. Implications of the spatially explicit framework

The spatial framework facilitates the integration of data from natural sciences with socio-economic data. It allowed capturing a better understanding of driving forces, conditioning factors and outcomes of land cover change. Continuous measures on variables like rainfall, slope and distance are major factors determining agricultural development and the inclusion of their location and spatial arrangement enhance the results and conclusions drawn in this paper. Many of these conclusions could not have been drawn using only cross-sectional data. The use of the spatial filter enhanced overall predictive power manifested by the prediction matrices as well as by the statistical tests in both models. However, the changes in statistical power due to spatial correction remained relatively small with an improvement of prediction power of 1–2% points, almost entirely in the categories mixed agriculture and grass.

Problems for spatially explicit modelling and spatial statistics are frequently found in the combination of data on natural resources with socio-economic information at an acceptable scale and under reasonable assumptions and simplifications. The integration of socio-economic data with continuous spatial layers poses several challenges. Our attempt to combine land use data with interpolation techniques and Thiessen

polygons at the village-level addresses this issue. It could be a reasonable approach considering the size of our research area. However, this aggregation masks decision-making processes at the farm and plot levels. A combination with household level data and more GPS data for field boundaries would improve the strength of the overall model.

5. Discussion and policy implications

The findings from the satellite-image interpretation suggest a decrease in open canopy forest in the first period due to conversion into rain-fed and irrigated agricultural land. Forest cover increased during the 1990s by 8%, mainly due to the natural regeneration of mixed grassland. Followed fields formerly used for shifting cultivation were largely abandoned during the last decade and regenerated to become bamboo and open canopy secondary forest. Overall, rainfed mixed agriculture remained constant in the 1990s, as the reduction in shifting cultivation was compensated by an expansion of cropping area. Over time, agricultural production became more locationally concentrated (less patches) with potential environmental benefits for preserving the integrity of ecosystems and endangered species populations. These changes in land use show that shifting cultivation as the traditional farming system practised by the indigenous population in the research area almost entirely disappeared in its traditional form during the last decade.

The effect of ethnic minority villages on land use shows strong signs in both models. Ethnic villages are on the average closer to forested and grass areas and further away from all-year roads and political centres. Forest regeneration at the expense of agricultural area predominantly occurs closer to ethnic villages. The increase in forest cover over the last decade despite the observed population growth does not correspond to the widely stated positive correlation between higher population density and lower forest cover. Instead, it seems to support the findings from Pender et al. (2001). Permanent conversion of primary forest into agricultural land was hardly observed and, if so, it took place between Liberation Day and 1990, the key period of the government resettlement programs.

Access to all-year roads improved substantially in the last decade, thereby facilitating market integration, access to the infrastructure, agricultural inputs, and public services. The investments in irrigation and infrastructure, combined with improved access to roads, markets, and services, were successful in intensifying agricultural production. Higher agricultural productivity on existing land reduced the need for shifting cultivation, thus preserving forest cover while sustaining a much greater population on virtually the same agricultural land area. Zeller et al. (2000) find similar linkages between agricultural intensification and rural income diversification on the one hand and reduced pressure on forests and soils on the other hand in one of their research areas in Madagascar. This was possible through increases in the productivity of food and cash crops (mainly rice), as well as an increase in cash crop production (mainly maize and to a lesser extent coffee). Because of this and on-going urbanisation, the upland arable area as well as the paddy area reduced slightly, whereas much of the grassland of the earlier period (due to shifting cultivation) was reforested to become open canopy forest and, to a lesser extent, closed canopy forest. Protected areas contributed to this development by decreasing the likelihood of non-forest land uses. Thus, the policy measures have contributed to a reduction in shifting cultivation and facilitated agricultural intensification.

During the first decade, we can observe a pathway of land expansion into previously uncultivated areas. The low population density facilitated extensive land cultivation based on forest fallow. Few farmers applied intensive cultivation techniques and production was subsistence-oriented. The last decade brought about significant changes in the policy environment such as investments in road upgrades, irrigation facilities, and the introduction of new technologies. This period was characterised by intensification without further land expansion and allowed forests to regenerate. Today, forests cover nearly the same area as in 1975. The land saving effect of technological progress prevailed over the labour saving effect. In other words, labour-intensive technical progress diverted resources away from land-intensive farming systems such as the various forms of shifting cultivation by augmenting the return on labour. At present, more people produce more per capita on less land than ten years ago.

Investments in the road network did not significantly reduce forest cover as it was outweighed by intensification on existing land. Road development seems to contribute significantly to improvements in productivity and welfare, in that way reducing land expansion and removing pressure from forests. At the

same time, the shift to a market-driven economy in 1989 (*doi moi*), state policies on sedentarisation and forest protection encouraged production and made traditional farming techniques more difficult to pursue, thus, further contributing to the transformation from traditional subsistence-based to a market-oriented

Table 4
Descriptive statistics for sampled observations

Variable	Observation	Mean	S.D.	Minimum	Maximum
Mixed agriculture, 2000	19617	0.14	0.35	0	1
Paddy, 2000	19617	0.05	0.21	0	1
Closed forest, 2000	19617	0.36	0.48	0	1
Open forest, 2000	19617	0.41	0.49	0	1
Grass, 2000	19617	0.04	0.21	0	1
Mixed agriculture, 1992	19757	0.15	0.36	0	1
Paddy, 1992	19757	0.05	0.22	0	1
Closed forest, 1992	19757	0.34	0.47	0	1
Open forest, 1992	19757	0.34	0.47	0	1
Grass, 1992	19757	0.12	0.32	0	1
Slope (°)	19787	13.11	9.54	0	44
Elevation (100 m)	19787	8.07	3.64	4.19	23.88
Soil suitability for mixed agriculture	19776	6.86	1.31	1	9
Soil suitability for paddy	19794	4.81	1.57	1	9
Rainfall amount (100 mm), 1992–1999	19780	16.57	1.61	9.63	18.65
Rainfall variance (100 mm), 1992–1999	19780	29.97	6.80	16.73	42.05
Rainfall amount (100 mm), 1976–1991	19780	15.76	2.59	11.58	20.08
Rainfall variance (100 mm), 1976–1991	19780	2.84	0.56	1.79	3.88
Age of village (years), 2000	19798	29.33	18.08	1	55
Ethnic minority village (0/1)	19798	0.67	0.47	0	1
Convertible land (0/1), 1992	19727	0.08	0.27	0	1
Population, 1990	19780	5.34	3.21	0.001	29.13
Population, 1980	19780	2.99	2.26	0.000	33.66
Hero village (0/1)	19798	0.26	0.44	0	1
Kilometres to district capital	19798	19.10	10.27	0.05	43.43
Kilometres to all-year road, 1998	19798	5.89	4.95	0	20.28
Kilometres to all-year road, 1990	19798	17.78	10.98	0	43.31
Travel time to all-year road (h), 1990	19798	0.80	1.21	0	6
Travel time to all-year road (h), 1980	18950	1.55	1.65	0	5
Years since primary school, 2000	19798	12.26	9.86	0	55
Years since reservoir, 2000	19798	9.70	8.97	0	20
Age of reservoir × irrigated area, 2000	19798	1.63	1.93	0	10.2
Age of reservoir × irrigated area, 1990	19798	0.59	0.83	0	3.4
Years since introduction of NPK, 2000	19798	3.95	3.06	0	20
Age of protected area (years), 2000	19798	0.99	2.51	0	9
Coordinate in X-direction	19798	869.12	384.61	3	1623
Coordinate in Y-direction	19798	507.27	231.53	3	1039

Source: primary data on village-level collected by authors through village survey and land cover data through interpretation of Landsat images; secondary data on geo-physical and agro-ecological variables from the Mekong River Commission (Digital Elevation Model) and provided by the Department for Agriculture and Rural Development, Dak Lak (Digital Soil Map and protected areas); rainfall data from own interpolation of data from nine meteorological stations, classification of soil suitability classes from expert opinion.

Table 5
Multinomial logit models of land use with closed forest as comparison group

	Model 2000				Model 1990			
	Mixed agriculture	Paddy	Open forest	Grass	Mixed agriculture	Paddy	Open forest	Grass
Slope (°)	-0.166 (16.08)**	-0.245 (8.23)**	0.006 -1.72	-0.044 (5.93)**	-0.097 (15.98)**	-0.207 (7.26)**	0.012 (3.50)**	0 -0.06
Elevation (100 m)	-4.229 (24.48)**	-9.089 (14.75)**	-0.819 (45.39)**	-1.389 (22.19)**	-1.45 (37.23)**	-6.937 (10.11)**	-0.759 (45.55)**	-1.323 (43.99)**
Suitability for paddy	-0.303 (3.06)**	-0.574 (5.64)**	-0.345 (3.47)**	-0.239 (2.25)*	-14.695 (37.69)**	-14.981 (37.74)**	-14.461 (37.11)**	-14.647 (37.58)**
Suitability for mixed agriculture	0.643 (6.39)**	0.638 (6.04)**	1.03 (9.92)**	0.732 (6.48)**	0.731 (8.74)**	0.906 (10.06)**	1.049 (12.39)**	0.871 (10.17)**
Rainfall amount (100 mm)	0.845 (3.86)**	1.55 (4.60)**	-0.099 -0.81	0.53 (2.59)**	1.602 (11.40)**	1.67 (7.14)**	1.114 (9.79)**	1.538 (11.45)**
Rainfall variance (100 mm)	-0.418 (3.84)**	-0.154 -1.13	-0.156 (2.38)*	0.265 (2.64)**	-0.747 (10.12)**	-0.888 (6.22)**	-0.222 (3.50)**	-0.524 (7.24)**
Convertible land (0/1), 1992	0.291 -0.45	-1.124 -1.56	1.703 (2.59)**	1.045 -1.5				
Age of village (years)	0.04 (7.96)**	0.045 (7.17)**	0.034 (9.86)**	0.035 (6.96)**	-0.021 (4.73)**	-0.025 (4.07)**	-0.028 (8.03)**	-0.016 (3.88)**
Ethnic minority village (0/1)	0.438 (2.60)**	0.194 -0.94	0.752 (6.08)**	1.017 (5.99)**	1.584 (10.77)**	1.555 (8.18)**	1.261 (10.45)**	1.701 (12.09)**
Population (households)	0.018 (5.36)**	0.024 (5.65)**	0.01 (4.13)**	0.008 (2.21)*	-0.013 (4.01)**	-0.01 (2.59)**	-0.013 (4.52)**	-0.017 (5.54)**
Hero village (0/1)	0.521 (2.49)*	-1.268 (4.60)**	-1.233 (9.34)**	-0.736 (3.54)**	0.452 (2.71)**	-0.841 (3.28)**	-0.176 -1.3	0.306 -1.9
Kilometres to all-year road	-0.502 (15.40)**	-0.326 (5.51)**	-0.135 (11.96)**	-0.177 (6.78)**	-0.163 (10.53)**	-0.304 (9.97)**	0.023 -1.73	-0.092 (6.35)**
Kilometres to district capital	0.116 (4.12)**	0.189 (6.01)**	0.079 (3.50)**	0.167 (6.01)**				
Travel time to all-year road (h)	0.242 (4.03)**	0.115 -1.25	-0.034 -0.97	-0.045 -0.68	0.049 -1.11	0.212 (2.74)**	-0.009 -0.26	0.106 (2.52)*
Years since primary school	-0.021 (3.96)**	-0.029 (3.84)**	-0.001 -0.35	0.003 -0.6	0.045 (6.67)**	0.101 (9.85)**	0.058 (10.08)**	0.059 (9.01)**
Years since introduction of NPK	0.046 -1.93	0.101 (3.71)**	0.034 -1.88	-0.039 -1.48	-0.129 (2.81)**	-0.086 -1.6	-0.574 (5.18)**	-0.097 (2.13)*
Years since reservoir	0.047 (3.97)**	0.034 (2.07)*	0.074 (9.44)**	0.022 -1.74	0.072 (2.79)**	0.033 -0.86	0.071 (3.26)**	0.126 (5.04)**
Age of reservoir * irrigated area	-0.02 (4.53)**	-0.002 -0.29	-0.019 (5.23)**	-0.012 (2.47)*	0.05 (3.45)**	0.075 (4.38)**	0.068 (5.00)**	0.027 -1.85

Table 5 (Continued)

	Model 2000				Model 1990			
	Mixed agriculture	Paddy	Open forest	Grass	Mixed agriculture	Paddy	Open forest	Grass
Age of protected area (years)	−0.376 (2.11)*	−0.363 −1.92	0.019 −0.11	−0.314 −1.72				
Interaction protection–slope	0.058 −1.11	−0.119 −0.69	0.024 (2.19)*	−0.127 (2.60)**				
Interaction protection–soil	0.101 −0.29	−0.117 −0.33	0.119 −0.35	−0.004 −0.01				
Coordinate in X-direction	0 −0.05	−0.008 (2.96)**	−0.001 −0.97	−0.015 (7.51)**	0.005 (5.88)**	0.002 −1.66	0 −0.1	0.00 (3.77)**
Coordinate in Y-direction	−0.005 (7.15)**	−0.002 −1.83	0.002 (4.38)**	−0.004 (7.06)**	0 −0.5	0.002 −1.38	−0.003 (7.59)**	−0.003 (5.95)**
Constant	16.877 (4.62)**	20.284 (3.43)**	7.388 (3.34)**	−1.708 −0.48	125.082 (39.48)**	152.119 (45.87)**	117.319 (36.15)**	120.885 (37.38)**
Observations	19576	19576	19576	19576	18871	18871	18871	18871

Source: own calculation. Notes: absolute value of z-statistics in parentheses below coefficients.

* Significant at 5%.

** Significant at 1% (coefficients with 5% or higher significance level in bold).

production. Moreover, government's expansion and improvement of irrigation systems enabled and facilitated agricultural development. Rice yields and production almost tripled in the research area in the last decade. Intensification from improved irrigation systems may have greatly reduced the pressure to expand cultivated area at the expense of forest.

As we showed, the intensification of agriculture—combined with the (enforced) protection of forested areas—can reduce the pressure on forested land, and slow down or even halt the expansion of agricultural land if coupled with the right policy instruments. The analysis shows that investments in the infrastructure can facilitate this much-needed intensification of

Table 6
Measures of fit for multinomial logit models

	Model 2000	Model 1990	Difference
Log-Lik intercept only	−25123	−26483	−1360
Log-Lik full model	−9825	−13552	−3727
Deviance (d.f.)	19650 (19480)	25862 (18795)	−7323 (685)
LR Chi ² (d.f.)	30596 (92)	26158 (72)	−4882 (20)
Prob > LR	0.000	0.000	0.000
McFadden's Adj R ²	0.605	0.485	0.120
Maximum likelihood R ²	0.790	0.746	0.044
Cragg and Uhler's R ²	0.856	0.794	0.062
Count R ²	0.809	0.711	0.098

Source: own calculation.

Table 7
Likelihood-ratio tests for independent variables

Variable	Model 2000		Model 1990	
	Chi ²	<i>P</i> > Chi ²	Chi ²	<i>P</i> > Chi ²
Slope (°)	404.36	0	525.95	0
Elevation (100 m)	4570.59	0	6405.80	0
Soil suitability paddy soil	131.21	0	302.51	0
Soil suitability mixed agriculture	109.03	0	182.21	0
Rainfall sum (100 mm)	39.61	0	139.30	0
Rainfall variance (100 mm)	70.96	0	189.63	0
Convertible land (0/1)	58.49	0		
Age of village (years)	105.24	0	86.03	0
Ethnic minority village (0/1)	60.60	0	149.78	0
Population (households)	40.24	0	35.86	0
Hero village (0/1)	294.62	0	81.47	0
Kilometres to all-year road	341.46	0	664.52	0
Kilometres to district capital	61.07	0		
Travel time to road (min)	35.20	0	23.28	0
Years since primary school	37.27	0	173.39	0
Years since introduction of NPK	38.32	0	56.72	0
Years since reservoir	115.90	0	33.55	0
Increase in irrigated area (ha)	52.18	0	88.72	0
Age of protected area (years)	71.84	0		
Interaction protection–slope	18.97	0		
Interaction protection–soil	4.27	0.371		
Coordinate in X-direction	126.27	0	170.03	0
Coordinate in Y-direction	243.93	0	120.76	0

Source: own calculation. Notes: Ho = all coefficients associated with given variable(s) are 0.

agriculture without detrimental consequences for forest resources.

The two districts in our study were purposively selected and are not representative of the entire province. Our secondary data and satellite images of other districts in Dak Lak Province not presented in this paper show a less positive picture as forest cover continued to decline there during the second decade. This is presumably due to less mountainous topography and the widespread existence of the basaltic soil in these other districts. For that reason, the plantation of coffee and pepper, much of it by state-owned enterprises, expanded rapidly in the 1990s to the detriment of forest cover. Therefore, our findings relate to one part of Dak Lak province and cannot be generalised to all of the Central Highlands. Nonetheless, the policy implications of this study call for a renewed emphasis on rural and agricultural development—combined with effective enforcement of nature conservancy measures—that can address the subsistence and income needs through improved technology and institutions.

With respect to implications for further research, we conclude that econometric modelling with larger samples no longer causes serious computational problems. Remote sensing scanners of resolution as used here are available at low costs for the public and continue to increase in quality. Problems for spatially explicit modelling and spatial statistics are found more frequently in the combination of data on natural resources with socio-economic information at an acceptable scale and under reasonable assumptions and simplifications. The integration of socio-economic data with continuous spatial layers poses several challenges. Our attempt to combine land use data with interpolation techniques and Thiessen polygons at the village-level addresses this issue. It could be a reasonable approach considering the size of our research area. However, this aggregation masks decision-making processes at the farm and plot levels. A combination with household level data and more GPS data for field boundaries would improve the strength of the overall model.

Our analysis suggests a variety of possible extensions for future research. The dynamics of forest cover change could be more deeply examined employing binary outcome models and panel estimation procedures. With regard to the assumptions of the independence of irrelevant alternatives, a nested logit

approach could yield more consistent estimates, but adds complexity to the interpretation. Inferences from underlying causalities are still difficult to draw given the reduced-form model used in our analysis. Structural models would yield further insights, but would also be more data demanding. An additional analysis could explore the potential endogeneity of the placement of government programs to improve the rural infrastructure (Bigman and Fofack, 2000). It is our hope that the analysis presented here may have highlighted the usefulness of spatially differentiated models of land use change for agricultural and rural development policy analysis.

Acknowledgements

The research was initiated by and is affiliated with the Sustainable Management of Resources in the Lower Mekong Basin Project (SMRP). The project is implemented by the Mekong River Commission (MRC) with support from the German Agency for Technical Cooperation (GTZ) and the German Ministry of Economic Cooperation and Development (BMZ). This research project is supported by the Tropical Ecology Support Program of the GTZ. We are grateful to Regina Birner, Silke Boger, Gerald Nelson, Thomas Sikor, and one anonymous reviewer for helpful comments on previous versions. Further, we would like to thank Christoph Feldkötter, Pham Tan Ha and Nguyen Thanh Thi Huong for their valuable support concerning Geographic Information Systems (GIS) and Remote Sensing (RS), as well as in the acquisition of primary and secondary data at the village, commune, and district levels. We are also indebted to lecturers from the Tay Nguyen University, Buon Ma Thuot, who as soil experts provided valuable information for classifying soils. Finally, we would like to express our gratitude to Nguyen Hong Quan and Nguyen Hai Nam from the Ministry of Agriculture and Rural Development; to Pham Muu Binh, director of the Department of Agriculture and Rural Development of Dak Lak Province; and to Nguyen Ai Lien, Tran Huu Nghi, and Tran Ngoc Thanh, who all provided invaluable support in logistics, data acquisition, dissemination and the discussion of research findings at the district, province and national levels.

Appendix A

See Tables 4–7.

References

- Angelsen, A., Kaimowitz, D., 2001. Agricultural technology and forests: a recapitulation. In: *Agricultural Technologies and Tropical Deforestation*. Oxon, pp. 383–402.
- Anselin, L. Spatial Econometrics. <http://geog55.gis.uiuc.edu/~luc/> [accessed Nov. 2001], 1999. Richardson, Texas, Bruton Center, School of Social Sciences, University of Texas at Dallas.
- Anselin, L., 2001. Issues in Spatial Probit Models. Department of Agricultural and Consumer Economics, University of Illinois, Urbana-Champaign.
- Aronoff, S., 1995. *Geographic Information Systems: A Management Perspective*. WDL Publications, Ottawa.
- Besag, J., 1974. Spatial interaction and the statistical analysis of lattice systems. *J. R. Stat. Soc., Ser. B* 36, 192–236.
- Bigman, D., Fofack, H., 2000. *Geographical Targeting for Poverty Alleviation: Methodology and Applications*. World Bank, Washington, DC.
- Birner, R., Wittmer, H., 2002. Using social capital to create political capital, How do local communities gain political influence? A theoretical approach and empirical evidence from thailand. In: *The Commons in the New Millennium, Challenges and Adaptation*. MIT Press.
- Boserup, E., 1965. *The Conditions of Agricultural Growth*. Aldine, Chicago.
- Bracken, I., 1994. A Surface Model Approach to the Representation of Population-Related Social Indicators. In: *Spatial Analysis and GIS*. Taylor & Francis, London, pp. 247–259.
- Cattaneo, A., 2001. Deforestation in the Brazilian Amazon: comparing the impacts of macroeconomic shocks, land tenure, and technological change. *Land Econ.* 77, 219–240.
- Chomitz, K.M., Gray, D., 1996. Roads, lands use, and deforestation: a spatial model applied to Belize. *World Bank Econ. Rev.* 10 (3), 487–512.
- Chomitz, K.M., Thomas, T.S., 2001. Geographic Patterns of Land Use and Land Intensity in the Brazilian Amazon. Development Research Group. <http://econ.worldbank.org/> [accessed Nov. 2001]. The World Bank, Washington, DC.
- Dak Lak Statistical Office, 2001. *Statistical Yearbook 2000*. Buon Ma Thuot, Vietnam.
- Deininger, K., Minten, B., 2001. Determinants of Deforestation and the Economics of Protection: An Application to Mexico. The World Bank, Washington, DC.
- Entwisle, B., Walsh, S.J., Rindfuss, R.R., Chamrathirong, A., 1998. Land-Use/Land-Cover and Population Dynamics, Nang Rong, Thailand. In: *People and Pixels: Linking Remote Sensing and Social Science*. National Research Council, Washington, DC, pp. 121–144.
- Fox, J., Kanter, R., Yarnasarn, S., Ekasingh, M., Jones, R., 1994. Farmer decision making and spatial variables in Northern Thailand. *Environ. Manage.* 18, 391–399.
- General Statistical Office, 2001. *Statistical Yearbook 2000*. Statistical Publishing House, Hanoi.
- Greene, W.H., 1997. *Econometric Analysis*. Prentice-Hall, Englewood Cliffs, NJ.
- Kaimowitz, D., Angelsen, A., 2000. *Economic Models of Tropical Deforestation: A Review*. Center for International Forestry Research, Bogor, Indonesia.
- Kaimowitz, D., Angelsen, A., 2002. *Economic Models of Tropical Deforestation: A Review*. Unpublished Manuscript, Third Draft. Center for International Forestry Research, Bogor, Indonesia.
- McFadden, D., 1973. Conditional Logit Analysis of Qualitative Choice Behaviour. In: *Frontiers in Econometrics*. Academic Press, New York.
- Mertens, B., Sunderlin, W.D., Undoye, O., Lambin, E.F., 2000. Impact of macroeconomic change on deforestation in South Cameroon: integration of household survey and remotely-sensed data. *World Develop.* 28, 983–999.
- Minot, N., Goletti, F., 2000. Rice Market Liberalization and Poverty in Vietnam. International Food Policy Research Institute, Washington, DC.
- Munroe, D., Southworth, J., Tucker, C.M., 2001. The Dynamics of Land-Cover Change in Western Honduras: Spatial Autocorrelation and Temporal Variation. <http://www.cipec.org/index.html> [accessed Jan. 2002].
- Nelson, G.C., Harris, V., Stone, S., 1999. Spatial Econometric Analysis and Project Evaluation: Modelling Land Use Change in the Darien. <http://www.iadb.org/sds/> [accessed May 2001]. Report for the Interamerican Development Bank. Washington, DC.
- Nelson, G.C., Harris, V., Stone, S., DePinto, A., 2001. Land Use and Road Improvements: A Spatial Econometric Analysis. <http://www.ace.uiuc.edu/faculty/gnelson/> [accessed Nov. 2001]. Agricultural and Consumer Economics Staff Paper AE-4741. University of Illinois, Urbana-Champaign, Illinois.
- Nelson, G.C., Hellerstein, D., 1997. Do roads cause deforestation? Using satellite images in econometric analysis of land use. *Am. J. Agric. Econ.* 79, 80–88.
- Pender, J.L., Jagger, P., Nkonya, E., Sserunkuma, D., 2001. Development Pathways and Land Management in Uganda: Causes and Implications. International Food Policy Research Institute, Washington, DC.
- Pender, J.L., Scherr, S.J., Durón, G., 1999. Pathways of Development in the Hillsides of Honduras: Causes and Implications for Agricultural Production, Poverty and Sustainable Resource Use. International Food Policy Research Institute, Washington, DC.
- Pfaff, A.S.P., 1997. What Drives Deforestation in the Brazilian Amazon? Evidence from Satellite and Socioeconomic Data. The World Bank Policy Research Department Environment, Infrastructure, and Agriculture Division, Washington, DC.
- Pichon, F.J., 1997. Settler households and land-use patterns in the Amazon frontier: farm-level evidence from Ecuador. *World Develop.* 25, 67–91.
- Ruthenberg, H., 1980. *Farming Systems in the Tropics*, 3 ed. Oxford.
- Ruttan, V.W., Hayami, Y., 1984. Towards a theory of induced institutional innovation. *J. Develop. Stud.* 20, 203–223.

- Scherr, S.J., Bergeron, G., Pender, J.L., Barbier, B., 1996. Policies for Sustainable Development in Fragile Lands: Methodology Overview. International Food Policy Research Institute, Washington, DC.
- Shively, G.E., Martinez, E., 2001. Deforestation, Irrigation, Employment and Cautious Optimism in Southern Palawan, The Philippines. In: *Agricultural Technologies and Tropical Deforestation*. Oxon, pp. 335–346.
- Tachibana, T., Nguyen, M.T., Otsuka, K., 1998. From Deforestation to Reforestation through Tenure Reforms: The Case of the Northern Hill Region of Vietnam. Hokkaido University, Tokyo Metropolitan University and International Food Policy Research Institute, Tokyo.
- Templeton, S.R., Scherr, S.J., 1997. Population Pressure and the Microeconomy of Land Management in Hills and Mountains of Developing Countries. International Food Policy Research Institute, Washington, DC.
- van der Veen, A., Otter, H.S., 2001. Land use changes in regional economic theory. *Environ. Modell. Assess.* 6, 145–150.
- Zeller, M., Lapenu, C., Minten, B., Ralison, E., Randrianaivo, D., Randrianarisoa, C., 2000. The critical triangle between environmental sustainability, economic growth, and poverty alleviation. In: Minten, B., Zeller, M. (Eds.), *Beyond Market Liberalization: Income Generation, Welfare and Environmental Sustainability in Madagascar*. Ashgate Publishing Company, Aldershot, England, pp. 209–236.