



The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.

Evaluation of the Agricultural Non-point Source Pollution in Chongqing Based on PSR Model

Hanwen ZHANG¹, Xinli MOU^{1*}, Hui XIE¹, Hong LU², Xingyun YAN²

1. Key Laboratory of Water Environment Evolution and Pollution Control in Three Gorges Reservoir, Chongqing Three Georges University, Chongqing 404100, China; 2. School of Finance and Economics, Chongqing Three Georges University, Chongqing 404020, China

Abstract Through a series of exploration based on PSR framework model, for the purpose of building a suitable Chongqing agricultural non-point source pollution evaluation index system model framework, combined with the presence of Chongqing specific agro-environmental issues, we build a agricultural non-point source pollution assessment index system, and then study the agricultural system pressure, agro-environmental status and human response in total 3 major categories, develop an agricultural non-point source pollution evaluation index consisting of 3 criteria indicators and 19 indicators. As can be seen from the analysis, pressures and responses tend to increase and decrease linearly, state and complex have large fluctuations, and their fluctuations are similar mainly due to the elimination of pressures and impact, increasing the impact for agricultural non-point source pollution.

Key words PSR model, Agricultural non-point source pollution, Indicator system, Chongqing

1 Introduction

Ecological security is one of the current forefront subjects of sustainable research, reflecting the relationship between economic activities of human society and the natural ecological environment has become a significant part of national security. In China, concept of national eco-environment security was formally proposed in 2000 by the State Council which issued the "Outline of National Eco-environment", considering it as environmental protection objective for the first time in the context of national security^[1]. Since the 21st century, a series of incidents on agricultural or food contamination have occurred, and each country has to increase the investment in agricultural science research, agro-technology promotion and agricultural environmental construction, and agricultural ecological security has become a pressing concern around the world. In recent years, domestic and foreign scholars have done a lot of exploration of choices in the agricultural ecological security evaluation objects, index system and evaluation method. The "Pressure – States – Response" (PSR) evaluation system proposed by the International Organization for Economic Cooperation and Development (OECD) is the foreign exploration result^[2]. Pressure – State – Response model is built on the interaction and impacts between human and environmental systems. It also organizes and classifies the environmental indicators with strong system-icness. PSR model takes advantage of way of thinking of "Pressure – State – Response", and rationally analyzes the interaction between human activities and the natural environment, taking the pressure (P) caused by human activities on the environment and

natural resources into account, in which the state (S) of the environment and natural resources quality is changed under the pressure, when the status of the environment and resources exceed the maximum pressure range, resulting in unfavorable conditions for human survival and development. The community makes the corresponding response (R) through a series of environmental, economic and policy management practices and legal systems. In this paper, we aim to build a suitable agricultural non-point source pollution evaluation index system of Chongqing by analyzing its agricultural non-point source pollution.

2 Overview of agricultural non-point source pollution in Chongqing

Since Chongqing became a municipality for over a decade, with the rapid development of agriculture, agricultural production has also been greatly developed, and the living quality of peasants has been greatly improved. However, due to the high consumption of municipal solid waste with modern lifestyles nowadays, environmental issues have been taken as a major test, in which agricultural non-point source pollution has now become one of the key factors that restrict agricultural development. Agricultural non-point source pollution mainly refers to soil erosion and pollution caused by fertilizer, pesticides, and other livestock in agricultural production having become the main source of water pollution in the recent years, seriously threatening human survival and development^[3]. Currently, agricultural non-point source pollution has become one of the main threats to water quality in Chongqing. How to effectively control agricultural non-point source pollution has become a difficult problem that affects the sustainable development of agriculture. Nowadays, arable land in Chongqing has decreased, yet the total amount of chemical fertilizer and relative chemical fertilizer per unit area has increased, thereby increasing the pollution^[4].

Received: June 16, 2014 Accepted: August 18, 2014

Supported by Chongqing Municipal Key Laboratory of Institutions of Higher Education (WEPKL2013MS – 10); Chongqing Municipal Innovation Planning Project for University Students in 2013 (201310643003).

* Corresponding author. E-mail: cqsxxyjhx@163.com

3 Chongqing agricultural non-point source pollution model PSR framework

The agricultural ecological environment problems are mainly shown in soil erosion, deterioration of water environment, increase of land pollution, biodiversity destruction and so on. Agricultural ecological environment deterioration is related to congenital fragile ecological environment, especially caused by human beings' pursuit of economic development. PSR framework model including economy, society and environment, not only means that the development society, economy and human behavior affect the environment, but also shows that the human behavior and the resulting state of the environment have an impact on the society. The feedback from society is caused by responding to environmental state changes resulting response measures^[5]. In this paper, based on PSR model, combined with specific issues in agricultural non-point source pollution in Chongqing, we conduct a series of inquiries to construct suitable Chongqing agricultural non-point source pollution evaluation system. Based on PSR framework model, agricultural non-point source environmental conditions in Chongqing, level of economic development and other factors, according to the evaluation of the relationship between objects in each group, we construct multi-level evaluation index system, and further construct the agricultural non-point source pollution evaluation system summarized as hierarchy system.

(i) The target layer: With agricultural non-point source pollution in Chongqing as a comprehensive indicator overall, it reflects the process and level of ecological safety.

(ii) Criteria layer: Formed by the target layer indicators, it indicates main factors of agro-environmental system security constraints, including pressure, state and response.

(iii) Index layer: It is a method directly reflecting the amount of the individual data or probabilities, such as chemical fertilizers usage, organic fertilizer usage levels and so on, and is also a measure of limited nitrogen and total phosphorus indicators, various environmental state and water quality standards of agricultural non-point source pollution, and it is the most basic measure of agricultural non-point source pollution system.

Data mainly come from Chongqing Statistical Yearbook 2012, Chongqing City of Water Resources Bulletin (2001 – 2012), and the Chongqing Municipal Environmental Statistics Bulletin (2001 – 2012).

C_{11} for the amount of chemical fertilizer (kg/m^2), refers to

chemical fertilizer and pesticide application rate in a unit area, and is a reflection of soil nitrogen, phosphorus, and drug content; C_{12} for the amount of pesticides (kg/hm^2), displays pesticide use in per unit area, and plays a role in the study of crops or soil pesticides proportion; C_{13} for the amount of agricultural film (kg/m^2), is the ratio of per unit area covered with agricultural film with the amount of the per unit area; C_{14} for agricultural population (million), refers to the population who live in rural areas engaged in agricultural production, with agriculture as their main source of income; C_{15} for food production (t), refers to the entire grain harvest; C_{16} as meat production (kg), refers to the entire meat production; C_{17} as egg production (kg), refers to all of the egg production; C_{21} as water COD (mg/L), and COD is chemical oxidizing agent consuming oxidant to convert the oxygen. It is the ratio of the total COD with water. Rural sewage COD = (rural/urban population) \times domestic sewage COD; C_{22} for the amount of soil erosion (kg), is the total amount of soil erosion; C_{23} annual total precipitation (mm), represents the sum of all precipitation in a year; C_{24} the forest coverage rate (%), refers to the total amount of forest cover per unit area; C_{25} as surface runoff (one hundred million cubic meters), refers to the total amount of surface runoff generated; C_{26} as water TN, TP(mg/L), total nitrogen (TN), total phosphorus (TP), is a measure of water quality. TN refers to the amount of various forms inorganic and organic nitrogen in water, TP refers to the various forms of phosphorus in water; C_{27} is the surface water quality, and is a significant indicator of prevention of water pollution, protection of surface water quality, protection of human health and well-maintained ecosystems; C_{31} rural Engel coefficient (%), means food consumption expenditure as a proportion of the total population of household income; C_{32} biogas utilization (%), means biogas utilization of per unit area; C_{33} crop straw utilization (%), is the harvest of crops recycling and incineration landfill; C_{34} for farmers income (million), is farmer's total income obtained from various sources; C_{35} organic fertilizer utilization rate (%), is the natural decomposition of organic matter by microbial fermentation of a class or fertilizer use in agricultural production ratio.

After the hierarchical structure model is built, we complete the construction expertise to judge scoring matrix, and then sort through the level and consistency of a single test, the total level of sorting and consistency test^[6], to obtain evaluation index system, as shown in Table 1.

Table 1 Agricultural non-point source pollution evaluation system in Chongqing

The target layer A	Criteria layer B and the weight		Index layer C and the weight		The total weight
Chongqing agricultural non-point source pollution evaluation system	System pressure B_1	0.333	C_{11} chemical fertilizer	0.332	0.111
			C_{12} pesticide usage	0.207	0.069
			C_{13} usage of agricultural film	0.163	0.054
			C_{14} agriculture quantity (million) of the population	0.130	0.043
			C_{15} food production	0.082	0.027
			C_{16} meat production	0.051	0.017
			C_{17} egg production	0.036	0.012
	System status B_2	0.333	C_{21} water COD	0.236	0.079
			C_{22} total amount of soil erosion	0.211	0.070

(Table 1)

The target layer A	Criteria layer B and the weight		Index layer C and the weight	The total weight
System response B_3	0.333	C_{23}	total annual precipitation	0.063
		C_{24}	forest coverage rate	0.050
		C_{25}	surface runoff	0.123
		C_{26}	water TN	0.278
		C_{27}	surface water quality	0.038
		C_{31}	rural Engel coefficient	0.303
		C_{32}	biogas utilization	0.272
		C_{33}	crop straw utilization	0.081
		C_{34}	farmers' income	0.209
		C_{35}	organic fertilizer utilization	0.134
				0.045

The indicators of 2001 – 2011 data performed using SPSS Z normalized results are obtained and adjusted according to actual situation of positive and negative signs, and we get results of pres-

sure, state, response, and comprehensive evaluation, respectively shown in Fig. 1.




Fig. 1 Agricultural non-point source pollution pressure – state – response system evaluation results in Chongqing

Fig. 1 (a) shows that on the whole agricultural non-point source pollution pressure tends to increase linearly, and with the development of agriculture, agricultural non-point source pollution pressures have increased, and such trends make agricultural non-point source pollution become increasingly serious. Fig. 1 (b) shows the state of agricultural non-point source pollution in the period 2005 to 2011. It was negative in 2005 – 2010 and there was a positive change in the 2010 – 2011. Agricultural non-point source pollution experienced a negative increase overall from 2001 to 2011. We can see that the state of agricultural non-point source pollution is volatile. Fig. 1 (c) shows that the response to overall agricultural non-point source pollution is gradually changed from negative to positive, showing a positive linear increase in the state. With the development of agricultural science and technology, agricultural non-point source pollution responds in the right

direction, and the agricultural non-point source pollution in response to the overall linear trend for agricultural non-point source pollution impact is smaller. Fig. 1 (d) shows that in 2001 – 2004, there was a change from positive to negative values for agricultural non-point source pollution effects, and comprehensive value decreased, mainly due to the reason that agricultural non-point source pollution response at this stage was relatively low. During 2009 – 2011, agricultural non-point source pollution response was relatively high, but due to the increasing impact of agricultural non-point source pollution pressures, at this stage the impact of agricultural non-point source pollution also showed good condition. The trend in volatility has certain similarities, primarily because there are changes in agricultural non-point source pollution pressures and agricultural non-point source pollution response offsets what each has contributed to.

(iii) As the urbanization tends to be stabilized, the level of urbanization, and resources and environment reach new coupling, and the mutual promotion between the two is increasingly prominent, that is, the higher level of urbanization brings the implementation of ecological protection concept, the demand for land, water, electricity and other resources tends to be stabilized, and the industrial pollution is gradually reduced. Likewise, the resources and environment will also actively promote the development of urbanization.

(iv) It is predicted that the new trend of urbanization development in Chongqing will appear in 2020 when the level of urbanization and resources and environment will reach a new round of balance. Therefore, the development of urbanization in Chongqing still has great potential, and the future optimizing focus lies in investing in green industry and eco-industry.

4.2 Recommendations We draw the following recommendations:

(i) Transforming the concept of urban construction to promote the green urbanization process. In the process of promoting green urbanization, it is necessary to fully consider the carrying capacity of regional resources and ecological environment, enhance the intensive use of resources, highlight the concept of environmental protection, and achieve high quality urbanization at the cost of low resource consumption and low pollution, so as to make the social development take a green urbanization road.

(ii) Optimizing the industrial structure to promote scientific development of urbanization. Chongqing should draw on the regional advantages and policy advantages, to formulate the strategic emerging industry development plan, build the strategic emerging industry financing system, and strengthen the policy support, to promote industrial structure optimization and enhance the scientific development of urbanization.

(iii) Strengthening the overall planning control to promote low-carbon urbanization. Chongqing should actively implement the planning of main functional areas, and coordinate the main func-

tional positioning of different regions; for all types of main functional areas, build the implementation path of emission reduction to promote low-carbon urban construction.

(iv) Improving the environmental rule of law and strengthening the urban environment regulation. It is necessary to strengthen the division of labor of government departments with individual responsibility, enhance the unified supervision and management of environmental protection departments, promote the active public participation, and establish the environmental assessment system, to actively promote the comprehensive environmental protection during the urbanization of Chongqing.

References

- [1] Kent P Schwirian, Jhon W Prehn. An axiomatic theory of urbanization[J]. *American Sociological Review*, 1962, 27(6): 14–17.
- [2] TR Detwyler, MG Marcus, DF Eschman. Urbanization and environment: The physical geography of the city, 1972.
- [3] John Wiley, Sons. Northam Ray M. Urban Geography, 1979.
- [4] World Bank, World Development Report[R], 2004.
- [5] Timberlake M. Urbanization in the world-economy[J]. *Studies in Social Discontinuity*, 1985.
- [6] JS Deng, K Wang, Y Hong. Elsevier spatio-temporal dynamics and evolution of land use change and landscape pattern in response to rapid urbanization[J]. *Landscape and Urban Planning*, 2009, 92(3): 187–198.
- [7] Migration, urbanization, resources & development, and discussions. A Rogers – Alternatives for Growth: The Engineering and ..., 1978 – nber.org
- [8] L Shen, S Cheng, AJ Gunson. Urbanization, sustainability and the utilization of energy and mineral resources in China[J]. *H Wan-Cities*, 2005.
- [9] HUANG JC, FANG CL. Analysis of coupling mechanism and rules between urbanization and eco-environment[J]. *Geographical Research*, 2013, 22(2): 211–220. (in Chinese).
- [10] Kenneth Button. City management and urban environmental indicators[J]. *Ecological Economics*, 2002, 2(40): 217–233.
- [11] Shu-Li Huang, Jui-Hao Wong, Tzy-chuen Chena. A framework of indicator system for measuring Taipei's urban sustainability[J]. *Landscape and Urban Planning*, 1998, 42(1): 15–27.
- [12] Grossman G, Krueger A. Economic growth and the environment[J]. *Quarterly Journal of Economics*, 1995, 110: 353–377.

(From page 71)

4 Conclusions

Based on the Chongqing market source pollution PSR model framework, combined with the status quo of Chongqing agricultural non-point source pollution, PSR model is used to construct index system, and then each index is standardized using SPSS, to analyze the agricultural non-point source pollution pressures, state and response, in order to comprehensively assess the agricultural non-point source pollution. And according to the chart on agricultural non-point source pollution, we analyze the agricultural non-point source pollution pressures and responses, and the results indicate that the overall trend shows linear increase and decrease and the agricultural non-point source pollution is in a state of fluctuation. Through the further analysis and evaluation, it aims to provide a reference for the future quantitative analysis of agricultural ecological security in Chongqing.

References

- [1] YU F, WANG XF, XU HL, *et al.* The research on agroecological security progress in China[J]. *Journal of Taiyuan Normal University (Natural Science Edition)*, 2008, 7(4): 110–113. (in Chinese).
- [2] LI ZC, LIU LD, SUN YF, *et al.* Assessment method of regional ecological security based on Pressure-State-Response model[J]. *Acta Ecologica Sinica*, 2010, 30(23): 6495–6503. (in Chinese).
- [3] LIU JH, LAI GY. Research progress of the agricultural non-point source pollution[J]. *Journal of Water Resources & Water Engineering*, 2007, 18(1)29–32. (in Chinese).
- [4] WANG XL. Status of agricultural nonpoint source pollution and prevention research in Chongqing[J]. *Studies of Trace Elements and Health*, 2007, 24(3): 35–37. (in Chinese).
- [5] WANG HY, ZHAI RC, CAI DL. Evaluation index system construction of cultivated land resource sustainable use on PSR model[J]. *Heilongjiang Agricultural Sciences*, 2010(2): 33–35. (in Chinese).
- [6] ZHANG SY, XUAN GL. Integrating AHP into the M&A strategy[J]. *Journal of China Textile University (English Edition)*, 2000(1): 88–91.