



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

ARTICLES

Technical Efficiency in Agricultural Production and Its Determinants: An Exploratory Study at the District Level

K.R. Shanmugam and Atheendar Venkataramani*

I

INTRODUCTION

Agriculture continues to dominate the economic scene of India, accounting for about one-third of gross domestic product (GDP) and one-fifth of foreign exchange. This sector provides employment to more than 70 per cent of the total labour force in the country. Furthermore, its forward and backward linkages with other sectors of the economy are well established in the development economics literature. Therefore, to achieve an accelerated pace of economic growth, sustained development of the agriculture sector is *sine qua non*.

Reform measures implemented in the industrial, financial, and trade sectors would definitely contribute to the agricultural growth through agricultural prices and income. However, various non-price, institutional, and organisational factors are also important for the sustainability of agricultural growth. For instance, the efficiency of production is extremely important for output growth: using existing resources in the best possible manner would yield the highest possible output for the given technological constraints.

International comparisons indicate that agricultural productivity in India is relatively low. For instance, although India has the largest area under cereal cultivation (99.45 million ha.), the average yield of cereal production in 1998 (2206 kg/ha.) was lower than the world average for that year (2959 kg/ha.).¹ One important reason for low productivity is that many farmers with low literacy rates and inadequate physical infrastructures face difficulties in understanding new technologies and, therefore, fail to fully exploit these technical opportunities.² In the light of these facts, it is clear that an increase in agricultural production can come from an increase in production efficiency. Hence, it is essential to assess how the

*Associate Professor, Madras School of Economics, Gandhi Mandapam Road, Chennai - 600 025 and Visiting Scholar (Washington University School of Medicine, USA), Madras Institute of Development Studies, Gandhinagar, Chennai - 600 020, respectively.

The authors are thankful to the anonymous referee of the Journal for useful comments. The second author wishes to acknowledge the United States Fulbright Student Grant for funding research undertaken in India.

existing inputs are being used, and what possibilities exist for improving efficiency of agricultural production in India, given the resource constraints.

The efficiency of a farm/production unit can be measured in terms of allocative efficiency (reflecting the ability of a farm to use inputs in optimal proportions, given their respective prices) and technical efficiency (TE). In this study, we focus on the latter (i.e., TE). Briefly, the TE is the ratio between actual and potential output of a production unit. A few empirical studies provide the estimates of TE of raising a particular crop (mostly rice) within a state/region. For instance, Kalirajan (1981), Shanmugam and Palanisamy (1993), Tadesse and Krishnamoorthy (1997) and Mythili and Shanmugam (2000), estimated the TE of rice farms in Tamil Nadu. Datta and Joshi (1992) measured the TE of rice farms in Uttar Pradesh while Jayaram *et al.*, (1987) and Shanmugam (2002) measured the TE of raising rice crop in Karnataka respectively. Shanmugam (2000) estimated the efficiency of rice farms in Bihar. An exception is Shanmugam (2003), which provides TE of rice, cotton and groundnut growing farms in Tamil Nadu. The results of these studies are useful for policy makers to rationalise the development policies for a particular crop in region.

However, no attempt has been made to analyse the efficiency of agricultural production as a whole at the district level. In this study, we attempt to measure the TE of agricultural production in various districts in India. We also attempt to identify the various socio-economic and ecological factors determining the TE levels in various districts. Such information can be useful to identify the districts with low efficiency and suggest measures to improve the efficiency of those districts.

This study represents a departure from the existing studies on the topic in that it considers entire districts as the producing “units.”³ Also, it introduces health status as one of the determinants of efficiency in addition to education, land holding, agro-climatic zone, etc.⁴ Cross-country and micro level evidences clearly indicate that health significantly influences economic performance (Barro and Xala-i-Martin, 1995; Bloom *et al.*, 2001; Bhargava *et al.*, 2001; Deolalikar, 1988). Several state level studies for India have shown similar results, *albeit not* so emphatically (Nagaraj *et al.*, 2000; Gupta and Mitra, 2001 and Mitra *et al.*, 2002).⁵

As Bloom and Canning (2000) point out, health is a factor that positively influences the economic performance *through* enhancing labour productivity and returns to education. The aforementioned studies typically consider health status as a *direct input* to production/growth and at least one study has cited this as being problematic in terms of interpreting the ensuing results.⁶ Our specification suggests a way around this issue by modeling health as a factor that influences production indirectly, through direct effects on TE.⁷

The remainder of this study proceeds as follows. Section II provides a brief review of literature relating to the concept of TE and its measurement. Section III explains the methodology employed in this study to estimate district - specific TE. Data, modeling strategy, and variables are discussed in Section IV. Section V

provides the empirical results and Section VI summarises the findings and discusses the policy implications.

II

LITERATURE REVIEW

According to the literature, the efficiency of a farm (production unit) can be measured either with respect to its normatively desired performance or with the performance of another farm. Thus, measures of efficiency are essentially computed by comparing observed performance with some specified standard notion of performance. The “production frontier” serves as one such standard in the case of TE. TE can be defined as the ability and willingness of a production unit to obtain the maximum possible output with a specified endowment of inputs (represented by a frontier production function), given the surrounding technology and environmental conditions.⁸

Suppose that a farm has a production plan (Y°, X°) , where the first argument is the set of outputs and the second represents the set of inputs. Given a production function $f(\cdot)$, the farm is technically efficient if $Y^\circ = f(X^\circ)$ and technically inefficient if $Y^\circ < f(X^\circ)$. Therefore, the TE can be measured by the ratio $0 \leq Y^\circ / f(X^\circ) \leq 1$. Farrell (1957) carried out the first empirical study to measure TE for a cross-section of production units by using a deterministic/non-parametric frontier approach and, consequently, frontier efficiency comparisons have become synonymous with the term “*Farrell efficiency measurement*”. This measure assumes that the production function of the fully efficient unit is known in some manner. Since the *actual* production function is never known in practice, Farrell suggests that it can be estimated from the sample data using either a non-parametric piece-wise linear technology or by a parametric function such as the Cobb-Douglas form.

Aigner and Chu (1968) followed the latter method and estimated a deterministic parametric frontier using a homogeneous Cobb-Douglas production function. Later, Timmer (1971) converted the deterministic frontier into a probabilistic frontier method. However, this approach has some limitations. All farms share a common frontier and any variations in farm efficiency are measured relative to this frontier. This approach ignores any random factors that can influence the efficiency of a farm (such as climate). Moreover, the results of this approach are highly sensitive to variable selection and data errors.

Later, Aigner *et al.* (1977) and Meeusen and Broeck (1977), independently developed a *stochastic frontier approach* to measure TE. This approach introduces TE as a multiplicative (neutral) shift variable within a production function framework. This means that the input coefficients of the conventional production function and that of the frontier function are the same and only the intercept term changes.⁹ In practice, with cross-section data, the distribution of the TE term must be specified - as half-normal, truncated normal, or otherwise. As suggested

independently by Jondrow *et al.* (1982) and Kalirajan and Flinn (1983), one can calculate *individual-specific* TE values by using this procedure. This particular approach has been extended in various ways, such as the specification of more general distributions for the residual term (exponential and gamma), the consideration of panel data for analysis, and the measurement of TE using cost/profit functions. A number of comprehensive literature reviews are available, such as Forsund *et al.* (1980), Bauer (1990), Battese (1992), Greene (1993) and Kalirajan and Shand (1994).

III

METHODOLOGY

This study uses the stochastic (or econometric) frontier production function model for cross sectional data. We define the frontier production function as the maximum feasible or potential output that can be produced by a production unit such as farm, given level of inputs and technology. The actual production function (corresponding to the production unit's actual output) can be written as:

$$Q_i = f(X_i; \beta) \exp(-u_i) \text{ and } 0 \leq u_i < \infty; \quad i = 1, 2, \dots, n. \quad \dots(1)$$

where Q_i represents the actual output for the i -th sample (production) unit; X_i is a vector of inputs and β is a vector of parameters that describe the transformation process; $f(\cdot)$ is the frontier production function and u_i is a one-sided (non-negative) residual term. If the production unit is inefficient, its actual output is less than the potential output. Therefore, we can treat the ratio of the actual output Q_i and the potential output $f(\cdot)$ as a measure of the technical efficiency of the production unit. Using equation (1) above, we can write this measure as:

$$TE = Q_i / f(X_i; \beta) = \exp(-u_i) \quad \dots(2)$$

Notice that u_i is zero if the production unit produces the potential output (full TE) and is less than zero when production is below the frontier (less than full TE). A random noise variable v_i (independently and identically distributed normal with mean 0 and variance σ_v^2) can be included in the equation (1) to capture the effect of other omitted variables that can influence the output as:

$$Q_i = f(X_i; \beta) \exp(v_i - u_i), \quad \dots(3)$$

This new function is known as the individual-specific stochastic production frontier function. In order to estimate equation (3), we consider a half normal distribution for u_i (after empirical verification). The likelihood function for this model is:

$$L = -N \ln \sigma - \text{constant} + \sum [\ln \Phi(-\varepsilon_i \lambda / \sigma) - 1/2 (\varepsilon_i / \sigma)^2] \quad \dots(4)$$

where, $\lambda = \sigma_u / \sigma_v$, $\sigma^2 = \sigma_v^2 + \sigma_u^2$, and Φ is the cumulative standard normal distribution function and $\varepsilon_i = (v_i - u_i)$. The maximum likelihood estimation (MLE)

method can provide the estimates of the stochastic frontier production equation. The individual specific TE is given by the conditional mean of $\exp(-u_i)$, given the distribution of the composite error term, ε_i .

Some other important parameters of the model are: $\sigma = \sqrt{(\sigma_u^2 + \sigma_v^2)}$, $\lambda = \sigma_u/\sigma_v$ (>0) and $\gamma = \sigma_u^2/\sigma^2$. A significant σ (and λ) would indicate the significant variations in the output levels. The λ term with value above one would indicate that output variations due to inefficiency are higher than that due to random factors. A zero value of γ would indicate that the deviations from the frontier are due entirely to the noise and, in this case, the ordinary least squares (OLS) estimates of the model are equivalent to the MLE results. A value of one would indicate that all deviations are purely due to differences TE across farms.

IV

DATA AND MODEL

This study uses district level data, compiled from various secondary sources, for the year 1990-91. Gross agricultural production value (in rupees) measures the aggregate total output variable (Q_i) in the study. Inputs comprise three categories of land, chemical fertiliser and labour.¹⁰ Land (A) refers to gross sown area (in sq km) and fertiliser (F) refers to the gross weight (in tonnes) of nitrogenous, phosphate and potash fertilisers that each district consumed annually. Labour (L) refers to workers in the cropping sector.¹¹ The data for these variables were taken from CMIE (1993) and CMIE (2000). Due to missing information, we include input-output data for 248 districts, distributed across 12 major states. Table 1 provides the average values of the study variables in various states in 1991.

TABLE 1. MEAN VALUES OF STUDY VARIABLES IN VARIOUS STATES

State (1)	Value of output (Rs.) (2)	Land area (km ²) (3)	Fertiliser (tonnes) (4)	Labour (Nos.) (5)	No. of districts (6)
Andhra Pradesh	38,18,402	6237	7202.8	2,58,219	19
Gujarat	29,06,552	6742	4214.2	1,71,997	16
Haryana	21,62,786	4230	4222.5	82,907	5
Karnataka	33,13,712	6719	4481.6	1,53,505	17
Maharashtra	24,70,727	7639	4191.5	1,83,842	24
Madhya Pradesh	12,84,481	5007	1636.6	78,173	41
Orissa	28,29,269	6953	1616.5	1,63,568	12
Punjab	44,02,180	5943	9322.3	1,21,269	11
Rajasthan	15,20,413	7054	1135.8	80,074	26
Tamil Nadu	46,09,755	3692	5293.3	4,08,215	12
Uttar Pradesh	20,06,992	4191	3608.0	3,07,109	54
West Bengal	40,22,178	5178	4337.0	5,59,080	11
All-India average (Standard deviation)	25,32,272 (18,28,697)	5686 (2940)	3737.6 (3169.0)	2,06,898 (1,92,545)	248

It was observed that mean value of output was highest in Tamil Nadu while mean value of labour was highest in West Bengal. Madhya Pradesh obtained the lowest mean values of both output and labour. The highest average land area was in Maharashtra and the lowest in Tamil Nadu. The average fertiliser consumption was highest in Punjab and lowest in Rajasthan. Thus, there exists a high degree of variation across states with respect to these indicators.

Our empirical strategy consists of two stages. In the first stage we estimate the stochastic frontier production function and district-specific TE values for agricultural production. We began by considering various functional forms, such as transcendental logarithmic (translog) function and Cobb-Douglas function, and found that the latter provides the best fit. Therefore, our stochastic frontier production function is given by:

$$\ln Q_i = \beta_0 + \beta_L \ln L + \beta_A \ln A + \beta_F \ln F + v_i - u_i \quad \dots(5)$$

where β_i 's are parameters to be estimated and Q, L, A, and F are as defined above. As mentioned before, the MLE technique is used to estimate (5). In the second stage, we estimate the determinants of TE by regressing various socio-economic variables against the TE values obtained from estimates of (5). Since the estimated TE is bounded between 0 and 1, it is specified as follows using suggestions given in literature:

$$\ln[TE_i / (1-TE_i)] = \alpha_0 + \alpha_1 X_1 + \alpha_2 X_2 + \alpha_3 X_3 + \alpha_4 X_4 + \alpha_5 X_5 + e_i \quad \dots(6)$$

where, X_1 is the rural literacy rate (proxy for education), X_2 is the rural infant mortality rate, IMR (proxy for health),¹² X_3 and X_4 are the percentage of villages with pucca road facility and percentage of electrified villages in the district (infrastructure

TABLE 2. MEAN VALUES OF VARIABLES USED IN THE TECHNICAL EFFICIENCY EQUATION

State (1)	Rural literacy rate (Per cent) (2)	Rural infant mortality rate (3)	Per cent villages with pucca roads (4)	Per cent of villages electrified for agriculture (5)	Land holding size (ha.) (6)
Andhra Pradesh	35.28	52.58	56.82	74.19	1.73
Gujarat	52.27	71.12	59.48	84.22	3.83
Haryana	47.40	60.20	97.44	95.43	2.70
Karnataka	48.71	64.23	69.34	97.94	2.51
Maharashtra	55.97	67.95	44.20	67.98	2.55
Madhya Pradesh	35.53	116.93	23.26	56.14	3.23
Orissa	44.60	113.75	24.15	21.67	1.49
Punjab	54.36	61.01	95.81	96.80	3.67
Rajasthan	28.96	90.69	31.06	48.38	5.20
Tamil Nadu	58.22	52.17	81.43	79.59	0.99
Uttar Pradesh	38.87	92.83	42.16	49.88	1.04
West Bengal	48.59	70.00	31.55	21.04	1.06
All-India Mean	42.79	83.71	46.23	81.37	2.49
(Standard Deviation)	(12.53)	(27.12)	(23.61)	(20.30)	(2.10)

variables), and X_5 represents the average operational holding size in hectares (economic variable). The data source for operational holding size and rural literacy rates is CMIE (1993) and for IMR, Irudaya Rajan and Mohanachandran (1998). The percentage of villages with pucca road access and electricity are gleaned from Government of India (1997). Table 2 reports the means of variables used in the second stage of our analysis. We may again observe that the states vary greatly with respect to all of the socio-economic and infrastructure variables in consideration.

In order to control the agro-climatic variation and differences in irrigation practices according to district, we decide to estimate (6) for different sub-groups. For agro-climatic sub-groups, we use the designations provided by NBSS and LUP (1992). Here, districts are divided amongst 20 “agro-eco-regions” based on soil type, water resources, topography and climate. These are further grouped into five bio-climatic types (per-humid, sub-humid, coastal, semi-arid, and arid). For irrigation, we use the designation employed by Fan and Hazell (2000), where districts are grouped as irrigated (over 25 per cent of gross cultivated area irrigated), rain fed high-potential, and rain fed low-potential. For our purposes, we group the latter two into the category “non-irrigated.”

The advantages of sub-group analysis, as opposed to controlling for all of these factors in a single model for all districts are two-fold. First, we find that controlling for the irrigation and agro-climatic variables explicitly in a single model adds little information: the variables are generally statistically insignificant. Second, we feel it is quite interesting, especially from a policy standpoint, to consider the differential determinants of production efficiency *in the context of* different agro-climatic zones and agricultural practice regimes.

Finally, we also extend the idea of sub-group analysis to crop mix. While one can use the stochastic frontier production function across aggregated firms producing similar crops, a problem might arise in our estimation of technical efficiency due to the fact that our measure of production aggregates across the entire crop spectrum. If different TE levels characterise the production processes of different crops, aggregation will leave us with a loss of information. To partially address this question, we group districts into rice plurality (in land use), wheat plurality, and other, and analyse the determinants of efficiency within these groups. In the future, given crop-wise output data at the district level, it may be possible to employ advanced techniques in order to construct more meaningful production aggregates with the appropriate weights (see, for example, Lothgren, 2000). For the purpose of this particular study, the current measure will serve our goals well and the analysis will still be quite insightful.

V

EMPIRICAL RESULTS

(i) Estimates of the Frontier Production Function:

Table 3 contains our production function estimation results. For comparative purposes, the first column reports the OLS estimates of the average production function given in equation (5). As expected, the estimated parameters of all the input variables are positive. Notably, all of them are statistically significant at 1 per cent level. Land has the largest output elasticity, followed by that of fertiliser.

TABLE 3. ESTIMATES OF THE STOCHASTIC FRONTIER PRODUCTION FUNCTION

Variables (1)	OLS (2)	MLE (3)
Constant	6.2775 (16.460)	6.6639 (14.727)
Ln (LABOUR)	0.1968 (5.484)	0.1884 (6.923)
Ln (AREA)	0.3978 (7.402)	0.3858 (6.861)
Ln (FERTILISER)	0.3381 (10.243)	0.3416 (10.113)
$\sigma_u/\sigma_v (= \lambda)$	-	0.8105 (1.859)
$\sqrt{\sigma_u^2 + \sigma_v^2} (= \sigma)$	-	0.4961 (8.751)
σ_u^2	-	0.0976
σ_v^2	-	0.1486
$\gamma (= \sigma_u^2/\sigma^2)$	-	0.3964
Log-likelihood	-142.1992	-141.8507
R ² (F)	0.712 (201.11)	-
Iterations	-	9
Sample districts	248	248
Mean TE (per cent)	-	79.32

Figures in parentheses are the absolute t values (in OLS) and asymptotic t values (in MLE).

The MLE results are presented in the second column.¹³ The coefficients on the input variables are more or less similar to those estimated by OLS. The elasticity of land, fertiliser, and labour are 0.39, 0.34, and 0.19, respectively. The implicit assumption in our analysis is that there exists Hicks' neutral technical change, which means that the intercept in MLE results should be higher than that in computed by OLS, while the slopes should be more or less equal in both OLS and MLE results. Our results clearly support this assumption.

Both λ and σ have positive coefficients. σ is statistically significant at 1 per cent while λ is significant only at 10 per cent level. The estimated values of σ_u^2 and σ_v^2 are 0.098 and 0.149 respectively. These values indicate that the differences between the observed (actual) and frontier (potential) output are due to inefficiency and not chance alone. The estimate of γ (the ratio of the variance of district specific TE to the total variance of output) is 0.4, indicating that 40 per cent of the difference between the observed and frontier output are primarily due to factors which are under the control of farms in districts.

(ii) *Estimates of Technical Efficiency*

The mean technical efficiency in the sample is found to be roughly 79 per cent, which means that the sample districts, on an average, could increase their agricultural output by 21 per cent *without additional resources* through proper (i.e., more efficient) use of existing inputs and technology. Put differently, on an average roughly 21 per cent of the technical potential of the districts was not realised in raising agriculture. In the last Column of Table 4, we present state-wise mean values of technical efficiencies. The mean TE does not vary drastically among states. We find the most efficient states to be Tamil Nadu, Punjab, and – quite surprisingly – Orissa.

TABLE 4. DISTRIBUTION OF THE SAMPLE DISTRICTS BY LEVEL OF TECHNICAL EFFICIENCY

State (1)	Below		75-80% (4)	80-85% (5)	85-90% (6)	Above		Total (8)	Mean TE (Per cent) (10)
	70 % (2)	70-75% (3)				90% (7)			
Andhra Pradesh	0 (0)	2 (11)	6 (32)	9 (47)	2 (11)	0 (0)	19	80.66	
Gujarat	0 (0)	1 (6)	6 (38)	7 (44)	2 (13)	0 (0)	16	80.85	
Haryana	0 (0)	1 (20)	1 (20)	3 (60)	0 (0)	0 (0)	5	79.93	
Karnataka	0 (0)	2 (12)	6 (35)	7 (41)	0 (0)	2 (12)	17	81.32	
Maharashtra	0 (0)	2 (8)	15 (63)	7 (29)	0 (0)	0 (0)	24	78.07	
Madhya Pradesh	4 (10)	6 (15)	17 (41)	12 (29)	2 (5)	0 (0)	41	77.07	
Orissa	0 (0)	0 (0)	0 (0)	6 (50)	6 (50)	0 (0)	12	84.95	
Punjab	0 (0)	0 (0)	0 (0)	7 (64)	4 (36)	0 (0)	11	83.45	
Rajasthan	4 (15)	1 (4)	7 (27)	13 (50)	1 (4)	0 (0)	26	77.46	
Tamil Nadu	1 (8)	0 (0)	1 (8)	4 (33)	5 (42)	1 (8)	12	83.45	
Uttar Pradesh	6 (11)	7 (13)	25 (46)	12 (22)	4 (7)	0 (0)	54	77.27	
West Bengal	0 (0)	0 (0)	2 (18)	7 (64)	2 (18)	0 (0)	11	82.23	
All-India	15 (6)	22 (9)	86 (35)	94 (38)	28 (11)	3 (1)	248	79.32	

Figures in parentheses are rounded percentages with respect to the state total.

Intrastate differentials in TE show much greater variation (see Appendix 1). Across the entire sample, TE ranges from a low value of 41.69 per cent (Jaisalmer in Rajasthan) to 92.67 per cent (Kodagu in Karnataka). In Table 4, we also provide distributions of sample districts by level of TE value in various states. The poorest states – Madhya Pradesh, Uttar Pradesh, and Rajasthan – tend to have the most districts centered below the mean TE value. These poorer states have generally the most to gain from more efficient use of existing inputs. Orissa, once again, is the exception to this.

Given the low levels of human development in the state (see below), how is it possible that technical efficiency in Orissa is so high and evenly distributed across all districts? We propose and test for two possible explanations. First, Orissa, as a whole, ranks fourth among Indian states with respect to cropping intensity (gross cropped area divided by net sown area) and the proportion of food crops raised. Regarding the former, because of the lack of data, we are unable to control for cropping intensity at

the district level. However, information is available at the state-level. Regarding the latter, we use both the aggregated and disaggregated agro-climatic zone measures.

The empirical test of these theories consists of estimating equation (6) but adding a dummy variable for district membership in Orissa. If our proposed explanations for Orissa's efficient production hold true, we would expect the addition of cropping intensity and/or agro-climatic variables to destroy the statistical and practical significance of the coefficient on the Orissa dummy variable. We find that agro-climatic zone membership passes the test, but cropping intensity, at least at the state-level, does not (results not shown).¹⁴

(iii) The Determinants of Technical Efficiency

Before we present the regression estimates of the determinants of technical efficiency, it might be useful to first look at the data differently. In Table 5, we divide the districts into groups by technical efficiency and present mean values of each of the socio-economic variables by group. In general, more efficient districts appear to have higher literacy rates, lower infant mortality rates, and better road infrastructure; it is difficult to spot a trend with respect to average size of land holding and rural electrification. We also see that more efficient districts are general rice plurality districts, while less efficient districts are more likely to be the wheat plurality districts.

TABLE 5. SOCIO-ECONOMIC CHARACTERISTICS OF TECHNICAL EFFICIENCY GROUPS

TE group (1)	Literacy rate (2)	IMR (3)	Pucca road (4)	Electricity (5)	Holding size (6)	Rice (7)	Wheat (8)
Below 70 per cent	39.60	92.0	35.91	43.82	3.54	13.33	40.00
70-75 per cent	35.73	95.32	41.62	65.43	2.05	09.09	50.00
75-80 per cent	41.47	87.72	44.35	67.89	2.34	22.99	27.60
80-85 per cent	44.18	78.45	47.38	60.42	2.07	33.33	27.08
85-90 per cent	45.35	79.61	50.33	51.33	2.19	46.43	25.00
Above 90 per cent	72.87	40.67	89.93	80.99	1.52	100.00	0.00

In Table 6, we present the regression estimates for model (6). Column 1 illustrates the estimates for the full set of districts. The coefficients on literacy is positive and significant at 5 per cent level; the coefficient on rural electrification is surprisingly negative and significant at 5 per cent; and road infrastructure shows to have a positive effect on technical efficiency, at 10 per cent level of significance. We suspect that the results for electrification, both here and in the other columns, might reflect the imperfect nature of the variable. In the exact sense, this variable represents the percentage of villages electrified within a district. It does not say anything, however, about how this infrastructure might be used in agricultural production.

In columns 2 and 3, we present the results for the agro-climatic subgroups semi-arid and sub-humid (as the F statistic on regressions for the other groups was insignificant). Clearly, there are differences in the determinants of technical efficiency across these two groups. In semi-arid districts, IMR and road infrastructure have significant effects, in the expected direction, on technical efficiency. In these same districts, larger land holding sizes seem to improve efficiency. In sub-humid districts, the coefficient on literacy is positive and significant at 10 per cent level and road has a significantly positive effect at 1 per cent level.

TABLE 6. DETERMINANTS OF TECHNICAL EFFICIENCY

Variables (1)	Total (2)	Semi-arid (3)	Sub-humid (4)	Rice (5)	Wheat (6)	Irrigated (7)	Non- Irrigated (8)
Constant	1.476 (8.20)	1.497 (6.56)	1.647 (5.51)	0.967 (3.44)	2.071 (6.34)	1.440 (6.71)	1.670 (5.09)
LITERACY	0.005 (2.39)	0.002 (0.71)	0.007 (1.85)	0.011 (3.37)	-0.001 (0.19)	0.006 (2.20)	0.004 (1.00)
IMR	-0.002 (1.62)	-0.004 (3.05)	-0.001 (0.63)	0.001 (0.65)	-0.007 (3.53)	-0.003 (2.28)	-0.001 (0.68)
ROAD	0.002 (1.86)	0.005 (3.53)	0.002 (3.53)	0.008 (2.63)	-0.001 (0.56)	0.002 (1.028)	0.001 (0.479)
ELEC.	-0.003 (2.23)	-0.003 (1.46)	-0.008 (3.07)	-0.007 (3.01)	-0.004 (1.42)	-0.003 (1.39)	-0.004 (1.98)
HOLDING SIZE	-0.016 (1.46)	0.044 (1.96)	0.055 (1.46)	0.131 (2.46)	0.114 (3.90)	0.043 (1.863)	-0.032 (2.45)
R ²	0.116	0.317	0.141	0.286	0.361	0.175	0.130
N	248	117	85	69	74	135	113

Figures in parentheses are absolute t values.

The relative importance of the socio-economic explanatory variables also differs by crop plurality group. Rice plurality districts (column 4) seem to increase efficiency with improvements in literacy and road infrastructure, and larger average land holding sizes. In wheat districts (column 5), as expected, IMR has a negative and significant impact on technical efficiency. Interestingly the land holding variable has a positive and significant coefficient in both columns 4-5 reflecting the scale economies.

In the final two columns, we provide estimates for irrigated and non-irrigated districts. Literacy and IMR are both significant and show the expected signs for irrigated districts, and are both insignificant in the non-irrigated districts. It seems reasonable that districts employing irrigation technology achieve greater efficiency returns from education/health than those do not. Additionally, we find that while efficiency increases with land holding size (significant at 10 per cent level) in irrigated districts, the exact opposite is true in non-irrigated districts. This can perhaps be explained by the fact that, in irrigated districts, firms are able to extend

production effectively to larger parcels of land because water is less of a constraint. In non-irrigated districts, firms are constrained with respect to water, and thus may not be able to operate larger parcels of land as efficiently.

As a summary, we would like to point out that there are three messages to take from this analysis. First, better health, education, and road infrastructure can make firms or districts more efficient in their production activities. Second, what specifically drives technical (in) efficiency in a given set of districts depends on various regional and production characteristics such as irrigation technology, crop mix, and agro-climatic zone. Third, our models only explain roughly 10-35 per cent of variation in technical efficiency across districts.

VI

CONCLUDING REMARKS AND POLICY IMPLICATIONS

In this study, we have analysed district level technical efficiency and its determinants for 1990-91. Using the stochastic frontier production approach, we have found that Indian districts have a mean technical efficiency of 79 per cent, indicating that, on an average, agricultural output can be increased by about 21 per cent with existing resources. In nearly half of the sample districts (123 out of 248), TE values lie below 80 per cent. Of this set, 84 districts are spread across four states: Uttar Pradesh (38), Madhya Pradesh (27), and Maharashtra (17) and Rajasthan (12). These states stand to gain the most from policy interventions towards improving technical efficiency.

The study has shown that health, education, and infrastructure can be powerful drivers of efficiency at the district level. The findings with respect to health are in line with the burgeoning literature, which suggests that health can act as a strong engine for economic growth and poverty reduction. Being the first study (to our knowledge) that studies the macroeconomic impact of health in the context of Indian agriculture, we believe that future studies would be wise to account for this variable.

The study has also shown that the relative importance of the determinants of technical efficiency across districts depends greatly on environmental factors, such as agro-climatic zones, technological factors (such as irrigation regime), and crop mix. The policy implications are clear: interventions to improve technical efficiency are not "one-size-fits-all." Indeed, even districts within the same state would benefit differently from the same set of interventions. In that sense, it might be wise to develop policy interventions at a more localised level.

Essentially, our results and discussion outline a quite ambitious research agenda for the future. While the technical efficiency literature has offered insight into the relative performance of firms or regions with respect to meeting their potential, it is less clear how this information should/can be translated into policy prescriptions. There is certainly a need for increased data collection, so as to expand the analysis of potential determinants of efficiency. Also, as mentioned above, our results indicate

the need to carefully incorporate into econometric models how the causes of inefficiency may vary across regions with different environmental and technological characteristics.

Finally, certain limitations of this study should be kept in mind. The major issue here is that the firm level efficiency concept has been applied to district level data, and that we use data aggregated across all crops. Nevertheless, the present results can be interpreted as indicative aggregative efficiency measures of all farms within the concerned districts. Moreover, we feel that aggregate-level studies, such as ours, can greatly complement firm level studies in the formulation of appropriate efficiency generating policies.

Received July 2003.

Revision accepted May 2006.

NOTES

1. Source: FAO STATS on the Internet site of the Food and Agriculture Organization of the United Nations, Rome.

2. Vaidyanathan (1994) cautioned that urgent attention should be paid to technological innovation and to removing non-price and institutional constraints, which do not permit the full exploitation of the chosen technology at the farm level.

3. There are precedents for this. For example, Kalirajan and Shand (1997) consider state as the producing unit to examine the sources of output growth during 1980 to 1990.

4. Our choice of the district as the unit was partially determined by our desire to include health in the model. Farm level health data (typically, some anthropometric measure such as BMI or a measure of morbidity) is extremely difficult to find and collate. District level measures of infant/child mortality (a proxy for health) are readily available.

5. In these studies, either health (IMR) is not significant on its own, or is found to have a large effect, but in the context of an aggregate infrastructure quality measure.

6. Typically, health is used as a "conditioning" variable in Barro-type regressions, which estimate neoclassical growth models. In production functions studies, health is used as an input. Bloom *et al.* (2001) suggest that in both cases health is not specified in the manner, which fully captures its effect as a productivity-enhancing factor. This makes the coefficient on the health variable hard to interpret, as one still does not know through what factors, and to what extent through these factors, health has its large effect. Bloom *et al.* get around this problem by constructing an "aggregate Mincer" equation, which specifies health as a labour augmenting factor. The same argument can be applied to the specification of education as well.

7. Mitra *et al.* (2002) consider health as an input to total factor productivity and technical efficiency in the context of Indian industries. However, the health variable (infant mortality rate) is made part of a larger index via PCA. Decomposition of the index shows large elasticities with respect to health.

8. This measure allows us to compare efficiency across similar economic units such as firms and aggregation of firms, for example at industry level or geographically (Kalirajan and Shand, 1994).

9. Since there is no logic behind this strong assumption, the newly developed "random coefficients approach" criticized this point (see Kalirajan and Shand, 1994).

10. In the initial estimation, we had included tractor and cattle population variables (which we got from the ICRISAT CD-ROM. Since the data was not available for the exact year in question, but for some of the surrounding years (say, 1987 and 1992). While animal labour seemed to remain relatively constant over time, the tractor variable, used in some of the initial estimates, did not. Therefore, we interpolated the values for 1990-91. Since the coefficients of these variable turned out to be negative/insignificant, we excluded them in the final analysis. We should also point out here that, due to

the dearth of data available at the district level, we were unable to include other variables, such as overhead expenditure.

11. Most of these variables were given in per hectare, or per capita terms. We converted these into totals accordingly. Land area employed was calculated by multiplying the percentage of gross sown area by the total land area. Labour force size was determined using the percentage of agricultural workers (cultivators and labourers) in total population.

12. IMR and literacy rate are social indicators. IMR is used in many cross-sectional macro studies as an indicator of health status. In fact, all of the studies looking at health and economic performance in India (cited above) use this measure as a proxy for health status. Clearly, IMR reflects the quality of living conditions and availability of medical care in a region.

13 We use the LIMDEP (version 7.0) computer package to estimate equation (5). While this package does not give the estimates of TE values directly, we can obtain these via a few matrix comments.

14. It is noted that the sample includes only less than 50 per cent of total districts in Orissa. Further permanent land settlement in Orissa may be one of the reasons for higher efficiency.

REFERENCES

- Aigner, D.J. and S.F. Chu (1968), "On Estimating the Industry Production Function", *American Economic Review*, Vol. 58, No. 4, September, pp. 826 - 839.
- Aigner, D.J.; C.A.K. Lovell and P. Schmidt (1977), "Formulation and Estimation of Stochastic Frontier Production Function Models", *Journal of Econometrics*, Vol. 6, No.1, July, pp. 21 - 37.
- Barro, R., and X. Sala-i-Martin (1995), *Economic Growth*, McGraw-Hill, New York.
- Battese, E.C. (1992), "Frontier Production Functions and Technical Efficiency: A Survey of Empirical Applications in Agricultural Economics", *Agricultural Economics*, Vol. 7, Nos. 3 and 4, pp. 185 - 208.
- Bauer, P.W. (1990), "Recent Developments in the Econometric Estimation of Frontier", *Journal of Econometrics*, Vol. 46, pp. 39 - 56.
- Bhargava, A.; D.T. Jamison; L.J. Lau and C.J.L. Murray (2001), "Modeling the Effects of Health on Economic Growth", *Journal of Health Economics*, Vol. 20, pp. 423 - 440.
- Bloom, D. and D. Canning (2000), "The Health and Wealth of Nations", *Science*, Vol. 287, No. 5456, pp. 1207 - 1208.
- Bloom, D.; D. Canning and J. Sevilla (2001), "The Effect of Health on Economic Growth: Theory and Evidence", *NBER Working Paper 8587*.
- Center for Monitoring the Indian Economy (CMIE) (1993), *Profiles of Districts*, Mumbai.
- Center for Monitoring the Indian Economy (CMIE) (2000), *Profiles of Districts*, Mumbai.
- Datta, K.K. and P.K. Joshi (1992), "Economic Efficiencies and Land Augmentation to Increase Agricultural Production: A Comparative Analysis of Investment Priorities", *Indian Journal of Agricultural Economics*, Vol. 47, No.3, July-September, pp. 468 - 476.
- Deolalikar, A.B. (1988), "Nutrition and Labour Productivity in Agriculture: Estimates for Rural South India", *The Review of Economics and Statistics*, Vol. 70, No. 3, pp. 406 - 413.
- Fan, S. and P. Hazell (2000), "Should Developing Countries Invest More in Less-Favoured Areas? An Empirical Analysis of Rural India", *Economic and Political Weekly*, Vol.35, No.17, April 22, pp. 1455 - 1464.
- Farrell, M.J. (1957), "The Measurement of Productive Efficiency", *Journal of Royal Statistical Society*, Vol. 120, Part 3, pp. 253 - 281.
- Forsund, F.R.; C.A.K. Lovell and P. Schmidt (1980), "A Survey of Frontier Production Functions and of Their Relationship to Efficiency Measurement", *Journal of Econometrics*, Vol. 13, pp. 5 - 25.
- Government of India (1997), "Availability of Infrastructural Facilities in Rural Areas of India: An Analysis of Village Directory Data", *Census of India 1991*, Office of the Registrar General, New Delhi.

- Greene, W.H. (1993), "The Econometric Approach to Efficiency Analysis", in H.O. Fried, C.A.K. Lovell and S.S. Schmidt (Eds.) (1993), *The Measurement of Productive Efficiency: Techniques and Applications*, Oxford University Press, London, pp. 68 - 117.
- Gupta, I. and A. Mitra (2001), "Economic Growth, Health and Poverty: An Exploratory Study for India", *IEG Working Paper No. 39*.
- Irudaya Rajan, S. and P. Mohanachandran (1998), "Infant and Child Mortality Estimates: Part 1", *Economic and Political Weekly*, Vol. 33, No. 19, May 9, pp. 1120 - 1140.
- Jayaram, H.; G.S. Chandrashekar and L. Achoth (1992), "An Economic Analysis of Technical Efficiency in Rice Cultivation in Mandya: Some Issues in Resource Pricing", *Indian Journal of Agricultural Economics*, Vol. 47, No.4, October-December, pp. 677 - 682.
- Jondrow, J.; C.A.K. Lovell; I.S. Materov and P. Schmidt (1982), "On the Estimation of Technical Inefficiency in the Stochastic Frontier Production Function Model", *Journal of Econometrics*, Vol. 19, pp. 233 - 238.
- Kalirajan, K.P. (1981), "An Econometric Analysis of Yield Variability in Paddy Production", *Canadian Journal of Agricultural Economics*, Vol. 29, pp. 283 -294.
- Kalirajan, K.P. and J.C. Flinn (1983), "The Measurement of Farm Specific Technical Efficiency", *Pakistan Journal of Applied Economics*, Vol. 2, pp. 167-80.
- Kalirajan, K.P. and R.T. Shand (1994), *Economics in Disequilibrium: An Approach from the Frontier*, Macmillan India Ltd., New Delhi.
- Kalirajan, K.P. and R.T. Shand (1997) "Sources of Output Growth in Indian Agriculture", *Indian Journal of Agricultural Economics*, Vol. 52, No.4, October-December, pp. 693-706.
- Lothgren, M. (2000), "Specification and Estimation of Stochastic Multiple Output Production and Technical Efficiency", *Applied Economics*, Vol. 32, pp. 1533 - 1540.
- Meeusen, W. and J.V.D. Broeck (1977), "Efficiency Estimation from Cobb Douglas Production Function with Composed Error", *International Economic Review*, Vol. 18, pp. 435-44.
- Mitra, A.; A. Varoudakis and M. Véganzonès-Varoudakis (2002), "Productivity and Technical Efficiency in Indian States' Manufacturing: The Role of Infrastructure", *Economic Development and Cultural Change*, Vol. 50, No. 2, pp. 395-426.
- Mythili. G. and K.R. Shanmugam (2000), "Technical Efficiency of Rice Growers in Tamil Nadu: A Study based on Panel Data", *Indian Journal of Agricultural Economics*, Vol. 55, No.1, January-March, pp. 15-25.
- Nagaraj R.; A. Varoudakis and M. Véganzonès (2000), "Long-Run Growth Trends and Convergence across Indian States: The Role of Infrastructure", *Journal of International Development*, Vol. 12, No. 1, pp. 45 - 70.
- National Bureau of Soil Survey and Land Use Planning (1992), *Agro-Ecological Regions of India*, (NBSS and LUP), Second Edition (Publication No. 24).
- Shanmugam, K.R. (2000), "Technical Efficiency of Rice Growers in Bihar", *Indian Journal of Applied Economics*, Vol. 8, pp. 377 - 389.
- Shanmugam, K.R. (2002), "Technical Efficiency of Growing Rice Crop in Karnataka: A Panel Data Study", *Artha Vijnana*, Vol. 44, Nos.3-4, September-December, pp. 213 - 224.
- Shanmugam, K.R. (2003), "Technical Efficiency of Rice, Groundnut and Cotton Farms in Tamil Nadu", *Indian Journal of Agricultural Economics*, Vol. 58, No. 1, pp. 101-114.
- Shanmugam, T.R. and K. Palanisamy (1993), "Measurement of Economic Efficiency: A Frontier Function Approach", *Journal of Indian Society of Agricultural Statistics*, Vol. 45.
- Tadesse, B. and S. Krishnamoorthy (1997), "Technical Efficiency in Paddy Farms of Tamil Nadu: An Analysis Based on Farm Size and Ecological Zone", *Agricultural Economics*, Vol. 16, pp. 185-192.
- Timmer, C.P. (1971), "Using a Probabilistic Frontier Production Function to Measure Technical Efficiency", *Journal of Political Economy*, Vol. 79, pp. 776-794.
- Vaidyanathan, A. (1994), "Performance of Indian Agriculture Since Independence" in K. Basu (Ed.) (1994), *Agrarian Questions*, Oxford University Press, New Delhi.

APPENDIX I

DISTRICT SPECIFIC TE VALUES

Districts (1)	TE (2)	Districts (3)	TE (4)	Districts (5)	TE (6)	Districts (7)	TE (8)	Districts (9)	TE (10)
<i>Andhra Pradesh</i>		Gulbarga	81.0	Mandla	82.5	Barmer	84.1	Deoria	80.4
Adilabad	72.2	Hassan	75.2	Mandsaur	77.2	Bharatpur	83.8	Etah	77.5
Anantapur	84.2	Kodagu	92.7	Morena	82.5	Bhilwara	80.8	Etawah	77.3
Chittoor	83.8	Kolar	73.5	N'Simhapur	84.4	Bikaner	67.0	Faizabad	76.1
Cuddapah	81.5	Mandhya	81.7	Panna	81.4	Bundi	83.5	Farrukabad	79.5
East Godar	87.8	Mysore	84.7	Raigarh	75.8	Chittaurg	83.0	Fatepur	77.0
Guntur	79.1	Raichur	78.2	Raipur	79.7	Churu	81.3	Garhwal	82.4
Karimnagar	79.3	Shimboga	84.6	Raisen	84.0	Dungarpur	78.7	Ghazipur	69.9
Khammam	80.6	Tumkur	80.6	Rajgarh	65.8	Ganganagar	88.0	Gonda	78.1
Krishna	80.1	Mean TE	81.3	Ratlam	72.6	Jaipur	83.9	Gurakhpur	58.2
Kurnool	82.0	<i>Maharashtra</i>		Rewa	67.0	Jaisalmer	41.7	Hamirpur	80.7
Mahbubnagar	74.2	Ahmadnagar	77.3	Sagar	78.5	Jalor	81.3	Hardoi	77.6
Medak	76.9	Akola	76.3	Satna	73.0	Jhalawar	79.0	Jalaun	58.3
Nalgonda	78.8	Amravati	78.0	Sehore	81.5	Jhunjhunun	65.4	Jaunpur	75.4
Nellore	80.5	Aurangabad	79.8	Seoni	83.3	Jodhpur	75.0	Jhansi	78.2
Nizambad	79.8	Bhandara	76.4	Shahdol	80.6	Kota	82.0	Kheri	82.8
Srikakulam	86.8	Bid	77.6	Shajapur	75.9	Nagaur	82.1	Lalitpur	75.6
Vizag	84.7	Buldana	76.3	Shivpuri	72.8	Pali	77.5	Lucknow	68.0
West Godar	83.7	Chandrapur	78.5	Sidhi	76.6	S. Madhopur	82.6	Mainpuri	71.0
Warangal	76.6	Dhule	73.7	Surguru	81.0	Sikar	72.7	Mathura	79.7
Mean TE	80.7	Jalgaon	81.1	Tikamgam	70.7	Sirohi	80.4	Meerut	83.8
<i>Gujarat</i>		Kolhapur	81.7	Ujjain	76.2	Tonk	78.6	Mirzapur	76.6
Ahmedabad	75.1	Nagpur	76.4	Vidisha	83.1	Udaipur	62.5	Moradab	80.7
Amreli	85.5	Nanded	75.3	Mean TE	77.1	Mean TE	77.5	Muzzafarn	83.6
Banas Kantha	77.7	Nashik	77.5	<i>Orissa</i>		<i>Tamil Nadu</i>		Nainital	82.7
Bharuch	83.8	Osman	80.9	Balangir	85.4	ChengaiMGR	84.4	Pilibit	79.3
Bhavnagar	82.0	Parbhani	81.0	Baleshwar	82.1	Coimbatore	89.7	Pithoragarh	88.7
Jamnagar	84.5	Pune	77.1	Cuttack	85.2	Kanyakumari	91.4	Pratapg	69.8
Junagadh	88.3	Raigarh	82.6	Dhenkanal	86.7	Madurai	85.4	Rae Boreli	72.1
Kachchh	83.7	Ratnagiri	81.8	Ganjam	84.6	North Arcot	84.1	Rampur	79.4
Kheda	76.8	Sangli	77.4	Kalahandi	86.4	Nilgiris	66.6	Saharanpur	78.1
Mahesana	78.9	Satara	80.1	Kendujhar	84.7	Ramnad	76.1	Shahjahanp	80.1
Panch Mahals	74.4	Thane	74.3	Mayurb	84.7	South Arcot	85.8	Sitapur	76.3
Rajkot	82.9	Wardha	75.5	Phulanbani	88.6	Salem	86.6	Sultanpur	76.3
Sabar Kantha	75.8	Yavatmal	77.4	Puri	86.3	Thanjavur	85.7	Tehri Garh	81.2
Surat	83.7	Mean TE	78.1	Sambalpur	82.3	Tirunelveli	84.1	Unnao	73.4
Surendranagar	81.1	<i>Madhya Pradesh</i>		Sundargarh	82.4	Tiruchy	81.5	Uttarkashi	86.4
Vadodara	79.4	Balaghat	78.9	Mean TE	85.0	Mean TE	83.4	Varanasi	72.1
Mean TE	80.9	Bastar	86.2	<i>Punjab</i>		<i>Uttar Pradesh</i>		Mean TE	77.3
<i>Haryana</i>		Betul	80.3	Amritsar	82.1	Agra	76.9	<i>West Bengal</i>	
Ambala	74.3	Bhind	78.7	Bhatinda	85.0	Aligarh	76.8	Bankura	82.2
Gurgaon	81.1	Bhopal	75.9	Firozpur	85.0	Allahabad	71.4	Birbhum	83.3
Hisar	83.9	Bilaspur	79.7	Gurdasp	80.3	Almora	82.5	Darjiling	80.0
Jind	82.7	Chhatarpur	75.6	Hoshiarpur	82.4	Azamgarh	75.7	Haora	77.1
Karnal	77.7	Chhindwara	86.9	Jalandh	84.5	Bahraich	74.4	Hugli	81.0
Mean TE	79.9	Datia	79.1	Kapurthala	83.4	Ballia	73.2	Jalpaig	82.3
<i>Karnataka</i>		Dewas	78.0	Ludhiana	83.5	Banda	79.9	Koch Bih	87.4
Belgaum	83.5	Dhar	75.1	Patiala	85.1	Bara Banki	76.4	Maldah	76.1
Bellary	74.8	Durg	60.8	Rupnagar	80.7	Bareilly	79.8	Medinipur	84.7
Bidar	79.2	Guna	74.2	Sangrur	86.3	Basti	69.6	Murshid	86.3
Bijapur	79.2	Gwalior	75.5	Mean TE	83.4	Bijnor	86.6	Nadia	84.2
Chikmag	78.1	Hoshangabad	80.2	<i>Rajasthan</i>		Budaun	76.9	Mean TE	82.2
Chitradurg	84.2	Indore	79.7	Ajmer	75.7	Bulandshahr	79.9		
DakshinKanad	91.4	Jabalpur	56.6	Alwar	84.6	Chamoli	87.0		
Dharwad	79.8	Jhabua	72.4	Banswara	78.8	Dehra Dun	81.5		