AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

UTILITY-EFFICIENT PROGRAMMING FOR WHOLE-FARM PLANNING*

LOUISE H. PATTEN, J. BRIAN HARDAKER
University of New England, Armidale, NSW 2351

and DAVID J. PANNELL
University of Western Australia, Nedlands, WA 6009

A programming technique, utility-efficient programming, is developed for farm planning under risk. The objective function is the parametric sum of two parts of the utility function in which the degree of risk aversion varies systematically with the parameter. This technique has several advantages over those previously available: a number of types of utility functions are applicable including ones exhibiting decreasing risk aversion; the degree of risk aversion can be limited to a plausible range; the form of the distribution for activity net revenues is flexible; and the technique can be used with available algorithms. The method is illustrated using a parametric linear programming algorithm.

To date, there has been no completely satisfactory method of finding the utility-maximising farm plan from among the set of possible risky plans. The reason is that, in order to determine the optimal farm plan for a given farmer, his or her utility function must be known. Utility elicitation from farmers is difficult and the difficulties are compounded when general recommendations are being formulated for many farmers. One approach used has been to identify a set of efficient plans from which the individual farmer can choose. The efficient set should contain all farm plans that farmers could prefer if they have utility functions belonging to some specified class and there should be no farm plan outside the identified set that would give such a farmer a higher expected utility. Methods of deriving such a set are known as stochastic efficiency analysis.

While methods of stochastic efficiency analysis have been developed, to date, their effective use in whole-farm planning has been limited. Although mathematical programming techniques have been widely used for farm planning because such models allow good representation of the production constraints and inter-activity relationships commonly encountered on farms, combining mathematical programming with stochastic efficiency analysis for farm planning has been less successful. Of the techniques available for representing risk attitudes in mathematical programming models, most are either inconsistent with expected utility maximisation or only generate stochastically efficient plans under certain limited and unsatisfactory conditions, as noted below. In this paper, a programming model is presented that generates efficient sets of plans for defined classes of utility functions without some of the deficiencies of existing methods.

Hadar and Russell (1969) introduced second-degree stochastic dominance (SSD) analysis, enabling preference ordering of uncertain prospects under the relatively undemanding assumption that the utility function is monotonically increasing and concave (risk-averse). Third-

* Thanks are due to Jock Anderson, John Dillon and Gordon MacAulay for comments on an earlier draft of this paper. David Pannell thanks Rob Fraser, Ross Kingwell and Bob Lindner for their contributions to a study which preceded this joint paper.

degree stochastic dominance analysis allows further ordering of distributions under the stronger assumption of decreasing risk aversion (Whitmore 1970). Other authors have shown how the efficient set can be otherwise restricted in terms of 'utility family-specific' efficiency, that is, for decision makers whose utility functions have a particular algebraic form (Anderson, Dillon and Hardaker 1977, pp. 292-4). Subsequently, Meyer (1977*a, b*) extended SSD analysis to dominance with respect to a function, allowing comparison of distributions given upper and lower limits on absolute risk aversion.

Despite its theoretical superiority over other techniques, there are two weaknesses of stochastic dominance analysis that have limited its application in farm planning. First, the procedures are not well developed for problems involving mixtures of alternatives. Second, and related to the first point, most available procedures have only allowed determination of stochastic dominance through pairwise comparisons of alternatives. Despite the existence of computer codes (for example, Raskin and Cochran 1986), the computation becomes very costly if many alternatives are to be reviewed. Methods of integrating this analysis into mathematical programming have been limited.

The best-known application of stochastic efficiency analysis for whole-farm planning is quadratic risk programming (QRP) [and its linear approximations such as MOTAD (Hazell 1971)]. QRP, first applied by Freund (1956), is commonly used to generate the mean-variance efficient set of plans. It has the advantage of being simple to apply using widely available quadratic programming computer codes. Unfortunately, the approach usually requires restrictive assumptions of either a quadratic utility function or normally distributed net income.¹ Quadratic utility functions imply positive marginal utility only within a bounded range (Hanoch and Levy 1970) and increasing absolute risk aversion (Arrow 1965, p. 35). Both characteristics are inconsistent with the expected nature of true preferences. On the other hand, an assumption of normally distributed net income can be both unrealistic and unsatisfactory for risk-averse decision makers who are not indifferent between symmetrical and skewed distributions (Collender and Chalfant 1986). Hadar and Russell (1969) showed theoretically that a mean-variance frontier may contain distributions that can be ordered by SSD analysis while excluding distributions that would be in the SSD set. These conclusions were confirmed empirically in a stock market context by Porter and Gaumnitz (1972) (who nevertheless concluded that the differences between the two efficient sets were not very great).

Another method of applying stochastic dominance analysis in a whole-farm planning framework is risk-efficient Monte Carlo programming (REMP), as developed by Anderson (1975). In REMP, many farm plans are selected partly at random and then reduced by pairwise comparisons to the stochastically efficient set. However, REMP does not allow the whole set of efficient plans to be identified and, in fact, those identified may not be truly efficient.

A third approach, mean-Gini programming, has been advanced as combining the advantages of SSD analysis and mean-variance analysis while avoiding the limitations of each. However, despite some theoretical advan-

¹ While normality and/or a quadratic utility function are sufficient conditions for the appropriateness of the mean-variance, they are not always necessary conditions (Meyer 1987).

tages (Yitzhaki 1982), it is computationally very inefficient and therefore impracticable.²

Other mathematical programming models accounting for risk, such as game theory (for example, Hazell 1970) or maximum admissible loss models (Boussard 1970), can be criticised as being inconsistent with expected utility maximisation, the predominant economic paradigm for risk analysis.

The application of stochastic dominance criteria could be greatly enhanced by their inclusion in a mathematical programming formulation in a less-restrictive manner than present options provide. Such an approach is presented below. This procedure allows the identification of all farm plans that are efficient for a set of decision makers whose risk attitudes can be represented by a particular class of utility functions, defined over an interval of degrees of risk aversion. The farm plans so identified will be first, second, third and n-th degree stochastically efficient for those particular decision makers.

Utility-Efficient Programming

Lambert and McCarl (1985) present a mathematical programming formulation that allows identification of the expected utility maximising solution for any specific concave utility function, and does not require an assumption of normally distributed net income. Utility-efficient programming is a reformulation of this approach using parametric objective programming.

Consider the class of separable utility functions of the form

$$(1) \quad U = G(z) + \lambda H(z)$$

where z is net income and for which the degree of risk aversion varies with λ , and G and H are appropriately selected functions of z . Lin and Chang (1978) have reviewed several alternative utility functions and have listed their properties, specifically, implied restrictions on parameters, coefficients of risk aversion and risk aversion ranges. A number of these functions have the required property of separability (see Appendix). Of particular interest, however, is the so-called 'sumex' function (Schlaifer 1971, p. 9.4):

$$(2) \quad U = -\exp(-az) - \lambda \exp(-bz) \quad a, b, \lambda > 0$$

The sumex function has the desirable property that

$$(3) \quad r_a = [a^2 \exp(-az) + \lambda b^2 \exp(-bz)] / [a \exp(-az) + \lambda b \exp(-bz)]$$

where r_a is the coefficient of absolute risk aversion, defined as $-U''/U'$ (Arrow 1965, p. 33). Therefore, the function exhibits decreasing absolute risk aversion with increases in income (z). Moreover, as the parameter is varied, the coefficient of absolute risk aversion varies between a and b . This property is useful in that a and b can be set at the upper and lower limits of the range of risk aversion of interest for a particular analysis. While any suitable separable utility function could be used in the program-

² For example, Okunev (1986) found that, while his example could be run with 1 min of CPU time using mean-variance analysis, it took 78 h of CPU time using the mean-Gini model!

ming formulation below, the application will be based on the sumex function.

Define the following mathematical programming problem:

$$(4) \quad \max_x E[U] = \sum_k p_k [G(z_k) + \lambda H(z_k)]$$

subject to

$$z_k = c_k'x \quad \text{for } k = 1, \dots, K$$

$$Ax \leq d$$

and

$$x \geq 0$$

where λ is a non-negative parameter, p_k is the probability of state k , G and H are two parts of the utility function U , z_k is the total net revenue for state k , c_k is the activity net revenue vector for state k , x is the vector of activity levels, A is the matrix of input output coefficients, and d is the vector of right-hand side coefficients.

The above formulation can be regarded as a special case of discrete stochastic programming (Cocks 1968; Rae 1971*a, b*) and it is trivial to extend what follows to the general discrete stochastic case.

The parameter λ is varied using a parametric objective programming algorithm. At each change of basis, corresponding to a particular level of risk aversion, the expected utility maximising solution is identified. When $\lambda = 0$, $r_a = a$, whereas when $\lambda \rightarrow \infty$, $r_a \rightarrow b$. Thus, the complete utility-efficient solution set for the utility functional form used can be identified. The solution meets the aim outlined in the introduction and that is that no plan outside the identified set would be preferred by any member of the target group of decision makers, and none in the set would not potentially be preferred by some decision maker. The efficient set is, however, utility-family specific.

The activity net revenue vectors for all states, c_k , represent the uncertainty in activity returns. Therefore, there is no need to assume any standard form of distribution. Suitable values may be actual (or detrended) observations from recent years, which can be treated as a sample of equally likely outcomes or as states with subjectively assessed probabilities.

Solution of the utility-efficient programming problem requires access to an algorithm able to solve mathematical programming formulations with a parametric linear combination of two non-linear objective rows. To our knowledge, no such algorithm has yet been coded for computer application. Three possible approaches were therefore considered:

- (a) solution using a non-parametric, non-linear code such as MINOS (Murtagh and Saunders 1977) with stepwise variation in λ ;
- (b) solution using a parametric quadratic programming routine with quadratic approximation of G and H ;
- (c) solution using a parametric linear programming routine with linear approximation of G and H .

While option (a) should present no major difficulties, the problem would need to be solved many times to span adequately the range of λ of interest. This could prove expensive in computer and analyst's time. Options (b) and (c) both involve approximations of G and H and the latter was preferred on grounds of simplicity.

Utility-Efficient Programming Using Linear Approximation

Since the functions G and H for the sumex are concave, the Duloy and Norton (1975) procedure was used for the linear approximation. Thus, the linear programming formulation of the model is as follows:

$$(5) \quad \max_x E[U] = \sum_k P_k (g_k' w_k + \lambda h_k' w_k)$$

subject to

$$Ax \leq d$$

$$-c_k'x + v_k'w_k = 0$$

$$t'w_k \leq 1$$

and

$$x, w_k \geq 0, k = 1, \dots, K$$

where w_k is a q by 1 vector of weights representing each of the q segments of G and H for each state k , v_k is a q by 1 vector of values of z_k for state k chosen as corner values for the linear segmentation of G and H , g_k and h_k are q by 1 vectors of calculated values of G and H , respectively, corresponding to the values of z_k (total net revenue) in v_k , all for state k , and t is a q by 1 vector of ones.

The linear segments, represented in v_k , do not have to be the same for each state. Since the smaller the linear segments the closer the approximation to the original function, some effort needs to be spent on determining the size and number of segments to use. The approach followed here is first to solve the problem to maximise expected profit, and then to set corner values close together in the region of the income values for each state given in this solution. Once the initial solutions are obtained, the length of segments may be further refined to improve the approximation.

Application of Utility-Efficient Programming

To illustrate the technique a farm planning example was taken from Hardaker (1979, ch. 10) where it was used to demonstrate MOTAD programming. The problem involves choice among five activities (wheat, barley, grass seed, potatoes and pigs), subject to eight constraints (land

TABLE 1
Technical Constraints for the Example Problem

Constraint	Units	Wheat	Barley	Grass seed	Pota-toes	Pigs	Sign	d vector
Land	ha	1	1	1	1	-	$\leq$	150
Max. cereals	ha	1	1	-2	-4	-	$\leq$	0
Max. wheat	ha	1	-	-1	-2	-	$\leq$	0
Max. potatoes	ha	-	-	-	1	-	$\leq$	20
Max. pigs	no.	-	-	-	-	1	$\leq$	50
Labour I	h	1	3	1	10	2	$\leq$	500
Labour II	h	3	3	4	-	2	$\leq$	550
Labour III		3	1	-	25	2	$\leq$	450

TABLE 2
Vectors of Net Revenues per Unit^a

State	Wheat	Barley	Grass seed	Potatoes	Pigs
1	200	170	300	600	120
2	250	230	500	350	190
3	270	200	100	1050	140
4	300	260	250	800	160

^a All values are expressed in \$/ha.

TABLE 3
Final v_k Vectors: Corner Values of Wealth^a

State	w_{k1}	w_{k2}	w_{k3}	w_{k4}	w_{k5}
1	42 000	44 500	47 000	49 500	52 000
2	57 000	61 500	66 000	70 500	75 000
3	32 000	34 500	37 000	39 500	42 000
4	48 000	49 000	50 000	51 000	52 000

^a All values are expressed in \$.

area, maximum cereal, wheat and potato areas, maximum number of pigs, and three labour usage constraints) (see Table 1). The activity net revenues for four previous years are given in Table 2 and are treated as four equally likely states of nature in the example formulation. The corner income values for the linear approximation of utility (that is, the v_k vectors) for each state are shown in Table 3.

The relevant absolute risk aversion range for the model was derived from the plausible range of relative risk aversion, r_r , defined as the elasticity of the marginal utility of wealth. Arrow (1965, p. 33) has shown that $r_a = r_r/w$ where w is wealth. Little and Mirrlees (1974, p. 330) suggest that r_r will be a number close to 2; therefore, a range of 1 to 3 was used. The approximate wealth of the example farmer was assessed by capitalising the estimated average annual net income of the farm. This process gave a range of r_a of 6×10^{-6} to 2×10^{-6} . This range gave the result of only one optimal farm plan, indicating the discriminating power of risk programming when risk aversion is limited to a plausible range. However, for the purposes of illustration, the range was enlarged to 1×10^{-4} to 1×10^{-6} . Thus, the G and H functions used were:

$$(6) \quad G = -\exp(-0.0001z)$$

$$(7) \quad H = -\exp(-0.000001z)$$

Results

The results obtained are illustrated by the solid lines in Figure 1. For purposes of comparison, the QRP results for the same levels of risk aversion are shown as broken lines in the same figure.

FIGURE 1—Utility-Efficient (—) and Quadratic Risk Programming (---) Solutions.

The two sets of solutions are substantially different, reflecting the different objective functions. The utility-efficient solutions include less barley, fewer pigs and more grass seed over most of the range of risk aversion levels investigated. Therefore, insofar as the assumptions underlying the model are less restrictive than those of the QRP model, and more closely reflect farmers' actual circumstances, the utility-efficient set of plans is clearly superior as a basis for choice of a plan by an individual farmer. This superiority will be greater the more actual risk attitudes differ from those implied by quadratic utility and are better reflected in the function used for utility-efficient programming, and/or the more the distributions of farm incomes depart from the normal.

Conclusions

The objective of any programming approach to farm planning which takes risk into account is to provide decision makers with the smallest set of farm plans which includes the plan that maximises the individual's utility. To obtain this set, the utility function used or implied in the approach must be consistent with the subject's actual preferences and any additional constraints used to reduce the number of possible solutions must also be in accord with those actual preferences. In addition, the technique used must be practical. That is, data required should be obtainable with reasonable ease and the computational task should not be excessive.

The utility-efficient programming approach outlined in this paper appears to satisfy the above criteria reasonably well. The technique is applicable to a number of types of utility function. Therefore, if certain characteristics of the preferences of the target decision makers are known or can be inferred (for example, that they exhibit decreasing risk aversion), a function that implies these characteristics may be available. A second advantage of this technique is that all knowledge about the range of risk aversion relevant to a particular group of decision makers can easily be incorporated into the model.³ Thereby, solutions that would be of no interest to the decision makers are avoided. The third advantage of this approach is that, unlike QRP, no assumptions concerning the nature of the distribution of activity net revenues need to be made. It shares the advantage with MOTAD programming of allowing the available data to indicate the nature of the multivariate distribution, while also allowing for a degree of subjectivity if appropriate, for example by assigning subjective probabilities to states. Finally, as shown in the example, utility-efficient programming can be effectively approximated using parametric linear programming, for which there are widely available and efficient computer packages.

APPENDIX

Suitable Utility Functions for Utility-Efficient Programming

Table A1 shows how four types of utility function can be partitioned into separate functions *G* and *H* for use in utility-efficient programming. Restrictions on the parameters, coefficients of absolute risk aversion and the ranges of risk aversion are also shown.

References

- Anderson, J. R. (1975), 'Programming for efficient planning against non-normal risk', *Australian Journal of Agricultural Economics* 19(2), 94-107.
- , Dillon, J. L. and Hardaker, J. B. (1977), *Agricultural Decision Analysis*, Iowa State University Press, Ames.
- Arrow, K. J. (1965), *Aspects of the Theory of Risk-Bearing*, Yrjo Johnsson Saatio, Helsinki.
- Boussard, J.-M. (1970), 'A model of the behaviour of farmers and its application to agricultural policies', *European Economic Review* 2(4), 436-61.
- Cocks, K. D. (1968), 'Discrete stochastic programming', *Management Science* 15(1), 72-9.
- Collender, R. N. and Chalfant, J. A. (1986), 'An alternative approach to decisions under uncertainty using the empirical moment-generating function', *American Journal of Agricultural Economics* 68(3), 727-31.
- Duloy, J. H. and Norton, R. D. (1975), 'Prices and incomes in linear programming models', *American Journal of Agricultural Economics* 57(4), 591-600.

³ Of course, such a restriction can also be used in other types of risk programming, such as QRP.

TABLE A1
Features of Suitable Utility Functions

Functional form	G	H	Restriction	Coefficient of risk aversion	Range of risk aversion
$U(z) = z - \lambda z^2$	z	$-z^2$	$\lambda > 0$	$2\lambda/(1 - 2\lambda z)$	$0.5\lambda^{-1} \geq z \geq 0$
$U(z) = z + \lambda \ln(z + a)$	z	$\ln(z + a)$	$\lambda > 0$	$\lambda/[(z + a)(z + \lambda + a)]$	$z \geq -a$
$U(z) = -\exp(-az) + \lambda z$	$-\exp(-az)$	z	$a, \lambda > 0$	$a^2 \exp(-az)/[a \exp(-az) + \lambda]$	all z
$U(z) = -\exp(-az) - \lambda \exp(-bz)$	$-\exp(-az)$	$-\exp(-bz)$	$a, b, \lambda > 0$	$[a^2 \exp(-az) + \lambda b^2 \exp(-bz)]/$ $[a \exp(-az) + \lambda b \exp(-bz)]$	all z

Notes:

(a) In addition, it is possible to use any function of the general form $U(z) = G + \lambda H$ where G and H are polynomials with H of second order or higher.

(b) All functions except the polynomials exhibit decreasing absolute risk aversion over the specified ranges.

(c) The range of λ of interest for utility-efficient programming can be determined by setting appropriate upper and lower values for the coefficient of risk aversion and solving for λ (for a relevant value of z). The case of the sumex is different, as illustrated in the main text.

Source: Derived from Lin and Chang (1978).

- Freund, R. J. (1956), 'The introduction of risk into a programming model', *Econometrica* 24(2), 253-63.
- Hadar, J. and Russell, W. R. (1969), 'Rules for ordering uncertain prospects', *American Economic Review* 59(1), 25-34.
- Hanoch, G. and Levy, H. (1970), 'Efficient portfolio selection with quadratic and cubic utility', *Journal of Business* 43(2), 181-90.
- Hardaker, J. B. (1979), *Farm Planning by Computer*, Ministry of Agriculture, Fisheries and Food, GFM2, HMSO, London.
- Hazell, P. B. R. (1970), 'Game theory - an extension of its application to farm planning under uncertainty', *Journal of Agricultural Economics* 21(2), 239-52.
- (1971), 'A linear alternative to quadratic and semivariance programming for farm planning under uncertainty', *American Journal of Agricultural Economics* 53(1), 53-62.
- Lambert, D. K. and McCarl, B. A. (1985), 'Risk modeling using direct solution of non-linear approximations of the utility function', *American Journal of Agricultural Economics* 67(4), 846-52.
- Lin, W. W. and Chang, H. S. (1978), 'Specification of Bernoullian utility function in decision analysis', *Agricultural Economics Research* 30(1), 30-6.
- Little, I. M. D. and Mirrlees, J. A. (1974), *Project Appraisal and Planning for Developing Countries*, Heinemann, London.
- Meyer, J. (1977a), 'Choice among distributions', *Journal of Economic Theory* 14(2), 326-36.
- (1977b), 'Second degree stochastic dominance with respect to a function', *International Economic Review* 18(2), 477-87.
- (1987), 'Two-moment decision models and expected utility maximisation', *American Economic Review* 77(3), 421-9.
- Murtagh, B. A. and Saunders, M. A. (1977), *MINOS: A Large-Scale Nonlinear Programming System: User's Guide*, Department of Operations Research, Stanford University, Stanford.
- Okunev, J. (1986), A comparative study of Gini's mean difference and mean variance in portfolio analysis, unpublished M.Ec. dissertation, University of New England, Armidale.
- Porter, R. B. and Gaumnitz, J. E. (1972), 'Stochastic dominance vs. mean-variance portfolio analysis: an empirical evaluation', *American Economic Review* 62(3), 438-46.
- Rae, A. N. (1971a), 'An empirical application and evaluation of discrete stochastic programming in farm management', *American Journal of Agricultural Economics* 53(4), 625-38.
- (1971b), 'Stochastic programming, utility, and sequential decision problems in farm management', *American Journal of Agricultural Economics*, 53(3), 448-60.
- Raskin, R. and Cochran, M. J. (1986), A user's guide to the generalised stochastic dominance program for the IBM PC, Department of Agricultural Economics and Rural Sociology, University of Arkansas, Fayetteville.
- Schlaifer, R. (1971), *Computer Programs for Elementary Decision Analysis*, Harvard University, Boston.
- Whitmore, G. A. (1970), 'Third-degree stochastic dominance', *American Economic Review* 60(3), 457-9.
- Yitzhaki, S. (1982), 'Stochastic dominance, mean variance, and Gini's mean difference', *American Economic Review* 72(1), 178-85.