



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

THE STATA JOURNAL

Editors

H. JOSEPH NEWTON
Department of Statistics
Texas A&M University
College Station, Texas
editors@stata-journal.com

NICHOLAS J. COX
Department of Geography
Durham University
Durham, UK
editors@stata-journal.com

Associate Editors

CHRISTOPHER F. BAUM, Boston College
NATHANIEL BECK, New York University
RINO BELLOCCO, Karolinska Institutet, Sweden, and
University of Milano-Bicocca, Italy
MAARTEN L. BUIS, WZB, Germany
A. COLIN CAMERON, University of California–Davis
MARIO A. CLEVES, University of Arkansas for
Medical Sciences
WILLIAM D. DUPONT, Vanderbilt University
PHILIP ENDER, University of California–Los Angeles
DAVID EPSTEIN, Columbia University
ALLAN GREGORY, Queen's University
JAMES HARDIN, University of South Carolina
BEN JANN, University of Bern, Switzerland
STEPHEN JENKINS, London School of Economics and
Political Science
ULRICH KOHLER, University of Potsdam, Germany

FRAUKE KREUTER, Univ. of Maryland–College Park
PETER A. LACHENBRUCH, Oregon State University
JENS LAURITSEN, Odense University Hospital
STANLEY LEMESHOW, Ohio State University
J. SCOTT LONG, Indiana University
ROGER NEWSON, Imperial College, London
AUSTIN NICHOLS, Urban Institute, Washington DC
MARCELLO PAGANO, Harvard School of Public Health
SOPHIA RABE-HESKETH, Univ. of California–Berkeley
J. PATRICK ROYSTON, MRC Clinical Trials Unit,
London
PHILIP RYAN, University of Adelaide
MARK E. SCHAFFER, Heriot-Watt Univ., Edinburgh
JEROEN WEESIE, Utrecht University
NICHOLAS J. G. WINTER, University of Virginia
JEFFREY WOOLDRIDGE, Michigan State University

Stata Press Editorial Manager

LISA GILMORE

Stata Press Copy Editors

DAVID CULWELL and DEIRDRE SKAGGS

The *Stata Journal* publishes reviewed papers together with shorter notes or comments, regular columns, book reviews, and other material of interest to Stata users. Examples of the types of papers include 1) expository papers that link the use of Stata commands or programs to associated principles, such as those that will serve as tutorials for users first encountering a new field of statistics or a major new technique; 2) papers that go “beyond the Stata manual” in explaining key features or uses of Stata that are of interest to intermediate or advanced users of Stata; 3) papers that discuss new commands or Stata programs of interest either to a wide spectrum of users (e.g., in data management or graphics) or to some large segment of Stata users (e.g., in survey statistics, survival analysis, panel analysis, or limited dependent variable modeling); 4) papers analyzing the statistical properties of new or existing estimators and tests in Stata; 5) papers that could be of interest or usefulness to researchers, especially in fields that are of practical importance but are not often included in texts or other journals, such as the use of Stata in managing datasets, especially large datasets, with advice from hard-won experience; and 6) papers of interest to those who teach, including Stata with topics such as extended examples of techniques and interpretation of results, simulations of statistical concepts, and overviews of subject areas.

The *Stata Journal* is indexed and abstracted by *CompuMath Citation Index*, *Current Contents/Social and Behavioral Sciences*, *RePEc: Research Papers in Economics*, *Science Citation Index Expanded* (also known as *SciSearch*, *Scopus*, and *Social Sciences Citation Index*).

For more information on the *Stata Journal*, including information for authors, see the webpage

<http://www.stata-journal.com>

Subscriptions are available from StataCorp, 4905 Lakeway Drive, College Station, Texas 77845, telephone 979-696-4600 or 800-STATA-PC, fax 979-696-4601, or online at

<http://www.stata.com/bookstore/sj.html>

Subscription rates listed below include both a printed and an electronic copy unless otherwise mentioned.

U.S. and Canada		Elsewhere	
1-year subscription	\$ 79	1-year subscription	\$115
2-year subscription	\$155	2-year subscription	\$225
3-year subscription	\$225	3-year subscription	\$329
3-year subscription (electronic only)	\$210	3-year subscription (electronic only)	\$210
1-year student subscription	\$ 48	1-year student subscription	\$ 79
1-year university library subscription	\$ 99	1-year university library subscription	\$135
2-year university library subscription	\$195	2-year university library subscription	\$265
3-year university library subscription	\$289	3-year university library subscription	\$395
1-year institutional subscription	\$225	1-year institutional subscription	\$259
2-year institutional subscription	\$445	2-year institutional subscription	\$510
3-year institutional subscription	\$650	3-year institutional subscription	\$750

Back issues of the *Stata Journal* may be ordered online at

<http://www.stata.com/bookstore/sjj.html>

Individual articles three or more years old may be accessed online without charge. More recent articles may be ordered online.

<http://www.stata-journal.com/archives.html>

The *Stata Journal* is published quarterly by the Stata Press, College Station, Texas, USA.

Address changes should be sent to the *Stata Journal*, StataCorp, 4905 Lakeway Drive, College Station, TX 77845, USA, or emailed to sj@stata.com.



Copyright © 2012 by StataCorp LP

Copyright Statement: The *Stata Journal* and the contents of the supporting files (programs, datasets, and help files) are copyright © by StataCorp LP. The contents of the supporting files (programs, datasets, and help files) may be copied or reproduced by any means whatsoever, in whole or in part, as long as any copy or reproduction includes attribution to both (1) the author and (2) the *Stata Journal*.

The articles appearing in the *Stata Journal* may be copied or reproduced as printed copies, in whole or in part, as long as any copy or reproduction includes attribution to both (1) the author and (2) the *Stata Journal*.

Written permission must be obtained from StataCorp if you wish to make electronic copies of the insertions. This precludes placing electronic copies of the *Stata Journal*, in whole or in part, on publicly accessible websites, file servers, or other locations where the copy may be accessed by anyone other than the subscriber.

Users of any of the software, ideas, data, or other materials published in the *Stata Journal* or the supporting files understand that such use is made without warranty of any kind, by either the *Stata Journal*, the author, or StataCorp. In particular, there is no warranty of fitness of purpose or merchantability, nor for special, incidental, or consequential damages such as loss of profits. The purpose of the *Stata Journal* is to promote free communication among Stata users.

The *Stata Journal* (ISSN 1536-867X) is a publication of Stata Press. Stata, **STATA**, Stata Press, Mata, **mata**, and NetCourse are registered trademarks of StataCorp LP.

Stata tip 112: Where did my p -values go? (Part 2)

Maarten L. Buis
 Wissenschaftszentrum Berlin für Sozialforschung (WZB)
 Berlin, Germany
 maarten.buis@wzb.eu

In a previous Stata tip (Buis 2007), I discussed how to recover t statistics, p -values, and confidence intervals for regression parameters by using the results that are returned by an estimation command. In this tip, I continue that discussion by showing how p -values can be recovered for other tests that are sometimes displayed by estimation commands. For example, consider a linear regression as estimated by `regress` (see [R] `regress`). It displays the results of an F test of the hypothesis that all coefficients except the constant are equal to 0. However, `regress` only returns the F statistic (`e(F)`), the number of model degrees of freedom (`e(df_m)`), and the number of residual degrees of freedom (`e(df_r)`); it does not return the p -value. If you need the p -value, you can use the function `Ftail()` to look up the appropriate p -value, as illustrated below.

```
. sysuse auto
(1978 Automobile Data)
. regress price mpg i.rep78
```

Source	SS	df	MS			
Model	149020603	5	29804120.7	Number of obs =	69	
Residual	427776355	63	6790100.88	F(5, 63) =	4.39	
Total	576796959	68	8482308.22	Prob > F =	0.0017	
				R-squared =	0.2584	
				Adj R-squared =	0.1995	
				Root MSE =	2605.8	

price	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]	
mpg	-280.2615	61.57666	-4.55	0.000	-403.3126	-157.2103
rep78						
2	877.6347	2063.285	0.43	0.672	-3245.51	5000.78
3	1425.657	1905.438	0.75	0.457	-2382.057	5233.371
4	1693.841	1942.669	0.87	0.387	-2188.274	5575.956
5	3131.982	2041.049	1.53	0.130	-946.7282	7210.693
_cons	10449.99	2251.041	4.64	0.000	5951.646	14948.34

```
. display Ftail(e(df_m), e(df_r), e(F))
.00171678
```

Often such additional tests are based on the chi-squared distribution. In that case, we can use the `chi2tail()` function to recover the p -value. An example is given below. In this example, the test statistic is returned in `e(chi2_c)`. The number of degrees of freedom for this test is not returned by `biprobit` (see [R] `biprobit`), but we know that in this case the number of degrees of freedom has to be 1.

```

. webuse school
. biprobit private vote logptax loginc years, nolog
Bivariate probit regression           Number of obs   =           95
                                       Wald chi2(6)     =           9.59
Log likelihood = -89.254028           Prob > chi2      =           0.1431

```

	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
private						
logptax	-.1066962	.6669782	-0.16	0.873	-1.413949	1.200557
loginc	.3762037	.5306484	0.71	0.478	-.663848	1.416255
years	-.0118884	.0256778	-0.46	0.643	-.0622159	.0384391
_cons	-4.184694	4.837817	-0.86	0.387	-13.66664	5.297253
vote						
logptax	-1.288707	.5752266	-2.24	0.025	-2.416131	-.1612839
loginc	.998286	.4403565	2.27	0.023	.1352031	1.861369
years	-.0168561	.0147834	-1.14	0.254	-.0458309	.0121188
_cons	-.5360573	4.068509	-0.13	0.895	-8.510188	7.438073
/athrho	-.2764525	.2412099	-1.15	0.252	-.7492153	.1963102
rho	-.2696186	.2236753			-.6346806	.1938267

```

Likelihood-ratio test of rho=0:      chi2(1) =  1.38444   Prob > chi2 = 0.2393
. display chi2tail(1,e(chi2_c))
.23934684

```

Reference

Buis, M. L. 2007. Stata tip 53: Where did my p-values go? *Stata Journal* 7: 584–586.