

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.


Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search http://ageconsearch.umn.edu aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C. Agricultural Economics Report No. 281

March 1992



Acknowledgments

This study is the third part of a research program funded by the Animal and Plant Health Inspection Service (APHIS) through the Cooperative State Research Service (CSRS) of the U.S. Department of Agriculture. We appreciate their support.

The first two studies addressing leafy spurge patch expansion and impacts of Leafy Spurge on range and pastureland contributed greatly to this study. Thanks to Flint Thompson and Dean Bangsund (Agricultural Economics), Rod Lym and Calvin Messersmith (Department of Crop and Weed Science), Don Kirby and Rodney Stroh (Animal and Range Science) for their work on the earlier studies.

Thanks are given to Jean Ah Puck for document preparation, Joaan Thompson for graphic assistance, and to our colleagues who reviewed this manuscript. The authors assume responsibility for any errors of omission, logic, or otherwise.

Table of Contents

	Page
List of Tables	ii
List of Appendix Tables	ii
List of Figures	iii
Highlights	v
Introduction	1
Objectives	2
Procedures	3
Wildland Definition	3
Wildland Benefits Wildlife-associated Recreation Soil and Water Conservation Intangibles	5 5 5 7
Biophysical Impacts Wildlife-associated Recreation Soil and Water Conservation	7 7 8
Direct Economic Impacts Wildlife-associated Recreation Soil and Water Conservation	9 10 11
Secondary Economic Impacts Reduced Wildlife-associated Recreation Soil and Water Conservation Total Impact	12 12 14 14
Conclusions	14
Implications	15
References	19
Appendix	23

List of Tables

Table		Page
1	Estimated Wildland Acreage in North Dakota, 1987	4
2	Estimated Leafy Spurge Acreage on North Dakota Wildland, 1991	4
3	Wildlife-associated Recreation Expenditures and Participants in North Dakota, 1990	
4	Direct and Secondary Economic Impacts Due to the Leafy Spurge Infestation on North Dakota Wildland, by Business Sector and Benefit Category, 1991	

List of Appendix Tables

Table	Pa	age
1	Leafy Spurge Infestation by North Dakota	
	County, 1989	25

List of Figures

Figur	e	Page
1	Estimates of Reduced Wildland Wildlife Habitat Value Caused by Various Leafy Spurge Infestation Rates	8
2	Conceptual Relationship of Highly Erodible Land, Conservation Reserve Program (CRP), and Wildland	10
3	Bioeconomic Impact Assessment of Leafy Spurge in North Dakota	17

a

Highlights

Leafy spurge is a widely established noxious weed, which can be found in every county in North Dakota. First sighted in North Dakota in 1909, it now infests over 1 million acres. Leafy spurge acreage has doubled every 10 years for the last 30 years and likely will double again in 10 years.

A framework is developed and an initial estimate is made of the regional economic impact of leafy spurge on North Dakota wildland. Wildland is land not classified as urban or builtup, industrial, or agricultural, such as forest, range, or recreation areas and represents approximately 4,899,000 acres, or 10 percent of the state's total land area.

The biophysical impacts of leafy spurge on wildland wildlifeassociated recreation, soil and water conservation, and intangible benefits resulted in direct economic impacts of \$3.6 million. Using the North Dakota 18-sector Input-Output Model, regional (North Dakota) economic impacts (direct plus secondary impacts) from leafy spurge on wildlands were estimated at over \$11.0 million. Total regional economic impact (direct plus secondary impacts) from the leafy spurge infestation on wildland and rangeland is estimated at \$87.3 million.

These estimates of the substantial losses associated with leafy spurge infestation reinforce the need for economically feasible control methods. Without feasible control the continued expansion of leafy spurge is certain as are continued losses in personal income and business activity. Even with the high level of losses associated with the current leafy spurge infestation, it is important the cost of control (using current control methods) does not exceed the benefits of control.

Economic Impact of Leafy Spurge on North Dakota Wildland

Nancy M. Wallace, Jay A. Leitch, and F. Larry Leistritz*

Introduction

Leafy spurge is a widely established noxious weed which can be found in every North Dakota county (Lym and Messersmith 1985) and in 26 states and six Canadian provinces (Dunn 1985). Invasive characteristics make leafy spurge a particularly serious economic threat. As leafy spurge spreads, it displaces existing vegetation (Watson 1985) and is difficult to control with current technology (e.g., herbicides). First sighted in North Dakota in 1909, it infests over 1 million acres in the state (North Dakota Department of Agriculture 1989) (Appendix Table 1). The acreage of leafy spurge has doubled every 10 years for the last 30 years and likely will double again in 10 years (Thompson 1990).

Leafy spurge is a non-native, or alien, species in the United States. Once introduced, alien species can spread at alarming rates. Leafy spurge and other invaders enjoy remarkable success when introduced to ecosystems that have evolved without their presence and without the natural biocontrols that limit invaders to a specific niche in their native environment (Rendall 1990). After establishment, leafy spurge tends to displace other vegetation in pasture, rangeland, and other non-tilled land and to establish essentially single species stands (Watson 1985a), reducing the production of desirable forages (Messersmith et al. 1985).

Leafy spurge expansion is compounded by difficulty in control. Effective leafy spurge control must be considered a long-term management program. No single treatment will eradicate leafy spurge (Lym et al. 1988). Chemical control has traditionally been the most common control method on untilled land; however, high treatment costs and continued concern over the safety of chemicals have prompted research into alternative control methods. Biological control, the use of one organism to control another, has been gaining support as a potential control alternative (Carlson and Mundal 1990).

The continued expansion of leafy spurge and its ability to withstand eradication has resulted in direct economic losses for the agricultural sector in North Dakota, South Dakota, Montana, and Wyoming (Bangsund and Leistritz 1991). The economic impact of leafy spurge on grazing land is substantial. In North Dakota, rancher incomes and production outlays associated with ranchers' herds were reduced by \$23.1 million and total business activity

^{*}The authors are respectively, research assistant, associate professor, and professor, Department of Agricultural Economics, North Dakota State University, Fargo.

was reduced by \$76.3 million in 1990 (Bangsund and Leistritz 1991). Reductions in rancher incomes and production outlays in Montana, South Dakota, and Wyoming were \$5.7 million, \$3.8 million, and \$778,000, respectively. Reductions in total business activity for Montana, South Dakota, and Wyoming were \$18.7 million, \$12.6 million, and \$2.3 million, respectively (Bangsund and Leistritz 1991).

Pasture and rangeland are not the only types of land leafy spurge affects (Wallace 1991). Leafy spurge also infests other non-tilled land, such as road ditches, recreation areas, and wildlife production areas. This other non-tilled land (wildland) provides direct and indirect social and economic benefits to society. Leafy spurge can cause similarly adverse economic impacts, as on pasture and rangeland, to occur as a result of infestations on wildland.

Objectives

The objective of this study was to outline a procedure to estimate, and to make an initial estimate of, the economic impact of leafy spurge on North Dakota wildland. Specific tasks included:

- 1. Estimating acres of wildland and acres of wildland infested with leafy spurge in North Dakota,
- 2. Identifying and quantifying the outputs/benefits of North Dakota wildland,
 - 3. Estimating the physical impacts of leafy spurge on the outputs of North Dakota wildland,
 - 4. Estimating the economic impact of leafy spurge on infested wildland on the regional (North Dakota) economy, and
- 5. Identifying gaps in natural and physical science research that describe the physical relationships between leafy spurge and wildland outputs.

The purpose of this study is two-fold: first to illustrate the potential economic damages of exotic flora and second to illustrate the problems encountered in applied economics research when gaps in physical and natural science research exist.

Procedures

The acreage of wildland was estimated using existing published data. Acres of wildland infested with leafy spurge were estimated based on a survey of county weed board representatives (Wallace 1991). A literature review identified three main categories of wildland benefits: 1) wildlifeassociated recreation, 2) soil and water conservation, and 3) intangibles (Wallace 1991). These benefit categories serve as a conservative proxy for all wildland benefits.

The biophysical impacts of leafy spurge on wildland were estimated from published literature and input from wildlife and soil science specialists. The value of wildlife-associated benefits was based on wildlife-associated recreationist expenditures and changes in water users' expenditures to mitigate off-site water quality damages. Intangible benefits were qualitatively assessed.

The biophysical impacts of leafy spurge on wildland were applied to the estimated value of wildlife-associated benefits and soil and water conservation benefits to estimate direct economic impacts. The impact of leafy spurge on the regional economy (direct plus secondary impacts) was estimated using the North Dakota 18-sector Input-Output Model (Coon et al. 1990). Physical and natural science research critical to this analysis were found to be lacking as work progressed on the first four objectives.

Wildland Definition

Wildland can be broadly defined as land not used for industrial, urban, or agricultural purposes and includes forests, recreation areas, and wilderness (Randall and Peterson 1984). Selleck et al. (1962) observed leafy spurge in wildland habitats such as ungrazed grassland, rocky forest land, railway embankments, road and drainage ditches, and riverbanks. Since the literature did not contain any published estimate of wildland area in North Dakota, using this or any other definition, wildland area was estimated by excluding land use/cover categories that were not wildland. Acreage of cropland, grassland, rangeland, and pastureland (assumed agricultural), urban and built-up (assumed urban and industrial), and water were subtracted from the estimated total land area of North Dakota. Wildland was estimated at 4,899,000 acres, approximately 10 percent of the total acres in North Dakota (Table 1).

Land Use/Cover	Acres
Total area North Dakota: Less:	45,245,000
Cropland	28,063,000
Pastureland & rangeland	11,139,000
Urban and built-up land	207,000
Census water ^a	937,000
Total	4,899,000

TABLE 1. ESTIMATED WILDLAND ACREAGE IN

NORTH DAKOTA, 1987

 SOURCE: U.S. Soil Conservation Service, 1991. <u>National Resources Inventory 1987--North Dakota</u>. U.S. Department of Agriculture, Washington, D.C.
 *U.S. Soil Conservation Service, 1988. <u>Basic</u> <u>Statistics 1982 National Resources Inventory</u>. Soil Conservation Statistical Bulletin No. 765. U.S. Department of Agriculture, Washington, D.C.

Data from a survey of county weed board representatives were used to estimate acreage of leafy spurge on wildland (Wallace 1991). Respondents estimated acreage of leafy spurge on seven land use/cover categories: private range and private other (e.g., shelterbelts, section lines, rights-of-way), public rangeland, road ditches, recreation areas, wildlife production areas, and military/other. Categories classified as agricultural, industrial, and urban and built-up were not included in the estimate. Based on survey results, there are approximately 468,000 acres of leafy spurge on North Dakota wildland, approximately 10 percent of the 4.9 million acres of wildland (Table 2).

> TABLE 2. ESTIMATED LEAFY SPURGE ACREAGE ON NORTH DAKOTA WILDLAND, 1991

Land Use/Cover	Acres	
	047 (02	
Private other ^a	247,623	
Road ditches	124,006	
Recreation areas	17,738	
Wildlife production areas	51,508	
Military & other	27,121	
Total	467,996	

SOURCE: Wallace (1991). *Shelterbelts, section lines, rights-of-way.

Wildland Benefits

Wildland can be either publicly or privately owned and provides a variety of goods and services, such as forest products and mineral resources. Non-market goods such as recreation, wildlife production and habitat, erosion control, and watershed benefits are also products of wildland that provide society with benefits (Randall and Peterson 1984). Wildlife-associated recreation, soil and water conservation, and intangibles are identified as wildland benefits.

Wildlife-associated Recreation

Wildlife habitat is an important output of North Dakota wildland. Wildland outputs (e.g., wildlife) in combination with other inputs can form recreation experiences. The state's economy is impacted by the expenditures of individuals pursuing wildlife-associated recreation, such as the purchase of special equipment, gasoline, food, lodging, and other services. Wildlife-associated recreation consists of hunting, fishing, and nonconsumptive activities (e.g., wildlife photography) (U.S. Fish and Wildlife Service 1989). Only hunting and nonconsumptive expenditures were estimated, as fishing is not a relevant recreational activity on wildland. Total North Dakota wildlifeassociated recreation expenditures (consumptive and nonconsumptive) were estimated at over \$219 million in 1990 (Table 3).

Soil and Water Conservation

Alteration of the use or condition of water resources can lead to output, and subsequently value, changes. Changes in water resource values can be expressed as changes in water user production costs or changes in expenditures to prevent or counteract damage from pollutants (Ribaudo 1989). Ribaudo (1989) estimated the water quality benefits from placing highly erodible cropland into trees or grassland through the Conservation Reserve Program (CRP). Runoff and soil erosion are reduced when tilled cropland is converted to permanent cover, such as trees or grass, thus reducing off-site water quality damages. Benefits are equal to the reduction in expenditures formerly necessary to mitigate damages from nonpoint source pollution (Ribaudo 1986).

and a terraria

Present value of the off-site benefits of placing highly erodible cropland in CRP for the Northern Plains (North Dakota, South Dakota, Nebraska, and Kansas) was estimated at over \$248 million or \$47.60 per acre (Ribaudo 1989). Discounting the stream of benefits at 4 percent (the discount rate used by Ribaudo 1989) over the 10-year CRP contract period results in annual benefits of \$5.87 per acre (Wallace 1991). Assuming

Recreation Category	Expenditures*	Participants
Consumptive wildlife-associated	\$1,000	
Resident ^b Nonresident [°] Total	$ \begin{array}{r} 196,006 \\ \underline{4,269} \\ 200,275 \end{array} $	210,220° 8,223° 218,443
Nonconsumptive wildlife-associated recreation ⁴		
Resident Nonresident Total	4,811 <u>14,616</u> 19,427	81,500 <u>68,700</u> 150,200
Total Wildlife-associated Recreatio	n <u>219,702</u>	368,643
^a U.S. Department of Labor. 1991. A real dollars using Implicit Price Product. ^b James F. Baltezore and Jay A. Leite <u>Resident Hunter and Angler Expense</u> Agricultural Economics Report No Station, North Dakota State Unive ^c Randall S. Anderson and Jay A. Leit <u>Expenditures of Nonresident Sport</u> Agricultural Economics Miscelland Experiment Station, North Dakota ^d U.S. Fish and Wildlife Service. 1	a Deflator for the ch. 1988. <u>Extent</u> ditures in North Da 236, Agricultura ersity, Fargo. tch. 1984. <u>Chara</u> tsmen in North Dak eous Report No. 77 State University,	Gross National and Impact of akota in 1986. Experiment cteristics and ota in 1983. Agricultural

TABLE 3. WILDLIFE-ASSOCIATED RECREATION EXPENDITURES AND PARTICIPANTS IN NORTH DAKOTA, 1990

wildland and CRP have analogous soil and water conservation benefit¹, the results of the Ribaudo (1989) study can be used to estimate pre-leafy spurge wildland off-site water conservation benefits. By multiplying benefits per acre (\$5.87) by acres of wildland (4,899,000), wildland soil and water conservation benefits are estimated at \$28,757,130.

¹This assumption bridges one of the physical science gaps. There doesn't appear to be any information on which to base this or any alternate assumption, yet this assumption seems to be a "reasonable" starting point.

Intangibles

Existence and option values are non-market benefits of wildlands. Existence value is based on the utility an individual derives from simply "knowing" a resource exists, without ever intending to actually use the resource. Option value is similar to existence value but includes the possibility of future use.

Intangible benefits, such as existence and option values, are non-market benefits that accrue to individuals as increased or reduced consumers' surplus and, as such, do not impact the regional economy (Wallace 1991). Although intangibles are recognized as wildland benefits that accrue to individuals, intangible benefits have neither direct nor indirect monetary impact on the regional economy and, as such, were not included in the analysis of the economic impact of leafy spurge on wildland.

Biophysical Impacts


The ability of leafy spurge to literally choke out other existing vegetation has been documented (Watson 1985, Belcher and Wilson 1989, Messersmith et al. 1985). Leafy spurge is clearly related to a decline in native prairie plants and alone can have a negative effect on prairie vegetation, posing a considerable threat to native and existing wildland vegetation (Belcher and Wilson 1989). A substantial change in plant diversity due to leafy spurge may not provide the necessary cover or forage to support existing indigenous wildlife populations and may negatively impact wildland soil and water conservation.


Wildlife-associated Recreation

The ability of leafy spurge to change a diverse plant community to a monoculture is a threat to wildlife habitat. The U.S. Department of Agriculture (1989) reports floral monocultures reduce the interspersion of cover types, which in turn reduces habitat. Assuming a change in plant biodiversity would affect wildlife carrying capacity, an impact function was posited to describe the relationship between leafy spurge and wildland habitat value (Figure 1). Due to the lack of natural science research on the effects of leafy spurge on wildland wildlife habitat value, this first estimate of the relationship between leafy spurge and wildland wildlife habitat value² is based on the expert opinion of a few selected wildlife managers and plant ecologists and published data reporting the shortcomings of

²The relationship depicted in Figure 1 is another major natural science data gap. The function depicted seemed "reasonable" to the authors.

monocultures as wildlife habitat. Estimates of reduced wildland wildlife habitat value from leafy spurge infestations will be used to estimate the economic impact of leafy spurge on wildland wildlife-associated recreation.





*Shading along the function indicates there is uncertainty associated with the assumed relationship.

Soil and Water Conservation

As leafy spurge displaces native and existing vegetation, it changes the character and composition of wildland vegetative cover, an important factor influencing runoff and soil erosion. A change in vegetative cover due to leafy spurge may affect soil erosion, thereby altering wildland soil and water conservation benefits. On-site soil erosion damages consist primarily of losses in soil productivity from loss of soil structure and plant nutrients. Off-site erosion damages are experienced through degradation of surface water by runoff carrying sediment, nutrients, and pesticides (Rodgers et al. 1990, Ribaudo 1986 and 1989). Examples of off-site soil erosion damage are increased flood damages, damage to aquatic ecosystems, reduced water-based recreation opportunities, increased municipal and industrial water treatment costs, accelerated loss of water storage capacity, and aggradation and siltation of navigation and water conveyance channels (U.S. Environmental Protection Agency 1984, Ribaudo 1986 and 1989).

Enrollment of highly erodible cropland in the Conservation Reserve Program (CRP) has led to increased off-site water quality benefits (Ribaudo 1989). Removing highly erodible cropland from production has taken land with less diverse vegetative cover (monoculture cropland) and made it more diverse (trees and grassland). This more favorable vegetative mix for preventing runoff and soil erosion results in increased off-site water quality benefits.

A converse situation is possible with leafy spurge infestation on wildland. As the vegetative cover changes from more diverse to less diverse, moving toward a monoculture, runoff and soil erosion may increase, resulting in reduced off-site water quality benefits. A definitive estimate of increased runoff and soil erosion due to leafy spurge is not practical at this time due to the lack of physical science research describing the relationships among runoff, soil erosion, and leafy spurge. However, assuming 1) wildland without leafy spurge provides onand off-site soil and water conservation benefits analogous to CRP acres, and 2) wildland with leafy spurge provides fewer onand off-site soil and water conservation benefits than wildland without leafy spurge, a percentage reduction can be a proxy for possible reductions in soil and water conservation benefits due to leafy spurge infestation. For the purpose of this study, a 100 percent leafy spurge infestation is assumed to reduce wildland off-site water conservation benefits by one-fourth³ (Figure 2).

Direct Economic Impacts

Economic impacts are increases or decreases in economic activity due to the expansion or shrinkage of a particular firm, industry, or sector in the area economy (Coon et al. 1985). This study estimates the direct economic impacts that affect local

³There is no available theoretical or empirical research to suggest what the increases in soil erosion and the degradation in water quality might be. This is another physical science data gap that exists. The conclusions of this study are not highly sensitive to 50 percent changes in the assumed 25 percent reduction.




Figure 2. Conceptual Relationship of Highly Erodible Land, Conservation Reserve Program (CRP), and Wildland

suppliers and producers of wildland-related goods and services. Direct economic impacts from changes in wildlife-associated recreation are the changes in wildlife-associated recreationist expenditures that impact local suppliers of related goods and services. Direct economic impacts from changes in wildland soil and water conservation benefits are changes in user expenditures to mitigate damages from runoff and soil erosion.

Wildlife-associated Recreation

The reduction in expenditures from the 468,000-acre wildland leafy spurge infestation can be expressed as:

$$R = (E \times C) (H \times W) (S)$$

where

- R = Change in wildlife-associated recreation
 - expenditures due to leafy spurge infestation on wildland
- E = Total wildlife-associated recreation expenditures

- C = Species/land use coefficient
- H = Percentage reduction in wildlife habitat value
- W = Percentage of leafy spurge-infested wildland
- S = Percentage of expenditures lost to state economy

Assessing the impact of this infestation begins by referring to the estimated relationship of leafy spurge and wildland wildlife habitat value. The 468,000 acres of leafy spurge on wildland are assumed to be 100 percent infested, thus reducing wildland wildlife habitat value (H) by 80 percent (see Figure 1). An 80 percent reduction on 10 percent of all wildland (W) is equal to an 8 percent overall reduction in wildlife habitat value from leafy spurge.

The species/land use coefficient (C) represents the relative importance of different land uses in supporting current wildlife populations. The species/land use coefficient for wildland is estimated to be .40, or 40 percent (Wallace 1991). The species/land use coefficient multiplied by total wildlifeassociated expenditures results in an estimate of the portion of wildlife-associated expenditures attributable to wildland. Multiplying the reduction in wildland wildlife habitat value (H x W) by wildland wildlife-associated recreation expenditures (E x C) estimates the reduction in wildlife-associated recreation expenditures from leafy spurge infestation on wildland.

Some expenditures previously spent on wildlife-associated recreation will be reallocated to other in-state recreational activities. Other expenditures previously spent in-state will be spent in other states (S), thus representing a loss to the state economy. Baltezore and Leitch (1992) reported 42 percent of recreationists would pursue their favorite recreation activity out of state if it was not available in North Dakota. Direct economic impact (reduced expenditures) of reduced wildlifeassociated recreation due to the current leafy spurge infestation on wildland is estimated to be approximately \$2.9 million.

 $R = (\$219,702,000 \times .40) (.80 \times .10) (.42)$

R = \$2,952,795

Soil and Water Conservation

Direct economic impacts to soil and water conservation are defined as changes in defensive expenditures to prevent or counteract damage from pollutants. For example, water for municipal and industrial use is generally treated before household or commercial use. Changes in treatment costs represent the benefits (costs) of increased (decreased) water quality. Increased (decreased) water quality represents direct economic benefits (damages) to water users.

Applying the assumed 25 percent reduction in wildland soil and water conservation (erosion control) benefits due to the leafy spurge infestation to the \$5.87 per acre off-site water conservation benefits of CRP land estimates the reduction in wildland soil and water conservation benefits at \$1.47 (.25 x \$5.87). Multiplying the \$1.47 per acre reduction in wildlands soil and water conservation benefits by the 468,000 acres of wildland infested with leafy spurge results in nearly \$0.7 million in damages due to decreased water quality from leafy spurge on wildland.

Secondary Economic Impacts

Secondary, or regional, economic impacts are the resultant changes in business activity in other economic sectors of the North Dakota economy due to an initial change in business activity in one or more sectors. The North Dakota 18-sector Input-Output Model traces linkages among business sectors and calculates additions or reductions (secondary economic impacts) in total business activity, as well as estimating the number of jobs gained or lost. Total regional (North Dakota) economic impact of reduced wildlife-associated recreation and reduced soil and water conservation benefits due to the current leafy spurge infestation is the sum of direct and secondary economic impacts.

Reduced Wildlife-associated Recreation

Tourism and Recreation is the economic sector directly impacted by reduced wildlife-associated recreation. Expenditure categories in the Tourism and Recreation sector include auto transportation (e.g., gasoline service stations), lodging (e.g., hotels), food service (e.g. restaurants), entertainment/ recreation (e.g., theaters), and general retail trade (Coon et al. 1985). The estimated \$2.9 million reduction in expenditures (direct impact) reduced total business activity (direct and secondary economic impacts) by over \$9.7 million. Personal income (gross business volume of the Household sector) was reduced by over \$1.9 million (Table 4). The reduction in total business activity due to reduced wildlife-associated recreation is enough to support 138 jobs.

			· · ·
	Wildlife- associated	Soil & water conser-	an an an Arrange Arrange Arrange
Business sector	recreation	vation	Totals
		dollars	
Direct Impacts			
Tourism and recreation	2,953,000	. 0 .	2,953,000
Government	0	481,000	481,000
Agriculturecrops	1 . 0	200,000	200,000
Electricity generation	0	7,000	7,000
Reduction in Expenditures	2,953,000	688,000	3,641,000
Secondary (includes direct) Impacts			
Agriculturelivestock	225,000	16,000	240,000
Agriculturecrops	566,000	219,000	785,000
Nonmetal mining	12,000	1,000	13,000
Construction	162,000	16,000	178,000
Transportation	38,000	2,000	40,000
Communication and public utilities	257,000	17,000	274,000
Agricultural processing and	8		a the second second
miscellaneous manufacturing	1,489,000	33,000	1,522,000
Retail trade	1,226,000	164,000	1,430,000
Finance, insurance, and real estate	311,000	34,000	345,000
Business and personal service Professional and social services	163,000	14,000	177,000
Households	141,000 1,988,000	13,000 196,000	154,000 2,184,000
nousenoius	1,900,000	190,000	2,104,000 "
Government	214,000	500,000	714,000
Coal mining	0	1,000	1,000
Electricity generation	0	7,000	7,000
Petroleum exploration and extraction	0	0	0
Petroleum refining	0	0	0
Recreation and tourism	2,953,000	0	2,953,000
Reduction in Total Business Activity (Direct and Secondary Impacts)	9,745,000	1,233,000	11,017,000

TABLE 4. DIRECT AND SECONDARY ECONOMIC IMPACTS DUE TO THE LEAFY SPURGE INFESTATION ON NORTH DAKOTA WILDLAND, BY BUSINESS SECTOR AND BENEFIT CATEGORY, 1991

Soil and Water Conservation

Changes in soil and water conservation benefits directly impact three economic sectors, Government, Agriculture--Crops, and Electricity Generation. The three sectors had \$0.5 million, \$0.2 million, and \$7,000 in reduced benefits (increased expenditures), respectively, totaling \$0.7 million (Wallace The estimated \$0.7 million in direct economic impacts 1991). reduced total business activity (direct and secondary impacts) by nearly \$1.2 million. The Government sector (executive, legislative, judicial, administrative, and regulatory activities for federal, state, local, and international governments [Coon et al. 1985]) had a reduction in total business sector expenditures of over \$0.5 million. Agriculture--Crops (crops production) and Households (personal income) had reductions in total business sector expenditures of \$0.2 million (Table 4). The reduction in total business activity due to reduced wildland soil and water conservation benefits is enough to support 45 jobs.

Total Impact

Direct economic impacts in the Recreation and Tourism sector (\$2.9 million), the Government sector (\$0.5 million), the Agriculture--Crops sector (\$0.2 million), and the Electricity Generation sector (\$7,000) reduced total business activity (direct and secondary economic impacts) by over \$11.0 million. The Recreation and Tourism sector experienced the largest reduction in sector expenditures with over \$2.9 million in reduced business sector expenditures. The reduction in total business activity due to leafy spurge on wildland would support 187 jobs. Reductions in personal income (Household sector) were estimated at over \$2.1 million (Table 4).

Conclusions

This study was a first attempt to estimate regional economic impacts of leafy spurge on wildland in North Dakota. The present leafy spurge infestation on North Dakota wildland has direct economic impact of over \$3.6 million. Total foregone business activity (direct plus secondary impacts) is estimated to be \$11.0 million, enough to support 187 jobs. Further research is needed to refine the impact assessment. Additional natural and physical science research, more specific land use/cover inventories, and improved leafy spurge inventories would help to narrow the confidence intervals in these initial damage estimates. Specific inventory data needs include

- --expanding the annual estimation of leafy spurge infestation per county to include the land use/cover on which the infestation occurs (e.g., rangeland or road ditches), and
- --identifying ownership of spurge-infested land (e.g., public or private, federal or state).

Biophysical research needs include

- --a more precise description of the physical relationship between leafy spurge, wildland, and wildlife populations, and
- --physical research to describe the impact of leafy spurge on run-off and soil erosion.

This information would help to more confidently assess the impacts of leafy spurge on different types of land and to identify who leafy spurge impacts (i.e., resource owner, resource user, regional economy, or society) and estimate to what degree.

Considering the historic and potential future expansion and the economic damages due to leafy spurge in North Dakota, continued research to refine the estimate of the biophysical and economic impacts of leafy spurge on wildland is warranted. Reliable methods are available to refine the estimate of economic impacts of leafy spurge on wildland, provided the physical relationship between leafy spurge and wildland outputs can be adequately addressed.

The results of this first estimate of the economic impacts of leafy spurge on wildland are, of course, sensitive to the many assumptions made in the study. As the biophysical relationships of leafy spurge and wildland are refined, enhanced data can be applied to the framework for estimating economic impacts developed in this study.

Implications

The economic impact of leafy spurge has been addressed in two separate studies. This study assessed the impact of leafy spurge on wildland and a companion study assessed the impact of leafy spurge on range and pastureland (Thompson et al. 1990). Conceptually, the land uses addressed in these two studies are mutually exclusive and the results additive to estimate the economic impact of leafy spurge on the North Dakota economy. However, there is potential for overlap. Thompson et al. (1990) assumed all leafy spurge infestations were on grazing or pastureland. This overestimates the acreage of leafy spurge on grazing land as some of the leafy spurge assumed to be on range and pasture is actually on wildland.

In the interim, Bangsund and Leistritz (1991) updated the initial estimate of the economic impacts of leafy spurge on range and pastureland by correcting for the initial overestimate of acres of leafy spurge on range and pastureland and by using current leafy spurge acreage estimates. While Bangsund and Leistritz (1991) corrected for a potential overestimate in rangeland benefits in Thompson et al. (1990), potentials for both over- and underestimates in rangeland and wildland impacts remain.

Potential overestimates include the inclusion of all federal land in the wildland estimate. Some federal land is leased for agricultural purposes, e.g., grazing for cattle production. An argument could be made that federal land leased for agricultural purposes should be classified as agricultural land and thus excluded from the wildland estimate. Under the assumption federal land leased for grazing is not wildland, the inclusion of all federal land in the wildland estimate may overestimate the economic impact of leafy spurge on wildland. The inclusion of federal land in the wildland study may also overestimate the economic impact of leafy spurge on the North Dakota economy, as federal land leased for grazing was included in both the rangeland and wildland study.

Potential underestimates include the exclusion of wildlifeassociated benefits from the rangeland assessment. Rangeland does provides wildlife habitat, but the relative importance of rangeland wildlife habitat as well as the impact of leafy spurge on rangeland wildlife habitat are unknown. This represents yet another gap in natural science data.

Potential unidentified impacts include soil and water conservation impacts of leafy spurge on rangeland. Leafy spurge may provide greater soil and water conservation benefits than heavily grazed rangeland, thus providing a benefit, or it may represent a reduction in benefits as on wildland. Excluding the impact of leafy spurge on rangeland soil and water conservation benefits is indeterminate and may represent either an underestimate or overestimate of the economic impact of leafy spurge in North Dakota.

Without feasible control, the continued expansion of leafy spurge is certain, as are continued reductions in personal income and business activity. Currently the damage estimate for both rangeland and wildland is \$26.7 million in direct impacts and \$87.3 million in regional economic impacts (direct plus secondary impacts) (Figure 3). These first approximations suggest that leafy spurge is a major problem in North Dakota. Substantial




FIGURE 3. Bioeconomic Impact Assessment of Leafy Spurge in North Dakota

- * Nancy M. Wallace. 1991. <u>Economic Impact of Leafy Spurge on North Dakota Wildland</u>. Unpublished M.S. Thesis, Department of Agricultural Economics, North Dakota State University, Fargo.
- ^b Dean A. Bangsund and F. Larry Leistritz. 1991. <u>Economic Impact of Leafy Spurge on Grazing Land in the Northern Great Plains</u>. Agricultural Economics Report No. 275-S, Agricultural Experiment Station, North Dakota State University, Fargo.

losses associated with the leafy spurge infestation reinforce the need for continued research aimed at developing efficient, economical control methods. Considering the historic and potential future expansion of leafy spurge, futher economic losses associated with continued expansion are likely and will intensify the need for cost effective control methods. However, until a feasible solution is found, even with the high level of losses associated with the current leafy spurge infestation, it is important that the cost of control (using current control methods) does not exceed the benefit of control.

References

- Anderson, Randall S. and Jay A. Leitch. 1984. <u>Characteristics</u> <u>and Expenditures of Nonresident Sportsmen in North Dakota in</u> <u>1986</u>. Agricultural Economics Miscellaneous Report No. 77, Agricultural Experiment Station, North Dakota State University, Fargo.
- Baltezore, James F. and Jay A. Leitch. 1992. <u>Characteristics</u>, <u>Expenditures</u>, and <u>Economic Impact of Resident and</u> <u>Nonresident Hunter and Angler Expenditures in North Dakota</u> <u>in 1990-91 Season</u>. Agricultural Experiment Station, North Dakota State University, Fargo.
- Baltezore, James F. and Jay A. Leitch. 1988. <u>Extent and</u> <u>Impact of Resident Hunter and Angler Expenditures in North</u> <u>Dakota in 1986</u>. Agricultural Economics Report No. 236, Agricultural Experiment Station, North Dakota State University, Fargo.
- Bangsund, Dean A. and F. Larry Leistritz. 1991. <u>Economic</u> <u>Impacts of Leafy Spurge on Grazing Lands in the Northern</u> <u>Great Plains.</u> Agricultural Economics Report No. 275-S, Agricultural Experiment Station, North Dakota State University, Fargo.
- Belcher, Joyce W. and Scott D. Wilson. 1989. "Leafy Spurge and the Species Composition of a Mixed-Grass Prairie." Journal of Range Management 42(2):172-175.
- Carlson, Robert B. and Donald Mundal. 1990. "Introduction of Insects for the Biological Control of Leafy Spurge in North Dakota." <u>North Dakota Farm Research</u> 47(6):7-8.
- Coon, Randal C., Theresa K. Golz, and Jay A. Leitch. 1990. <u>Expanding the North Dakota Input-Output Model to</u> <u>Include Recreation and Tourism</u>. Agricultural Economics Report No. 255, Agricultural Experiment Station, North Dakota State University, Fargo.
- Coon, Randal C., F. Larry Leistritz, Thor A. Hertsgaard, and Arlen Leholm. 1985. <u>The North Dakota Input-Output</u> <u>Model: A Tool for Analyzing Economic Linkages</u>. Agricultural Economics Report No. 187, Agricultural Experiment Station, North Dakota State University, Fargo.
- Dunn P. H. 1985. "Origins of Leafy Spurge in North America." pp. 7-13 in <u>Leafy Spurge</u>, A.K. Watson, ed., Weed Science Society of America, Champaign, Illinois.

- Lym, Rodney G. and Calvin G. Messersmith. 1985. "A Summary of Leafy Spurge Control with Herbicides in North Dakota Since 1963." <u>North Dakota Farm Research</u> 43(1):3-6.
- Lym, Rodney G., Calvin G. Messersmith, and Dallas E. Peterson. 1988. <u>Leafy Spurge Identification and Control</u>. Extension Service Report No. W-765 (Revised), North Dakota State University, Fargo.
- Messersmith, Calvin G., Rodney G. Lym, and Donald S. Galitz. 1985. "Biology of Leafy Spurge." pp. 42-56 in Leafy Spurge, A.K. Watson, ed., Weed Science Society of America, Champaign, Illinois.
- North Dakota Department of Agriculture. 1989. Unpublished data of the Leafy Spurge County Statistical Summary. Bismarck.
- Randall, Alan and George L. Peterson. 1984. "The Valuation of Wildland Benefits: An Overview." pp. 1-52 in <u>Valuation of Wildland Resource Benefits</u>, George L. Peterson and Alan Randall, eds., Westview Press, Boulder, Colorado.
- Rendall, Jay. 1990. "Invasive Species." <u>Imprint</u>, 7(4):1-3.
- Ribaudo, Marc O. 1989. <u>Water Quality Benefits From The</u> <u>Conservation Reserve Program</u>. Agricultural Economic Report No. 606, Resources and Technology Division, Economic Research Service, U.S. Department of Agriculture, Washington, D.C.
- Ribaudo, Marc O. 1986. <u>Reducing Soil Erosion: Offsite</u> <u>Benefits</u>. Agricultural Economic Report No. 561, Natural Resource Economics Division, Economic Research Service, U.S. Department of Agriculture, Washington, D.C.
- Rodgers, Charles K., K. William Easter, and Ted Graham-Tomasi. 1990. <u>The Off-site Economic Benefits of Soil</u> <u>Conservation: A Review and Discussion of Recent Literature</u> <u>on the Recreational Demand for Water Quality Improvement</u>. Department of Agricultural and Applied Economics Staff Paper No. P90-45, University of Minnesota, St. Paul.
- Selleck, G.W., R.T. Coupland, and C. Frankton. 1962. "Leafy Spurge in Saskatchewan." Ecological Monographs 32:1-29.

- Thompson, Flint. 1990. <u>Economic Impact of Leafy Spurge on</u> <u>North Dakota Grazing Land</u>. Unpublished M.S. Thesis, North Dakota State University, Fargo.
- Thompson, Flint, F. Larry Leistritz, and Jay A. Leitch. 1990. <u>Economic Impact of Leafy Spurge in North Dakota</u>. Agricultural Economics Report No. 257, Agricultural Experiment Station, North Dakota State University, Fargo.
- U.S. Department of Agriculture. 1989. <u>The Second</u> <u>RCA Appraisal Soil, Water, and Related Resources on</u> <u>Nonfederal Land in the United States Analysis of</u> <u>Condition and Trends</u>. Washington, D.C.
- U.S. Department of Labor. 1991. "Implicit Price Deflators for Gross National Product," pp. 2 in <u>Economic Indicators</u>, Bureau of Labor Statistics, U.S. Council of Economic Advisor, Washington, D.C.
- U.S. Environmental Protection Agency. 1984. <u>Report to</u> <u>Congress: Nonpoint Source Pollution in the United</u> <u>States</u>. Office of Program Operations, Water Planning Division, Environmental Protection Agency, Washington, D.C.
- U.S. Fish and Wildlife Service. 1989. <u>1985 National Survey</u> of Fishing, Hunting, and Wildlife-Associated <u>Recreation</u>. U.S. Department of the Interior, Washington, D.C.
- U.S. Office of Management and Budget. 1987. <u>Standard Industrial</u> <u>Classification Manual</u>. Executive Office of the President, Washington, D.C.
- U.S. Soil Conservation Service. 1991. <u>National Resources</u> <u>Inventory--1987 North Dakota</u>. U.S. Department of Agriculture, Washington, D.C.
- U.S. Soil Conservation Service. 1988. <u>Basic Statistics 1982</u> <u>National Resources Inventory</u>. Soil Conservation Statistical Bulletin No. 765. U.S. Department of Agriculture, Washington, D.C.
- Wallace, Nancy M. 1991. <u>Economic Impact of Leafy Spurge on</u> <u>North Dakota Wildland</u>. Unpublished M.S. Thesis, North Dakota State University, Fargo.
- Watson, A.K. 1985. "Integrated Management of Leafy Spurge." pp. 93-103 in <u>Leafy Spurge</u>, A.K. Watson, ed., Weed Science Society of America, Champaign, Illinois.
- Watson, A.K. 1985a. "Introduction--The Leafy Spurge Problem." pp. 1-6 in <u>Leafy Spurge</u>, A.K. Watson, ed., Weed Science Society of America, Champaign, Illinois.


Appendix

County	Acres	County	Acres
Adams	1,420	McLean	1,900
Barnes	16,000	Mercer	6,600
Benson	65,000	Morton	53,000
Billings	180	Mountrail	5,000
Bottineau	35,000	Nelson	17,100
Bowman	1,000	Oliver	12,520
Burke	5,250	Pembina	5,000
Burleigh	1,925	Pierce	40,000
Cass	10,400	Ramsey	3,000
Cavalier	2,315	Ransom	14,800
Dickey	5,100	Renville	720
Divide	80	Richland	16,000*
Dunn	2,000	Rollette	49,360
Eddy	96,500	Sargent	14,000
Emmons	14,000	Sheridan	1,022
Foster	37,000	Sioux	5,500
Golden Valley	13,200	Slope	5,370
Grand Forks	10,000	Stark	67,960
Grant	20,920	Steele	6,200
Griggs	600	Stutsman	40,000
Hettinger	7,500	Towner	114,022
Kidder	13,000	Traill	4,900
LaMoure	108,000	Walsh	3,000
Logan	1,200	Ward	12,250
McHenry	90,000	Wells	11,090
McIntosh	1,950	Williams	34,000
		Total	1,103,854

APPENDIX TABLE 1. LEAFY SPURGE INFESTATION BY NORTH DAKOTA COUNTY, 1989

SOURCE: North Dakota Department of Agriculture. 1989. Unpublished data of the Leafy Spurge County Statistical Summary. Bismarck. 1988 estimate

^b1990 preliminary estimate



Estimated Acres of Leafy Spurge by County, 1989

* Indicates 1990 Preliminary Estimates of Acreage.

Source: North Dakota Department of Agriculture. 1989. Unpublished data of the Leafy Spurge County Statistical Summary. Bismarck.