



***The World's Largest Open Access Agricultural & Applied Economics Digital Library***

**This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.**

**Help ensure our sustainability.**

Give to AgEcon Search

AgEcon Search  
<http://ageconsearch.umn.edu>  
[aesearch@umn.edu](mailto:aesearch@umn.edu)

*Papers downloaded from AgEcon Search may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

*No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.*

CANTER

Disc pap- 9001 ✓

Department of Economics  
UNIVERSITY OF CANTERBURY  
CHRISTCHURCH, NEW ZEALAND



GIANNINI FOUNDATION OF  
AGRICULTURAL ECONOMICS  
LIBRARY

MAY 29 1990

THE DURBIN-WATSON TEST FOR  
AUTOCORRELATION IN NONLINEAR MODELS

KENNETH J. WHITE

*Discussion Paper*

No. 9001



Department of Economics University of Canterbury  
Christchurch, New Zealand

## ***Discussion Paper No. 9001***

**February 1990**

### **THE DURBIN-WATSON TEST FOR AUTOCORRELATION IN NONLINEAR MODELS**

**KENNETH J. WHITE\***

**Department of Economics  
University of British Columbia  
Vancouver, B.C. Canada.**

#### **ABSTRACT**

This paper shows a simple method of approximating the exact distribution of the Durbin-Watson Test Statistic for first-order autocorrelation in a nonlinear model. The proposed Approximate Nonlinear Durbin-Watson (A.N.D.) test has good size and power when compared to alternatives.

\* This paper is circulated for discussion and comments. It should not be quoted without the prior approval of the author.

THE DURBIN-WATSON TEST FOR AUTOCORRELATION  
IN NONLINEAR MODELS

by

Kenneth J. White \*

Department of Economics  
University of British Columbia  
Vancouver, B.C. Canada

ABSTRACT

This paper shows a simple method for approximating the exact distribution of the Durbin-Watson Test Statistic for first-order autocorrelation in a nonlinear model. The proposed Approximate Nonlinear Durbin-Watson (A.N.D.) test has good size and power when compared to alternatives.

---

\* This paper was written while the author was a visitor at the University of Canterbury in Christchurch, New Zealand. I am grateful to David Giles for helpful suggestions and the University of Canterbury Computer Centre for computer support.

## I. INTRODUCTION

In the linear regression model:

$$Y = X\beta + \epsilon$$

$Y$  is an  $(n \times 1)$  vector of observations on the dependent variable,  $X$  is an  $(n \times k)$  matrix of independent variables,  $\beta$  is a  $(k \times 1)$  parameter vector, and  $\epsilon$  is an  $(n \times 1)$  normally distributed disturbance vector. It is common to use the Durbin-Watson [1950, 1951, 1971] test statistic:

$$d = \frac{e' Ae}{e'e} = \frac{\sum_{t=2}^n (e_t - e_{t-1})^2}{\sum_{t=1}^n e_t^2}$$

where  $e$  is the  $(n \times 1)$  vector of least squares residuals and

$$A_{n \times n} = \begin{bmatrix} 1 & -1 & 0 & 0 & \cdot & \cdot & \cdot \\ -1 & 2 & -1 & 0 & & & \\ 0 & -1 & 2 & -1 & & & \\ 0 & 0 & -1 & 2 & & & \\ \cdot & & & & \cdot & & \\ \cdot & & & & & \cdot & \\ \cdot & & & & & & \\ & & & & 2 & -1 & \\ & & & & -1 & & 1 \end{bmatrix}$$

to test the hypotheses  $H_0 : \rho = 0$  against  $H_1 : \rho > 0$  in the first-order autoregressive error process:

$$\varepsilon_t = \rho \varepsilon_{t-1} + v_t$$

when  $v_t$  is a vector of independent normal errors.

Durbin and Watson found that evaluation of the exact cumulative distribution function  $F(d)$  required the computation of the  $n-k$  eigenvalues  $\lambda_1, \dots, \lambda_{n-k}$  of the matrix  $MA$  where  $M = I - X(X'X)^{-1}X'$ . These eigenvalues can be used in the Imhof [1961] algorithm to compute  $F(d)$  for any value of  $d$ . For example: if  $F(d) < .05$  the null hypothesis  $H_0$  could be rejected at the 5% level of significance. Some econometric computer programs (for example SHAZAM) automatically compute the exact  $F(d)$  for any linear regression so the Durbin-Watson bounds table is no longer required.

## II. An Approximate Nonlinear Durbin-Watson Test

Unfortunately, Durbin-Watson distribution theory assumes a linear model so the exact  $F(d)$  test can not be used with a nonlinear model. However, the following Approximate Nonlinear Durbin-Watson (A.N.D.) test yields an approximation to  $F(d)$  which is suitable for nonlinear models.

Following Judge et al [1988, Chapter 12] a general nonlinear model can be written as:

$$Y = f(X, \beta) + \varepsilon$$

when  $X$  is an  $(n \times k)$  matrix of independent variables and  $\beta$  is a  $p \times 1$  parameter vector. Next, define the  $(n \times p)$  matrix of derivatives:

$$Z(\beta)_{n \times p} = \frac{\partial f(X, \beta)}{\partial \beta} .$$

A first-order Taylor series expansion of  $f(X, \beta)$  around the converged nonlinear least squares estimates  $\hat{\beta}$  yields:

$$f(X, \beta) \approx f(X, \hat{\beta}) + Z(\hat{\beta})(\beta - \hat{\beta}) .$$

Hence:

$$Y \approx f(X, \hat{\beta}) + Z(\hat{\beta})(\beta - \hat{\beta}) + \epsilon$$

which yields the so-called "linear pseudomodel":

$$\begin{aligned} \bar{Y}(\hat{\beta}) &= Y - f(X, \hat{\beta}) + Z(\hat{\beta})\hat{\beta} \\ &= Z(\hat{\beta})\beta + \epsilon . \end{aligned}$$

So, an ordinary least squares regression of  $\bar{Y}(\hat{\beta})$  on  $Z(\hat{\beta})$  will reproduce the parameter estimate  $\hat{\beta}$  and the nonlinear residual vector  $\epsilon$ . Note that  $f(X, \hat{\beta})$  are simply the predicted values of the dependent variable from the nonlinear estimation and the covariance matrix is usually consistently estimated by:

$$\hat{V}(\hat{\beta}) = \hat{\sigma}^2 \left[ Z(\hat{\beta})' Z(\hat{\beta}) \right]^{-1}$$

where:

$$\hat{\sigma}^2 = \frac{\mathbf{e}'\mathbf{e}}{n - p} .$$

Comparison of  $Z(\hat{\beta})$  in the linear pseudomodel with  $\mathbf{X}$  in the linear regression model

indicates that they play similar roles in the calculation of various statistics and it appears reasonable to compute an approximation to  $F(d)$  in the nonlinear model by computing the  $n - p$  eigenvalues of  $\tilde{\mathbf{M}}\mathbf{A}$  where

$$\tilde{\mathbf{M}} = \mathbf{I} - \mathbf{Z}(\hat{\beta}) \left[ \mathbf{Z}(\hat{\beta})' \mathbf{Z}(\hat{\beta}) \right]^{-1} \mathbf{Z}(\hat{\beta})' .$$

The A.N.D. test then uses these eigenvalues with the usual  $d$  statistic to compute  $\tilde{F}(d)$  which approximates the exact distribution function.

It is useful to compare the properties of the A.N.D. test to those of the asymptotic test based on the estimate of  $\rho$  where

$$\hat{\rho} = \frac{\sum_{t=2}^n e_t e_{t-1}}{\sum_{t=2}^n e_{t-1}^2}$$

and the approximate normal test statistic is:

$$W = \frac{\hat{\rho} - \rho}{\sqrt{(1 - \hat{\rho})/n}}$$

as detailed in Judge et al [1988, p. 394].

Researchers have commonly used either

$$W_1 = \frac{\hat{\rho}}{\sqrt{(1-\hat{\rho}^2)/n}}$$

or

$$W_2 = \frac{\hat{\rho}}{\sqrt{1/n}}$$

to test the hypothesis  $\rho = 0$  and rejection based on a normally distributed one-sided 5% test occurs if the test statistic exceeds 1.645.

As the small sample properties of  $\tilde{F}(d)$ ,  $W_1$ , and  $W_2$  are generally unknown in nonlinear models a Monte Carlo experiment was performed.

### III. Experiment 1 - A Nonlinear Restriction

Judge [1982, p. 647] presents 20 observations on the nonlinear model:

$$Y = \beta_1 + \beta_2 X_2 + \beta_2^2 X_3 + \epsilon$$

This model is interesting because it is a special case of the linear model

$$Y = \beta_1 + \beta_2 X_2 + \beta_3 X_3 + \epsilon$$

with the nonlinear restriction:

$$\beta_3 = \beta_2^2 .$$

The experiment uses a true parameter vector of  $\beta' = (.8, 1.2)$  and 1000 sets of independent standard normal errors  $v_t$  were generated by the algorithm in Brent [1974] with values of  $\rho$  ranging from 0.0 to 0.9 to generate samples of  $Y$ .

For each sample,  $\beta$  was estimated by nonlinear least squares and the test statistics were computed from the results of the corresponding linear pseudomodel. Table 1 reports the power of the test statistics based on  $\tilde{F}(d)$ ,  $W_1$ , and  $W_2$ . In each case the power is computed as the percentage of times that the null hypothesis is rejected.

The table also reports the power of two other tests labelled  $F_c(d)$  and  $F_c(\hat{\rho})$ . These are size corrected tests based on 5% critical values ( $d_c = 1.2711$ ,  $\rho_c = .322147$ ) obtained from the 1000 Monte Carlo values of  $d$  and  $\hat{\rho}$  respectively. Naturally, the  $F_c(d)$  and  $F_c(\hat{\rho})$  critical values are not available in applied work so these results are less useful than those of the  $\tilde{F}(d)$ ,  $W_1$ , and  $W_2$  tests.

The results in Table 1 indicate that the A.N.D.  $\tilde{F}(d)$  test is superior to either  $W_1$  or  $W_2$  which tended to under-reject and had lower power. If exact 5% critical values are available the  $F_c(\hat{\rho})$  test was more powerful than the  $F_c(d)$  test. With 1000 samples the sampling standard error of the numbers reported in Table 1 can be computed using the binomial formula. For example: when  $\rho = .4$  the estimated power of the  $\tilde{F}(d)$  test is .461 with sampling standard error equal to  $\sqrt{.461(1-.461)/1000} = .01576$ .

TABLE 1

## POWER OF TESTS FOR AUTOCORRELATION

$$Y = \beta_1 + \beta_2 X_2 + \beta_2^2 X_2 + \varepsilon_t$$

n = 20

p	SIZE NOT CORRECTED			SIZE CORRECTED	
	$\tilde{F}(d)$	$W_1$	$W_2$	$F_c(d)$	$F_c(\hat{p})$
0	.050	.043	.037	.050	.050
.1	.107	.092	.073	.103	.110
.2	.202	.174	.144	.197	.198
.3	.315	.284	.245	.305	.323
.4	.461	.427	.379	.450	.462
.5	.597	.575	.537	.591	.616
.6	.722	.699	.671	.718	.728
.7	.832	.803	.780	.829	.835
.8	.906	.893	.871	.904	.910
.9	.922	.905	.903	.919	.918

#### IV. Experiment 2 - C.E.S. Production Function

The second example uses the 30 observations from the very nonlinear CES production function described in Judge et al [1988, p. 512].

1000 samples of the model

$$\log Q = \beta_1 \log [\beta_2 L^{\beta_3} + (1 - \beta_2) K^{\beta_3}] + \varepsilon$$

were generated where the independent errors  $v_t$  were drawn from a normal distribution with mean of zero and variance of 0.05. A true parameter vector of  $\beta' = (-.5, .3, -2.0)$  was used. Table 2 reports the results of the experiment.

The results from the very nonlinear CES experiment support the conclusion that the A.N.D. test should be strongly considered for nonlinear models. The power of the A.N.D. test was superior to either the  $W_1$  or  $W_2$  tests and only had a slight tendency to over reject. The size corrected  $F_c(d)$  test using the 5% Monte Carlo critical value of  $d_c = 1.3679$  have greater power than the size corrected  $F_c(\hat{p})$  test which used a Monte Carlo critical value of  $p_c = .2970$ . Similar results were found on other examples which are not reported here.

**TABLE 2**  
**POWER OF TESTS FOR AUTOCORRELATION**

$$\log Q = \beta_1 \log [\beta_2 L^{\beta_3} + (1 - \beta_2) K^{\beta_3}] + \epsilon$$

n = 30

$\rho$	SIZE NOT CORRECTED			SIZE CORRECTED	
	$\tilde{F}(d)$	$W_1$	$W_2$	$F_c(d)$	$F_c(\hat{\rho})$
0	.056	.059	.047	.050	.050
.1	.119	.119	.106	.112	.111
.2	.220	.221	.207	.210	.210
.3	.381	.384	.355	.371	.365
.4	.588	.586	.567	.575	.570
.5	.756	.746	.734	.743	.739
.6	.863	.855	.836	.853	.841
.7	.928	.922	.914	.928	.915
.8	.963	.949	.946	.955	.946
.9	.977	.972	.969	.974	.969

## V. Conclusion

This paper has demonstrated that the exact distribution of the Durbin-Watson statistic can be easily approximated for nonlinear models and the test statistic has high power and may be superior to alternative asymptotic tests which have often been used in small samples.

It should be recognized that calculation of  $\bar{F}(d)$  is easy with currently available econometric software. The software package needs only to have the facility to save the results of the nonlinear estimation and the facility to compute the exact Durbin-Watson distribution in linear models. The following commands from Version 6.2 of the SHAZAM Econometric computer program were used to compute  $\bar{F}(d)$  in the CES example:

```
*FIRST RUN THE NONLINEAR MODEL
NL 1 / NCOEF=3 ZMATRIX=Z COEF=BETA PREDICT=YHAT
EQ LOGQ=B1*LOG(B2*L**B3+(1-B2)*K**B3)
END
* GENERATE THE LINEAR PSEUDOMODEL AND COMPUTE EXACT DURBIN-WATSON
MATRIX YBAR=LOGQ-YHAT+Z*BETA
OLS YBAR Z / NOCONSTANT EXACTDW
STOP
```

## REFERENCES

Brent, R.P., Algorithm 488: A Gaussian Pseudo-Random Number Generator, *Communications of the ACM*, Dec. 1974, Vol. 17, pp. 1704-706.

Durbin, J. and Watson, G.S., "Testing for Serial Correlation in Least Squares Regression I, II, III, *Biometrika*, 1950, pp. 409-428, 1951, pp. 159-178, 1971, PP. 1-19.

Judge, G., Hill, R., Griffiths, W., Lutkepohl, H., and Lee, T., *Introduction to the Theory and Practice of Econometrics*, Wiley, First Edition, 1982, Second Edition 1988.

White, K., Wong, D., Whistler, D., and Haun, S., *SHAZAM User's Reference Manual*, Version 6.2, McGraw-Hill, 1990.

## LIST OF DISCUSSION PAPERS\*

No. 8401 Optimal Search, by Peter B. Morgan and Richard Manning.

No. 8402 Regional Production Relationships During the Industrialization of New Zealand, 1935-1948, by David E. A. Giles and Peter Hampton.

No. 8403 Pricing Strategies for a Non-Replenishable Item Under Variable Demand and Inflation, by John A. George.

No. 8404 Alienation Rights in Traditional Maori Society, by Brent Layton.

No. 8405 An Engel Curve Analysis of Household Expenditure in New Zealand, by David E. A. Giles and Peter Hampton.

No. 8406 Paying for Public Inputs, by Richard Manning, James R. Markusen, and John McMillan.

No. 8501 Perfectly Discriminatory Policies in International Trade, by Richard Manning and Koon-Lam Shea.

No. 8502 Perfectly Discriminatory Policy Towards International Capital Movements in a Dynamic World, by Richard Manning and Koon-Lam Shea.

No. 8503 A Regional Consumer Demand Model for New Zealand, by David E. A. Giles and Peter Hampton.

No. 8504 Optimal Human and Physical Capital Accumulation in a Fixed-Coefficients Economy, by R. Manning.

No. 8601 Estimating the Error Variance in Regression After a Preliminary Test of Restrictions on the Coefficients, by David E. A. Giles, Judith A. Mikolajczyk and T. Dudley Wallace.

No. 8602 Search While Consuming, by Richard Manning.

No. 8603 Implementing Computable General Equilibrium Models: Data Preparation, Calibration, and Replication, by K. R. Henry, R. Manning, E. McCann and A. E. Woodfield.

No. 8604 Credit Rationing: A Further Remark, by John G. Riley.

No. 8605 Preliminary-Test Estimation in Mis-Specified Regressions, by David E. A. Giles.

No. 8606 The Positive-Part Stein-Rule Estimator and Tests of Linear Hypotheses, by Aman Ullah and David E. A. Giles.

No. 8607 Production Functions that are Consistent with an Arbitrary Production-Possibility Frontier, by Richard Manning.

No. 8608 Preliminary-Test Estimation of the Error Variance in Linear Regression, by Judith A. Clarke, David E. A. Giles and T. Dudley Wallace.

No. 8609 Dual Dynamic Programming for Linear Production/Inventory Systems, by E. Grant Read and John A. George.

No. 8610 Ownership Concentration and the Efficiency of Monopoly, by R. Manning.

No. 8701 Stochastic Simulation of the Reserve Bank's Model of the New Zealand Economy, by J. N. Lye.

No. 8702 Urban Expenditure Patterns in New Zealand, by Peter Hampton and David E. A. Giles.

No. 8703 Preliminary-Test Estimation of Mis-Specified Regression Models, by David E. A. Giles.

No. 8704 Instrumental Variables Regression Without an Intercept, by David E. A. Giles and Robin W. Harrison.

No. 8705 Household Expenditure in Sri Lanka: An Engel Curve Analysis, by Mallika Dissanayake and David E. A. Giles.

No. 8706 Preliminary-Test Estimation of the Standard Error of Estimate in Linear Regression, by Judith A. Clarke.

No. 8707 Invariance Results for FIML Estimation of an Integrated Model of Expenditure and Portfolio Behaviour, by P. Dorian Owen.

No. 8708 Social Cost and Benefit as a Basis for Industry Regulation with Special Reference to the Tobacco Industry, by Alan E. Woodfield.

No. 8709 The Estimation of Allocation Models With Autocorrelated Disturbances, by David E. A. Giles.

No. 8710 Aggregate Demand Curves in General-Equilibrium Macroeconomic Models: Comparisons with Partial-Equilibrium Microeconomic Demand Curves, by P. Dorian Owen.

No. 8711 Alternative Aggregate Demand Functions in Macro-economics: A Comment, by P. Dorian Owen.

No. 8712 Evaluation of the Two-Stage Least Squares Distribution Function by Imhof's Procedure by P. Cribbitt, J. N. Lye and A. Ullah.

No. 8713 The Size of the Underground Economy: Problems and Evidence, by Michael Carter.

(Continued on back cover)

No. 8714 A Computable General Equilibrium Model of a Fisherine Method to Close the Foreign Sector, by Ewen McCann and Keith McLaren.

No. 8715 Preliminary-Test Estimation of the Scale Parameter in a Mis-Specified Regression Model, by David E. A. Giles and Judith A. Clarke.

No. 8716 A Simple Graphical Proof of Arrow's Impossibility Theorem, by John Fountain.

No. 8717 Rational Choice and Implementation of Social Decision Functions, by Manimay Sen.

No. 8718 Divisia Monetary Aggregates for New Zealand, by Ewen McCann and David E. A. Giles.

No. 8719 Telecommunications in New Zealand: The Case for Reform, by John Fountain.

No. 8801 Workers' Compensation Rates and the Demand for Apprentices and Non-Apprentices in Victoria, by Pasquale M. Sgro and David E. A. Giles.

No. 8802 The Adventures of Sherlock Holmes, the 48% Solution, by Michael Carter.

No. 8803 The Exact Distribution of a Simple Pre-Test Estimator, by David E. A. Giles.

No. 8804 Pre-testing for Linear Restrictions in a Regression Model With Student-t Errors, by Judith A. Clarke.

No. 8805 Divisia Monetary Aggregates and the Real User Cost of Money, by Ewen McCann and David Giles.

No. 8806 The Management of New Zealand's Lobster Fishery, by Alan Woodfield and Pim Borren.

No. 8807 Poverty Measurement: A Generalization of Sen's Result, by Prasanta K. Pattanaik and Manimay Sen.

No. 8808 A Note on Sen's Normalization Axiom for a Poverty Measure, by Prasanta K. Pattanaik and Manimay Sen.

No. 8809 Budget Deficits and Asset Sales, by Ewen McCann.

No. 8810 Unorganized Money Markets and 'Unproductive' Assets in the New Structuralist Critique of Financial Liberalization, by P. Dorian Owen and Otton Solis-Fallas.

No. 8901 Testing for Financial Buffer Stocks in Sectoral Portfolio Models, by P. Dorian Owen.

No. 8902 Provisional Data and Unbiased Prediction of Economic Time Series by Karen Browning and David Giles.

No. 8903 Coefficient Sign Changes When Restricting Regression Models Under Instrumental Variables Estimation, by David E. A. Giles.

No. 8904 Economics of Scale in the New Zealand Electricity Distribution Industry, by David E. A. Giles and Nicolas S. Wyatt.

No. 8905 Some Recent Developments in Econometrics: Lessons for Applied Economists, by David E. A. Giles.

No. 8906 Asymptotic Properties of the Ordinary Least Squares Estimator in Simultaneous Equations Models, by V. K. Srivastava and D. E. A. Giles.

No. 8907 Unbiased Estimation of the Mean Squared Error of the Feasible Generalised Ridge Regression Estimator, by V. K. Srivastava and D. E. A. Giles.

No. 8908 An Unbiased Estimator of the Covariance Matrix of the Mixed Regression Estimator, by D. E. A. Giles and V. K. Srivastava.

No. 8909 Pre-testing for Linear Restrictions in a Regression Model with Spherically Symmetric Disturbances, by Judith A. Giles.

No. 9001 The Durbin-Watson Test for Autocorrelation in Nonlinear Models, by Kenneth J. White.

\* Copies of these Discussion Papers may be obtained for \$4 (including postage, price changes occasionally) each by writing to the Secretary, Department of Economics, University of Canterbury, Christchurch, New Zealand.