AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

CANTER

DP 9101

Department of Economics
UNIVERSITY OF CANTERBURY

CHRISTCHURCH, NEW ZEALAND

LEONINI FOUNDATION OF
AGRICULTURAL ECONOMICS
LIBRARY

MAY 21 1991

**BOUNDS ON THE EFFECT OF HETEROSCEDASTICITY ON
THE CHOW TEST FOR STRUCTURAL CHANGE**

David Giles and Offer Lieberman

Discussion Paper

No. 9101

This paper is circulated for discussion and comments. It should not be quoted without the prior approval of the author. It reflects the views of the author who is responsible for the facts and accuracy of the data presented. Responsibility for the application of material to specific cases, however, lies with any user of the paper and no responsibility in such cases will be attributed to the author or to the University of Canterbury.

Department of Economics, University of Canterbury
Christchurch, New Zealand

Discussion Paper No. 9101

January 1991

**BOUNDS ON THE EFFECT OF HETEROSCEDASTICITY ON
ON THE CHOW TEST FOR STRUCTURAL CHANGE**

David Giles and Offer Lieberman

BOUNDS ON THE EFFECT OF
HETEROSCEDASTICITY ON THE
CHOW TEST FOR STRUCTURAL CHANGE

David Giles*

and

Offer Lieberman

Department of Economics,
University of Canterbury

January 1991

Abstract

This paper considers the effect of heteroscedastic regression errors on the size of the Chow test for structural stability. We show that bounds can be placed on the true size of this test in the light of such misspecification, and on the true critical value needed to achieve any desired significance level when using the test under various degrees of heteroscedasticity. These bounds are data-independent, and some cases are tabulated. An example is given to illustrate the practical application of the critical value bounds.

Address for Correspondence: Professor David Giles, Department of Economics,
University of Canterbury, Christchurch, NEW ZEALAND.

I. Introduction

The Chow (1960) test for the constancy of the regression coefficient vector over the sample is one of the most widely used diagnostic tests in applied econometrics. In its various forms, this test amounts to one of the validity of particular exact restrictions on the regression coefficients (e.g., Fisher (1970)).

It is well known that the statistics associated with the various forms of the Chow test are F-distributed under the null hypothesis of parameter stability (and non-central F under the alternative hypothesis), provided that certain conditions are satisfied. The usual assumption of normal errors can be relaxed to one of spherical symmetry (provided that the errors are homoscedastic) without affecting the null distributions of these statistics, but their distributions under the alternative (and hence their power) are sensitive to this relaxation (e.g., Ullah and Phillips (1986), Giles (1991)). The assumption of homoscedastic disturbances over the full sample cannot be relaxed without distorting both the null and alternative distributions of the test statistics even with normal errors. In the face of heteroscedasticity, we have a form of the Behrens-Fisher problem.

Several studies have considered the effect of this misspecification of the model on the Chow test. For example, Toyoda (1974) approximates the distribution of the test statistic in this case, and Schmidt and Sickles (1977) provide exact evidence. Other authors have proposed alternative tests which might be robust to heteroscedasticity or which allow for its presence in some way. For example Jayatissa (1977) suggests a finite-sample test which has been criticised by Honda (1982) and others. Watt (1979) proposes an asymptotic Wald test whose exact distribution is discussed by Ohtani and Toyoda (1985), and finite-sample bounds for which are described by Ohtani and Kobayashi (1986). A further test is suggested by Weerahandi (1987).

MacKinnon (1989) derives heteroscedasticity-robust variants of the Chow test which have asymptotic validity, but whose finite-sample properties are rather mixed.

Given its ease of construction, the Chow test continues to be used widely in favour of the proposed alternatives, even in situations where the homoscedasticity assumption is unreasonable. Following Schmidt and Sickles (1977) it is quite straightforward to determine the true (as opposed to nominal) size of the Chow test for any specific data matrix and known actual level of heteroscedasticity, by using the techniques of Imhof (1961) or Davies (1980). This is somewhat analogous to computing an exact Durbin-Watson test rather than using the tabulated bounds on the critical values, and can be undertaken with the SHAZAM package (White et al. (1990)). However, the size distortion is data-specific, and most applied researchers (who may not have easy access to software for computing the distribution of ratios of quadratic forms in normal random vectors) are unlikely to proceed in this way, even given an estimate of the degree of heteroscedasticity.

Instead, it is common for the Chow test to be applied without allowance for possible heteroscedasticity despite its well known inadequacy in this case. Accordingly, for different degrees of heteroscedasticity, it would be helpful to have bounds on the true critical values for the test (or, equivalently, bounds on its true size) which are independent of the data values in the sample. In this paper we use the results of Kiviet (1980) to construct such bounds. The problem and notation are formalised in the next section. Section III details the construction of the bounds, and Section IV reports our results. Some concluding comments appear in Section V.

II. Model and Notation

Consider a sample of $T = T_1 + T_2$ observations and the model

$$y_i = X_i \beta_i + u_i \quad ; \quad i = 1, 2 \quad (1)$$

where y_i is $(T_i \times 1)$; X_i is $(T_i \times K)$, non-stochastic and of rank K ($< T_i$); and β_i is $(K \times 1)$; $i = 1, 2$. The same variables enter the model in each sub-sample but (typically) with different values.

The most common form of the "Chow test" for parameter stability considers $H_0: \beta_1 = \beta_2$ vs. $H_A: \beta_1 \neq \beta_2$. This may be expressed as a standard test of linear restrictions by writing (1) as

$$y \equiv \begin{pmatrix} y_1 \\ y_2 \end{pmatrix} = \begin{pmatrix} X_1 & 0 \\ 0 & X_2 \end{pmatrix} \begin{pmatrix} \beta_1 \\ \beta_2 \end{pmatrix} + \begin{pmatrix} u_1 \\ u_2 \end{pmatrix} \\ \equiv X\beta + u,$$

and the null hypothesis as $H_0: R\beta = r$, where $R = (I_K, -I_K)$ and $r = 0$. The Chow test statistic is

$$f = \left(\frac{T-2K}{K} \right) (R\hat{\beta} - r)' [R(X'X)^{-1}R']^{-1} (R\hat{\beta} - r) / e'e,$$

where $\hat{\beta} = (X'X)^{-1}X'y$ and $e = y - X\hat{\beta}$.

If $u \sim N(0, \sigma^2 I_T)$ then f is F-distributed with K and $(T-2K)$ degrees of freedom if H_0 is true, and it is non-central F with these degrees of freedom and non-centrality parameter $\phi = (R\beta - r)' [R(X'X)^{-1}R']^{-1} (R\beta - r) / 2\sigma^2$ under H_A . It is readily verified that under H_0 ,

$$f = \left(\frac{T-2K}{K} \right) u' Au / u' Mu, \quad (2)$$

where

$$M = I_T - X(X'X)^{-1}X'$$

$$A = X(X'X)^{-1}R' [R(X'X)^{-1}R']^{-1} R(X'X)^{-1}X'$$

and both M and A are idempotent. If $u \sim N(0, \sigma^2 \Omega)$, for arbitrary positive definite symmetric $\Omega \neq I_T$, then the above distributional results no longer hold, though (2) is still valid.

As the Chow test is a special case of the usual test of h linear restrictions on β , the results of Kiviet (1980) can be used to derive bounds on f when $u \sim N(0, \sigma^2 \Omega)$. The bounds on f can be used to construct bounds on its critical value for any chosen significance level, or on the true significance level of the test constructed by rejecting H_0 if $f > F^C(\alpha)$, where $F^C(\alpha)$ is the $100\alpha\%$ critical value based on the (wrongly) assumed $F_{K, T-2K}$ null distribution. All of these bounds depend on T , K and Ω , but they are independent of X .

As noted in the Introduction, the assumption that $u \sim N(0, \sigma^2 I_T)$ is often unreasonable when applying the Chow test. A more realistic assumption is that $u_i \sim N(0, \sigma_i^2 I_{T_i})$, or $u \sim N(0, \sigma^2 \Omega)$ where $\Omega = \text{diag}(\omega_i)$ and

$$\omega_i = \begin{cases} 1 & ; i = 1, \dots, T_1 \\ \theta = \sigma^2 / \sigma_1^2 & ; i = T_1 + 1, \dots, T \end{cases}$$

As Ω depends on T_1 and T_2 here, these separate values partially determine the various bounds.

III. Calculation of the Bounds

Recalling the form of f in (2) and applying the principal theorem of Kiviet (1980, p.354), it follows that under the null hypothesis $f_L \leq f \leq f_u$, where

$$f_L = \left(\frac{T-2K}{K} \right) \left(\frac{\sum_{i=1}^K \lambda_i x_i^2}{\sum_{i=2K+1}^T \lambda_i x_i^2} \right) \quad (3)$$

$$f_u = \left(\frac{T-2K}{K} \right) \left(\frac{\sum_{i=1}^K \lambda_{T-K+i} x_i^2}{\sum_{i=2K+1}^T \lambda_{i-2K} x_i^2} \right) \quad (4)$$

The χ_i^2 are independent central Chi square variates, each with one degree of freedom and $\lambda_1 \leq \lambda_2 \leq \dots \leq \lambda_T$ are the eigenvalues of Ω . As Ω is diagonal here, the λ_i 's are its (appropriately ordered) diagonal elements.

Because (3) and (4) hold only under H_0 , it follows that the true 100 $\alpha\%$ upper critical value, $C(\alpha)$, of f satisfies $C_L(\alpha) \leq C(\alpha) \leq C_U(\alpha)$, where

$$\Pr. \left(f_L \geq C_L(\alpha) \right) = \alpha \quad (5)$$

$$\Pr. \left(f_U \geq C_U(\alpha) \right) = \alpha \quad (6)$$

Using (3) and (4), $C_L(\alpha)$ and $C_U(\alpha)$ may be computed by noting they are values satisfying

$$\Pr. \left(\sum_{i=1}^T w_i \chi_i^2 \leq 0 \right) = 1 - \alpha \quad (7)$$

and

$$\Pr. \left(\sum_{i=1}^T z_i \chi_i^2 \leq 0 \right) = 1 - \alpha, \quad (8)$$

where

$$w_i = \begin{cases} \lambda_i (T-2K)/K & i=1, \dots, K \\ -\lambda_i C_L(\alpha) & i=2K+1, \dots, T \\ 0 & \text{otherwise} \end{cases}$$

$$z_i = \begin{cases} \lambda_{T-K+1} (T-2K)/K & i=1, \dots, K \\ -\lambda_{1-2K} C_U(\alpha) & i=2K+1, \dots, T \\ 0 & \text{otherwise} \end{cases}.$$

The calculation of (7) and (8) is a standard problem. We use a FORTRAN version of Davies' (1980) algorithm to calculate these probabilities, searching over $C_L(\alpha)$ and $C_U(\alpha)$ to satisfy (7) and (8).

Similarly, the true size (α_0) of the test which is constructed by rejecting H_0 if $f > F^C(\alpha)$, satisfies $\alpha_L \leq \alpha_0 \leq \alpha_U$, where

$$\alpha_L = \Pr. \left(f_L \geq F^C(\alpha) \right) \quad (9)$$

$$\alpha_U = \Pr. \left(f_U \geq F^C(\alpha) \right). \quad (10)$$

Using (3) and (4),

$$\alpha_L = 1 - \Pr. \left(\sum_{i=1}^T w_i^* \chi_i^2 \leq 0 \right) \quad (11)$$

$$\alpha_U = 1 - \Pr. \left(\sum_{i=1}^T z_i^* \chi_i^2 \leq 0 \right) \quad (12)$$

where the w_i^* 's and z_i^* 's equal the w_i 's and z_i 's respectively, but with $F^C(\alpha)$ replacing both $C_L(\alpha)$ and $C_U(\alpha)$. Davies' routine facilitates the direct calculation of α_L and α_U .

The usefulness of the above bounds is that they are independent of the data - they depend only¹ on α , K , T_1 , T_2 and θ . Finally, if the errors are homoscedastic, $\lambda_i = 1$ for all i . Then recalling the additivity properties of independent Chi square variates, it follows that $f_L = f = f_U$, $C_L(\alpha) = F^C(\alpha) = C_U(\alpha)$, and $\alpha_L = \alpha = \alpha_U$.

IV. RESULTS

Given the form of Ω , the bounds will obviously exhibit certain symmetries. For example, if $T_1 = T_2$, the results for $\theta = 0.1$ are identical to those for $\theta = 10$, etc. Similarly, those for $T_1 = 10$ and $T_2 = 20$ when $\theta = 0.1$ are identical to those for $T_2 = 10$ and $T_1 = 20$ when $\theta = 10$, etc.

Table 1 illustrates the bounds on $C(\alpha)$ and α_0 for $\alpha = 0.05$ and the values of T_1 , T_2 , K and θ considered in Table I of Schmidt and Sickles (1977, p. 1295). Their results provide exact values of α_0 for certain specific X matrices. It can be verified that α_L and α_U in Table 1 bound all of their reported α_0 's (and the nominal $\alpha = 0.05$). Also, for fixed T_1 , T_2 and K , as θ departs from unity (and H_0 becomes increasingly false), the values of $(C_U(\alpha) -$

TABLE 1.-BOUNDS ON TRUE CRITICAL VALUES AND SIZES OF CHOW TEST WHEN
THE NOMINAL SIGNIFICANCE LEVEL IS 5%

T_1	T_2	k	θ	C_L	C_u	α_L	α_u
10	10	2	0.01	0.065	13.134	0.000	0.318
			0.1	0.595	9.884	0.000	0.260
			1	3.634	3.634	0.050	0.050
25	25	2	0.01	0.062	7.476	0.000	0.250
			0.1	0.564	6.583	0.000	0.214
			1	3.200	3.200	0.050	0.050
20	30	2	0.01	0.079	10.171	0.000	0.345
			0.1	0.687	8.297	0.000	0.287
			1	3.200	3.200	0.050	0.050
			10	0.478	5.444	0.000	0.160
			100	0.050	5.904	0.000	0.181
40	10	2	0.01	0.037	4.151	0.000	0.095
			0.1	0.365	4.034	0.000	0.089
			1	3.200	3.200	0.050	0.050
			10	1.191	16.422	0.001	0.513
			100	0.177	33.667	0.000	0.658

$C_L(\alpha)$ and $(\alpha_u - \alpha_L)$ increase, as expected. This is consistent with the results in Tables 4-6 of Kiviet (1980, pp.356-7) for the general F-test in the case of AR(1) or MA(1) errors².

The effects on the bounds of varying T_1 , T_2 and K are best seen by considering Table 1 in conjunction with the Appendix tables. The latter provide bounds on $C(0.05)$ for a range of situations likely to be encountered in the applied work. In practice, having computed the Chow test statistic, we require a critical value in order to implement the test. In the face of possible heteroscedasticity, the Appendix provides bounds on such critical values.³

For $\theta < 1$, increasing T_1 (ceteris paribus) leads to decreases in $C_L(0.05)$, $C_u(0.05)$ and their difference. The converse result emerges if $\theta > 1$. For increasing T_2 , these results are reversed in general. Exceptions⁴ can be seen for $C_u(0.05)$ for $\theta = 10$ or 100 in Table A4. Changing the value of K , ceteris paribus, produces less clear patterns in the results. This is to be expected as K determines both the numerator and denominator degrees of freedom of f , and so its effect on $F^C(0.05)$ and the bounds depends on T_1 and T_2 .

The usefulness of Tables A1 - A4 is best seen with an example. Gujarati (1972) discusses⁵ a structural shift in the relationship between unemployment (UN) and vacancies (VAC) in Great Britain in 1966. Using the quarterly data given by Gujarati (1988, p.465) we have fitted the model $UN_i = \beta_1 + \beta_2 VAC_i + u_i$ over the periods 1959(2) - 1970(2), 1959(2) - 1966(3) and 1966(4) - 1970(2). The corresponding OLS sums of squared residuals are 2.72600, 0.22581 and 0.35241. As $T_1 = 30$, $T_2 = 15$ and $K = 2$, the Chow test statistic takes the value 76.147. The corresponding 5% tabulated F-value (for 2 and 4 degrees of freedom) is 3.226, so we would reject the null hypothesis of structural stability. However, dividing the sub-sample sums of squared residuals by their respective degrees of freedom, and taking their ratio, gives an estimate

of $\hat{\theta} = 0.297$. This suggests that the regression errors are moderately heteroscedastic. From Table A1, when $\theta = 0.1$, $C_L(0.05) = 0.434$ and $C_U(0.05) = 4.959$. As $76.147 > 4.959$ we can reject the null hypothesis when $0.1 < \theta < 1$, given the patterns in the bounds. In this case, the outcome of the test is not affected by the heteroscedasticity.

V. CONCLUSIONS

While it is widely recognised that the Chow test for structural stability is invalid in the face of heteroscedastic regression errors, it continues to be used widely. To compensate for this, our tabulated critical value bounds should help applied researchers. However, they also illustrate that the appropriate choice of critical value in this case can be dramatically different from the assumed one. This highlights the extent to which a conventional application of the Chow test can be distortive, regardless of the data matrix, when the errors are heteroscedastic.

These bounds apply only to that form of the test which allows for a structural shift in the full coefficient vector, and where there are positive degrees of freedom in each sub-sample. The methods we have described can also be used if these requirements are relaxed, but this would necessitate a very extensive set of tables.

The same approach is not fruitful as a means of bounding the power of the test. It is easily shown that under the alternative hypothesis, the bounds are no longer independent of the data, so they are of little value. However, Kiviet's approach can be used on a wide range of other testing problems of importance to applied econometricians, and work in progress considers some other such cases for various forms of model misspecification.

FOOTNOTES

- We are grateful to Judy Giles and John Small for their helpful comments, and to Robert Davies for supplying the FORTRAN code for his algorithm.
- 1. As f in (2) is invariant to scale, the bounds are independent of the separate values of σ_1^2 and σ_2^2 .
- 2. A glimpse of some bounds for the critical value of the form of the Chow test considered here, when the errors are AR(1) can be obtained from the entries for (his) $k = 4$, $h = 2$ in Kiviet's Table 5.
- 3. Corresponding tables of bounds on α_0 are available from the authors on request. The α_0 values reported in Table II of Schmidt and Sickles (1977, p.1296) lie within the appropriate bounds in our table.
- 4. Similar exceptions arise for critical value upper bounds reported for the F-test with ARMA (1,1) errors in Table 7 of Kiviet (1980, p.357).
- 5. See, also, Gujarati (1988, pp.449-450).

REFERENCES

- Chow, G.C., "Tests of Equality Between Subsets of Coefficients in Two Linear Regressions," Econometrica 28 (1960), 591-605.
- Davies, R.B., "The Distribution of a Linear Combination of Random Variables : Algorithm AS155," Applied Statistics 29 (1980), 323-333.
- Fisher, F.M., "Tests of Equality Between Sets of Coefficients in Two Linear Regressions : An Expository Note," Econometrica 38 (1970), 361-366.
- Giles, J.A., "Pre-Testing for Linear Restrictions in a Regression Model With Spherically Symmetric Disturbances," Journal of Econometrics (1991), forthcoming.
- Gujarati, D.N., "The Behaviour of Unemployment and Unfilled Vacancies : Great Britain, 1958-1971," Economic Journal 82 (1972), 195-202.
- Gujarati, D.N., Basic Econometrics (New York : McGraw-Hill, 1988).
- Honda, Y., "On Tests of Equality Between Sets of Regression Coefficients in Two Linear Regressions When Disturbance Variances are Unequal," The Manchester School 49 (1982), 116-125.
- Imhof, P., "Computing the Distribution of Quadratic Forms in Normal Random Variables," Biometrika 48 (1961), 419-426.
- Jayatissa, W.A., "Tests of Equality Between Sets of Coefficients in Two Linear Regressions When Disturbances are Unequal," Econometrica 45 (1977), 1291-1292.
- Kiviet, J.F., "Effects of ARMA Errors on Tests for Regression Coefficients : Comments on Vinod's Article: Improved and Additional Results," Journal of the American Statistical Association 75 (1980), 353-358.
- MacKinnon, J.G., "Heteroskedasticity-Robust Tests for Structural Change," in W. Kramer (ed.), Econometrics of Structural Change (Vienna : Physica-Verlag, 1989).
- Ohtani, K. and M. Kobayashi, "A Bounds Test for Equality Between Sets of Coefficients in Two Linear Regression Models Under Heteroscedasticity," Econometric Theory 2 (1986), 220-230.
- Ohtani, K. and T. Toyoda, "Small Sample Properties of Tests of Equality Between Sets of Coefficients in Two Linear Regressions Under Heteroscedasticity," International Economic Review 26 (1985), 37-43.
- Schmidt, P and R. Sickles, "Some Further Evidence on the Use of the Chow Test Under Heteroskedasticity," Econometrica 45 (1977), 1293-1298.
- Toyoda, T., "Use of the Chow Test Under Heteroscedasticity," Econometrica 42 (1974), 601-608.
- Ullah, A. and P.C.B. Phillips, "Distribution of the F-Ratio," Econometric Theory 2 (1986), 449-452.

Watt, P.A., "Tests of Equality Between Sets of Coefficients in Two Linear Regressions When Disturbance Variances are Unequal : Some Small Sample Properties," The Manchester School 47 (1979), 391-396.

Weerahandi, S., "Testing Regression Equality With Unequal Variances," Econometrica 55 (1987), 1211-1215.

White, K.J., S.D. Wong, D. Whistler, and S.A. Haun, SHAZAM Econometrics Computer Package : User's Reference Manual, Version 6.2 (New York : McGraw-Hill, 1990).

APPENDIX

Bounds on Chow Test Critical Values When Errors Are Heteroscedastic

TABLE A1.-NOMINAL SIGNIFICANCE LEVEL = 5%; $k = 2$

		θ									
T_1	T_2	1	0.01		0.1		10		100		
			C_L	C_u	C_L	C_u	C_L	C_u	C_L	C_u	
10	10	3.634	0.065	13.134	0.595	9.884	0.595	9.884	0.065	13.134	
15	10	3.467	0.051	7.486	0.487	6.624	0.726	11.486	0.084	16.887	
20	10	3.369	0.045	5.852	0.436	5.428	0.841	12.802	0.104	20.494	
25	10	3.305	0.042	5.085	0.407	4.819	0.943	13.910	0.123	23.967	
30	10	3.259	0.040	4.642	0.388	4.453	1.034	14.861	0.141	27.314	
35	10	3.226	0.039	4.354	0.375	4.208	1.117	15.690	0.159	30.545	
40	10	3.200	0.037	4.151	0.365	4.034	1.191	16.422	0.177	33.667	
15	15	3.369	0.063	9.198	0.578	7.718	0.577	7.718	0.063	9.198	
20	15	3.305	0.053	6.946	0.505	6.224	0.660	8.698	0.075	10.885	
25	15	3.259	0.048	5.887	0.462	5.439	0.737	9.582	0.087	12.547	
30	15	3.226	0.045	5.274	0.434	4.959	0.808	10.386	0.098	14.185	
35	15	3.200	0.043	4.875	0.414	4.636	0.875	11.121	0.110	15.799	
40	15	3.179	0.041	4.595	0.399	4.403	0.937	11.797	0.121	17.390	
20	20	3.259	0.061	8.031	0.569	6.963	0.569	6.963	0.061	8.031	
25	20	3.226	0.055	6.684	0.514	6.026	0.630	7.652	0.071	9.106	
30	20	3.200	0.050	5.904	0.478	5.444	0.687	8.297	0.079	10.171	
35	20	3.179	0.047	5.395	0.452	5.048	0.742	8.901	0.087	11.228	
40	20	3.162	0.045	5.037	0.433	4.762	0.790	9.469	0.095	12.275	
25	25	3.200	0.061	7.476	0.564	6.583	0.564	6.583	0.061	7.476	
30	25	3.179	0.056	6.530	0.520	5.909	0.612	7.112	0.068	8.263	
35	25	3.162	0.052	5.912	0.488	5.446	0.657	7.616	0.075	9.045	
40	25	3.148	0.049	5.478	0.465	5.110	0.701	8.096	0.081	9.822	
30	30	3.162	0.061	7.153	0.561	6.355	0.561	6.355	0.061	7.153	
35	30	3.148	0.056	6.428	0.524	5.831	0.600	6.784	0.067	7.773	
40	30	3.136	0.053	5.918	0.496	5.447	0.638	7.196	0.072	8.390	
35	35	3.136	0.061	6.941	0.558	6.203	0.558	6.203	0.061	6.941	
40	35	3.126	0.057	6.356	0.527	5.776	0.592	6.563	0.065	7.453	
40	40	3.117	0.061	6.792	0.557	6.095	0.557	6.095	0.061	6.792	

TABLE A2.-NOMINAL SIGNIFICANCE LEVEL = 5%; k = 3

θ										
T_1	T_2	1	0.01		0.1		10		100	
		C_L	C_u	C_L	C_u	C_L	C_u	C_L	C_u	
10	10	3.344	0.052	20.713	0.484	12.131	0.484	12.131	0.052	20.713
15	10	3.127	0.041	7.973	0.401	6.736	0.607	13.591	0.069	26.795
20	10	3.009	0.037	5.668	0.362	5.167	0.713	14.705	0.087	32.367
25	10	2.934	0.035	4.738	0.340	4.450	0.807	15.596	0.104	37.506
30	10	2.883	0.033	4.239	0.326	4.044	0.890	16.334	0.121	42.273
35	10	2.845	0.032	3.929	0.316	3.784	0.964	16.958	0.137	46.718
40	10	2.816	0.031	3.718	0.309	3.603	1.032	17.496	0.153	50.879
15	15	3.009	0.052	9.962	0.483	7.853	0.483	7.853	0.052	9.962
20	15	2.934	0.045	6.810	0.423	5.954	0.558	8.823	0.063	11.909
25	15	2.883	0.041	5.535	0.389	5.049	0.628	9.677	0.073	13.815
30	15	2.845	0.038	4.849	0.366	4.524	0.692	10.437	0.083	15.681
35	15	2.816	0.036	4.423	0.351	4.184	0.751	11.119	0.094	17.511
40	15	2.794	0.035	4.132	0.339	3.945	0.807	11.735	0.104	19.304
20	20	2.883	0.052	7.940	0.481	6.676	0.481	6.676	0.052	7.940
25	20	2.845	0.046	6.325	0.435	5.611	0.536	7.340	0.060	9.058
30	20	2.816	0.043	5.456	0.405	4.982	0.587	7.954	0.067	10.164
35	20	2.794	0.040	4.915	0.384	4.568	0.635	8.524	0.074	11.257
40	20	2.776	0.038	4.546	0.368	4.277	0.681	9.055	0.082	12.339
25	25	2.816	0.053	7.110	0.480	6.140	0.480	6.140	0.052	7.110
30	25	2.794	0.047	6.060	0.443	5.405	0.522	6.639	0.058	7.889
35	25	2.776	0.044	5.405	0.416	4.938	0.563	7.111	0.064	8.663
40	25	2.761	0.042	4.958	0.397	4.597	0.602	7.559	0.069	9.431
30	30	2.775	0.052	6.660	0.479	5.835	0.479	5.835	0.052	6.660
35	30	2.761	0.048	5.893	0.448	5.295	0.514	6.233	0.057	7.257
40	30	2.748	0.045	5.368	0.424	4.908	0.548	6.615	0.061	7.851
35	35	2.748	0.052	6.378	0.478	5.638	0.478	5.638	0.052	6.378
40	35	2.737	0.049	5.778	0.451	5.209	0.508	5.970	0.056	6.862
40	40	2.728	0.052	6.185	0.478	5.501	0.478	5.501	0.052	6.185

TABLE A3.-NOMINAL SIGNIFICANCE LEVEL = 5%; k = 4

		θ									
T_1	T_2	1	0.01		0.1		10		100		
			C_L	C_U	C_L	C_U	C_L	C_U	C_L	C_U	
10	10	3.259	0.041	62.560	0.402	18.127	0.402	18.127	0.041	62.560	
15	10	2.965	0.035	9.652	0.339	7.518	0.523	18.610	0.058	73.853	
20	10	2.817	0.031	5.888	0.311	5.237	0.626	19.020	0.071	82.573	
25	10	2.728	0.030	4.667	0.295	4.335	0.717	19.367	0.091	89.669	
30	10	2.668	0.029	4.071	0.285	3.860	0.796	19.662	0.107	95.646	
35	10	2.626	0.028	3.720	0.277	3.569	0.867	19.916	0.122	100.840	
40	10	2.594	0.027	3.489	0.272	3.372	0.931	20.138	0.138	105.339	
15	15	2.817	0.044	12.276	0.418	8.707	0.418	8.707	0.044	12.276	
20	15	2.728	0.039	7.174	0.369	6.062	0.490	9.695	0.054	14.812	
25	15	2.668	0.035	5.507	0.341	4.944	0.556	10.535	0.064	17.266	
30	15	2.626	0.033	4.693	0.322	4.338	0.617	11.262	0.074	19.644	
35	15	2.594	0.032	4.213	0.309	3.962	0.673	11.900	0.083	21.948	
40	15	2.570	0.031	3.896	0.300	3.705	0.725	12.465	0.093	24.183	
20	20	2.668	0.045	8.442	0.423	6.804	0.423	6.804	0.045	8.442	
25	20	2.626	0.041	6.340	0.384	5.510	0.474	7.476	0.052	9.692	
30	20	2.594	0.037	5.311	0.359	4.792	0.523	8.088	0.059	10.924	
35	20	2.570	0.035	4.703	0.341	4.338	0.568	8.649	0.066	12.140	
40	20	2.550	0.034	4.303	0.327	4.026	0.611	9.165	0.073	13.339	
25	25	2.594	0.046	7.165	0.426	6.039	0.426	6.039	0.046	7.165	
30	25	2.570	0.042	5.924	0.394	5.222	0.465	6.534	0.051	7.984	
35	25	2.550	0.039	5.191	0.371	4.699	0.503	6.998	0.056	8.795	
40	25	2.534	0.037	4.707	0.354	4.336	0.540	7.435	0.062	9.600	
30	30	2.550	0.046	6.535	0.427	5.631	0.427	5.631	0.046	6.535	
35	30	2.534	0.043	5.676	0.400	5.045	0.460	6.020	0.051	7.141	
40	30	2.520	0.040	5.110	0.379	4.636	0.491	6.391	0.055	7.444	
35	35	2.520	0.046	6.160	0.428	5.378	0.428	5.378	0.046	6.160	
40	35	2.509	0.043	5.512	0.404	4.925	0.455	5.698	0.050	6.641	
40	40	2.499	0.046	5.911	0.429	5.206	0.429	5.206	0.046	5.911	

TABLE A4.-NOMINAL SIGNIFICANCE LEVEL = 5%; k = 5

θ											
T_1	T_2	1		0.01		0.1		10		100	
		C_L	C_u	C_L	C_u	C_L	C_u	C_L	C_u	C_L	C_u
10	10	3.326	0.033	332.582	0.333	33.258	0.333	33.258	0.033	332.582	
15	10	2.901	0.029	14.108	0.290	9.292	0.455	29.013	0.049	290.130	
20	10	2.711	0.027	6.519	0.271	5.587	0.559	27.109	0.065	271.090	
25	10	2.603	0.026	4.783	0.260	4.377	0.648	26.030	0.081	260.299	
30	10	2.534	0.025	4.037	0.253	3.797	0.727	25.336	0.096	253.356	
35	10	2.485	0.025	3.625	0.249	3.460	0.796	24.851	0.111	248.515	
40	10	2.449	0.025	3.364	0.245	3.241	0.858	24.495	0.125	244.947	
15	15	2.711	0.038	18.196	0.367	10.516	0.367	10.516	0.038	18.196	
20	15	2.603	0.034	8.069	0.327	6.482	0.438	11.470	0.048	22.034	
25	15	2.534	0.031	5.710	0.304	5.019	0.502	12.244	0.057	25.647	
30	15	2.485	0.030	4.693	0.289	4.290	0.561	12.891	0.066	29.059	
35	15	2.449	0.028	4.131	0.279	3.858	0.615	13.443	0.075	32.289	
40	15	2.422	0.028	3.776	0.272	3.574	0.665	13.922	0.084	35.354	
20	20	2.534	0.040	9.589	0.380	7.266	0.380	7.266	0.040	9.589	
25	20	2.485	0.036	6.626	0.346	5.608	0.429	7.960	0.046	11.080	
30	20	2.449	0.034	5.344	0.324	4.753	0.475	8.581	0.053	12.544	
35	20	2.422	0.032	4.635	0.309	4.237	0.519	9.141	0.060	13.980	
40	20	2.400	0.031	4.187	0.297	3.894	0.560	9.649	0.066	15.391	
25	25	2.449	0.041	7.532	0.386	6.151	0.386	6.152	0.041	7.532	
30	25	2.422	0.038	5.991	0.357	5.190	0.424	6.656	0.046	8.430	
35	25	2.401	0.035	5.136	0.337	4.599	0.460	7.125	0.051	9.318	
40	25	2.383	0.034	4.595	0.322	4.202	0.495	7.562	0.056	10.197	
30	30	2.400	0.042	6.633	0.389	5.602	0.389	5.602	0.042	6.633	
35	30	2.383	0.039	5.635	0.365	4.946	0.420	5.993	0.046	7.270	
40	30	2.363	0.037	5.003	0.347	4.499	0.450	6.363	0.050	7.903	
35	35	2.368	0.042	6.131	0.392	5.277	0.392	5.277	0.042	6.131	
40	35	2.356	0.040	5.408	0.370	4.786	0.418	5.594	0.046	6.624	
40	40	2.346	0.042	5.812	0.393	5.062	0.393	5.062	0.042	5.812	

LIST OF DISCUSSION PAPERS*

- No. 8601 Estimating the Error Variance in Regression After a Preliminary Test of Restrictions on the Coefficients, by David E. A. Giles, Judith A. Mikolajczyk and T. Dudley Wallace.
- No. 8602 Search While Consuming, by Richard Manning.
- No. 8603 Implementing Computable General Equilibrium Models: Data Preparation, Calibration, and Replication, by K. R. Henry, R. Manning, E. McCann and A. E. Woodfield.
- No. 8604 Credit Rationing: A Further Remark, by John G. Riley.
- No. 8605 Preliminary-Test Estimation in Mis-Specified Regressions, by David E. A. Giles.
- No. 8606 The Positive-Part Stein-Rule Estimator and Tests of Linear Hypotheses, by Aman Ullah and David E. A. Giles.
- No. 8607 Production Functions that are Consistent with an Arbitrary Production-Possibility Frontier, by Richard Manning.
- No. 8608 Preliminary-Test Estimation of the Error Variance in Linear Regression, by Judith A. Clarke, David E. A. Giles and T. Dudley Wallace.
- No. 8609 Dual Dynamic Programming for Linear Production/Inventory Systems, by E. Grant Read and John A. George.
- No. 8610 Ownership Concentration and the Efficiency of Monopoly, by R. Manning.
- No. 8701 Stochastic Simulation of the Reserve Bank's Model of the New Zealand Economy, by J. N. Lye.
- No. 8702 Urban Expenditure Patterns in New Zealand, by Peter Hampton and David E. A. Giles.
- No. 8703 Preliminary-Test Estimation of Mis-Specified Regression Models, by David E. A. Giles.
- No. 8704 Instrumental Variables Regression Without an Intercept, by David E. A. Giles and Robin W. Harrison.
- No. 8705 Household Expenditure in Sri Lanka: An Engel Curve Analysis, by Mallika Dissanayake and David E. A. Giles.
- No. 8706 Preliminary-Test Estimation of the Standard Error of Estimate in Linear Regression, by Judith A. Clarke.
- No. 8707 Invariance Results for FIML Estimation of an Integrated Model of Expenditure and Portfolio Behaviour, by P. Dorian Owen.
- No. 8708 Social Cost and Benefit as a Basis for Industry Regulation with Special Reference to the Tobacco Industry, by Alan E. Woodfield.
- No. 8709 The Estimation of Allocation Models With Autocorrelated Disturbances, by David E. A. Giles.
- No. 8710 Aggregate Demand Curves in General-Equilibrium Macroeconomic Models: Comparisons with Partial-Equilibrium Microeconomic Demand Curves, by P. Dorian Owen.
- No. 8711 Alternative Aggregate Demand Functions in Macro-economics: A Comment, by P. Dorian Owen.
- No. 8712 Evaluation of the Two-Stage Least Squares Distribution Function by Imhof's Procedure by P. Cribbett, J. N. Lye and A. Ullah.
- No. 8713 The Size of the Underground Economy: Problems and Evidence, by Michael Carter.
- No. 8714 A Computable General Equilibrium Model of a Fisheries Method to Close the Foreign Sector, by Ewen McCann and Keith McLaren.
- No. 8715 Preliminary-Test Estimation of the Scale Parameter in a Mis-Specified Regression Model, by David E. A. Giles and Judith A. Clarke.
- No. 8716 A Simple Graphical Proof of Arrow's Impossibility Theorem, by John Fountain.
- No. 8717 Rational Choice and Implementation of Social Decision Functions, by Manimay Sen.
- No. 8718 Divisia Monetary Aggregates for New Zealand, by Ewen McCann and David E. A. Giles.
- No. 8719 Telecommunications in New Zealand: The Case for Reform, by John Fountain.
- No. 8801 Workers' Compensation Rates and the Demand for Apprentices and Non-Apprentices in Victoria, by Pasquale M. Sgro and David E. A. Giles.
- No. 8802 The Adventures of Sherlock Holmes, the 48% Solution, by Michael Carter.
- No. 8803 The Exact Distribution of a Simple Pre-Test Estimator, by David E. A. Giles.
- No. 8804 Pre-testing for Linear Restrictions in a Regression Model With Student-t Errors, by Judith A. Clarke.

(continued on next page)

- No. 8805 Divisia Monetary Aggregates and the Real User Cost of Money, by Ewen McCann and David Giles.
- No. 8806 The Management of New Zealand's Lobster Fishery, by Alan Woodfield and Pim Borren.
- No. 8807 Poverty Measurement: A Generalization of Sen's Result, by Prasanta K. Pattanaik and Manimay Sen.
- No. 8808 A Note on Sen's Normalization Axiom for a Poverty Measure, by Prasanta K. Pattanaik and Manimay Sen.
- No. 8809 Budget Deficits and Asset Sales, by Ewen McCann.
- No. 8810 Unorganized Money Markets and 'Unproductive' Assets in the New Structuralist Critique of Financial Liberalization, by P. Dorian Owen and Otton Solis-Fallas.
- No. 8901 Testing for Financial Buffer Stocks in Sectoral Portfolio Models, by P. Dorian Owen.
- No. 8902 Provisional Data and Unbiased Prediction of Economic Time Series by Karen Browning and David Giles.
- No. 8903 Coefficient Sign Changes When Restricting Regression Models Under Instrumental Variables Estimation, by David E. A. Giles.
- No. 8904 Economies of Scale in the New Zealand Electricity Distribution Industry, by David E. A. Giles and Nicolas S. Wyatt.
- No. 8905 Some Recent Developments in Econometrics: Lessons for Applied Economists, by David E. A. Giles.
- No. 8906 Asymptotic Properties of the Ordinary Least Squares Estimator in Simultaneous Equations Models, by V. K. Srivastava and D. E. A. Giles.
- No. 8907 Unbiased Estimation of the Mean Squared Error of the Feasible Generalised Ridge Regression Estimator, by V. K. Srivastava and D. E. A. Giles.
- No. 8908 An Unbiased Estimator of the Covariance Matrix of the Mixed Regression Estimator, by D. E. A. Giles and V. K. Srivastava.
- No. 8909 Pre-testing for Linear Restrictions in a Regression Model with Spherically Symmetric Disturbances, by Judith A. Giles.
- No. 9001 The Durbin-Watson Test for Autocorrelation in Nonlinear Models, by Kenneth J. White.
- No. 9002 Determinants of Aggregate Demand for Cigarettes in New Zealand, by Robin Harrison and Jane Chetwyd.
- No. 9003 Unemployment Duration and the Measurement of Unemployment, by Manimay Sengupta.
- No. 9004 Estimation of the Error Variance After a Preliminary-Test of Homogeneity in a Regression Model with Spherically Symmetric Disturbances, by Judith A. Giles.
- No. 9005 An Expository Note on the Composite Commodity Theorem, by Michael Carter.
- No. 9006 The Optimal Size of a Preliminary Test of Linear Restrictions in a Mis-specified Regression Model, by David E. A. Giles, Offer Lieberman, and Judith A. Giles.
- No. 9007 Inflation, Unemployment and Macroeconomic Policy in New Zealand: A Public Choice Analysis, by David J. Smyth and Alan E. Woodfield.
- No. 9008 Inflation — Unemployment Choices in New Zealand and the Median Voter Theorem, by David J. Smyth and Alan E. Woodfield.
- No. 9009 The Power of the Durbin-Watson Test when the Errors are Heteroscedastic, by David E. A. Giles and John P. Small.
- No. 9010 The Exact Distribution of a Least Squares Regression Coefficient Estimator After a Preliminary t-Test, by David E. A. Giles and Virendra K. Srivastava.
- No. 9011 Testing Linear Restrictions on Coefficients in a Linear Regression Model with Proxy variables and Spherically Symmetric Disturbances, by Kazuhiro Ohtani and Judith A. Giles.
- No. 9012 Some Consequences of Applying the Goldfeld-Quandt Test to Mis-Specified Regression Models, by David E. A. Giles and Guy N. Saxton.
- No. 9013 Pre-testing in a Mis-specified Regression Model, by Judith A. Giles.
- No. 9014 Two Results in Balanced-Growth Educational Policy, by Alan E. Woodfield.
- No. 9101 Bounds on the Effect of Heteroscedasticity on the Chow Test for Structural Change, by David Giles and Offer Lieberman.

* Copies of these Discussion Papers may be obtained for \$4 (including postage, price changes occasionally) each by writing to the Secretary, Department of Economics, University of Canterbury, Christchurch, New Zealand. A list of the Discussion Papers prior to 1986 is available on request.