



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

CANTER

9313

Department of Economics
UNIVERSITY OF CANTERBURY


CHRISTCHURCH, NEW ZEALAND

ISSN 1171-0705



THE POWER OF THE GOLDFELD-QUANDT TEST
WHEN THE ERRORS ARE AUTOCORRELATED

John P. Small and Richard J. Dennis



Discussion Paper

No. 9313

This paper is circulated for discussion and comments. It should not be quoted without the prior approval of the author. It reflects the views of the author who is responsible for the facts and accuracy of the data presented. Responsibility for the application of material to specific cases, however, lies with any user of the paper and no responsibility in such cases will be attributed to the author or to the University of Canterbury.

Department of Economics, University of Canterbury
Christchurch, New Zealand

Discussion Paper No. 9313

September 1993

**THE POWER OF THE GOLDFELD—QUANDT TEST
WHEN THE ERRORS ARE AUTOCORRELATED**

John P. Small and Richard J. Dennis

THE POWER OF THE GOLDFELD-QUANDT TEST WHEN

THE ERRORS ARE AUTOCORRELATED*

John P. Small and Richard J. Dennis

Department of Economics
University of Canterbury

September 1993

Abstract

We study the exact power of the Goldfeld-Quandt test in a linear regression model with errors which are both heteroscedastic and autocorrelated. The test is not robust to this form of mis-specification, but is less sensitive to autocorrelation in smaller samples.

Address for correspondence: Dr J.P. Small, Department of Economics,
University of Canterbury, Private Bag 4800, Christchurch, New Zealand.

1. Introduction

This paper reports on an exploratory study of the robustness of the Goldfeld and Quandt (GQ) (1965) test of homoscedasticity of linear regression model errors to relaxation of the standard assumption of serially independent errors. Several previous papers have examined the sensitivity of the GQ test to its underlying assumptions. These include Giles and Saxton (1993) who focus on the appropriate number of omitted central observations when relevant regressors have been excluded from the model, Evans (1992) who studies the true size of the test under various non-normal error distributions, and Epps and Epps (1977) who address the consequences of serial correlation using a very limited Monte Carlo experiment.

The results presented below use the exact power function of the GQ test with a variety of data types. We find that the test is not robust to the presence of autocorrelation.

2. The Model

We use the standard linear regression model

$$y = X\beta + u, \quad u \sim N(0, \sigma^2 V)$$

where y is $(T \times 1)$ and X is $(T \times K)$, non-stochastic and of full rank. We allow V to reflect a combination of stationary first-order autoregressive (AR(1)) errors and multiplicative heteroscedasticity according to the form:

$$V = \begin{bmatrix} \sigma_1^2 & \rho\sigma_1\sigma_2 & \dots & \rho^{T-1}\sigma_1\sigma_T \\ \rho\sigma_1\sigma_2 & \sigma_2^2 & & \rho^{T-2}\sigma_2\sigma_T \\ \rho^2\sigma_1\sigma_3 & \rho\sigma_2\sigma_3 & \sigma_3^2 & \vdots \\ \vdots & & & \vdots \\ \rho^{T-1}\sigma_1\sigma_T & \dots & & \sigma_T^2 \end{bmatrix}$$

where ρ is the AR(1) parameter and $\sigma_t^2 = X_{jt}^\alpha$, the parameter α being adjusted to control the degree of heteroscedasticity. Application of the GQ test proceeds by sorting the data so that the regressor thought to be inducing heteroscedasticity is increasing. After omitting c central observations¹, separate regressors are run over the remaining sub-samples and the GQ statistic is formed as the ratio of the resulting sums of squared errors. Following Harvey and Phillips (1974) we define $u^{**} = (u_1' u_2')$ and $M_1 = I - X_1(X_1'X_1)^{-1}X_1'$ ($i = 1, 2$) where subscripts refer to the first and second sub-samples. Defining $M_1^* = \begin{bmatrix} M_1 & 0 \\ 0 & 0 \end{bmatrix}$ and $M_2^* = \begin{bmatrix} 0 & 0 \\ 0 & M_2 \end{bmatrix}$ allows us to write the GQ test statistic as $g = (u^{**'}M_2^*u^*)/(u^{**'}M_1^*u^*)$. The power of the test can now be written² as

$$\Pr(g \geq f^*) = \Pr\left(\sum_{j=1}^{T-c} \lambda_j z_j^2 \leq 0\right)$$

where λ_j 's are the eigenvalues of $(f^*M_1^* - M_2^*)V^*$, $E(u^*u^{**'}) = V^*$, and the z_j^2 's are each independent central $\chi_{(1)}^2$. Several algorithms are capable of evaluating probabilities of this form, such as those by Imhof (1961), Davies (1980) or Lieberman (1994).³

3. Design of the Study

The exact power of the GQ test was evaluated using five data sets in an effort to reveal the more general consequences of AR(1) errors in a variety of contexts. The matrices, each of which included an intercept, were: X1 comprising the annual income and price data from Durbin and Watson's (1951) "spirits" example; X2 comprising the quarterly Australian Consumer's Price Index and its lag; X3 and X4 which contain a lognormal (2.2, 19.6) and a uniform [1,10] variable respectively and X5 comprising a linear trend and a normal (5,1.5) variable.⁴

A small (T=21) and moderate (T=69) sample was used with each design matrix and all tests were conducted at the 5% significance level. Several positive values of ρ were used and the degree of heteroscedasticity, measured by $h = (\sigma_1^2/\sigma_0^2)$ ranged from 1 up to 50. We used Davies' algorithm within the SHAZAM (1993) package for all computations.

The power function in the limit as $\rho \rightarrow 1$ was also studied⁵ and found to be degenerate regardless of the presence of an intercept; i.e. the limiting power of the GQ test as $\rho \rightarrow 1$ must be either zero or unity⁶ for $h \geq 1$, and $\alpha \neq 2..$

4. Results

The true size of the GQ test is typically larger than its nominal level when autocorrelation is present. The effect is generally stronger in larger samples, with true sizes of 20% being evident in figures 3 and 4. This size distortion makes power comparisons difficult⁷ but some conclusions can be drawn from figure 1 for example. Here the power of the GQ test is unambiguously lower for $h > 10$ when $\rho > 0$, as the size of the test is larger but the power is lower, relative to the $\rho = 0$ power curve. For values of $h < 10$, a larger rejection probability under the alternative

($h > 1$) is obtained, but only at the cost of also rejecting more frequently under the null hypothesis ($h = 1$), so that direct comparison cannot be made.

5. Conclusion

We have shown that the GQ test is not robust to the presence of AR(1) errors when the covariance matrix is of the form given by V^* . This concurs with the only other work on this topic by Epps and Epps (1977). We have also shown that size distortion is more pronounced in larger samples, and that sensitivity to autocorrelation occurs across a range of data types. The covariance matrix we used is similar to that used by Small (1994) to investigate the converse of this problem. That study found a group of exact AR(1) tests to be reasonably robust to heteroscedasticity for moderate degrees of autocorrelation.

Work in progress includes investigating the effect of omitting observations from locations other than the centre of the re-ordered sample, and the merits of particular orderings of tests for serial independence and homoscedasticity.

Footnotes

- We wish to thank David Giles and Judith Giles for helpful comments on this paper. Remaining errors or omissions are our responsibility.
- 1. Harvey & Phillips (1974) suggest that c should be chosen so that the remaining sub-sample degrees of freedom are (equal and) approximately one third of the full sample.
- 2. See Koerts and Abrahamse (1971) for example.
- 3. Davies' algorithm can additionally handle non-central z_j^2 's, while Lieberman's method is based on a saddle-point expansion which avoids the need to compute the λ_j 's.
- 4. These data have been used in several similar studies such as Evans (1992).
- 5. The methodology used for this is outlined by Krämer and Zeisel (1990).
- 6. The sign of the only non-zero eigenvalue of $(f^*M_1^* - M_2^*)V^*$ uniquely determines whether the limiting power is zero or unity.
- 7. In theory, one could adjust the critical values so that all power curves begin at the same size. In practice, this is not possible.

References

- Davies, R.B. (1980), The distribution of a linear combination of chi square random variables, *Applied Statistics*, 29, 323-333.
- Durbin, J. and G.S. Watson, (1951), Testing for serial correlation in least squares regression II, *Biometrika*, 38, 159-178.
- Epps, T.W. and M.L. Epps, (1977), The robustness of some standard tests for autocorrelation and heteroscedasticity when both problems are present, *Econometrica*, 45, 745-753.
- Evans M.A. (1992), Robustness of size of tests for autocorrelation and heteroscedasticity to nonnormality, *Journal of Econometrics*, 51, 7-24.
- Giles, D.E.A. and G.N. Saxton, (1993), Some consequences of applying the Goldfeld-Quandt test to mis-specified regression models, *Journal of Quantitative Economics*, 9, 111-122.
- Goldfeld, S.M. and R.E. Quandt, (1965), Some tests for homoscedasticity, *Journal of the American Statistical Association*, 60, 539-547.
- Harvey, A.C. and G.D.A. Phillips, (1974), A comparison of the power of some tests for heteroscedasticity in the general linear model, *Journal of Econometrics*, 2, 307-316.
- Imhof, P., (1961), Computing the distribution of quadratic forms in normal random variables, *Biometrika*, 48, 419-426.
- Koerts, J. and A.P.J. Abrahamse, (1971), On the theory and application of the general linear model, Rotterdam University Press, Rotterdam.
- Krämer, W. and H. Zeisel, (1990), Finite sample power of linear regression autocorrelation test, *Journal of Econometrics*, 43, 363-372.
- Lieberman, O. (1994), Saddle point approximation for the distribution of a ratio of quadratic forms in normal variables, forthcoming in *Journal of the American Statistical Association*.

SHAZAM (1993) Econometrics Computer Program, User's Reference Manual, Version 7.0, McGraw-Hill, New York.

Small, J.P. (1994), The exact powers of some autocorrelation tests when the disturbances are heteroscedastic, forthcoming in *Journal of Econometrics*.




Figure 1: Power of the GQ Test; Uniform Data (X4); T=21




Figure 2: Power of the GQ Test; Spirits Data (X1); T=21




Figure 3. Power of the GQ Test; Lognormal Data (X3); T=69




Figure 4. Power of the GQ Test; Normal Data (X5); T=69

LIST OF DISCUSSION PAPERS*

- No. 8903 Coefficient Sign Changes When Restricting Regression Models Under Instrumental Variables Estimation, by David E. A. Giles.
- No. 8904 Economies of Scale in the New Zealand Electricity Distribution Industry, by David E. A. Giles and Nicolas S. Wyatt.
- No. 8905 Some Recent Developments in Econometrics: Lessons for Applied Economists, by David E. A. Giles.
- No. 8906 Asymptotic Properties of the Ordinary Least Squares Estimator in Simultaneous Equations Models, by V. K. Srivastava and D. E. A. Giles.
- No. 8907 Unbiased Estimation of the Mean Squared Error of the Feasible Generalised Ridge Regression Estimator, by V. K. Srivastava and D. E. A. Giles.
- No. 8908 An Unbiased Estimator of the Covariance Matrix of the Mixed Regression Estimator, by D. E. A. Giles and V. K. Srivastava.
- No. 8909 Pre-testing for Linear Restrictions in a Regression Model with Spherically Symmetric Disturbances, by Judith A. Giles.
- No. 9001 The Durbin-Watson Test for Autocorrelation in Nonlinear Models, by Kenneth J. White.
- No. 9002 Determinants of Aggregate Demand for Cigarettes in New Zealand, by Robin Harrison and Jane Chetwyd.
- No. 9003 Unemployment Duration and the Measurement of Unemployment, by Manimay Sengupta.
- No. 9004 Estimation of the Error Variance After a Preliminary-Test of Homogeneity in a Regression Model with Spherically Symmetric Disturbances, by Judith A. Giles.
- No. 9005 An Expository Note on the Composite Commodity Theorem, by Michael Carter.
- No. 9006 The Optimal Size of a Preliminary Test of Linear Restrictions in a Mis-specified Regression Model, by David E. A. Giles, Offer Lieberman, and Judith A. Giles.
- No. 9007 Inflation, Unemployment and Macroeconomic Policy in New Zealand: A Public Choice Analysis, by David J. Smyth and Alan E. Woodfield.
- No. 9008 Inflation — Unemployment Choices in New Zealand and the Median Voter Theorem, by David J. Smyth and Alan E. Woodfield.
- No. 9009 The Power of the Durbin-Watson Test when the Errors are Heteroscedastic, by David E. A. Giles and John P. Small.
- No. 9010 The Exact Distribution of a Least Squares Regression Coefficient Estimator After a Preliminary t-Test, by David E. A. Giles and Virendra K. Srivastava.
- No. 9011 Testing Linear Restrictions on Coefficients in a Linear Regression Model with Proxy variables and Spherically Symmetric Disturbances, by Kazuhiro Ohtani and Judith A. Giles.
- No. 9012 Some Consequences of Applying the Goldfeld-Quandt Test to Mis-Specified Regression Models, by David E. A. Giles and Guy N. Saxton.
- No. 9013 Pre-testing in a Mis-specified Regression Model, by Judith A. Giles.
- No. 9014 Two Results in Balanced-Growth Educational Policy, by Alan E. Woodfield.
- No. 9101 Bounds on the Effect of Heteroscedasticity on the Chow Test for Structural Change, by David Giles and Offer Lieberman.
- No. 9102 The Optimal Size of a Preliminary Test for Linear Restrictions when Estimating the Regression Scale Parameter, by Judith A. Giles and Offer Lieberman.
- No. 9103 Some Properties of the Durbin-Watson Test After a Preliminary t-Test, by David Giles and Offer Lieberman.
- No. 9104 Preliminary-Test Estimation of the Regression Scale Parameter when the Loss Function is Asymmetric, by Judith A. Giles and David E. A. Giles.
- No. 9105 On an Index of Poverty, by Manimay Sengupta and Prasanta K. Pattanaik.
- No. 9106 Cartels May Be Good For You, by Michael Carter and Julian Wright.
- No. 9107 Lp-Norm Consistencies of Nonparametric Estimates of Regression, Heteroskedasticity and Variance of Regression Estimate when Distribution of Regression is Known, by Radhey S. Singh.
- No. 9108 Optimal Telecommunications Tariffs and the CCITT, by Michael Carter and Julian Wright.
- No. 9109 Price Indices : Systems Estimation and Tests, by David Giles and Ewen McCann.

(Continued on next page)

- No. 9110 The Limiting Power of Point Optimal Autocorrelation Tests, by John P. Small.
- No. 9111 The Exact Power of Some Autocorrelation Tests When the Disturbances are Heteroscedastic, by John P. Small.
- No. 9112 Some Consequences of Using the Chow Test in the Context of Autocorrelated Disturbances, by David Giles and Murray Scott.
- No. 9113 The Exact Distribution of R^2 when the Disturbances are Autocorrelated, by Mark L. Carrodus and David E. A. Giles.
- No. 9114 Optimal Critical Values of a Preliminary Test for Linear Restrictions in a Regression Model with Multivariate Student-t Disturbances, by Jason K. Wong and Judith A. Giles.
- No. 9115 Pre-Test Estimation in a Regression Model with a Misspecified Error Covariance Matrix, by K. V. Albertson.
- No. 9116 Estimation of the Scale Parameter After a Pre-test for Homogeneity in a Mis-specified Regression Model, by Judith A. Giles.
- No. 9201 Testing for Arch-Garch Errors in a Mis-specified Regression, by David E. A. Giles, Judith A. Giles, and Jason K. Wong.
- No. 9202 Quasi Rational Consumer Demand — Some Positive and Normative Surprises, by John Fountain.
- No. 9203 Pre-test Estimation and Testing in Econometrics: Recent Developments, by Judith A. Giles and David E. A. Giles.
- No. 9204 Optimal Immigration in a Model of Education and Growth, by K-L. Shea and A. E. Woodfield.
- No. 9205 Optimal Capital Requirements for Admission of Business Immigrants in the Long Run, by K-L. Shea and A. E. Woodfield.
- No. 9206 Causality, Unit Roots and Export-Led Growth: The New Zealand Experience, by David E. A. Giles, Judith A. Giles and Ewen McCann.
- No. 9207 The Sampling Performance of Inequality Restricted and Pre-Test Estimators in a Mis-specified Linear Model, by Alan T. K. Wan.
- No. 9208 Testing and Estimation with Seasonal Autoregressive Mis-specification, by John P. Small.
- No. 9209 A Bargaining Experiment, by Michael Carter and Mark Sunderland.
- No. 9210 Pre-Test Estimation in Regression Under Absolute Error Loss, by David E. A. Giles.
- No. 9211 Estimation of the Regression Scale After a Pre-Test for Homoscedasticity Under Linex Loss, by Judith A. Giles and David E. A. Giles.
- No. 9301 Assessing Starmer's Evidence for New Theories of Choice: A Subjectivist's Comment, by John Fountain.
- No. 9302 Preliminary-Test Estimation in a Dynamic Linear Model, by David E. A. Giles and Matthew C. Cunneen.
- No. 9303 Fans, Frames and Risk Aversion: How Robust is the Common Consequence Effect? by John Fountain and Michael McCosker.
- No. 9304 Pre-test Estimation of the Regression Scale Parameter with Multivariate Student-t Errors and Independent Sub-Samples, by Juston Z. Anderson and Judith A. Giles.
- No. 9305 The Exact Powers of Some Autocorrelation Tests When Relevant Regressors are Omitted, by J. P. Small, D. E. Giles and K. J. White.
- No. 9306 The Exact Risks of Some Pre-Test and Stein-Type Regression Estimators Under Balanced Loss*, by J. A. Giles, D. E. A. Giles, and K. Ohtani.
- No. 9307 The Risk Behavior of a Pre-Test Estimator in a Linear Regression Model with Possible Heteroscedasticity under the Linex Loss Function, by K. Ohtani, D. E. A. Giles and J. A. Giles.
- No. 9308 Comparing Standard and Robust Serial Correlation Tests in the Presence of Garch Errors, by John P. Small.
- No. 9309 Testing for Serial Independence in Error Components Models: Finite Sample Results, by John P. Small.
- No. 9310 Optimal Balanced-Growth Immigration Policy for Investors and Entrepreneurs, by A. E. Woodfield and K-L. Shea.
- No. 9311 Optimal Long-Run Business Immigration Under Differential Savings Functions, by A. E. Woodfield and K-L. Shea.
- No. 9312 The Welfare Cost of Taxation in New Zealand Following Major Tax Reforms, by P. McKeown and A. Woodfield.
- No. 9313 The Power of the Goldfeld-Quandt Test when the errors are autocorrelated, by J.P. Small and R.J. Dennis.

* Copies of these Discussion Papers may be obtained for \$4 (including postage, price changes occasionally) each by writing to the Secretary, Department of Economics, University of Canterbury, Christchurch, New Zealand. A list of the Discussion Papers prior to 1989 is available on request.