



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

162 FOR REVISIONS

EXOGENEITY

by

Robert F. Engle, David F. Hendry
Jean-Francois Richard

Number 162

WARWICK ECONOMIC RESEARCH PAPERS

DEPARTMENT OF ECONOMICS

UNIVERSITY OF WARWICK
COVENTRY

EXOGENEITY

by

Robert F. Engle, David F. Hendry
Jean-Francois Richard

Number 162

September 1979

* This paper was initially prepared during the 1979 Warwick Summer Workshop, with support from the Social Science Research Council. We are indebted to participants in the Workshop for useful discussions on several of the ideas developed in the paper. Financial support from the International Centre for Economics and Related Disciplines at LSE and the Ford Foundation is gratefully acknowledged.

The authors' affiliations are respectively University of California, San Diego; London School of Economics; CORE, Louvain-La-Neuve.

This paper is circulated for discussion purposes only and its contents should be considered preliminary.

I Introduction

In spite of the importance of exogeneity in econometric modelling, an unambiguous definition does not seem to have been proposed to date. This lack has not only hindered systematic discussion, it has served to confuse the connections between "causality" and "exogeneity". Moreover, many existing definitions have been formulated in terms of disturbances from relationships which contain unknown parameters, yet whether or not such disturbances satisfy certain orthogonality conditions with other observables may be a matter of construction or may be a testable hypothesis: a clear distinction between these situations is essential. To achieve such an objective, we formulate definitions in terms of the distributions of the observable variables, distinguishing between exogeneity assumptions and causality assumptions, where causality is used in the sense of Granger (1969). Following in particular Koopman's pioneering article (1950), exogeneity will be related to the statistical completeness of a model. In short, a variable will be considered exogenous for a given purpose if a statistical analysis can be conducted conditionally on that variable without loss of relevant sample information.

The objective of the paper is to clarify the concepts involved, isolate the essential requirements for a variable to be considered exogenous and relate these to Granger's definition of causality. The definitions will be elucidated by a sequence of examples intended to highlight the implications of our framework. It should be stressed that our emphasis on observables does not preclude formulating theories in terms of unobservables (e.g. "permanent" components, expectations, disturbances, etc.), but these should be integrated out first in order to obtain an operational model to which our concepts may be applied.

The formal definitions underlying our approach are stated in Section II and applied to various concepts of exogeneity in Section III. The examples, which comprise the major component of the paper are given in Section IV, followed by a discussion of the general simultaneous equations model in Section V. Tests for exogeneity and parameter change situations are considered in Sections VI and VII respectively and Section VIII concludes the paper.

II Definitions

Let $y_t \in R^m$ be a vector of observable random variables generated at time t and let y_t^0 denote the set of all lagged values of y_t :

$$(1) \quad y_t^0 = \{y_{t-i}; i > 0\}$$

The process generating the observations will be represented by a set of conditional probability measures assumed continuous with respect to some appropriate measure. Let $D(y_t/y_t^0, \theta)$ represent the density function of y_t given y_t^0 where $\theta \in \Theta$ is a vector of unknown parameters.

The "true" model (if any) may involve an infinite dimensional θ , but as in practice we shall always be restricted to finite data sets, it is more convenient to think of $D(\cdot)$ as a suitable approximation to the process under study over the relevant sample period. More precisely, we restrict attention to cases where:

- (a) The conditional density functions $D(y_t/y_t^0, \theta)$ all belong to a class of density function with finite dimensional parameter space Θ ;
- (b) There exists a fixed dimensional subvector of y_t^0 , denoted $s_t \in R^k$ such that:

$$(2) \quad D(y_t/y_t^0, \theta) \equiv D(y_t/s_t, \theta).$$

The definitions will be formulated in terms of the density at a point in time t to allow for their application to models of switches of regime as discussed by Richard (1980) and applied by Piersse (1979). However, in most cases it will be assumed that the density is the same for all $t = 1, \dots, T$. Let $Y = (y_1 \dots y_T)'$ be a $T \times n$ matrix of observations on y_t , then the likelihood function $L(\theta; Y)$ is given by

$$(3) \quad L(\theta; Y) = \prod_{t=1}^T D(y_t/s_t, \theta).$$

II.1 Nuisance Parameters and Parameters of Interest

It is usually the case that a model user is not interested in all the parameters in θ , so that his (implicit) loss function depends only on some functions of the parameters denoted parameters of interest (for a formal definition, see Florens and Mouchart (1977)). Since models can be reparameterised in (indefinitely) many ways, consider the arbitrary one-to-one transformation (reparameterisation):

$$(4) \quad f : \theta \rightarrow \lambda; \quad \theta \rightsquigarrow \lambda = f(\theta)$$

together with a partition of λ into (λ_1, λ_2) . The parameter λ_2 is then said to be a nuisance parameter if and only if the loss function, when expressed in terms of λ , depends only on λ_1 (i.e. for any given λ_1 , takes the same value for all λ_2).

Several remarks need be made here:

(i) Whether or not a parameter is a nuisance parameter critically depends on which reparameterisation is used. If, for example, $\theta = (\alpha, \beta)$ and α is the sole parameter of interest, β is not a nuisance parameter when the

the model is reparameterised in terms of $(\alpha/\beta, \beta)$.

(ii) Even though λ_2 is a nuisance parameter it will often be the case that λ_1 and λ_2 are linked together by exact restrictions (in a sampling theory framework) or, more generally are not independent (in a Bayesian framework). Information on nuisance parameters remains relevant as long as it contributes to reducing the uncertainty about parameters of interest.

(iii) We do not require λ_2 to be of maximum dimension so that λ_1 might include additional nuisance parameters. The point is that reparameterisations and partitionings of λ are of little use if they do not correspond to statistical feature of the model (such as factorising the likelihood function). In general, therefore, one should not expect to be able to separate completely parameters of interest and nuisance parameters. This will be illustrated in Section IV.

These remarks motivate the concept of cut discussed in the next section.

II.2 Cut

Definitions of classical and Bayesian cuts may be found for example in Barndorff-Nielsen (1973) and Florens and Mouchart (1977). Let y_t^i be partitioned into (y_{1t}^i, y_{2t}^i) with $y_{it}^i \in R^i$ and let $\lambda = (\lambda_1, \lambda_2)$ be an associated reparameterisation as in (4) with $\lambda = f(\theta)$. Then $[(y_{1t}^i, \lambda_1), (y_{2t}^i, \lambda_2)]$ is said to operate a classical cut on $D(\cdot)$ if and only if:

$$(5) \quad D(y_t/s_t, \lambda) = D(y_{1t}/y_{2t}, s_t, \lambda_1)D(y_{2t}/s_t, \lambda_2)$$

where λ_1 and λ_2 are variation free in the sense that:

$$(6) \quad (\lambda_1, \lambda_2) \in \Lambda_1 \times \Lambda_2$$

where Λ_i denotes the set of admissible values of λ_i .

Similarly, $[(y_{1t}, \lambda_1), (y_{2t}, \lambda_2)]$ is said to operate a Bayesian cut if (6) is reinforced by prior independence:

$$(7) \quad D(\lambda_1, \lambda_2) \equiv D(\lambda_1).D(\lambda_2).$$

If a cut operates, then the likelihood function factorises as in (8):

$$(8) \quad L(\lambda; Y) = L_1(\lambda_1; Y).L_2(\lambda_2; Y) \quad \text{where}$$

$$(9) \quad L_1(\lambda_1; Y) = \prod_{t=1}^T D(y_{1t}/y_{2t}, s_t, \lambda_1) \quad \text{and}$$

$$(10) \quad L_2(\lambda_2; Y) = \prod_{t=1}^T D(y_{2t}/s_t, \lambda_2).$$

Under condition (6), the two factors in (8) may be analysed independently of each other, and under (7), λ_1 and λ_2 will also be independent a posteriori since then:

$$(11) \quad D(\lambda/Y) = D(\lambda_1/Y).D(\lambda_2/Y) \quad \text{where}$$

$$(12) \quad D(\lambda_i/Y) \propto D(\lambda_i).L_i(\lambda_i; Y) \quad i = 1, 2.$$

Thus, taking advantage of cuts reduces the computational burden as illustrated (e.g.) in Richard (1979). Furthermore, if λ_2 is a nuisance parameter, then all the sample information concerning the parameters of interest can be obtained from the conditional model $D(y_{1t}/y_{2t}, s_t, \lambda_1)$ in that the marginal model

$D(y_{2t}/s_t, \lambda_2)$ need not even be specified. These ideas will play a central role in our definition of exogeneity; when referred to in a general context, the parameters of interest will be denoted by ψ_1 below.

II.3 Granger Non-Causality

For the class of models with which we are dealing, Granger (1969) provides a definition equivalent to:

y_{1t} does not Granger cause y_{2t} if and only if

$$(13) \quad D(y_{2t}/y_t^0, \theta) \equiv D(y_{2t}/y_{2t}^0, \theta).$$

Under condition (13), the joint data density of y_t factorises into:

$$(14) \quad D(y_t/y_t^0, \theta) = D(y_{1t}/y_{2t}, y_t^0, \theta) \cdot D(y_{2t}/y_{2t}^0, \theta).$$

It is essential to realise that no assumptions are being made about the parameters, so that (14) does not imply that there is a cut. This point has often been overlooked in the literature on Granger causal orderings. The notion of "instantaneous causality" is deliberately excluded from this formulation.

III Exogeneity

Following Richard (1980) the subvector y_{2t} is weakly exogenous for ψ_1 if and only if there exists a reparameterisation with $\lambda = (\lambda_1, \lambda_2)$ such that for a given period $t = 1, \dots, T$:

(i) λ_2 is a nuisance parameter

(ii) $[(y_{1t}, \lambda_1), (y_{2t}, \lambda_2)]$ operates a classical cut for $t = 1, \dots, T$.
Moreover, y_{2t} is strongly exogenous for ψ_1 if and only if it is weakly exogenous for ψ_1 and in addition:

(iii) y_{1t} does not Granger cause y_{2t} for $t = 1, \dots, T$. Both concepts evidently coincide for static models and reduce in such a situation to the concept of exogeneity developed by Granger et al. (1970).

Most of the definitions of exogeneity in dynamic models which we have found in the literature are unclear on crucial points. For example (see Sims (1972)), many of them definitely include condition (iii) but it is usually not stated whether condition (ii) is required although in special cases such as linear dynamic models, (ii) is often satisfied by construction; condition (i) is generally absent from these definitions.^{1/} This last point seems to be a major lacuna. Unless there are some parameters of interest, criteria such as "consistency" are meaningless, notwithstanding which, some exogeneity statements are tantamount to conditions for "consistent estimation". In any case, "consistency" is not sufficient for weak exogeneity since the latter entails efficiency: unless condition (i) holds, conditions (ii) and/or (iii) do not ensure that there is no loss of information when conducting inference conditionally on y_{2t} . On the other hand, if (i) and (ii) hold, then (iii) will usually be irrelevant since it no longer affects inferences on λ_1 (which essentially includes all parameters of interest). This does not mean that condition (iii) has no merit on its own, but simply that it is misleading to emphasise causality when discussing exogeneity. The two concepts serve very different purposes and we shall present some common, simple examples which highlight the roles of the three conditions and demonstrate (inter alia) that non-causality is neither necessary nor sufficient for weak exogeneity. Note that Phillips [1956, Section IV] presents conditions for validating least squares estimation in dynamic systems, which if fulfilled, would allow regressors to be treated as "given" despite the presence of Granger causal feedbacks. Nevertheless, the concept of weak exogeneity is not related directly to validating specific estimation methods but concerns instead the conditions under which attention may be restricted to conditional submodels without loss of information. Since such models are the primary concern of econometric analysis, weak exogeneity will be the main focus of this paper.

^{1/} As is well known, it is always possible to redefine the parameters such

It might be objected that weak exogeneity can always be satisfied by definition (e.g. by specifying the joint model as the product of a conditional model and a marginal model constructed to satisfy (i) and (ii) above - as is often done implicitly), in which case it is evidently not testable. Beyond the fact that this "objection" could apply to all statistical assumptions, there are at least two important situations in which weak exogeneity has testable implications. Firstly, a model displaying weak exogeneity can always be embedded within a larger model, say $D(y_t/y_t^0, \lambda, \mu)$ where y_{2t} is weakly exogenous if $\mu = 0$; testing $\mu = 0$ whenever feasible provides a weak exogeneity test and several such tests will be discussed in Section VI. Secondly, providing y_{2t} remains weakly exogenous, changes in its data generation process will not affect λ_1 and hence parameters of interest (see the definition of a cut above). Consequently, all changes in nuisance parameters hazard conditional models to potential predictive failure (see Section VII) and so provide a test of one aspect of the weak exogeneity conditions.

Finally, in much empirical econometric research, the analysis will be undertaken conditional on a set of variables (denoted y_{3t}) which are weakly exogenous either by assumption or by definition. Let $y_t^i = (y_{1t}^i, y_{2t}^i, y_{3t}^i)$, then:

Lemma

The subvector (y_{2t}, y_{3t}) is weakly exogenous for λ_1 if there exists a reparameterisation $\lambda = (\lambda_1, \lambda_2, \lambda_3)$ such that:

- (i) y_{3t} is weakly exogenous for (λ_1, λ_2)
- (ii) conditionally on y_{3t} , y_{2t} is weakly exogenous for λ_1 .

Moreover, (y_{2t}, y_{3t}) is strongly exogenous for λ_1 if it is weakly

exogenous for λ_1 and in addition:

(iii) y_{1t} does not Granger cause y_{3t}

(iv) conditionally on y_{3t} , y_{1t} does not Granger cause y_{2t} .

Proof

Under (i) and (ii) we have successively:

$$\begin{aligned}
 (15) \quad D(y_t/y_t^0, \lambda) &= D(y_{1t}, y_{2t}/y_{3t}, y_t^0, \lambda_1, \lambda_2) D(y_{3t}/y_t^0, \lambda_3) \\
 &= D(y_{1t}/y_{2t}, y_{3t}, y_t^0, \lambda_1) D(y_{2t}/y_{3t}, y_t^0, \lambda_2) D(y_{3t}/y_t^0, \lambda_3) \\
 &= D(y_{1t}/y_{2t}, y_{3t}, y_t^0, \lambda_1) D(y_{2t}, y_{3t}/y_t^0, \lambda_2, \lambda_3)
 \end{aligned}$$

wherefrom the Lemma follows by application of the definitions of weak and strong exogeneity.

It must be stressed that the conditions (i) - (iv) are not necessary for the exogeneity of (y_{2t}, y_{3t}) for λ_1 . In particular, the fact that there exists no reparameterisation such that the second line of (15) holds does not imply that no other reparameterisation exists with, say,

$\lambda^* = (\lambda_1, \lambda_b^*)$ such that

$$D(y_t/y_t^0, \lambda^*) = D(y_{1t}/y_{2t}, y_{3t}, y_t^0, \lambda_1) D(y_{2t}, y_{3t}/y_t^0, \lambda_b^*)$$

On the other hand it would be unreasonable to try testing for the exogeneity of all potentially exogenous variables. In fact, this need not be feasible because the overall model would typically be so general (including e.g. incidental parameters as in errors-in-variables models) that appropriate testing procedures would no longer be available.

Heuristically, the formulation in (15) embodies the usual meaning of exogeneity as "determined outside the model", but distinguishes between cases where the mechanism generating y_2 is entirely unaffected by the generation process of y_1 (i.e. strong exogeneity when the marginal model is $D(y_{2t}/y_2^0, \lambda_2)$) and where analysis of the two processes can be separated (i.e. weak exogeneity). Moreover, the approach highlights the need to carefully consider the relationship between the parameters of the conditional and the marginal models such that not only is λ_2 unaffected by changes in λ_1 but also the converse holds; failure to do so can lead to an incorrect treatment of so-called "exogenous" variables in errors-in-variables models (see Section IV.3).

IV Examples

IV.1. The Bivariate Linear Regression Model

To establish the need for the concepts proposed in Section II and III, consider a bivariate normal distribution denoted:

$$(16) \quad \begin{bmatrix} y_t \\ x_t \end{bmatrix} \sim \text{NI} \left(\begin{bmatrix} 0 \\ 0 \end{bmatrix}, \begin{bmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{12} & \sigma_{22} \end{bmatrix} \right).$$

Since the model is static the conditional distribution of y_t given x_t is:

$$(17) \quad y_t/x_t \sim \text{NI}(\beta x_t, \sigma^2)$$

where $\beta = \sigma_{12}/\sigma_{22}$ and $\sigma^2 = \sigma_{11} - \beta^2 \sigma_{22}$ and defining

$u_t = y_t - E(y_t/x_t) \sim \text{NI}(0, \sigma^2)$ leads to the regression model:

$$(18) \quad y_t = \beta x_t + u_t \quad u_t \sim NI(0, \sigma^2)$$

where $E(x_t u_t) = 0$ by construction.

If: (i) β is the sole parameter of interest and (ii) (β, σ^2) and σ_{22} are variation free (which is the case when Σ is unrestricted other than being symmetric, positive definite: see Richard (1979)), then x_t is weakly exogenous for β . In fact, when the statements in the previous sentence are true, the OLS estimator $\hat{\beta}$ of β in (18) is the maximum likelihood estimator irrespective of the assumptions which might be made regarding the process generating x_t (which could be generalised to a dynamic process conditionally on past x and and y) and the assumption of bivariate normality is simply for convenience of exposition.

Excepting very special cases, it will be impossible to find a cut which makes y_t weakly exogenous for β in this model. Certainly, from the properties of the bivariate normal distribution we also have that:

$$(19) \quad x_t/y_t \sim NI(\gamma y_t, \zeta^2) \quad \text{and} \quad y_t \sim NI(0, \sigma_{11})$$

$$\text{where} \quad \gamma = \beta \sigma_{22} / (\sigma^2 + \beta^2 \sigma_{22}) \quad \text{and} \quad \zeta^2 = \sigma^2 \sigma_{22} / (\sigma^2 + \beta^2 \sigma_{22}).$$

Thus, if we define $\lambda_1 = (\gamma, \zeta^2)$ and $\lambda_2 = \sigma_{11}$ it follows that $[(x_t, \lambda_1), (y_t, \lambda_2)]$ also operates a cut. However, this does not make y_t weakly exogenous for β since:

$$(20) \quad \beta = \gamma \sigma_{11} / (\zeta^2 + \gamma^2 \sigma_{11}) = \gamma \lambda_2 / (\zeta^2 + \gamma^2 \lambda_2)$$

so that β cannot be expressed solely in terms of λ_1 , illustrating the importance of condition (i).

Equally, the assumption that (β, σ^2) and σ_{22} are variation free (i.e. condition (ii)), plays a crucial role. For example, if additional restrictions were available such as (say) that the ratio σ_{22}/σ_{11} was known, then x_t would no longer be weakly exogenous since:

$$(21) \quad \sigma_{22}/\sigma_{11} = \sigma_{22}/(\sigma^2 + \beta^2\sigma_{22}).$$

Of course, $\hat{\beta}$ would still be a consistent estimator of β , but it would no longer be efficient, nor coincide with the maximum likelihood estimator.

Finally, we note the unusual situation (which could arise in simulation experiments) in which if σ_{11} is known, even though β is the sole parameter of interest, x_t would not be weakly exogenous but y_t would be! This follows from the analysis in (19) and (20) noting that λ_2 ceases to be a nuisance parameter; again $\hat{\beta}$ remains consistent for β but is not asymptotically efficient.

Generalising the analysis slightly, consider the errors-in-variables model (see e.g. Florens et al (1976))

$$(22) \quad \begin{pmatrix} y_t \\ x_t \end{pmatrix} \sim \text{NI} \left(\begin{pmatrix} \delta\zeta_t \\ \zeta_t \end{pmatrix}, \begin{pmatrix} \sigma_{11} & \sigma_{12} \\ \sigma_{21} & \sigma_{22} \end{pmatrix} \right)$$

We now have:

$$(23) \quad y_t/x_t \sim \text{NI}((\delta - \beta)\zeta_t + \beta x_t, \sigma^2)$$

where β and σ^2 have been defined in (17), and

$$(24) \quad x_t \sim \text{NI}(\zeta_t, \sigma_{22})$$

Due to the presence of ζ_t in both the conditional density (23) and the

marginal density (24) x_t is no longer weakly exogenous for β and/or δ . The condition that $\zeta_t = 0, \forall t$ is clearly sufficient for the weak exogeneity of x_t ; more interestingly the condition

$$(25) \quad \beta = \delta$$

or, equivalently,

$$(26) \quad \text{cov}(x_t, y_t - \delta x_t) = 0$$

(i.e. the usual zero covariance assumption, under which (23) reduces to (18)) is also sufficient for the weak exogeneity of x_t for β . However, although it is an overidentifying restriction, it might not be testable as such given the presence of incidental parameters in the marginal distribution of x_t . This could be solved (e.g.) by reinterpreting the joint distribution (22) as being conditional on a vector of variables z_t which are weakly exogenous by definition ("instruments") and assuming that:

$$(27) \quad \zeta_t = \pi' z_t$$

The exogeneity condition (25) is now easily testable following the techniques discussed in Section VI.

IV.2 Some Simple Dynamic Models

To demonstrate that Granger non-causality is neither necessary nor sufficient for weak exogeneity we examine two simple dynamic models; in each case, β is the parameter of interest.

Firstly, let:

$$(28) \quad \left. \begin{aligned} y_t &= x_t \beta + u_t \\ x_t &= x_{t-1} \gamma + v_t \end{aligned} \right\} \text{ where } \begin{pmatrix} u_t \\ v_t \end{pmatrix} \sim \text{NI} \left[\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \begin{pmatrix} \sigma_{uu} & \sigma_{uv} \\ \sigma_{uv} & \sigma_{vv} \end{pmatrix} \right]$$

which can be re-written in the form:

$$(29) \quad \begin{pmatrix} y_t \\ x_t \end{pmatrix} | y_t^0, x_t^0 \sim \text{NI} \left(\begin{pmatrix} \beta \gamma x_{t-1} \\ \gamma x_{t-1} \end{pmatrix}, \begin{pmatrix} \omega_{yy} & \omega_{yx} \\ \omega_{yx} & \omega_{xx} \end{pmatrix} \right)$$

where $\omega_{yy} = \sigma_{uu} + 2\beta\sigma_{uv} + \beta^2\sigma_{vv}$, $\omega_{xx} = \sigma_{vv}$, $\omega_{yz} = \sigma_{uv} + \beta\sigma_{vv}$.

In this model, although y does not (Granger) cause x , nevertheless x_t is not in general weakly exogenous for β . Precisely, the conditional and marginal densities of y_t/x_t and x_t are:

$$(30) \quad \begin{aligned} y_t/x_t, x_{t-1} &\sim \text{NI}((\beta + \sigma_{uv}/\sigma_{vv})x_t - (\gamma\sigma_{uv}/\sigma_{vv})x_{t-1}, \omega_{yy.x}) \\ x_t/x_{t-1} &\sim \text{NI}(\gamma x_{t-1}, \sigma_{vv}) \end{aligned}$$

where $\omega_{yy.x} = \omega_{yy} - \omega_{yx}\omega_{xx}^{-1}\omega_{xy} = \sigma_{uu.v}$. If $\sigma_{uv} \neq 0$, then γ is not simply a nuisance parameter and is required in order to obtain estimates of β ; x_t , therefore, is not weakly exogenous. Any test of the hypothesis $\sigma_{uv} = 0$ is a test of weak exogeneity and several proposals will be considered in Section VI. Note that in (28) the consequence of x_t not being weakly exogenous is that OLS estimates of β will be inconsistent.

Next, consider the variant of (28) in which:

$$(31) \quad \left. \begin{aligned} y_t &= x_t\beta + u_t \\ x_t &= y_{t-1}\gamma + v_t \end{aligned} \right\} \text{ where } \begin{pmatrix} u_t \\ v_t \end{pmatrix} \sim \text{NI}(0, \Sigma) \text{ as before,}$$

with $|\beta\gamma| < 1$.

Many plausible economic models take such a schematic form, including policy models in which the control (x) is based on the past performance of the system but agents react to the current control variable. Additionally, in supply-demand systems x_t can be the current quantity supplied which for agricultural and many labour markets involving prolonged training can depend only on previous prices (y_{t-1}); this is, of course, a cobweb model.

In (31), x is caused by y . However, if $\sigma_{uv} = 0$, then x_t is weakly exogenous for β and, as is well known under this condition, OLS is maximum likelihood and efficient. Thus, Granger non-causality is neither necessary nor sufficient for weak exogeneity (and hence for efficient estimation).

It must be stressed that this section is not arguing that Granger non-causality is an irrelevant condition. Indeed, it is easy to use our framework to produce examples where the fact that x is not Granger caused by y allows consistent (but inefficient) estimation of a parameter of interest. Reconsider the structural model in (31) but replace the error by:

$$(32) \quad \left. \begin{aligned} u_t &= \rho u_{t-1} + \varepsilon_{1t} \\ v_t &= \varepsilon_{2t} \end{aligned} \right\} \text{ where } \begin{pmatrix} \varepsilon_{1t} \\ \varepsilon_{2t} \end{pmatrix} \sim NI \left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \begin{pmatrix} \sigma_{11} & 0 \\ 0 & \sigma_{22} \end{pmatrix} \right)$$

with $|\rho| < 1$.

Now, OLS estimation of β in $y_t = x_t\beta + u_t$ will produce inconsistent estimates ($\text{plim}(\hat{\beta} - \beta) = \gamma\rho\sigma_{11}/(1 - \rho^2)(1 - \rho\beta\gamma)$) unless y does not Granger cause x (i.e. $\gamma = 0$). If $\gamma = 0$, $\hat{\beta}$ will be consistent for β (but inefficient and potentially subject to misleading inferences).

This example incidentally highlights an interesting estimation problem since in the transformed equation from which the autocorrelation in (32) has been eliminated, namely:

$$(33) \quad y_t = \rho y_{t-1} + \beta x_t - \rho\beta x_{t-1} + \varepsilon_{1t}$$

then irrespective of whether or not the common factor restriction is imposed in (33), least squares estimates are consistent even if $\gamma \neq 0$. Consequently, a fully efficient analysis can be conducted conditional on x . Even so,

for example, two-step methods which commenced from OLS would yield inconsistent estimates (for $\gamma \neq 0$) where the fully iterated estimates would be consistent and asymptotically efficient! Thus, the maximum likelihood estimates of β and ρ are not independent in this model, although the first equation (31) does not explicitly include y_{t-1} as a regressor.

IV.3 Simple (Apparently) Recursive Models

It might appear from all of the above examples that a divergence between Granger causality and weak exogeneity only occurs when the conditional model includes current dated terms. The examples in this section contradict such a conjecture. Let:

$$(34) \quad \left. \begin{aligned} y_t &= x_{t-1}\beta + u_t \\ x_t &= x_{t-1}\gamma + v_t \\ u_t &= v_{t-1}\phi + e_t \end{aligned} \right\} \text{ where } \begin{pmatrix} v_t \\ e_t \end{pmatrix} \sim \text{NI} \left(\begin{pmatrix} 0 \\ 0 \end{pmatrix}, \begin{pmatrix} \sigma_v^2 & 0 \\ 0 & \sigma_e^2 \end{pmatrix} \right)$$

and $|\gamma| < 1$.

In our framework, such a model is re-interpreted as:

$$(35) \quad \begin{aligned} y_t/x_t, x_t^0, y_t^0 &\sim \text{NI}(\delta_1 x_{t-1} + \delta_2 x_{t-2}, \sigma_e^2) \\ x_t/x_t^0, y_t^0 &\sim \text{NI}(\gamma x_{t-1}, \sigma_v^2), \end{aligned}$$

where

$$(36) \quad \delta_1 = \beta + \phi \quad \text{and} \quad \delta_2 = -\phi\gamma.$$

Letting $\lambda_1 = (\delta_1, \delta_2, \sigma_e^2)$, $\lambda_2 = (\gamma, \sigma_v^2)$ note that:

- (i) y does not cause x
- (ii) $[(y, \lambda_1), (x, \lambda_2)]$ operates a cut
- but (iii) x is not weakly exogenous for β since γ is not a nuisance parameter given that $\beta = \delta_1 + \delta_2/\gamma$.

However: (iv) x is weakly exogenous for λ_1 (although see Section VII). It seems worth noting that u_t is a white noise process in (34) and although x_t could be considered as being "determined outside of the model generating y_t " (sometimes misleadingly referred to as "strict exogeneity"), nevertheless, x_{t-1} and u_t are not independent.

A related class of model occurs in the rational expectations literature. Let \hat{x}_t be the expectation of x_t given the information set up to $(t-1)$ (i.e. $\hat{x}_t = E(x_t/x_t^0, y_t^0)$) and consider the system:

$$(37) \quad \begin{aligned} y_t &= \hat{x}_t \beta + e_t \\ x_t &= x_{t-1} \gamma + v_t \quad |\gamma| < 1 \end{aligned}$$

where (v_t, e_t) are distributed as in (34). Then x is not caused by y , but it is not weakly exogenous. Indeed:

$$(38) \quad \begin{aligned} y_t/x_t, y_t^0, x_t^0 &\sim NI(x_{t-1} \gamma \beta, \sigma_e^2) \\ x_t/y_t, x_t^0 &\sim NI(x_{t-1} \gamma, \sigma_v^2) \end{aligned}$$

so that γ is not a nuisance parameter. Regressing y_t on x_t (a "structural form") or on x_{t-1} (a "reduced form") will produce inconsistent estimates of β (namely $\gamma^2 \beta$ and $\gamma \beta$ respectively) such that when γ changes, the parameter in the equation determining y_t also changes; if x is a policy variable, changes in the control rule alter the conditional density of y . The natural solution is to do the joint analysis and recover both γ and β .

V Simultaneous Equations Models

In the context of (possibly) "incomplete" dynamic simultaneous equations systems, the concept of weak exogeneity has been discussed by Richard (1979, 1980) and so is only briefly summarised here. Let y_t be a $g \times 1$ vector of "endogenous" variables and let s_t be a $k \times 1$ vector of the relevant components of y_t^0 together with any other variables assumed to be weakly exogenous a priori. The reduced form can be written as:

$$(39) \quad y_t/s_t \sim NI(\pi s_t, \Omega)$$

and the structural form is given by:

$$(40) \quad B_\theta y_t + C_\theta s_t = u_t \quad \text{when} \quad u_t \sim NI(0, \Sigma),$$

and B and C are respectively $p \times g$ and $p \times k$ matrix functions of the unknown parameters θ . When there are overidentifying restrictions, π will be required by the structural specification to lie within the set P :

$$(41) \quad P = \{\pi / \exists \theta \in \Theta, B_\theta \pi + C_\theta = 0\}.$$

Consider the possible partition of y_t into y_{1t} and y_{2t} of dimension $g_1 \times 1$ and $g_2 \times 1$ respectively (with a conformable partition of π and Ω) such that we seek conditions for the weak exogeneity of y_{2t} . Then,

$$(41) \quad \begin{aligned} y_{1t}/y_{2t}, s_t &\sim NI(\Omega_{12}\Omega_{22}^{-1}y_{2t} + (\pi_1 - \Omega_{12}\Omega_{22}^{-1}\pi_2)s_t, \Omega_{11} - \Omega_{12}\Omega_{22}^{-1}\Omega_{21}) \\ y_{2t}/s_t &\sim NI(\pi_2 s_t, \Omega_{22}) \end{aligned}$$

Grouping all the parameters of interest in the first p_1 equations, partition B and C as:

$$(43) \quad B = \begin{pmatrix} B_{11} & B_{12} \\ B_{21} & B_{22} \end{pmatrix} \quad \text{and} \quad C' = (C_1' C_2')$$

where B_{ij} and C_i are respectively $p_i \times g_j$ and $p_i \times k$ matrix functions of $\theta_j \in \Theta_j$ ($i, j = 1, 2$) and $g_1 + g_2 = g$, $p_1 + p_2 = p$ with $p_i \leq g_i$.

Theorem V.1

y_{2t} is weakly exogenous for θ_1 if:

$$(i) \quad B_{11}\Omega_{12} + B_{12}\Omega_{22} = 0$$

$$(ii) \quad B_{21} = 0$$

$$(iii) \quad \Theta = \Theta_1 \times \Theta_2.$$

Proof: See Richard (1979).

Note that since $\Sigma = B\Omega B'$, conditions (i) and (ii) are sufficient but not necessary for $\Sigma_{21} = 0$. The latter condition together with (ii) is, therefore, not sufficient for the weak exogeneity of y_{2t} . However, if $B_{21} = 0$ and B_{22} is square and non-singular (as implicit, e.g., in Wu (1973) where $B_{22} = I_{p_2}$), then condition (i) is equivalent to $\Sigma_{21} = 0$.

In this particular case of linear normal simultaneous equations systems, the notion of weak exogeneity appears to be very close to that of Wold causal orderings (see Strocz and Wold (1960)) provided condition (iii) of Theorem V.1 is made explicit in the latter. Here, (iii) is a most important condition, and without it, the concepts lack force.

Consider the reduced form system in (39) and let H be a lower triangular matrix such that $\Omega^{-1} = H'H$. Then:

$$(44) \quad Hy_t/s_t \sim NI(H\pi s_t, I)$$

so that the model apparently satisfies a Wold causal ordering. Nevertheless, it is not true that higher elements of y_t are weakly exogenous with respect to the parameters of lower equations since (iii) is not satisfied; there is no cut which separates the parameters of interest unless all of the conditions in Theorem V.1 hold. Note that Wold and Jureen (1953, p.14) explicitly include the condition that "each equation in the system expresses a unilateral causal dependence"; this is in the spirit of our condition (iii) as it is obviously designed to exclude cases like (44) (see Bentzel and Hansen (1955), especially their distinction between basic and derived models).

VI Testing for Weak Exogeneity

A variety of tests for weak exogeneity is already available for many models of econometric interest and other tests can be constructed easily for particular alternatives. Here we examine tests applicable to errors-in-variables and simultaneous models. Let x_t^* be an unobserved variable such that:

$$(45) \quad \begin{aligned} y &= x^*\beta + s_1\gamma_1 + v_1 \\ x &= x^* + v_2 \\ x^* &= s_2\gamma_2 + v_3 \end{aligned}$$

where s_1 and s_2 are matrices of observations on y_t^0 , x_t^0 and any weakly exogenous variables of relevance. The system in (45) can be rewritten as:

$$(46) \quad y = x\beta + s_1\gamma_1 + u_1$$

From Theorem V.1, x will be weakly exogenous if γ_2 is a nuisance parameter and $\sigma_{u_1 u_2} = 0$. Since the covariances of v_i and v_j ($i \neq j$) are zero by construction, $\sigma_{u_1 u_2} = 0$ only if $\sigma_{v_2}^2 = 0$. The Wu test is designed to test this hypothesis and Engle (1979) has shown that it is a Lagrange Multiplier test and is therefore asymptotically powerful. In its simplest form, the test can be conducted by taking the residuals \hat{u}_2 from a least squares fit of the second equation in (46) and testing whether \hat{u}_2 is a significant determinant of y in a least squares fit of the first equation.

As a second example, reconsider the simultaneous equations model in Section V, with B_{22} square non-singular, where all of the parameters of interest are included in the first group of equations. A test of whether or not y_{2t} can be taken as weakly exogenous is a test of:

$$H_0 : B_{21} = 0, \quad \Sigma_{21} = 0,$$

which involves testing $p_2(p_1 + g_1)$ parameters (unless some are known a priori). Estimation under both null and alternative is easily accomplished, when the model is identified under the alternative, although the testing procedure for weak exogeneity does not seem to be well known (see Richard (1979) for a likelihood ratio test, and Engle (1979) for Lagrange Multiplier (LM) tests; also Sargan (1958) for instrumental variables tests in the presence of simultaneity and errors-in-variables).

The simplicity of the test when $g = 2$ deserves mention. Under H_0 , both equations can be estimated by OLS so that the Lagrange Multiplier approach seems sensible. Let \hat{u}_{it} denote the OLS residuals for the i^{th} equation ($i = 1, 2$) estimated under the null:

$$(47) \quad \begin{aligned} y_{1t} + y_{2t} \hat{b}_{21} + s_{1t}' \hat{c}_1 &= \hat{u}_{1t} \\ y_{2t} + s_{2t}' \hat{c}_2 &= \hat{u}_{2t} \end{aligned}$$

Then testing jointly for the significance in the second equation of the potential omitted variables \hat{u}_{1t} and $y_{1t} - \hat{u}_{2t}\hat{b}_{21}$ provides an asymptotically powerful test of the weak exogeneity hypothesis.

If in the initial formulation of the model, the second equation is in reduced form, then the one degree of freedom Wu test could be used. The model in (28) takes this form, for example, and $\sigma_{uv} = 0$ could be tested in many ways (including a likelihood ratio test based on fitting (28) with and without imposing $\sigma_{uv} = 0$; or testing the significance of x_{t-1} in the conditional density (30) - see Revankar (1978) and Revankar and Hartley (1973) or by comparing the OLS estimator of β with the instrumental variable estimator using x_{t-1} as an instrument - see Hausman (197) etc). The various tests can differ in their computational cost, the ease with which their (asymptotic) properties can be established and their asymptotic powers as well as their finite sample significance levels. Since the LM test is easily calculated, is asymptotically powerful and generalises to the multivariate case ($g > 2$), it seems a sensible choice in the absence of detailed evidence on finite sample behaviour.

To test strong exogeneity, partition s_t into $(y_{1t}^0, y_{2t}^0, z_t)$ (where only the relevant sub-vector of y_t^0 is included), and C_i into (C_{i1}, C_{i2}, C_{i3}) . The hypothesis that y_{2t} is strongly exogenous can be expressed parameterically as (for B_{22} square and nonsingular):

$$H_0 : B_{21} = 0, \quad \Sigma_{21} = 0, \quad C_{21} = 0$$

and H_0 may be tested by Wald, Likelihood Ratio or LM procedures.

A test simply of $C_{21} = 0$, without investigating the weak exogeneity of y_{2t} , requires careful interpretation. The non-rejection of such a

null does not mean that a change in the y_2 process will leave the y_1 distribution unaffected. Nor does it mean that least squares would be consistent if y_{2t} was treated as a regressor set in equations determining y_{1t} . And it does not imply that an innovation to y_{1t} will leave y_{2t} unchanged.

VII Predictive Failure Tests

The concept of weak exogeneity is critical as soon as some parameters change over either the observation period or the prediction period. So long as, say, x_t remains weakly exogenous, changes in the parameters of the process generating x_t are irrelevant to the model user. Insofar as in many applications one would like to characterise the parameters of interest by the property that they remain constant over the relevant period of time, one immediately sees the importance of analysing and testing the exogeneity structure of a model. Under invalid exogeneity assumptions one is bound to misinterpret situations when parameters change. The point is easily illustrated with reference to the "control" model (31), when the control process changes.

Let I_1 and I_2 denote two time intervals (see Richard (1980) for a general discussion of models with several regimes). Let the behaviour of the economy and the control process be described respectively by:

$$(48) \quad y_t = \beta x_t + u_t \quad \text{and}$$

$$(49) \quad x_t = \gamma_i y_{t-1} + v_t \quad t \in I_i, \quad i = 1, 2$$

where

$$(50) \quad \begin{pmatrix} u_t \\ v_t \end{pmatrix} \sim NI(0, \Sigma_i) \quad \text{with} \quad \Sigma_i = \begin{pmatrix} \sigma_{uu} & \sigma_{uv}^i \\ \sigma_{vu}^i & \sigma_{vv}^i \end{pmatrix}$$

β is presumed to be the sole parameter of interest.

Provided x_t has been weakly exogenous for β within both regimes (i.e. $\sigma_{uv}^1 = \sigma_{uv}^2 = 0$), a proposition which can be tested, the change in (49) is irrelevant to the model user. The very fact that the regression equation of y_t on x_t remains unaffected by the parameter change in the process generating x_t provides therefore an indirect test of the weak exogeneity of x_t for β . Furthermore, a separate analysis of the marginal model $D(x_t/y_{t-1}, \gamma_i, \sigma_{vv}^i)$ would lead to a correct diagnosis of the parameter change (see Hendry (1980)).

If, on the other hand, $\sigma_{uv}^1 \neq 0$ and/or $\sigma_{uv}^2 \neq 0$, to interpret correctly the parameter change it is essential to analyse the joint density of (x_t, y_t) in both regimes. If, in particular, the model user focusses his attention on the regression function of y_t on x_t and y_{t-1} , parameter change is bound to be detected since:

$$(51) \quad y_t/x_t, y_{t-1} \sim N(\delta_1^i x_t + \delta_2^i y_{t-1}, \sigma_i^2)$$

where

$$(52) \quad \delta_1^i = \beta + \sigma_{uv}^i / \sigma_{vv}^i \quad \delta_2^i = \gamma_i \sigma_{uv}^i / \sigma_{vv}^i$$

and

$$(53) \quad \sigma_i^2 = \sigma_{uu} + 2\beta \sigma_{uv}^i + \beta^2 \sigma_{vv}^i$$

Correctly interpreting that only the parameters of the x process have changed requires an analysis of the complete model. If I_1 represents the observation period and I_2 the prediction period, even if the model user fits equation (48), when $\sigma_{uv}^1 = 0$, or equation (51), when $\sigma_{uv}^1 \neq 0$, he will face "predictive failure" as soon as $\sigma_{uv}^2 \neq 0$ and the process generating x_t alters..

Note that, if we define $\lambda_1^i = (\delta_1^i, \delta_2^i, \sigma_i^2)$ and $\lambda_2^i = (\gamma_i, \sigma_{VV}^i)$, then $[(y_t, \lambda_1^i), (x_t, \lambda_2^i)]$ still operates a cut but λ_2^i is not a nuisance parameter, unless $\sigma_{UV}^i = 0$. Generally, if changes in λ_2 automatically alter λ_1 , then the associated cut will not lead to useful models if λ_2 changes frequently. This is the crucial reason why obtaining weak exogeneity by construction within sample will not be helpful if it confounds structural and nuisance parameters and the latter are "unstable", whereas the parameters of interest are relatively constant. Moreover, such a result in no way depends on the presence of Granger causality.

Reconsider equations (34) and (35) where x is weakly exogenous for λ_1 , and is not (Granger) caused by y ; the cut $[(y, \lambda_1)(x, \lambda_2)]$ will suffice so long as the parameters of the x process remain constant. But every time y alters, estimates of δ_1 and δ_2 will change even though β and ϕ remain constant (similar comments apply to the "rational expectations" model in (37) and (38)). If the process determining x_t is ignored, it will be difficult to model y_t sensibly, whereas if a joint analysis is conducted, the vital information can be acquired that the simple "time-series model" (i.e. first-order autoregression) for x_t manifests predictive failure when the "econometric" model for y_t does.

Choosing "parameters of interest" post hoc by selecting models with white noise errors within sample can always be done, but unless the resulting model really does approximate the behavioural rules of the agents in the system under study, it will be of little value in an evolving world. Thus, predictive failure can arise from the invalidity of weak exogeneity assumptions, particularly the choice of cut, independently of the presence or absence of Granger causality. Consequently, this aspect of weak exogeneity is testable as part of the hypothesis of post-sample parameter constancy.

Nevertheless, it must be stressed that tests for parameter constancy or "structural change" require careful interpretation in all applications. Firstly, of course, a "reject" outcome (at any given significance level) could be due to a genuine change in the parameters of the underlying structural model! Secondly, any mis-specifications in fitted models (including invalid weak exogeneity assumptions) can interact with changes in the process determining the exogenous variables to produce shifts in the estimated coefficients (see Hendry (1980)). Finally, "false" models will not be rejected by parameter constancy tests if the data generation process remains unchanged (see Hendry (1979)).

VIII Conclusion

The concept of exogeneity and tests thereof has been confused in the literature because the notions of weak and strong exogeneity were not clearly defined and distinguished. This paper has defined and illustrated these notions to indicate that they conform with our intuitive ideas and that all parts of the definitions are necessary. In short, the weak exogeneity of a vector y_2 is sufficient for restricting one's attention to the conditional model $D(y_{1t}/y_{2t}, y_t^0, \lambda)$ without loss of relevant sample information on λ . It is, however, not necessary for the conditional maximum likelihood estimators of λ to be consistent. The fact that y_1 does not cause y_2 is neither necessary nor sufficient for that purpose. The assertion of weak exogeneity has testable implications in econometrically important situations.

References

- Barndorff-Nielsen, O. (1973): "Exponential Families and Conditioning",
Sc.D. Thesis, University of Copenhagen.
- Bentzel, R. and B. Hansen (1955): "On Recursiveness and Interdependency in
Economic Models", Review of Economic Studies, 22, 153-168.
- Engle, R.F. (1979): "The Lagrange Multiplier Test as a Regression Diagnostic",
unpublished paper, London School of Economics.
- Florens, J.P., M. Mouchart and J.F. Richard (1976): "Likelihood Analysis of
Linear Models", CORE Discussion Paper No.7619, Louvain-la-Neuve.
- Florens, J.P. and M. Mouchart (1977): "Reduction of Bayesian Experiments",
Core Discussion Paper No.7737, Louvain-la-Neuve.
- Granger, C.W.J. (1969): "Investigating Causal Relations by Econometric
Models and Cross-Spectral Methods", Econometrica, 37, 424-438.
- Hausman, J.A. (1978): "Specification Tests in Econometrics", Econometrica,
46, 1251-1271.
- Hendry, D.F. (1979): "The Behaviour of Inconsistent Instrumental Variables
Estimators in Dynamic Systems with Autocorrelated Errors", Journal of
Econometrics, 9, 295-314.
- Hendry, D.F. (1980): "Predictive Failure and Econometric Modelling in Macro-
Economics: The Transactions Demand for Money", in P. Ormerod (ed.):
Modelling the Economy. London: Heinemann Educational Books.
- Koopmans, T.C. (1950): "When is an Equation System Complete for Statistical
Purposes", Chapter 17 in T.C. Koopmans (ed.): Statistical Inference
in Dynamic Economic Models: Wiley, New York.
- Phillips, A.W. (1956): "Some Notes on the Estimation of Time-Forms of
Reactions in Interdependent Dynamic Systems", Economica, , 99-113.
- Pierse, R. (1979): "Multiple Regime Models with Switches in Exogeneity",
extended essay for the M.Sc. Econometrics Examination, London School
of Economics.

- Revankar, N.S. (1978): "Asymptotic Relative Efficiency Analysis of Certain Tests of Independence in Structural Systems", International Economic Review, 19, 165-179.
- Revankar, N.S. and M.J. Hartley (1973): "An Independence Test and Conditional Unbiased Predictions in the Context of Simultaneous Equations Systems", International Economic Review, 14, 625-631.
- Richard, J.F. (1979): "Exogeneity, Inference and Prediction in Incomplete Simultaneous Equation Models", CORE Discussion Paper No.7922, Louvain-la-Neuve.
- Richard, J.F. (1980): "Models with Several Regimes and Changes in Exogeneity", forthcoming in the Review of Economic Studies.
- Sargan, J.D. (1958): "The Estimation of Economic Relationships using Instrumental Variables", Econometrica, 26, 393-415.
- Sims, C.A. (1972): "Money, Income and Causality", American Economic Review, 62, 540-552.
- Strotz, R.H. and H.O.A. Wold (1960): "Recursive versus Nonrecursive Systems: An Attempt at a Synthesis", Econometrica, 28, 417-427.
- Wold, H.O.A. and L. Jureen (1953): Demand Analysis - A Study in Econometrics. New York: John Wiley and Sons, Inc.
- Wu, D.M. (1973): "Alternative Tests of Independence between Stochastic Regressors and Disturbances", Econometrica, 41, 733-750.