



*The World's Largest Open Access Agricultural & Applied Economics Digital Library*

**This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.**

**Help ensure our sustainability.**

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

[aesearch@umn.edu](mailto:aesearch@umn.edu)

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

*No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.*

*Statistics*

*Netherlands school of economics*  
**ECONOMETRIC INSTITUTE**

ON THE DIOPHANTINE EQUATION  $(2y^2 - 3)^2 = x^2 (3x^2 - 2)^2$

in connection with

THE EXISTENCE OF NON-TRIVIAL TIGHT 4- DESIGNS

GIANNI FOUNDATION OF  
AGRICULTURAL ECONOMICS

WITHDRAWN  
AUG 5 1980

R.J. STROEKER

*Erasmus*

REPORT 7934/ M

(additions and corrections to report 7930/ M)

ON THE DIOPHANTINE EQUATION  $(2y^2 - 3)^2 = x^2(3x^2 - 2)$

in connection with

THE EXISTENCE OF NON-TRIVIAL TIGHT 4-DESIGNS

(additions and corrections to Report 7930/M)

by

R.J. Stroecker

Because of a serious lack of motivation, the introduction to Report 7930/M: THE DIOPHANTINE EQUATION  $(2y^2 - 3)^2 = x^2(3x^2 - 2)$ , from now on referred to as [R], has been thoroughly changed. The revised form of this introduction now reads:

1. INTRODUCTION \*)

The object of this paper is to fill the final gap in the proof of Noboru Ito's theorem [4] on the existence of non-trivial tight 4-designs. To this end, we prove the following theorem:

THEOREM The Diophantine equation

$$(2y^2 - 3)^2 = x^2(3x^2 - 2) \quad (1.1)$$

has precisely two solutions in non-negative rational integers  $x$  and  $y$ , namely  $x = y = 1$  and  $x = y = 3$ .

We follow the notation of [4]. Let  $v, k, t$  and  $\lambda$  be positive rational integers, subject to  $v > k \geq t$ . A  $t$ -design on  $v$  points with block size  $k$  and index  $\lambda$  or, for short a  $t$ -( $v, k, \lambda$ ) design, is a pair  $(X, \mathcal{B})$ , where  $X$  is a finite set of points and  $\mathcal{B}$  a family of subsets of  $X$  (the blocks) such that:

---

\*) In this new version of the introduction, we make use of the REFERENCES in the new (enlarged and rearranged) form.

- (i)  $|X| = v$
- (ii)  $|A| = k$  for all  $A \in \mathcal{A}$
- (iii) for each  $t$ -subset  $T$  of  $X$ , there are exactly  $\lambda$  blocks  $A$  containing  $T$ .

If  $\mathcal{A}$  consists of all the  $k$ -subsets of  $X$ , then  $(X, \mathcal{A})$  is called trivial. Moreover, a  $t$ -design is tight if, roughly speaking, the number of blocks is minimal. In case  $t = 4$ , this minimal number is  $\frac{1}{2}v(v-1)$ . Tight  $t$ -designs with  $t \geq 4$  seem to be very rare.

Now Ito's theorem ([4], p.493) asserts that the only non-trivial tight 4-designs are the well-known 4-(27,7,1) and 4-(23,16,52). However, in the proof given, a host of errors occurred, some of which seemed irreparable (cf.[5]). In the recent paper [2] the gap in the proof of Ito's theorem is filled up to at most a finite number of tight 4-designs resulting from the integer solutions of equation (1.1) (cf.[2], p.42).

Our theorem shows that the only tight 4-designs resulting from the solutions of (1.1) are trivial.

We return to equation (1.1). In the next section we shall reduce the problem of solving (1.1) to an equivalent but easier to handle problem. More precisely, in section 2 we show the relation between solutions of (1.1) and units of a certain type in a given quartic number field  $K$ . This number field is investigated in section 3, a particular sequence of algebraic integers of  $K$  is considered in section 4 and the last section is devoted to the completion of the proof of the theorem.

On page 3 of [R], section 3, line 5 from the bottom of the page, "cyclotomic units" should be replaced by "roots of unity".

The references on page 7 of [R] are extended to:

# REFERENCES

- [1] Berwick, W.E.H.: Algebraic number fields with two independent units.  
Proc. London Math. Soc. 34 (1932), 360-378
- [2] Enomoto, H., N. Ito & R. Noda: Tight 4-designs. Osaka J. Math. 16  
(1979), 39-43
- [3] Holzer, L.: Zahlentheorie, Teil I. B.G. Teubner, Leipzig 1958
- [4] Ito, N.: On tight 4-designs. Osaka j. Math. 12 (1975), 493-522
- [5] Ito, N.: Corrections and supplements to "On tight 4-designs".  
Osaka J. Math. 15 (1978), 693-697
- [6] London, H. & R. Finkelstein: On Mordell's equation  $y^2 - k = x^3$ .  
Bowling Green State Un. Press 1973
- [7] Mordell, L.J.: Diophantine equations. Academic Press, London &  
New York, 1969
- [8] Stroeker, R.J.: On the Diophantine equation  $x^3 - Dy^2 = 1$ . Nieuw  
Arch. v. Wisk. (3) XXIV (1976), 231-254
- [9] Stroeker, R.J.: On a Diophantine equation of E. Bombieri. Proc.  
Kon. Ned. Akad.v.Wetensch.(= Indag. Math.) Serie A, Vol.80  
(2), (1977), 131-139

R.J. Stroeker

ERASMUS University

Rotterdam, The Netherlands



# LIST OF REPORTS 1979

- 7900 "List of Reprints, nos 220-230; Abstracts of Reports Second Half 1978.
- 7901/S "Motorists and Accidents (An Empirical Study)", by B.S. van der Laan.
- 7902/S "Estimation of the Minimum of a Function Using Order Statistics", by L. de Haan.
- 7903/S "An Abel and Tauber Theorem Related to Stochastic Compactness", by L. de Haan.
- 7904/E "Effects of Relative Price Changes on Input-Output Ratios - An Empirical Study for the Netherlands", by P.M.C. de Boer.
- 7905/O "Preemptive Scheduling of Uniform Machines Subject to Release Dates", by J. Labetoulle, E.L. Lawler, J.K. Lenstra and A.H.G. Rinnooy Kan.
- 7906/S "II-Regular Variation", by J.L. Geluk.
- 7907/O "Complexity Results for Scheduling Chains on a Single Machine", by J.K. Lenstra and A.H.G. Rinnooy Kan.
- 7908/E "Input-Output and Macroeconomic Forecasting Through the Generalized Inverse", by K.P. Vishwakarma.
- 7909/E "An Application of the Generalized Inverse in Input-Output and Macroeconomic Analysis", by K.P. Vishwakarma.
- 7910/O "A Numerical Comparison of Self Scaling Variable Metric Algorithms", by G. van der Hoek and M.W. Dijkshoorn.
- 7911/E "A Quadratic Engel Curve Demand Model (squaring with the representative consumer)", by J. van Daal and A.S. Louter.
- 7912/E "On Generalized Linear Demand Systems", by A.C.F. Vorst and J. van Daal.
- 7913/M "A Partial Survey of the Use of Algebraic Geometry in Systems and Control Theory", by M. Hazewinkel.
- 7914/M "(Fine) Moduli (Spaces) for Linear Systems: What are they and what are they good for", by M. Hazewinkel.
- 7915/S "A Simple Asymptotic Estimate for the Index of a Stable Distribution", by L. de Haan and S.I. Resnick.
- 7916/O "A Machine Maintenance Model with Application to Linear Programming", by A.H.G. Rinnooy Kan and J. Telgen.
- 7917/E "Inferential Procedures in Stable Distributions for Class Frequency Data on Incomes", by H.K. van Dijk and T. Kloek.
- 7918/M "On Families of Linear Systems: Degeneration Phenomena", by M. Hazewinkel.
- 7919/O "Complexity of Vehicle Routing and Scheduling Problems", by J.K. Lenstra and A.H.G. Rinnooy Kan.

- 7920 "List of Reprints, nos 231-240; Abstracts of Reports First Half 1979".
- 7921/E "Minimization by the Method of Conjugate Gradients", by V. Stern;
- 7922/S "Local Limit Theorems for Sample Extremes", by L. de Haan and S.I. Resnick
- 7923/O "The Optimal Selection of Small Portfolios", by B. Blog, G.v.d. Hoek,  
A.H.G. Rinnooy Kan and G. Timmer.
- 7924/E "OLS Estimation in a Model where a Microvariable is Explained by  
Aggregates and Contemporaneous Disturbances are Equicorrelated", by  
T. Kloek
- 7925/E "A Multi Period Revealed Preference Approach to Estimating Preference  
Functions under Rational Random Behaviour", by S. Schim van der Loeff  
and R. Harkema.
- 7926/S "On the Observation Closest to the Origin", by L. de Haan and S.I. Resnick.
- 7927/O "Minimizing Maximum Lateness in a Two-Machine Open Shop", by  
E.L. Lawler, J.K. Lenstra and A.H.G. Rinnooy Kan.
- 7928/S "An Abel-Tauber Theorem for Partitions", by J.L. Geluk.
- 7929/O "Randomly Generated Polytopes for Testing Mathematical Programming  
Algorithms", by J. Telgen and W. van Dam.
- 7930/M "The Diophantine Equation  $(2y^2 - 3)^2 = x^2(3x^2 - 2)$ ", by R.J. Stroeker.
- 7931/S "Looking at Multiway Tables, a simple tool for measuring and analyzing  
dependence", by A.P.J. Abrahamse and W.M. Lammerts van Bueren.
- 7932/O "The Solution of a Generalized Cutting-Stock Problem by MPSX/MIP",  
by A. de Haan.
- 7933/O "Asymptotic Properties of Reduction Methods Applying Linearly Equality  
Constrained Reduced Problems", by G. van der Hoek.
- 7934/M "On the Diophantine Equation  $(2y^2 - 3)^2 = x^2(3x^2 - 2)$  in Connection with  
the Existence of Non-Trivial Tight 4-Designs", by R.J. Stroeker.  
(additions and corrections to report 7930/M)