

The World's Largest Open Access Agricultural & Applied Economics Digital Library

# This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search http://ageconsearch.umn.edu aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C. Peer-reviewed and Open access journal

ISSN: 1804-5006 | www.academicpublishingplatforms.com The primary version of the journal is the on-line version

**BEH - Business and Economic Horizons** Volume 13 | Issue 5 | 2017 | pp.706-721 DOI: http://dx.doi.org/10.15208/beh.2017.47

## Malaysia Health Information Exchange: A systematic review

#### Nurul Izzatty Ismail, Nor Hazana Abdullah

Faculty of Technology Management and Business, University Tun Hussein Onn, Malaysia

corresponding e-mail: izzatty[at]uthm(dot)edu(dot)my address: Faculty of Technology Management and Business, University Tun Hussein Onn Malaysia, 86400 Parit Raja, Batu Pahat, Malaysia

#### Abstract:

Malaysia Health Information Exchange (MyHiX) is part of Health Transformation System, which is a national agenda to improve the healthcare service using ICT as an enabler. Its main focus is to share patients' discharge summary or clinical summary among healthcare facilities. This initiative was launched in November 2008. However, nine years after its launch, MyHiX has been successfully implemented only in eight healthcare institutions in Malaysia. Therefore, this paper presents a systematic review of the existing literatures related to Health Information Exchange or MyHiX, with the aim of exploring the empirical gaps and issues associated with its implementation. Six databases were used to locate relevant studies, namely IEEE, Proquest, Emerald, Science Direct, Google Scholar and Scopus. In total, 70 studies met the inclusion criteria. Further thematic analysis of these studies revealed that issues of MyHIX implementation could be categorized into technological, organizational, environmental and human contexts.

#### JEL Classifications: I10

Keywords: Health Information Exchange, Malaysia Health Information Exchange, technological, organizational, environmental, human

Citation: Ismail, N. I., & Abdullah, N. H. (2017). Malaysia Health Information Exchange: A systematic review. Business and Economic Horizons, 13(5), 706-721, http://dx.doi.org/10.15208/beh.2017.47

#### 1. Introduction

The healthcare sector is considered important in Malaysia as demonstrated by the government's efforts in driving various initiatives to improve the sector. For example, the Ministry of Health Malaysia (2011) formulated three Key Research Areas (KRAs) in response to the National Key Economic Areas (NKEAs), which was tabled during the 11th Malaysia Plan in 2010 as follows:

- a. KRA 1: Health sector transformation towards a more efficient and effective health system in ensuring universal access to healthcare.
- b. KRA 2: Health awareness and healthy lifestyle.
- c. KRA 3: Empowerment of individual and community to be responsible for their health.

Health System Transformation was derived from the KRAs to improve the use of ICT in healthcare. The main agenda of Health System Transformation is to restructure national health system and provides a choice of quality health care, ensuring universal coverage for health care needs of the population based on solidarity and equity based on service delivery, organizational and financing (Shaik Allaudin, 2013). Hospital Information System and Health Information Exchange (HIE) are regarded as integral parts of the ICT in the Malaysian public healthcare as be mentioned in KRA 1.

Hospital Information System (HIS) has been implemented in stages so that the hospital staff can provide high-quality hospital services and treatments to the patients (Ismail et al., 2013). Patient data or information are integrated into another department within the

hospital by using the HIS (Ismail et al., 2010; Mohd. & Syed Mohamad, 2005; Ismail & Abdullah, 2016). HIE is a reliable and interoperable electronic information hub, which facilitates sharing of clinical information among hospital staff, other healthcare providers, and patients. The operation transcends the boundaries of healthcare institutions, health data repositories, states, and other entities, with access from one organization to other organizations that are not within a single organization or among affiliated providers (Department of Health, 2014). In addition, National Alliance for Health Information movement between organizations according to nationally recognized standards. The system includes electronical processes of transmitting patient information between healthcare organizations (Acker et al., 2007). However, the implementation of HIE, which is known as MyHiX in the Malaysian context, has not received much attention. This is because, MyHiX is seen to face of financial constraints and lack of abilities in managing of data integration (Shaik Allaudin, 2013).

Data integration is defined as the use of common definitions and codes across different departments of an organization (Bos, 2006). Data integration is an important procedure that will improve communication and coordination between the subunits of an organization (Goodhue). HIS encompasses information integration within individual hospitals, whilst HIE covers information integration among hospitals (Saad & Alias, 2012; Som et al, 2010; Sugijarto et al., 2013).

## 2. Malaysia Health Information Exchange (MyHiX)

Through the operation of MyHiX, a patient's discharge summary is electronically transmitted between the Hospital Information Systems (HIS) and the application systems of the Clinic Information System (CIS) (Ministry of Health, 2014). The patient's discharge summary includes records of physical examination, previous history, laboratory investigation, diagnosis and treatments. MyHiX facilitates the exchange of medical records or healthcare information of patients between government hospitals or clinics; the data flows are effected through an online virtual private network in a smooth and secure manner (Ministry of Health, 2014). This system permits physicians to access the health information of individuals and provides continual and better-quality healthcare to the people; at the same time, the Lifetime Health Records for patients are constantly updated in the government hospitals and clinics. In total, there are 139 public hospitals and 2839 public clinics in Malaysia (Ministry of Health, 2017). However, according to the Ministry of Health Malaysia Official Website (2016), at present, only eight Malaysian public healthcare institutions that have implemented MyHiX:

- a. Hospital Putrajaya, Putrajaya
- b. Hospital Tuanku Jaafar, Negeri Sembilan
- c. Hospital Port Dickson, Negeri Sembilan
- d. Hospital Bentong, Pahang
- e. Hospital Sultanah Nur Zahirah, Terengganu
- f. Hospital Raja Perempuan Zainab II, Kelantan
- g. Institut Kanser Negara, Putrajaya
- h. Klinik Kesihatan Presint 9, Putrajaya

These hospitals share records and information of patients, such as demographics and patient healthcare information (Hisan, 2012).

#### 2.1. Benefits of Hospital Information Exchange

There are several benefits associated with the implementation of HIE. According to Zaidan et al. (2015), healthcare is safer by using HÎE. This is because security errors of patients could be reduced by using HIE as declared by Kaelber & Bates (2007). A total of 18% and 70% of adverse drug events could be eliminated by using HIE (Kaelber & Bates, 2007). Furthermore, medication errors also could be reduced (Zaidan et al., 2015; Hypponen et al., 2014; Thorn et al., 2014).

Timeliness is one of the benefits of using the HIE (Zaidan, 2015). Time spent by the hospital staff in verifying information could be reduced, which includes that of medical tests, results and diagnoses of patients (Blaya et al., 2010; Payne et al., 2011; Zaidan et al., 2015; Williams et al., 2016).

Zaidan et al. (2015) also found that the costs could be reduced by using HIE; for example, reducing the duplication of tests and results as well as less usage of paper in hospitals (Yaraghi, 2015; Zaidan et al., 2015; Bailey et al., 2013; Miller & Tucker, 2014).

Access to administrative data could be increased, and more accurate administrative records can be retrieved by using HIE (Iezzoni, 1997). Accuracy of patient information is important, and this is achieved through regular updating of the information by the system (Zaidan et al., 2015; Vest & Gamm, 2010; Adler-Milstein et al., 2011; Parker & Adler-Milstein, 2016).

The datasets of administrative information can be increased by using HIE (Safran et al., 2007). This includes using specific databases to store large volume of medical data and patients' information (Zaidan et al., 2015; Nissinen et al., 2016). There are various types of databases to store patient information and hospital staff can have access to them whenever they need to (Groves et al., 2016; Miller & Tucker, 2014).

The organization will benefit from using HIE, in terms of attaining a high level of patient satisfaction (Zaidan et al., 2015; Vest & Gamm, 2010). The researchers (Friedberg et al., 2014; Byrne et al., 2014; Otte-Trojel et al., 2014; Ritten-house et al., 2017) agreed that HIE could increase patient satisfaction, especially when the medical information is accessible to them when they needed it.

BENEFITS OF HIE	Researchers
Safety healthcare	(Kaelber & Bates, 2007; Hyppönen et al., 2014; Thorn et al., 2014; Zaidan et al., 2015)
Timeliness	(Blaya et al., 2010; Payne et al., 2011; Zaidan et al., 2015; Williams et al., 2016)
Assessing quality of care	(lezzoni, 1997; Zaidan et al., 2015; Vest & Gamm, 2010; Adler- Milstein et al., 2011; Parker et al., 2016).
Research resource	(Safran et al., 2007; Nissinen et al., 2016; Groves et al., 2016; Miller & Tucker, 2014)
Organizational benefits	(Vest, 2012; Friedberg et al., 2014; Byrne et al., 2014; Otte-Trojel et al., 2014; Rittenhouse et al., 2017)
Patient perception	(Park, 2013; Hsieh, 2015; Geissbuhler, 2013)
Security and privacy	Gritzalis & Lambrinoudakis, 2004; Ibrahim & Singhal, 2016; Kruse et al., 2014; Huang et al., 2014)
Cost reduction	(Yaraghi, 2015; Zaidan et al., 2015; Bailey et al., 2013; Miller & Tucker, 2014)

#### TABLE 1. BENEFITS OF HIE

Patient perceptions of health information sharing are important as discovered by Park (2013). In this study, the respondents indicated their acceptance of the new information system or willingness to endorse HIE technology. In addition, Hsieh (2015) and Geissbuhler (2013) declared that both physicians and patients accepted the HIE as an instrument to enhance information exchange that would bring about better healthcare for their benefits.

Security and privacy of health data could be improved, by allowing users to access information virtually by using HIE (Gritzalis & Lambrinoudakis, 2004; Zaidan et al., 2015; Ibrahim & Singhal, 2016; Kruse et al., 2014; Huang et al., 2014.

These various studies highlight eight major benefits of HIE: Safety Healthcare; Timeliness; Cost Reduction; Assessing Quality of Care; Research Resource, Organizational Benefits; Patient Perceptions; and Security and Privacy as shown in Table 1.

## 2.2. Barriers of Hospital Information Exchange (HIE)

There are several issues concerning the implementation of Health Information Exchange

(HIE). According to Ross et al. (2010) and Vest et al. (2010), HIE faces a usability issue, especially that from the perspective of patients. Vest et al. (2010), states that the system has a low access level of only 2.3% because the patients are unfamiliar with the facility, and there are time constraints in using it. One of the reasons HIE has such a low access level is technological related-issue; there is a lack of technical support for accessing the HIE (Ross et al., 2010). Data stored in HIE could go missing by using HIE (Tham et al., 2010; Rudin et al., 2011). This could happen due to human errors and system errors. Moreover, the cost of HIE implementation is high (Patel et al., 2011; Pevnick et al., 2012; Rudin et al., 2014). In addition, there are privacy and security issues since information stored in HIE could be accessed from multiple locations (Patel et al., 2011; Pevnick et al., 2012; Rudin et al., 2014; Parker & Adler-Mildstein, 2016). Rudin et al. (2014) discovered another barrier to the usage of HIE: there is a lack of a compelling business case for sustainability.

In Malaysia, MyHIX is seen to face significant budget constraints in developing the infrastructure and system; funding is required for future maintenance, replacement of obsolete parts and expanding the limited infrastructures in Malaysia (Ismail et al., 2013; Shaik Allaudin, 2016). Moreover, Zaidan et al. (2015) express that HIE does not have the desired interoperability; as a result, patient and healthcare information sharing across provider boundaries is difficult. Liu (2012) highlight a fragmentation problem in the health information exchange, which results in a lack of accountability, medical errors, wastes and duplication. One example of medical errors is related to failure of patient identification and matching by using the HIE (Adler-Mildstein et al., 2016).

BARRIERS OF HIE	RESEARCHERS		
Usability	(Ross et al., 2010; Vest et al., 2011)		
Missing data	(Tham et al., 2010; Rudin et al., 2011)		
Disruption of workflow	(Ross et al., 2010; Rudin et al., 2011; Rudin et al., 2014)		
Costs	(Patel et al., 2011; Pevnick et al., 2012; Rudin et al., 2014)		
Privacy and security	(Rudin et al., 2014; Parker & Adler-Mildstein, 2016)		
Lack of a compelling business case for sustainability	(Rudin et al., 2014)		

#### TABLE 2. BARRIERS OF HIE

Table 2 shows the recurring issues across the studies that are categorized as usability, missing data, disruption of workflow, startup costs, privacy and security, and lack of compelling business case for sustainability.

As mentioned earlier, the implementation of MyHix has not been very successful, limited to several hospitals and clinics only. Such phenomenon would undermine the effectiveness of national health policy enforcement and attainment. Therefore, it is imperative to identify factors affecting HIE or MyHIX implementation so that the issues can be understood further.

## 3. Methodology

This research utilized systematic literature review in identifying, critically assessing and assimilating findings of all related studies in Health Information Exchange or MyHiX implementation. According to Khan et al. (2003), a strategic literature review encompasses five key activities, which are scoping, planning, identification, screening and eligibility. In this paper, the systematic literature review was done to identify factors affecting MyHIX implementation. Therefore, all relevant terms related conceptually to MyHIX were also reviewed. These are the inclusion criteria:

- a. The article is published between 2010 and 2017. This is important to ensure that only the current, updated and accurate findings are obtained. The findings earlier than 2010 are considered to be outdated.
- b. All types of studies on MyHIX and others related to the subject
- c. This study focuses on "Health Information Exchange" and "Malaysia Health Information Exchange". However, there are several other terms involved and associated with the subject of this study; for example, "Health Information System", "Hospital Information System", "Tele-Health", "Tele-Medicine" and "Tele-Medical".
- d. Articles published in six major databases:
- IEEE Explore Digital Library
- Proquest
- Emerald
- Science Direct
- Google Scholar
- Scopus

With the data and information retrieved based on the above inclusion criteria, the study gaps were analyzed. It was done by focusing on both the abstracts and full text of the articles. Hence, factors affecting MyHIX could be identified and discussed. This procedure is important so that the review is comprehensive. Relevant studies were then grouped into recurring themes and tabulated for review.

## 4. Results

A total of six major databases (IEEE, Proquest, Emerald, Science Direct Google Scholar and Scopus) were used as a medium in searching for the articles of the relevant field of study.

Table 3 shows a total of 12,300,004,519,173 studies focusing on information system in the healthcare sector all over the globe. The searching term of "Health Information

Exchange" brought in 1,820,753 articles. These articles discuss and explain the HIE from all over the globe. "Health Information System" brought in 2,795,395 articles, whereas "Hospital Information System" brought in 2,842,163 articles. "Tele-Health" and "Tele-Medicine" brought in 28,565 and 74,600 articles respectively, whilst "Tele-Medical" brought in 8,446 articles. However, only articles focusing on MyHiX, HIE and HIS were selected. Thus, only 70 articles are included in this study. These articles were selected based on relevancy of healthcare integrated system.

Out of the 70 articles, only five articles focus on MyHiX, signaling that there is dearth of studies specializing in MyHiX in Malaysia compared with 1,820,753 articles of HIE overseas. Abdulnabi et al. (2017) had proposed a distributed framework for the nationwide health information exchange using smartphone technologies. Zaidan et al. (2015) had focused on security issues faced by the health information exchange system. They had proposed a security framework for the nationwide health information exchange based on telehealth strategy. Shaik Allaudin (2013) had studied the national e-health of Malaysia update, which found MyHiX as a new system to be implemented in Malaysia. Hisan (2012) had presented the MyHiX characteristics and benefits in his study. Ministry of Health (2014) also presented MyHiX toolkit which explains the overall picture of MyHiX.

Upon further scrutiny of the articles, the issues of HIE can be divided into four contexts that influence MyHiX implementation: Technological, Organizational, Environmental and Human. These contexts were chosen based on previous articles that included the Technological, Organizational, Environmental (Ismail et al., 2016; 70; Ahmadi et al., 2015) and Human (Ahmadi et al., 2015; Sulaiman & Wickramasinghe, 2014) contexts as factors influencing the electronic healthcare system in their articles.

Database	HIE	Health IS	Hospital IS	Tele-Health	Tele-Medicine	Tele-Medical
IEEE	595	9,651	3,711	61	6112	170
Proquest	163,176	362,138	466,224	3,157	6,606	274
Emerald	21,426	60,747	18,732	184	427	12
Science Direct	90,656	1,059,274	627,274	3,006	10,821	638
Google Scholar	1,540,000	1,230,000	1,700,000	18,100	36,600	6,890
Scopus	4,900	73,589	26,222	4,057	14,034	462

TABLE 3. NUMBER OF STUDIES BASED ON DATABASES

Table 3 shows a total of 12,300,004,519,173 studies focusing on information system in the healthcare sector all over the globe. The searching term of "Health Information Exchange" brought in 1,820,753 articles. These articles discuss and explain the HIE from all over the globe. "Health Information System" brought in 2,795,395 articles, whereas "Hospital Information System" brought in 2,842,163 articles. "Tele-Health" and "Tele-Medicine" brought in 28,565 and 74,600 articles respectively, whilst "Tele-Medical" brought in 8,446 articles. However, only articles focusing on MyHiX, HIE and HIS were selected. Thus, only 70 articles are included in this study. These articles were selected based on relevancy of healthcare integrated system.

Out of the 70 articles, only five articles focus on MyHiX, signaling that there is dearth of studies specializing in MyHiX in Malaysia compared with 1,820,753 articles of HIE overseas. Abdulnabi et al. (2017) had proposed a distributed framework for the nationwide health information exchange using smartphone technologies. Zaidan et al. (2015) had focused on security issues faced by the health information exchange system. They had proposed a security framework for the nationwide health information exchange

Business and Economic Horizons

based on telehealth strategy. Shaik Allaudin (2016) had studied the national e-health of Malaysia update, which found MyHiX as a new system to be implemented in Malaysia. Hisan (2012) had presented the MyHiX characteristics and benefits in his study. Ministry of Health (2014) also presented MyHiX toolkit which explains the overall picture of MyHiX.

Upon further scrutiny of the articles, the issues of HIE can be divided into four contexts that influence MyHiX implementation: Technological, Organizational, Environmental and Human. These contexts were chosen based on previous articles that included the Technological, Organizational, Environmental (Ismail et al., 2016; Ahmadi et al., 2015) and Human (Ahmadi et al., 2015; Sulaiman & Wickramasinghe, 2014) contexts as factors influencing the electronic healthcare system in their articles.

#### 5. Discussion

According to the findings, the Technological, Organizational, Environmental and Human contexts were found to influence the HIE. Hereafter, the same contexts could affect the MyHiX in Malaysia. These contexts were derived from the issues of HIE based on the selected articles as depicted in Table 3.

#### TABLE 4. CONTEXTS OF THEMATIC AREAS

TECHNOLOGICAL	ORGANIZATIONAL	ENVIRONMENTAL	Human
Perceived usefulness (PU)	Organizational size (OS)	Cost (C)	User satisfaction (US)
	Managerial structure (MS)	Government regulation (GR)	Skill and experience (SE)
Perceived ease of use (PEOU)	Timeliness (T)		
Information quality (IQ)			
Service quality (SQ)			
System quality (SYQ)			
Security and privacy (SP	)		

Table 4 shows different contexts found to be relevant to the electronic healthcare system. By following evaluations of the selected articles, it is evident there are several issues in technological context that affect the HIE, namely Perceived Usefulness, Perceived Ease of Use, Information Quality, Service Quality, System Quality, and Security and Privacy. Therefore, several issues are seen to affect the HIE under organizational context, managerial structure and timeliness. Cost and government regulation also can affect the HIE under environmental context, whereas user satisfaction and skill and experience can influence the HIE under Human context.

#### 5.1. Measuring technological Issues

Technology is defined as internal and external technologies that include equipment and processes (Tornatzky & Fleischer, 1990). Therefore, the foremost technology used is equated with measuring Information System (IS). Many studies (n = 18) explained the

technological aspects in evaluating the IS (Mohd. Yusof, 2015; Sukums et al., 2015; Muhamad Yunus, 2013; Yucel et al., 2012; Ross et al., 2010; Safran et al., 2007; Li et al., et al., 2015; Tham et al., 2010; Rudin et al., 2011; Borges et al., 2010; Ismail et al., 2010; Zaidan et al., 2015; Nissinen et al., 2016; Gritalis, 2004; Ibrahim & Singhal, 2016; Kruse et al., 2014; Huang et al., 2014; Ross et al., 2010).

Perceived Usefulness is an important element for evaluating the technological issues of any electronic healthcare system, including the HIE. Perceived Usefulness is defined as the degree to which a person believes that using a particular system would enhance his/her job performance (Davis, 1989). Previous literatures (n = 4) found that Perceived Usefulness had influenced the information systems in hospitals (Mohd. Yusof, 2015; Sukums et al., 2015; Mohamad Yunus. 2013; Yucel et al., 2012). In their studies, they revealed that the users agreed that the electronic system could enhance their work performances. In their studies, they revealed that the users agreed that the electronic systems could enhance their work performance. However, a lack of usability of a system could be a barrier to implementing the system (Ross et al., 2010; Vest & Gamm, 2010).

Perceived Ease of Use is also an important element for evaluating the technological issues of HIE. It is defined as the degree to which a person believes that using a particular system would be free from effort (Davis, 1989). Several studies (n = 3) found that Perceived Ease of Use had affected the information systems in hospitals (Sukums et al., 2015; Mohamad Yunus et al., 2013; Yucel et al., 2012). The literatures proved that users agreed that electronic system sped up their work, and it was convenient to use it.

Information Quality is another variable that can be used to evaluate the technological issues of HIE. It is defined as the desirable characteristics of the system outputs. Few studies (n = 4) found that Information Quality had become an important factor leading to successful information system in the hospital (Li et al., 2015; Mohd. Yusof, 2015; Tham et al., 2010; Rudin et al., 2011). The quality of patient information could decrease when a lot of data or information are missing (Tham et al., 2010; Rudin et al., 2011) while using the system.

Service Quality is also an important element for evaluating the technological issues of HIE. It refers to the entire support delivered by a new organizational unit (DeLone & McLean, 1992). Only one study (n = 1) highlighted the importance of service quality of information systems in hospitals (Borges et al., 2010). In their studies, SERVQUAL-Card was adopted to measure service quality by using the electronic healthcare system to provide services to the patients.

System Quality is an important aspect that can be used to evaluate the technological issues of HIE. It is defined as desirable characteristics of an information system (Petter et al., 2008). Several studies (n = 3) highlighted the system quality of the electronic healthcare system (Ismail et al., 2010; Zaidan et al., 2015; Nissinen et al., 2016). Ismail et al. (2010) describe that system quality encompasses system development, support system and hardware. In addition, integration of patient information into other institutions could improve the performance, as suggested by Zaidan et al. (2015). Moreover, the quality of system includes large databases to store large volume of data (Nissinen et al., 2016).

According to several studies (n = 6), security and privacy are also important elements for evaluating the technological issues of HIE (Gritzalis & Lambrinoudakis, 2004; Ibrahim & Singhal, 2016; Kruse et al., 2014; Huang et al., 2014; Zaidan et al., 2015; Rudin et al., 2011; Ismail et al., 2010). Thereafter, Zaidan et al. (2015) suggested that the security and privacy of information exchange in healthcare should be improved to protect the patient information.

According to literatures, perceived usefulness, perceived ease of use, system quality, information quality, service quality, and privacy and security could influence MyHiX implementation as shown in Table 5.

Research DolleDo			TECHNOLOGICA	L CONTEXT		
Researchers -	PU	PEOU	IQ	SQ	SYQ	SP
Sukums et al. (2015)	PU	PEOU				
Mohd Yunus et al. (2013)	PU	PEOU				
Yucel et al. (2012)	PU	PEOU				
Ross et al. (2010)	PU					
Vest et al. (2011)	PU					
Li et al. (2015)			IQ			
Tham et al. (2010)			IQ			
Rudin et al. (2011)			IQ			
Borges et al. (2010)				SQ		
Ismail et al. (2010)					SYQ	
Zaidan et al., 2015)					SYQ	
Nissinen et al. (2016)					SYQ	
Gritzalis & Lamb-						SP
Rinoudakis (2004)						
Ibrahim & Singhal (2016)						SP
Kruse et al. (2014)						SP
Huang et al. (2014)						SP
Rudin et al. (2014)						SP

#### TABLE 5. ISSUES OF TECHNOLOGICAL CONTEXT

## 5.2. Measuring organizational issues

The organizational issues are crucial for evaluating the IS, including the HIE. Organizational factors are defined as characteristics and resources in organization (Tornatzky & Fleischer, 1990). It could be explained by Organization Size and Managerial Structure. Several studies (n = 14) found that organizational issues could affect the electronic healthcare system, including the HIE (Ahmadi et al., 2015; Goo & Huan, 2015; Sulaiman & Wickramasinghe, 2014; Yucel et al., 2012; Ismail & Abdullah, 2016; Mohd. Yusof, 2015; Abdullah, 2012; Ross et al., 2010; Rudin et al., 2011; Rudin et al., 2014; 24; 25; Zaidan et al., 2015; Williams et al., 2016).

Organizational size is an important element for evaluating the HIE. Several studies (n = 7) found that organization size had influenced the information systems implemented or adopted in hospitals (Ahmadi et al., 2015; Goo & Huan, 2015; Sulaiman & Wickramasinghe, 2014; Yucel et al., 2012; Mohd. Yusof, 2015; Abdullah, 2012). Ismail & Abdullah (2016) agreed that the bigger-size organizations require a systematic electronic or automated system to help the staff in running the business; for example, the healthcare sector that has a complex environment.

Managerial structure is also an important element for evaluating the organizational issues of HIE. Several studies (n = 7) found that managerial structure including organizational planning, trainings and related activities in organizations required the assistance of information systems in hospitals (Ahmadi et al., 2015; Yucel et al., 2012, Mohd. Yusof, 2015; Abdullah, 2012; Ross et al., 2010; Rudin et al., 2011; Rudin et al., 2014; Sulaiman & Wickramasinghe, 2014). Clearly, disruption of workflow in organizations could cause hiccups with the electronic health system (Ross et al., 2010; Rudin et al., 2011; Rudin et al., 2011; Rudin et al., 2014) agreed with the issues.

Timeliness is an important element for evaluating the organizational issues of HIE. Several studies (n = 4) found that time could be reduced to perform tasks in the workplace (Blaya et al., 2010; Payne et al., 2011; Zaidan et al., 2015; Williams et al., 2016). This is

because patient data and information are assessable through the system and shareable with systems of other locations (Williams et al., 2016). According to literatures, organizational size, managerial structure and timeliness could influence MyHiX implementation as shown in Table 6.

	Of	τ	
Researchers	ORGANIZATIONAL	MANAGERIAL	TIMELINESS
	SIZE	STRUCTURE	TIMELINE55
Ahmadi et al. (2015)	OS		
Goo et al. (2015)	OS		
Sulaiman & Wickramasinghe (2013)	OS		
Yucel et al. (2012)	OS		
Mohd. Yusof (2015)		MS	
Mohd. Yusof (2015)	MS		
Abdullah (2012)	MS		
Ross et al. (2010)	MS		
Rudin al. (2011)		MS	
Rudin al. (2014)	MS		
Blaya et al. (2010)			Т
Payne et al. (2011)			Т
Zaidan et al., 2015)			Т
Williams et al. (2016)			Т
Ismail & Abdullah, 2016			MS

#### TABLE 6. ISSUES IN ORGANIZATIONAL CONTEXT

#### 5.3. Measuring environmental issues

The environmental issues are an important element for evaluating IS, including the HIE. Environmental factor is defined as the size and structure of the industry (Tornatzky & Fleischer, 1990). Several studies (n = 11) found that environmental issues influenced the electronic healthcare system (Ahmadi et al., 2015; Kuperman et al., 2013; Frisse et al, 2012; Hung et al., 2010; Ismail et al., 2015; Patel et al., 2011; 53; Rudin et al., 2014; Lian et al., 2014; Sulaiman & Wickramasinghe, 2014; Ismail & Abdullah, 2016).

Cost is one of the important variables for evaluating the environmental issues of HIE. The previous studies (n = 8) discovered that financial resources had influenced the information systems adopted in hospitals (Ahmadi et al., 2015; Kuperman et al., 2013; Frisse et al, 2012; Hung et al., 2010). This is because implementation costs for an electronic system in the healthcare sector are high (Ismail et al., 2015; Patel et al., 2011; 53; Rudin et al., 2014). This situation could occur or was reflected in the electronic information system implementation.

Government Regulation is a crucial element for evaluating the environmental issues of HIE. The previous studies (n = 4) discovered that the Government Regulation had influenced the information systems adopted in hospitals (Ahmadi et al., 2015; Lian et al., 2014; Sulaiman & Wickramasinghe, 2014; Ismail & Abdullah, 2016). The researchers revealed that the Ministry of Health Malaysia has the power in giving directives and official orders to all the public healthcare institutions in Malaysia. According to the literatures, costs and government regulations could influence MyHiX implementation as shown in Table 7.

Business and Economic Horizons

Researchers	ENVIRONMENTAL CONTEXT			
RESEARCHERS	Cost	GOVERNMENT REGULATION		
Ahmadi et al. (2015)	С			
Kuperman et al. (2015)	С			
Frisse et al. (2012)	С			
Ismail et al. (2015)	С			
Patel et al. (2011)	С			
Pevnick et al. (2012)	С			
Abdullah (2012)	С			
Rudin et al. (2014)	С			
Lian et al. (2014)		GR		
Sulaiman & Wickramasinghe (2013)		GR		
Ismail & Abdullah (2016)		GR		
Hung et al. (2010)		С		

#### TABLE 7. ISSUES OF ENVIRONMENTAL CONTEXT

#### 5.4. Measuring human issues

Human issues are an important element for evaluating IS, including the HIE. The previous studies (n = 4) found that Human is an important factor to explain the electronic healthcare system (Sulaiman & Wickramasinghe, 2014; Ismail & Abdullah, 2016; Ahmadi et al., 2015; Hassan, 2012).

User satisfaction is an important element for evaluating human context (Ismail & Abdullah, 2016; Ahmadi et al., 2015; Sulaiman & Wickramasinghe, 2014). It refers to satisfaction with specific functions; for example, overall satisfaction, software satisfaction and enjoyment (Sulaiman & Wickramasinghe, 2014). In previous literatures, (Ahmadi et al., 2015; Sulaiman & Wickramasinghe, 2014; Hassan, 2012) revealed that user satisfaction is important when the information systems are adopted in hospitals.

Skills and experience are also crucial elements for evaluating the Human issues. It could affect the success rate of the information systems adopted (Ismail & Abdullah, 2016; 79). Hence, the issues in the human context had been proven to influence MyHiX implementation as shown in Table 8.

#### TABLE 8. ISSUES OF HUMAN CONTEXT

Researchers -	HUMAN CONTEXT		
RESEARCHERS	USER SATISFACTION	SKILLS AND EXPERIENCE	
Ahmadi et al. (2015)	US		
Sulaiman & Wickramasinghe (2013)	US		
Ismail & Abdullah (2016)	US	SE	
Hassan (2012)		SE	

#### 6. Conclusion

Premised on the arguments of these literatures, MyHiX has improved the functional efficiency of the previous HIS; the data and information stored in HIS are limited and could not be shared with the systems of different hospitals. Clearly, the implementation of MyHiX is beneficial to the public healthcare sector in Malaysia. However, the MyHiX

implementation is saddled with several issues. According to previous articles from various researchers all over the globe, the findings can be divided into four contexts: Technological, Organizational, Environmental and Human.

From the systematic reviews, this study indicates the different issues faced in different contexts of HIE as depicted in Table 4. Besides that, it shows privacy and security of HIE are the major factors that could influence or affect the implementation. Thereafter, Zaidan et al. (2015) proposed a security framework for HIE based on a telehealth strategy; this new feature would strengthen the security and privacy of patient data and information stored in HIE in Malaysia. It shows that the security and privacy of HIE could be improved further in Malaysia. Besides that, the studies on MyHiX and HIE could be important to improve the system in healthcare institutions in Malaysia.

This systematic review concentrated on issues of MyHiX in Malaysia. A significant gap is observed as none of the studies were undertaken empirically in the eight healthcare institutions that had implemented MyHiX. Therefore, the findings of this study could be utilized to provide future direction for research in exploring and testing the implementation issues of MyHiX in Malaysia's healthcare organizations.

This systematic review has its limitations due to the small number of studies on MyHiX in Malaysia. Most of the studies focus only on overview and characteristics of MyHiX.

## References

- Abdullah, Z. (2012). Hospital information systems implementation: testing a structural model. In 8th International Conference of Information Science and Digital Content Technology (ICIDT), (74-81).
- Abdulnabi, M., Al-Haiqi, A., Kiah, M. L. M., Zaidan, A. A., Zaidan, B. B., & Hussain, M. A distributed framework for health information exchange using smartphone technologies. *Journal of Biomedical Informatics*, 69, 230-250.
- Acker, B., Birnbaum, C. L., Braden, J. H., Carlisle, V., Claybrook, D., Demster, B., ... & Grebner, L. (2017). HIM principles in health information exchange. *Journal of AHIMA/American Health Information Management Association*, 78(8), 69, 2007.
- Adler-Milstein, J., Bates, D. W., & Jha, A. K. (2011). A survey of health information exchange organizations in the United States: implications for meaningful use. *Annals of Internal Medicine*, 154(10), 666-671.
- Adler-Milstein, J., Lin, S. C., & Jha, A. K. (2016). The number of health information exchange efforts is declining, leaving the viability of broad clinical data exchange uncertain. *Health Affairs*, 35(7), 1278-1285.
- Ahmadi, H., Ibrahim, O., Thrusamy, R., Mun, W., Mojtaba, A., Jafakarimi, H., & Almaee, A. (2015). Exploring potential factors in total hospital information system adoption. *Journal of Soft Computing and Desicion Support Systems*, 2(1), 52-59.
- Bailey, J. E., Pope, R. A., Elliott, E. C., Wan, J. Y., Waters, T. M., & Frisse, M. E. (2013). Health information exchange reduces repeated diagnostic imaging for back pain. *Annals of Emergency Medicine*, 62(1), 16-24.
- Blaya, J. A., Fraser, H. S., & Holt, B. (2010). E-health technologies show promise in developing countries. *Health Affairs*, 29(2), 244-251.
- Borges, J. B. C., Carvalho, S. M. R. D., & Silva, M. A. D. M. (2010). Quality of service provided to heart surgery patients of the Unified Health System-SUS. *Brazilian Journal of Cardiovascular* Surgery, 25(2), 172-182.
- Bos, L. (2006). Monitoring the integration of hospital information systems: how it may ensure and improve the quality of data. *Medical and Care Computetics, 3, 121, 176.*
- Byrne, C. M., Mercincavage, L. M., Bouhaddou, O., Bennett, J. R., Pan, E. C., Botts, N. E., ... & Cromwell, T. (2017). The Department of Veterans Affairs'(VA) implementation of the Virtual Lifetime Electronic Record (VLER): findings and lessons learned from health

Business and Economic Horizons

Malaysia Health Information Exchange: A systematic review | BEH: www.beh.pradec.eu

information exchange at 12 sites. International Journal of Medical Informatics, 83(8), 537-547, 2014.

- Davis, F. D. (1989). Perceived usefulness, perceived ease of use, and end user acceptance of information technology, MIS Quarterly, 13, 318-339.
- DeLone, W., & McLean, E. (1992). Information systems success: the quest for the dependent variable. *Information Systems Research*, 3(1), 60-95.
- Friedberg, M. W., Chen, P. G., Van Busum, K. R., Aunon, F., Pham, C., Caloyeras, J., ... & Crosson, F. J. (2014). Factors affecting physician professional satisfaction and their implications for patient care, health systems, and health policy. *Rand Health Quarterly*, 3(4).
- Frisse, M. E., Johnson, K. B., Nian, H., Davison, C. L., Gadd, C. S., Unertl, K. M. & Chen, Q. (2012). The financial impact of health information exchange on emergency department care. *Journal of the American Medical Informatics Association*, 19(3), 328-333.
- Geissbuhler, A. (2013). Lessons learned implementing a regional health information exchange in Geneva as a pilot for the Swiss national eHealth strategy. *International Journal of Medical Informatics*, 82(5), e118-e124.
- Goo, J., Huang, C. D., & Koo, C. (2015). Learning for healthy outcomes: Exploration and exploitation with electronic medical records. *Information & Management*, 52, 550–562.
- Goodhue, D. L., Wybo, M. D., & Kirsch, L. J. (1992). The impact of data integration on the costs and benefits of information systems. *MiS Quarterly*, 293-311.
- Gritzalis, D., & Lambrinoudakis, C. (2004). A security architecture for interconnecting health information systems. *International Journal of Medical Informatics*, 73(3), 305-309, 2004.
- Groves, P., Kayyali, B., Knott, D., & Kuiken, S. V. (2016). The'big data'revolution in healthcare: Accelerating value and innovation.
- Hassan, R. (2012). Implementation of Total Hospital Information System (THIS) In Malaysian public hospitals: challenges and future prospects. *International Journal of Business and Social Research*, 2(2), 33-41.
- Hisan, A. (2012). Malaysian Health Information Exchange (MyHIX):Simposium Maklumat Geospatial Kebangsaan NGIS ke 5. Presentation, Putrajaya.
- Hsieh, P. J. (2015). Physicians' acceptance of electronic medical records exchange: An extension of the decomposed TPB model with institutional trust and perceived risk. *International Journal of Medical Informatics*, 84(1), 1-14.
- Huang, C. D., Behara, R. S., & Goo, J. (2014). Optimal information security investment in a Healthcare Information Exchange: An economic analysis. *Decision Support Systems*, 61, 1-11.
- Hung, S. Y., Hung, W. H., Tsai, C. A., & Jiang, S. C. (2010). Critical factors of hospital adoption on CRM system: Organisational and information system perspectives. *Decision Support Systems*, 48(4), 592-603.
- Hyppönen, H., Reponen, J., Lääveri, T., & Kaipio, J. (2014). User experiences with different regional health information exchange systems in Finland. *International Journal of Medical Informatics*, 83(1), 1-18.
- Ibrahim, A., & Singhal, M. (2016). A Simultaneous Key Generation Technique for Health Information Exchange (HIE) Based on Existing Patients' Credentials. In Connected health: applications, systems and engineering technologies (CHASE), 2016 IEEE First International Conference on (pp. 359-361). IEEE.
- Iezzoni, L. I. (1997). Assessing quality using administrative data. Annals of Internal Medicine, 127(8), 666-674.
- Injau, H. (2011). Evaluation of Multimedia Super Corridor (MSC Malaysia) Contribution in Malaysian Economy (Masters). Ritsumeikan Asia Pacific University.
- Ismail A., Jamil, A.T., A Rahman, A.F., Abu Bakar, J.M., Mohd Saad, N. & Saadi, H. (2010). The Implementation of Hospital of Hospital System (HIS) in Tertiary Hospitals in Malaysia: A Qualitative Study, *Malaysian Journal of Public Health Medicine 2010*, 10(2), 16-24.

- Ismail, N. & Abdullah, N. (2016). Hospital Information System (HIS) Implementation In Malaysian Public Hospitals., INFORMATION, International Information Institute, 7(7B), 2833-2838.
- Ismail, N. (2016). Development of implementation models for Hospital information system (HIS) in Malaysian Public Hospitals (Ph.D). Universiti Tun Hussein Onn Malaysia (UTHM).
- Ismail, N. I., Abdullah, N. H., & Shamsuddin, A. (2015). Adoption of hospital information system (HIS) in Malaysian public hospitals. *Procedia-Social and Behavioral Sciences*, 172, 336-343.
- Ismail, N. I., Abdullah, N. H., Shamsudin, A., & Ariffin, N. A. N. (2013). Implementation differences of Hospital Information System (HIS) in Malaysian public hospitals. *International Journal of Social Science and Humanity*, 3(2), 115.
- Kaelber, D. C., & Bates, D. W. (2007). Health information exchange and patient safety. Journal of Biomedical Informatics, 40(6), S40-S45.
- Khan, K. S., Kunz, R., Kleijnen, J., & Antes, G. Five steps to conducting a systematic review. (2003). Journal of the Royal Society of Medicine, 96(3), 118-121.
- Kruse, C. S., Regier, V., & Rheinboldt, K. T. (2014). Barriers over time to full implementation of health information exchange in the United States. *JMIR Medical Informatics*, 2(2), e26.
- Kuperman, G. J., Gardner, R. M., & Pryor, T. A. *HELP: a dynamic hospital information system*. Springer Science & Business Media, 2013.
- Li, Y. C. J., Yen, J. C., Chiu, W. T., Jian, W. S., Syed-Abdul, S., & Hsu, M. H. (2015). Building a National Electronic Medical Record Exchange System–Experiences in Taiwan. *Computer Methods and Programs in Biomedicine*, 121(1), 14-20.
- Lian, J. W., Yen, D. C., & Wang, Y. T. (2014). An exploratory study to understand the critical factors affecting the decision to adopt cloud computing in Taiwan hospital. *International Journal of Information Management*, 34(1), 28-36.
- Liu, L., Li, Y., Li, S., Hu, N., He, Y., Pong, R. & Law, M. (2012). Comparison of next-generation sequencing systems. *BioMed Research International*, 2012.
- Miller, A. R., & Tucker, C. (2014). Health information exchange, system size and information silos. *Journal of Health Economics*, 33, 28-42.
- Ministry Of Health Malaysia Official Website. (2016). Malaysian Health Information Exchange. Retrieved 18 October 2016, from http://telekesihatan.moh.gov.my/index.php/20-projekbt/7-myhix
- Ministry Of Health Malaysia Official Website. (2011). *Senarai hospital kerajaan*. Retrieved September 21, 2017, from http://www.moh.gov.my/index.php/
- Ministry of Health Malaysia. (2014). Country Plan. Putrajaya, Malaysia: MOH.
- Ministry of Health. Malaysia Health Information Exchange (MyHIX) Toolkit. Putrajaya, Malaysia.
- Mohamad Yunus, N., Ab Latiff, D., Abdul Mulud, Z., & Ma'on, S. (2013). Acceptance of Total Hospital Information System (THIS). International Journal of Future Computer and Communication, 2(3), 160-163.
- Mohd. Yusof, M. (2015). A case study evaluation of a critical care information system adoption using the socio-technical and fit approach. *International Journal of Medical Informatics*, 84(7), 486-499, 2015.
- Mohd., H., & Syed Mohamad, S. (2005). Acceptance model of electronic medical record. *Journal Of* Advancing Information and Management Studies, 2(1), 75-92.
- Nissinen, S., Leino, T., Oksanen, T., & Saranto, K. (2016). Relevant patient data for health information exchange: a delphi method study.
- Otte-Trojel, T., de Bont, A., van de Klundert, J., & Rundall, T. G. (2014). Characteristics of patient portals developed in the context of health information exchanges: early policy effects of incentives in the meaningful use program in the United States. *Journal of Medical Internet Research*, *16*(11), e258.

- Park, H., Lee, S. I., Kim, Y., Heo, E. Y., Lee, J., Park, J. H., & Ha, K. (2013). Patients' perceptions of a health information exchange: a pilot program in South Korea. *International Journal of Medical Informatics*, 82(2), 98-107.
- Parker, C. J., & Adler-Milstein, J. (2016). Errors related to health information exchange. In Safety of Health IT (pp. 153-165). Springer International Publishing.
- Patel, V., Abramson, E. L., Edwards, A., Malhotra, S., & Kaushal, R. (2011). Physicians' potential use and preferences related to health information exchange. *International Journal of Medical Informatics*, 80(3), 171-180.
- Payne, T. H., Detmer, D. E., Wyatt, J. C., & Buchan, I. E. (2011). National-scale clinical information exchange in the United Kingdom: lessons for the United States. *Journal of the American Medical Informatics Association*, 18(1), 91-98.
- Petter, S., DeLone, W., & McLean, E. (2008). Measuring information systems success: models, dimensions, measures, and interrelationships. *European Journal of Information Systems*, 17(3), 236-263.
- Pevnick, J. M., Claver, M., Dobalian, A., Asch, S. M., Stutman, H. R., Tomines, A., & Fu, P. (2012). Provider stakeholders' perceived benefit from a nascent health information exchange: a qualitative analysis. *Journal of Medical Systems*, 36(2), 601-613.
- Rittenhouse, D. R., Ramsay, P. P., Casalino, L. P., McClellan, S., Kandel, Z. K., & Shortell, S. M. (2017). Increased health information technology adoption and use among small primary care physician practices over time: a national cohort study. *The Annals of Family Medicine*, 15(1), 56-62.
- Ross, S. E., Schilling, L. M., Fernald, D. H., Davidson, A. J., & West, D. R. (2010). Health information exchange in small-to-medium sized family medicine practices: motivators, barriers, and potential facilitators of adoption. *International Journal of Medical Informatics*, 79(2), 123-129.
- Rudin, R. S., Motala, A., Goldzweig, C. L., & Shekelle, P. G. (2014). Usage and effect of Health Information Exchange. A systematic review usage and effect of Health Information Exchange. *Annals of Internal Medicine*, 161(11), 803-811.
- Rudin, R., Volk, L., Simon, S., & Bates, D. (2011). What affects clinicians' usage of health information exchange?. *Appl Clin Inform*, 2(3), 250-262.
- Saad, N. M., & Alias, R. A. (2012). New types of general consent in telehealth application usage. In Biomedical engineering and sciences (IECBES), 2012 IEEE EMBS Conference (pp. 354-358). IEEE.
- Safran, C., Bloomrosen, M., Hammond, W. E., Labkoff, S., Markel-Fox, S., Tang, P. C., & Detmer, D. E. (2007). Toward a national framework for the secondary use of health data: an American Medical Informatics Association White Paper. Journal of the American Medical Informatics Association, 14(1), 1-9.
- Shaik Allaudin, F. (2013). AeHIN General Meeting 22-24 September 2013: eHealth Updates MALAYSIA. Presentation, Pan Pacific Hotel Manila, Philippines.
- Shaik Allaudin, F. (2016). AeHIN Webinar 30 March 2016 National eHealth: "Malaysia Update". Presentation, Ministry of Health, Malaysia.
- Som, M. M., Norali, A. N., & Ali, M. M. (2010). Telehealth in Malaysia An overview. In Industrial Electronics & Applications (ISIEA), 2010 IEEE Symposium (pp. 660-664). IEEE.
- Sugijarto, D. P., Safie, N., Mukhtar, M., & Sulaiman, R. A case study on laboratory information system. Procedia Technology, 11, 740-747, 2013.
- Sukums, F., Mensah, N., Mpembeni, R., Massawe, S., Duysburgh, E., Williams, A. & Blank, A. (2015). Promising adoption of an electronic clinical decision support system for antenatal and intrapartum care in rural primary healthcare facilities in sub-Saharan Africa: The QUALMAT experience. *International Journal of Medical Informatics*, 1-11.
- Sulaiman, H., & Wickramasinghe, N. (2014). Assimilating Healthcare Information Systems in a Malaysian Hospital. Communications of the Association for Information Systems, 34(78), 1291-1318.

- Tham, E., Ross, S. E., Mellis, B. K., Beaty, B. L., Schilling, L. M., & Davidson, A. J. (2010). Interest in health information exchange in ambulatory care: a statewide survey. *Appl Clin Inform*, 1(1), 1-10.
- The National Alliance for Health Information Technology. (2008). Report to the Office of the National Coordinator for Health Information Technology on de- fining key health information technology terms. Washington, DC: Office of the National Coordinator for Health Information Technology.
- Thorn, S. A., Carter, M. A., & Bailey, J. E. (2014). Emergency physicians' perspectives on their use of health information exchange. *Annals of emergency medicine*, 63(3), 329-337.
- Tornatzky, Louis G. & Fleischer, M. (1990). The Processes of Technological Innovation. Lexington Books.
- Vest, J. R., & Gamm, L. D. (2010). Health information exchange: persistent challenges and new strategies. *Journal of the American Medical Informatics Association*, 17(3), 288-294.
- Washington, DC: Department of Health and Human Services. (2014). *What is HIE (Health Information Exchange)*. Available at: www.healthit.gov/providers-professionals/health-information-exchange/what-hie.
- Williams, C., Asi, Y., Raffenaud, A., Bagwell, M., & Zeini, I. (2016). The effect of information technology on hospital performance. *Health care management science*, 19(4), 338-346.
- Yaraghi, N. (2015). An empirical analysis of the financial benefits of health information exchange in emergency departments. *Journal of the American Medical Informatics Association*, 22(6), 1169-1172.
- Yucel, G., Cebi, S., Hoege, B., & Ozok, A. F. (2012). A fuzzy risk assessment model for hospital information system implementation. *Expert Systems with Applications*, 39(1), 1211-1218.
- Zaidan, B. B., Haiqi, A., Zaidan, A. A., Abdulnabi, M., Kiah, M. M., & Muzamel, H. (2015). A security framework for nationwide health information exchange based on telehealth strategy. *Journal of medical systems*, 39(5), 51