

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search http://ageconsearch.umn.edu aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

Optimal conservation tradeoffs: combining bi-level optimization with genetic algorithm

Copyright 2019 by Bradley L. Barnhart, Moriah B. Bostian, Manoj K. Jha, Lyubov A. Kurkalova, and Gerald W. Whittaker. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies

Bradley L. Barnhart^{1,} Moriah B. Bostian², Manoj K. Jha³ Lyubov A. Kurkalova⁴, and Gerald W. Whittaker⁵

¹Oregon State University, Corvallis, OR, Department of Applied Economics, bradleybarnhart@gmail.com

² Lewis & Clark College, Portland, OR, Department of Economics, mbbostian@lclark.edu

³ North Carolina A&T State University, Greensboro, NC, Department of Civil, Architectural, and Environmental Engineering, mkjha@ncat.edu

⁴ North Carolina A&T State University, Department of Economics, lakurkal@ncat.edu

⁵ Oregon State University, Corvallis, OR, Department of Applied Economics, whittakg@onid.orst.edu

Selected Poster prepared for presentation at the 2019 Agricultural & Applied Economics Association Annual Meeting, Atlanta, GA, July 21-23

methods

Optimal conservation tradeoffs: Combining bi-level optimization with genetic algorithm methods

Bradley Barnhart (Oregon State), Moriah Bostian (Lewis & Clark College), Manoj Jha (NC A&T), Lyubov Kurkalova (NC A&T), and Gerald Whittaker (Oregon State)

We examine the spatial targeting of multiple management practices for the reduction using an integrated modeling framework. These practices include reduced fertilizer application rates, conservation tillage, and land retirement. We characterize the non-point source pollution problem, which explicitly accounts for the nested nature of farm-level management decisions in response to prospective agri-environmental policy incentives. Our application considers the lowa Raccoon Watershed, an intensive corn and soybean production region of the Upper Mississippi River Basin.

Introduction

- Agricultural runoff is a leading water quality stressor
- Integrated models that link management practices and production decisions to physical models of nutrient flow allow for evaluation of both the costs of conservation policies and the water quality benefits
- The problem of jointly minimizing the costs of practices and maximizing their benefits is nested: the solution management practice combinations that make up the Pareto optimal frontier will depend on how individual producers respond to policy incentives for each practice. **Objectives**
- 1) Integrate the economic model of crop production with the SWAT model for the Iowa Raccoon Watershed
- 2) Use the integrated modeling system within the bilevel optimization framework to access the optimal tradeoffs between the costs and benefits of alternative conservation policies

Methods

We apply the bilevel optimization framework (Whittaker et al., 2016) to lowa crop production data based on USDA GIS remote-sensing crop cover maps (Secchi et al., 2009). To account for producer spatial heterogeneity, we use a measure of soil productivity that comes from GIS-based soil data. We estimate the profit-maximizing response to prospective policy schemes, and then input the management practice and production decisions into a spatially explicit biophysical model to estimate the resulting environmental benefits. To model the natural system processes, we use the Soil and Water Assessment Tool (SWAT) hydrologic model calibrated and validated to the study watershed (Gassman et al., 2015). We use genetic algorithm methods to solve for the optimal policy combinations.

Bilevel multiobjective optimization problem

 $\max_{\tau,r,s,x_N} F(\tau,x,r,s) = \left(-C(\tau,r,s,x_N), B(r,s,x_N)\right)$ s.t. $(r^k, s^k, x_N^k) \in \operatorname{argmax}_{x^k, y^k, r^k, s^k} \{\pi^k(p^k, w^k, \tau^k) :$ $(\tau^k, x^k, y^k, r^k, s^k) \in \Omega^k$ $\forall \ k \in \{1, \ldots, K\},\$ $x_n^k \ge 0, \, \forall \, k \in \{1, \dots, K\}, \, n \in \{1, \dots, N\},$ $y_m^k \ge 0, \, \forall \, k \in \{1, \dots, K\}, m \in \{1, \dots, M\},$ $\tau_i^k \ge 0, \, \forall \, k \in \{1, \dots, K\}, j \in \{1, \dots, J\},$ $r^k \geq 0, \forall k \in \{1, \ldots, K\},\$ $s^k \geq 0, \forall k \in \{1,\ldots,K\},$


for policy scheme, τ , for land retirement, r, conservation tillage, s, and Nitrogen fertilizer use, x_N. ◂◻▸◂◲▸◂▤▸◂▤▸ ▤ ∽?੧

Profit maximization at the lower level


$$\max_{x^{k}, y^{k}, r^{k}, s^{k}} \pi^{k}(p^{k}, w^{k}, \tau^{k}) = p^{k}y^{k} - \sum_{n=1}^{N-1} w_{n}x_{n}^{k} - \tau_{N}^{k}w_{N}x_{N}^{k}$$

s.t. $y^{k} \leq f(x^{k}, r^{k}, s^{k}),$

where x_N^k refers to the Nitrogen fertilizer input of producer k and $\tau = \tau_r, \tau_s, \tau_N$ is a policy vector including payments for land retirement (τ_r) and conservation tillage (τ_s) , and a subsidy for fertilizer reduction, (τ_N) .



The SWAT delineation of the Raccoon River watershed (Jha et al., 2007)




 $\kappa_N^k + \tau_r^k r^k + \tau_s^k s^k$



The computational framework

- Two policies considered, fertilizer tax and no-till subsidies, produce vastly different results
- For both policies considered, fertilizer tax and no-till subsides, we estimate significant inefficiencies of uniform basin policies, when compared to the targeted policies that vary by subbasins
- The inefficiencies of uniform policies are especially pronounced for the lower nitrogen load reduction targets

1674. 244. Management Science.



Preliminary Results

References

Bostian, M. B., Whittaker, G., Barnhart, B., Färe, R., Grosskopf, S., 2015a. Valuing water quality tradeoffs at different spatial scales: An integrated approach using bilevel optimization. Water Resources and Economics 11, 1 - 12.

Bostian, M. B., Sinha, A., Whittaker, G., Barnhart, B., 2015b. Incorporating Data Envelopment Analysis solution Methods into Bi-Level Multi-Objective Optimization. 2015 IEEE Congress on Evolutionary Computation (CEC), 1667-

Claassen, R., and M. Robaudo. 2016. Cost-effective conservation programs for sustaining environmental quality. *Choices* 31(3), 1-11.

Gassman, P.W., M. Jha, C. Wolter, and K. Schilling. 2015. Evaluation of alternative cropping and nutrient management systems with SWAT for the Raccoon River watershed master plan. American Journal of Environmental Sciences 11(4): 227-

Rabotyagov, S.S., M. Jha, and T.D. Campbell, 2010. Impact of crop rotations on optimal selection of conservation practices for water quality protection. Journal of Soil and Water Conservation, 65(6): 369-380.

Secchi, S., P.W. Gassman, J.R. Williams, and B.A. Babcock. 2009. Corn-based ethanol production and environmental quality: A case of Iowa and the Conservation Reserve Program. Environmental Management, 44: 732-744.

Whittaker, G., Färe, R., Grosskopf, S., Barnhart, B., Bostian, M. B., Mueller-Warrant, G., Griffith, S., 2016. Spatial targeting of agri-environmental policy using bilevel evolutionary optimization. In press, OMEGA, The International Journal of