AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

SEPTEMBER 23 - 26, 2019 // ABUJA, FEDERAL CAPITAL TERRITORY, NIGERIA

6th African Conference of Agricultural Economists

Rising to meet new challenges: Africa's agricultural development beyond 2020 Vision

***Invited paper presented at the 6th African
Conference of Agricultural Economists,
September 23-26, 2019, Abuja, Nigeria***

Copyright 2019 by [authors]. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

Technical Efficiency of the Small Scale Tea processors in Kenya: a Stochastic Meta-Frontier Approach

Karambu Kiende Gatimbu^{*1}, Maurice Juma Ogada²

¹University of Embu, P.O. Box 6-60100, Embu, Kenya

²Taita Taveta University, P.O. Box 635 -80300, Voi, Kenya

Corresponding author

Karambu Kiende Gatimbu

Email: kiendegatts@gmail.com

Maurice Juma Ogada

Email: ogadajuma@yahoo.co.uk

Technical Efficiency of the Small Scale Tea processors in Kenya: a Stochastic Meta-Frontier Approach

ABSTRACT

This study used a stochastic meta-frontier analysis on panel data to understand the technical efficiency of the regions East and West of the Rift Valley for small-scale tea processors in Kenya. On average, the processors were inefficient, wasting about 24% of their input. Firm cost of finance and benefits to management were among the factors contributing to the inefficiency. Existence of persistent inefficiency further showed that part of technical inefficiency was indeed beyond the control of the processors. Thus, the processors have to be cautious with expansion and carefully evaluate any plans to expand against the anticipated benefits. Better still, the firms could consider measures to reduce their current scales of operation to minimize losses. Further, there may be urgent need to re-examine the benefits awarded to management and strictly peg them to productivity and global tea market trends.

Keywords: Technical efficiency, Stochastic Meta-frontier, Small Scale Tea Processors, Kenya

1. Introduction

Agriculture remains a key driver to ensure food security and economic development as indicated by the Sustainable Development Goals (SDGs). The role of agriculture in building the economy of many African economies is not in doubt (Akamin *et al.* 2017). However, agricultural productivity in Africa has been low (Donkor *et al.* 2018). Importance of agriculture to Kenya's economy is not in doubt. The small- holders are particularly important, accounting for 75 % of the country's agricultural output and 70 % of the marketed agricultural produce (Ogada *et al.* 2014).

Kenya Vision 2030 policy framework supports the development of an efficient, sustainable and competitive agricultural sector in order to ensure food security and income generation. In addition, the Kenya Vision 2030 also identifies the manufacturing sector especially the agro-processing industry as one of the key drivers for realizing a sustained annual GDP growth of ten percent (Ndicu, 2015). The manufacturing sector has high, yet untapped potential to contribute to employment and GDP growth (Government of Kenya 2013). The manufacturing sectors' average growth percentage has continued to decline from 4.3% in 2012 to 3.6% in 2016. The sectors growth is mainly driven by processing of food products. The stagnated growth has been caused by poor performance in processing (KNBS 2017). Accounting for about 26% of all foreign exchange earnings and 4% of the GDP, by 2010 tea was the highest foreign exchange earner in Kenya (Tea Board of Kenya, 2010).

The small-scale tea sub-sector accounts for about 63% of the Kenyan tea production (KNBS 2015). Thus, the sector is central to poverty alleviation, infrastructural development and nutritional security. Although Kenya is the third largest global tea exporter, the local tea industry faces severe challenges. Key among them is the perennial increase in the cost of production. In spite of the aforementioned economic importance of tea, increased factory production costs do little to alleviate poverty and contribution of tea to scaling up rural incomes falls far short of its potential.

Sustainability initiatives have been pursued by the tea processors with the aim of reducing production costs (Gatimbu *et al.* 2018). Nonetheless, production costs have continued to rise. At the same time, tea prices have shown a decelerated increase over the years due to increase in global tea production (supply) and changing consumer preferences. Such developments have resulted in the collapse of tea industries in countries like South Africa and pose serious challenges to the future growth and direction of the tea industry in Kenya. Survival of the small-scale tea processors in Kenya greatly depends on their efficiency in the use of resources. This means that if the current trend is left unchecked, it could lead to the eventual collapse of the tea processors in Kenya. It is from the foregoing that this study sought to determine technical efficiency and its determinants for the small-scale tea processors in Kenya.

Elsewhere, farm level technical efficiency and determinants of tea production have been studied in Vietnam (Hong & Yabe 2015a). Results showed that the tea farmers were technically inefficient. In Kenya, TE of maize production (Kibaara 2005) and food crops (Ogada *et al.* 2014) has been investigated. Results showed that the maize and food crops farmers were technically inefficient. The aforementioned studies focused on household units. In addition, TE of manufacturing entities has been studied in Kenya (Kamande, 2010; Lundvall & Battese, 2000; Ndicu 2015).

Technical efficiency estimation has been of mounting interest as a means of identifying best practice performance and improving efficiency in resource use (Alem *et al.* 2017). Efficiency

improvement is recognized globally as a key instrument to policy implications and reforms (Kumbhakar *et al.* 2015). Efficiency measurement is specifically important for emerging economies where resources are paltry and opportunities are sparse (Amornkitvikai and Harvie, 2011). Technical efficiency analysis has been found useful in identification of factors that contribute in inefficiency of different production systems (Shavgulidze *et al.* 2017). The main motivation for measuring the technical efficiency is to understand differences in the levels of efficiency as well as differences in the context which production takes place (Trujillo and Iglesias 2013). In the wake of increased global tea market competition and high production costs, technical efficiency is a key determinant of the sustainability of Kenya's small-scale tea industry.

The novelty of this study is three fold. First, unlike previous studies that measured performance of tea firms in Kenya using profitability and financial ratios (Ng'ang'a 2011), this study measured firm performance by technical efficiency. In addition, previous studies on technical efficiency in Kenya have focused on the smallholder household units and not the manufacturing sector. Further, literature on technical efficiency of the small-scale tea processors in Kenya using the parametric approach is not documented. This study also used panel data models, hence is able to account for potential heterogeneity across firms. Thirdly, the study employed region-specific frontiers for comparison rather than pooled. This is in tandem with Lundvall and Battese, (2000) who found sector-based equations to be more appropriate than pooled equations. Lastly, this study employed meta-frontier techniques that allow comparison of region-specific frontiers versus the meta-frontier (Huang *et al.* 2014). Understanding the levels of inefficiency/efficiency can help address opportunities to improve institutional characteristics, socio-economic characteristics and management practices. The remainder of the paper is structured as follows. Section 2 presents the analytical framework used to address the aim of the paper. Section 3 describes the methodology used, next to which follows Section 4 that discusses the empirical results. The final section presents the conclusions and develops broader implications based on the findings, including areas for further research.

2. Analytical Framework

Following Kumbhakar *et al.* (2015) model, Stochastic Frontier Analysis (SFA) was used to estimate and explain the technical efficiency of the small-scale tea processors. This parametric approach was chosen because it explicitly separates the effects of technical inefficiency and statistical noise (Le *et al.* 2018). The SFA specifies the relationship between output and input levels and decomposes the error term into two components: a random error and an inefficiency component. The random error is assumed to follow a symmetric distribution with zero mean and a constant variance while the inefficiency term is assumed to follow an asymmetric distribution and may be expressed as a half-normal, truncated normal, exponential or two-parameter gamma distribution (Ogundari 2006).

A maximum likelihood estimation (MLE) one-stage approach procedure was adopted for this study. The one-stage approach is, more useful since it avoids statistical problems encountered during estimation with the two-stage method (Wongnaa & Awunyo-vitor 2017). Technical efficiency estimates were derived by estimating a stochastic production frontier from each ecological region. For the j^{th} region, the stochastic frontier of the i^{th} firm is modeled as,

$$Y_{ji} = f^i(X_{ji})e^{V_{ji}-U_{ji}}, \text{ Where } U_{ji} \sim N[\delta_j Z_{ji}, \sigma^2] \quad (1)$$

where $j=1,2,\dots,J$; $i=1,2,\dots,N$ and where Y_{ji} and X_{ji} respectively denote the output and input vector of the i^{th} factory in the j^{th} region. Following standard stochastic frontier modeling, V_{ji} is a normally distributed random variable with zero mean and variance σ^2 and which represents statistical noise. The non-negative random errors U_{ji} represent technical inefficiency and δ_j ($j=1, 2, \dots, J$) is the region specific parameter vector to be estimated. U_{ji} , follows a half-normal distribution and is assumed independent of V_{ji} . Z_{ji} is the exogenous vector of variables determining inefficiency specific to each farming household within each region. A factory's technical efficiency is then defined as:

$$TE_i^j = \frac{Y_{ji}}{f^j(X_{ji})e^{V_{ji}}} = e^{-U_{ji}} \quad (2)$$

$$f^j(X_{ji}) = f^M(X_{ji})e^{-U_{ji}^M}, \forall j, i \quad (3)$$

Where $U_{ji}^M \leq 0$. Hence $f^M(\cdot) \geq f^j(\cdot)$ and the ratio of the j^{th} region's production frontier to the metafrontier is defined as the technology gap.

The ratio of the j^{th} region's production frontier to the meta-frontier is defined as the technology gap Ratio (TGR). This can be represented by:

$$TGR_i^j = \frac{f^j(X_{ji})}{f^M(X_{ji})} = e^{-U_{ji}^M} \leq 1 \quad (4)$$

At a given input level X_{ji} – a firm's observed output Y_{ji} with respect to metafrontier $f^M(X_{ji})$ has three components: the TGR, the factory's technical efficiency and the random noise component. That is;

$$\frac{Y_{ji}}{f^M(X_{ji})} = TGR_i^j \times TE_i^j \times e^{V_{ji}} \quad (5)$$

As the random noise component is obtained from the stochastic frontier estimation, the decomposition in (5) can be expressed as:

$$MTE_i^j = \frac{Y_{ji}}{f^M(X_{ji})e^{V_{ji}}} = TGR_i^j \times TE_i^j \quad (6)$$

Since the SFA estimates of the region-specific frontiers are $f^j(X_{ji})$ for all $j=1, 2, \dots, J$ regions, hence the estimation error of the region-specific frontier is:

$$\ln \hat{f}^j(X_{ji}) - \ln f^j(X_{ji}) = e_{ji} - \hat{e}_{ji} \quad (7)$$

Defining the estimated error as $V_{ji}^M = e_{ji} - \hat{e}_{ji}$, the relation to the metafrontier was written as:

$$\ln \hat{f}^j(X_{ji}) = \ln f^M(X_{ji}) - U_{ji}^M + V_{ji}^M, \forall i, j = 1, 2, \dots, J \quad (8)$$

Thus, the metafrontier estimation approach proposed by Huang *et al.* (2014) was summarized in the estimation of the two following regressions,

$$\ln Y_{ji} = \ln f^j(X_{ji}) + V_{ji} - U_{ji}, i = 1, 2, \dots, N_j \quad (9)$$

$$\ln \hat{f}^j(X_{ji}) = \ln f^M(X_{ji}) + V_{ji}^M - U_{ji}^M \quad (10)$$

Where $\ln \hat{f}^j(X_{ji})$ is the estimates of the region-specific frontier. This should be estimated j times, one for each region. The estimates from all j regions are then pooled to estimate the metafrontier (Eq. (10)). To ensure that the metafrontier is larger than or equal to the region-specific frontiers ($\ln f^j(X_{ji}) \leq \ln f^M(X_{ji})$), the estimated TGR must always be less than or equal to unity.

$$T\hat{G}R_i^j = \hat{E}(e^{-U_{ji}^M} | \hat{e}_{ji}^M) \leq 1 \quad (11)$$

Where $\hat{e}_{ji}^M = \ln \hat{f}^j(X_{ji}) - \ln \hat{f}^M(X_{ji})$ are the estimated composite residuals of (Eq. (10)). The corresponding estimated meta technical efficiency (MTE) is equal to the product of the estimated TGR and the estimated individual firm's technical efficiency

$$M\hat{T}E_i^j = T\hat{G}R_i^j X\hat{T}E_i^j \quad (12)$$

Identifying the magnitude of persistent inefficiency is important, especially in short panels, because it reflects the effects of inputs like management as well as other unobserved inputs that vary across firms but not over time. Previous models never considered the aspect of persistent technical inefficiency (Kumbhakar *et al.* 2015). The error term is decomposed into technical inefficiency and statistical noise. The technical inefficiency component is further decomposed into two: persistent component and residual component. Such a decomposition is desirable from a policy point of view because the persistent component is unlikely to change over time without any change in government policy or management, whereas the residual component changes both across firms and over time (Kumbhakar *et al.* 2015). Unfortunately, if the persistent inefficiency component is large for a firm, then it is expected to operate with a relatively high level of inefficiency over time, unless some changes in policy and/or management take place. Thus, a high value of is of more concern from a long-term point of view because of its persistent nature (Kumbhakar *et al.* 2015).

The model is specified below

$$y_{it} = \beta_o + X_{it}^t \beta + \epsilon_{it}, \quad (13)$$

$$\epsilon_{it} = V_{it} - U_{it}, \quad (14)$$

$$U_{it} = U_i + \tau_{it} \quad (15)$$

The error term ϵ_{it} is decomposed $V_{it} - U_{it}$, as where U_{it} is technical inefficiency and V_{it} is statistical noise. The technical inefficiency part is further decomposed $U_i + \tau_{it}$ as where U_i is

the persistent component (for example, time-invariant management effect) and τ_{it} is the residual (time-varying) component of technical inefficiency, both of which are nonnegative. It is worth mentioning that the former is only firm specific, while the latter is both firm- and time-specific.

3. Methodology

The data used for the empirical analysis was firm-level balanced panel data for 2012-2016 with 270 observations from all the 54 small-scale tea-processing firms in Kenya. The data source was from the individual tea processors under the management of Kenya Tea Development Agency (KTDA). The factories were broadly grouped into two regional clusters; East of Rift Valley and West of Rift Valley. East of Rift Valley spans seven counties namely; Kiambu, Murang'a, Nyeri, Kirinyaga, Embu, Meru and Tharaka Nithi. West of Rift Valley covers eight counties namely; Bomet, Kericho, Nandi, Nakuru, Kisii Nyamira, Kakamega and Trans Nzoia Counties. The output, input and inefficiency variables are summarized in Table 1. The data used for this analysis contained one output variable and four input variables. Output (y) represents total output costs incurred by the firms. The output is valued in Kenya shillings (Ksh). The Cobb Douglas function in the empirical model was specified with the following four input variables: Natural log of the total cost of labor in tea production (Kshs). Natural log of the total cost of capital (Kshs). Natural log of the total cost of energy (Kshs). Natural log of leaf manufacturing cost (Kshs).

Table 1: Descriptive statistics for small-scale tea processors in Kenya for the period (2012-2016)

Variables	East of Rift Valley N=175		West of Rift Valley N=95		Mean Difference
	Mean	Std Dev	Mean	Std Dev	
Output cost	19.53	0.27	19.97	0.67	0.44***
Leaf Manufacturing	20.58	0.31	20.73	0.73	0.15**
Energy	18.10	0.29	18.51	0.72	0.41***
Capital	17.04	0.43	17.39	0.50	0.35***
Labour	17.80	0.27	18.21	0.64	0.41***
Factory age	35.14	10.47	35.84	11.03	0.69
Finance cost	17.10	0.80	17.85	1.00	0.75***
Size	116.75	23.75	178.24	80.12	61***
Transport costs	14.05	0.56	14.39	0.49	0.34***
Mgt. Agent	17.07	0.36	17.10	0.67	0.61
Leverage	0.77	0.48	0.82	0.52	0.073
Mgt benefits	16.12	0.47	16.30	0.59	0.17***

*, ** and *** mean significant at 10, 5 and 1%, respectively. Mgt. Agent=Management agent fees, Mgt benefits= Management salary and benefits

Results in Table 1 show the means and standard deviations of the variables used for the empirical analysis. Firms in the West of Rift Valley region have, on average, the highest level of cultivated land, transport costs, management benefits, finance cost, energy cost, labor expense and capital use. However, it is also worth noting that there is a significant difference in these variables within all the regions as observed from the t-test for differences in means.

4. Results and discussion

Seven variables representing environmental characteristics of the small-scale tea processors were included in the inefficiency effects model. These variables include factory age, size of factory (number of employees), firm's leverage, finance costs, management agent fees, management benefits and transportation costs.

The estimated parameters and standard errors for the different ecological regions are presented in Table 3. In all three frontiers, the estimated mean output elasticities of all the inputs have positive signs with all of them highly significant, indicating a positive and significant relationship between inputs and the output.

Size had a positive effect on technical efficiency. The findings support the evidence documented by Lundvall & Battese (2000), who reported a positive and significant effect of firm size on TE. Large firms are more efficient than small firms because they have market power and the benefits of scale economies Lundvall & Battese (2000). A positive correlation was observed between the firm leverage and TE. It was further observed that age had a negative correlation with TE. Worth noting, firm age and leverage had no significant effect on TE. Similarly, Lundvall & Battese (2000), reported no significant effect of firm age on TE. Overall, management benefits was found to have a positive effect on TE.

Table 3: MLE regional stochastic frontiers estimates for East and West of Rift Valley small-scale tea processors in Kenya (2012-2016)

	East of Rift Valley		West of Rift Valley		Pooled	
	Coef.	Std.	Coef.	Std.	Coef.	Std.
Production frontier						
Ln (labor)	0.41***	0.02	0.43***	0.03	0.43***	0.02
Ln (energy)	0.41***	0.02	0.44***	0.03	0.42***	0.01
Ln (capital)	0.10***	0.01	0.10***	0.02	0.10***	0.01
Ln (material)	0.15***	0.02	0.11***	0.02	0.12***	0.01
Environmental Variables						
Factory age	0.01	0.02	0.02	0.02	0.00	0.01
Size	-0.06***	0.01	-0.04***	0.01	-0.04**	0.01
Management benefits	-1.46***	0.45	0.29	0.36	-0.67***	0.21
leverage	-0.45	0.60	-0.27	0.33	-0.28	0.26
		12.5		10.1	-	
constant	-34.68***	9	-35.58***	2	28.61***	6.28
V sigma	-6.80	0.18	-7.06	0.41	-6.87	0.16
Log(likelihood)	308.58		146		443	

*, ** and *** mean significant at 10, 5 and 1%, respectively.

The minimum, maximum, mean and standard deviation of technical efficiency scores for small-scale tea firms for the ecological zones considered in this study were presented in Table 4. Mean TE estimates vary between the regional frontiers. Results indicate that the tea processors are technically inefficient. Similarly, Ngui-Muchai, & Muniu, (2012), reported that firms in the food subsector are relatively inefficient. Further, Ndicu (2015) observed a 60% TE for firms in the beverage sub-sector. Specifically, the mean TE were 82% for the region East of Rift Valley and 79% for the region West of Rift Valley. Overall TE was 76% for the pooled sample. With technical efficiency scores estimated as input-oriented measures, the results imply that the inputs of tea processors in the East and West of Rift Valley regions can be reduced by 18% and 21% respectively if they are able to use the resources available to them more efficiently, without compromising output. More so, 24% technical potentiality exists for the pooled sample. Persistent inefficiency for the East and West regions was 15% and 16% respectively. The persistent inefficiency for the pooled sample was 18%. This calls for immediate policy ramifications at both regional and national level.

Table 4: Technical efficiency derived from the region-specific frontiers for the small-scale tea processors in Kenya (2012-2016).

	East of RV			West of RV			Pooled		
	Residual	Persistent	Overall	Residual	Persistent	Overall	Residual	Persistent	Overall
Mean	0.96	0.85	0.82	0.95	0.84	0.79	0.95	0.80	0.76
Std Dev	0.05	0.04	0.04	0.05	0.06	0.04	0.05	0.05	0.04
Min	0.61	0.77	0.49	0.62	0.75	0.69	0.63	0.73	0.48
Max	0.99	1	0.99	0.99	1	0.86	0.99	1	0.91

RV=Rift Valley

For the region East of Rift Valley, most of the tea firms (65%) had their technical efficiencies in the 81-100% range. In addition, 25% had their technical efficiencies in the 61-80% range, indicating that, at least 20% of their potential output is lost to inefficiency. The region West of Rift Valley, 75% of the tea firms had their technical efficiencies in the range of 61–80% (Figure 1). This implies that at least 20% of the regions firms’ potential output is lost to factors that the tea firms cannot control.

In addition, the distribution of technical efficiencies for the pooled sample revealed that 84% of the tea firms had their technical efficiencies in the 61-80% range, while only 16% obtained the highest technical efficiencies in the range of 80–100%. The implication is that small-scale tea firms have at least 20% of their potential inputs lost to inefficiency.

Figure 1: Frequency distribution of technical efficiency of the small-scale tea processors in Kenya (2012-2016)

The production input elasticities for the various agro ecological regions are presented in Table 5. For instance, the results showed that a 1% rise in the levels of labor, energy, capital and material costs in the East of Rift Valley region has the effect of increasing output costs by 43%, 47%, 6.4% and 10.4% respectively. Similarly, a 1% rise in the levels of labor, energy, capital and material costs in the West of Rift Valley region has the effect of increasing output costs by 41%, 44%, 14% and 8% respectively.

Table 5: Input elasticities of the small-scale tea processors in Kenya (2012-2016)

Variable	Elasticity		
	East of Rift	West of Rift	Pooled
Labor	0.43	0.41	0.45
Energy	0.47	0.45	0.45
Capital	0.06	0.14	0.10
Material cost	0.10	0.08	0.08

The coefficients and standard error of the estimated parameters for the metafrontier are presented in Table 6. All the input coefficients are significant and have the expected signs. This signifies the role that the input variable play in affecting TGR in tea production. Regarding environmental variables, the higher the finance cost, the further apart is the production frontier from the metafrontier. In particular, finance cost had a negative effect on efficiency of small-scale tea processors in all regions. High finance costs discourages technical innovation and increases monetary constraints on production. Facilitating timely monetary liquidity as needed for production reduces inefficiency (Sardaro *et al.* 2017). This is an indication of the importance of finance access in reducing the technology gap faced by some tea firms and regions. Other environmental variables show the expected signs for the different regions. Transport costs and management agent fee had a negative association with technical efficiency, though insignificant. High transport and agency fees may lead to temporary coordination problems within the firm, resulting in lower efficiency.

Table 6: Estimated parameters for the metafrontier of the small-scale tea processors in Kenya (2012-2016).

Variables	Parameter estimates	Standard errors
Ln (labor)	0.42***	0.01
Ln (energy)	0.50***	0.01
Ln (capital)	0.06***	0.00
Ln (material)	0.05***	0.01
constant	0.89***	0.08
Second step environmental variables		
Finance cost	0.44**	0.17
Transport cost	0.31	0.20
Management agent fees	0.19	0.28
constant	-12.78***	5.15
Sigma2	-5.09***	0.02
/ilgtgamma	1.99***	0.11
log likelihood	587.61	

Note: The asterisks indicate levels of significance. *** Significant at 1%. ** Significant at 5%. * Significant at 10%

Presented in Table 7 are the means and standard deviations of the technological gap ratios (TGR), meta-technical efficiency (MTE) and the technical efficiency measures (TE). TGR is the distance from the respective region-specific frontiers to the metafrontier. MTE measures the distance from the i^{th} factory to the metafrontier. TE is the region-specific production frontiers. The significance of measuring MTE is that it allows us to make efficiency comparisons of firm units across ecological regions (O'Donnell *et al.* 2008). Results showed that the average TE, MTE and TGR are 76%, 74% and 97% respectively. The TE measures indicate that firm units could achieve technical efficiency if they operate at the most optimal levels within the region. The results of MTE and TGR indicate that there is scope for improving the performance of the small scale tea industry as a whole. As indicated earlier, this could be achieved by reducing the cost of finance. In general, East of Rift Valley

is more technically efficient in operation with respect to the overall small scale tea industry (80.7 per cent) followed by West of Rift Valley (77.3 per cent). This implies that the overall efficiency of firms in East of Rift Valley is superior to that West of Rift Valley. This may be attributed to the differences in geographical, cultural, soils, quality of raw material, altitude, resource endowments and to climatic factors between the two ecological regions. In general, technical efficiency values computed relative to the meta-frontier function across the regions are substantially lower than their mean TEs.

Table 7: Summary statistics of regional efficiency measures for the small-scale tea processors in Kenya (2012-2016)

	Obs	Mean	SD	Minimum	Maximum
East of Rift Valley					
TGR	175	0.98	0.02	0.89	0.99
TE	175	0.82	0.04	0.49	0.99
MTE	175	0.81	0.04	0.49	0.99
West of Rift Valley					
TGR	95	0.98	0.02	0.89	0.99
TE	95	0.79	0.04	0.69	0.86
MTE	95	0.77	0.04	0.65	0.86
Overall					
TGR	270	0.97	0.02	0.87	0.99
TE	270	0.76	0.04	0.48	0.91
MTE	270	0.74	0.04	0.47	0.89

5. Conclusion and implication

This paper estimated and compared the technical efficiency of the small-scale tea processors in the regions East and West of the Rift Valley of Kenya. The empirical analysis was carried out by employing the stochastic meta- frontier approach. This approach allows the comparison of technical efficiency under different ecological conditions. On average, the technical efficiency derived from the regional frontier is 76%; technical efficiency from the metafrontier is 74%, and the technological gap ratio is 97%. To this end, the study provides empirical evidence comparison on how environmental variables determine technical efficiency in East and West of Rift regional clusters to cater for spatial heterogeneity. Findings from this study could be important in suggesting policy options as well as scenarios to optimize firm performance for firm managers.

The study found that the mean technical efficiencies for small-scale tea processors in the East and West regions of Kenya were 82% and 79% respectively. The implication is that observed tea processors in each of the aforementioned regions could have further increased their outputs by about 18% and 21% respectively if they had operated at an optimal scale. The study concludes that small-scale tea processors in both regions were technically inefficient. Optimal scales will therefore be achieved if these processors employ less production inputs.

Results showed presence of persistent technical inefficiency in all regions. The implication is that a greater percentage of total inefficiency among these processors might be caused by factors beyond their control. These factors require immediate and radical policy reforms to

save the ailing industry. Therefore, the room for improving technical efficiencies in the various agro ecological zones is huge vis-à-vis the margin due to residual inefficiencies.

Furthermore, for small scale tea processors in Kenya to operate at an optimal scale, there is the need for reduce finance costs. For technical efficiency to be improved, scale tea processors in the various agro ecological regions of Kenya are encouraged to employ less of the production inputs available to them. For the small-scale tea processors to be able to employ less of these inputs, cost of production inputs could be subsidized and credit could be given to them by government. Results revealed that energy costs account for a big portion of production costs. Policy measures such as shifting production time to off- peak time could help the firms reduce their huge energy costs by almost half should be timely and feasible.

In summary, we found that firm units in the two ecological regions of Kenya's small-scale tea industry do not share the same production frontier. This can be attributed to differences in economic environments, regional resource endowments, weather, traditional settings and regulations, climate and tastes and preferences. While it was not possible to determine the many reasons for variations in TEs, TGRs and MTEs across regions, thus this limitation is for future research.

REFERENCES

- Akamin, A., Bidogeza, J., Minkoua-N, J. R., and Afari-sefa, V. 2017. Efficiency and productivity analysis of vegetable farming within root and tuber-based systems in the humid tropics of Cameroon. *Journal of Integrative Agriculture*, 16(8), 1865–1873. [http://doi.org/10.1016/S2095-3119\(17\)61662-9](http://doi.org/10.1016/S2095-3119(17)61662-9)
- Alem, H., Lien, G., Hardaker, J. B., and Guttormsen, A. 2017. Regional Differences in Technical Efficiency and Technological Gap of Norwegian Dairy Farms : a Stochastic Metafrontier Model, in XV EAAE Congress, Towards Sustainable Agri-food Systems: Balancing Between Markets of the international conference proceedings in Palma, Italy 2017, Universita Di Parma and Society ,pp 1–15.
- Amornkitvikai, Y., and Harvie, C. 2011. Finance, Ownership, Executive Remuneration, and Technical Efficiency : A Stochastic Frontier Analysis (SFA) of Thai Listed Manufacturing Enterprises. *Australasian Accounting Business and Finance Journal*, 5(1), 35–55.
- Donkor, E., Matthews, N., and Ogundeji, A. A. 2018. Efficiency of Rice Farming in Ghana: Policy Implications for Rice Sector Development. *African Development Review*, 30(2), 149–161. <http://doi.org/10.1111/1467-8268.12320>
- Faruq, H. A., and Yi, D. 2010. The Determinants of Technical Efficiency of Manufacturing Firms in Ghana. working paper 62, Faculty Scholarship, Xavier University, Cincinnati. http://www.exhibit.xavier.edu/economics_faculty/62.
- Gatimbu, K. K., Ogada, M. J., Budambula, N., and Kariuki, S. 2018. Environmental sustainability and financial performance of the small - scale tea processors in Kenya. *Business Strategy and the Environment*, 1–7. <http://doi.org/10.1002/bse.2243>
- Hong, N. B., and Yabe, M. 2015a. Resource Use Efficiency of Tea Production in Vietnam : Using Translog SFA Model. *Journal of Agricultural Science*, 7(9), 160–172. <http://doi.org/10.5539/jas.v7n9p160>
- Kamande, M. 2010. Technical and Environmental Efficiency of Kenya's Manufacturing Sector : A Stochastic Frontier Analysis. Thirteen annual conference on Global Economic Analysis, United Nations Conference Centre, Bangkok, Thailand 2010 (p. 33).
- Kibaara, B. 2005. Technical Efficiency in Kenya's Maize Production: An Application of the Stochastic Frontier Approach. Department of Agricultural Economics, Colorado State University, Colorado, USA.
- KNBS. 2015. Economic Survey. Nairobi.
- KNBS. 2017. Economic Survey. Nairobi.
- Kumbhakar, S. C., Wang, H., and Horncastle, A. 2015. A Practitioner's Guide to Stochastic Frontier Analysis Using Stata. Cambridge University Press, New York, NY.
- Le, V., Vu, X.-B. (Benjamin), and Nghiem, S. 2018. Technical efficiency of small and medium manufacturing firms in Vietnam: A stochastic meta-frontier analysis. *Economic Analysis and Policy*, <http://doi.org/10.1016/j.eap.2018.03.001>
- Lundvall, K., and Battese, G. E. 2000. Firm size, age and efficiency: Evidence from Kenyan manufacturing firms. *Journal of Development Studies*, 36(3), 146–163. <http://doi.org/10.1080/00220380008422632>
- Ndicu, S. 2015. Efficiency Analysis of the Agro-Processing Industry in Kenya. Department of Economics, Kenyatta University, Kenya.

- Ng'ang'a, S. I. 2011. The PESTLE dynamics in tea trade : Effects on return to the farmer and sustainability of the smallholder tea enterprise. First International Conference Proceedings of on Tea Science and Development, Karatina University, Nyeri 2015 (pp. 162– 181).
- Njuki, E., and Bravo-ureta, B. E. 2018. Irrigation water use and technical efficiencies : Accounting for technological and environmental heterogeneity in U.S. agriculture using random parameters. *Water Resources and Economics*, 1–12. <http://doi.org/10.1016/j.wre.2018.02.004>
- Ogada, M. J., Muchai, D., Mwabu, G., & Mathenge, M. (2014). Technical efficiency of Kenya's smallholder food crop farmers: do environmental factors matter? *Environment, Development and Sustainability*, 16(5), 1–12. <http://doi.org/10.1007/s10668-014-9513-1>
- Sardaro, R., Pieragostini, E., Rubino, G., and Petazzi, F. 2017. Impact of *Mycobacterium avium* subspecies paratuberculosis on profit efficiency in semi-extensive dairy sheep and goat farms of Apulia, southern Italy. *Preventive Veterinary Medicine*, 136, 56–64. <http://doi.org/10.1016/j.prevetmed.2016.11.013>
- Shavgulidze, R., Bedoshvili, D., and Aurbacher, J. 2017. Annals of Agrarian Science Technical efficiency of potato and dairy farming in mountainous Kazbegi district, Georgia. *Annals of Agrarian Sciences*, 15(1), 55–60. <http://doi.org/10.1016/j.aasci.2016.11.002>
- Tea Board of Kenya. 2010. Opening Emerging Markets for Kenyan Tea.
- Trujillo, J. C., and Iglesias, W. J. 2013. Measurement of the technical efficiency of small pineapple farmers in Santander, Colombia: a stochastic frontier approach. *Revista de Economía e Sociología Rural*, 51(1), s049–s062. <http://doi.org/10.1590/S0103-20032013000600003>
- Wongnaa, C. A., and Awunyo-vitor, D. 2017. Scale efficiency of maize farmers in four agro ecological zones of Ghana : A parametric approach. *Journal of the Saudi Society of Agricultural Sciences*, <http://doi.org/10.1016/j.jssas.2017.08.003>