



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

November 2020



Working Paper

023.2020

Rethinking Venice from an Ecosystem Services Perspective

**Jane da Mosto, Camilla Bertolini, Anil Markandya, Paulo
A.L.D. Nunes, Tom Spencer, Arnas Palaima, Laura Onofri**

Firms and Cities Transition Towards Sustainability

Series Editor: Stefano Pareglio

Rethinking Venice from an Ecosystem Services Perspective

By Jane da Mosto, We are Venice, Cambridge University
Camilla Bertolini, Ca' Foscari University
Anil Markandya, University of the Basque Country
Paulo A.L.D. Nunes, FAO
Tom Spencer, Cambridge University
Arnas Palaima, Cambridge University
Laura Onofri, University of Padua

Summary

Safeguarding the future of Venice is a globally recognised challenge of urban sustainability. We propose a sustainable management model, alternative to the current strategy, that primarily focuses on the built heritage and which interprets the city together with its encircling lagoon as a matrix of interlinked natural, cultural and social capital. In particular, Venetian natural capital can be valued as a stock of wealth that produces a flow of income, its ecosystem services. Such values can be measured in economic, including monetary, terms. Using the examples of salt marsh and seagrass carbon sequestration, together with sediment retention, water purification and artisanal fishery and aquaculture, we show that it is economically viable to develop and reorientate the near-future trajectory of Venice and its lagoon with reference to a more sustainable pathway, where the natural capital is a driver of future economic development and, as such, is comparable with the value of currently dominant economic activities (port and mass tourism).

Keywords: Natural Capital, Ecosystem Services, Ecosystem Services Economic Valuation, Sustainability, Venice Lagoon, Alternative Management Strategies

JEL Classification: Q56, Q57, R58

Address for correspondence:

Laura Onofri
University of Padova
Department of Land, Environment, Agriculture and Forestry (TESAF)
Via dell' Università, 16
35020 Legnaro (PD)
E-mail: laura.onofri@unipd.it

The opinions expressed in this paper do not necessarily reflect the position of Fondazione Eni Enrico Mattei

Corso Magenta, 63, 20123 Milano (I), web site: www.feem.it, e-mail: working.papers@feem.it

Rethinking Venice from an Ecosystem Services Perspective

Jane da Mosto^{1,5}, Camilla Bertolini², Anil Markandya³, Paulo A.L.D. Nunes⁴, Tom Spencer^{5*},
Arnas Palaima⁵, Laura Onofri⁶

¹ We are here Venice, Cannaregio 6154, Venice, Italy

² Department of Environmental Sciences, Informatics and Statistics, Ca' Foscari University, Venice, Italy

³ Basque Centre for Climate Change, Scientific Campus of the University of the Basque Country, Leioa, Spain

⁴ United Nations Food and Agriculture Organization (FAO), Rome, Italy. The views and opinions expressed in this article are those of the authors and do not necessarily reflect the official policy or position of FAO.

⁵ Cambridge Coastal Research Unit, Department of Geography, Cambridge University, Cambridge, UK

⁶ Department of Land, Environment, Agriculture and Forestry, University of Padua, Legnaro, Italy. Corresponding author: Laura Onofri (email: laura.onofri@unipd.it)

Abstract

Safeguarding the future of Venice is a globally recognised challenge of urban sustainability. We propose a sustainable management model, alternative to the current strategy, that primarily focuses on the built heritage and which interprets the city together with its encircling lagoon as a matrix of interlinked natural, cultural and social capital. In particular, Venetian natural capital can be valued as a stock of wealth that produces a flow of income, its ecosystem services. Such values can be measured in economic, including monetary, terms. Using the examples of salt marsh and seagrass carbon sequestration, together with sediment retention, water purification and artisanal fishery and aquaculture, we show that it is economically viable to develop and re-

orientate the near-future trajectory of Venice and its lagoon with reference to a more sustainable pathway, where the natural capital is a driver of future economic development and, as such, is comparable with the value of currently dominant economic activities (port and mass tourism).

Keywords: natural capital, ecosystem services, ecosystem services economic valuation, sustainability, Venice Lagoon, alternative management strategies

Jel Code: Q56, Q57, R58

Acknowledgements

We thank Luca Carniello and Chiara D’Alpaos (Department of Civil, Environmental and Architectural Engineering, University of Padua, Padua, Italy) together with Andrea D’Alpaos (Department of Geosciences, University of Padua, Padua, Italy) and Sonia Silvestri (CIRGEO-Interdepartmental Research Centre of Geomatics, University of Padua, Legnaro, Italy) for their detailed comments on earlier drafts. The Downforce Trust 2020 grant covered the contribution of We are here Venice to the writing—review and editing phase.

This is a contribution to the University of Cambridge – University of California Berkeley – National University of Singapore Global Alliance Project: *Opportunities for Ecological Adaptation to Flood Hazards* (Cambridge University grant code LCOB.LFHA). Palaima was supported by funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No. 798028.

1. Introduction


The current activities of dominant economic stakeholders and policymakers support behaviour patterns in the Venice lagoon environment that are based on high, short run profit objectives. This generates both short and long-term externalities, ranging from the socio-cultural (both city congestion and at the same time depopulation¹) to the environmental (including air pollution, land degradation and damage to building foundations by boat wakes and lagoon erosion due to displacement of large volumes of water by ships²). Additionally, Venice suffers from longer-term ecological degradation, including loss of topographic complexity on the lagoon floor, a sediment exporting budget, wetland loss (-80% since early 17th century), high nutrient and pollution loads, and from sea level rise and an increased frequency and severity of high water events³⁻⁹.

As a radical alternative to the unsustainable current situation¹, we here discuss the possibility of managing the city and its lagoon with reference to a more resilient pathway, where natural capital, and derived ecosystem services, are the focus and drivers of future economic development.

In our framework, Ecosystem Services are defined as the supporting, provisioning, regulating and cultural services^{17, 18}. These services are identifiable and can be measured in both ecological/physical terms, and in economic terms, including monetary terms. Natural Capital is the stock of renewable and non-renewable resources (e.g. plants, animals, air, water, soils, minerals) that combine to yield a flow of benefits– ecosystem services - to people¹⁶.

Rethinking Venice from a natural capital and ecosystem services perspective is not a purely academic exercise, but rather a policy tool to reconnect management of the lagoon and management of the historic city within a long-term perspective.

The Venice lagoon extends over 550 km². It is characterized by a semidiurnal microtidal range (average tidal range of 1 m) and connected to the Northern Adriatic Sea by three inlets (Fig. 1).



The lagoon, permeated by channels, tidal creeks, artificial waterways and canals¹⁰, is characterised by subtidal flats (with bottom elevations at ca. -0.50 to -2.5 m below mean sea level (msl)), in places vegetated with seagrasses; intertidal mudflats (-0.5 to 0.0 m below msl); salt marshes (+0.1 and +0.6 m above msl); ‘valli da pesca’ (semi-enclosed basins for aquaculture located at the borders of the lagoon); and land surfaces (consisting of supratidal sandbars, ‘casse di colmata’ (i.e. land reclamations left to renaturalise) and settled islands).

Preliminary investigation of ecosystem services has been undertaken for the lagoon, initially of provisioning and cultural services¹¹, subsequently extended to include regulating services¹². Here

we build on this work to present quantitative estimates of the current economic value and gross value added (GVA) to gross domestic product (GDP) per year, of those ecosystem services for which calculations are variously possible. Future economic value is estimated under the assumption of both i) a sustainable management scenario, where the natural resource/natural capital is managed with policies directed at preserving, maintaining and possibly increasing the stock of natural capital; and ii) a business-as-usual (BAU) scenario, assuming the continuation of current management practices.

The note is organized as follows. Section 2 reports the economic valuation methodology. Section 3 presents the main results. Section 4 discusses the findings and alternative, sustainable management strategies for the city. Section 5 concludes.

2. Valuation Methodology

The monetary figures are calculated and derived from the existing literature and surveyed studies with criteria illustrated in what follows. As a preliminary caveat, we acknowledge that estimates of both the market and non-market value of ecosystem services are subject to significant uncertainty bands, and in some cases it has not been possible to find any estimates in the literature nor raw data from the relevant authorities. Up to date data availability for Venice, across the spectrum, has been challenging.

2.1.Regulating services: Carbon sequestration by salt marsh and seagrass

We calculate separately the carbon sequestered by salt marshes and seagrass beds, considering only the amount of organic carbon that is buried. We do not refer to carbon that is stored in the

aboveground / aquatic biomass of the vegetation (halophytes and seagrasses). The methodology for computing the amount of carbon sequestration and the data for the amount of salt marsh-sequestered carbon comes from Roner et al.²⁰. The data for the amount of seagrass-sequestered carbon comes from the SeResto LIFE project²¹, carried out in the Venice lagoon (2014-2018). Salt marsh annual sequestration rate is 1.32 tons of carbon per hectare per year. The area of salt marsh in the Venice lagoon is estimated at 4,300 ha. Seagrass annual sequestration rate was found to be 40.1 tons of carbon per hectare per year²¹. The area of seagrass beds in the Venice lagoon is estimated at 4,200 ha²¹. We use estimates of the social costs of carbon (SCC)²² to calculate the net present value of the cumulative, worldwide impact of an additional ton of carbon emitted to the atmosphere today over its residence time in the atmosphere²³. We compute the yearly value of the flows of benefits that the Venetian marshes and seagrasses generate by the sequestration of atmospheric carbon. This is a flow value that relates to the annual returns on the natural capital. It can also be interpreted as an avoided social cost, amounting to the values calculated with the figures provided by a report²⁴ which computes the SCC until 2050 based on different discount rates. Our selected discount rate is 3%.

2.2.Regulating services: Sediment retention and water treatment and purification

Based on the assumption that lower nutrient and sediment loads reduce the need for wastewater treatment, the value of waste treatment performed by the Venice lagoon is measured with the “replacement cost method”²⁵ which computes three different costs (12.61, 41.40 and 243.66 dollars per kilogramme) according to varying concentrations (low, medium and high, respectively) of nitrogen in the system. We acknowledge that these estimates refer to replacement costs for a freshwater lagoon. To our knowledge, it is the only existing study that

estimates the value of sediment retention in a lagoon via the replacement costs methodology. Although denitrification can be different for a fluvial watershed and a tidal lagoon, the study contains a reasonable, applicable variance between minimum and maximum economic costs that allows us to determine values which are realistic estimates of the alternative treatment system, including, but not exclusively, infrastructure. The cost relating to a medium concentration of nitrogen was used here, converted to euro. It is worth highlighting that the denitrification capacity of the Venetian Lagoon varies considerably spatially and at different times of year, also depending on the amount of nitrogen inputs, the residence time and the presence/absence of marshes and seagrass meadows. The estimated amount of nitrogen in the Venice lagoon is taken from ref. 26. It is estimated that 75% of these inputs is retained, to yield the amount in tonnes to be treated, in various ways, each year. Using this same approach, comparably high values were obtained for computing the ecosystem services of removing nitrogen, phosphorus and carbon in a study of seven different temperate coastal biotopes in the UK²⁷. The future value under the sustainable management scenario was calculated using a standard 3% interest (as applied to carbon sequestration).

2.3. Provisioning services: Traditional fishery and aquaculture

Figures for this section are limited by data availability specific to the productivity of the Venice lagoon²⁸ and excludes some types of fish that are bundled in total data for the Veneto. There are also other fish species that divide their life-cycle between the Venice lagoon and the Adriatic Sea. The numbers reported here are therefore a low estimate of the total value of this category. Lagoon clams (10,274 tonnes in 2018) constitute over 40% of total value of fisheries and

aquaculture for the Veneto Region²⁸. The residual value used as the “current economic value of the ecosystem service” refers specifically to the produce and excludes other elements of the supply chain (e.g. labour and equipment). It is calculated using the methodology of the UK Office of National Statistics²⁹. The future value under the sustainable management scenario was calculated using a standard 3% interest (as applied to the other regulating ecosystem services above) and based on the assumption that the current management policy is sustainable.

3.4. Cultural services: Eco-tourism and lagoon recreation

There are no available figures for ecotourism and lagoon recreation in Venice. We have simulated this value for the future using research that models demand generated by an additional one percent of well conserved wetland. This potentially attracts 18,490 additional “eco-tourists”, distributed amongst the islands of the lagoon¹⁴. According to the 2017 Tourism Census of the Venice Municipality³⁰, the non-day tripper segment of tourists spends on average three days (two nights) in Venice. The average expenditure per tourist, for the period, is around 800 euros (266.67 euro/day). The most recent available estimate of visitor fluxes in Venice reports that in 2014, this segment was made up of 6.4 million tourists (compared to 2.7 million in 2002). This indicates the sharp growth in arrivals. These estimates might be useful in showing the advantages of the transition from a local economy dominated by mass tourism (principally day-trippers) associated with significant negative externalities in the historic city to a new concept of sustainable tourism that builds on ecosystems and natural resources.

3.5 Cultural and Cruise tourism

One significant ecosystem service provided by the lagoon is the attenuation of tidal currents that also protects the historic city, in terms of its urban fabric. Hence the inclusion of the total value of the tourism sector³¹ in Table 1. Tourist numbers were sourced from ref. 30. Data on GVA (2018) was obtained from the Chamber of Commerce³². For bequest and existence value, we use the non-market values estimates³¹ for Venice cultural heritage (per person), multiplied by the number of tourists visiting Venice in 2017³⁰. Bequest and existence values are therefore estimated at 484 million euro (capital value). Cruise ship numbers and GVA (2019) are taken from the Port Authority¹³. Data on total tourism and GVA (2018) is from the Chamber of Commerce³².

3. Results

Results are summarized in Table 1¹, which reports the economic value (measured in monetary terms of selected Lagoon ES). We can highlight some findings.

Salt marsh and seagrass carbon sequestration, together with sediment retention and water purification, and artisanal fishery and aquaculture, generate ca. 198.9 million euro per year, a value that can be compared to the annual returns from the cruise ship sector (376 million euro for the Venice area¹³, especially considering that a small proportion specifically benefits the economy of the lagoon and the historic city where most of the environmental and social costs occur) and without the negative externalities of the cruise ship sector impacting the lagoon system and the socio-economic fabric of the historic city. We note that other ecosystem services are mentioned in the literature^{11, 12}. No figures are available to compute their contribution to

¹ (R): Regulating Service. (P) Provisioning Service. (C) Cultural Service. (S) Supporting Service.

annual GDP but we acknowledge their potential significance. The adoption of a sustainable pathway, with less mass tourism and more eco-tourism, also offers the possibility of generating additional financial flows from cultural ecosystem services.

Thus, for example, the additional demand generated by an additional one percent of well conserved wetland could attract 18,490 'eco-tourists', to be redistributed and relocated amongst the islands of the lagoon. This cohort could generate an additional annual income of 15 million euros from tourism and recreation¹⁴.

Under a sustainable management scenario, in the longer term (2050), salt marsh and seagrass carbon sequestration, together with sediment retention and water purification, and artisanal fishery and aquaculture, could generate more than 375 million euros, whereas the cruise sector returns are likely to decline with reduced attractiveness of Venice as a destination (Table 1) and as a consequence of the increase in the frequency of closures of the mobile barriers system as sea level rises¹⁵. It is important to highlight that Column 4 reports the gross value added (per year) of the selected ecosystem services. Many of these are embedded in economic accounts at both local and national levels, e.g. agricultural and fishery output, tourism and some recreational activities and transport. In these cases, the contribution of the ecosystem services to the gross value added can be estimated by extracting the contribution of all other factors (e.g. the parts attributable to capital and labour) and allocating the balance to the ecosystem. This has been done to prepare accounts for natural capital in some countries, such as the UK and The Netherlands, for


agriculture and fisheries²⁹. Twenty percent of the GVA has been assigned as the current economic value of ecosystem services for traditional fisheries and aquaculture in Table 1².

² A second method is to estimate the value based on a 'production function', in which the inputs include non-produced inputs from ecosystems as well as from labour, land and other contributions. Regarding ES economic valuation and data for Venice we do not, at the present time, have such 'attributable fractions'

ECOSYSTEM SERVICE	Contribution of ecosystem service (amount/year)	Current Economic Value of ES (Euros/year)	Gross Value Added (GVA) to GDP (Euros/year)	Future Value in 2050 under Sustainable Management (Euros)	Future Value under Business as Usual (Euros)
Carbon Sequestration Salt Marsh (R)	Carbon sequestration 5,700 tonnes	187,110	0	419,580	Likely to decline due to marsh degradation
Carbon Sequestration Seagrass (R)	Carbon sequestration 168,420 tonnes	5,557,860	0	13,490,385	Likely to decline due to seagrasses loss
Water Purification and Sediment Retention (R)	Annual nitrogen load entering the lagoon 6,650 tonnes	174,650,000	Most of the GVA is attributable to the ecosystem	316,354,300	Likely to decline as capacity of the lagoon to absorb nitrogen declines
Traditional Fishery& Aquaculture (P)	Mullet (valli da pesca) 500 tonnes Lagoon clams 10,274 tonnes Lagoon mussels 4.164 tonnes	18,514,000	92,570,000	44,938,330	Likely to decline as quality of lagoon degrades
Eco-Tourism and Lagoon Recreation (P/C)	No. visitors attracted to the natural features of the lagoon	Not considered therefore 0	0	An additional 1% of well conserved wetland would produce around €15m for tourism and recreation	Likely to decline alongside deterioration of environmental quality and natural capital
Cultural Tourism (C)	29 million visitor-days (presences) in historic city (2018)	Not estimated	741,000,000	Should be smaller considering generally accepted situation of over tourism	Expected to decline as quality of experience continues to deteriorate

4. Discussion

The values presented here allow the comparison of different management strategies, as illustrated in Figure 2.



In Figure 2, the x axis maps time (from the current state) and the Y axis maps values (measured in monetary terms). The red downward slope is the ‘current management private benefits’ (CMPB) curve. It illustrates private benefits, in monetary terms, generated by Venice’s current, tourism-intensive economy. The blue downward slope is the ‘current management social benefits’ (CMSB) curve, representing the social benefits. It is positioned below the CMPB to highlight that private benefits are larger than social benefits as the environmental externalities (the segment ESC) are not considered. Both functions are non-linear because they capture and embody complex relationships (including technology and preference structures) and both are downward sloping with time, due to the unsustainability of the current management of Venice and its lagoon. By comparison, the green curve represents ‘alternative sustainable management social and private benefits’ (ASMS&PB). It represents sustainable management of the city and its lagoon that may produce lower benefits in the beginning (because some extra investments in transition (technology, training etc.) might be required) but presents the twofold advantage of

internalizing any negative environmental externalities and generating stable (or even increasing) returns in the long term.

5. Conclusions

The Venetian Lagoon produces ecosystem services with clear economic value. The value of those services, if correctly managed and measured, and with the benefits distributed more equitably and locally, according to estimates based on currently available information (Table 1), could substitute the value produced by less sustainable economic activities. Obviously, the transition from a city with an economy dependent on quick returns associated with mass tourism to a more sustainable, but in the short term less profitable, model would have to be implemented carefully.

The associated strategic planning aspects are beyond the boundaries of the present paper, which aims to scientifically frame the potential for change and the need for deeper investigation. This exercise has produced general indications of the potential contribution that healthy ecosystems could make to overall wellbeing, as measured in monetary terms. Such analyses demonstrate the importance of natural capital relative to other assets and aid in the justification of measures to protect the Venice lagoon that require the allocation of scarce resources.

This framing should trigger more sustainable policy-making for Venice and its lagoon, with associated higher economic returns in the long term. The resulting well managed ecosystems and natural capital could also support the preservation of the city's cultural capital.

Cultural capital is 'an asset that embodies a store of cultural value, separable from whatever economic value it might possess; in combination with other inputs the asset gives rise to a flow

of goods and services over time which may also have cultural value (i.e. which are themselves cultural goods and services)¹⁹.

Thus, for example, salt marsh reconstruction is also a nature-based solution to attenuating water levels and consequently helping to protect the built fabric. The generated economic value is fundamental to guaranteeing the survival and continuity of the social capital of this remarkable and unique city.

References

1. Bertocchi D. et al. Venice and Overtourism: Simulating Sustainable Development Scenarios through a Tourism Carrying Capacity Model. *Sustainability* **12(2)**, 512 (2020).
2. Scarpa, G.M. et al. The effects of ship wakes in the Venice Lagoon and implications for the sustainability of shipping in coastal waters. *Nature Sci. Rep.* **9** 19014 (2019).
3. D'Alpaos, L. & Martini, M. in *Flooding and Environmental Challenges for Venice and its Lagoon: State of Knowledge* (eds Fletcher, C.A. & Spencer, T.) 419-430 (Cambridge University Press, 2005).
4. Carniello, L., Defina, A. & D'Alpaos, L. Morphological evolution of the Venice Lagoon: evidence from the past and trend for the future. *J. Geophys. Res. – Earth Surf.* **114**, F04002 (2009).
5. Saretta, A., Pillon, S., Molinaroli, E., Guerzoni, S. & Fontolan, G. Sediment budget in the lagoon of Venice, Italy. *Cont. Shelf Res.* **30**, 934–949 (2010).
6. Solidoro, C. et al. in *Coastal lagoons: Critical habitats of environmental change* (eds Kennish, M.J. & Paerl, H.W.) 483-511 (CRC Press, 2010).

7. Tommasini, L., Carniello, L., Ghinassi, M., Roner, M. & D'Alpaos, A. Changes in the wind-wave field and related saltmarsh lateral erosion: inferences from the evolution of the Venice Lagoon in the last four centuries. *Earth Surf. Process. Landf.* **44**, 1633-1646 (2019).
8. Marcomini, A., Sfriso, A., Pavoni, B. & Orio, A.A. in *Eutrophic Shallow Estuaries and Lagoons* (ed. McComb, A.J.) 59–80 CRC Press, 1995).
9. Reimann, L., Vafeidis, A.T., Brown, S., Hinkel, J. & Tol, R.S.J. Mediterranean UNESCO World Heritage at risk from coastal flooding and erosion due to sea-level rise. *Nat. Commun.* **9**, 4161 (2018).
10. Solidoro, C., Canu, D.M., Cucco, A. & Umgiesser, G. A partition of the Venice Lagoon based on physical properties and analysis of general circulation. *J. Mar. Syst.* **51**, 147-160 (2004).
11. Rova, S., Pravoni, F. & Müller, F. Provision of ecosystem services in the lagoon of Venice (Italy): an initial spatial assessment. *Ecohydrol. & Hydrobiol.* **15**, 13-25 (2015).
12. Rova, S., Müller, F., Meire, P. & Pravoni, F. Sustainability perspectives and spatial patterns of multiple ecosystem services in the Venice lagoon: Possible roles in the implementation of the EU Water Framework Directive. *Ecol. Indics.* **98**, 556-567 (2019).
13. Port of Venice (accessed 6 Aug 2020) https://www.port.venice.it/files/event/abstract_studio_impatto_socio_economico_porto_def.pdf
14. Onofri, L. & Nunes, P.A.L.D. Beach lovers and “greens”: a worldwide empirical analysis of coastal tourism. *Ecol. Econ.* **88**, 49-56 (2013).
15. Oppenheimer, M. et al. in *IPCC Special Report on the Ocean and Cryosphere in a Changing Climate* (eds H.-O. Pörtner, D.C. et al.) 321-445 (Cambridge University Press, 2019)..

16. *Natural Capital* (Natural Capital Coalition, accessed 22 June 2020) <https://naturalcapitalcoalition.org/natural-capital-2/>
17. CICES (Common International Classification of Ecosystem Services). Revised version, (CICES v4.3), <http://cices.eu/> (2013).
18. MEA (Millennium Ecosystem Assessment) *Millennium Ecosystem Assessment: Ecosystems and Human Wellbeing: Current State and Trends*. (Island Press, 2005).
19. Rizzo, I. & Throsby, D. in *Handbook the Economics of Art and Culture* (eds Ginsburgh, V.A. & Throsby, D.) 983-1016 (Elsevier, 2006).
20. Roner, M. et al. 2016. Spatial variation of salt-marsh organic and inorganic deposition and organic carbon accumulation: Inferences from the Venice lagoon, Italy. *Adv. in Water Res.* **93**, 276-287 (2016).
21. *EU LIFE SeResto* (accessed 7 Aug 2020) <https://studylibit.com/doc/7034353/diapositiva-1--life-seresto>
22. Canu D. et al. Estimating the value of carbon sequestration ecosystem services in the Mediterranean Sea: An ecological economics approach. *Glob. Environ. Change* **32**, 87-95 (2015).
23. Watkiss, P. et al. *The social cost of carbon (SSC) review - methodological approaches for using SCC estimates in policy assessment* (AEA Technology for DEFRA, 2005)
24. United States of America *Government Technical Support Document: Technical Update of the Social Cost of Carbon for Regulatory Impact Analysis under Executive Order 12866* (Interagency Working Group on Social Cost of Carbon, United States Government, 2013)
25. Hopkins, K. et al. A method to quantify and value floodplain sediment and nutrient retention ecosystem services. *J. Environ. Manag.* **220**, 56-76 (2018).

26. Svensson, J.M., Carrer, G.M. & Bocci, M. Nitrogen cycling in sediments of the Lagoon of Venice, Italy *Mar. Ecol. Prog. Ser.* **199**, 1-11 (2000).
27. Watson, C.L., Preston, J., Beaumont, N.J. & Watson, G.J. Assessing the natural capital value of water quality and climate regulation in temperate marine systems using a EUNIS biotope classification approach. *Sci. Total Env.* **744**, 140688 (2020).
28. *Veneto Agricoltura* (accessed 22 June 2020)
<https://www.venetoagricoltura.org/argomento/2018/>
29. *UK natural capital accounts methodology guide: October 2019* (Office of National Statistics, accessed 22 June 2020)
<https://www.ons.gov.uk/economy/environmentalaccounts/methodologies/uknaturalcapitalaccounts/methodologyguide/october2019>
30. *Comune di Venezia (2018) Annuario del Turismo* (accessed 22 June 2020)
<https://www.comune.venezia.it/sites/comune.venezia.it/files/immagini/Turismo/ANNUARIO%202017%20Ver%202.8.1%20cover.pdf>
31. Dall'Aste Brandolini, S.M. & Disegna, M. Demand for the quality conservation of Venice, Italy, according to different nationalities. *Tourism Econ.* **18**, 1019 – 1050 (2012).
32. Rapporto Camera di Commercio di Venezia e Rovigo (2018) (accessed 30 July 2020)
<http://www.cgiamestre.com/wp-content/uploads/2018/09/comune-venezia.pdf>
33. Onofri, L., Lange, G.M., Portela, R. & Nunes, P.A.L.D. Valuing ecosystem services for improved national accounting: a pilot study from Madagascar. *Ecosyst. Serv.* **23**, 116-126 (2017).
34. Chan, K. M. A., et al. Opinion: Why protect nature? *Proc. Nat. Acad. Sci. USA*, **113**, 1462–1465 (2016).

NOTE DI LAVORO DELLA FONDAZIONE ENI ENRICO MATTEI
Fondazione Eni Enrico Mattei Working Paper Series

Our Working Papers are available on the Internet at the following addresses:
<http://www.feem.it/getpage.aspx?id=73&sez=Publications&padre=20&tab=1>

NOTE DI LAVORO PUBLISHED IN 2020

1. 2020, FACTS Series, Alessandra Celani de Macedo, Nicola Cantore, Laura Barbier, Marco Matteini, Giorgia Pasqualetto, [The Impact of Industrial Energy Efficiency on Economic and Social Indicators](#)
2. 2020, 2030 Agenda Series, Nicola Comincioli, Sergio Vergalli, [Effects of Carbon Tax on Electricity Price Volatility: Empirical Evidences from the Australian Market](#)
3. 2020, 2030 Agenda Series, Marco Buso, Cesare Dosi, Michele Moretto, [Do Exit Options Increase the Value-For-Money of Public-Private Partnerships?](#)
4. 2020, FACTS Series, Ricardo Nieva, [A Tragic Solution to the Collective Action Problem: Implications for Corruption, Conflict and Inequality](#)
5. 2020, FACTS Series, Charles Fang Chin Cheng, Nicola Cantore, [The Inclusive and Sustainable Development Index: a Data Envelopment Analysis Approach](#)
6. 2020, 2030 Agenda Series, FACTS Series, Coker Eric, Cavalli Laura, Fabrizi Enrico, Guastella Gianni, Lippo Enrico, Parisi Maria Laura, Pontarollo Nicola, Rizzati Massimiliano, Varacca Alessandro, Vergalli Sergio, [The Effects of Air Pollution on COVID-19 Related Mortality in Northern Italy](#)
7. 2020, 2030 Agenda Series, Laura Cavalli, Giulia Lizzi, [Port of the future : Addressing Efficiency and Sustainability at the Port of Livorno with 5G](#)
8. 2020, FACTS Series, Federica Cappelli, Gianni Guastella, Stefano Pareglio, [Institutional Fragmentation and Urbanisation in the EU Cities](#)
9. 2020, FEP Series, Giacomo Falchetta, Nicolò Stevanato, Magda Moner-Girona, Davide Mazzoni, Emanuela Colombo and Manfred Hafner, [M-LED: Multi-sectoral Latent Electricity Demand Assessment for Energy Access Planning](#)
10. 2020, Local Projects Series, Marcella De Filippo, Annalisa Percoco, Angela Voce, [Covid-19 e didattica a distanza. Il caso Basilicata, una regione a rischio digital divide](#)
11. 2020, 2030 Agenda, Laura Cavalli, Sandro Sanna, Mia Alibegovic, Filippo Arras, Gianluca Cocco, Luca Farnia, Emanuela Manca, Luisa F. Mulas, Marco Onnis, Sandro Ortu, Ilenia G. Romani, Marta Testa, [The Contribution of the European Cohesion Policy to the 2030 Agenda: an Application to the Autonomous Region of Sardinia](#)
12. 2020, FACTS Series, Alexander Golub, Kristina Govorukha, Philip Mayer, Dirk Rübberke, [How does Climate Change Affect the Transition of Power Systems: the Case of Germany](#)
13. 2020, FEP Series, Rossana Scita, Pier Paolo Raimondi and Michel Noussan, [Green Hydrogen: the Holy Grail of Decarbonisation? An Analysis of the Technical and Geopolitical Implications of the Future Hydrogen Economy](#)
14. 2020, FACTS Series, Marta Montinaro, Rupayan Pal, Marcella Scimitore, [Per Unit and Ad Valorem Royalties in a Patent Licensing Game](#)
15. 2020, 2030 Agenda, S. Quaini, S. Sacconi, S. Vergalli, L. Assom, M. Beria, A. Codello, M. Monaco, R. Sabatini, [Seasonality Fingerprint on Global Trading of Food-commodities. A Data-mining Approach](#)
16. 2020, 2030 Agenda Series, Nicola Comincioli, Paolo M. Panteghini and Sergio Vergalli, [Debt and Transfer Pricing: Implications on Business Tax Policy](#)
17. 2020, FACTS Series, Wolfgang Buchholz, Dirk Rübberke, [Overstraining International Climate Finance: When Conflicts of Objectives Threaten Its Success](#)
18. 2020, 2030 Agenda Series, Nicola Comincioli, Verena Hagspiel, Peter M. Kort, Francesco Menoncin, Raffaele Miniaci and Sergio Vergalli, [Mothballing in a Duopoly: Evidence from a \(Shale\) Oil Market](#)
19. 2020, 2030 Agenda Series, Chiara Castelli and Angela Parenti, [Commuting in Europe: An Inter-regional Analysis on its Determinants and Spatial Effects](#)
20. 2020, 2030 Agenda Series, Iwan Bos, Marco A. Marini, [Collusion in Quality-Segmented Markets](#)
21. 2020, FACTS Series, Federica Cappelli, [Investigating the Origins of Differentiated Vulnerabilities to Climate Change and their Effects on Wellbeing](#)

22. 2020, 2030 Agenda Series, Antonio Francesco Gravina, Matteo Lanzafame, Nonlinearities and the determinants of inequality: New panel evidence
23. 2020, FACTS Series, Jane da Mosto, Camilla Bertolini, Anil Markandya, Paulo A.L.D. Nunes, Tom Spencers, Arnas Palaimas, Laura Onofri



Fondazione Eni Enrico Mattei

Corso Magenta 63, Milano - Italia

Tel. +39 02.520.36934

Fax. +39.02.520.36946

E-mail: letter@feem.it

www.feem.it

