



The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

Papers downloaded from AgEcon Search may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.



On the palm oil-biodiversity trade-off: Environmental performance of smallholder producers

by Bernhard Dalheimer, Fabian Brambach, Mirawati Yanita,
Holger Kreft, and Bernhard Brümmer

Copyright 2021 by Bernhard Dalheimer, Fabian Brambach, Mirawati Yanita, Holger Kreft, and Bernhard Brümmer. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

On the palm oil-biodiversity trade-off: Environmental performance of smallholder producers*

Bernhard Dalheimer^{1*} Fabian Brambach² Mirawati Yanita³ Holger Kreft²
Bernhard Brümmer¹

¹*Department of Agricultural Economics and Rural Development, University of Goettingen*

²*Department of Biodiversity, Macroecology & Biogeography, University of Goettingen*

³*Department of Agribusiness, Jambi University*

*Corresponding author

June 2021

Abstract

Oil palm remains an important source of rural income in South East Asia. At the same time, Indonesia has become a hotspot for large-scale species extinction and a loss of biodiversity in favour of agricultural production. The present study sets out to assess the environmental performance of smallholder oil palm production with respect to biodiversity. Using a panel dataset that combines conventional farm data together with an account of plant diversity, we estimate a restricted hyperbolic environmental distance function. We integrate loss of biodiversity as an undesirable output into the production model which allows explaining shortfalls in environmental performance and the derivation of shadow prices of biodiversity conservation. We find a substantial environmental inefficiency, which is partly explained by both chemical and manual weeding practices, highlighting the potential for improvements in both the environmental and the economic dimension. Moreover, the value for conserving one species of the average biodiversity on a farmers plantation was 340 USD in 2018. Payments for ecosystem services schemes could be a viable policy response to conserve meaningful levels of biodiversity while simultaneously allowing smallholders to increase palm oil output. In general, addressing drivers of environmental performance in PES designs amplifies its effect without reducing production levels.

Keywords: *Palm oil, Biodiversity, Environmental performance, Shadow price, Hyperbolic distance function*

*This study was funded by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) – project number 192626868 – in the framework of the collaborative German-Indonesian research project CRC990. The authors thank Sebastian Lakner who discussed the paper and provided valuable comments on an early draft of the paper at a seminar presentation in Göttingen. The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.