SUNFLOWER: A LITERATURE SURVEY

January 1960 - June 1967

Library List No. 95
National Agricultural Library
U. S. DEPARTMENT OF AGRICULTURE

AVAILABILITY OF REFERENCES CITED

Loans. Most of the material in the National Agricultural Library collection may be borrowed by employees of the Department of Agriculture and by other libraries. In requesting loans, please include the Library call number found at the end of the citation.

Reproduction. Microfilm or photoprint copies of any portion of most of the publications listed in this bibliography may be obtained by placing an order with the National Agricultural Library at the address noted below. Copying charges are:

MICROFILMS:	$1.00 for each 30 pages or fraction copied from a single article or book.
PHOTOPRINTS:	$1.00 for each 4 pages or fraction copied from a single article or book.
RUSH SERVICE:	$1.00 additional for each order.

Payment must accompany the order. Cash, Library coupons, check or money order drawn to the National Agricultural Library are acceptable. Payment for orders originating outside of the United States should be made by International money order or draft on an American bank, or by UNESCO book coupons. Superintendent of Documents coupons and requests to furnish photocopy to be paid from Superintendent of Documents Deposit funds cannot be honored. Credit may be extended to Government agencies and institutions. Billing address, if other than the mailing address, should be indicated in the appropriate place. Please include ZIP Code in all addresses.

Library Coupons. National Agricultural Library coupons, valued at $1.00 each, may be purchased in any quantity.

PLEASE GIVE COMPLETE BIBLIOGRAPHIC INFORMATION AS IT APPEARS IN THIS PUBLICATION FOR EACH ITEM REQUESTED.

Address. Orders for photocopy or Library coupons, requests for order blanks, or questions regarding loan arrangements may be sent to:

U. S. Department of Agriculture
National Agricultural Library
Division of Lending
Beltsville, Maryland 20705

PREFACE

This bibliography includes references to material on various aspects of sunflower (Helianthus annuus) cultivation and utilization both in the United States and abroad. It contains listings of books and articles on the growth and uses of the sunflower and on the production of sunflower oil and its by-products.

Since this was intended to be a general survey of the available literature, no attempt has been made at selectivity.

Call numbers following the citations are those used in the National Agricultural Library.

Compiled in the Division of Reference by Merne H. Posey.

PRINCIPAL SOURCES CONSULTED

Bibliography of Agriculture, 1960-June 1967
Chemical Abstracts, 1960-1967
Biological Abstracts, 1960-1967
Biological and Agricultural Index, 1960-1967
Field Crop Abstracts, 1960-1967
Horticultural Abstracts, 1960-1967
Plant Breeding Abstracts, 1960-1967
Herbage Abstracts, 1960-1967
Dissertation Abstracts, 1960-1967
Applied Science and Technology Index, 1960-1967
Agronomy Abstracts, 1960-1967

Issued June 1969

1, ABDURAZAKOV, K. Salt resistance of field crops. (Rus) Sel'sk. -Khoz. Uzbekistana 1962 (10): 43-45. 20 Se479

Sunflower was one of the crops studied.

2. ABELES, F. B. Auxin stimulation of ethylene evolution. Plant Physiol. 41(4):585-588. Ref. Apr. 1966. 450 P692

From seeding tissue of beans, sunflowers, and corn, by growth regulators.

3. ABLOV, A. V., and BATYR, D. G. Determination of reducing substances in hydrolyzates. (Rus) Gidroliz. i Lesokhim. Prom. 13 (2):7-10. 1960. 301.8 G36

Sunflower seed hulls were studied.

4. ABRAMS, L. , and FERRIS, R. S. Illustrated flora of the Pacific states. Vol. IV. Bignoniaceae to Compositae. Bignonias to sunflowers. Stanford, Calif., Stanford Univ. Press, 1960. 732 p. 455.8 Ab8

Contains a description of the sunflowers growing wild in Pacific Coastal regions.

5. ABROL, Y. P. Boron deficiency and ribonuclease activity in plants. Indian J. Biochem. 3(4):263-264. 448.8 In22

6. ACIMOVIC, M. Sclerotium bataticola Taub. as an agent of sunflower wilt in Vojvodina. (Se) Zastita Bilja 69/70:125-138. 1962. 464.8 Z1

English summary.

7. AGARKOV, V. A. Downy mildew of sunflowers in the Khmelnytzki Region. (Rus) Zashch. Rast. ot Vred. i Boleznei 1962(2):54. Feb. 421 Z1

Caused by Plasmopara halstedii, includes control.

8. AGARWALA, S. C., and KUMAR, A. The effect of heavy metal and bicarbonate excess on sunflower plants grown in sand culture, with special reference to catalase and peroxidase. Indian Bot. Soc. J. 41(1):77-92. Ref. 1962. 450 J821

9. AGUILAR, J. D'., and PACQUETIAN, B. Damage done to sunflowers by slugs. (Fr) Phytoma 15(144):27-28. Jan. 1963. 464.8 P563

10. AHO, L, and WAHLROOS, O. A comparison between determinations of the solubility of oxygen in oils by exponential dilution and chemical methods. Amer. Oil Chem. Soc. J. 44(2):65-66. 1967. 307.8 J82

Sunflower oil.

11. AKIMOV, E. P., GUREVICH, I. YA., and KOVALENKO YU. T. Oil seed meal from peeled and unpeeled seeds of high quality varieties of sunflower in rations of dairy cattle (Rus) In Dmitrochenko, A. P., ed. Kormlenie sel' skokhozyaistvennykh zhivotnykh, p. 54-70. 1960. 389.7 D64

12. AKIMTSEV, V. V., and SHAKURI, B. K. Manganese, cobalt, copper, zinc, and molybdenum contents in northern Azov and Caucasus foothill chernozems and their effect on growth, development, and yield of corn and sunflower. (Rus) Mikroelementy v Sel'sk. -Khoz. i Med. Sb. 1963: 449-452. QH659 . A35

13. ALEKSANDROVA, N. N., and BEDULEVICH, T. S. Fatty acid composition of vegetable oils. (Rus) Vopr. Pitaniya 24(6):20-22. 1965. 389.8 V89

Including sunflower oil.

14. ALEKSEEV, A. M., and FEDOTOVA, L. A. Effect of water regime of the root on the active supply by it to the plant. (Rus) In Akademiya Nauk SSSR. Laboratoriya Lesovedeniya. Fiziologiya drevesnykh rastenii, p. 27-31. 1962. 463.3 Ak13

Chiefly on sunflower excretions.

15. ALESHIN, E. P., and RYAZANTSEVA, M. I. Effect of storage conditions on the quality of high-fat-conditioning sunflower seeds. (Rus) Soobshch. Ref. Vses Nauchn. Issled. Inst. Zerna Produkt. Ego Pererabotiki 1960(3):14 15. 451 K83

16. ALESHIN, E. P., FILIN-KOLDAKOV, B. V., and BROTNIKOVA, T. P. On the problems of the effect of 2, 4-D on some fermentation processes of plants. (Rus) Khim. Sel'skom Khoz. 3(12):37-41. Ref. Dec. 1965. 385 K524

Includes phosphorylation and oxidase in sunflowers and Brassica.

17. ALEXANDER, D. E. The "Lysenko method" of increasing oil content of the sunflower. Crop Sci. 3(3):279-280. May/June 1963. 64.8 C883
Breeding.

18. ALEXANDRESCU, V. The degradation of tributyrin and sunflower oil by pancreatic lipase, in the presence of biliary mucus. (Rum) Acad. Rep. Populare Romine, Inst. Biochim., Studii cercetari biochim. 3(1):39-44. 1960.

19. ALFEROVA, L. N. Effect of animal and vegetable fat in blood coagulation in patients with hypertensive vascular disease. (Rus) Terapevt. Arkh. 34.(12):20-26. 1962.

20. ALIEVA, O. KH. Effect of some vegetable oils on blood lipids in atherosclerosis. (Rus) In Riga Zinatnu Akad. Vopr. Pitaniya. Sb. p. 189-195. 389.9 R43

21. ALPATOVA, E. F. Effect of individual (isolated) spectral rays on pigment formation during etiolation of seedlings. (Rus) Leningrad. Vses. Fiz-Agron. Inst. Sb. Rabot Agron. Fiz. 1962(9):70-74. 334.9 L54
Sunflower sprouts were among the seedlings studied.

22. ALPATOVA, E. F. Effect of radiation from different spectral regions on formation of pigments in etiolated seedlings. (Rus) Leningrad. Vses. Fiz-Agron. Inst. Sb. Rabot Agron. Fiz. 1962 (9):70-74. 334.9 L54
Etiolated seedlings of sunflower, and other plants, were studied.

23. ALUMOT, E., and CALDERON, M. Bromine residues in oil seeds and oil meals after fumigation with ethylene dibromide. J. Sci. Food Agr. 16(8): 464-468. 1965. 382 So12

24. AMBERGER, A., and EL-FOULY, M. M. The ascorbic acid oxidase activity and ascorbic acid content of plants with different nitrogen and trace elements nutrition. (Ge) Z. Pflanzenernaehr., Dueng. Bodenk. 105(1):37-49. 1964. 384 Z343A
Corn, bushbeans, and sunflower.

25. ANASHCHENKO, A. V. The chemical castration of sunflower plants. (Rus) Vses. Akad. Sel'skokhoz. Nauk Dokl. 1967(2):17-18. 20 Ak1

26. ANASTASIU, A. Contributions a la connaissance a`la rentabilite´de la culture du tournesol dans les E. A. d'E. (In Rumanian.) Prob. Agr. [Bucharest] 12(7): 34-40. July 1960. 21 R862
French summary.

27. ANDREENKO, G. V., GLADYSHEV, B. N., and PANTYUSHINA, N. N. Effect of lipopolysaccharides of higher plants (phytolipopolysaccharides) on fibrinogen content and fibrinolytic activity of blood in rats. (Rus) Nauchn. Dokl. Vysshei Shkoly, Biol. Nauki 1964(1): 84-8. 442.8 N22

28. ANDREEV, K., LAZAROV, M., and RAKITSKA, V. Contribution to the study of resistance of sunflower (Helianthus annuus) to the sunflower destroyer (Orobanche cumana Wallroth). (Ge) Bulgar. Akad. na Nauk. Dok. 18(2):153-156. Ref. 1965. 512 So2

29. ANDREEV, K. Dynamics of the glucose, fructose and sucrose content in sunflower variety Sofia A. (Bu) Vissh Selskostopanski Inst. "Georgi Dimitrov" Agron. Fak. Nauchni Tr. 10(38):147-155. 1961. 106.3 Se4N

30. ANDREEV, K. Dynamics of the total protein, nonprotein, and amine N content in the leaves, stems, heads, and seeds of sunflower. (Bu) Selskostopan. Nauka 2(11): 1317-1323. 1963. 21 Se492

31. ANDREEV, K., and LAZAROV, M. Study on some substances containing nitrogen and carbohydrates in broom rape (Orobanche cumana Wallroth) parasitizing on sunflower (Helianthus annuus L.). (Bu) Rastenievudni Nauk. 3(4):65-71. 1966. 64.8 R18
English summary.

32. ANDREEVA, I. F., and KORZHEVA, G. F. Effect of spectral composition and intensity of light on formation of amino acids in leaves. (Rus) Fiziol. Rast. 11(6):951-960. Ref. 1964. 450 F58
English summary.

33. ANDREEVA, I. N. Absorption of minerals by plants subjected to a desiccant wind. (Rus) Fiziol. Rast. 11(1): 79-86. 1964. 450 F58

Corn and sunflower root systems were investigated.

34. ANDREEVA, T. F., and KORZHEVA, G. F. Diurnal variations in the content of amino acids in sunflower leaves. (Rus) Akad. Nauk SSSR. Dok. 143(6):1455-1458. Ref. Apr. 1962. 511 P444A

With reference to phtosynthesis.

This article will appear in English translation in Doklady:biological sciences sections (511 P444Aeb).

35. ANDREEVA, T. F. Formation of amino acids and proteins in plant leaves during photosynthesis. (Rus) Fiziol. Pitaniya, Rosta i Ustoichivosti. Rast. v. Sibiri i na Dal'nem Vostoke, Akad. Nauk SSSR, Sibirsk, Otd., Vost.-Sibirsk. Biol. Inst., Tr. Pervoi Konf. Fiziologov i Biokhimikov, Irkutsk 1960. p. 104-110. Pub. 1964.

36. ANDREEVA, T. F., and KORZHEVA, G. F. Peculiarities of formation of amino acids and proteins in plant leaves during photosynthesis. (Rus) Fiziol. Rast. 8(4):441-448. 1961. 450 F58

37. ANDRIC, M., DELIC, I., and LAZOR, M. Sunflower and soybean meal as sources of proteins in the feeding of chicks. (Se) Stocarstvo 18 (1/2):80-87. Jan./Feb. 1964. 43.8 St6

English summary.

38. ANGUS, D. E., and BIELORAI, H. Transpiration reduction by surface films. Aus. J. Agric. Res. 16(2):107-112. 1965. 23 Au783

On sunflower plants.

39. ANISIMOV, A. A. Diurnal periodicity of the composition of labeled assimilates in connection with their movement in plants. (Rus) Fiziol. Rast. 12(5):935-938. Ref. Sept./Oct. 1965. 450 F58

Potatoes, corn, and sunflowers.

40. ANISIMOV, A. A., and others. Translocation during infiltration of osmotically active substances into leaves. (Rus) Fiziol. Rast. 9(1):16-20. 1962. 450 F58

L. A. Kuznetsova, I. S. Dubovskaya, E. V. Likhovidova, joint authors.

41. ANISIMOV, A. A., and others. 24-hr. periodicity of assimilate translocation. (Rus) Akad. Nauk SSSR. Dokl. 146(6):1441-1444. 1962. 511 P444A

E. K. Fuzina, L. A. Dobrjakova, and E. V. Lihovidova, joint authors.

42. ANISIMOVA, E. G., SHUR, S. I., and SHMIDT, A. A. Conditions causing phase inversion in some emulsions. (Rus) Maslob.-Zhir. Prom. 29(7):18-21. 1963. 307.8 M37

Phase inversion is studied in emulsions of refined sunflower oil.

43. APPELQVIST, L. A. Further studies on a multisequential method for determination of oil content in oil seeds. Amer. Oil Chem. Soc. J. 44(3):209-214. 1967. 307.8 J82

44. AMSTRONG, G. M., and AMSTRONG, J. K. Wilt of Mexican sunflower (Tithonia rotundifolia) caused by the celery (Apium graveolens var. dulce) -wilt Fusarium (oxysporum f. apii). Plant Dis. Rep. 50(6):391-393. 1966. 1.9 P69P

45. ARMSTRONG, G. M., and ARMSTRONG, J. K. Wilt of Mexican sunflower (Tithonia rotundifolia (Mill.) Blake):causal agent, the wilt Fusarium from celery. Phytopathology 52(8):722. 1962. 464.8 P56

46. ARSLAN-CERIM, N. The redistribution of radioactivity in geotropically stimulated hypocotyls of Helianthus annus pretreated with radioactive calcium. J. Expt. Bot. 17(51):236-240. Ref. May 1966. 450 J8224

47. ARU, L. Anatomical and histological structure of hypocotyl of decotyledonated sunflower shoots. (Es) Akad. Nauk Est. SSR. Obshch. Estestvoispyt. Aastaraamat 56:116-124. Ref. 1964. 511 Ak191

Germany summary.

48. ARU, L. Biochemical changes in sunflower leaves caused by inoculation of the seed bud. (Rus) Tartu. Gosud. U. Uch. Zap. 151:157-167. 1964. 451 T173T

Abstracted in Ref. Zh. Biol. 19(sect. G):5. Oct. 1965. 241.7 R25

49. ARU, L. The number of stomata in sunflower leaves (Es) Akad. Nauk Estonskoi SSR. Obshch. Estestisp. Aastar. 54:134-143. 1961, pub. 1962. 511 Ak191

English summary

50. ASALIEV, A. I. Effect of superphosphates and ammonium nitrate on yield and oil content of sunflower, grown on salty soils. (Rus) Khim. Sel' skom Khoz. 4(12):13-14. Dec. 1966. 385 K524

51. ASAULYAK, YA., and VARKAN, V. Herbicides for sunflowers. (Rus) Kolkhoz. -Sovkhoznoe Proizv. Moldavii 2:38-39. Feb. 1965. 20 Z45
Eptam.

52. AUERMAN, L. YA., PUCHKOVA, L. I., and PROKUSHENKOVA, L. I. The surface active properties of phosphatide concentrate. Iz. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. (Rus) 1960: (5):59-62. 389.8 I28

53. AVILOVA, L. D., and MATUKHIN, G. R. The effect of ions Cl' and SO_4" on the accumulation and distribution of nucleic acids in the root cells of the sunflower. (Rus) Bot. Zhur. [Moscow] 49(9): 1335-1338. Ref. Sept. 1964. 451 R923

54. AVILOVA, L. D. The thermostability of epidermal cells of albino, green etiolated sunflower plants. (Rus) Tsitologiya 4(1):73-76. Jan./Feb. 1962. 442.8 T78
This journal will appear in English translation 442.8 T78Ae.

55. AZHGIKHIN, I. S. Determination of the hardness of supository bases by means of the Kaminskii apparatus. (Rus) Aptechn. Delo 14(1):14-19. 1965.
Hydrogenation products of sunflower oil were among those tested.

56. BADANOVA, K. A. Effect of drought and dust storm on metabolism of plants resistant to drought. (Rus) In Akademiya Nauk. SSSR. Institut Fiziologii Rastenii im. K.A. Timiryazeva. Vodnyi rezhim rastenii v svyazi s obmenom veshchestv i produktivnost'yu, p. 230-234. Ref. 1963. 463.3 Ak1V
Sunflowers.

57. BADANOVA, K. A. Importance of the collodial and chemical properties of protoplasm for the drought resistance of plants. (Rus) Vodn. Rezhim Rast. v. Zasushlivykh Raionakh SSSR, Akad. Nauk SSSR 1961: 223-232.
Sunflower leaves were among the materials investigated.

58. BAER, C. H. The comparative xerophytism of individual sunflower leaves relative to their age and location along the stem axis. Diss. Abs. 22(6):1802-1803. 1961. 241.8 M58

59. BAGAZHOV, S. G., and ARKHIPOV, M. I. The synthesis of duodecylphenol-formaldehyde resin and the study of its properties. (Rus) Lakokrasochnye Materialy i ikh Primenenie 1961 (5):16-19.
Sunflower oil was used as an ingredient in the making of a weather proof varnish.

60. BAGLAI, G. I., and PORTNOI, M. M. On the article of V. I. Popov "Prices of sunflower seeds based on their oil content." (Rus) Maslozhirovaya Prom. 1:40-42. Jan. 1965. 307.8 M37

61. BAGLAI, G. I. Refractometric determination of oil content. (Rus) Ukr. Nauchn. -Issled. Inst. Maslozhir. Prom. Sb. Statei o Rabotakh 1959-1961, 4-5. Pub. 1963.
Sunflower husks were examined.

62. BAGLAI, G. I., and CHEPURNYAK, E. Z. Relation between the refractive index of an oil solution and its concentration. (Rus) Maslob. -Zhir. Prom. 30(12):31-33. 1964. 307.8 M37

63. BAJESCU, N., and CORBEANU, S. Dynamics of phosphorus absorption in the sunflower; studies with P32. (Rum) Bucharest. Acad. Rep. Pop. Romine. Comun. 13(7):629-637. 1963. 512 B8522C

64. BAKER, A. S., and MORTENSEN, W. P. Residual effect of single borate applications on western Washington soils. Soil Sci. 102(3):173-179. 1966. 56.8 So3
Sunflower and alfalfa were used as test crops.

65. BAKOS, ZS. Let us get to know our sunflower varieties. (Hu) Magyar Mezogazdsag 1961: 11-12. 19 M27

66. BAKOS, ZS. Sunflower; a plant with many uses. (In Hungarian.) Magyar Mezogazdsag 16(5): 8-9. Feb. 1, 1961. 19 M27
Chiefly on varieties.

67. BAKOS, ZS. Sunflower (Helianthus annuus L.). (Hu) In Hungary. Novenyfajtaminosito Tanacs. Titkarsag. Nemesitett novenyfajtakkal vegzett orszagos fajtakiserletek eredmenyei, 1960, p. 249-271. 1962. 64.9 H89
English summary.
Variety trials.

68. BAKURDZHIEVA, N. Foliar water intake and its dependence on the intensity of transpiration, temperature and light conditions. (Bu) Bulg. Akad. Nauk. Inst. Fiziol. Rast. "Metod. Popov." Izv. 15:269-278. Ref. 1966. 442.9 B87
English summary.

69. BAKURDZHIEVA, N. T. On the penetration of water and salts into leaves. (In Bulgarian.) Bulgar. Akad. na Nauk. Inst. po Biol. "Metodii Popov." Izv. 10:175-202. 1960. 442.9 B87
English summary.
Experiments on sugar beets and sunflower.

70. BALANESCU, G., ILLE, C., and BRAND, I. Determining the cellulose content of sunflower extraction residues. (Rum) Indus. Aliment. 16(12): 647-650. Ref. Dec. 1965. 389.8 In26
English summary, p. 676.

71. BALLARD, L. A. T., and WILDMAN, S. G. Induction of mitosis by sucrose in excised and attached dormant buds of sunflower (Helianthus annuus L.) Austral. J. Biol. Sci. 17(1):36-43. Ref. Feb. 1964. 442.8 Au72

72. BANDEMER, S. L., and EVANS, R. J. The amino composition of some seed. J. Agric. Food Chem. 11(2):134-137. 1963. 381 J8223
Data given for sunflowers among others.

73. BARA, M. The action of gravitation on the auxin level of Helianthus annuus hypocotyles. (Fr) Physiol. Plant. 15(4):725-728. Ref. 1962. 450 P564

74. BARA, M. The effect of gravitation on hormone production by Helianthus annus hypocotyles. (Fr) Istanbul. U. Fen Fakul. Mecmuasi (ser. C) 27(3/4):160-180. Ref. July/Oct. 1962. 475 Is7

75. BARA, M. Effects of chnostat on tryptophan synthesis in Helianthus annus. (Fr) Physiol. Plant. 18(4):1037-1043. Ref. 1965. 450 P564

76. BARA, M., and HASMAN, M. Investigations on auxin gibberellin interaction on the phototropism of Helianthus annuus hypocotyl. Plant & Cell Physiol. 4(1):73-77. Ref. Mar. 1963. 450 P699

77. BARCZA, D., and PEREDI, J. Change in soap content during purification of sunflower oil. (Hu) Novenyolaj-es Haztartasi Vegyipari Kutatointezet Kozlemenyei 1961:4-9.

78. BARDIN, N. L., and MARSHALKO, M. I. Some results of sunflower growing. (Rus) Sel'sk. Khoz. Povolzh'ya 1961(9):66-67. Sept. 20 Se478

79. BAROCCIO, A., and CELI, G. The influence of molybdenum on the root absorption behavior of some cultivated plants (It) Agr. Ital. (64(1-2):11-23. 1964. 16 Ag 8267
Sunflower was among the crops observed.

80. BAROCCIO, A., and CELI, G. Preliminary investigations on the influence of Mo on root absorption in some cultivated plants. (It) Rome. Staz. Chim. Agr. Sper. Annali 217. 13 p. 1963. 105.4 R66
English summary.
Trials were carried out on sunflower among others.

81. BARRS, H. D. Root pressure and leaf water potential. Science 152(3726):1266-1268. Ref. May 27, 1966. 470 Sci2
In pepper and sunflower plants.

82. BARTELS, A. The growing of summer catch-crops and its effect on soil fertility. (Ge)Z. Landw. Vers.-u. UntersuchWes. 10(5):397-406. 1964. 18 Z32
Sunflower was among the crops used.

83. BARTENEV, V. A., and KOSTSOV, P. A. Preparation of sunflower seeds for planting by mounted seeders. (Rus) Sel'sk. Khoz. Serv. Kavkaz. 1962(2):48-50. Feb. 20 Se495
Chiefly cleaning and grading.

84. BARUA, D. N. Effect of age and carbon-dioxide concentration on assimilation by detached leaves of tea and sunflower. J. Agr. Sci. [London] 55(3):413-421. Ref. Dec. 1960. 10 J822

85. BASKAKOV, Y. A. Translocation of herbicide IPC in oat and sunflower plants. (Rus) Zashch. Rast. ot Vred. i Boleznei 1961(7):34-35. July. 421 Z1

86. BASUTOLAND. DEPT. OF AGRICULTURE. Crop studies (variety trials in Basutoland. In Its Report 1960:62-75. 24 B29

Discusses yields from different varieties of sunflowers and other crops.

87. BATTU, A. N., and PHATAK, H. C. Observations on a mosaic disease of sunflower. Indian Phytopathol. 18(3):317. 1965. 464.8 In2

88. BAYER, M. On the activation of the inhibitor system of Helianthus by short-period lighting. (Ge) Planta 57(3):258-265. Ref. 1961. 450 P693

89. BEBEKH, N. D. Dates for defoliation of sunflowers in the western Siberia, using magnesium chlorate. (Rus) Maslo-Zhir. Prom. 12:15-16. Dec. 1966. 307.8 M37

90. BEDNIAGIN, F. I., and DUBONOSOV, T. S. The effectiveness of feeding agricultural animals with flowers and stems of sunflowers. (In Russian.) Vest. Sel'skokhoz. Nauki 1960(8):131-133. Aug. 20 V633

Cattle.

91. BEDNYAGIN, F., and DUBONOSOV, T. Sunflowers are an important source of feed. (Rus) Zeml. i Zhivotn. Moldavii 8:39-40. Aug. 1962. 20 Z45

92. BEKETOVSKII, S. N. Obtaining solutions of amino acids from sunflower cake (Rus) Ukr. Khim. Zh. 28: 526-527. 1962. 385 K54

93. BELEN'KII, S. I., and KNYAZEVA, R. F. The integral processing of sunflower husks into furfural and feed yeast. (Rus) Khim. Pererab. Drev., Ref. Inform. 9:7-10. 1966.

94. BELETSKII, YU. D. Effect of radioactive phosphorus on the growth and development of albino and green sunflower plants. (Rus) Materialy 3-ei (Tret'ei) Nauchn. Konf. Aspirantov Rostovsk. Univ., Rostov-on-Don, Sb. 1961. p. 309-312.

95. BELEVCEV, D. N. Pre-sowing soil cultivation and dates for sowing sunflower. (Rus) Vestn. Selsk'khoz. Nauk. 7(4):52-59. 1962. 20 V633

96. BELEVTSEV, D. N. Effect of cultural practices on the accumulation of oil in sunflower seeds. (Rus) Masl.-Zhir. Promysh. 1962(6):8 10. June. 307.8 M37

97. BELEVTSEV, D. N. Nutrition areas of sunflowers in the zone of insufficient moisture. (Rus) Zemledelie 1962(3):60-70. Ref. Mar. 20 Z44

With reference to planting density.

98. BELEVTSEV, D. N. Peculiarities of oil for formation and forming of sunflower seeds in zone of deficient humidity. (Rus) Vest. Sel'skokhoz. Nauki [Moscow] 8:62-69. Aug. 1963. 20 V633

English summary.

99. BELEVTSEV, D. N., and REZNIKOV, P. I. Soil preparation and planting date of sunflowers. (In Russian.) Sel'sk. Khoz. Sev. Kazkaz. 1961(3): 45-47. Mar. 20 Se495

100. BELOBORODOV, V. V., and IVANOVA, N. A. Atomizer (tangential) performance in distillation of miscella. (Rus) Masloz. Zhir. Prom. 28(2):4-8. 1962. 307.8 M37

101. BELOBORODOV, V. V., and others. The behavior of sunflower (seed) proteins at the time of extraction and desolventization of the grist. (Rus) Maslob.-Zhir. Prom. 30(2):5-7. 1964. 307.8 M37

N. A. Ivanova, O. I. Al'binskaya and A. G. Neshchadim, joint authors.

102. BELOBORODOV, V. V., and IVANOVA, N. A. An investigation of oil quality and protein denaturation in processing of high oil-content sunflower seeds. (In Rusian.) Masl.-Zhir. Promysh. 1960(1):1-4. Ref. Jan. 307.8 M37

103. BELOBORODOV, V. V. Liquid extraction of ligroine solutions of vegetable oils. (Rus) Tr. Vses. Nauchn.-Tekhn. Soveshch. Protesessy Zhidkostnoi Ekstraktsii i Khemosorbtsii, 2d, Leningrad 1964: 277-281. 1966.

104. BELOBORODOV, V. V. The most important industrial factors for an effective distillation of miscella by the pulverization method. (Rus) Maslob.-Zhir. Prom. 29(4):9. 1963. 307.8 M37

Sunflower oil.

105. BELOBORDOV, V. V. Preliminary distillation of micelles in a climbing-film (evaporator). (Rus) Maslob. Zhir. Prom. 29(2):5-8. 1963. 307.8 M37

Sunflower oil.

106. BELOBORODOV, V. V., and IVANOVA, N. A. Preliminary distillation of miscella by an atomization method. (Rus) Maslob.-Zhir. Prom. 28(7):10. 1962. 307.8 M37

107. BELOBORODOV, V. V., and others. Proteins of sunflower seeds during the extraction of processes and the removal of solvents from the meal. (Rus) Masl.-Zhir. Promysh. 2:5-7. Ref. Feb. 1964. 307.8 M37

N. A. Ivanova, O. I. Al'binskaya and A. G. Neshchadim, joint authors.

108. BELOBORODOV, V. V. Terminal distillation (solvent removal) of miscella in a falling film evaporator. (Rus) Maslob.- Zhir. Prom. 29(7):4-11. 1963. 307.8 M37

109. BELOBORODOV, V. V., and BUKHTAREVA, E. F. Use of acetone in the extraction of vegetable oils. (Rus) Maslob.-Zhirov. Tr. 1959(19):139-145. 307.8 M37

110. BELOBORODOV, V. V. Use of the theory of equality in the calculations involved in extraction of vegetable oils. (Rus) Vses. Nauchn.-Issled. Inst. Zhirov. Tr. 1959 (19):139-145. 307.9 M85

111. BELOZEROVA, N. A. Preceding crops for spring wheat in the steppe regions of Siberia. (Rus) Zemledelie 8(2):56-59. 1960. 20 Z44

Sunflower is one of the crops discussed.

112. BENECKAJA, G. K. The biology of flowering in sunflower. (Rus) Agrobiologia 1960(2): 266-267. 20 Ag822

113. BENECKAJA, G. K. Problems on floral biology in sunflower. (Rus) Agrobiologia 1960(2): 266-267. 20 Ag822

114. BENETSKAIA, G. K. Contribution to the knowledge of the biology of the flowering of the sunflower. (In Russian.) Agrobiologia 1960(2):266-267. Mar./Apr. 20 Ag822

115. BENGTSSON, A. Forsok med Solros som grönfodervaxt. Untersuchungen über die Sonnenblume als Futterpflanze. Uppsala. Lantbrhogsk. och Stat. Lantbrforsok. Stat. Jordbrforsok. Meddel. 104, 20 p. Ref. 1960. 104 Up63

German summary.

116. BERBECEL, O., and others. Current evaluation of agrometeorological conditions and Prognosis of crop growth and yield. U. S. Joint Publ. Res. Serv. Transl. East. Europe. Agr. Forest. Food Indus. 374:60-72, map. Ref. July 12, 1965. (JPRS 31, 944; TT 65-31542) 173 J663Ste

S. Apetroaei, I. Miha, and M. Eftimescu, joint authors.

Wheat and sunflowers in Rumania.

Translation from Probleme Agriocole 4:4-15. Apr. 1965.

117. BEREZOVSKII, M. YA. Mutual action of plant and herbicide. (Rus) Khim. Sel'skom Khoz. 3 (9):40-47. Ref. Sept. 1965. 385 K524

Effects of 2, 4-D and barbane on sunflowers and spring wheat.

118. BERKI, E., and others. The role of unsaturated fatty acids in experimental atherosclerosis. (Hu) Magy. Belorv. Arch. 14(4): 143-145. 1961.

T. Halmos, A. Koranyi, and G. Kozma, joint authors.

Sunflower seed oil decreases the level of serum cholesterol and fats and has an antiatherosclerotic action.

119. BERNDORFER, E. K. The determination of tocopherols in vegetable oils by paper chromatography. (Hu) Budapesti Muszaki Egyetem Elelmiszerkemiai Tanszekenek Kozlemenyei 1961 (1):7-11. 385 B854B

120. BERNHARD, K., LEISINGER, S., and PEDERSEN, W. Vitamin E and arachidonic acid information in the liver (Ge) Helv. Chim. Acta 46(5):1767-1772. 1963. 385 H36

Sunflower oil was used in the experimental diet.

121. BERTONI, M. H., and others. Domestic sunflower seed oils; chemical composition (Sp) Asoc. Quim. Argent. An. 54(1/2):101-115. Ref. Mar./June 1966. 385 So1A

G. Karman De Sutton, P. Cattaneo, and J. G. Gomez Artero, joint authors.

English summary.

122. BESPYATOV, M. P., and POLSTYANOI, V. I. Hydrolysis of fats at high temperatures in the presence of alkali catalysts. (Rus) Maslob.-Zhir. Prom. 28(6):14-17. 1962. 307.8 M37

123. BEYUL, E. A., and others. Use of 131 I-labeled oil for studies of lipid metabolism. (Rus) Med. Radiol. 9(10):52-57. 1964.

E. G. Paramonova, V. K. Zikeeva, and K. M. Karataev, joint authors.

124. BHATTY, M. K., and CRAIG, B. M. Silicic acid-silver nitrate chromatography as an enrichment technique in fatty acid analysis. Am. Oil Chemists' J. 41 (7): 508-510. 1964. 307.8 J82

Sunflower oil was one of those analyzed.

125. BIANU, I., and MARGHIDAN, N. Economic effectiveness of harvesting sunflowers with selfpropelled combines. (Rum) Rev. Gosp. Agr. Stat 18(1):10-11. Jan. 1966. 21 R32

126. BIELORAI, R., and BONDI, A. Relation between antitryptic factors of some plant protein feeds and products of proteolysis precipitable by trichloroacetic acid. J. Sci. Food Agr. 14:124-132. 1963. 382 So12

Sunflower meal was fed to chicks in this experiment.

127. BIHARI, F. The sunflower and Merkazin. (Hu) Magyar Mezogazdasag 21(49): 14-15. Dec. 7, 1966. 19 M27

Weed control.

128. BILTEANU, G., BRAD, I., and RADA, V. Influence of mineral nutrition on catalase activity in sunflower and maize (Rum) Bucharest. Acad. Repub. Pop. Romine. Studii si Cercet. de Biol. Ser. Biol. Veg. 14(3):287-297. 1962. 451 B852

French summary.

129. BILTEANU, G., and VOICA, R. Researches for the determination of critical periods in sunflower mineral nutrition. (Rum) Bucharest. Inst. Agron. "N. Balcescu." Lucrari Sti Ser. B, 6:103-117. 1962. 106.4 B854B

English summary.

130. BISTI, E. G. Valuable green manures. (Rus) Sadovodstvo 7:18. July 1965. 80 Sa13

Sunflower on fruit orchards.

131. BITKOLOV, R. SH. Sunflower and bees. (Rus) Pchelovodstov 38(5):20-21. 1961. 424.8 P295

132. BLAIM, K. The occurrence of betaine and choline in seeds. (Pol) Roczn. Nauk Rol. Ser. A. 86(3):527-531. 1962. 20.5 R59

133. BLATTNA, J., and MANOUSKOVA, J. Fats from the standpoint of essential fatty acids. (Cz) Veda Vyzkum Prumyslu Potravinarskem 12:251-274. 1963. Pub. 1964. 389.8 B83

To improve the quality of sunflower oil, only a moderate processing is recommended.

134. BOBEK, P., and GINTER, E. The effect of thermal adjustment of sunflower-oil on its resorption in rats. Nutritio et Dieta 5(1):30-37. 1963.

135. BOCK, H.-D., WUNSCHE, J., and NEHRING, K. Feed value of oil meals, especially of foreign origin. III. Protein quality of oilseed byproducts. (Ge) Arch. Tierenahrung 15 (4):309-319. 1965. 389.78 Ar22

136. BODYAZHINA, Z. L., and BOGATYREVA, N. A. Drying oils made from fatty acids extracted from soapstocks. (Rus) Vses. Nauchn. -Issled. Inst. Zhirov. Tr. 1961(22):134-140. 307.9 M85

Sunflower seed oil soap stock was one of those used in the study.

137. BOITSOVA, V. P. New variety of sunflower for the Tselinny area. (Rus) Selek. i Semen. 6:53-54. Nov./Dec. 1963. 61.9 Se5

Breeding.

138. BOITSOVA, V. P., and BURYAKOV, YU. Oil plants in the Kustanai Region. (Rus) Sel'sk. Khoz. Kazakhstana 1:42-43. Jan. 1963. 20 K185

Sunflower culture.

139. BONFANTI, M. A. Future possibilities for sunflower in Argentina. (Fr) Oleagineux 15(10): 715-718. 1960. 77.8 OL2

140. BONFERONI, B., CECCHETTI, E., and MELONI, C. The influence of diet on the lipid composition of the liver, serum, and storage fat of the rat, and their fatty acid composition. II. Variation in liver, serum, and storage fatty acids of rats during a hyperlipid diet, and after a period of fasting following this diet. (It) Arteriosclerosis 2(2): 285-290. 1964.

141. BORGES, B. Sunflower culture in certain countries of Eastern Europe (Russia, Rumania, and Yugoslavia). (Por) Gaz. Agr. Angola 11 (9):1383, 1386. Sept. 1966. 24 G252

Industry.

142. BORGES, J. B. Sunflower; situation and outlook for its culture in Angola. (Por) Gaz. Agr. Angola 19(4):137-193. Apr. 1965. 24 G252

143. BORGES, J. B. Sunflowers. (Por) Gaz. Agr. Angola 11(6):1149, 1151. June 1966. 24 G252

Culture.

144. BORODIN, L., and others. Sunflower fertilizing on the Chernozems in the Western Siberia. (Rus) Sel'sk Khoz. Sibiri 1961(4):28-30. Apr. 20 Se492

G. Azovtsev, P. Ivarovskii, and A. Leunova, joint authors.

145. BORREGON, M., CARBALLIDO, A., and VALDEHITA, M. T. Spectrophotometry in the ultraviolet zone of olive, soybean, peanut, and sunflower oils and their mixtures. (Sp) An. Bromatol. 17(4):361-388. Ref. 1965. 389.8 An1

English summary.

146. BORREGON, M., CARBOLLIDO, A., and VALDEHITA, M. T. Ultraviolet spectrophotometry of oils from olives, soybeans, peanuts, sunflower seeds, and their mixtures. (Sp) Anales Bromatol. 17(4):361-388.1965. 389.8 An1

147. BOTHA, M. B., WETHLI, E., and RIDDER, G. J. DE. Plant proteins would be cheaper in chicken rations. Farming So. Africa 40(1): 43-44. Apr. 1964. 24 So842

Sunflower, peanut, and soybean oilmeals.

148. BOTOS, L. Cultivation and economy of sunflowers. (Hu) Magyar Mezogazdasag 18(15):10. Apr. 10, 1963. 19 M27

149. BOTOS, L. Economic aspects of the culture of sunflower with high oil-bearing quality. (Rus) Mezhdunarod. Sel'skokhoz. Zhur. 5:32-35. 1963. 20 M57

150. BOTOS, L. Harvesting of sunflower. (Hu) Magyar Mezogazdasag 19(38):6-7. Sept. 16, 1964. 19 M27

Equipment.

151. BOTOS, L. Harvesting of sunflowers. (Hu) Magyar Mezogazdasag 17(36):10-11. Sept. 5, 1962. 19 M27

Equipment.

152. BOTOS, L. It is worthwhile to produce sunflowers. (In Hungarian.) Magyar Mezogazdasag 16(1):9. Jan. 3, 1961. 19 M27

153. BOTOS, L. Our most important oil plant; the sunflower. (Hu) Magyar Mezogazdasag 17(13):12-13. Mar. 28, 1962. 19 M27

154. BOTOS, L. Production of sunflowers with large oil content. (Hu) Magyar Mezogazasag 19(4):5-6. Jan. 22, 1964. 19 M27

155. BOTOS, L. Sunflower breeding in Hungary. (Hu) Agrartudomany 12(11):20-27. Nov. 1960. 19 Ag83

156. BOTOS, L. Sunflower species with large oil content. (Hu) Magyar Mezogazdasag 17(52):8-9. Dec. 26, 1962. 19 M27

157. BOWLING, D. J. F. Active transport of ions across sunflower roots. Planta 69(4):377-382. 1966. 450 P693

158. BOYER, J. S. Isopiestic technique: measurement of accurate leaf water potentials. Science 154(3755):1459-1460. Dec. 16, 1966. 470 Sci2

159. BOYER, J. S. Leaf water potentials measured with a pressure chamber. Plant Physiol. 42(1):133-137. 1967. 450 P692

Sunflower was among the plants used in the tests.

160. BOYER, J. S. Matric potentials of leaves. Plant Physiol. 42(2):213-217. Ref. Feb. 1967. 450 P692

Water relation study of sunflowers, Taxus cuspidata and Rhododendron roseum.

161. BOZHENKO, V. P. The influence of microelements on ATP content in plants in the presence of water deficit and under the influence of high temperatures. Symp. Water Stress Plants. Proc. 1963:238-244. Ref. 1965. QK873.S9

Includes tests with sunflowers.

Includes discussion.

162. BRADLOW, B. A., ANTONIS, A., and BERSOHN, I. Fibrinolytic activity in South African Bantu and white male subjects. S. African J. Med. Sci. 27:15-24. 1962.

Sunflower oil was used in experimental diets.

163. BRAKSH, T. A., and others. The effect of a long-term sunflower oil feeding on the evolution of experimental hypertension. (Rus) Vopr. Pitaniya 21(2):11-16. 1962. 389.8 V89

O. Ya. Kurtsin', A. V. Popova, and L. F. Roshchina, joint authors.

English summary.

164. BRANICKY, M., and VASKOVSKY, P. A contribution to the question of profitableness of sunflower, and rape in the unified agricultural cooperatives of maize producing type. (Cz) Pol'nohospodarstvo 9(1):61-68. 1962. 19.5 P752

165. BRAUNER, L., and BOECK, A. The analysis of geotropic perception. IV. The effect of decapitation on the content of growth substances, growth in length, and the capacity to respond to gravity of the hypocotyls of Helianthus. (Ge) Planta 60(2): 109-130. 1963. 450 P693

166. BRAUNER, L., and BRAUNER, M. Attempts at an analysis of the geotropic perception. III. On the influence of the field of gravity on the extensibility of the cell wall and on the osmotic value of the sap. (Ge) Planta 58(3):301-325. Ref. 1962. 450 P693

Helianthus annuus test plant.

167. BRAUNER, L. Experiments in the analysis of the geotropic perception. V. The influence of the gravitational field on the auxin-sensitivity of Helianthus-[annuus] hypokotyls. (Ge) Planta 69(4):298-318. Ref. 1966. 450 P693

English summary.

Indoleacetic acid.

168. BRESLIN, P. J. R. The market for soyabeans, safflower seed, sunflower seed, sesame seed and their oils. Trop. Sci. 4(2):87-102. 1962. 26 T756

169. BRINHART, B. Sunflowers—glamour crop of the homestead. Org. Gard. & Farming 8(5):31-34. May 1961. 57.8 Or32

170. BRIXIUS, L., and BENK, E. On the study of refining of edible oils, especially sunflower oil. (Ge) Deut. Lebensmittel-Rundsch. 61(11):335-337. Ref. Nov. 1965. 389.8 D482

171. BRUNE, H., and ZADDACH, M. Silages of pumpkin and pumpkin mixtures. Differences of digestibility of silage with pumpkin added and the drainage of fluid from pumpkin silages. (Ge) Z. Tierphysiol. Tierernahr. Futtermittelk. 1963 (18):321-340. 389.78 Z3

Sunflower is one of the crops discussed as an ingredient in a pumpkin silage mixture.

172. BRUNI, O. Development and prosepects of flax and sunflower diseases in our country. (Sp) Inform. Grasas Aceites. Bol. 3(7)60-63. Sept. 1965. 307.8 In3

Argentina.

173. BRUNI, O. Mancha negra del tallo del girasol (Helianthus annuus L.) y su relacion con peste negra [Black spot of sunflower stalk (Helianthus annuus L.) and its relation to black plague]. Pergamino. Estac. Exp. Agropecuar. Inform. Tec. 48, 9 p. Dec. 1965. 102.5 P413

English summary.

The former caused by a species of Phoma and the latter of uncertain origin.

174. BRUNI, O. Verticillium dahliae parasito del girasol en Argentina [Verticillium dahliae, sunflower parasite in Argentina]. Pergamino. Estac. Exp. Agropecuar. Inform. Tec. 47, 4 p. Dec. 1965. 102.5 P413

English summary.

175. BUCUR, N., and others. Saline soils of the Jijia-Bahlui hollow capable of being planted to sunflowers of the Wniimk 6540 variety under conditions of the year 1960. (Rum) Jassy. Inst. Agron. "Ion Ionescu de la Brad." Lucrari Sti. 1961:105-119. 106.4 J31L

C. Tesu, G. Lixandru, and E. Merlescu, joint authors.

French summary.

Soil properties.

176. BULOT, J. Preparation and conservation of sunflower oil cake. (Fr) Journee Inform. Tournesol, Paris, 1965: 43-52. 77.9 P214

177. BURG, S. G., and BURG, E. A. The interaction between auxin and ethylene and its role in plant growth. Nat. Acad. Sci. USA Proc. 55(2):262-269. 1966. 500 N21P

Sunflower and peas were used in experiments.

178. BURLACU, GH., and VLADESCU, C. Specific dynamic action of some foods administered to white rats. (Rum) Rep. Populare Romine, Studii Cercetari Biol., Ser. "Biol. Animala", 14:29-46. 1962. QH301.S7

179. BURMISTROVA, M. F. Physico-mechanical properties of agricultural crops. Israel Program for Scientific Translations, 1963. 250 p. 64 B922Ae

Sunflower is included in the crops discussed.

180. BURNS, W. J. Sunflowers--pretty or profitable? New Zeal. J. Agr. 111(4):38-40. Sept. 1965. 23 N48J

Chiefly as an oil crop.

181. BURSHTEIN, S. I., DAVTYAN, O. K., and TIKHONYUK, R. V. Adsorption properties of Pyzhevsk and Gorbsk bentonites with respect to sunflower oil. (Rus) Bentonit. Gliny Ukrainy, 1960(4):118-122.

182. BUSSLER, W. Die Abhangigkeit der Wurzelbildung vom Bor bei Sonnenblumen. Z. f. Pflanzenernahr. Dungung, Bodenk. 91(1):1-14. Ref. Oct. 1960. 384 Z343A

183. BUSSLER, W. Ca-deficiency-symptoms in sunflowers. (Ge) Z. f. Pflanzenernahr. Dungung, Bodenk. 99(2/3):207-215. Ref. Nov. 1962. 384 Z343A

English summary.

184. BUSSLER, W. Calcium-deficiency symptons in higher plants (Ge) Z. Pflanzenernaehr. Dueng. Bodenk. 100 (2):129-142. 1963. 384 Z343A

185. BUSSLER, W. The importance of boron for root formation in plants. (Ge) Z. Pflanzenernahr. Dung. Bodenk. 92(1): 57-62. 1961. 384 Z343A

Sunflower cuttings were unable to develop roots in the absence of boron.

186. BUSSLER, W. Injuries of tissues and cells in Ca-deficiency-sunflowers. (Ge) Z. f. Pflanzenernahr. Dungung, Bodenk. 99(2/3):215-222. Ref. Nov. 1962. 384 Z343A

English summary.

187. BUSSLER, W. Nutrient conditions and deficiency symptoms. (Ge) Landwirt. Forsch. 16 (2):153-162. 1963. 18 L2333

English summary.

188. BUYANOV, E. A. Estimation of the thermotechnical parameters of reactors used in the production of lacquer resins (Rus) Lakokrasochnye Materialy i ikh Primenenie 1966(3):69-71.

189. BUZAGH, A., and ROHRSETZER, S. The influence of freezing on the stability of emulsions. (Ge) Kolloid-Z. 176:9-11. 1961. 384 Z315

Oil-water emulsions of sunflower oil were studied.

190. BUZINA, G. V. Comparison of the characteristic form of pectin from different sources. (Rus) Khlebopekar. i Konditer. Prom. 4(9):12-15. 1960. 389.8 K522

Sunflower pectin is included.

191. BYKOV, V. T., and ZALVESKII, N. I. Comparison of the porous structure and the bleaching capacity of natural sorbents. (Rus) Trudy Dal'nevostoch. Filiala im. V. L. Komarova, Akad. Nauk S.S.S.R., Ser. Khim. 1960(4):109-112.

192. CALOV, J. Varietal trials with sunflowers under irrigated conditions. (Bu) Knezha. Inst. Tsarevitsata. Izv. 1963(6):93-109. 59.9 K73

193. CANADA. DEPT. OF AGRICULTURE. Annual report 1963-1964. Ottawa, 1964. 7 C16R

Sunflower cv. Peredovik has an exceptionally high oil content while Commander has a higher percentage of seeds.

194. CANADA. DEPT. OF AGRICULTURE. PRAIRIE FARM REHABILITATION BRANCH. Prairie farm rehabilitation and related activities. 1962/1963: 12-14, 31-33. 1963. 281.13 C164

Irrigated area in South Alberta in 1962 planted to sunflower was 2000 acres.

195. CANVIN, D. T. The effect of temperature on the oil content and fatty acid composition of the oils from several oil seed crops. Can. J. Botany 43(1):63-69. 1965. 470 C16C

196. CARAVAN, V. New results concerning the effect of different doses of chemical fertilizer in sunflower. (Rum) Bucharest. Inst. Agron. "N Balcescu." Lucrari Sti. Ser. A, 6:145-155. 1962. 106.4 B854A

English summary.

197. CAROL, I., and BALANESCU, G. The determination of fatty acids in vegetable oils by gas chromatography. (Rum) Bucharest. Inst. Cercetari Aliment. Lucrarile 7:451-468. 1963-1964. 389.9 R86

Sunflower oil was one of 16 vegetable oils tested.

198. CARRANZA, J. M. On the presence of Sclerotinia sclerotiorum minor in the sunflower. Fitosanitarias 1(3):7-8. 1962.

199. CASALLO, A., and RODRIGNEZ, F. The Russian sunflower (new oil plant). (Sp) Agricultura [Madrid] 32(374):341-345. June 1963. 15 Ag84

200. CAUDERON, Y. Cytogenetic analysis of hybrid between Helianthus tuberosus and H. annuus; consequences for selection. (Fr) Ann. Amelior. Plantes 15(3):243-261. Ref. 1965. 14 F8499A

English summary.

201. CEAUSU, N., and others. Experimental results concerning the evaluation of the irrigation system in sun-flowers cultivated on water-bearing soil. (Rum) Bucharest. Inst. Agron. Timisoara. Lucrari Sti. 6:131-139. 1963. 106.4 T48

N. Onu, Gh. Sirbu, and M. Lazar, joint authors.

English summary.

202. CHALYI, I. I. Supersonic vibrations, electricity and the yields. (Rus) Selek. Semenovodstvo 6:20-22. Nov./Dec. 1965. 61.9 Se5

Sunflower, soybean and Coriandrum sativum seed treatment.

203. CHAMPION, R. Multiple regressions between preparations used for disinfecting seeds. (Fr) Paris. Acad. Agric. Fr. Competes Rendus Hebd. Seanc. 51(11):833-837. 1965. 14 P215Bc

Study was made of 7 preparations for disinfecting sunflower seeds against Botrytis cinerea.

204. CHAMPION, R. The storage of sunflower seeds in a renewed atmosphere: technique for the study of the fungous microflora of sunflower seeds. Application to seed storage and disinfection. CETIOM Inf. Tech. 9. 1966. 77.8 In3

205. CHAMPION, R., and ANSELME, C. Study of fungus microflora in sunflower seeds in France (1962, 1963, 1964). (Fr) Oleagineux 21 (6):371-376. Ref. June 1966. 77.8 OL2

English summary, p. XLII.

Botrytis cinerea isolated.

206. CHERNIKOV, M. P., and ERMOLAEV, M. V. Hydrolysis of ovalbumin with pepsin and the influence on this process by thermal denaturation of the protein, acidity of the medium, and the presence of vegetable oil and carbohydrates. (Rus) Vopr. Pitaniya 23(2): 31-35. 1964. 389.8 V89

A sunflower oil emulsion was used in the process.

207. CHETVERIKOVA, N. I. Accumulation of reserve substances in seeds of sunflower varieties under the climatic conditions of the Maritime Region. (Rus) Akad. Nauk SSSR Dal'nevost. Filiala, Soobshch. 16:71-76. 1962.

208. CHETVERIKOVA, N. I. The direction of the translocation of assimilates from the leaves of different levels in the development of the sunflower. (Rus) Akad. Nauk SSR Izv. Sibirsk Otd. 4 Ser. Biol. Med. Nauk 1:68-74. 1965.

209. CHIOFFI, V. Kinematic viscosity and viscosimetric relations of olive oils, esterified oils, and seed oils determined by means of the Cannon-Fenske viscosimetric pipet. (It) Boll. Lab. Chim. Provinciali, 12:123-136. 1961.

210. CHIOFFI, V. Modified aniline point applied to olive and seed oils and to esterified oils. (It) Boll. Lab. Chim. Provinciali 12:111-122. 1961.

211. CHIRILEI, H., and others. A study of phosphorus (p32) uptake in sunflower and influence of chemical, organic and bacterial fertilizers on the main physiological processes and yields. (Rum) Bucharest. Inst. Agron. "N. Balcescu." Lucrari Sti. Ser. A, 6:121-132. 1962. 106.4 B854A

V. Stefan, N. Dorobantu, D. Boti, G. Curtica-peanu, and M. Botea, joint authors.

English summary.

212. CHMUL', H. K. Za vysoki vrozhai sonyashnika [For high yields of sunflower]. Kyyiv, Derzhsil'hospvydav URSR, 1963. 4 p. 77 C452

213. CHOPPIN DE JANVRY, J. The future of sunflower in France. (Fr) Oleagineux 17(10):771-775. Oct. 1962. 77.8 OL2

As oil plant.

214. CHUPAROVA, E., CHOBANOV, D., and POPOV, A. Quantitative analysis of fatty acids by liquid-partition chromatography. (Bul) Bulgar. Akad. Nauk. Inst. Org. Khim. Izv. 2:31-35. 1965.

215. CILL, C. C. Increased multiplication of viruses in rusted bean and sunflower tissue. Phytopathology 55 (2):141-147. 1965. 464.8 P56

216. CIOBANU, P. Behaviour of some varieties and lines of sunflower to attack by broomrape. (Rum) Probl. Agric. 13(12):38-41. 1961. 21 R862

217. CIOCANELEA, V., and others. The quality of sunflower oil used for oily injectable solutions. II. Farmacia (Rum) (Bucharest) 12(5): 281-290. 1964.

O. Bugnariu, V. Filipas, A. Rub-Saidac, and A. Popovici, joint authors.

218. CIOCANELEA, V., and others. Sunflower oil used in injectable oily solutions. Farmacia (Bucharest) 10:267-275. 1962.

E. Rosu, A. Rub-Saidac, I. Bugrariu, A. Popovici, and V. Filipas, joint authors.

219. CIZEK, J. The influence of different sowing methods on yield and nutrient content of some mixed fodder crops. (Se) Savr. Polj. 1962(5): 329-340. 21 P75

Sunflower was among the fodder crops studied.

220. COCOSILA, A. From our experience in growing sunflowers. (Rum) Prob. Agr. [Bucharest] 16(1):76-79. Jan. 1964. 21 R862

221. COETZEE, C. G. Maize, sunflowers and cowpeas are suitable for fattening sheep in the Highveld. Farming So. Africa 37(7):25, 27. Oct. 1961. 24 So842

222. COMMANDER sunflower. Seed Scoop 10(3): 8. 1964. 61.8 Se36

223. COSCIA, A. A. Oleaginous plants. Economic and statistical analysis of their production. (Sp) Pergamino, Argent. Estac. Exp. Agropecuar. Inform. Tec. 37:1-46. 1965. 102.5 P413

Area planted to sunflower was reduced.

224. COSSINS, E. A., and SINHA, S. K. Comparison of glyoxylate-^{14}C and acetate-^{14}C metabolism in germinating fatty seeds. Biochim. Biophys. Acta 90(1):171-173. 1964. 381 B522

Sunflower was one of those observed.

225. COSTANZO, N., and SAMEH, F. I. Rapid method for the determination of oil in sunflower seeds. (Sp) Rev. Agr. Grasas Aceites 3:57-59. 1961. 307.8 R322

226. COUTURIER, J. The sunflower: generalities, technology, and characteristics of the oil and products derived from it. (Fr) Aliment. et la Vie 50(10/12):279-295. Ref. 1962. 389.9 SolB
Includes sunflower meal.

227. CRESPO, F., and GALLARDO DE KUCK, I. Methods of determining waxes in sunflower oil. (Sp) Rev. Argentina de Grasas y Aceites 6(1):12-13. Jan./Aug. 1964. 307.8 R322

228. CRISAN, A. Chemical combat of the fungus Sclerotinia sclerotiorum, a parasite of the sunflower. (Rum) Cluj, Rumania. Univ. Studia. Ser. 11, Geol. Geog. Biol. 1962 (1):45-56. 442.9 C62

229. CRISAN, A. Relations between Sclerotinia sclerotiorum (Lib.) de Bary and Botrytis vulgaris Fr., as pathogenic agents of the mold of sunflower. (Rum) Cluj. Univ. Babes-Bolyai. Studia, Ser. Biol. 9(1):34-41. Ref. 1964. 442.9 C62
French summary.

230. CROCIONI, A. Problems and prospects for growing oil crops in Italy. (It) Sementi Elette 10: 330-343. 1964. 61.8 Se53
Trials of a number of species showed sunflower and soya bean to be among the most promising.

231. CSONGRADY, MRS. M. Chemical weed control of sunflower. (Hu) Magyar Mezogazdasag 19(20):11. May 13, 1964. 19 M27

232. CULP, T. W., and KINMAN, M. L. Rust on sunflowers [Helianthus annuus] in the Mississippi Delta. Plant Dis. Rep. 49(5):433-434. May 15, 1965. 1.9 P69P
Caused by Puccinia helianthi.

233. CULP, T. W., and AZLIN, W. R. Sunflower tests in the Mississippi Delta. Miss. Agr. Exp. Sta. Inform. Sheet 903, 2 p. Oct. 1965. 100 M69In
Yields as an oilseed crop.

234. CUPINA, T. The dynamics of leaf-area formation and the activity of photosynthesis in certain sunflower varieties. (Se) Savremen. Poljopr. 12:921-926. 1964. 21 P75

235. CVETKOV, S. Biological and economic properties of certain sunflower varieties. (Bu) Selkostop. Nauk. 2(8):783-788. 1963. 21 Se492

236. DAN, A. Die Sonnenblumen-kultur. Bukarest, Staatsverlag fur Land- und Forstwirschaft, 1960. 61 p. 77 D19Ag
Translation of his Cultura florii soarelui.

237. DANILOVA, K. S., and others. Use of the extract of cottonseed marc or sunflower seed marc extract in the synthesis of penicillin and tetracyclines. (Rus) Leningr. Khim. Farmatsevt. Inst. Tr. 1962, 15:31-37.
E. V. Neshataeva, E. B. Petrova, V. A. Podmostkova, and P. A. Yakimov, joint authors.

238. DANYUSHEVKII, A. S., VOROB'EVA, A. F., and SERGEEVA, A. I. Stabilization of poly (vinyl chloride). II. Epoxidation of vegetable and fish oils and their use as stabilizers and plasticizers for poly(vinyl chloride). (Rus) Plasticeskie Massy 1960(11):20-23.

239. DAVIDESCU, D., and DALAS, M. Time of application of mineral fertilizers to sunflowers under the agroclimatic conditions of Tirgu-Fru-mos, Jassy region. (Rum) Bucharest. Acad. Repub. Pop. Romine. Filiala Iasi. Studii si Cercet. Sti. Biol. si Sti. Agr. 13(2):359-370. Ref. 1962. 442.9 B855
French summary.

240. DAVIDOV, R. B., and ARISTOVA, V. Quality of butter as determined by the composition and properties of milk fat during feeding of oil cake to the cows. (Rus) Molochaya Prom. 21(6): 36-37. 1960. 44.8 M734

241. DAVREUX, M., and LUCIANO, A. Genetic improvement of sunflowers and cultural trials in Pergamino. (Sp) Bolsa de Cereales, Rev. 49 (2574):4-5, 8, 11. (Cont.) Sept. 27, 1962. 287 B866

242. DAWSON, G. The plant foodstuffs which America gave to the world. (Sp) La Plata. Univ. Nac. Fac. Cienc. Natur. Ser. Tec. y Didac. 8:68. 1960. 516 L314

Sunflower is one of those discussed.

243. DEAR, J., and ARONOFF, S. Relative kinetics of chlorogenic and caffeic acids during the onset of boron deficiency in sunflower. Plant Physiol. 40(3):458-459. May 1965. 450 P692

244. DECHEV, I. On depth of plowing for sunflower growing on leached Chernozem-Smonitsa soil under conditions of southeastern Bulgaria. (Bu) Rastenievudni Nauk. 3(5):89-96. Ref. 1966. 64.8 R18

English summary.

245. DE LA FUENTE, R. K., and LEOPOLD, A. C. Kinetics of polar auxin transport (in bean primary leaves. sunflower hypocotyl, corn coleoptiles and coleus stem internodes). Plant Physiol. 41(9):1481-1484. 1966. 450 P692

246. DELIC, I., and others. Biological value of the sunflower meal as a source of proteins in fattening of pigs. (Se) Stocarstov 17(9/10):464-480. Ref. Sept./Oct. 1963. 43.8 St6

T. Bokorov, A. Sreckovic, and M. Nikolic, joint authors.

English summary.

247. DELIC, I., and others. Combined protein supplement of sunflower seed meal and alfalfa meal as a replacement for soy bean oil meal in mixtures for fattening of pigs. (Se) Veterinaria [Sarajevo] 13(2):195-203. Ref. 1964. 41.8 V6494

M. Nikolic, S. Sargin, and T. Bokorov, joint authors.

English summary.

248. DELIC, I., LAZOR, M., and KOVACEVIC, M. Equipment for the separation of cellulose from sunflower meal. (Se) Stocarstov 19 (1/2):73-83. Jan./Feb. 1965. 43.8 St6

English summary.

249. DEMBINSKII, F., HARODYSKI, A., and JARUSZEWSKA, H. A comparison of 17 species of spring oil plants. (Pol) Inst. Uprawy Nawozenia i Gleboznawstwa Pamietnik Pulawski 1962(8):3-82. 64.9 In7

Oil-yielding capacity and suitability for culture in Poland of these plants. which included sunflower, were compared.

English summary.

250. DENISOV, I. Screens for spring crops and on fallow land on the steppe. (In Russian.) Sel'sk. Khoz. Sibiri 1960(5):18-20. May. 20 Se492

Corn and sunflowers for snow retention in grain culture.

251. DERCO, M. A. Contribution to the problem of the application of fertilizers for sunflowers. (Cz) Pol'nohospodarstov 10(7):507-517. Ref. 1964. 19.5 P752

English summary.

252. DERCO, M. A contribution to the question of stand thickness of sunflower (Helianthus annuus L.). (Cz) Pol'nohospodafstvo 9(2):85-95. Ref. 1962. 19.5 P752

English summary.

253. DERCO, M. Industrial methods in the culture of sunflowers with high yields. (Cz) Za Vysokou Urodu 11(5):172-173. Apr. 14, 1963. 64.8 Z12

254. DERCO, M., and HAAS, J. The influence of harvest's time on the yield of the sunflower oil (Helianthus annuus L., ssp. cultus Wenzl.). (Cz) Pol'nohospodafstvo 8(10):731-744. Ref. 1961. 19.5 P752

English summary.

255. DERCO, M. Influence upon some omitted factors on the precision of the method of determining the scaliness of the seeds of sunflower (Helianthus annuus L.). (Cz) Pol'nohospodafstvo 8(7):495-506. 1961. 19.5 P752

English summary.

256. DERCO, M. Possibilities of an increase in the production of sunflowers in the Czechoslovak SSR. (Cz) Za Vysokou Urodu 14(4):137-138. Apr. 8, 1966. 64.8 Z12

257. DERCO, M. A quick method of establishing the area of the leaf surface of the sunflower Helianthus annus L. (In Czech.) Pol'nohospodarstvo 8(3):171-182. Ref. 1961. 19.5 P752
English summary.

258. DERCO, M. Some problems of sunflower culture in Czechoslovakia. (Cz) Pol'nohospodarstvo 9(5/6):447-450. 1962. 19.5 P752
For oil.

259. DERCO, M. Time and method of sowing sunflowers. (Cz) Prague. Ust. Vyzk. Ust. Rost. Vyroby. Vedecke Prace. 19.5 C3332 1963(2):145-169.
English summary.

260. DESHPANDE, P. J., PATHAK, S. N., and SHANKARAN, P. S. Healing of experimental wounds with Helianthus annuus. Indian J. Med. Res. 53(6):539-544. 1965. 448.8 In22

261. DESMORAS, J., DODEL, J. B., and JACQUET, P. Agronomic properties of 2,3-dichloroallyl diisopropylthiolcarbamate or di-allate. (Fr) Premiere Conf. Comm. Franc. Mauv. Herbes 1961:17. 79.9 Sy62
Sunflowers were among those crops resistant to di-allate.

262. DESMORAS, J. Biological determination of Vamidothion in plants. (Fr) Ghent. Landbhogesch. Meded. 28(3):731-742. 1963. 105.1 G344
Includes discussion.
Use of Daphnia to determine residues in sunflower leaves and apple fruits.

263. DEVYS, M., and BARBIER, M. Pollen sterols. (Fr) Acad. Sci., Paris, Comptes Rendu. Ser. D 264(3):504-506. 1967. 505 P21
Pollen of Helianthus annus among those examined.

264. DIEMER, R. Studies on photoropic induction reactions on Helianthus seedlings. (Ge) Planta 57(2):111-137. Ref. 1961. 450 P693

265. DIETERMAN, L. J., and others. Accumulation of ayapin and scopolin in sunflower plants treated with 2,4-dichlorophenoxyacetic acid. Arch. Biochem. & Biophys. 106(1/3):275-279. Ref. July 20, 1964. 381 Ar2
C. Y. Lin, L. M. Rohrbaugh, and S. H. Wender, joint authors.

266. DIKIN, V. Honey plants. (Rus) Sel'sk. Khoz. Kazakhstana 1:55. Jan. 1964. 20 K185
Sunflowers as honey plant.

267. DIMITROV, D. Planting date influence upon sunflower development and productivity. (Bu) Selskostop. Nauka 2/8(1):12-19. 1963. 21 Se492
English summary.

268. DIMITROV, D. The question of cultivation of Soviet sunflower varieties. (Bu) Kooper. Zemed. 1961(1-2):38-40. 280.28 K836

269. DMITRIEVA, N. N., and KRUPNIKOVA, T. A. Enhancement of auxin oxidase activity by gel filtration with sephadex G-75. (Rus) Akad. Nauk SSSR. Dok. 164(1):205-207. Ref. Sept./Oct. 1965. 511 P444A
Corn and sunflower used in experiment.

270. DMITROCHENKO, A. P., BELEKHOV, G. P., and CHUBINSKAYA, A. A. Calorie and protein value of oil seed meal from peeled and unpeeled seeds of sunflower for cattle and sheep. (Rus) In Dmitrochenko, A. P., ed. Kormlenie sel'skokhozyaistvennykh zhivotnykh, p. 79-89. Ref. 1960. 389.7 D64

271. DMITROCHENKO, A. P., and others. Sunflower hulls in animal feeds. (Rus) Leningrad. Sel'skokhoz. Inst. Zap. 104:130-135. 1966. 106 L543
V. P. Cherepanov, T. N. Teryukhanova, and L. V. Gurevich, joint authors.

272. DOLIDZE, E. I. Effect of different types of fat on dog blood lipids. (Rus) Tr. Nauchn.-Issled. Lab. Pitaniya, Min. Zdravookhr. Gruz. SSR 1960 (1-2):263-268. Pub. 1961.

273. DOLIDZE, E. I. Interrelation between free and fixed cholesterol in nutrition involving qualitatively different fats. Vopr. Pitaniya 21(2): 16-20. 1962. 389.8 V89
The lowest content of total and free blood cholesterol occurred in the sunflower diets.

274. DOLIDZE, E. I. Liver function tests after various fat diets in experimental atheromatosis. (Rus) Akad. Nauk Gruz. SSR. Inst. Klinich i Eksperim. Kardiol. Tr. 8:177-180. 1963.

275. DOROUGH, H. W., RANDOLPH, N. M., and WIMBISH, G. H. Persistence of methyl parathion residues on sunflower seeds. Bull. Environ. Contamination Toxicol. 1(3):86-89. May/June 1966. RA1270. P35A1

276. DOVYBOROVA, L. N., and GRACH'YAN, A. N. Study of the intensification of grinding of a white portland cement by organic surface-active substances. (Rus) Tr. Novocherk. Politekhn. Inst. 154:3-13. 1963.

Sunflower soap stock was the most effective grinding accelerator that did not reduce whiteness of cement.

277. DOWNEY, R. K. Sunflowers in Saskatchewan. Saskatchewan. U. Farm & Home Week. Addresses & Proc. 1964:31-32,34. 101 Sa72

Culture.

278. DRONOV, S. F., and others. Small module hemicellulose hydrolysis of plant tissues with a pentose hydrolyzate. (Rus) Gidroliznaya i Lesokhim. Promysh. 3:17-19. 1963 301.8 G36

K. A. Vasil'eva, L. I. Panina, N. K. Kurilenko, and O. F. Surovova, joint authors.

279. DUBETZ, S., RUSSELL, G. C., and ANDERSON, D. T. Effect of soil temperature on seedling emergence. Canad. J. Plant Sci. 42(3): 481-487. 1962. 450 C16

Sunflower showed lower emergence at lower temperatures.

280. DUBLYANSKAYA, N. F., POPOV, P. S., and PANFILOVA, V. M. Biochemical characteristics of high-oil breeds of sunflower of the VNIIMK selection. (Rus) Maslozhir. Prom. 33(3):8-11. 1967. 307.8 M37

281. DUBLYANSKAYA, N. F. Biochemical characteristics of new varieties of sunflowers. (Rus) Selek. i Semen. 4:40-42. July/Aug. 1964. 61.9 Se5

282. DUBLYANSKAYA, N. F. Biochemical properties of sunflower seeds of high and low content of oil.(Rus) Maslozhirovaya Prom. 1:6-9. Jan. 1965. 307.8 M37

283. DUBLYANSKAYA, N. F. Content of linoleic acid and tocopherols in oils from different varieties of sunflowers. (Rus) Vest. Sel'skokhoz. Nauki 1960(6):123-126. Ref. June. 20 V633

284. DUBLYANSKAYA, N. F. The effect of harvesting conditions of sunflower on the composition of oil. (Rus) Masl.-Zhir. Promysh. 11:10-12. Nov. 1964. 307.8 M37

285. DUBLYANSKAYA, N. F., and GRIN', I. S. The feed value of sunflower heads. (Rus) Masl.-Zhir. Promysh. 1960(7):12-16. July 307.8 M37

286. DUBLYANSKAYA, N. F. Oil formation processes in high-oil-content sunflower varieties. (Rus) Vestnik Sel'skokhoz. Nauk. [Moscow] 4:28-34. Ref. Apr. 1966. 20 V633

English summary.

287. DUBROVSKII, D. S. Effect of food fats on the coagulability of blood. (Rus) Leningr. Sanit.-Gigien. Med. Inst. Tr. 67:202-206. 1962.

288. DUDKIN, M. S., and others. Analysis and kinetics of hydrolysis of polysaccharides of certain agricultural waste products. (Rus) Latvijas PSR Zinatnu Akad. Vestis, Kim. Ser. 1962: 607-617.

N. G. Shkantova, N. S. Skornyakova, and N. A. Lemle, joint authors.

Stalks and seed pods of sunflower were among the waste products investigated.

289. DUMITRESCU, N., and PINZARIU, D. Establishing the density of sunflower crops under the conditions of the Jijia-Bahlui Depression. (Rum) Probl. Agr. [Bucharest] 18(3):23-29. Mar. 1966. 21 R862

English summary.

290. DURAND, Y. Demonstrations of mechanical harvesting of sunflower. (Fr) Oleagineux 17 (1):43-46. Jan. 1962. 77.8 OL2

291. DURAND, Y. Influnece of the number of plants per hectar on the yields and other characteristics of sunflower. (Fr) Inform. Tech. C.E.T.I.O.M. 1:3-8. 1962. 77.8 In3

292. DUTTA, T. R., and MCILRATH, W. J. Effects of boron on growth and lignification in sunflower tissue and organ cultures. Bot. Gaz. 125(2): 89-96. Ref. June 1964. 450 B652

293. D'YACHENKO, N. I., and KLIMENKO, V. G. Nitrogen-containing substances in sunflower seeds (Helianthus annuus). (Rus) Akad. Nauk Moldavsk. SSR, Ser. Biol. Nauk. Izv. 1964 (4):86-97.

294. D'YAKOV, A. B. Principles of oil accumulation and the possibilities in sunflower breeding. (Rus) Vestnik Sel'skokhoz. Nauk. [Moscow] 6: 42-46. June 1966. 20 V633
English summary.

295. DYSHLOVOI, D. K., LUTSKAYA, A. A., and KIRILLOV, D. A. From experience in the storage of sunflowers of the high-oil-content varieties. (In Russian.) Masl.-Zhir. Promysh. 1960 (12):33-34. Dec. 307.8 M37

296. EFIMOV, V. A., MOLCHANOVA, M. I., and SHARKOV, V. I. Hydrolysis of sunflower husks in a pilot-plant continuous horizontal hydrolyzer. (Rus) Sb. Tr. Gos. Nauchn.-Issled. Inst. Gidrolizn. i Sul'fitno-Spirt. Prom. 11:16-22. 1963.

297. EFREMOVA, V. V. Physiobiochemical properties of sunflower cultivars with high and low oil contents. (Rus) Vestn. Sel'skohoz. Nauk. 1967 (2):122-135. 20 V633

298. EGIAZAROV, G. M. The effect of low doses of gamma rays on vitamin retention in foods. (Rus) Vopr. Pitaniya 19(4):54-58. 1960. 389.8 V89
A fairly severe destruction of vitamin E was observed in sunflower oil.

299. EHLIG, C. F., and GARDNER, W. R. Relationship between transpiration and the internal water relations of plants. Agron. J. 56(2):127-130. 1964. 4 Am34P
Sunflower, cotton, pepper, and birdsfoot trefoil.

300. ELISEEVA, O. I. Oxidation-reduction potential of leaves of some plants depending on sources of potassium nutrition. (Rus) Moldavskii Nauch.-Issled. Inst. Oroshaemogo Zeml. i Ovoshchevodstva. Trudy 4(1):32-43. Ref. 1962. 55.9 M73
Potatoes, sunflowers and Aztec tobacco.

301. ELOVICH, S. YU., SEMENOVSKAYA, T. D., and GEISHINA, K. V. Hydrogenation in foam and selectivity. (In Russian.) Masl.-Zhir. Promysh. 1960(5):14-17. May. 307.8 M37
Sunflower oil.

302. ELOVICH, S. YU., and SEMENOVSKAYA, T. D. Specific catalytic activity of nickel catalysts in the hydrogenation of fats. (Rus) Zh. Fiz. Khim. 36:1255-1260. 1962. 385 Z63

303. ELZAM, E. O., and VAADIA, Y. Chloride uptake by sunflower shoots during recovery from water stress. Plant Physiol. 37 (Suppl):52. 1962. 450 P692

304. ENESCU, D., and others. On determination of tillage system for some spring crops. (Rum) Bucharest. Inst. de Cercet. Agron. An. Ser. B, Agroteh. Pasuni si Finete, Econ. si Organ. Agr. Socialiste 28:53-64. 1960, pub. 1961. 64.9 R86
A. Vasiliu, I. Lungu, E. Scurtu, and G. Vines, joint authors.
French summary.
Beans, sunflowers and potatoes.

305. ENGEL', O. S., and PROKOF'EV, A. A. Effect of the water content of seeds on the mobilization of reserve substances during germination. (In Russian.) Fiziol. Rast. 7(1):44-48. Ref. 1960. 450 F58
English summary.
Sunflower seeds.
This journal will appear in English translation 450 F58Ae.

306. ENKINA, O. V. Use of phosphorobacterin on a Caucasian leached Chernozem. (Rus) Vest. Sel'skokhoz. Nauki [Moscow] 1962(6):101-106. June. 20 V633
Chiefly sunflower soils.

307. ERDELI, G. S. Effect of growth regulators on productivity and certain physiological processes in sunflowers. (Rus) Voronezhsk. Un-t. Regulyatory Rosta Rast. 1964:28-40.

308. ERDELI, G. S., and ZVYAGINTSEV, V. I. Effect of growth substances on quality of sunflower seeds. (Rus) In Voronezhsk. Un-t. Regulyatory Rosta Rast. 1964:41-45. Not in Libr.

Seed treatment with indoleacetic acids.

Abstracted in Ref. Zh. Otd. Vypush [Ser.] 55, Rastenievod. 13:30. July 1965. Film S-202

309. EREMIN, Y. N. Effect of fat on the thyroid gland state in different iodine supply to animals. (Rus) Problemy Endokrinol. i Gormonoterap. 6(5):7-13. 1960.

310. ERGAKOVA, Z. P. Use of paper chromatography for identification of liquid (plant) extracts. (Rus) Tr. 1-go (Pervog) Mosk. Med. Inst. 18:146-153. 1962.

Sunflower was one of the plants studied.

311. ERHARDT, C. VON. On a modern exemplary edible oil industry in the country of Don Quixote-with special attention to the requirements of public health. IV. Peanuts, sunflower seeds, and their oils. (Ge) Seifen-Ole-Fette-Wachse 90(9):235-238. Apr. 22, 1964. 307.8 Se4

312. ERNEST, L. C. Auxin-gibberellin relationships in the sunflower. Diss. Abs. 26(10): 5674-5675. Apr. 1966. 241.8 M58

313. ERSHOVA, V. I., and PLEKHANOVA, N. V. Solubility of some opium alkaloids in fat. (Rus) Akad. Nauk Kirg. SSR, Inst. Organ. Khim. Issled. Flory Kirgizii na Alkaloidononost, 1965:68-69.

314. ESHCHENKO, N. G. Application of statistical methods for the study of vegetable oil extraction. (Rus) Maslob.-Zhir. Prom. 30(8):9-12 1964. 307.8 M37

A math.-statistical study was made of the effects on the fat content of the extracted grist of benzene-prepressed sunflower grist ratio, and the moisture content of the incoming extractable material.

315. FABIAN, I. Effect of potassium on the concentration of saccharides and free amino acids in sunflower plants. (Rum) Bucharest Acad. Rep. Pop. Romane. Studii Cercetari Biol., Ser. Botan. 18(3): 263-270. 1966. 451 B852

316. FADEEV, A. S. Sunflowers as field weeds are to be removed from the fields of Orenburg Region. (In Russian.) Sel'sk. Khoz. Povolzh'ia 1960(2):59-60. Feb. 20 Se478

317. FAL'KOVICH, YU. E. Analysis of pentose hydrolyzates with ion exchangers. (Rus) Gidrolizn. i Lesokhim. Prom. 15 (8):18-20. 1962. 301.8 G36

Sunflower seed hulls were studied.

318. FALUBA, Z. Perfect pollination of sunflowers. (Hu) Magyar Mezogazdasag 17(29):10. July 18, 1962. 19 M27

By Apis mellifera.

319. FAUCONNEAU, G. Modern methods for the determination of amines in oil cakes. (Fr) Journees Inform. 1964 Prod. Deriv. Huilerie, Paris 1964:168-178, discussion:178-179. Pub. 1965.

320. FEDDER, M. L. Methods of laboratory insectorepellent tests on various insects. (Rus) Med. Parazitol. i Parazitarnye Bolezni 30(6): 730-734. Nov./ Dec. 1961. 448.8 M469

English summary.

321. FEDELI, E., and others. Triterpene alcohols and sterols of vegetable oils. Amer. Oil Chemists' Soc. J. 43(4):254-256. 1966. 307.8 J82

A. Lanzani, P. Capella, and G. Jacini, joint authors.

322. FEDOROVA, L. V. The effect of fertilizers on the formation of yields of sunflowers and the oil production process. (Rus) Maslozhirovaya Prom. 2:5-6. Feb. 1965. 307.8 M37

323. FEDOROVA, L. V. Planting dates and density of distribution of sunflowers in forest-steppe zone of the Ukrainian SSR. (Rus) In Rol' udobrenii i drugikh faktorov v povyshenii produktivan. rast. 1964:86-88. Not in Libr.

Abstracted in Ref. Zh. Otd. Vypusk [Ser.] 55, Rastenievod. 16:35. Aug. 1965. Film S-202

324. FEDOTOVA, S. A., and TSIRLIN, YU. A. Study of the products of furfural production by gas-liquid chromatography. I. Composition of the head fraction. (Rus) Sb. Tr., Vses. Nauchn. -Issled. Inst. Gidrolizn. i Sul'fitno-Spirt. Prom. 14:117-123. 1965.

325. FERAT, A., and CHAILLOU, F. Does the sunflower have a future in France? (Fr) Potasse 36(293):65-68. Mar. 1962. 57.8 P84

Culture.

326. FERENCZY, L., and MATKOVICS, B. Precursors of indolylacetic acid. II. Activity and selectivity of tryptamine and indoleacetonitrile. Acta Biol. Acad. Sci. Hung. 107-119. 1961. 475 Ac85

The sensitivity of sunflower, among others, to indoleacetic acid and two of its precursors, tryptamine and indoleacetonitrile, was studied.

327. FERRAO, J. E. M. The sunflower, oilseed for Angola. (Por) Gaz. Agr. Angola 10(3):75-78, 84. Mar. 1965. 24 G252

Outlook and culture.

328. FESENKO, I. Importance of crop rotation. (Rus) Zashch. Rast. ot Vred. i Boleznei 1:17. 1965. 421 Z1

In prevention of powdery mildew on sunflowers.

329. FESENKO, I. Sunflowers are a profitable crop. (Rus) Zeml. i Zhivotn. Moldavii 11:61-62. Nov. 1962. 20 Z45

330. FICCO, N. Three years' trials on irrigating with brackish water. (It) Genio Rur. 24(10):753-766. 1961. 281.8 R522

Yields of sunflowers.

331. FIKE, W. T. New crop for N. C. farmers. Res. & Farming [N. C. Sta.] 22(1):12-13. Summer 1963. 100 N81R

Sunflowers.

332. FILAJDIC, M., VILICIC, D., and STRUCELJ, D. The application of alkaline isomerization for the quantitative determination of unsaturated fatty acids in edible oils. (Cr) Kem. Ind. (Zagreb) 14(9):757-764. 1965.

333. FILIPEK, I. Paper chromatography of unsaturated fatty acid peroxides. (Rus) Stredisko Tech. Inform. Potravinar. Prumyslu Tech. Publ. 161:84-92. 1959-61. Pub. 1962.

334. FILIPESCU. H., OLTEANU, F., and IOANICIOIU, C. The accumulation of nitrogen, phosphorus and potassium in the aerial parts of sunflowers by growing stages under the influence of fertilizers. (Rum) Bucharest. Inst. Cercet. Pentru Cereale Plante Teh. Anal. Ser. B, Agrochim. Agroteh. Pasuni Finete 31:155-172. Ref. 1963, pub. 1965. 64.9 R89

English summary.

335. FILIPESCU, H., HULEA, A., and VASILIU, N. The storage of moist sunflower seeds with phytopharmaceutical preservatives. (Rum) Bucharest. Inst. de Cercet. Agron. An. Ser. C, Fiziol. Genet. Amelior. Protect. Plantelor si Tehnol. Agr. 31:299-313. Ref. 1963, pub. 1965. 451 R86

English summary.

Silage.

336. FILIPPOV, V. V., and KUZNETSOV, U. K. Sources of natural biotin for use in yeast production. (Rus) Uch. Zap. Khabarovskii Gos. Ped. Inst., Biol. i Khim. Nauk 11, 68-73. 1964.

337. FINKELMAN, I., and REINHOLD, L. Studies on the uptake and release of sugars by segments of sunflower hypocotyl. I-II. Israel J. Bot. 12(3): 97-113. Ref. Mar. 1964. 450 Is7

I, The effect of 2, 4-dinitrophenol on the uptake of fructose; II, The effect of 2, 4-dinitrophenol on the release of sugars and on the apparent free space of the tissue.

338. FLEMMING, K. The influence of plant oils on radiation damage in mice and rats. (Ge) Naturwissenschaften 49: 516-517. 1962. 474 N213

Sunflower oil was one of three which showed definite protective effects when injected intraperitoneally in mice in small amounts.

339. FLEMMING, K. Irradiation protection effect of ethyl palmitate and of plant oils in animal experiments. (Ge) Biophysik 1(4):339-342. 1964. 442.8 B5242

Sunflower oil.

340. FOMIN, A. A. Changes in the chemical indicators of food fats under the effect of ionizing radiations. Gigiena i Sanit. 27, no. 3, 34-39. 1962.

341. FOMIN, A. A. Changes in the higher fatty acid contents in food fats resulting from gamma radiation. (Rus) Materialy Resp. Itog. Nauchn, Konf. po Gigiene, Leningrad., Sb. 1963, 158-159.

Changes of the organoleptic properties, physicochemical indicators, and fatty acids in 24 samples of food fats including sunflower oil were investigated.

342. FOMIN, A. A. Colorimetric determination of epihydrinaldehyde in fats with the use of a photoelectrocolorimeter. (Rus) Vopr. Gigieny i Sanit., Barnaul, Sb. 1963(1), 172-176.

343. FOMINA, K. YA. The effects of windbreak forestation on the nectar productivity and seed crop of sunflower and sanfoin. (Rus) Moskov. Sel'skokhoz. Akad. Dokl. 62:531-536. 1961. 20 M857

344. FOMINA, L. S. Effect of diets with an excessive fat content on the enzyme-secretory function of the pancreas. (Rus) Vopr. Pitaniya 23(4):38-45. 1964. 389.8 V89

Sunflower was among the materials used as stimulating agents.

345. FORTINI, S. Absence of antagonistic phenomena between phorphorus and iron in the nutrition of herbaceous plants. (It) Agrochimica 6(1):78-85. Ref. Dec. 1961. 385 Ag84

English summary.

Tomatoes and sunflowers.

346. EL-FOULY, M. M. Effect of Mn nutrition on the vitamin C content of plant leaves. Pl. Soil 24(3):473-475. 1966. 450 P696

Sunflower and maize seedlings were used in the experiment.

347. FRAGINA, A. I. Ripening conditions effect the dynamics of chemical content in sunflower. (Rus) Tr. Prikladnoi Bot. Genet. Selek. 37(1):27-38. Ref. 1965. 451 R92

English summary.

348. FRANCE. STATION D'AMELIORATION DES PLANTES DE MONTPELLIER. Rapport d' Activité. (Fr) 1960:64-70.

Sunflower varietal trials.

349. FRANCE. STATION D'AMELIORATION DES PLANTES DE MONTPELLIER. Report on activity 1962. (Fr) Montpellier, 1962. p. 70.

The best yields of sunflower were obtained from densities of 30,000 to 40,000 plants.

350. FRANCESCO, F. DE. Instrumental analysis of oils and fats. III. Visible spectrophotometry. Olearia 15:153-157. 1961. 307.8 OL2

351. FRANCOIS, R. Oil-seed hulls. Treatment and utilization. (Fr) Journees Inform. 1964 Prod. Deriv. Huilerie, Paris 1964:60-67. Pub. 1965.

352. FRANZKE, C. Detection of marine oils in edible fats. Nahrung 8(3):249-251. 1964. 389.8 N142

Sunflower was among the fats examined.

353. FRANZKE, C., and KRETZSCHMANN, F. The preparation of monoglycerides from natural fats. (Ge) Fette, Seifen, Anstrichmittel 65:275-277. 1963. 384 C422

354. FRASZEWKA, T. Growth dynamics and morphological features of 8 spring oil plants. (Pol) Inst. Uprawy Nawozenia i Gleboznawstwa. Paminetnik Pulawski. 1962 (5):131-156.64. 9 In7

Sunflower is discussed.

English summary.

355. FREE, J. B. The behaviour of honeybees on sunflowers (Helianthus annus L.). J. Appl. Ecol. 1(1):19-27. Ref. May 1964. 410 J828

Pollination.

356. FREE, J. B., and SIMPSON, J. The pollination requirements of sunflowers (Helianthus annuus L.). Empire J. Expt. Agr. 32(128):340-342. Oct. 1964. 10 Em7

357. FREIER, B., ANTONI, H., and POPESCU, O. Research in view of establishing correlations between the storage period and qualitative indices of the sun-flower oil. (Rum) Bucharest. Inst. Cercet. Aliment. Lucrarile 7:147-169. Ref. 1964/65. 389.9 R86
English summary.

358. FRENYO, V. Formation of nitrate in plant tissues. Budapest. Univ. Sci. Budapest. de Rolando Eotvos Nominatae. Ann. Sect. Biol. 8:77-85. 1966. 442.9 B854
Sunflower seedlings grown in washed sand were among the plants studied.

359. FRENZEL, B. Beobachtungen uber die Ursachen der Anreicherung organischer Substanzen im Wurzelraum von Sonnenblumen-Keimpflanzen. (Abs.) Deut. Bot. Gesell. Ber. 72(11):21-22. 1959, pub. 1960. 451 D48

360. FRENZEL, B. Zur Atiologie der Anreicherung von Aminosauren und Amiden im Wurzelraum von Helianthus annuus L. Planta 55(2): 169-207. Ref. 1960. 450 P693

361. FREZZI, M. J. Especie del genero Phoma parasita de Helianthus annuus L. en Manfredi (Cordoba), Republica Argentina [Species of the genus Phoma parasitic on Helianthus annuus L. in Manfredi] Manfredi. Estac. Exp. Agropecuar. Publ. 19, 37-40 p. 1964. 102.5 M31P

362. FRIEDRICH, M. Fire-extinguishing agents for lithium, sodium, and potassium. Metall 15: 1173-1180. 1961.

363. FUHR, F., and SAUERBECK, D. The uptake of straw decomposition products by plant roots. In Technical Meeting on the Use of Isotopes in Soil Organic Matter Studies, Brunswick, 1963. The use of isotopes in soil organic matter studies, p. 73-83. Ref. 1966. S590.T4
Sunflower as test plant.
Includes discussion.

364. FUKUI, H., MOTOYAMA, E., and KUBOTA, S. An experiment on the basic exchange capacity, and selective absorption of base, of forage crop root. (Ja) Shikoku Agric. Exp. Sta. Bull. 1964(10):123-128. 107.6 Z4
Base exchange capacity of roots was measured in a number of crops including sunflower.

365. GADZHIEVA, Z. M. Pathologic effects of ionized radiation on the rate of fat absorption. (Rus) Tr. 2-oi (Vtoroi) Nauchn. Konf. po Vopr. Probl. Zhira v Pitanii, Leningrad, 1962: 299-303.
Sunflower seed oil was less well absorbed than lard.

366. GAGE, E. W. Sunflowers, a profitable farm crop. Org. Gard. and F. 10(4):42-45. Apr. 1963. 57.8 Or32

367. GAKOVA, M. M., and FAUSTOV, V. V. Gibberellin and auxin metabolism in plants. (Rus) Moscow, USSR. Timiriazevskaia Sel'skokhaziaistvennaia Akad. Izv. 2945:47-56. 1962. 106 P44
Oats and sunflowers.

368. GALGOCZI, J. Efficiency of fertilization to sunflower crops on sand soils in Szabolcs County. (Hu) Kiserletugyi Kozlemenyek 58/A (1):47-69. Ref. 1965, pub. 1966. 105.9 H89
English summary.
Minerals.

369. GALGOCZI, J. Formation of primary expenses of sunflower. (Hu) Magyar Mezogazd asag 21 (51):8-9. Dec. 21, 1966. 19 M27

370. GALGOCZI, J. Less empty seed capsule means greater sunflower yield. (Hu) Magyar Mezogazdasag 21(19):11. May 11, 1966. 19 M27
Suggestions for culture.

371. GALUSHKINA, N. A., GAITSKHOKI, N. I., and PULOVA, M. S. For cost reduction and increase of profit in production. (In Russian.) Masl.-Zhir. Promysh. 1960(9):7-10. Sept. 307.8 M37
Sunflower and cottonseed.

372. GAPONENKOV, T. K., and SHATSMAN, L. I. Determination of uronic acids by a colorimetric method. Zh. Prikl. Khim. 37(2):462-464. 1964. 385 Z64
Sunflower was one of the plants tested.

373. GAPONENKOV, T. K., and PROTSENKO, Z. I. Influence of metallic cations on the jell-forming properties of sunflower pectin. (Rus) Izvest. Vysshikn Ucheb. Zavedenii, Pishchevaya Tekhnol. 1961(5):35-39. 389.8 Iz8

374. GAPONENKOV, T. K., and PROTSENKO, Z. I. Influence of organic acids on the stability of pectin-sugar gels. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. 1960(4):26-28. 389.8 Iz8

375. GARAY, A. Preoccupation with sunflower culture. (Ge) Bolsa de Com. de Rosario. Rev. 52(1270):3-4. Dec. 31, 1964. 287 R71
Policy.

376. GARBUZOVA, G. I., and RYAZANTSEVA, M. I. The active ventilation of sunflower seeds. (In Russian.) Masl.-Zhir. Promysh. 1960(12):10-14. Dec. 307.8 M37

377. GARBUZOVA, G. I., KOPEIKOVSKII, V. M., and TRUBITSYN, N. V. Changes of some physical properties of seeds of sunflowers with high oil content in relation to their moisture. (Rus) Masl.-Zhir. Promysh. 11:13-15. Nov. 1964. 307.8 M37

378. GARBUZOVA, G. I., and RYAZANTSEVA, M. I. Problems of forced ventilation of sunflower seeds. (In Russian.) Masl.-Zhir. Promysh. 1960(11): 7-10. Nov. 307.8 M37

379. GARMASH, G. S. Production of lecithin. Ukr. Nauchn.-Issled. Inst. Maslozhir. Prom. Sb. Statei v Rabotakh 1959-1961(4-5):35-39. 1963. 307.8 M37
A process for obtaining lecithin from crude and degreased sunflower phosphatides was investigated.

380. GAROGLIO, P. G. Stability of edible vegetable oils. (It) Riv. Ital. Sostanze Grasse 41(4):181-188. 1964. 307.8 OL3
Experiments with vegetable oils, including sunflower oil, to improve storage conditions.

381. GAVRILENKO, I. V., and ISMAILOV, I. M. Binding of solvent by grist at the time of extraction. (Rus) Maslob.-Zhir. Prom. 29(9):14-16. 1963. 307.8 M37
Cottonseed, sunflower seed, and soybean meal.

382. GEIKO, N. S., and others. Determination of keto acids by reduction of 2, 4-dinitrophenylhydrazones. (Rus) Akad. Nauk SSSR Dokl. 153(1):209-211. 1963. 511 P444A
V. L. Kretovich, B. D. Polkovnikov, A. A. Balandin, and A. M. Taber, joint authors.
Sunflower was one of the plants examined.

383. GEJ, B. Changes in chlorophyll a and b content in leaves of different age in some dicotyledon plants. (Pol) Soc. Bot. Pol. Acta 35(2):209-224. 1966. 450 Ac89
Sunflower was one of those examined.

384. GENEVOIS, L. Development of sunflower culture in South Africa. (Fr) Rev. Internatl. des Prod. Trop. et du Mater. Trop. 38(406/407): 147. Aug./Sept. 1963. 286.8 R326

385. GENEVOIS, L. The nutritional quality of sunflower cake. (Fr) Rev. Internatl. des Prod. Trop. et du Mater. Trop. 36(386):219. Dec. 1961. 286.8 R326

386. GENGRINOVICH, A. I., and MURATOVA, F. S. The use of an aqueous solution of iodine bromide for the determination of the iodine number of fats and oils. (Rus) Tr. Tashkentsk. Farmatsevt. Inst. 3, 329-336. 1962.

387. GENICH, B. A., KUZNETSOV, V. G., and AKBASHEV, B. Z. Prevention of fretting corrosion in axle boxes with roller bearings. (Rus) Tr. Vses. Nauchn.-Issled. Inst. Zheleznodor. Transp. 1959(171):67-90.
Boiled sunflower oil decreases considerably not only fretting corrosion, but also the coefficient of friction between coupled surfaces.

388. GEORGIEV, I., SYAROV, I., and BEREMSKI, S. Test of the comparative effect of skim milk, sunflower-seed meal, and bonemeal in fattening Bulgarian White baby pigs for bacon. (Bu) Vissh Selskostopanski Inst. "Georgi Dimitrov." Zootekh. Fakul. Nauch. Trudov 9: 211-227. 1960. 49.9 Se4N
German summary.

389. GEORGIEVA, J., HRISTOVA, J., and KOSTOVA, R. Studies of certain species in the genus Helianthus. I. (Bu) Rasten. Nauk. 2(5): 47-67. 1965. 64.8 R18

390. GEORGIEVA-TODOROVA, I. Cytogenetic study of interspecies hybrids H. annuus H. ruderalis. Bulgarska Akad. Nauk. Dokl. 19(3):213-216. 1966. 512 So2

391. GEORGIEVA-TODOROVA, I. Effect of foreign pollen in self-pollination of sunflower. (Bu) Akad. Selskostopanskite Nauk. Bulg. Inst. Rastenievud. Izv. 16:37-56. Ref. 1963. 451 B872
English summary.

392. GEORGIEVA-TODOROVA, I. The effect of pollen of foreign genera in the self-pollination of sunflowers. (Bu) Bulgar. Akad. na Nauk. Inst. po Rastenievud. Izv. 11:131-141. Ref. 1961. 451 B872
English summary.

393. GEORGIEVA-TODOROVA, I. Experiments of grafting Helianthus annuus on Xanthium strumarium. (Bu) Bulgar. Akad. na Nauk. Inst. po Rastenievud. Izv. 11:43-53. Ref. 1961. 451 B872
English summary.

394. GEORGIEVA-TODOROVA, I. Experiments with grafting of H. annuus on Xanthium strumarium. Bulgar. Akad. na Nauk. Dok. 13(3):351-354. May/June 1960. 512 So2

395. GEORGIEVA-TODOROVA, I. Hybrization between Helianthus annuus and H. scaberrimus. (Bu) Bulgar. Akad. na Nauk. Inst. po Rastenievud. Izv. 13:53-71. Ref. 1962. 451 B872
English summary.

396. GEORGIEVA-TODOROVA, I. Hybridization of Helianthus annuus L. Bulgar. Akad. na Nauk. Dok. 15(6):647-650. 1962. 512 So2

397. GEORGIEVA-TODOROVA, I. Investigations into the meiosis of the pollen mother cells under the effect of grafting. (Bu) Rastenievudni Nauk. 2(5): 3-10. 1965. 64.8 R18
English summary.

398. GEORGIEVA-TODOROVA, I. Results of the hybridization of the cultivated sunflower with some species of the genus Helianthus. (Rus) Simp. Otdalennoi Gibrid. Rast. 1964:239-253. Ref. 1965. SB123.S5
English summary.

399. GEORGIEVA-TODOROVA, J. An experiment in crossing the cultivated sunflower, Helianthus annuus, with Onopordon acanthium. (Bu) Rasten. Nauk. 9:3-14. 1966.

400. GEORGIEVA-TODOROVA, J. Interspecific hybridization in the genus Helianthus. (Bu) In Bulgar. Acad. Sci. Interspecific hybridization of plants. Sofia, 1964. p. 135-182. 463.62 Ak1

401. GEORGIEVA-TODOROVA, J. Hybridization between H. annuus and H. gigantheus. Bulgar. Akad. na Nauk. Dok. 17(9):857-860. 1964. 512 So2

402. GESSNER, F., HACKENBERGER, I., and SCHAPIRO, M. Das Wachstum infiltrierter Keimlinge. Planta 57(1):1-7. 1961. 450 P693
Study of jettisoned water inhibiting effect on growth in sunflower and broadbeans.

403. GIERAT, K. The appearance of free amino acids in young sunflower plants under the influence of various nitrogen doses. (Pol) Hodowla Roslin Aklim. i Nasiennictwo 5(4):530-538. 1961. 64.8 H66
English summary.

404. GIL'DSHTEIN, N. N. More attention to planting sunflower seeds with high oil content. (In Russian.) Masl.-Zhir. Promysh. 1960(7):4-10. July. 307.8 M37
Chiefly varieties.

405. GIL'DSHTEIN, N. N. More oil from a hectare of sunflower stands. (Rus) Masl.-Zhir. Promysh. 2:1-5. Feb. 1964. 307.8 M37

406. GIL'DSHTEIN, N. N. Planting area of high quality sunflowers and quality of processed seeds harvested in 1962. (Rus) Masl.-Zhir. Promysh. 3:7-9. Mar. 1963. 307.8 M37

407. GIL'DSHTEIN, N. N. Production of sunflowers in 1964 and perspectives of its development. (Rus) Masl.-Zhir. Promysh. 3:1-4. Mar. 1965. 307.8 M37

408. GILL, C. C. Increased multiplication of viruses in rusted bean and sunflower tissue. Phytopathology 55(2):141-147. Ref. Feb. 1965. 464.8 P56
Rust fungi: Uromyces phaseoli and Puccinia helianthi.

409. GILLINGHAM, J. T., and PAGE, N. R. Influence on anions on the uptake of calcium and magnesium by plants and on calcium and magnesium movement in soils. Agron. J. 57(1):83-88. Ref. Jan./Feb. 1965. 4 Am34P

Sunflowers.

410. GIL'MAN, F. M. Contribution to the problem of operational planning and rational utilization of raw materials by enterprises in the oils industry. (In Russian.) Masl.-Zhir. Promysh. 1960(4):19-21. Apr. 307.8 M37

From sunflowers in Moldavia.

411. GIL'MAN, F. M. To the problem of stimulation of sunflower production and its processing. (Rus) Akad. Nauk Moldavskoi SSR. Izv. 2:36-45. 1962. 511 Ak198

412. GIURGIU, M. Phosphorus uptake by sunflower during 24 hrs. (Rum) Bucharest. Acad. Rep. Pop. Romane. Studii Cercetari Biol., Ser. Botan. 18(4):389-392. 1966. 451 B852

413. GLADNEVA, A. N., MAKSIMENKO, N. S., and PAVLOV, S. V. The furfural-hexose method of processing (sunflower-seed) hulls and extracted wood. Gidrolizn. i Lesokhim. Prom. 14(7):23-25. 1961. 301.8 G36

414. GLADNEVA, A. N., MAKSIMENLO, N. S., and PAVLOV, S. V. Hydrolysis of sunflower seed hulls and tanning wastes. Gidroliz. i Lesokhim. Prom. 14(7):23-25. 1961. 301.8 G36

415. GLAZMANN, B. A., and others. Automation of the hydrolysis industry. Gidrolizn. i Lesokhim. Prom. 17(7):25-28. 1964. 301.8 G36

A. G. Savinykh, A. A. Gladkova, O. F. Lyukhanov, V. M. Kundin, and I. P. Mertins, joint authors.

Planned automation of a plant which handles sunflower seed hulls.

416. GLINKA, Z., and REINHOLD, L. Rapid changes in permeability of cell memberanes to water brought about by carbon dioxide & oxygen. Plant Physiol. 37(4):481-486. July 1962. 450 P692

Sunflower as test plant.

417. GLINKA, Z., and REINHOLD, L. Reversible changes in the hydraulic permeability of plant cell memberanes. Plant Physiol. 39(6):1043-1050. 1964. 450 P692

418. GOARCOZ, M. R. Particular problems of refining sunflower oil. (Fr) Journee Inform. Tournesol, Paris, 1965, 19-32. 77.9 P214

419. GOL'DBERG, K. M., FAL'KOVICH, M. M. and ZARSKII, I. A. Continuous alcoholysis (of vegetable oils) with sonic vibrations. (Rus) Lakokrasochnye Materialy i ikh Primenenie 1966(2):63-67.

420. GOLDOVSKII, A. M., and ZAITSEVA, M. G. Changes of the oil percentage of hulls during the processing of seeds of sunflowers with high content of oil. (Rus) Masl.-Zhir. Promysh. 6:9-13. Ref. June 1965. 307.8 M37

421. GOLDOVSKII, A. M., and ZAITSEVA, M. G. Evaluation of technological properties of sunflower seeds of new varieties for selection. (Rus) Masl.-Zhir. Promysh. 1:7-11. Jan. 1963. 307.8 M37

422. GOLDOVSKII, A. M., and PATRAKOVA, L. D. Formation of flavor and aroma in oils during treatment of sunflower seeds. (Rus) Maslozhir. Prom. 33(3):11-14. 1967. 307.8 M37

423. GOLDOVSKII, A. M. The principal types of quantitative interrelationships for the fatty acids in vegetable oils. Maslob.-Zhir. Prom. 28(8):10-15. 1962. 307.8 M37

Sunflower oil was one of those examined.

424. GOLDSWORTHY, P. R. Further studies on the use of dalapon. Pest. Abstr. (C) 8(4):315-318. 1962. 79.9 G792

Sunflower was among the crops which grew normally when sown a few days after spraying with dalapon.

425. GOLODOVA, L. S., and POD'YACHEVA, E. A. Hydrogenation of oils in acetone. (Rus) Kataliticheskie Reaktsii v Zhidkoi Faze, Alma-Ata, 1962. Tr. p. 109-114. Pub. 1963.

Sunflower and olive oils.

426. GOLDOVA, L. S., and SOKOL'SKII, D. V. Potentiometric express-method for the determination of fatty acids composition of oils. (Rus) Maslob.-Zhir. Prom. 31(8):10-14. 1965. 307.8 M37

427. GOLOVKO, D. M. The effect of mineral nutrition on photosynthesis, growth, formative processes and crop yield of plants. Vsesoyuzn. Konf. po Fotosintezu. Prob. Photosynthesis. Rpt., 2d Conf., v. 2:725-736. Ref. 1957. 451 V965Ae

Sunflowers.

Translation from Problemy Fotosinteza. Doklady.

428. GOLUBINSKII, I. N. On the prolongation of viability of sunflower pollen. (Rus) Selek. i Semen. 5:66-67. Sept. /Oct. 1964. 61.9 Se5

With reference to the article of O. N. Arnol'dova (1926).

429. GOLUCKI, Z., and ANIOLOWSKA, M. Accelerated aging in evaluation of pharmaceutical fat vehicles. (Pol) Acta Polon. Pharm. 18:509-514. 1961.

430. GOMEZ CAMPO, C., and MARTINEZ, M. Morphological and physiological aspects of chronic irradiation of the sunflower. (Sp) Spain, Inst. Nac. de Invest. Agron. B. 23(49):239-255. Ref. Dec. 1963. 105.6 Sp 14

English summary.

Effects of gamma rays.

431. GONCHARENKO, V. A. Sunflower seeds—valuable feed. (Rus) Zemledelie 9:60-62. Sept. 1964. 20 Z44

Chiefly culture.

432. GONDAR, J. High frequency treatment of oil seeds. (Ge) Fette, Seifen, Anstrichmittel 65:196-202(1963). 384 C422

Sunflower seeds were tested.

433. GORDIENKO, V. A., and LIBERSHTEIN, I. I. More yield of oil per every hectare of sown sunflower. (Rus) Masl.-Zhir. Promysh. 1962 (4):15-16. Apr. 307.8 M37

Chiefly planting.

434. GORDIENKO, V. A., and RASHKOVAN, D. I. A simplified method of preparing samples of sunflower seeds for analysis for oil content. (Rus) Masl.-Zhir. Promysh. 10:16-17. Oct. 1962. 307.8 M37

435. GORDIENKO, V. A. and LIBERSHTEIN, I. When and how best to sow sunflowers. (Rus) Zeml. i Zhivotn. Moldavii 3L38-40. Mar. 1962. 20 Z45

436. GORJUNOV, N. S. Leached saline soils in the foothill zone of South Kazahstan. (Rus) Pocvovedenie 9:100-105. 1961. 57.? P34

Sunflower was one of the crops recommended for these soils.

437. GOSPODINOVA, V., and TEVEKELEV, D. Determining content of phosphatides in processing sunflower oil. (Rus) Maslo-Zhir. Prom. 12: 16-17. Dec. 1966. 307.8 M37

438. GOSPODINOVA, V., and TEVEKELEV, D. Distribution of phosphatides during production of sunflower oil. (Rus) Maslozhir. Prom. 32(12):16-17. 1966. 307.8 M34

439. GOSPODINOVA, V., and TEVEKELEV, D. Phosphatide content of Bulgarian sunflower seed oils. (Bu) Bulgar. Akad. Nauk. Inst. Khranene. Izv. 5:185-190. 1966.

440. GRACHEVA, I. V., and SEVERINA, V. A. Production of inactive novobiocin forms during the fermentation process of Actinomyces spheroides. (Rus) Antibiotiki 11(1):45-51. 1966. 396.8 An84

When sunflower or whale oil was added to the medium, somewhat higher amounts of inactive novobiocin forms were detected at the end of the fermentation as compared to the use of the medium without oil.

English summary.

441. GRAY, R. A., and others. Hadacidin, a new plant-growth inhibitor produced by fermentation. Plant Physiol. 39(2):204-207. 1964. 450 P692

G. W. Gauger, E. L. Dulaney, E. A. Kaczka, and H. B. Woodruff, joint authors.

Reduced the stem growth of sunflowers.

442. GREBENNIK, L. I., and others. Effects of vegetable (sunflower seed) oil on development of hypercholesterolemia and atherosclerosis in rabbits. (Rus) Farmakol. i Toksikol 25:345-351. 1962.

N. V. Eroshina, D. A. Kaidin, A. I. Yakovleva, and N. G. Shakhnazarova, joint authors.

443. GREBINSKII, S. O., POPOVICH, I. V., and SAMOILENKO, V. A. Action of x-rays on the growth, water uptake, and respiration of seedlings. (Rus) Nauch. Doklady Vysshei Shkoly, Biol. Nauki 1960(3):160-164. 442.8 N22

444. GREBINSKII, S. O., IOVLEVA, N. D., and POPOVICH, I. V. Effect of x-ray radiation on the conversion of reserve substances, respiration, and activity of oxidizing enzymes in germinating seeds. (Rus) Biol. Deistvie Radiatsii, L'vovsk. Gos. Univ. 1:84-89. 1962.

Increases fat degradation in sunflower seed.

445. GRIFFITHS, D. A., and ISAAC, I. Wilt of lupin and sunflower caused by species of Verticillium. Hort. Res. 2(2):104-114. Ref. Apr. 1963. 80 H7892

446. GRIN', E. L. Yellow fodder lupin in joint sowings. (Rus) Moscow. Timirjazevsk. S-H Akad. Izv. 2(33): 183-190. Ref. 1960. 106 P44

Along with sunflower.

447. GRINEVA, G. M. Accumulation and liberation of alcohols by the roots of plants suffering from oxygen deficiency. (Rus) Akad. Nauk SSSR. Dok 156(5):1225-1228. Ref. 1964. 511 P444A

Corn and sunflowers.

448. GRINEVA, G. M. Alcohol formation and excretion by plant roots under anaerobic conditions. (Rus) Fiziol. Rast. 10(4):432-440. Ref. July/Aug. 1963. 450 F58

English summary.

Sunflowers and corn.

449. GRINEVA, G. M. Changes in the content of phosphorus compounds in plants under anaerobic conditions. (Rus) Akad. Nauk SSSR 146:475-477. 1962. 511 P444A

Corn and sunflower.

450. GRINEVA, G. M. The effect and after-effect of anaerobic conditions on the water relations and respiration of plants. (In Russian.) Fiziol. Rast. 7(6):673-678. Ref. 1960. 450 F58

English summary.

Corn and sunflowers.

This journal will appear in English translation 450 F58Ae.

451. GRINEVA, G. M., and BURKINA, Z. S. The effect of anaerobic conditions on the absorption and distribution of heavy ($^{18}0$) water in maize and sunflower plants. (Rus) Fiziol. Rast. 13(4):682-687. 1966. 450 F58

452. GRINEVA, G. M. Effect of anaerobic metabolism on water exchange of corn and sunflowers. (Rus) In Akademiya Nauk. SSSR. Institut Fiziologii Rastenii im. K. A. Timiryazeva. Vodnyi rezhim rastenii v svyazi s obmenom veshchestv i produktivnost'yu, p. 225-229. Ref. 1963. 463.3 Ak1V

453. GRINEVA, G. M. Excretion of substances by plant roots during brief anaerobiosis. (Rus) Fiziol. Ras. 8(6):686-691. Ref. 1961. 450 F58

English summary.

Corn and sunflowers.

This journal will appear in Egnlish translation 450 F58Ae.

454. GRINEVA, G. M. Influence of anaerobic metabolism upon water exchange in corn and sunflower plants. (Rus) Akad. Nauk SSSR, Inst. Fiziol. Rast. Vodn. Rezhim. Rast. Svyazi s Obmenom Veshchestv i Prod. 225-229. 1963. 463.3 Ak1V

455. GRINEVA, G. M. Temporary anaerobiosis; influence on the metabolism and aqueous regime of plants. (Rus) Vodn. Rezhim Rast. v. Zasushlivykh Raionakh SSSR, Akad. Nauk SSSR 1961:233-245.

Sunflower was one of the plants observed.

456. GRODZIN'SKII, A. M., and others. Inhibiting substances in after-harvest residues of field crops and in weeds. 2. Effect of volatile excretions on seed germination and photosynthesis of plants. (Uk) Ukr. Bot. Z. 20(1):66-72. 1963. 450 J8212J

N. I. Mohova, L. D. Filipenko-Jurcak, and T. M. Filippovic, joint authors.

Sunflower was among the crops investigated.

457. GRODZINS'KIĬ, A. M., and others. Inhibiting substances in field crop residues and weeds. 1. Effect of watersoluble inhibitors on the germination of seed and plant growth. (Uk) Ukr. Bot. Z. 450 J8212J

N. I. Mohova, L. D. Filipenko-Jurcak, and T. M. Filippovic, joint authors.

Inhibitor activity was high in post-harvest residues of sugar-beet and sunflower.

English summary.

458. GROZEV, D. Study of certain Soviet sunflower varieties in the Sofia area. (Bu) Rastenievudni Nauk. 1(4):9-15. 1964. 64.8 R18

459. GROZEV, D. Study of early winter planting of sunflowers. (Bu) Bulgar. Akad. na Nauk. Inst. po Rastenievud. Izv. 12:381-392. 1961. 451 B872

German summary.

Effect on yields.

460. GROZEV, D. Study on the heterosis effect and the method for obtaining hybrid seeds in sunflower. (Bu) Akad. Selskostopanskite Nauk. Bulg. Inst. Rastenievud. Izv. 18:51-69. 1963. 451 B872

English summary.

461. GROZEV, D. Testing Soviet varieties of sunflowers in Bulgaria. (Rus) Vest. Sel'skhohoz. Nauki [Moscow] 8:145-148. Aug. 1964. 20 V633

English summary.

462. GROZEV, D., and DONCEVA, V. Thinning sunflower at the most suitable stage. (Bu) Koop Zemedelie 1964(5):23-24. 280.28 K836

463. GRUEV, TS. Sunflower manuring with mineral and organic-mineral fertilizers under irrigation on leached Chernozem in the Brushlyano-Sandrovski irrigation area. (Bu) Rastenievudni Nauk. 1(12):63-76. Ref. 1964. 64.8 R18

English summary.

464. GRYANENKO, K. K. Sorption and bleaching properties of the Tertiary Nikopol clays. (Rus) Bentonit. Gliny Ukrainy, 1960(4):72-75.

Bleach sunflower oil effectively, without being activated.

465. GUBAREV, V. Two-phase harvest of sunflower. (Rus) Sel'sk. Khoz. Kazakhstana 8:19-21. Aug. 1963. 20 K185

With grain harvester and combines.

466. GUILLAUMIN, R., and DROUHIN, N. Composition of waxes of sunflower seed oil. (Fr) Rev. Franc Corps Gras 13(1):21-28. 1966. 307.8 R32

467. GUILLAUMIN, R., and DROUHIN, N. A new process for removal of sunflower waxes. (Fr) Rev. Franc. Corps Gras 12(11):665-672. Nov. 1965. 307.8 R32

English summary.

468. GUILLAUMIN, R., and DROUHIN, N. Study of the demucilagination of sunflower oil. (Fr) Rev. Franc des Corps Gras 9(10):557-565. Oct. 1962. 307.8 R32

469. GUKOVA, M. M., and FAUSTOV, V. V. Effect of indoleacetic and gibberellic acids on the growth and development of sunflower under separate and combined application. (Rus) Moskov. Ordena Lenina Sel'skokhoz. Akad. im. K. A. Timiryazeva. Doc. 57:133-138. Ref. 1960. 20 M857

470. GUKOVA, M. M., and FAUSTOV, V. V. Giberellin and auxin exchange in plants. (Rus) Timiryazevskaya Sel'skokhoz. Akad. Izv. 45: 47-56. Ref. 1962. 106 P44

English summary.

Chiefly sunflowers: effect of gibberellin depends on auxin content.

471. GUKOVA, M. M., and FAUSTOV, V. V. The stimulating effect of giberellin. (Rus) Timiryazevskaya Sel'skokhoz. Akad. Izv. 2:114-128. 1961. 106 P44

472. GULYAEV, V. A. Ontogeny of the sunflower apical meristem. (Rus) Trudy po Prikl. Bot. Genet. I Selek. 35(2):134-139. 1963. 451 R92
English summary.

473. GUMAROVA, R. Z., and SHIPOVALOVA, A. A. Determination of the iodine numbers of vegetable oils and hydrogenated fats by Gengrinovich's method. (Rus) Materialy Nauchn. Konf. Kazansk. Gos. Ped. Inst., Kazan, Sb. 1962, 311-314. 1963.

474. GUMENYUK, A. D. Breeding sunflowers for early maturity. (Rus) Masl.-Zhir. Promysh. 1960(7):10-12. July. 307.8 M37

475. GUNAR, I. I., and others. The daily periodicity in the synthetic activity of roots. (In Russian.) Timiryazevskaya Sel'skokhoz. Akad. Izv. 36:19-34. Ref. 1960. 106 P44
E. E. Krastina, K. A. Bryushkova, and E. M. Belikova, joint authors.
English summary.
Accumulation of amino acids in sunflower roots.

476. GUNDAEV, A. I. The linear hybridization method in breeding of sunflower. (Rus) Vest. Sel'skokhoz. Nauki [Moscow] 3:124-129. Mar. 1965. 20 V633
English summary.

477. GUNDAEV, A. I. Methods of selecting morphobiological groups and latent recessive characters in sunflower varietal populations. (Rus) Trudy po Prikl. Bot. Genet. i Selek. 36(2):208-228. Ref. 1964. 451 R92
English summary.
With reference to breeding.

478. GUNDAEV, A. I. Selection of early ripening sunflower varieties for the Siberian zone. (In Russian.) Selek. i Semen. 1961(2):50-57. Mar./Apr. 61.9 Se5

479. GUNSTONE, F. D., and QURESHI, M. I. Glyceride studies IV. The component glycerides of seed oils containing linoleic acid. Am. Oil Chemists Soc. J. 42(11):961-965. 1965. 307.8 J82

480. GUSEL'NIKOVA, E. P. Weedy sunflower. (Rus) Zashch. Rast. ot Vred. i Boleznei 1961(12): 39-40. Dec. 421 Z1
On wheat fields.

481. GUSEVA, M. G., and POROLO, L. V. Contribution to the study of the hydrogenation of fatty acids. (In Russian.) Masl.-Zhir. Promysh. 1960(6):21-24. June. 307.8 M37
Of sunflower oil.

482. GUYOT, S. French campaign in favor of the sunflower. (Fr) Oleagineux 18(6):393-396. June 1963. 77.8 OL2
Culture and sunflower oil industry.

483. GYUMISHYAN, B. G., and ABRAMYAN, A. A. Increasing the yield of certain forage crops by using bees. (Arm) Armenian SSR. M-vo Proiz-va i Zagotovok S.-Kh. Produktov. Izv. 8/9:67-69. 1964. Not in Libr.
As pollinators of red clover, sunflowers, and alfalfa.
Abstracted in Ref. Zh. Otd. Vypusk [Ser.] 58, Zhivotnovod. Vet. 14:23. July 1965.
Film S-205

484. HABERMANN, H. M. Allagochrome. I. Properties, purification, and assay procedures. Plant Physiol. 38:381-389. 1963. 450 P692
Sunflower, chrysanthemum, and privet.

485. HABERMANN, H. M., and KRALL, A. R. Catalysis of photophosphorylation by allagochrome. Biochem. Biophys. Research Communs. 4:109-113. 1961. 442.8 B5236
Sunflower seeds and leaves were used in the experiment.

486. HABERMANN, H. M. Grafting as an experimental approach to the problem of physiological aging in Helianthus annuus L. Internatl. Hort. Cong. [Proc.], 16th Cong., v. 4:243-251. 1962, pub. 1964. 90.09 C7616P

487. HABERMANN, H. M. Light-inhibited leaf development in a white mutant: resemblance to effects of 2-thiouracil in normally pigmented Helianthus annuus. Physiol. Plant. 19(1):122-127. 1966. 450 P564

488. HABERMANN, H. M. Spectra of normal and pigment-deficient mutant leaves of Helianthus annuus L. Physiol. Plant. 13(4):718-725. 1960. 450 P564

489. HAERTLING, C. The effect of rotation on a clinostat upon the ability of Helianthus seedlings to respond geotropically. Planta 63(1):43-64. 1964. 450 P693

490. HAGER, A. The problem of geotropic induction. (Ge) Deut. Bot. Gesell. Ber. 76(8):329-341. Ref. 1963. 451 D48

Helianthus annuus studied.

491. HALDEN, W., and LIEB, H. Influence of biologically improved coconut oil products on the blood cholesterol levels of human subjects. (Ge) Nutritio et Dieta 3:75-88. 1961.

Sunflower oil was used as an ingredient in the diet.

492. HALF a century in the service of the peoples: economy. (Rus) Selek. i Semen. 28(1):54-59. 1963. 61.9 Se5

Discusses cultivars produced by the oil-crops research institute in Krasnodar of sunflowers.

493. HALMAGYI, L., and SUHAYDA, J. Nectarexaminations on sunflower varieties. (Hu) K_1 -serlet. Kozlem. 56/B(2):43-54. Ref. 1963, pub. 1965. 105.9 H89

English summary.

494. HAMILTON, J. W., and BEATH, O. A. Selenium uptake and conversion by certain crop plants. Agron J. 55(6):528-531. 1963. 4 Am34P

Sunflower plants were the most efficient in absorbing selenium.

495. HANCOCK, J. B. Degradation of pectic substances associated with pathogenesis by Sclerotinia sclerotiorum in sunflower and tomato stems. Phytopathology 56(8):975-979. 1966. 464.8 P56

496. HANCOCK, J. G. Hemicellulose degradation in sunflower hypocotyls infected with Sclerotinia sclerotiorum. Phytopathology 57(2):203-206. Ref. Feb. 1967. 464.8 P56

497. HANNIG, K., KLOFAT, W., and ENDRES, H. Experiments in preparative isolation of plant cell organellae by means of unsupported, continuous differential electrophoresis. (Ge) Z. f. Natforsch. 19b(11):1072-1075. Ref. Nov. 1964. 474 Z3

Spinacia oleracea, Helianthus annuus, and Taraxacum officinale.

498. HAO, S., and YANG, C.-C. The effect of X-rays on the mitotic process in plant cells. (Ch) Acta botanica sinica 11:8-15. 1963. 450 C432

Doses of 50 to 1000 r. retarded mitotic activity in root-tip cells of sunflower.

499. HARADA, I., SARATANI, Y., and ISHIKAWA, M. Color reversion of refined and deodorized soybean oil. II. General aspects of color reversion and the relation between color reversion and tocopherol contents. Nippon Nogei Kagaku Jaishi 34, 551-558 1960 385 Ag8

Comparative experiments with some oils showed that sunflower oil was very stable with respect to color.

500. HARDY, J. Two years sunflower culture in east central France. (Fr) B. des Engrais 448:55-58. Mar. 1962. 57.8 B87

501. HARTLING, C. Studies on the effect of rotation on klinostat on tropic reactions of Helianthus [annuus] seedlings. (Ge) Planta 63(1): 43-64. Ref. 1964. 450 P693

Photo-and geotropism.

502. HASKINA, R. H., TULLOCH, A. P., and MICETICH, R. G. Steroids and the stimulation of sexual production of a species of Pythium. Can. J. Microbiol. 10:187-195. 1964. 448.8 C162

The most active fraction in sunflower seed oil was identified as a phytosterol.

503. HASMAN, M., and BARA, M. Investigations on auxin-gibberllin interaction on the growth mechanism of Helianthus annuus seedlings. Experientia 17(9):400-401. Sept. 15, 1961. 475 Ex7

504. HAYASHI, T. Culture of sunflower crown gall tissue and its differentiation. Tokyo. U. Col. Gen. Educ. Sci. Papers. 11(2):225-230. Dec. 1961. 330.9 T572

Agrobacterium tumefaciens.

505. HAYASHI, T., HILDEBRANDT, A. C., and RIKER, A. J. Isolation of crown-gall tissue freed from bacteria by antibiotics. Bot. Mag. Tokyo 77(913):270-273. Ref. July 1964. 450 B651

Agrobacterium tumefaciens on sunflower.

506. HAYASHI, T. Some aspects of differentiation of sunflower crown-gall tissue. Int. Conf. Plant Tissue Cult. Penn State Univ. Proc. 1963:331-339. Ref. 1965. QK725. I5

Inoculated with Agrobacterium tumefaciens.

Discussion, p. 377-381.

507. HEIDEMANIS, K. Comparison of certain indexes of fat metabolism in patients with atherosclerotic coronary disease. Latvijas PSR Zinatnu Akad. Vestis 1963, no. 2:114-118.

Sunflower seed oil was used in the tests.

508. HEIDEMANIS, K. Fat metabolism in patients with atherosclerotic coronary disease. Latvijas PSR Zinatnu Akad. Vestis, Kim. ser. 1963, no. 1:97-100.

Sunflower oil was in this test.

509. HEIMANN, H., and RATNER, R. The influence of potassium on the uptake of sodium by plants under saline conditions. Israel Research Council Bull. Sect. A 10:55-62. 1961. 330.9 Is72B

510. HEISER, C. B. Artificial inter-generic hybrids of Helianthus and Viguiera. Madrono 17:118-127. 1963. 450 M26

511. HEISER, C. B. Evolution in sunflowers. Amer. J. Bot. 48:547. 1961. 450 Am36

512. HEISER, C. B. A new annual sunflower, Helianthus deserticolus, from the southwestern United States. Ind. Acad. Sci. Proc. 70:209-212. 1960. 500 In2

513. HEISER, C. B. Notes on the origin of two ornamental sunflowers, Helianthus multiflorus L., and H. laetiflorus Pers. Baileya 8(4):146-149. 1960. 80 B15

514. HEISER, C. B., and SMITH, D. M. Origin of helianthus multiflorus. Amer. J. Bot. 47(10) 860-865. Dec. 1960. 450 Am36

Helianthus annuus is speculated upon as a parent of Helianthus multiflorus.

515. HEISER, C. B., and SMITH, D. M. Species crosses in Helianthus. II. Polyploid species. Rhodora 66:344-358. 1964. 450 R34

516. HEISER, C. B. Sunflowers, weeds, and cultivated plants. In International Union of Biological Sciences Symposia on General Biology, 1, Asilomar, Calif., 1964. The genetics of colonizing species, proceedings, p. 391-401. Ref. 1965. QH371. I5

Ecology.

Includes discussion.

517. HELLER, R. Chelation and plant nutrition. (Fr) Plant Anal. Fert. Probl. 4:130-145. 1964.

518. HERBOLD, O. Ist die Sonnenblume widerstandsfähig gegen Trockenheit? Mitt. der Deut. Landwirt.-Gesell. 75(20):680-681. May 19, 1960. 18 N39

519. HESKETH, J. D., and MOSS, D. N. Variation in the response of photosynthesis to light. Crop Sci. 3(2):107-110. 1963. 64.8 C883

The net photosynthesis of 13 species, including sunflower, was measured in sunlight and in artificial light.

520. HEWITT, E. J., and NOTTON, B. A. Estimation and distribution of some phosphorus fractions in leaves of plants. J. Sci. Food Agri. 11(11):653-658. 1960. 382 So12

Mustard and sunflower.

521. HEWITT, E. J., and TATHAM, P. Interaction of mineral deficiency and nitrogen source on acid phosphatase activity in leaf extracts. J. Exp. Botany 11:367-376. 1960. 450 J8224

522. HIROI, T., and MONSI, M. Physiological and ecological analyses of shade tolerance of plants. 3. Effect of shading on growth attributes of Helianthus annuus. Bot. Mag. Tokyo 76(898): 121-129. Ref. Apr. 1963. 450 B651

523. HIROI, T., and MONSI, M. Physiological and ecological analyses of shade tolerance of plants. 4. Effect of shading on distribution of photosynthate in Helianthus annuus. Bot. Mag. Tokyo 77(907):1-9. Ref. Jan. 1964. 450 B651

524. HOCKINGS, E. T., and VEITCH, R., ed. The Queensland agricultural and pastoral handbook, v. 1: Farm crops and pastures. Ed. 2. Brisbane, Queensland Dept. Agric. Stock, 1962. 36 Q3 Ed. 2
Sunflower is discussed.

525. HOEFNER, W., and HERWIG, K. Maganese influence on the volume and osmotic value of exudate from young sunflowers. Physiol. Plantarum 19(1):31-39. 1966. 450 P564

526. HOES, J. A., and PUTT, E. D. Diseases of sunflowers in Manitoba in 1962. Canada. Dept. Agr. Res. Br. Plant Res. Inst. Canad. Plant Dis. Survey 42(4):256-257. Dec. 1962. 464.9 C16S
Fungus diseases.

527. HOES, J. A., and PUTT, E. D. Diseases of sunflowers in western Canada in 1964. Canada. Dept. Agr. Res. Br. Plant Res. Inst. Canad. Plant Dis. Survey 44(4):236-237. Dec. 1964. 464.9 C16S
Rust, leaf mottle, and Sclerotinia wilt.

528. HOES, J. A., and PUTT, E. D. Races of Puccinia helianthi. Phytopathology 52:736. 1962. 464.8 P56
Resistance of 14 inbred lines of annual sunflower to these races was ascertained.

529. HOES, J. A., and PUTT, E. D. Sunflower diseases in Manitoba in 1963. Canada. Dept. Agr. Res. Br. Plant Res. Inst. Canad. Plant Dis. Survey 43(4):210-211. Dec. 1963. 464.9 C16S
Fungus diseases and lightning injury.

530. HOFFMANN, W. E. Variations in plant root activity, with regard to the delivery of minerals to the shoot by different potassium nutrition. (Ge) Z. Pflanzenernahr. Dungung, Bodenk. 113 (2):120-130. Ref. 1966. 384 Z343 A
English summary, p. VI.
Corn and sunflowers.

531. HOFNER, W., and HERWIG, K. Influence of manganese on the volume and osmotic value of young sunflower exudates. (Ge) Physiol. Plant. 19(1):31-39. Ref. 1966. 450 P564

532. HOLCOMB, G. E. Comparative nutrition and cytology of crown gall and normal tissue cultures. Diss. Abs. 26(11):6286. May 1966. 241.8 M58
From sunflower and marigold plants.

533. HOLLO, J., KURUCZ, E., and BORODI, A. Experiments on the deacidification of sunflower oil by molecular distillation. (Ge) Fette, Seifen, Anstrichmtl. 66(11):936-941. Ref. Nov. 1964. 384 C422
English summary.

534. HOLLO, J., KURUCZ, E., and BORODI, A. The possibilities of refining sunflower oil with molecular distillation. (Ge) Fette, Seifen, Anstrichmittel 68(9):719-725. Sept. 1966. 384 C422
English summary.

535. HOLOBRADY, K., and others. Potassium trachyte from the environs of Kremnica as a possible source of potassium oxide in the nutrition of plants. (Cz) Pol'nohospodarstvo 12 (11):822-833. Ref. 1966. 19.5 P752
A. Dobis, G. Bujdos, and J. Puskas, joint authors.
English summary.

536. HOLZ, A. E. Less sunflower seed and oil for world trade. Foreign Agr. Incl. Foreign Crops & Mkt. 1(52):9. Dec. 30, 1963. A281.9 F76Fo

537. HOPKINS, C. Y., and CHISHOLM, M. J. Development of oil in the seed of Helianthus annuus L. Canad. J. Biochem. & Physiol. 39(10):1481-1487. Ref. Oct. 1961. 470 16E

538. HORODYSKI, A. Sowing time for sunflower in the light of experiments in experimental stations of the Institute of Soil Science and Plant Cultivation in the years 1952-1956. (Pol) Inst. Uprawy, Nawozenia i Gleboznawstwa, Pamietnik Pulawski. 1964(15):111-122.
English summary.

539. HORTENSTINE, C. C., and FISKELL, J. G. A. Effects of aluminum on sunflower growth and uptake of boron and calcium from nutrient solution. Soil Sci. Soc. Amer. Proc. 25(4):304-307. Ref. July/Aug. 1961. 56.9 So3

540. HOW to grow contest-winning sunflowers. Org. Gard. and F. 10(3):70-71. Mar. 1963. 57.8 Or32

541. HUBBARD, W. A. Sorghum almum. Forage notes 6(1):18-19. 1960. 60.8 F742
Sunflower was one of the crops compared with sorghum almum for yields.

542. HUGHES, P. Trials with summer fodder catch crops under irrigation in S. France. (Fr) Montpellier. Sta. Amelior. Pl. Bull. Tech. Ing. Serv. Agric. 171:557-568. 1962.
Sunflower was among the crops used.

543. HUMENYUK, A. D., and LESYUIS, A. A. Introducting early maturing varieties of sunflowers in production. (Uk) Visnyk Sil'kohospodar. Nauk. 2:43-45. Feb. 1965. 20 V82

544. HUMPHRIES, A. W., and ROBERTS, F. J. The effect of wind on plant growth and soil moisture relations: a re-assessment. New Phytol. 64(2):315-318. June 1965. 450 N42
Helianthus annuus.

545. HUSA, J. G., and MCILRATH, W. J. Absorption and translocation of boron by sunflower plants. Bot. Gaz. 126(3):186-194. Ref. Sept. 1965. 450 B652

546. IARCHO, A. Sunflower seed; a cheap source of protein, vitamins and minerals. Mother Earth 12(8):786-788. Oct. 1963. 56.8 M85

547. IDEIKINA, T. A., and BOL'DYREVA, M. V. Refinement of sunflower oil with sodium silicate. (Rus) Masl. Zhir. Promysh. 10:33-35. Oct. 1963. 307.8 M37

548. IGOL'CHENKO, M. I., and KOPEIKOVSKII, V. M. Dependence of size and heat treatment on the equilibrium, humidity of sunflower seeds. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Tekhnol. 1962,(6):12-15. 389.8 Iz8

549. IGOL'CHENKO, M. I., and KOPEIKOVSKII, V. M. The effect of some chemical components of sunflower seeds on their balanced moisture. (Rus) Masl.-Zhir. Promysh. 9:3-5. Sept. 1964. 307.8 M37

550. IGOL'CHENKO, M. I. Equilibrium moisture of the seed kernel and coat of sunflower seeds containing high oil content. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. 1960 (5):59-62. 389.8 Iz8

551. IGOL'CHENKO, M. I., and KOPEIKOVSKII, V. M. Equivalent moisture of organic waste admixtures with sunflower seeds. Masl.-Zhir. Promysh. 1960(6):11-12. June. 307.8 M37

552. IGOL'CHENKO, M. I. Nomogram for determination of ventilation possibility of sunflower seeds. (In Russian.) Masl.-Zhir. Promysh. 1960(10:16-18. Oct. 307.8 M37

553. IGOL'CHENKO, M. I., and GARBUZOVA, G. I. Ventilation of sunflower seeds with outside air and warmed air. (Rus) Masl.-Zhir. Promysh 3:10-13. Mar. 1963. 307.8 M37

554. IKHNO, N. P. Drop formation during dispersion of vegetable oils and fats into a continuous phase containing surface-active agents. Maslob.-Zhir. Prom. 29(4):15-19. 1963. 307.8 M37
Hydrogenated sunflower oil was one of those investigated.

555. ILAN, I., and REINHOLD, L. Analysis of the effects of indole-3-acetic acid on the uptake of monovalent cations. Physiol. Plant. 16(3):596-603. Ref. 1963. 450 P564

Experiment with sunflowers.

556. ILAN, I., and REINHOLD, L. Reversal by sucrose of the inhibitory and stimulatory effects of indolyl-3-acetic acid on cation uptake by Helianthus annuus plant cells. Nature 201(4920):726. 1964. 472 N21

557. IL'INA, G. V., and RYDKII, S. G. Effect and aftereffect or radioactive substances on yields and quality of grain for some field crops. Agrokhimiya 1964(3):80-87. 385 Ag89

558. INDEIKINA, T. A., and BOLDYREVA, M. V. Refining of sunflower oil with sodium silicate. Maslob.-Zhir. Prom. 29(10):33-35. 1963. 307.8 M37

559. INIGO, R. M. Comportamiento de la variedad de girasol Manfredi I. N. T. A. en la Provincia de Tucuman [Behavior of the sunflower variety Manfredi I. N. T. A. in the Province of Tucuman]. Tucuman. Estac. Expt. Agr. C. 171, 3 p. Oct. 1963. 102.5 T79

560. IOFO, R. L., and KLEINER, G. I. Effect of fats on penicillin production. (Rus) Antibiotiki 8(8):684-689. 1963. 396.8 An84

Pharmaceutical sunflower oil was one of the fats tested.

561. IORDANOV, IV. Diurnal dynamics of the free amino acids in the bleeding sap of sunflower. (Bu) Bulg. Akad. Nauk. Inst. Fiziol. Rast., "Metodii Popov," 15:257-267. 1966. 442.9 B87

562. IRLENBUSCH, J. Experiments to determine a suitable system of winter catch crop growing. (Ge) Leipzig. Karl-Marx-Univ. Wiss. Z. 12(1):329-345. 1963. 509 L532

Sunflower was one of the crops studied.

563. IRODOV, M. V. The composition of sweet water from autoclave (at 220°) fat-splitting (process). (Rus) Maslob.-Zhir. Prom. 28(12):21-24. 1962. 307.8 M37

Tabulated data show the free and bound fatty acid content of sweet water as affected by the composition of the fat used in the process (Sunflower oil was one of the fats used).

564. IRODOV, M. V., and ELISEEVA, N. S. The effect of phosphatides on the cleavage products of vegetable oils Maslob.-Zhir. Prom. 30(5):14-17. 1964. 307.8 M37

Sunflower oil was among those investigated.

565. ISTATKOV, S. The oil content of some sunflower varieties studied at the testing stations in Bulgaria. (Bu) Bulgar. Akad. na Nauk. Inst. po Rastenievud. Izv. 10:65-81. Ref. 1961. 451 B872

German summary.

566. ITAI, C., and VAADIA, Y. Kinetin-like activity in root exudate of water-stressed sunflower plants. Physiol. Plant. 18(4):941-944. Ref. 1965. 450 P564

567. IVANNIKOV, S. G. The effect of sunflower pollen on fertilization of corn under limited self-pollination. (In Russian.) Agrobiologiya 1961 (4):623-624. July/ Aug. 20 Ag822

568. IVANNIKOV, S. G. Proliferation of sunflower inflorescences. (Rus) Priroda [Moscow] 1962(5):60. May. 410 P933

569. IVANOV, S. A., and KHADZHIISKI, TS. T. Influence of alkaline refining on stability of sunflower oil. (Bu) Plovdiv, Bulgaria. Visshiya Ped. Inst. Tr.:Mat., Fiz., Khim., Biol. 2 (1): 63-69. 1964.

570. IVANOV, V. K. Culture and irrigation of sunflowers in southern Ukraine. (Rus) Vest. Sel'skokhoz. Nauki 11:31-36. Nov. 1962. 20 V633

English summary.

571. IVANOV, V. K. How to obtain large sunflower seeds from seed crops. (In Russian.) Selek. i Semen. 1960(2):46-48. Mar./Apr. 61.9 Se5

572. IVUSHKIN, I., and KADOSHNIKOVA, V. Sunflower in rotation of crops. (Rus) Zemledelie 11:26-27. Nov. 1966. 20 Z44

573. JACHYMCZYK, W., and KASPRZYK, Z. Triterpenoid saponins of the Compositae, III. Echinocystic acid, the aglycon of sunflower (Helianthus annuus) saponin. Roczniki Chem. 36:1615-1624. 1962. 385 R59

574. JAFFE, L., and ETZOLD, H. Orientation and locus of tropic photoreceptor molecules in spores of Botrytis and Osmunda. J. Cell Biol. 13(1):13-31. Ref. Apr. 1962. 442.8 J828
Botrytis cinerea and Osmunda cinnamomea.

575. JAKY, M., HAGONY, P. L., and HOMONNAY, MRS. N. Analyses of fatty acid and tocopherol contents in the oil component of the seed crop of Hungarian and foreign sunflower varieties. (Hu) Iregszemcse. Delkeletdunantuli Mezogazdasagi Kiserlet. Intezet. Kozlem. 3(2): 30-39. Ref. 1963. 105.9 Ir2
English summary p. 57-58.

576. JAKY, M. Direct method for determination of the total tocopherol content in fats without preliminary saponification. (Ge) Nahrung 9(3):384. 1965. 389.8 N142

577. JAKY, M., GONDAR, J., and DEMECZKY, M. Influence d'un pre-traitement diélectrique sur la production de l'huile de tournesol. Oléagineux 15(12):831-835. Dec. 1960. 77.8 OL2

578. JAKY, M., GONDAR, J., and DEMECZKY, M. Uber die dielektrische Vorbehandlung bei der Verarbeitung von Sonnenblumensaat. Fette, Seifen, Anstrichmtl. 62(6):483-486. June 1960. 384 C422
English summary.

579. JAKY, M., and KAFFKA, K. The use of radioactive isotopes in the analysis of vegetable oils. (Ge) Fette, Seifen, Anstrichmittel 62:682-687. 1960. 384 C422

580. JANICEK, G., and POKORNY, J. Alterations in fats induced by heating with non-lipid substances. (Ge) Nahrung 5:387-398. 1961. 389.8 N142

581. JANICEK, G., POKORNY, J., and PLISKA, V. Comparison of colorimetric idometric, and polarographic methods for the determination of the peroxide number. (Ge) Nahrung 5:399-410. 1961. 389.8 N142

582. JANICEK, G., POKORNY, J., and SHUPOVA, I. Effect of food products fried in fat on changes in the properties of fat. (Rus) Vopr. Pitaniya 20(6):12-17. 1961. 389.8 V89

583. JANICEK, C., POKORNY, J., and KOBATOVA, J. The preparation of fats with properties related to cacao butter. IV. The effect of added emulsifiers on the consistency of hydrogenated vegetable fats. (Rus) Prague. Vysoke Skoly Chem.-Technol. Fak. Potravinarska Technol. Sb. 5:267-293. 1961. 389.9 P88
The consistency of hydrogenated peanut and sunflower seed oils was determined by dilatometric and penetrometric measurements, and changes caused by addition of emulsifier were investigated.

584. JANNACCONE, A. Agricultural problems and perspectives of the cultivation of oil bearing plants in Sicily. (It) Tec. Agr. 18(1):3-15. 1966. 16 T22
Possible cultivation of sunflower for its oil and as a short term crop is considered.

585. JARVIS, P. G., and JARVIS, M. S. Pre-sowing hardening of plants to drought. Phyton [Vicente Lopez] 21(2):113-117. Ref. Nov. 1964. 450 P567
Sunflowers and sorghum.

586. JARVIS, W. R. Thermal and translocated induction of endophytic mycelium in two powdery mildews (Spaerotheca fuliginea on cucumber and Erysiphe cichoracearum on sunflower). Nature 203(4947):895. 1964. 472 N21

587. JECSAI, MRS. G. The amino acid composition of some domestic (Hungarian) fodders. (Hu) Allattenyesztes 13(2):165-70. 1964. 49 AL57
Sunflower meal.

588. JEFFREYS, R. A., HALE, V. Q., and WALLACE, A. Uptake and translocation in plants of labeled iron and labeled chelating agents. Soil Sci. 92(4):268-273. 56.8 So3
Plants studied included soybeans and sunflower.

589. JENSEN, R. D., and TAYLOR, S. A. Effect of temperature on water transport through plants. Plant Physiol. 36(5):639-642. Sept. 1961. 450 P692

Sunflowers and tomatoes.

590. JENSEN, R. D., TAYLOR, S. A., and WIEBE, H. H. Negative transport and resistance to water flow through plants. Plant Physiol. 36(5): 633-638. Sept. 1961. 450 P692

Sunflower and tomatoes.

591. JONES, R. L., and PHILLIPS, I. D. J. Agar-diffusion technique for estimating gibberellin production by plant organs. Nature 204(4957):497-499. 1964. 472 N21

592. JONES, R. L., and PHILLIPS, I. D. J. Effect of CCC on the gibberellin content of excised sunflower organs. Plants 72(1):53-59. 1967.

593. JONES, R. L., and PHILLIPS, I. D. J. Organs of gibberellin synthesis in light-grown sunflower plants. Plant Physiol. 41(8):1381-1386. Ref. Oct. 1966. 450 P692

Biochemical study of gibberellic acid.

594. JORDAN. MINISTRY OF AGRICULTURE. DEIR ALLA RESEARCH STATION. Annual report. 9:54. 1960. 107 T683

Interim results are given of trials to increase production of a number of crops, including sunflower.

595. JORDAN. MINISTRY OF AGRICULTURE. DEIR ALLA RESEARCH STATION. Industrial crops. Oilseeds. In Its Annual Report 8:38-61, 1959. Pub. 1960. 107 T683

Sowing time and spacing of sunflower discussed.

596. JOSHI, S. K., and SELL, J. L. Comparative dietary value of soybean oil, sunflower oil, rapeseed oil, and animal tallow for turkey poults. Canad. J. Anim. Sci. 44(1):34-38. Ref. Apr. 1964. 41.8 C163

597. JUNG, J. Uber den Einfluss steigender N-, P-, K- und Mg-Gaben auf den Mikronährstoffgehalt von Mais und Sonnenblumen. Landwirt. Forsch. 13(4):247-252. Ref. 1960. 18 L2333

English summary.

598. JUNG, L., and MORAND, P. Interpretation of the fluorescence spectra of vegetable oils. Ann. Fals. Expert. Chim. 57(661-662-663):17-25. 1964. 389.8 An72

The fluorescence spectra of common vegetable oils, including sunflower oil, were recorded and analyzed.

599. JUNG, L., and MORAND, P. Presence of pyrene, 1,2-benzopyrene, and 3,4-benzopyrene in different vegetable oils. (Fr) Paris. Acad. Sci. Compt. Rend. 257(9):1638-1640. 1963. 505 P21

Sunflower oil was one of those analyzed.

600. JUNGERMANN, K. The biuret content of urea and plant growth. (Ge) Landwirtsch. Forsch. 17:93-99. 1964. 18 L2333

Effect on sunflower was studied.

601. JURRIENS, G., and SCHOUTEN, L. Triglyceride analysis of corn, sunflower, and rapeseed oils. (Fr) Rev. Franc. des Corps Gras 12(8/9):505-510. Ref. Aug./Sept. 1965. 307.8 R32

English summary.

602. JUSCAFRESA, B. Cultivo del girasol. Cult. Mod. 43(1):13-14. Jan. 1960. 15 C89

603. KABANOV, P. G. Snow retention is an important measure in drought control. (In Russian.) Zemledelie 1960(1):30-36. Jan. 20 Z44

Sunflowers on wheat fields.

604. KADANER, YA. D., and USENKO, V. F. Stability of some vegetable fats used in deep-fat frying. (Rus) Vopr. Pitaniya 25(6):51-54. 1966. 389.8 V89

Mixtures of refined or unrefined sunflower oil with hydrogenated oil were more stable to heat than sunflower oil alone.

605. KAGAN, Z. S. B,B-Dimethylacrylic acid as an amino acid precursor in plants. (Rus) Biokhimiya 27:715-721. 1962. 385 B523

606. KAGAN, Z. S., KRETOVICH, V. L., and CHEISHNER, G. The biosynthesis of isoleucine and its a, b-dihydroxy analogue in seedlings of different plants. (Rus) Fiziol. Rast. 10(4):458-464. Ref. July/Aug. 1963. 450 F58

English summary.

Wheat, peas and sunflowers.

607. KAKHNOVICH, L. V. Accumulation of pigments and change in plastid apparatus in leaves of certain plants raised in artificial illumination. (Rus) Akad. Nauk Belorussk. SSR Dokl. 7(1):51-53. 1963. 511 M663D

608. KAMINSKII, N. A. Neutralization of hydrogenated fat in a soap-alkali medium. (Rus) Novaya Tekhn. i Tekhnol. v Maslozhir. Prom. Ukrainy, Kiev, Sb. 1964:62-66.

609. KARASTAN, D. I., and BOSHKANYAN, A. I. Accumulation of phosphorus compounds in sunflower plant on the soils of Moldavian south. (Rus) Agrokhimiya 1966(7):20-25. 385 Ag89

610. KARASTAN, D. I. Effects of soils and fertilizers on fat content in sunflower seeds grown under conditions in southern Moldavia. (Rus) Khim. Sel'skom Khoz. 6:7-8. June 1965. 385 K524

611. KARASTAN, D. I., and BOSHKANYAN, A. I. Uptake of nutrients by sunflower plants from the soils of the South Moldavia. (Rus) Agrokhimiya 1966(3):139-141. 385 Ag89

612. KARATAEV, K. M. Comparative characteristics of labeled plant oils transport into the blood of animals. (Rus) Moscow. Tsentr. Inst. Usoversh. Vrachei Tr. 1962:124-127.

No significant differences were found in the rates of 131 I-labeled sunflower oil and corn oil transport into the blood.

613. KARISHNEV, R. V. Jerusalem artichoke and sunflower hybrid in the Novgorod Region. (Rus) Agrobiologiya 6:936. Nov./Dec. 1962. 20 Ag822

614. KARTAMYSHEV, V. G. Certification of seeds should also include the data on compliance with cultural practices advised for seed production. (Rus) Selek. i Semen. 3:55-59. May/June 1964. 61.9 Se5

Sunflowers.

615. KARTHA, A. R. S. Variation in content and iodine values of fats in underdeveloped seeds and the phenomenon of marginal fat synthesis. Indian J. Chem. 1:280-281. 1963. 385 In294

616. KASPAROV, G. N., ALERSEEV, V. I., and BELOBORODOV, V. V. The effect of forms and dimensions of the outlet of flat sieves on the effectiveness of cleaning of sunflower seeds. (Rus) Masl.-Zhir. Promysh. 3:9-11. Mar. 1965. 307.8 M37

617. KASPAROV, G. N., and BELOBORODOV, V. V. The effect of the volume of production, original impurity and the angle of sieves on the effectiveness of cleaning of sunflower seeds. (Rus) Masl. -Zhir. Promysh. 4:9-12. Apr. 1965. 307.8 M37

618. KALINOV, Z. Production of sunflowers. U. S. Joint Publ. Res. Serv. Transl. East. Europe. Agr. Forest. Food Indus. 436:1-6. May 4, 1966. (JPRS 35,334; TT 66-31770) 173 J663Ste

In Bulgaria.

Translation from Kooperativno Zemedelie 3:1-2. Mar. 1966.

Issued by CFSTI.

619. KAMALETDINOVA, S. I., and others. Use of bentonites from the Volga region in the bleaching of vegetable oils. (Rus) Maslozhir. Prom. 32(1):16-17. 1966. 307.8 M37

P. N. Zaleznyak, N. V. Kirsanov, and S. N. Belyaev, joint authors.

620. KAMINSKAYA, P. A., and CHIRKOVA, N. A. From experience in the processing of highly-acid sunflower oil. (In Russian.) Masl.-Zhir. Promysh. 1961(1):30. Jan. 307.8 M37

621. KAMINSKII, N. A., and others. Neutralization of fats and oils in alkaline medium in columns. Maslob.-Zhir. Prom. 27(12):37-40. 1961. 307.8 M37

N. S. Arutyunyan, A. I. Kalinin, A. A. Kozdoba, N. A. Dmitrieva, and T. N. Yudina, joint authors.

622. KASPRZYK, Z., WOJCIECHOWSKI, Z., and KUCZEWSKA-JANKOWSKA, I. The glycosides of triterpenic acids from Helianthus annuus flowers. Pol. Acad. Nauk. Bull. Ser. Sci. Biol. 14(11-12): 747-749. 1966. 512 W262

623. KASPRZYK, Z., GRZELCZAK, Z., and PYREK, J. Thin-layer chromatographic characterization of ether-soluble terpenoid compounds in plants of the Compositae family. Acad. Polon. Sci., Ser. Sci. Biol. Bull. 13(11-12):661-665. 1965. 512 W262

Helianthus annuus was one of the plants examined.

624. KATO, J., and others. Physiological activities of helminthosporol in comparison with those of gibberellin and auxin. Planta 68(4): 353-359. 1966. 450 P693

Y. Shiotani, S. Tamura, and A. Sakurai, joint authors.

Product had no effect on sunflower.

625. KAUFMANN, H. P., and APARICIO, M. Analysis of foreign fats in olive oil. (Sp) Madrid Inst. Invest. Vet. Anales 11:179-184. 1961. 41.9 M262

626. KAUFMANN, H. P., and BRUNING, H. Copolymerization in the paint field. III. The reaction between drying oils and indene. (Ge) Fette, Seifen, Anstrichmittel 62:1146-1152. 1960. 384 C422

627. KAUFMANN, H. P., WESSELS, H., and VISWANATHAN, C. V. The paper chromatography of fats. LI. The preparative separation of triglycerides. (Ge) Fette, Seifen, Anstrichmittel 64:509-513. 1964. 384 C422

628. KAUFMANN, H. P., and WESSELS, H. Thin-layer chromatography of fats. XIV. The resolution of triglycerides by a combination of adsorption and reverse phase partition chromatography. (Ge) Fette, Seifen, Anstrichmittel 66:81-86. 1964. 384 C422

The glycerides of sunflower seed oil were resolved by thin-layer chromatography, by using silica gel plates impregnated with $AgNO_3$, and by reverse phase partition chromatography.

629. KAUFMANN, H. P., MAKUS, Z., and DAS, B. Thin-layer chromatography of lipids. IV. The separation of triglycerides. (Ge) Fette, Seifen, Anstrichmittel 63:807-811. 1961. 384 C422

630. KAUSPEDAS, A. Use of opoka from Stoniskiai and of clay from the stream of Slave for purification of mineral and edible oils. Lietuvos TSR Aukstuju Mokyklu Mokslo Darbai, Chem. Tr. Chem. Tech. 2:123-129. 1962.

631. KELLER, H. Experiment for determining the permanent wilting points on white and black alder in comparison with sunflower. (Ge) Schweiz. Z. f. Forstw. 112(9):575-583. Sept. 1961. 99.8 J82

632. KENDE, H. Kinetinlike factors in the root exudate of sunflowers. Natl. Acad. Sci. Proc. 53(6):1302-1307. Ref. June 1965. 500 N21P

633. KENDE, H. Preservation of chlorophyll in leaf sections by substances obtained from root exudate. Science 145(3636):1066-1067. 1965. 470 Sci2

Sunflower.

634. KENTZER, T., and LIBBERT, E. Blockade des Gibberellinsäure-Transports in Hypocotylsegmenten durch Trijodbenzoesäure. Zugleich ein neuer Agarblocktest auf Gibberelline. Planta 56(1):23-27. 1961. 450 P693

English summary.

In sunflower.

635. KERSTETTER, R. E. Response of Helianthus annuus L. to localized, acute X-irradiation. Kans. Acad. Sci. Trans. 66(1): 488-495. Spring 1963. 500 K13T
Anatomical and morphological changes.

636. KERZNER, E. L., and REZNICHENKO, L. F. Change of the quality of sunflower oil upon heating. (Rus) Konserv. i Ovoshchesushil'n. Prom. 17(3):35-36. 1962. 389.8 K833

637. KERZNER, E. L., and REZNICHENKO, L. F. Variation of the quality of sunflower oil after roasting. (Rus) Konserv. i Ovoshchesushil'naya Promysh. 3:35-36. Mar. 1962. 389.8 K833

638. KESSELBRENNER, E. El cultivo del girasol en las zonas semiaridas [Sunflower culture in semi-arid zones]. Mex. Sec. Agr. Ganad. Inst. Nac. Invest. Agr. Folleto Divulgacion 35, 12 p. May 1966. 8 M577

639. KHAVZHU, I. M. The state of sunflower-seed growing on the farms of Stavropol Territory. (Rus) Masl.-Zhir. Promysh. 1961(9):5-7. Sept. 307.8 M37

640. KHODOROVSKII, YU. M. Effect of 2,4-D and maleic hydrazide on the water regime and yields of plants, grown under different conditions of the soil moisture. (Rus) Khim. Sel'skom Khoz. 5(2):40-44. Ref. 1967. 385 K524
Wheat and sunflowers.

641. KHODZHAEV, A. S. Character of biosynthesis of plastid pigments during virescence of leaves of different physiological characteristics. Botan. Zh. 48(7):1030-1034. 1963. 451 R923

642. KHODZHAEV, A. S. Photo reaction of mutual transformation of xanthophylls in the course of virescence of seedlings. (Rus) Bot. Zhur. [Moscow] 48(10):1525-1527. Oct. 1963. 451 R923
Sunflower.

643. KHOKHLENKO, A. F. Amino acids of the protein fraction of kernels of sunflower seeds. (Rus) Izv. Vysshikh Ucheb. Zavedenii Pishchevaya Tekhnol. 1960(3):31-36. 389.8 Iz8

644. KHOKHLENKO, A. F. Biochemical features of high oil content sunflower. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Tekhnol. 1964(1):23-25. 389.8 Iz8

645. KHOKHLENKO, A. F. The physical-chemical properties of the protein of the kernel of sunflower seeds. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. 1960(6):40-44. 389.8 Iz8

646. KHOKHRYAKOV, M. K., and MINASYAN, M. A. Downy mildew of sunflower. (Rus) Vses. Nauch.-Issled. Inst. Zashch. Rast. Tr. 25:192-193. 1965. 464.9 L542S
Caused by Plasmopara helianthi.

647. KHOLODOV, A. A., and KHARAKHURSAKH, A. IA. The Seven-Year-Plan for agriculture to be fulfilled within five years. (In Russian.) Selek. i Semen. 1960(1):11-13. Jan./Feb. 61.9 Se5
Wheat, corn, and sunflowers.

648. KHOLODOVSKAYA, R. S., ZABYRINA, K. I., and SMOLENSKII, L. S. Electrical-insulating properties of lacquers based on condensed fatty acids. Lakokrasochnye Materialy i ikh Primenenie 1962(1):37-39.

649. KICHIGIN, V. P. Modernization of extraction equipment and plants--a reserve in the capacity of extraction plants. (Rus) Mazlozhir Prom. 32(1):37-41. 1966. 307.8 M37

650. KICHIGIN, V. P. Modernization of (oil) extraction equipment and plants. A reserve in the capacity of extraction plants. (Rus) Maslozhir. Prom. 32(3):37-41. 1966. 307.8 M37
Correction of CA64, 2001le.

651. KICHIGIN, V. P. Seeds cleaning, an important technological operation in the processing of oilseeds. (Rus) Masl.-Zhir. Promysh. 3:8-9. Mar. 1965. 307.8 M37
Sunflowers.

652. KICK, H., SAUERBECK, D., and FUHR, F. The uptake of carbon dioxide by plant roots. 3. Quantitative investigations. (Ge) Pl. Soil 23(2): 181-191. Ref. 1965. 450 P696

Uptake of CO_2 by roots of sunflower seedlings was determined.

653. KICK, H., SAUERBECK, D, and FUHR, F. The uptake of carbon dioxide through roots. II. Distribution throughout the plant. (Ge) Plant & Soil 22(1):99-111. Ref. Feb. 1965. 450 P696

Sunflowers studied.

654. KIERMAYER, O. Elektive Vitalfärbung der Sekretidioblasten von Helianthus annuus. Protoplasma 53(1):113-117. 1961. 442.8 P94

655. KIEWNICK, L. The phytomelanin layer in the pericarp of Helianthus annuus as a barrier against Homoeosoma nebulella. (Ge) Z. Pflanzenkrankh. Pflanzenschutz 71(5):294-301. 1964. 464.8 Z3

656. KINMAN, M. L., and EARLE, F. R. Agronomic performance and chemical composition of the seed of sunflower hybrids and introduced varieties. Crop Sci. 4(4):417-420. July/Aug. 1964. 64.8 C883

657. KIRICHEK, L. T., and others. A toxicological and hygienic evaluation of sunflower oil with an inhibitor. (Rus) Ref. Zh: Farm. Toksikol. Otd. Vyp. 1965(2):54, 384.

A. A. Lesyuis, V. A. Sivoronov, and N. S. Kharchenko, joint authors.

658. KIRIEVSKII, B. N., and KUZNETSOV, A. T. Coefficient of shape of the sunflower seeds. (Rus) Maslo-Zhir. Prom. 1:7. Jan. 1967. 307.8 M37

Refers to seed drying.

659. KIRIEVSKII, B. N. Study of kinetics of drying process of sunflower seeds with hot air system. (Rus) Masl.-Zhir. Promysh. 10:4-8. Oct. 1964. 307.8 M37

660. KIRILLOV, F. G., and KUKHLEVSKAYA, V. A. A simplified method for determining the acid number of oil in seeds. (In Russian.) Masl.-Zhir. Promysh. 1961(1):10-11. Jan. 307.8 M37

Sunflower seeds.

661. KISSEL'HOF, Z. Special attachment to grain combines for harvesting of the sunflowers. (Rus) Tekh. Sel'skom Khoz. 8:16-19. Aug. 1966. 58.8 M11

662. KIYOSAWA, S., and KIYOSAWA, L. The encouragement of the formation of tuberous roots of Jerusalem artichokes grafted with sunflowers. (Ja) Agr. & Hort. 39(7):97-98. July 1964. 22.5 N682

663. KLAEMBT, H. D. Conversion in plants of benzoic acid to salicylic acid and its B-glucoside. Nature 196:491. 1962. 472 N21

664. KLEIN, S. A., JENKINS, D., and MCGAUHEY, P. H. The fate of alkylbenzene-sulfonate (ABS) in soils and plants. I. Reduction by soils. Water Pollution Control Federation J. 35:636-654. 1963. 293.8 Se8

Experiments were conducted with sunflower and barley.

665. KLEINROK, Z. YA., and STROIKOVA, N. G. Hypercholesterolemia after a single large dose of cholesterol and sunflower oil. (Rus) Patol. Fiziol. i Eksperim. Terapiya 9(1):69-70. 1965.

666. KLIMENKO, V. G., and D'YACHENKO, N. I. Globulins from seeds of sunflowers (Helianthus annuus L.). (Rus) Akad. Nauk SSSR. Dok. 156 (2):461-464. 1964. 511 P444A

667. KLIMENKO, V. G. On protein-free nitrogen in several plants. (Rus) Resp. Nauchn. Konferentsiya Fiziologov i Biokhimikov Rast. Moldavii. Trudy 1:32-40. 1964. Not in Libr.

Sunflowers and beans.

Abstracted in Ref. Zh. Biol. Khim. 19:108. Oct. 10, 1965. 241.7 R252

668. KLIMOV, A. A. Use of an electrical spark discharge in the technological processes of agricultural production. (Rus) Mekh. i Elektrif. Sotsialist. Sel'sk. Khoz. 1962(3):30-33. 58.8 M46

Chiefly effects of electricity on sunflowers and corn.

669. KLIUCHNIKOV, A. L., and BARTENEV, V. A. Preparation of sunflower and castorbean seeds for storage as seed reserves. (Rus) Selek. i Semen. 1960(4):78-80. July/Aug. 61.9 Se5
Equipment.

670. KLOCZOWSKI, Z. The importance of sunflower as oil crop. (Pol) Nowe Roln. 12(8):37-38. Apr. 16/30, 1963. 20.5 N86

671. KLOCZOWSKI, Z. The most important results of breeding oil sunflowers in the Soviet Union and the possibilities of using them under Polish conditions. (Pol) Warsaw. Inst. Hodowl. Aklimatyz. Roslin. Biul. 1964(5-6):113-123. 64.9 W26

672. KNIZHNIKOV, M. G., and GLADYSHEV, S. S. Advanced techniques for growing sunflowers. (Rus) Zemledelie 1965(4):49-50. 20 Z44

673. KNYPL, J. S. Characteristic features of the coumarin induced growth. (Ge) Planta 61(4):352-360. 1964. 450 P693
Seedlings of Helianthus annuus were studied.

674. KNYPL, J. S. Coumarin-induced respiration of sunflower. Physiol. Plant. 17(4):771-778. Ref. 1964. 450 P564

675. KNYPL, J. S. Coumarin vapours as the stimulator of oxygen uptake by sunflower hypocotyls. Naturwissenschaften 48(15):530-531. Aug. 1, 1961. 474 N213

676. KNYPL, J. S. IAA (indolyl-3-acetic acid) and coumarin-dependent reversion of the CCC (chloroethyltrimethyl ammonium chloride) induced retardation of growth. Current Sci. 33(17):518-519. 1964. 475 Sci23
Sunflower and corn.

677. KOBZAR, T. Harvesting and crushing of the sunflower disks for cattle feeding. (Rus) Tekh. v Sel'sk. Khoz. 10:14-17. Oct. 1964. 58.8 M11
Chiefly equipment.

678. KOCH, H. Investigations on the mycorrhiza of cultivated plants with special reference to Althea officinalis, Atropa belladonna, Helianthus annuus and Solanum lycopersicum. (Ge) Gartenbauwiss. 26:5-32. Ref. 1961. 80 G195
English summary.

679. KOLARSKI, D. Determination of crude cellulose in animal feed. Kem. Ind. (Zagreb) 9(4):87-90. 1960.
Sunflower seed cake was among those tested.

680. KOLESNIKOV, S. M., and PIREV, M. N. The interaction of the tissues of cultivated sunflowers during macrosporogenesis. (Rus) Biologiya oplodotvoreniya i geterozis kul'turnykh rastenii. Shtiintsa: Kishinev. 1:146-165. 1962.

681. KOLESOV, S. N. Changes in the dielectric properties, viscosity, and molecular weight of cottonseed oil on oxidative polymerization. (Rus) Akad. Nauk Uz. SSR. Izv. Ser. Fiz.-Mat. Nauk 4:47-52. 1964.
Sunflower seed oil was also tested.

682. KOLESOV, S. N. Dependence of u, r_o, and r_c of polymerized vegetable oils on their molecular weight. (Rus) I. Akad. Nauk Uz. SSR. Izv. Ser. Fiz.-Mat. Nauk 9(1):69-75. 1965.

683. KOLPAKOV, I. P. Resources for increasing the production of sunflower seeds in Rostov Region. (Rus) Masl.-Zhir. Promysh. 1961 (1):1-4. Jan. 307.8 M37
The industry.

684. KOMAN, V., and POMIKALEKOVA, A. Polarographic determination of the iodine number in comparison with usual titration methods. Sb. Prac. Chem. Fak. SVST Slovenskej Vys. Skoly Tech. 1962(1):151-158.
The iodine number was established for hydrogenated sunflower oil, among others.

685. KOMAN, V., and KOMANOVA, E. Quantitative Bestimmung und Untersuchung der Isoölsäure während des Härtungsprozesses von Sonnenblumenkernöl mittels der Methode der Papierchromatographie. II. (Cz) Chem. Zvesti 15(2):136-142. Feb. 1961. 385 C4232
German summary.

686. KOMAROV, V. L., and others. Hydrogenation of fats over a stationary nickel-chromium catalyst. (Rus) Maslozhir. Prom. 32(8):17-18. 1966. 307.8 M37

D. V. Sokol'skii, K. A. Zhubanov, and Yu. P. Klyushnikov, joint authors.

687. KOMLEV, A. A. The dependence of yield of crops on height of tree stands (in shelterbelts) and other factors. (Rus) S-H. Nauki. Vestnik. 7(4): 136-141. 1962. 20 V633

Information on yields of sunflower is given.

688. KONDRATENKO, S. S., POKORNY, Y., and JANICEK, G. Stability of sunflower oil in the presence of heavy metal salts. (Rus) Maslozhir. Prom. 33(1):8-10. 1967. 307.8 M37

689. KOPEIKOVSKII, V. M., and TRUBITSYN, N. V. Biochemical changes during the storage of sunflower seeds in carbon dioxide and in air. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. 1961(3):7-14. 389.8 Iz8

690. KOPEIKOVSKII, V. M., and KOSTENKO, V. K. Change of acid composition of oil and losses of dry substances during drying of sunflower of high oil content. (Rus) Masl.-Zhir. Promysh. 9:7-13. Ref. Sept. 1963. 307.8 M37

691. KOPEIKOVSKII, V. M., and RYAZANTSEVA, M. I. Changes of qualities of sunflower seeds with high oil content during storage. (Rus) Masl.-Zhir. Promysh. 4:6-9. Apr. 1965. 307.8 M37

692. KOPEIKOVSKII, V. M., and GARBUZOVA, G. I. Correlation of basic groups of chemical substances in high-oil-bearing sunflower seeds. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Technol. 1964(5):36-7. 389.8 Iz8

693. KOPEIKOVSKII, V. M., and GARBUZOVA, G. I. Distribution of moisture in seed mass and in single seeds of the sunflower with high oil content during ventilation and drying. (Rus) Masl. Zhir. Promysh. 6:3-7. June 1964. 307.8 M37

694. KOPEIKOVSKII, V. M., and KOSTENKO, V. K. Effect of germinating power on the quality of high oil-content sunflower seeds during storage. (Rus) Izv. Vyssh. Ucheb. Zavedenii Pishch. Tekhnol. 5:14-18. 1963. 389.8 Iz8

695. KOPEIKOVSKII, V. M., and KOSTENKO, V. K. The effect of heat drying conditions on the mold microflora of sunflower seeds. (Rus) Izv. Vysshikh Uchebnykh Zavedenii, Pishshevaya Tekhnol. 33(2):26-28. 1963. 389.8 Iz8

696. KOPEIKOVSKII, V. M., and GOVARDOVSKAYA, V. I. Effect of low temperatures on some physiological, biochemical, and technological properties of sunflower seeds during their storage. (Rus) Maslozhir. Prom. 33(2):12-14. 1967. 307.8 M37

697. KOPEIKOVSKII, V. M., and KOSTENKO, V. K. Effect of speed of movement of the heat carrier on the speed of drying of sunflower seeds. (Rus) Masl.-Zhir. Promysh. 10:13-16. Oct. 1962. 307.8 M37

698. KOPEIKOVSKII, V. M., GARBUZOVA, G. I., and RYAZANTSEVA, M. I. Effect of temperature on preservation of quality of dried stored seeds. (Rus) Masl.-Zhir. Promysh. 1:12-16. Jan. 1963. 307.8 M37

Sunflowers.

699. KOPEIKOVSKII, V. M., RYAZANTSEVA, M. I., and KOKORINA, L. M. Microflora of sunflower seeds having a high oil content and changes in it when the seeds are stored. (Rus) Izv. Vyssh. Ucheb. Zavedenii Pishch. Tekhnol. 1:23-27. 1965. 389.8 Iz8

700. KOPEIKOVSKII, V. M., and others. Post-harvest drying of high-oil-content sunflower seeds. (Rus) Masl.-Zhir. Promysh. 1960(3):12-14. Mar. 307.8 M37

V. G. Shcherbakov, G. I. Garbuzova, M. I. Igol'chenko, M. I. Riazantseva, and N. L. Troianova, joint authors.

701. KOPEIKOVSKII, V. M., RYAZANTSEVA, M. I., and GARBUZOVA, G. I. Production line method of processing of sunflower seeds in establishments for treatment of corn seeds. (Rus) Masl.-Zhir. Promysh. 4:10-12. Apr. 1964. 307.8 M37

Drying and grading.

702. KOPEIKOVSKII, V. M., and GARBUZOVA, G. I. Prophylactic cooling of sunflower seeds with the ventilation system. (Rus) Masl.-Zhir. Promysh. 12:5-9. Dec. 1963. 307.8 M37

In storage.

703. KOPEIKOVSKII, V. M., RIAZANTSEVA, M. I., and GARBUZOVA, G. I. The utilization of corn-dryers for drying sunflowers. (Rus) Masl.-Zhir. Promysh. 1960(8):25-26. Aug. 307.8 M37

704. KOPEIKOVSKII, V. M., and KOSTENKO, V. K. Variations of some biochemical properties of high-oil sunflower seeds after different methods of thermal drying. (Rus) Akad. Nauk Inst. Biokhim. Zerna i Khlebopecheniya 7:233-244. 1964. 59 Ak1

The intensity of biochemical changes in sunflower seeds was determined by the temperature of drying.

705. KOPEIKOVSKII, V. M., and KOSTENKO, V. K. Variation of the acid number of the oil from sunflower seeds of high-oil-content varieties during the drying process. (Rus) Masl.-Zhir. Promysh. 1962(3):12-17. Mar. 307.8 M37

706. KOPSIC, T. The sunflower (Helianthus annuus); chemical investigation of the Argentine sunflower. (Sp) Indus. y Quim. 22(2):101-105. Ref. 1962. 385 In28

English summary.

707. KORANYI, A., and JAKY, M. Blood serum lipide-decreasing effect of sunflower oil. Nahrung 4:225-229. 1960. 389.8 N142

708. KOROL'KOV, I. I., PARAMONOVA, G. D., and KHO, Y.-L. Comparative characteristics of rates of hydrolysis of polysaccharides from different sources. (Rus) Zhur. Priklad. Khim. 33:431-438. 1960. 385 Z64

Sunflower seed hulls are discussed.

709. KOROL'KOV, I. I., LIKHOVID, R. D., and SHIH, S. O. The effect of sulfuric acid concentration on the hydrolysis rate of polysaccharides in the presence of ash elements. Sb. Tr. Gos. Nauchn.-Issled. Inst. Gidrolizn. i Sul'fitno-Spirt. Prom. 10:28-31, 227. 1962.

Pinewood sawdust and sunflower husks were tested.

710. KOROL'KOV, I. I. Hydrolysis of easily hydrolyzed polysaccharides. (Rus) Gidrolizn. i Lesokhim. Prom. 17(7):4-7. 1964. 301.8 G36

E. F. Likhonos, R. I. Ul'yanovskaya, and R. D. Likhovid, joint authors.

Sunflower seed hulls.

711. KOROL'KOV, I. I., TYAGUNOVA, Z. A., and PARAMONOVA, G. D. Purification of neutralized hydrolyzates from suspended solids by continuous sedimentation. (Rus) Sb. Tr., Vses. Nauchn.-Issled. Inst. Gidrolizn. i Sul'fitno-Spirt. Prom. 14:28-35. 1965.

Sunflower husks are discussed.

712. KOROL'KOV, I. I., TYAGUNOVA, Z. A., and PARAMONOVA, G. D. Resinous and colloidal substances of hydrolyzates. (Rus) Sb. Tr., Vses. Nauchn.-Issled. Inst. Gidrolizn. i Sul'fitno-Spirt. Prom. 14:21-27. 1965.

A method based on adsorption and elution was used to determine the colloidal content in hydrolyzates of sunflower husks among others.

713. KORSHUNOVA, A. F. Measures against mildew of sunflower. (Rus) Zashch. Rast. ot Vred. i Boleznel 1960(2):20-21. Feb. 421 Z1

Caused by Plasmopara halstedii.

714. KOSHLAKOVA, K. G., and others. Effect of treatment of sunflower seeds with gamma-rays on their preservation. (Rus) Prikladnaya Biokhim. Mikrobiol. 1(4):471-473. 1965. 385 P93

L. V. Romanova, E. Yu. Fal'k, and S. A. Chernomorskii, joint authors.

715. KOSOVAC, Z. The effect of applying herbicides and omitting tillage on sunflower production on Chernozem. (Se) Savremena Poljoprivreda 13(9):743-750. Sept. 1965. 21 P75

English summary.

716. KOSTENKO, V. K., and others. The effect of farm drying and storage conditions on the quality of seeds of oil-bearing sunflowers. (Rus) Masl.-Zhir. Promysh. 1:5-9. Jan. 1964. 307.8 M37

V. M. Kopeikovskii, G. I. Garbuzova, N. S. Arutyunyan, and V. D. Kravets, joint authors.

717. KOSTENKO, V. K., and KOPEIKOVSKII, V. M. Effect of heat drying upon the changes in physiological-biochemical properties of oil-rich sunflower seeds. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pischevaya Tekhnol. 1962(5):103-108. 389.8 Iz8

718. KOSTENKO, V. K. Study of the process of drying of sunflower seeds with high oil content under production conditions. (Rus) Masl.-Zhir. Promysh. 8:4-10. Ref. Aug. 1962. 307.8 M37

719. KOSTIC, J., and ANASTASIJEVIC, V. The value of sunflower oil meal, soybean oil meal and peanut oil meal in quick fattening of pigs. (In Serbo-Croatian.) Veterinaria [Sarajevo] 9(1):47-60. Ref. 1960. 41.8 V6494

English summary.

720. KOSULINA, O. N., and SMOLYANSKII, B. L. Effect of sunflower lecithin on lipid metabolism and the course of atherosclerosis. (Rus) Terap. Arkh. 37(5):75-79. 1965.

English summary.

721. KOT, V. V. Sunflower as predecessor of winter wheat. (Rus) Zemledilie 8:14-17. Aug. 1964. 20 Z44

722. KOVAC, S. Bromination of sunflower seed and linseed oils. Sb. Prac. Chem. Fak., SVST, Sloven. Vysokej Skoly Tech. 1962(1):47-54.

723. KOVACIK, A. Contribution to the influence of intervarietal hybridization on the yield, percentage of husks and oil content of sunflower in the F3 and F4 generations. (Cz) Pol'nohospodarstvo 8(5):337-348. Ref. 1961. 19.5 P752

English summary.

724. KOVACIK, A. The effect of the quality of light upon the growth and development of sunflower (Helianthus annuus L.). (Cz) Sb. UVTI (Ustav Vedeckotech. Inform.) Genet Slechteni 1(3):17-30. Ref. Aug. 1965. QH431.A1S25

English summary.

725. KOVACIK, A. Heterosis in sunflower. (It) Genet. Agr. 13:401-403. 1960. 450 G23

726. KOVACIK, A. The influence of intervarietal hybridization of phenological and morphological properties with the F3 and F4 sunflower crosses. (Cz) Pol'nohospodarstvo 8(4):259-263. Ref. 1961. 19.5 P752

English summary.

727. KOVACIK, A. The influence of intervarietal hybridization on morphological characters of sunflower crosses in F1 and F2 generations. (Cz) Ceskoslov. Akad. Zemédél. Véd. Sborn. Rostinna Výroba 6(4):447-466. Ref. Apr. 1960. 64.9 C33

English summary.

728. KOVALENKO, E. A., and GUMENYUK, A. D. Experiment with the harvest of sunflowers in stages. (Rus) Maslozhirovaya Prom. 11:7-8. Nov. 1965. 307.8 M37

729. KOVALENKO, YU. T. The boiling point of sunflower miscella. (Rus) Maslob. Zhir. Prom. 29(4):7-9. 1963. 307.8 M37

730. KOVALENKO, YU. T. Surface tension of miscella from seed oils. (Rus) Maslob.-Zhir. Prom. 28(2):8-12. 1962. 307.8 M37

731. KOVALENKO, YU. T., and USTINOVA, T. N. Vapor pressure of highly concentrated sunflower (oil) miscellas. (Rus) Vses. Nauchn.-Issled. Inst. Zhirov Tr. 1963(24):72-77. 307.9 M85

732. KOVALEVA, N. The infection of sunflower plantings by downy mildew is not to be allowed. (Rus) Zeml. i Zhivotn. Moldavii 1961(9):59. Sept. 20 Z45

Caused by Plasmopara holstedii.

733. KOZIN, N. I., and ERMAKOVA, P. M. An accelerated method of determining the keeping quality of sunflower oil. (Rus) Masl. -Zhir. Promysh. 1961(5):20-22. May. 307.8 M37

734. KOZIN, N. I., and ERMAKOVA, P. M. The catalytic role of residues from oxydized oil. (Rus) Masl. -Zhir. Promysh. 1961(2):12-13. Feb. 307.8 M37

Sunflower oil.

735. KOZIN, N. I., and KASTORNYKH, M. S. The effect of various production operations on tocopherol content of plant oils (communication I). (Rus) Masl. -Zhir. Promysh. 1960(1):5-8. Jan. 307.8 M37

Sunflowers and cotton.

736. KOZIN, N. I., and SMOTRIN, A. A. The emulsification properties of pectin. Maslob. -Zhir. Prom. 29(5):14-16. 1963. 307.8 M37

Mixtures of 50-60 percent refined sunflower oil and 50-40 percent water containing from 0.5 to 1.5 percent pectin were emulsified by ultrasonic waves for 5 minutes.

737. KOZIN, N. I., and SNEGIREVA, I. A. Emulsifying properties of phosphatides. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Tekhnol. 1964(4):31-34. 389.8 Iz8

Conditions for obtaining two types of emulsions from sunflower oil and soybean oil were investigated.

738. KOZIN, N. I., and ERSHOVA, O. A. Influence of low temperatures on the amounts of carotene dissolved in oil (sunflower). Saratov. Sara. Nauchn-issled. Sb. nauchn. Rabot. 18:10-15. 1961. 41.9 Sa73

739. KOZIN, N. I., and SITNIKOVA, E. N. Influence of phosphatide in vegetable oils during storage. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. 1960(5):24-30. 389.8 Iz8

740. KOZIN, N. I., and SITNIKOVA, E. N. Moisture absorption by vegetable oils in relation to storage temperature and humidity and to phosphatide content. Saratov. Sara. Nauchn-issled. Sb. Nauchn. Robot. 1961(17):103-113. 41.9 Sa73

741. KOZIN, N. I., and MAKARENKO, E. N. Polymorphic changes in the fatty ingredients of margarine. Maslob. -Zhir. Prom. 30(3):17-19. 1964. 307.8 M37

Data on polymorphism in hydrogenated sunflower and whale oils are tabulated.

742. KOZIN, N. I., and MAKARENKO, E. N. Polymorphous transformations of the individual components of the fat base of margarine. Maslob. -Zhir. Prom. 29(10):11-14. 1963. 307.8 M37

Hydrogenated sunflower oil was one of the fats tested.

743. KOZIN, N. I., and KASTORNYKH, M. S. Sterols of sunflower oil. Maslob. -Zhir. Prom. 30(7):11-12. 1964. 307.8 M37

744. KOZIN, N. I., and SITNIKOVA, E. N. Storage of liquid oils under carbon dioxide atmosphere. Saratov. Sara. Nauchn-issled. Sb. Nauchn. Robot 1962(17):114-120. 41.9 Sa73

745. KOZIN, N. I., and ERMAKOVA, P. M. Storage of sunflower in nitrogen. (Rus) Maslozhirovaya Prom. 9:3-5. 1965. 307.8 M37

Oil.

746. KOZIN, N. I., and MAKARENKO, E. N. Study of polymorphic transformations in fat aggregates in margarine from dilatometric data. (Rus) Mosk. Inst. Nar. Knoz. Tr. 1963(24):56-62.

Sunflower oil was one of three fat bases studied.

747. KOZIN, N. I., and SNEGIREVA, I. A. Utilization of phosphatide concentrates and of dry (skim) milk powder in the manufacture of mayonnaise. (Rus) Maslob. -Zhir. Prom. 30(9): 11-13. 1964. 307.8 M37

Viscosity, size-distribution of the sunflower oil globules.

748. KOZINKA, V., and KLENOVSKA, S. The uptake of mannitol by higher plants. Biol. Plant. 7(4):285-292. Ref. 1965. 450 B52

Barley and sunflower; includes excretions.

749. KOZLOVA, L. I., and ERMAKOVA, P. M. Variation of acid and peroxide numbers in oil under prolonged storage. (Rus) Masl.-Zhir. Promysh. 10:20-21. Oct. 1962. 307.8 M37

Sunflower oil.

750. KOZOV, N. I. Herbage plants with a cover crop for silage. (Rus) Zemledelie 1965(2):53-54. 20 Z44

Sunflower was used as a cover crop for Medicago falcata / Agropyron glaucum, and this combination gave the best results.

751. KRACHANOV, KH. G., and DIMITROV, D. Alkaline degradation of pectins. I. Viscosity comparisons of alkali-degraded sunflower and apple pectins. (Bu) Nauchni Tr., Visshiya Inst. Khranitelna Vkusova Prom.-Plovdiv 12(1):301-308. 1965.

752. KRACHANOV, KH. G., and others. Effect of some factors on gelling properties of sunflower pectin. (Rus) Zhur. Prikl. Khim. 37(9):2035-2043. Ref. Sept. 1964. 385 Z64

S. Stoikov, N. Lyutskanov, and V. Nikolova, joint authors.

753. KRASNOZHON, V. Receiving and processing of sunflower seeds on production line. (Rus) Zakupki Sel'skokhoz. Prod. 8:44-46. Aug. 1965. 280.38 Z14

754. KRASS, J., and VARDAR, Y. A comparison of the effect of gibberellic acid on photo- and geotropic reactions of the hypocotly of Helianthus annuus. Phyton [Vicente López] 18(1):33-38. Ref. Mar. 1962. 450 P567

755. KRASTINA, E. E. Influence of the intensity of continuous light on the manifestation of the endogenous components of daily rhythms in the absorption of water and nutrient salts by sunflower. (Rus) Moscow. Timiryazev Sel'-khoz. Akad. Izv. 1965(2):87-94. 106 P44

756. KRASTINA, E. E. The role of internal and external factors in diurnal rhythm of amino acid synthesis by sunflower roots. (Rus) Akad. Nauk SSSR, Inst. Fiziol. Rast. Rol Mineral'n. Elementov v Obmene Veschestv i Produktivnosti Rast. 1964:53-58.

757. KRATCHANOV, K. G., LYUTSKANOV, N., and STOIKOV, S. A. The influence of some factors in the gelation of sunflower pectin. Effect of Al^{+++}, Ca^{++}, Mg^{++}, Cu^{++}, Na^{+}, and NH_4^{+} on the firmness of 65 percent sugar gels. (Bulg) Plovdiv. Vissh. Inst. Khranitelna Vkusova Prom.-Naudni Tr. 8(1):73-85. 1961. 106.3 P72

758. KRAVCHENKO, V. D., and OMEL'CHENKO, F. S. Viscosity of miscellae of sunflower oil in hexane. (Rus) Masl. Zhir. Promysh. 8:13-14. Aug. 1963. 307.8 M37

759. KRELOVE, L. Your State flower, sunflower, Kansas. Flower grower 50(7):46.

760. KREMINSKII, V. Sunflower variety the Mayak. (Rus) Selek. Semenovodstvo 5:64. Sept./Oct. 1966. 61.9 Se5

761. KRETOVICH, V. L., and KASPEREK, M. Amino acids synthesis from pyruvic acid in different plants. Biokhimiya 26:592-596. 1961. 385 B523

762. KRETOVICH, V. L., and KASPEREK, M. Biosynthesis of amino acids from pyruvic acid and ammonia in rice and sunflower. (Rus) Fiziol. Rast. 8(6):663-668. Ref. 1961. 450 F58

English summary.

This journal will appear in English translation 450 F58Ae.

763. KRETOVICH, V. L., KAGAN, Z. S., and CHEUSHNER, G. Biosynthesis of isoleucine from its a, b-dihydroxy analogs in plants. Nahrung 6(7/8):609-621. 1962. 389.8 N142

Sunflower was one of the plants used.

764. KRETOVICH, V. L., and KAGAN, Z. S. Biosynthesis of valine from its ketoanalogue in sunflower sprouts. (Rus) Akad. Nauk SSSR, Dok. 143(3): 727-729. Mar. 1962. 511 P444A

This article will appear in English translation in Doklady: biochemistry sections. (511 P444Aebc).

765. KRETOVICH, V. L., and GEIKO, N. S. Content of keto acid in plants. (Rus) Akad. Nauk SSSR Dokl. 158(2):471-473. 1964. 511 P444A

766. KRETOVICH, V. L., MORGUNOVA, E. A., and STARODUBTSEVA, A. I. The effect of heating on the physiological and biochemical properties of sunflower seeds. (Rus) Masl.-Zhir. Promysh. 1960(2): 8-11. Feb. 307.8 M37

767. KRUPENYA, N. G., and others. Hydrogenation of fats over a stationary nickel-copper catalyst. (Rus) Maslo-Zhir. Prom. 32(8):17-18. 1966. 307.8 M37

D. V. Sokol'skii, K. A. Zhubanov, and N. K. Nadirov, joint authors.

768. KRUSSER, O. V., VALAKHANOVICH, A. I., and KHOLODOVA, G. V. The problem of an enriched medium for biosynthesis of streptomycin. (Rus) Leningr. Khim.-Farmatsevt. Inst. Tr. 1962(15): 143-152.

Sunflower oil and starch hydrolyzate were used instead of soybean oil and glucose.

769. KRUZILIN, A. S. Breeding sunflower for high oil content in arid conditions. (Rus) Selek. i Semen. 1967(1):35-37. 61.9 Se5

770. KRUZHLIN, I. P. Effectiveness of subsurface irrigation of sunflower. (Rus) Sel'sk. Khoz. Sev. Kavkaz. 1961(2):36-38. Feb. 20 Se495

771. KRUZHILIN, I. P. Growing of sunflowers on irrigated lands of the Rostov Region. (Rus) Zemledelie 1962(4):40-45. Apr. 20 Z44

772. KRUZHILIN, I. P. Irrigation of the sunflower, (Rus) Sel'sk. Khoz. Sev. Kavkaz. 1961(1):67-69. Jan. 20 Se495

773. KRYUKOVA, L. M., and KASYMOV, A. The role of radiotoxins in the disturbance of structure formation of irradiated plants. (Rus) Akad. Nauk SSSR Dok. 156(5):1204-1206. 1964. 511 P444A

Effect of X-rays on sunflowers.

774. KUKIN, V. F. Selection of sunflower varieties resistant to broomrape. (Rus) Zashch. Rast. ot Vred. i Boleznei 8:28-29. Aug. 1962. 421 Z1

775. KUKSIN, N. V., and BEGEL, S. V. After-harvest sowing of annual fodder crops in Carpathian Region and the forest-steppe of the Ukraine. (Rus) Agrobiologiya 1:79-81. 1960. 20 Ag822

Rootcrops, sunflower and grass mixtures were tested.

776. KUKSIS, A. Hydrocarbon composition of some crude and refined edible seed oils. Biochemistry 3(8):1086-1093. 1964. 381 B523

The hydrocarbon portions of sunflower oil, among others, were isolated on silicic acid and analyzed by gas chromatography.

777. KUL'NEVICH, V. G., and others. Role of oxygen in furfural production by a direct method. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Tekhnol. 1966(2):93-96. 389.8 Iz8

K. M. Kardailova, S. V. Abramyants, and N. S. Maksimenko, joint authors.

778. KUO, C. S., and WANG, F. H. The effect of coconut milk, casein hydrolysate and glutamine on the growth of the sunflower young embryos grown in vitro. (Ch) Acta Bot. Sinica 12(4):364-375. Ref. Dec. 1964. 450 C432

English summary.

779. KUO, J. S., and WANG, F. H. The effect of IAA and coconut milk on the growth of immature sunflower embryos cultured in vitro. (Ch) Acta Bot. Sinica 11(2/3):141-154. Ref. June/Sept. 1963. 450 C432

English summary.

780. KUO, J. S., and WANG, F. H. The effect of osmotic value of the medium on the growth of the young sunflower embryos cultured in vitro. (Ch) Acta Bot. Sinica 13(2):127-136. Ref. June 1965. 450 C432

English summary.

781. KUPERMAN, F. M., and PODOL'NYI, V. Z. Changes in the chlorophyll content and the morphological features of the leaves as a factor of the stages of organogenesis in the sunflower. (Rus) Eksperimental'nyi morfogenez. Moskov. Univ., Moscow:296-306. 450 Ek7

782. KUPERMAN, F. M., PODOL'NYI, V. Z., and SHUL'GIN, I. A. Changes in the shape and size of sunflower (Helianthus annuus) leaves in connection with the stages of organogenesis. (Rus) Nalchik, Russia, Kabardino-Balkarsk. Univ. Uchenye Zap. 10:31-40. 1961.

783. KUPPERS-SONNENBERG, G. A. Topinambou and perennial sunflowers as bee pasture. (Ge) Saatgut-Wirt. 14(5):130-132. May 1962. 61.8 Sa1

784. KURAISHI, S., and MUIR, R. M. Paper-chromatographic study of diffusible auxin. Plant Physiol. 39(1):23-38. 1964. 450 P692
Sunflower was one of the plants used.

785. KURNIK, E., and ZELLES, J. Compatibility studies with sunflower. (Hu) Iregszemcse. Delkelet-dunantuli Mezogazdasagi Kiserlet. Interzet. Kozlem. 2(2):5-10. Ref. 1962. 105.9 Ir2
English summary on p. 81-82.

786. KURNIK, E., and ZELLES, J. Examination of compatibility and intravarietal combinative conditions in a number of the more important sunflower varieties. (Hus) Iregszemcse. Delkeletdunantuli Mezogazdasagi Kiserlet. Intezet. Kozlem. 3(2):3-7. 1963. 105.9 Ir2
English summary p. 49-51.

787. KURNIK, E., and TAKACS, L. Experiences in 1961 in sunflower culture. (Hu) Magyar Mezogardasag 17(12):11-13. Mar. 21, 1962. 19 M27

788. KURNIK, E., and GABOS, D. Experiences with sunflower-hay meal feeding. (Hu) Magyar Mezogazdasag 18(42):19-20. Oct. 16, 1963. 19 M27

789. KURNIK, E. How does the volume of sunflower affect the yield. (Hu) Magyar Mezogazdasag 20(9, sup.):VII-VIII. Mar. 3, 1965. 19 m27

790. KURNIK, E., and GABOS, D. Nutritive value of stubble sunflower. (Hu) Magyar Mezogazdasag 17(30):8. July 25, 1962. 19 M27
In cattle feeding.

791. KURNIK, E., and others. Physiological heterosis of the hybrid populations of sunflower clones. I-IV. (Hus) Iregszemcse. Delkeletdunantuli Mezogazdasagi Kiserlet. Intezet. Kozlem. 2(1): 51-78. Ref. 1962. 105.9 Ir2
Mrs. J. Varsanyi, J. Zelles, and B. Pozsar, joint authors.
English summary, p. 104-111.

792. KURNIK, E., and MESZAROS, L. Results of spray tests against sunflower rust (Puccinia helianthi Schw.). (Ge) Pflanzenschutzberichte 28(3/4):47-60. Mar. 1962. 464.9 P48
English summary.

793. KURNIK, E. Sunflower as forage plants. (Hu) Magyar Mezogazdasag 17(7):9-10. Feb. 14, 1962. 19 M27

794. KURNIK, E. Sunflower breeding in Hungary. (Ge) Fette, Seifen, Anstrichmtl. 67(8): 545-548. Ref. Aug. 1965. 384 C422
English summary.

795. KURNIK, E. Sunflower cultivation in Hungary. (Ge) Seifen-Ole-Fette-Wachse 90(24): 832-833. 1964. 307.8 Se4

796. KURNIK, E. Timely problems of sunflower culture. (Hu) (Excerpts.) Magyar Mezogazdasag 21(17):7-8. Apr. 27, 1966. 19 M27

797. KURNIK, E. The use of haploid twin seedlings in sunflower breeding. (Hu) Kiserlet Kozlem. 54/A(2):3-18. Ref. 1961, pub. 1962. 105.9 H89
German summary.

798. KURNIK, E. Use of sunflowers in growing forage mixtures. (Rus) Mezhdunarod. Sel'skokhoz. Zhur. 1:41-45. 1963. 20 M57
Green cut.

799. KURNIK, E., and VARSANYI, MRS. J. Variation of the sunflower kernel crop, and of its oil-and protein content within a head. (Hu) Iregszemcse. Delkeletdunantuli Mezogazdasagi Kiserlet. Intezet. Kozlem. 3(2):24-29. 1963. 105.9 Ir2
English summary p. 54-56.

800. KURNIK, E., and OBERRITTER, A. The yield of sunflower with peas as affected by the seed ratio and by the variety of sunflower and pea used. (Hu) Novenytermeles 13(2):97-104. June 1964. 64.8 N76

English summary.

Forage mixture.

801. KUROIWA, S., and others. Distribution ratio of net photosynthate and non-photosynthetic systems in shaded plants. Bot. Mag. 77(908):37-42. 1964. 450 B651

T. Hiroi, K. Takado, and M. Monsi, joint authors.

Sunflower was one of the crops studied.

802. KUROIWA, S. Intraspecific competition in artificial sunflower communities. Bot. Mag. Tokyo 73(865/866):300-309. Ref. July/Aug. 1960. 450 B651

803. KURULEC, V. The nutritive value of sunflower disc and its utilization. (Hu) Magyar Mezogazdasag 16(38):20. Sept. 20, 1961. 19 M27

In livestock feeding.

804. KUSHNIR, I. E., and TKACHENKO, V. P. Reducing losses of oil and petroleum ether. (Rus) Maslozhir. Prom. 32(8):36-37. 1966. 307.8 M37

805. KUSHNIR, L. G. Economic estimation of sunflower pollination with the help of bees and by hands. (Rus) Pchelovodstvo 37(1):22-25. 1960. 424.8 P295

806. KUTSCHERA, L. Root atlas of Central European crop plants and weeds of arable land. (Ge) Frankfurt, DLG Verlag, 1960. 574p.

Includes discussion of sunflower roots.

807. KUZDOWICZ, A. Interspecific hybrids of Jerusalem artichoke (Helianthus tuberosus L.) with common sunflower (H. annuus L.). (Pol) Hodowla Roslin Aklim. i Nasiennictwo 7(5):481-500. Ref. 1963. 64.8 H66

English summary.

808. KUZDOWICZ, A. Interspecific hybrids Jerusalem artichoke X common sunflower. Genet. Pol. 5(2):116. 1964. 450 G282

809. KUZNETSOV, A. T., and BARANOV, V. D. Measurement of seeds and kernels of sunflowers. (Rus) Maslozhirovaya Prom. 5:18-19. May 1965. 307.8 M37

Includes grading.

810. KVITSARIDZE, E. P., and others. Effect of different types of fat rations on some blood indexes. Tr. Nauchn.-Issled. Lab. Pitaniya Min. Zdravookhr. Gruz SSR 1960(1-2):83-89. Pub. 1961.

E. I. Dolidze, N. T. Todua, and G. K. Sharadzenidze, joint authors.

811. LACAN, M. F. Results of varietal studies carried out on the sunflower in 1962 and 1963. (Fr) Inform. Tech. CETIOM. 1965(7):1-13. 77.8 In3

812. LACZKO, E. Effect of epoxidized products on the thermal stability of plasticized poly (vinyl chloride). (Hu) Muanyag Gumi 3(7):218-219. 1966.

813. LADONIN, V. F. Effect of 2, 4-D esters on certain physiological processes in plants. (Rus) Moscow Vses. Nauchn.-Issled. Inst. Udobr. i Agropochvoved. Tr. 1960(36):159-170. 56.9 L54

Sunflower was one of the plants tested.

814. LADONIN, V. F. Effect of 2, 4-D esters on nitrogen metabolism in plants. In Irukevich, I. D. ed. Primenenie Gerbitsidov i Stimulyatorov Rosta Rastenii, 1961, 42-48. 90.11 Iu6

Sunflower was one of the plants tested.

815. LADONIN, V. F. Influence of several herbicides on the nitrogen content of plants. (Rus) In Primenenie Gerbitsidov v Sel'sk. Khoz., Upr. Nauk, Propagandy i Vnedreniya Peredovogo Opyta, Min. Sel'sk. Khoz. SSSR 1962:221-229. 79 So3P

Application of 2, 4-D to sunflower caused a reduction in fresh weight, but TCA slightly increased it.

816. LADRAT, J., and others. Effect of sunflower seed hull bits and of oxytetracycline on the efficiency of a feed concentrate for table poultry. (Fr) Acad. Vét. de France. B. 35(2):75-79. Feb. 1962. 41.9 R24

W. Joussellin, C. Craplet, and A. Buisson, joint authors.

817. LAM, S. L., and LEOPOLD, A. C. Role of leaves in phototropism. Plant Physiol. 41(5): 847-851. Ref. May 1966. 450 P692
Sunflowers.

818. LANE, F. E. Dormancy and germination in fruits of the sunflower. Diss. Abs. 26(7):3603-3604. Jan. 1966. 241.8 M58

819. LAPSHEV, Y. Application of refined sunflower oil for increasing the stability of animal fats on storage. (Rus) Myasn. Industr. SSSR 33(3): 53-55. 1962. 50.8 M58

820. LASERNA, G., BUENAVENTURA, J. S., and MARANON, J. Nitrogen content of some local air-borne pollen grains in relation to allergy. Philippine J. Sci. 89(2):173-182. 1960. 475 P53
Pollen from sunflower.

821. LAZANYI, A., and others. Mutagenic action of some sulfamides, colchicine, and x-rays on sunflowers. I. The morphology and the development of the plants in M_2. (Rum) Bucharest. Acad. Repub. Pop. Romine. Filiala Cluj. Studii si Cercet. de Biol. 12:343-354. 1962. 442.9 B8552
A. Marki, C. Hathazi, and M. Morea, joint authors.

822. LAZANYI, A., and others. Researches on the morphogenesis of the sunflower (Helianthus annuus L.) after treatment of seeds with sulfonamides, 2, 4, -D, and colchicine. (Rum) Bucharest. Acad. Repub. Pop. Romine. Filiala Cluj. Studii si Cercet. de Biol. 12(1):175-188. 1961. 442.9 B8552
A. Marki, C. Hathazi, and A. Timariu, joint authors.
French summary.

823. LAZAR, L., and ZOMBORI, J. Experiments to produce boards from sunflower seedcoats. (Hu) Faipari Kutatasok 1:195-200. 1962. 99.82 F142

824. LAZAREV, N. V., PIMENOVA, L. V., and TUROV, G. S. Results of breeding work at the Karabalyk Experiment Station. (Rus) Selek. i Semen. 27(2):50-54. 1962. 61.9 Se5
Kustanajskij 91, a sunflower variety that is drought resistant with an early and satisfactory yield and a dry seed oil content of 43 percent, has been developed here.

825. LAZAROV, M., and ANDREEV, K. Characteristics determining the long-term viability of sunflower pollen. (Ge) Bulgar. Akad. na Nauk. Dok. 18(2):157-160. Ref. 1965. 521 So2

826. LAZAROV, M. Contribution to the elucidation of the morphological differentiation of the Helianthus annuus L. flower. (Bu) Rastenievudni Nauk. 2(2):155-158. 1965. 64.8 R18
English summary.

827. LAZAROV, M. Protogyny in relation to functional male sterility in Helianthus annuus L. (Rus) Bulgar. Akad. na Nauk. Dok. 16(3):309-312. 1963. 512 So2
German summary.

828. LAZAROV, M., and ATHANASSOVA, E. A rapid method for the determination of the oil of sunflower seeds for breeding. (Fr) Bulgar. Akad. na Nauk. Dok. 14(4):401-404. 1961. 512 So2

829. LEA, C. H., and KWIETNY, A. Antioxidant action of ubiquinones and related compounds. Chem. Ind. (London) 1962:1245-1246. 384 C4222Ae

830. LEA, C. H., and JACKSON, H. A. F. Determination of the volatile or "free" carbonyl content of fats. Chem. Ind. (London) 32:1429-1430. 1964. 388 C426
Sunflower and linseed oils.

831. LEA, C. H., and HOBSON-FROHOCK, A. On the flavour volatiles of fats and fat-containing foods. I. Degradation of the peroxides of autoxidised sunflower and linseed oils. J. Sci. Food Agr. 16(1):18-27. Ref. Jan. 1965. 382 So12

832. LECHEVALLIER, D. Change in the activity of -galactosidase during germination and maturation of various seeds. (Fr) Acad. Sci., Paris C. R. 255(23):3211-3213. 1962. 505 P21

833. LECOMTE, J. Observations on the fertilization of the sunflower (Helianthus annuus L.). Ann. Abeille 5(1):69-73. 1962. 424.9 F842

834. LECOMTE, J. Observations on the pollination of sunflower (Helianthus annuus L.). (Fr) Apiculteur 106(9/10, sect. sci.):19-24. Sept./Oct. 1962. 424.8 Ap3

By Apis mellifera.

835. LEE, K. W., WHITTLE, C. M., and DYER, H. J. Boron deficiency and translocation profiles in sunflower. Physiol. Plant. 19(4):919-924. Ref. 1966. 450 P564

836. LEE, S. G., and ARNOFF, S. Investigations on the role of boron in plants. III. Anatomical observations. Plant Physiol. 41(10):1570-1577. Dec. 1966. 450 P692

Sunflower nutritional deficiency study.

837. LEES, C. B. Sunflowers. Horticulture 43(8): 24-25. Aug. 1965. 80 H787

838. LE GRAND, M. The sunflower on the Ivory Coast. (Fr) Agriculture [Paris] 27(267):177, 179, 181, 183, 185. May 1964. 14 Ag823

Chiefly culture.

839. LEH, H. O. Calcium deficiency in sunflowers caused by gibberellin. (Ge) Naturwissenschaften 48(19):628. Oct. 1, 1961. 474 N213

840. LEH, H. O. The effect of gibberellin on development, calcium absorption, and calcium transport in some plants. Phytopathol. Z. 49(1): 71-83. 1963. 464.8 P562

Shoots of sunflower were among the materials examined.

841. LEH, H. O. Effect of magnesium and manganese ions on the phytotoxic effects of streptomycin. (Ge) Z. Pflanzenernahr. Dung. Bodenk. 88:211-221. 1960. 384 Z343A

842. LEH, H. O. The effect of streptomycin on the growth of some crop plants. (Ge) Z. Pflanz. Dung. Bodenk. 88(2):129-148. 1960. 384 Z343A

843. LEH, H. O. Effect of tetracycline derivatives (Reverin) on the development of some cultivated plants, with special consideration for the iron supply. (Ge) Z. Pflanzenernahr. Dung. Bodenk. 93:43-53. 1961. 384 Z343A

844. LEITES, F. L. Morphological peculiarities of experimental atherosclerosis in white rats. (Rus) Akad. Nauk SSSR Dokl. 153(1):190-193. 1963. 511 P444A

Sunflower oil was given to rats in this experiment.

845. LENDENSKAYA, L. D., and RUDAKOVA, E. V. Binding molybdenum and zinc with proteins in seeds of plants. (Rus) Primenenie Mikroelementov, Polimerov, i Radiaktivn. Izotopov v Selsk. Khoz., Ukr. Akad. Sel'skokhoz. Nauk, Tr. Koordinats. Soveshch. 1960:60-65. Pub. 1962.

846. LENNERTS, L. Sunflower: ornamental, oil, and green forage plant. (Ge) Agros [Hannover] 2:132-136. Feb. 1962. 18 Ag83

847. LEONT'EVSKII, K. E., and ANOSHKINA, A. A. Changes in the dispersity of materials during production of vegetable oils. (Rus) Vses. Nauchn.-Issled. Inst. Zhirov. Tr. 1963(23):22-25. 307.9 M85

Sunflower, cotton, and flax seeds.

848. LEONT'EVSKII, K. E., and ROMANOVA, L. V. Conditions of preservation sunflower seed quality. (Rus) Masl.-Zhir. Promysh. 1962(7):5-8. July. 307.8 M37

849. LEONT'EVSKII, K. E. Optimal degree of grinding for processing sunflower seeds. (Rus) Masl.-Zhir. Promysh. 5:6-9. May 1963. 307.8 M37

850. LEOPOLD, A. C., and LAM, S. L. The auxin transport gradient. Physiol. Plant. 15(4): 631-638. 1962. 450 P564

Experiments with sunflowers.

851. LEOPOLD, A. C., and LAM, S. L. Polar transport of three auxins. Internatl. Conf. Plant Growth Regulat. [Proc.] 4:411-418. Ref. 1959, pub. 1961. 90.09 In82

Sunflowers.

Includes discussion.

852. LEPPIK, E. E. Distribution of downy mildew and some other seed-borne pathogens on sunflowers. FAO Plant Protect. B. 10(6):126-129, map. Ref. Dec. 1962. 421 P692

Caused by Plasmopara halstedii.

853. LESYUIS, A. A., and others. Determination of oils extracted by heat and of oils and oil cakes of the conveyor-compressor plants with preliminary extraction in a foreapparatus. (Rus) Ukr. Nauchn.-Issled. Inst. Maslozhir. Prom. Sb. Statei o Rabot Inst. 1959-1961(4-5):7-10. Pub. 1963.

N. P. Kovalenko, A. V. Nechaeva, V. F. Borisova, and V. A. Podkovantseva, joint authors.

854. LESYUIS, A. A. For an increase in the production of sunflower oil by factories of the Ukraine. (Rus) Masl.-Zhir. Promysh. 1962(6):5-7. June. 307.8 M37

855. LETAN, A. Relation of structure to antioxidant activity of quercetin and some of its derivatives. I. Primary activity. J. Food Sci. 13(4):518-523. 1966. 389.8 F7322

The antioxidant activity of quercetin and derivatives was studied in the temperature range of 36 to 70 degrees with the Me esters of sunflower oil and linseed oil as the substrate.

856. LETEY, J., STOLZY, L. H., and BLANK, G. B. Effect of duration and timing of low soil oxygen content on shoot and root growth. Agron. J. 54(1):34-37. 1962. 4 Am34P

857. LETEY, J., and others. Effect of temperature on oxygen-diffusion rates and subsequent shoot growth root growth, and mineral content of two plant species. Soil Sci. 92(5):314-321. Ref. Nov. 1961. 56.8 So3

L. H. Stolzy, G. B. Blank, and O. R. Lunt, joint authors.

Sunflowers and cotton.

858. LETEY, J., and BLANK, G. B. Influence of environment on the vegetative growth of plants watered at various soil mositure suctions. Agron. J. 53:151-153. 1961. 4 Am34P

Sunflowers and beans were the test plants.

859. LETEY, J., and others. Influence of diffusion rate on sunflower growth at various soil and air temperatures. Agron. J. 54(4):316-319. July/Aug. 1962. 4 Am34P

L. H. Stolzy, N. Valoras, and T. E. Szuszkiewicz, joint authors.

860. LETEY, J., and others. Low soil oxygen most damaging to plants during hot weather. Calif. Agr. 17(5):15. May 1963. 100 C12Cag

L. H. Stolzy, N. Valoras, and T. E. Szuszkiewicz, joint authors.

Test with sunflowers.

861. LEVIN, A. M., and ZHEBIN, D. F. The effect of pre-planting fertilizers on the yield and oil content of sunflower seeds. (Rus) Agrobiologiia 1960(2):197-201. Mar./Apr. 20 Ag822

Minerals.

862. LEVIT, M. S., and KLOCHKO, N. D. Obtaining technical stearic acid with a low iodine value without pressing. (Rus) Maslozhir. Prom. 32(4):22-25. 1966. 307.8 M37

863. LEVITT, J., and others. Sulfhydryls--a new factor in frost resistance. I. Changes in SH content during frost hardening. Plant Physiol. 36:611-616. 1961. 450 P692

C. Y. Sullivan, N. O. Johansson, and R. M. Pettit, joint authors.

Sunflower showed an increase of SH content at hardening temperature, but only if permitted to wilt.

864. LEWIN, I. J., and MONTALDI, E. R. The grafting of Phaseolus vulgaris on Helianthus annuus. (Sp) Rev. de Invest. Agr. 16(1):71-77. 1962. 9 R329

English summary.

865. LIBBERT, E., and KANTER, B. Effects of auxin on polarity phenomena with regard to absorption, transport, and metabolism of adenine by hypocotyl sections of Helianthus annuus. (Ge) Flora Abt. A 157(1):51-67. 1966. 450 F66

866. LIBBERT, E., KENTZER, T., and STEYER, B. The effects of some adenine compounds including ATP on germination, seedling development, and auxin transport. (Ge) Flora [Jena] 151(4):663-669. Ref. Dec. 31, 1961. 450 F66

English summary.

Sinapis alba, Lycopersicum exculentum, and Helianthus annuus.

867. LINCOLN, R. G., and others. Floral initiation of Xanthium in response to application of an extract from a day-neutral plant. Nature [London] 195(4844):918. Sept. 1, 1962. 472 N21

D. L. Mayfield, R. O. Hutchins, A. Cunningham, K. C. Hamner, and B. H. Carpenter, joint authors.

Sunflower as test plant.

868. LINDNER, K. Biological importance of plant-protein fractions. (Ge) Qualitas Plant Mater. Vegetabiles 10(1-4):221-235. 1963. 64.8 M41

The amino acid composition and their biological values are given for soybeans, lupine, peanut, sunflower, potato, and Jerusalem artichoke.

869. LINOW, F., ROLOFF, M., and TAEUFEL, K. The analysis of carbonyl compounds and hydroperoxides in the autoxidation of olefinic fats. I. The determination of carbonyl compounds in the presence of hydroperoxides by their reduction with potassium iodide. (Ge) Fette, Seifen, Anstrichmittel 66(12):1052-1055. 1964. 384 C422

Tests with Me esters of autoxidized sunflower seed oil.

870. LINOW, F., and POHL, J. Reaction of hydroperoxides of olefinic fatty acids with 1-methyl-6, 8-dinitro-1, 2-dihydro-2-ethoxyquinoline. (Ge) Nahrung 10(6):521. 1966. 389.8 N142

871. LINSER, H., KUHN, H., and KLINGST, A. The correlations between nutrient uptake and yield with increasing levels of applied nutrients. (Ge) Bodenkultur (A) 13(2):133-134. 1962. 19 B635

Sunflower was one of the crops studied.

872. LIPETZ, J., and GARRO, A. J. Ionic effects on lignification and peroxidase in tissue cultures. J. Cell Biol. 25(1, pt. 1):109-116. Ref. Apr. 1965. 442.8 J828

Crown gall tumor tissue of sunflowers.

873. LIPETZ, J. Mineral elements and differentiation in plant tissue cultures. Int. Conf. Plant Tissue Cult. Penn. State Univ. Proc. 1963:69-76. Ref. 1965. QK725.I5

Nutritional deficiencies in sunflowers.

Discussion, p. 77-91.

874. LIPSHITS, V. V., and others. Fermentation by butylic bacteria of pentose-hexose hydrolyzate of plant wastes mixed with molasses. Mikrobiologiya 30:323-327. 1961. 448.3 M582

B. M. Nakhmanovich, V. V. Senkevich, and L. A. Mel'nichenko, joint authors.

875. LISITSYNA, L. I. Controlling the pests of sunflower shoots by treating the seeds before planting. (Rus) Selektsiya i agrotekhnika podsolnechnika. N. P.:Voronezh. 85-91. 1962.

876. LJASCENKO, I. F. The sunflower--a convenient object for obtaining albino forms. (Ge) Biol. Rundsch. 2(1):45. 1964. 442.8 B5272

877. LJUBENOV, J. Possibilities of chemical weed control in sunflower crops. (Bu) Rast. Zashchita 11(3):35-37. 1963. 423.92 So2

878. LLANOS, E. Sunflowers: how they are harvested and how they should be harvested. (Sp) Bolsa de Cereales. Rev. 50(2602):4, 7, 12. Apr. 11, 1963. 287 B866

879. LOBANOV, D. I., and ZDOBNOV, A. I. Effect of steam on the rate of oxidation of vegetable oil. (Rus) Mosk. Inst. Nar. Khoz. Tr. Inst. 34:18-29. 1965.

880. LOBORODOV, V. V. Interrelation between weight and measurement of seeds of sunflowers with high content of oil and their impurities. (Rus) Maslozhirovaya Prom. 2:7-10. Feb. 1965. 307.8 M37

Cleaning.

881. LONG, R. W. Biosystematics of two perennial species of helianthus; crossing relationships and transplant studies. Am. J. Bot. 47(9):729-735. Nov. 1960. 450 Am36

882. LOOF, B. The agronomy and present position of oil-seed crops in Scandinavia - a review of the literature. Field Crop Abs. (Review Article) 13(1): 1-7. 1960. 241 C73

Sunflower production discussed.

883. LORANT, B. Derivatographic examination of fats and fatty acid compounds. (Ge) Seifen-Oele-Fette-Wachse 92(2):25-29. 1966. 307.8 Se4

884. LORANT, B. The determination of moisture content of fats, oils, and emulsions with acetyl chloride. Comparison with other methods. (Ge) Seifen-Oele-Fette-Wachse 89(4):89-92. 1963. 307.8 Se4

885. LORINCZ, J. Data on sunflower fertilizers. (Hu) Magyar Mezögazdaság 17(5):10-11. Jan. 31, 1962. 19 M27

886. LOSHAK, I. F., and KONDRATOVICH, E. Peculiarities of the formation of reserve nutrients and productive properties of sunflower achenes. (Rus) Vest. Sel'skokhoz. Nauki [Moscow] 2:52-55. Feb. 1963. 20 V633

English summary.

887. LOUVET, J., and KERMOAL, J. P. Does mildew threaten sunflower culture in France? (Fr) Paris. Acad. Agr. France. Compt. Rend. Hebd. Seances 52(12):896-902. Ref. June 29, 1966. 14 P215Bc

Plasmopara halstedii.

Includes discussion.

888. LOVACHEV, L. N. Certain problems in the polarographic study of fatty acids and oils. (Rus) Mosk. Inst. Nar. Khoz. Sb. Nauchn. Rabot. 1961. (17):64-69.

889. LUBOVSKII, N. P., and MALYKHIN, I. I. Sunflower culture in the Donets Basin. (Rus) Zemledelie 1960(1):67-73. Jan. 20 Z44

Chiefly yields.

890. LUCIANI, V. Diffusion and culture of the sunflower in Bulgaria. (It) Riv. Ital. Essenze--Profumi--Piante Officinali--Aromi--Saponi--Cosmetici 45(10):527-528. Oct. 1963. 308.8 R52

891. LUCIANI, V. Extent and culture of sunflowers in Bulgaria. (It) Riv. Ital. delle Sostanze Grasse 41(7):370-371. July 1964. 307.8 OL3

892. LUCIANO, A., KINMAN, M. L., and SMITH, J. D. Heritability of self-incompatibility in the sunflower (Helianthus annuus). Crop Sci. 5(6): 529-532. Ref. Nov./Dec. 1965. 64.8 C883

893. LUCIANO, A. Work in improvement of sunflower culture. (Sp) Inform. Grasas Aceites. Bol. 3(7):47-59. Sept. 1965. 307.8 In3

Argentina.

894. LUDDECKE, F., and BEYER, M. Fodder plants suitable for hot-air drying. (Ge) Dt. Landwirt. 15(5):249-251. 1964. 18 D4822

Sunflower was usually unsuitable for hot-air drying.

895. LUDTKE, M. The pectins of the sunflower. (Ge) Z. f. Pflanzenzucht. 45(3/4):406-420. Ref. July 1961. 450 Z36

English summary.

896. LUKASHEV, A. Lowering the preharvest moisture of sunflower seeds. (Rus) Sel'sk. Khoz. Sibiri 1960(1):34-35. Jan. 20 Se492

897. LUKASHEV, A. I. Widening inter-row spacings of sunflower sowings in areas of insufficient moisture. (Rus) Vest. Sel'skokhoz. Nauki [Moscow] 10:34-37. 1963. 20 V633

English summary.

898. LUKASHEVICH, A. I. Calcium cyanamide in the control of sunflower rot. (Rus) Zashch. Rast. ot Vred. i Boleznei 5:24. 1964. 421 Z1

899. LUKASHEVICH, A. I. Chemical methods for sanitation of soil affected by sunflower white rot. (Rus) Khim. Sel'skom Khoz. 3(8):22-25. Ref. Aug. 1965. 385 K524

Caused by Sclerotiana libertiana.

900. LUKASHEVICH, A. I. Cleaning of sunflower seeds from sclerotia of Sclerotinia disease. (Rus) Zashch. Rast. ot Vred. i Boleznei 1960(12):34-35. Dec. 421 Z1

Caused by Sclerotinia libertiana.

901. LUKASHEVICH, A. I. The effectiveness of control measures for white rot of sunflower. (Rus) Visnyk Sik's'kogospod. Nauki 2:95-99. 1963

902. LUKOVA, M. M., and FAUSTOV, V. V. The relation between the action of gibberellin and heteroauxin on plants. (Rus) In Akad. Nauk SSSR Inst. Fiziol. Rast. Gibberelliny i ikh Deistvie na Rast. 1963. 139-142. 90.11 Ak12

Gibberellic acid stimulated growth of the green parts of sunflower and increased their dry matter content while indoleacetic acid stimulated growth of roots.

903. LURYE, L. M., and ALICHANYAN, S. I. Utilization of whale oil and vegetable oils as a source of carbon in the biosynthesis of penicillin. (Rus) Antibiotiki 8:298-304. 1963. 396.8 An84

Sunflower oil was one of the vegetable oils utilized.

904. L'YAKOV, A. B. The leaf apparatus and the accumulation of reserves in sunflower seeds. (Rus) Bot. Zhur. 46(10):1433-1443. 451 R923

905. LYASHCHENKO, I. F. The chlorophyll mutations of sunflower. (Rus) Moskov. Obshch. Isp. Prirody. B. Otd. Biol. 69(1):141. Jan./Feb. 1964. 511 M85

906. LYASHCHENKO, I. F. The effect of gibberellic acid upon growth of albino and green sunflower plants. (Rus) Akad. Nauk SSSR. Izv. Ser. Biol. 1961(1):30-32. Jan./Feb. 511 Sa2B

English summary.

907. LYASHCHENKO, I. F. The effect of injury on the greening of albino sunflower plants. Fiziol. Rast. 7(4):401-403. 1961. 450 F58

908. LYASHCHENKO, I. F. Gamma-ray effect on albino plant development in sunflowers. (Rus) Moskov. Obshch. Ispytatelei Prirody. Tr. Otd. Biol. 23:300-305. 1966. 442.9 M855 T

English summary.

909. LYASHCHENKO, I. F. The nature of spontaneous mutation of chlorophyll mutations in the sunflower. (Rus) Genetika 5:85-88. 1966. QH 431. A1G4

910. LYASHCHENKO, I. I. Activity of catalase in albino sunflowers. (Rus) Bot. Zhur. [Moscow] 47(7):1032-1035. July 1962. 451 R923

911. LYASHCHENKO, I. I. Dehydrogenases of albinic sunflower plants. (Rus) Akad. Nauk SSSR. Dok. 146(3):720-723. 1962. 511 P444A

912. LYASHCHENKO, I. I. Respiration and photosynthesis of albino sunflower plants. (Rus) Fiziol. Rast. 8(6):750-751. 1961. 450 F58

This journal will appear in English translation 450 F58Ae.

913. LYUBENOV, YA. Chemical weed control of sunflower. (Bu) Rastenievudni Nauk. 1(7):147-156. Ref. 1964. 64.8 R18

French summary.

914. LYUBINSKII, N. I., and SHIRYAEV, I. N. Advanced techniques for growing sunflowers. (Rus) Zemledelie 1965(4):47-49. 20 Z44

915. MACCHI, R. A. The assay of Vizern and Guillot applied to Argentine olive oils and their mixtures with different seed oils. (Sp) Rev. Arg. Grasas Aceites 3:60-64. 1961. 307.8 R322

Sunflower oil was one of those mixed with the olive oil.

916. MACKIEWICZ, Z. Forage plant mixtures with sunflower. (Pol) Nowe Roln. 11(13):26-28. July 1, 1962. 20.5 N86

Yields.

917. MACOVSCHI, E., and ZAHARIA, O. The effect of proline on the amino acids and proteins of the sunflower. (Rum) Acad. rep. populare Romine, Inst. biochim., Studii cercetari biochim. 3(1):7-12. 1960.

918. MADHOK, O. P. Magnesium nutrition of Helianthus annuus L. and Helianthus bolanderi Gray subspecies Exilis Heiser. Diss. Abstr. 26(2):652-653. 1965. 241.8 M58

919. MAEVSKAYA, A. N., and ALEKSEEVA, KH. A. The content of some phosphorus compound in the sunflower deprived of boron in its nutritive medium. (Rus) Mikaroelementy v SSSR. 1962:57-59. Pub. 1963. 385 M58

920. MAEVSKAYA, A. N., and ALEKSEEVA, KH. A. Effect of boron deficiency on adenosinetriphosphatase of sunflower. (Rus) Akad. Nauk. SSSR. Dok. 156(1):212-213. 1964. 511 P444A

921. MAILANDER, W. Warum bauen wir eigenlicl so wenig Sonnenblumen? Mitt. der Deut. Landwirt. - Gesell. 75(11)312-314. Mar. 17, 1960. 18 N39
Advantages of culture.

922. MAJSURJAN, N. A. Influence of conditions of cultivation on branching in plants. (Rus) In Akad. Nauk SSSR. Questions of evolution, biogeography, genetics and plant breeding. Moskva-Leningrad, 1960. p. 162-169.
Includes discussion of branching in sunflower.

923. MAKAREVICH, V. G., and LAZNIKOVA, T. N. Media with different oil cakes as sources of organic nitrogen for the fermentation of chlortetracycline. (Rus) Antibiotiki 6(4):308-311. 1961. 396.8 An84

924. MAKOVSKII, E., and ZAKHARIYA, O. The action of proline on the amino acids and proteins of sunflower. (Rum) Rev. Chim., [New ser.] 6:67-72. 1961. 385 R3222

925. MAKSHANOVA, T. I. Refining of sunflower oil by method of continuous hydration. (Rus) Maslozhir. Prom. 32(6):44. 1966. 307.8 M37

926. MAKSIMENKO, N. S., and others. The technology of sunflower seed hull hydrolysis with production of furfural and hexoses. (Rus) Gidrolizn. i Lesokhim. Prom. 19(2):23-26. 1966. 301.8 G36
B. A. Glazman, A. N. Gladneva, A. G. Savinykh, and A. A. Gladkova, joint authors.

927. MALLARD, T. M., and CRAIG, B. M. Quantitative analysis for oleic and petroselinic acids in glyceride oils (for nutritional research). Amer. Oil. Chem. Soc. J. 43(1):1-2. 1966. 307.8 J82

928. MALLET, C. Chemical weeding of sunflower. (Fr) Inform. Tech. C. E. T. I. O. M. 1:13-15. 1962. 77.8 In3

929. MALLET, C., and ROUSSELON, G. Destruction des plantes adventices dans les cultures de tournesol [Destruction of self-sown plants in sunflower culture; 1963 field trials]. Inform. Tech. C. E. T. I. O. M. 5, 50 p. 1964. 77.8 In3
Herbicide effectiveness.

930. MALLET, C., and PERIER, J. Destruction des plantes adventices dans les cultures de tournesol; essai de la campagne 1962 [Destroying adventitious plants in sunflower plantings; 1962 campaign trials]. Inform. Tech. C. E. T. I. O. M. 3, 24 p. 1963. 77.8 In3
Testing various herbicides and their combinations.

931. MALLET, C., and PERIER, J. Phytocidal action of various substances used for treating sunflower seed at the time of germination. (Fr) Inform. Tech. C. E. T. I. O. M. 4:1-6. 1963. pub. 1964. 77.8 In3

932. MALLET, C. Sunflower drying trail. (Fr) Inform. Tech. C. E. T. I. O. M. 2:9-12. 1962. 77.8 In3
To enable earlier harvesting.

933. MALLET, C. Treatment of sunflower seeds. (Fr) Inform. Tech. C. E. T. I. O. M. 1:9-12. 1962. 77.8 In3

934. MALLET, C. Trials on protection of rape and sunflower plantations. (Fr) Oleagineux 20(10): 595-598. Oct. 1965. 77.8 OL2
Disease, pest and weed chemical control.

935. MALYKHIN, I. I. Increasing sunflower yield in the Donbas region. (Rus) Agrokhimiya 6:183-140. June 1965. 385 Ag89
Superphosphate fertilizer.

936. MALYSHEVA, A. G. The accumulation of substances accompanying fats during the ripening of flax and sunflower seeds. (Rus) Masl. -Zhir. Promysh. 1961(9):7-8. Sept. 307.8 M37
Chiefly tocopherols, carotenoids, and sterols.

937. MAMEDOVA, T. KH., and SHERSTNEV, E. A. Composition and biosynthesis of the free ribonucleotides in sunflower leaves. (Rus) Fiziol. Rast. 12(4):618-621. Ref. 1965. 450 F58
English summary.

938. MANDAK, M. Utilization of surface-active agents in galenic preparations. Congr. Sci. Farm., 21st, Conf. Comun., Pisa 1961. 681-688. Pub. 1962.
Sunflower oil was used as an emulsifier.

939. MANDY, G., and PAL, G. The effect of treatments with different salt solutions on seed germination of some varieties of rye, oat, and sunflower. (Hu) Novenytermeles 9(4):343-358. Ref. Dec. 1960. 64.8 N76
English summary.

940. MANDY, G., PARRAGH, J., and KURNIK, E. Morphological and chromosome examination of sunflower twin-fruits. (Hu) Iregszemcse. Delkeletdunantuli Mezogazdasagi Kiserlet. Intezel. Kozlem. 3(2):8-23. Ref. 1963. 105.9 Ir2
English summary p. 52-53.

941. MANDY, G. Role of the cross section of petioles in identification of sunflower varieties. (Hu) Iregszemcse. Delkeletdunantuli Mezogazdasagi Kiserlet. Intezet. Kozlem. 2(1):36-44. 1962. 105.9 Ir2
English summary, p. 101-102.

942. MANZELIJ, I. I., ed. Session of the V. I. Lenin All-Union Academy of Agricultural Sciences. (Rus) Zemledelie 10:90-91. 1960. 20 Z44
At the meeting in Moscow on 26-27 June 1960, V. S. Pustovoit spoke on methods of breeding disease resistant sunflowers.

943. MANZHOS, P. F. Concentration of sunflower plantings in the Kulunda Steppe as a major resource of increased production of vegetable oil in the Altai Territory. (Rus) Masl.-Zhir. Promysh. 1962(5):9. May. 307.8 M37

944. MANZHOS, P. F. High sunflower yields in Kuban. (Rus) Maslo-Zhir. Prom. 1:37. Jan. 1967. 307.8 M37

945. MARCENKO, I. I. A cytological study of Jerusalem artichoke-sunflower hybrids and a hypothesis on the origin of the genus Helianthus L. (Rus) Moscow. Obsc. Ispyt. Prirod. Trud. 1962(5): 247-259. 442.9 M855T

946. MARCHENKO, N. D. Distribution of seeds in the hole under the checkrow planting method. (Rus) Traktory i Sel'khozmash. 1961(12):24-25. Dec. 58.8 T68
Sunflower and corn planting equipment.

947. MARKI, A., SEBOK, C., and LAZANYI, A. Study on the effect of different doses of X-rays on the variability of the sun-flower. (Rum) Cluj. Inst. Agron. "Dr. Petru Groza." Lucrari Sti. 17:119-128. 1961. 21 C622
English summary.

948. MARKMAN, A. L., and CHERNENKO, T. V. New method for determination of iodine number. (Rus) Maslob.-Zhir. Prom. 27(6):8-9. 1961. 307.8 M37

949. MARKOV, M. V. The problem of the interrelationships between plants in pure sowings. (Rus) Akad. Nauk SSR. Problemy botaniki 6:95-102. 1962. 451.1 V962

950. MARKOVA, M. N., and others. Biological value of sunflower oil of different degrees of oxidation. (Rus) Vopr. Pitaniya 25(4):13-20. 1966. 389.8 V89
M. Ya. Brents, S. G. Aptekar, T. N. Zitler, N. V. Meshkov, N. A. Nazarova, and G. G. Vol'fson, joint authors.

951. MARKOVA, M. N., and BRENTS, M. YA. Some lipid metabolism values in rats kept on a ration containing different grades of sunflower oil. (Rus) Vopr. Pitaniya 24(2):68-72. 1965. 389.8 V89

952. MARKUZE, Z. Chromatographic separation of tocopherols in some edible oils and margarine. (Pol) Roczniki Panstwowego Zakladu Hig. 15(4):435-442. 1964. 449.9 W26
Sunflower oil.

953. MARRAS, F. Arachide, girasole e vigna nuovi ospiti di Macrophomina phaseolina (Tassi) Goid., in Sardegna [Peanuts, sunflowers and cowpeas as new hosts of Macrophomina phaseolina (Tassi) Goid., in Sardinia]. Sassari. U. Ist. di Patol. Vet. Note Fitopatol. per la Sardegna. Nota 3, 9 p. Ref. 1963. 464.9 Sa7

English summary.

954. MARTIN, G. C., and LOPUSHINSKY, W. Effect of N-dimethyl amino-succinamic acid (B-995), a growth retardant, on drought tolerance. Nature 209(5019):216-217. 1966. 472 N21

Does not appear to have a consistent effect on the magnitude of water deficit developed by Helianthus annuus, but does enhance the ability of the plant to recover on watering after drought.

955. MARTIN, I., TEACIUC, M., and VINATORU, M. Contributions à l'étude économique du tournesol dans les E. A. C. de Lenauheim, arrondissement Sinnicolau Mare et de Sintana, Arrondissement Cris. (Rum) Prob. Agr. [Bucharest] 13(5):31-39. May 1961. 21 R862

French summary.

956. MARTIN, M. On the kinetics of dehydration of some seeds. (Fr) Soc. d'Hist. Nat. de l'Afrique du Nord. B. 52(1/3):153-161. Jan./Mar. 1961. 410.9 So125

Sunflowers, rice, and broadbeans.

957. MARTYNOVA, V. A., and MEL'NIKOVA, G. K. Oil-resistant rubber for stoppers. Med. Prom. S. S. S. R. 15(4):57-60. 1961.

958. MASLIKOV, V. A., and others. The use of a hydrocyclone for the clarification of sunflower miscella. (Rus) Maslob.-Zhir. Prom. 29(1):27-30. 1963. 307.8 M37

V. A. Lebedev, N. S. Arutyunyan, and D. F. Agaryshev, joint authors.

959. MASLINKOV, I., and others. A system of machinery for sunflower growing and harvesting. (Bu) Ikonomika Mekh. Selskoto Stopnastvo 2(1): 47-65. Ref. 1965. 281.8 Ik7

Yu. Kristova, P. Panchev, G. Petrov, and K. Tortopov, joint authors.

English summary.

960. MASSON, C. G., and CHANET, M. Accidents occurring in the course of sunflower seed drying. (Fr) Rev. Franc. des Corps Gras 12(4): 263-273. Apr. 1965. 307.8 R32

English summary.

Spontaneous combustion.

961. MASSON, C. G. Calculation of the surface of rape and sunflower seeds. (Fr) Oleagineux 19(1): 33-35. Jan. 1964. 77.8 OL2

English summary, p. xxviii.

In relation to storage problems.

962. MASSON, C. G. Comparative study of sunflower seeds storage. (Fr) Oleagineux 18(10): 641-645. Oct. 1963. 77.8 OL2

963. MASSON, C. G., and CHANET, M. Destroying the germinative power of seeds by soaking in hot water. (Fr) Inform. Tech. C. E. T. I. O. M. 2:5-8. 1962. 77.8 In3

Tests with rape and sunflower seeds.

964. MASSON, C. G. Determination of grain moisture. (Fr) Coop. Agr. [Paris] 10(114):35-37. July 1963. 280.28 C78972

Sunflower seeds.

965. MASSON, C. G. Determination of moisture in sunflower seeds. (Fr) Inform. Tech. C. E. T. I. O. M. 1:17-19. 1962. 77.8 In3

966. MASSON, C. G., and CHANET, M. Evolution in time of some of the sunflower head and seed components. (Fr) Inform. Tech. C. E. T. I. O. M. 2:13-18. 1962. 77.8 In3

967. MASSON, C. G. The sunflower in certain eastern European countries, (U. S. S. R., Rumania and Yugoslavia). (Fr) Oleagineux 21(3):137-141. Mar. 1966. 77.8 OL2

English summary, p. XXXVII.

Yields.

968. MASSON, C. G., and CHANET, M. What to think of storing sunflower heads in crib? (Fr) Inform. Tech. C. E. T. I. O. M. 2:1-4. 1962. 77.8 In3

969. MATHUR, S. B., and SACKSTON, W. E. Effect of temperature and age of host on infection of sunflowers by Sclerotium bataticola. Phytopathology 53(3):350. 1963. 464.8 P56

970. MATSUK, YU. P., D'YAKONOV, L. A., and IVANOVA, V. F. Cleaning sunflower seeds with separators. (Rus) Masl.-Zhir. Promysh. 4:35-38. Apr. 1964. 307.8 M37

971. MATSUK, YU. P., NESHCHADIM, A. G., and ZAMORUEVA, T. A. Features of the movement of the extracting fluid in a screw extractor. (Rus) Masl.-Zhir. Promysh. 9:6-8. Sept. 1962. 307.8 M37
Oil from sunflower petals.

972. MATSUK, YU. P., and others. Quality of oil obtained from wastes of purification units. (Rus) Maslob.-Zhir. Prom. 31(7):9-11. 1965. 307.8 M37
S. A. Chernomorskii, G. T. Koresheva, and V. F. Solov'eva, joint authors.
Sunflower oil.

973. MATSUK, YU. P. The relation between the husk content of the kernel and losses of oil in the processing of sunflower seeds. (Rus) Masl.-Zhir. Promysh. 1961(1):7-10. Ref. Jan. 307.8 M37

974. MATUKHIN, G. R., MERDZHAN'YAN, S. K., and SLONOV, L. KH. The effect of trace elements on the increase of salt resistance of plants. (Rus) In Mikroelementy i Estestv. Radioaktivn. Pochv. Rostovsk. Gos. Univ., Materialy 3-go (Tret'ego) Mezhvuz. Soveshch. 1961. 124-126. Pub. 1962. 385 Uk74

975. MATYUSHENSKII, B. V. Chemical composition of cellulose and lignin of certain species of annual plants. Latvijas PSR. Zinatnu Akad. Vestis. 1962(4):583-587. 511 R442
Sunflower husk was one of the materials analyzed.

976. MATYUSHENSKII, B. V., and LAZUR' EVSKII, G. V. The composition of the hemicellulose fraction of hydrolyzed raw material. (Rus) Kishinev. Gosudarst. Univ. Trudy po Khim. Prirod. Soedinenii. 1960(2):93-98.

977. MATYUSHENSKII, B. V. Oil-wax components of the sunflower seed hulls and corncobs. (Rus) Gosudarst. Univ. Uchenye Zapiski Kishinev. 56:81-83. 1960. 511 K642

978. MAYFIELD, D. L. Floral-inducing extracts of Helianthus and of Xanthium: some chemical and physiological properties. In Colloque International sur les Substances de Croissance Vegetales, 5, Gif-sur-Yvette, 1963. Regulateurs naturels de la croissance vegetale, p. 621-633. Ref. 1964. 90.09 In82

979. MAYR, H. H., and BARBIER, S. Plant tolerance for biuret in urea. (Ge) Z. Pflanzenernaehr. Dueng. Bodenk. 102(2):107-112. 1963. 384 Z343A
Sunflower was one of the plants tested.

980. MAZAEVA, M. M. Magnesium requirement of plants, depending on potassium fertilization. Sb. Nauchn. Tr. po Izvestkovaniya Dernovo-Podzolistykh Pochv. Minsk. Akad. Sel'skokhoz. Nauk Belorussk. SSR 1960:203-208.

981. MAZEL', YU. YA. Effect of light on absorption of calcium in sunflower plants. (Rus) Moskov. Ord. Lenina Sel'skokhoz. Akad. K. A. Timiryazeva. Dokl. 109, Pt. 1:167-171. 1965. 20 M857

982. MAZEL', YU. YA. Effect of univalent and bivalent ions on potassium absorption by separated root system of plants. (Rus) Moskov. Ord. Lenina Sel'skokhoz. Akad. K. A. Timiryazeva. Dokl. 103:295-299. Ref. 1965. 20 M857
Sunflowers and corn.

983. MAZEL', YU. YA., and CHISTOVA, E. D. Effects of temperature on assimilation of potassium by plants. (Rus) Moskov. Ord. Lenina Sel'skokhoz. Akad, K. A. Timiryazeva. Dokl. 103:301-308. Ref. 1965. 20 M857
Sunflowers and corn.

984. MAZEL', YU. YA. Transpiration and absorption of Ca by plants. (Rus) Moskov. Ord. Lenina Sel'skokhoz. Akad. K. A. Timiryazeva. Dokl. no. 115, Pt. 1:183-187. 1965. 20 M857

985. MAZHDRAKOV, G. M., and GRUNCHAROV, V. Influence of fats on the coagulation of blood. (Bu) Suvremenna Med. 1:22-29. 1961.

In this test, sunflower oil did not accelerate coagulation of blood.

986. MAZNYAK, F. I. Adsorption of sunflower oil by the husk during processing of sunflower with the high oil content. (Rus) Masl. Zhir. Promysh. 6:35-36. June 1964. 307.8 M37

987. MAZUR, T. The fertilizing value of heavy manure. (Pol) Zeszyty Probl. Postepow Nauk Rolniczych 21:193-206. 1959. 20.5 Z5

On potato, rye, and sunflower.

988. MAZZONI, L. E., and others. Herbicides in sunflower culture. (Sp) Inform. Argent. Grasas Aceites. Bol 2(9):17-20. Nov. 1964. 307.8 In3

G. M. Lakaman, E. Ellena, and C. Oliva, joint authors.

Argentina.

989. MCDONALD, W. C., and MARTENS, J. W. Leaf and stem spot of sunflowers caused by Alternaria zinniae. Phytopathology 53(1):93-96. Ref. Jan. 1963. 464.8 P56

990. MCDONALD, W. C. Phoma black stem of sunflowers. Phytopathology 54(4):492-493. Apr. 1964. 464.8 P56

Caused by Phoma oleracea.

991. MCILRATH, W. J., and SKOK, J. Boron nutrition and lignification in sunflower and tobacco stems. Bot. Gaz. 125(4):268-271. Ref. Dec. 1964. 450 B652

992. MCILRATH, W. J., and SKOK, J. Substitution of germanium for boron in plant growth. Plant Physiol. 41(7):1209-1212. Sept. 1966. 450 P692

Sunflowers in nutrient solution.

993. MCKEEN, W. E., SMITH, R., and MITCHELL, N. The haustorium of Erysiphe cichoracearum and the host-parasite interface on Helianthus annuus. Can. J. Bot. 44(10):1299-1306. Ref. Oct. 1966. 470 C16C

994. MEDVEDEV, ZH. A. Some data on the interaction of soluble ribonucleic acid of the plasma sap of leaves and intracellular structures. Biophysics 6(3):311-316. 1961. 442.8 B5294Ae

Bean and sunflower leaves.

Translation from Biofizika.

995. MEL'NIKOV, N. P., and ZHELTUKHINA, V. A. Critical velocities of steam flow through a layer of raw material of plant origin in the production of furfural by the direct method. Sb. Tr., Gos. Nauchn.-Issled. Inst. Gidrolizn. i Sul'fitno-Spirt. Prom. 9:196-204. 1961.

Sunflower seed husks were used in some of the experiments.

996. MENGEL, K. The cation-anion balance in roots, stems and leaves of Helianthus annuus plant in relation to chloride and sulphate nutrition. (Ge) Planta 65(4):358-368. Ref. 1965. 450 P693

English summary.

997. MENGEL, K. The influence of the metabolism on the uptake and distribution of labelled K of sunflowers. (Ge) Z. f. Pflanzenernähr. Düngung, Bodenk. 98(1):57-63. Ref. July 1962. 384 Z343A

English summary.

998. MERFERT, V. Complex early diagnosis in sunflower breeding. (Rus) Sel'skohoz. Biol. 1966(1):94-101. 20 V633

999. MERFERT, V. Hollow-graineess and inferiority of sunflower seeds. (Rus) Agrobiologiya 1961(2):199-205. Ref. Mar./Apr. 20 Ag822

Nutritional deficiencies.

1000. MERFERT, W. The incidence of empty and inferior fruits in the sunflower (extent, causes and methods of removal). (Ge) Leipzig. Univ. Wiss. Z. Math.-Naturwiss. Reihe 10:127-128. 1961. 509 L532

1001. MERFERT, W. Investigations on autumn sowing and germination capacity of sunflowers. (Ge) Albrecht-Thaer-Arch. 10(9):849-862. 1966. 18 AL1

1002. MERWE, P. K. VAN DER. The value of sunflower oil cake meal in broiler rations. World's Poultry Cong. Proc. 12th Cong., pt. 1:254-258. Ref. 1962. 47.9 W89912

1003. MESZAROS, J. Damages on sunflowers caused by Orobanche minor. (Hu) Magyar Mezogazdasag 19(40):14. Sept. 30, 1964. 19 M27
Includes control.

1004. MESZAROS, L. Physiological and biochemical effects of sex mentor on corn. (Hu) (Condensed.) Godollo. Agrartud. Egyet. Mezogazdasagtud. Kar. Kozlemenyei 1965:71-74. 1966. 19 G54
German summary.
Addition of sunflower pollen.

1005. MEY, H. S., and PRETORIUS, P. J. The effect of diets containing milk fat and sunflowerseed oil on the levels of certain constituents in the blood serum of kwashiorkor patients. S. African J. Lab. Clin. Med. 10(3):61-63. 1964.

1006. MIHAJLOV, O. F., and ARU, L. H. Transplanting primary embryo leaves in plants as a method of vegetative hybridization. (Rus) Agrobiologija 1962:48-54. 20 Ag822
An account of graft hybridization of sunflower using the technique of transplanting primary embryo leaves.

1007. MIHALYFALVI, I. Comparative cost and return study between stable manures and sunflower green manures. (Hu) Gazdálkodás 5(2):73-78. June 1961. 281.8 G25

1008. MIHALYFALVI, I. Water requirement of sunflower grown as second crop for green manuring. (Hu) Növénytermelés 11(2):101-108. May 1962. 64.8 N76
English summary.

1009. MIHELIC, F. Value of the thiobarbituric acid number in the investigation of vegetable edible oils and lard. (Croat.) Kem. Ind. (Zagreb) 12(3): 147-150. 1963

1010. MIKAILOV, M. The flower of sun. (Rus) Zakupki Sel'skokhoz. Prod. 10:13. Oct. 1966. 280.38 Z14
Historical account of the sunflowers.

1011. MIKHAILIN, N. V., BUSHEV, L. I., and YUR'EV, E. G. Swath harvesting of the sunflowers. (Rus) Sel'sk. Khoz. Povolzh'ya 1960(8):82-85. Aug. 20 Se478

1012. MIKHAILIN, N. V. Two-stage harvesting of sunflowers. (Rus) Sovkhoz. Proizvodstvo 1960(6): 58-59. June. 20 So85

1013. MIKHAILOV, M., and SHAROV, L. Modifying epoxy resins with oils and fatty acids. (Bug) Khim. Ind. (Sofia) 35(1):14-20. 1963.

1014. MIKK, H. Interesting freak developments in sunflowers. (Es) Eesti Loodus 6:362. Nov./Dec. 1963. 409.6 Ee7

1015. MILADINOV, P. Production of potassium salts from ashes of cakes of sunflower seeds, cottonseed, and castor beans. (Bu) Khranitelna Prom. 9(5):34-36. 1960. 389.9 K523

1016. MILENKO, YA. F. Cleaning sunflower seeds from Sclerotinia sclerotiorum with water. (Rus) Selek. i Semen. 2:73-74. Mar./Apr. 1964. 61.9 Se5

1017. MILJKOVIC, N. S., MATTHEWS, B. C., and MILLER, M. H. The available boron content of the genetic horizons of some Ontario soils. I. The relationship between water-soluble boron and other soil properties. Can. J. Soil Sci. 46(2): 133-138. 1966. 56.8 C162.
The available boron content of the genetic horizons of 8 Ontario soils was determined using a hot-water extraction and a sunflower test.

1018. MILJKOVIC, N. S., MATTHEWS, B. C., and MILLER, M. H. The available boron content of the genetic horizons of some Ontario soils. II. The relation between boron absorption by sunflowers and other soil properties. Can. J. Soil Sci. 46(2): 139-145. 1966. 56.8 C162

1019. MILLER, T. B., BLAIR RAINS, A., and THORPE, R. J. The nutritive value and agronomic aspects of some fodders in Northern Nigeria. 2. Silages. Brit. Grassl. Soc. J. 18(3):223-229. 1963. 60.19 B773
Digestibility trial results on silage samples made from sunflower and other crops are presented.

1020. MINEVICH, F. N., and SHMIDT, E. A. Increase of processing of sunflower seeds, supplied by customers, in enterprises of Regional Economic Councils of RSFSR. (Rus) Masl.-Zhir. Promysh. 9:26-28. Sept. 1963. 307.8 M37

1021. MIRONOVA, A. N., and MOROZOVA, T. B. Changes in sunflower oils and accompanying substances under the effects of gamma radiation. (Rus) Vses. Nauch.-Issled. Inst. Zhirov Tr. 25: 238-250. 1965. 307.9 M85

1022. MIRONOVA, A. N., and DANILOVA, T. A. Rapid colorimetric determination of phosphorus in oils and phosphorus-containing substances. (Rus) Maslob.-Zhir. Prom. 26(10):18-21. 1960. 307.8 M37

1023. MIRONOVA, H. N. Spectral analysis of vegetable oils. (Rus) Vses. Nauchn.-Issled. Inst. Zhirov. Tr. 20:90-103. 1960. 307.9 M85

1024. MITKOV, T., and DIMITROV, D. Sunflower varieties in fields of the People's Republic of Bulgaria. (Rus) Selek. i Semen. 5:68-69. Sept./Oct. 1963. 61.9 Se5

1025. MITROFANOVA, T. K., GUSEV, V. D., and PREOBRAZHENSKII, N. A. Lipids. XL. Synthesis of the glyceride base of sunflower oil. (Rus) Zh. Organ. Khim. 2(10):1778-1781. 1966. 385 Z67

1026. MIUSSKII, P. E. The duration of the period between sowing and germination of sunflowers in relation to temperature of the air and the reserves of moisture. (Rus) Odessk. Gidrometeorol. Inst. 22:45-47. 1960.

1027. MIZUNO, I., and GUERRERO, A. H. Sunflower, culture and industry. (Sp) Inform. Grasas Aceites. Bol. 3(2):17-31. (Cont.) Apr. 1965. 307.8 In3

1028. MIZUNO, I., and GUERRERO, A. H. Sunflower, culture and industry. II. (Sp) Inform. Grasas Aceites. Bol. 3(3/4):17-29. June 1965. 307.8 In3

Installment deals with oil extraction and processing.

1029. MIZUNO, I., and GUERRERO, A. H. Sunflower culture and industry. (Sp) Inform. Grasas Aceites. Bol. 3(5):25-35. July 1965. 307.9 In3

Argentina.

1030. MKHITARYAN, V. G., and NIKOGOSYAN, M. A. Effect of chloroprene dimers on autoxidation of fats. XX. (Rus) Armyansk. Khim. Zh. 19(3): 214-219. 1966. 385 Er42

1031. MOBERLY, P. K. Sunflower head bran as a supplement for the dairy cow. Kenya Farmer 105:19. Apr. 1965. 24 R812

1032. MOHAMED, H., and EL-FOULY, M. Redox system, ascorbic acid/dehydroascorbic acid, and ascorbic acid oxidase activity in the developmental cycle of higher plants. (Ge) Deut. Bot. Ges. Ber. 78(11):75-82. Ref. 1965. 451 D48

Helianthus annuus, Phaseolus vulgaris, and Zea mays studied.

1033. MOISEEV, K. A., and ALEKSANDROVA, M. I. Effect of seed treatment with trace elements on the yield of silo and vegetable crops. (Rus) Akad. Nauk SSSR. Komi Filiala Tr. 1960(9): 23-32. 511 Ak149

1034. MOKHNACHEV, I. G., and SERDYUK, L. G. Rapid determination of carotene by a densitometer method. Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Tekhnol. 1962(5):147-150. 389.8 Iz8

1035. MOLCHADSKII, S. R. The role of protective strips in growing oak planted by the hill check method. (Rus) Lesn. Khoz. 1961(1):39-40. Jan. 99.8 L5622

Corn and sunflowers.

1036. MOLDENHAWER, K. Solvent process seed cakes and meals obtained from more important oleaginous plants and their chemical composition. (Pol) Postepy Nauk Rolniczych 9(4): 17-23. 1962. 20.5 P84

Sunflower cake and meal were among those products discussed.

1037. MOLOTKOVSKIJ, JU. G. Metabolic characteristics of plants with reference to heat resistance. (Rus) Akad. Nauk SSSR. Izv. Ser. Biol. 1961(2): 246-249. 511 Sa2B

English summary.

1038. MONORI, S., and PRAGER, M. Certain characteristics of emulsions prepared with various stabilizers. (Hu) Elelm. Ipar 17(9):274-279. 1963. 290.9 M57

Sunflower oil-water emulsions were studied.

1039. MORAWSKA-MUSZYNSKA, G., and REIFER, I. Preparation and properties of the arginase inhibitor from sunflower seeds. Acta Biochim. Polon. 12(2):187-194. 1965. 385 Ac85

1040. MORDEN, MANITOBA, EXPERIMENTAL FARM. Progress report, 1955-1959. 1961. 43 p. 101 Ex6R

Discusses breeding of disease resistant sunflowers.

1041. MORDEN, MANITOBA, EXPERIMENTAL FARM. Research report 1960-1962. 1963:24. 101 Ex6R

Release of sunflower cv. Admiral.

1042. MORGUNOVA, E. A., and EVSTIGNEEVA, Z. G. The biosynthesis of amino acids from glyoxylic acid in oil-bearing plants. (Rus) Akad. Nauk SSSR. Dok. 156(2):467-470. Ref. 1964. 511 P444A

Sunflowers and castorbeans.

1043. MORICE, I. M. Two potential sources of linoleic acid in New Zealand. New Zealand J. Sci. 8(3):446-449. 1965. 514 N482

Compares yields from Phormium tenax and Cordyline australis with safflower and sunflower.

1044. MOROZOV, V. K. Can heliotropism be observed in the flowering heads of the sunflower? (Rus) Bot. Zhur. [Moscow] 48(6):885-888. June 1963. 451 R923

1045. MOROZOV, V. K. Control of unfertility of seeds in sunflower. (Rus) Zemledelie 7:56-58. July 1964. 20 Z44

By improving growing conditions.

1046. MOROZOV, V. K. Effect of topping and shading of sunflower plants at early age on absolute weight of their achenes. (Rus) Agrobiologiya 3:460-462. May/June 1963. 20 Ag822

1047. MOROZOV, V. K. How to prevent sunflower injuries. (Rus) Sel'skokhoz. Proizvodstvo Povolzh'ya 4:32 Apr. 1964. 281.8 Se4

Caused by herbicides.

1048. MOROZOV, V. K. New variety of large-fruited sunflower. (Rus) In Akademiya Nauk SSSR. Institut Genetiki. Genetika-sel'skomu knozyaistvu, p. 399-405. 1963. 463.6 Ak1

1049. MOROZOV, V. K. Oil plants in the trans-Volga area. (Rus) Sel'sk. Khoz. Povolzh'ya 1962(4): 56-58. Apr. 20 Se478

Sunflower culture.

1050. MOROZOV, V. K., and BESPYATOV, L. P. Regularities of the formation of sunflower achenes in the south-east. (Rus) Vestnik Sel'-skokhoz. Nauk. [Moscow] 11:44-48. Ref. Nov. 1965. 20 V633

English summary.

1051. MOROZOV, V. K. Two-step harvesting of sunflowers in the southeast. (Rus) Masl.-Zhir. Promysh. 9:25-26. Sept. 1962. 307.8 M37

1052. MORRIS, L. J., HOLMAN, R. T., and FONTELL, K. Vicinally unsaturated hydroxy acids in seed oils. Am. Oil Chemists' Soc. J. 37:323-327. 1960. 307.8 J82

1053. MOSS, D. N. Optimum lighting of leaves. Crop Sci. 4(2):131-136. 1964. 64.8 C883

The photosynthesis of excised leaves of maize and sunflower, illuminated from above, beneath, or both methods, was investigated.

1054. MOVSESYAN, S. N. Variations in the embryo sac of sunflowers as a result of pollinating the stigmata with aging pollen. (Rus) Akad. Nauk Armyanskoi SSR. Izv. Biol. Nauk. 14(6):29-37. Ref. June 1961. 20 Er4

1055. MOZHAEVA, L. V., MU-YII, H., and TSAREVA, L. A. The effects of heteroauxin on the secretion of sap of sunflower roots. (Rus) Timiryazevskaya Sel'skokhoz. Akad. Izv. 5:47-58. Ref. 1963. 106 P44

1056. MROSOVSKY, N. Acceleration of annual hibernating cycle to 6 weeks in captive dormice. Can. J. Zool. 44(4):903-910. 1966. 470 C16D

Animals fed with sunflower seed became obese and remained so for many months.

1057. MUKHERJI, B. K. Biogenesis of fats in oilseeds. Indian Oil Soap J. 32(2):49-52. 1966.

1058. MUKHIN, I. E., PAVLOVA, Z. K., and NAGOVITSINA, L. I. Relation between the Ra content in vegetables and cereal crops and its concentration in the soil. (Rus) Vopr. Pitaniya 24(2): 11-14. 1965. 389.8 V89

1059. MULLER, H. F., and OVERBECK, W. Knowledge of annual plants. 19 p. Transl. 16082

Analysis and composition of tobacco and sunflowers.

Translation from Berichte 75(7):909-920. 1942.

1060. MUROMTSEV, G. S., and DUBOVAYA, L. P. Use of oil and fatty acids as C source in gibberellin biosynthesis. (Rus) Mikrobiologiya 33(6):1048-1055. 1964. 448.3 M582

Sunflower oil was one of those used.

1061. MURTY, G. S. The effect of soil compaction on (sunflower) plant growth and nutrient uptake and a technique to study its mechanism. Diss. Abstr. 25(3):1452-1453. 1964. 241.8 M58

1062. NAGY, F., and CIELESZKY, V. Interaction of some plastics and fats. (Ger) Ernaehrungsforschung 11(3):471-477. 1966. 386.3 P84

1063. NAKHMANOVICH, B. M., and SHCHEBLYKINA, N. A. Investigation of hydrolysis products in the acetone-butanol fermentation of vegetable agricultural waste materials. (Rus) Latvijas PSR Zinatnu Akad. Vestis 1960(5):125-128. 511 R442

1064. NARKHOV, V. Incentive prices in purchasing of sunflower seeds. (Rus) Zakupki Sel' skokhoz. Prod. 10:45-47. Oct. 1965. 280.38 Z14

1065. NATADZE, G. M., and others. Changes in lipid-protein metabolism and certain blood indexes in dogs on diets containing various qualitatively different fats. Tr. 2-oi(Vtoroi) Nauchn. Konf. po Vopr. Probl. Zhira v Pitanii Pitanii, Leningrad 1962, 57-65.

O. S. Sulava, E. P. Kvitsaridze, E. I. Dolidze, N. T. Todua, and G. K. Sharadzenidze, joint authors.

1066. NATADZE, G. M., and others. The effect of feeding qualitatively different fats on the oxidation-reduction processes in the organism, as determined from reduction index in blood and in 24-hour urine. Tr. Vtoroi Konf. po Vopr. Probl. Zhira v Pitanii, Nauchn.-Tekhn. Obschestvo Pishchevoi Prom. Leningr. Pravlenie, Inst. Radiats. Gigieny, Vses. Nauchn.-Issled. Inst. Zhirov 1962:359-362.

D. V. Leshkasheli, O. S. Sulava, E. I. Katsitadze, I. N. Dzhaparidze, and E. I. Mestvirishvili, joint authors.

1067. NAUMOV, P. A., SAMYGINA, A. I., and ALEKSEEVA, G. F. Effect of oil seed meal from peeled and unpeeled seeds of sunflower on meat production of swine. (Rus) In Dmitrochenko, A. P., ed. Kormlenie sel'skokhozyaistvennykh zhivotnykh, p. 71-78. 1960. 389.7 D64

1068. NEAGU, M., and CATRINA, E. The behavior in F1 of some sunflower hybrids. (Rum) Bucharest. Acad. Repub. Pop. Romine. Studii si Cercet. Biol. si Sti. Agr. 10(1):67-79. Jan./June 1963. 21 B855

French summary.

1069. NEAGU, M., and CATRINA, E. Behavior of certain third generation sunflower hybrids. (Rum) Bucharest. Inst. Agron. Timisoara. Lucrari Sti. 5:27-34. 1962. 106.4 T48

French summary.

1070. NEAGU, M. Contribution to the method of consanguinization of the sunflower plant (Helianthus annuus). (Rum) Bucharest. Acad. Repub. Pop. Romine. Studii si Cercet. Biol. si Sti. Agr. 8(3/4): 195-203. 1961. 21 B855

Russian and French summaries.

1071. NEAGU, M. Contributions on the biology of fertilization in the sunflower. (Rum) Bucharest. Inst. Agron. Timisoara. Lucrar. Sti. 4:31-49. 1960-1961. 106.4 T48

1072. NEAGU, M. Enbryological analyses of sunflower plants pollinized with a mixture of pollen. (Rum) Bucharest. Inst. Agron. Timisoara. Lucrari Sti. 5:15-26. Ref. 1962. 106.4 T48

French summary.

1073. NECHAEV, A. P. Hydrogenation of sunflower seed oil and castor oil with Raney nickel catalyst. (Rus) Mosk. Tekhnol. Inst. Pishchevoi Prom. Tr. (20):8-12. 1963. 389.9 M853

1074. NEHRING, K., HOFFMAN, B., and NERGE, I. Feed value of oil meals, especially of foreign origin. I. Byproducts of sunflower oil manufacture. (Ge) Arch. Tierernaehr. 15(3):195-209. 1965. 389.78 Ar22

1075. NEKOVALEVA, N. A. Blood concentration of free fatty acids in radiation disease. (Rus) Ukrain. Biokhim. Zhur. 33(1):195-199. 1961. 385 Uk72

1076. NEKOVALEVA, N. A. Effect of ionizing radiation on the composition of dog blood lipids and the physiological role of highly unsaturated fatty acids in the development of radiation disease. (Rus) Ukrain. Biokhim. Zhur. 33:348-351. 1961. 385 Uk72

Sunflower acids.

1077. NEMETS, S. M., and NESTEROVA, I. M. Objective indices of the change of the quality of oil which has vegetable material cooked in it. (Rus) Konserv. i Ovoshchesushil'naya Promysh 4:4-7. Apr. 1962. 389.8 K833

Manufacture of potato chips in sunflower oil.

1078. NESHCHADIM, A. G., KOROSTELEV, V. M., and PROSHCHENKO, I. I. Kinetic investigation of the extraction process in the extractor ND-1000. (Rus) Maslob.-Zhir. Prom. 28(1):6-9. 1962. 307.8 M37

1079. NESHCHADIM, A. G. Variations of individual factors in the extraction of a thin layer of sunflower (seed) flakes in the ND-1000 apparatus. (Rus) Maslob.-Zhir. Prom. 29(12):9-13. 1963. 307.8 M37

1080. NESTERENKO, O. O. Characteristics of the heterofermentative lactic acid cocci isolated from the epiphytic microflora of some Ukrainian plants. (Rus) Mikrobiol. Zh. 25(6):6-12. 1963. 448.3 K54

Sunflower was one of the plants from which the epiphytic microflora were taken.

1081. NESTERIN, M. F. Effect of diets with qualitatively different fat components on the course of radiation illnesses. Tr. 2-Oi (Vtoroi) Nauchn. Konf. po Vopr. Probl. Zhira v Pitanii, Leningrad 1962, 270-274.

Sunflower oil was used in this diet.

1082. NETESA, A. I. Effect of the protein value of rations on blood indexes of fattened pigs. (Rus) Moscow. Sel'skokhoz. Akad. Dokl. no. 120: 107-112. 1966. 20 M857

The work tested the possibility of replacing fish flour in diets for pigs with sunflower seed meal or grain and bean meal.

1083. NEUHAUS, F., and TEMMER, I. Cyclized fatty acids. (Rum) Rev. Chim. 17(7):434-435. 1966. 385 R3222

Fatty acids obtained from sunflower oil were tested.

1084. NEUMANN, J. The nature of the growth-promoting action of coumarin. Physiol. Plant. 13(2):328-341. 1960. 450 P692

The effect of coumarin on the growth of sunflower and other crops is discussed.

1085. NEUMANN, J. The uptake of coumarin by Helianthus hypocotyl segments. Experientia 16(12):538-539. Dec. 15, 1960. 475 Ex7

1086. NEUMANN, J. The uptake of coumarin by sunflower hypocotyl segments as related to its growth-promoting activity. Phyton [Vicente Lõpez] 18(1): 95-103. Ref. Mar. 1962. 450 P567

1087. NEW records set in sunflower contest. Org. Gard. and F. 10(12):56-57. Dec. 1963. 57.8 Or32
Contest for size.

1088. NGUYEN-VAN-THYONG. Availability and assimilation of lysine from solvent-extracted grits and press oil meals. (Rus) Moscow. Sel'skokhoz. Akad. Izv. 1966(4):208-214. 106 P44

1089. NICOLAU, A. Some observations on in-breeding the sunflower. (Rum) Bucharest Acad. Rep. Pop. Romane. Studii Cercet. Sti.: Biol. Sti. Agric. Iasi 11:133-137. 1960. 442.9 B855

1090. NICOLAUS, R. A., PIATTELLI, M., and FATTORUSSO, E. The structure of melanins and melanogenesis. IV. On some natural melanins. Tetrahedron 20(5):1163-1172. 1964. 382 T29
Discusses melanins found in sunflower oil among others.

1091. NIIRI, L., and LENGEL', Z. L. Effect of phenylacetic acid and sunflower oil on penicillin biosynthesis. (Rus) Antibiotiki 10(5):396-401. 1965. 396.8 An84

1092. NIKIFOROV, YU. L. Cytochemistry of nucleic acids in the process of development of archesporial cells of the anther of the sunflower. (Rus) Akad. Nauk Turkmenskoi SSR. Izv. Ser. Biol. Nauk 1961(6):7-17. Ref. 442.9 Ak124

1093. NIKISHCHENKO, E. F., POLYANSKOV, V. M., and NAUMOV, S. M. Sowing maize with sunflower. (Rus) Kukuruza 1966(4):18. 59.8 K95

1094. NIKITISHEN, V. I. Fertility of leached Chernozem and effect of fertilizers on yields of corn and sunflower. (Rus) Agrokhimiya 6:49-59. Ref. June 1966. 385 Ag89

1095. NIKOLIC, M., and others. Effect of feeding alfalfa meal and sunflower meal upon digestibility of ration and biological effect in growing and fattening swine. (Se) Stocarstvo 20(3/4):137-145. Ref. Mar./Apr. 1966. 43.8 St6
M. Kosanovic, A. Sreckovic, and S. Savic, joint authors.
English summary.
Includes weight.

1096. NIKOLIC, V., and VREBALOV, T. Sunflower culture in Yugoslavia. (Fr) Rev. Franc. des Corps Gras 12(10):577-584. Ref. Oct. 1965. 307.8 R32
English summary.

1097. NIKOLIC-VIG, V. Experimentation with sunflower varieties in Voivodina. (Se) In Novi Sad. Univ. Inst. Poljopr. Istr. Zborn. Rad. 1963:397.
English summary.

1098. NIKOLIC-VIG, V. Growth and development studies of different sunflower varieties. (Se) Savremena Poljoprivreda 10(9):645-655. Sept. 1962. 21 P75
English summary.

1099. NIKOLIC-VIG, V. New outstanding varieties of sunflower in the USSR. (It) Sementi elette 6(2):22-27. 1960. 61.8 Se53

1100. NIKOLIC-VIG, V. Possibility of extending sunflower cultivation. (It) Sementi Elette 10(5): 344-355. 1964. 61.8 Se53

1101. NIKOLIC-VIG, V. Results for the first year growing Soviet sunflower varieties in the territory of Voyvodina in 1960. (In Serbo-Croatian.) Savremena Poljoprivreda 8(12):980-987. Dec. 1960. 21 P75
English summary.

1102. 1963 sunflower contest open. Org. Gard. and F. 10(5):12. May 1963. 57.8 Or32

1103. NISSEN, P., and BENSON, A. A. Choline sulfate in higher plants. Science 134:1759. 1961. 470 Sci2
Sunflower.

1104. NJOKU, E. An analysis of plant growth in some West African species. 2. The effects of shading. W. Afr. Sci. Assoc. J. 6(1):1-17. 1960. 515 W52

Growth rate of sunflower was much affected by shade.

1105. NORTHERN IRELAND, MINISTRY OF AGRICULTURE. Annual progress report on research and technical work. 10 N81An 1963:102. 10 N81An

Variety trials of sunflower.

1106. NOSOV, P. V. Phosphate in fields under grass-crop rotation. (Rus) Nauch. Doklady Vysshei Shkoly, Biol. Nauki 1960(2):203-206. 442.8 N22

Sunflowers were used as a rotation crop.

1107. NOSTI VEGA, M. The neutralization loss of sunflower oils. (It) Grasas y Aceites 14(5):210-216. Ref. Sept./Oct. 1963. 307.8 G76

English summary.

1108. NOVIKOVA, N. D. Some physiological characteristics of sunflowers infected with Plasmopara halstedii. (Rus) Nauch. Doklady Vysshei Shkoly, Biol. Nauki 1960(3):154-159. 442.8 N22

1109. NOVITSKAYA, I. I., and others. Composition and properties of hydrogenated fats obtained by hydrogenation with a nickel-aluminosilicate catalyst. (Rus) Vestn. Kharkov. Politekh. Inst. 6(54):61-63. 1966.

L. I. Khropach, T. V. Gusel'nikova, and T. V. Bezuglaya, joint authors.

1110. NOVOTEL'NOVA, N. S. Biological features of Plasmopara halstedii (Farlow) Berl. et de Toni on the sunflower. (In Russian.) Bot. Zhur. [Moskva] 45(9):1283-1300, map. Ref. Sept. 1960. 451 R923

English summary.

1111. NOVOTEL'NOVA, N. S. The character of the parasitism of the causal agent of false powdery mildew [Plasmopara halstedii] of sunflowers after infection of the seeds. (Rus) Bot. Zhur. [Moscow] 48(6):845-860. Ref. June 1963. 451 R923

1112. NOVOTEL'NOVA, N. S., and MINASYAN, M. A. Downy mildew of sunflowers. (Rus) Vsesoyuzn. Nauch. -Issled. Inst. Zashch. Rast. Trudy 22:295-299. 1964. 464.9 L542S

Caused by Plasmopara helianthi.

1113. NOVOTEL'NOVA, N. S. Downy mildew [Plasmopara halstedii] of sunflowers; taxonomy and specilaization of causing agent. (Rus) Nauch. Konf. po Zashch. Rast. Sborn. Dok. 1960:129-138. 1962. 464.9 N22

Includes n. sp. in Plasmopara.

1114. NOVOTEL'NOVA, N. S. Lozhnaya muchnistaya rosa podsolnechnika; taksonomiya i biologiya vozbuditelya, patogenez zabolevaniya [Downy mildew of sunflowers; taxonomy and biology of the pathogen, pathogenesis of the disease]. Moskva, Nauka, 1966. 150 p., map. SB608.S95N6

Bibliography, p. 141-148.

Caused by Plasmopara helianthi.

1115. NYARADY, A., and others. Research works on the nectar production and the blooming biology in some sun-flower sorts. (Rum) Cluj. Inst. Agron. "Dr. Petru Groza." Lucrari Sti. 17:53-64. 1961. 21 C622

F. Jula, D. Pazmány, and G. Illyés, joint authors.

English summary.

1116. NYIRI, L., and LENGYEL, Z. Effect of phenylacetic acid and sunflower oil on the biosynthesis of penicillin. (Rus) Antibiotiki 10(5): 396-401. 1965. 396.8 An84

1117. OBOLENSKII, K. P. Indices of economic effectiveness and planning agricultural production. (Rus) In Akademiya Obshchestvennykh Nauk. Kafedra Politicheskoi Ekonomii. Sotsialisticheskoe sel'skoe khozyaistvo na sovremennom etape i voprosy agrarnoi teorii, p. 444-455. 1960. 281.179 Ak13

Sunflower statistics and costs and returns.

1118. OBOLENSKY, G. Cereal growing and climate. 1. Canada (Quebec, Ontario, Manitoba, Saskatchewan) 2. Canada (Alberta, British Columbia, Yukon, Northwest territories). (Ge) Qual. Plant. et Mater. Veg. 7(3):297-323. 1960. 64.8 M41

Cultivation of wheat, barley, flax, sunflower and soybean is discussed.

1119. OBOLENSKY, G. Notes on the development of a commercial practical sunflower variety. Qualitas Plant. et Mater. Veg. 7(1):55-64. Ref. May 14, 1960. 64.8 M41

1120. OERTLI, J. J. The effect of potassium and calcium (and other alkaline earth ions) on the boron nutrition of plants. (Ge) Z. Pflanz. Dung. Bodenk. 94(1):1-8. 1961. 384 Z343A

Boron uptake of sunflower seedlings was not significantly affected by the concentration of Ca or K in the nutrient solution.

1121. OERTLI, J. J., and JACOBSON, L. Quantitative considerations in iron nutrition of higher plants. Plant Physiol. 35:683-688. 1960. 450 P692

1122. OGOLEVETS, YA. G. Stimulating effect of certain derivatives of urea, analogs of pyrimidine bases, on plant growth. (Rus) Soobshchen. Moskov. Otdel. Vsesoyuz. Botan. Obshchestva 1960(1):73-78.

1123. OGZEWALLA, C. D. Effects of gibberellic acid on the fixed oils of four plants. J. Pharm. Sci. 53(11):1412-1414. 1964. 396.8 J825

Sunflower oil.

1124. O'LEARY, J. W. Temperature effects on root pressure exudation. Ann. Bot 30(119):419-423. 1966. 450 An7

Increase in root temperature inhibited exudation from sunflower.

1125. OLIVEIRA, J. E. D. DE, and OLIVEIRA, M. M. DE. Essential amino acids in soybean flour, sunflower seed, and yeast. Rev. Assoc. Med. Brasil. 6(2):107-112. 1960.

1126. OLIVERA, A. DE J., and DRUZIANICH, E. Possibilities which the west Chaco semiarid region offers for an increase in the cultivation of oil plants. (Sp) IDIA 162:27-40. 1961. 9 Id3

The results of sunflower varietal trials.

1127. OL'SHANOVA, K. M., and others. Regeneration of anionites after neutralization and clarification of sunflower and castor oils. (Rus) Masl.-Zhir. Promysh. 1961(9):10-11. Sept. 307.8 M37

M. A. Potapova, L. Ya. Seliverstova, and G. V. Frolova, joint authors.

1128. OLTEANU, F., FILIPESCU, H., and IONICIOIU, C. Influence of fertilizers, of planting method and of harvesting date on oil content of sunflower seeds. (Rum) Bucharest. Inst. de Cercet. Agron. An. Ser. B, Agroteh. Pasuni si Finete, Econ. si Organ. Agr. Socialiste 28:91-108. Ref. 1960, pub. 1961. 64.9 R86

French summary.

1129. OLTEANU, F. Some problems of the culture of sunflowers. (Rum) Prob. Agr. [Bucharest] 16(5):61-67. May 1964. 21 R862

1130. ONISHCHENKO, M. A. Practices in growing sunflower seeds. (Rus) In Vopr. Semenovodstva, Semenoved. i Kontrol'nosemen. Dela. 2: 334-337. 1964. Not in Libr.

Chiefly planting.

Abstracted in Ref. Zh. Otd. Vypusk [Ser.] 55, Rastenievod. 13:30. July 1965. Film S-202

1131. ORBAIZ, A. Culture of sunflowers in the country; its prospects. (Sp) Bolsa Com. Rosario. Rev. 53(1289):3-6. Oct. 15, 1965. 287 R71

1132. ORBAIZ, A. The sunflower. (Sp) Soc. Rural Argent. An. 100(8):77-79. Aug. 1966. 9 So1

Chiefly seed and varietal certification.

1133. ORELLANA, R. G., and BEAR, J. E. Rust on sunflower introductions at Beltsville, Maryland. Plant Dis. Rptr. 47(1):45. Jan. 15, 1963. 1.9 P69P

Puccinia helianthi.

1134. ORFILA, R. N. A new pest in Argentina: the sunflower thorny caterpillar, Actinote pellenea Hubner (Lepidoptera, Acraeidae). (Sp) IDIA 193:41-48. 1964. 9 Id3

1135. ORLOVA, N. V. Effect of oils upon oxytetracycline biosynthesis by Streptomyces rimosus. (Rus) Mikrobiologiya 30:710-716. 1961. 448.3 M582

1136. OVCHARENKO, V. E., and DZYUBINSKII, R. N. Continuous distillation of miscella in plate columns. (Rus) Maslob.-Zhir. Prom. 30(1):39-40. 1964. 307.8 M37

Sunflower seed oil plants were modernized by installation of 2-column distillers.

1137. OVCHARENKO, V. E. A contribution to the study of internal structure of [sunflower] cake. (Rus) Masl.-Zhir. Promysh. 9:5-7. Sept. 1964. 307.8 M37

1138. OVCHARENKO, V. E. Extraction of fine oil-cake grindings. (Rus) Ukr. Nauchn.-Issled. Inst. Maslozhir Prom. Sb. Statei o Rabotakh. 1959-61, (4-5):23. 1963.

The extraction of precompressed sunflower oil-cake was studied.

1139. OVCHARENKO, V. E. On evaluating the extractability of oil materials. (Rus) Masl.-Zhir. Promysh. 1962(6):11-13. June 307.8 M37

From sunflowers.

1140. OVCHARENKO, V. E., ARUTYUNYAN, N. S., and DZYUBINSKII, R. N. Reconstruction of the feed column of an extractor of type ND-1250. (Rus) Maslozhir. Prom. 32(1):42-43. 1966. 307.8 M37

1141. OVEZMURADOV, S. O. Experiments in growing sunflowers in Turkmenistan. (Rus) Akad. Nauk Turkmenskoi SSR. Izv. Ser. Biol. Nauk 5:52-66. Ref. 1962. 442.9 Ak124

Chiefly varieties and yields.

1142. OZOLINA, G. Effect of copper and boron on nucleic acid metabolism in plants in connection with nitrogen assimilation. (Rus) Mikroelementy v Sel'sk.-Khoz. i Med. Sb. 1963:79-82. 385 M58

The effect of boron on sunflower grown on a water culture.

1143. PALAMARU, E., and GONDOS, M. The determination of vitamin E. Deut. Akad. Landwirtschaftwiss. Sitzber. 12(11):31-35. 1963. 18 D4825

Sunflower extract was one of the materials tested.

1144. PALLOTTO, U., CARTONI, G. P., and LIBERTI, A. Critical evaluation of some vegetable oil modifications in industrial processes. (It) Riv. Ital. Sostanze Grasse 40(9):487-493. 1963. 307.8 OL3

Sunflower oil.

1145. PALMER, J. H. Comparative study of the effects of applied indoleacetic acid and horizontal orientation of the primary shoot upon internode extension and petiole orientation in Helianthus annuus and the modifying influence of gibberellic acid. Planta 61(4):283-297. 1964. 450 P693

1146. PALMER, J. H., and PHILLIPS, I. D. J. The effect of the terminal bud, indoleacetic acid, and nitrogen supply on the growth and orientation of the petiole of Helianthus annuus. Physiol. Plant. 16(3):572-584. Ref. 1963. 450 P564

1147. PAMJAN, M. Diseases of sunflowers. (Se) Biljna Zastita 10(4):73-76. Apr. 1966. 464.8 B49

Chiefly fungus diseases.

1148. PANASYUK, V. G., REPKA, V. P., and PANASYUK, L. V. Effect of different factors on the formation of furfural from vegetable wastes by the Dnepropetrovsk method. (Rus) Zhur. Priklad. Khim. 34(12):2764-2768. 1961. 385 Z64

1149. PANASYUK, V. G., and REPKA, V. P. Furfural and other chemicals from plant waste. II. Experiment with semiplant installation. (Rus) Gidroliz. i Lesokhim. Prom. 13(8):6-7. 1960. 301.8 G36

1150. PANASYUK, V. G., and PANASYUK, L. V. The nature of lignins of some plant material wastes. Akad. Nauk Latv. SSR Inst. Lesokhoz. Probl. i Khim. Drevesiny. 1960(19):85-93.

1151. PANCHENKO, A. YA. The rich harvest of a great life. (Rus) Selek. i Semen. 31(1):41-45. 1966. 61.9 Se5

Outline of V. S. Pustovoit's sunflower breeding activities.

1152. PANCHENKO, A. YA. Speedy method of evaluation resistance of sunflower to downy mildew. (Rus) Selek. i Semen. 2:52-54. Mar./Apr. 1965. 61.9 Se5

1153. PANOIU, T. A new burning technique of sunflower seed husks. (Rum) Indus. Aliment. - Prod. Veg. 13(3):73-78. Mar. 1962. 389.8 In26

1154. PANYUSHKIN, E. A. Two-phase harvesting of sunflowers. (Rus) Sel'sk. Khoz. Povolzh'ya 1961(9):87-88. Sept. 20 Se 478

1155. PAPUSOI, T. Full attention to the cultural practices of tilling crops. (Rum) Rev. Gosp. Agr. Stat. 16(5):6-8. May 1964. 21 R32
Corn and sunflower.

1156. PAPUSOI, T. Measures to secure a higher production of corn and sunflower in 1965. (Rum) Rev. Gosp. Agr. Stat 17(3):1-3. Mar. 1965. 21 R32
Chiefly planting method.

1157. PARASCHIV, M. Degree of osmotic pressure and suction power in sunflowers and beans in relation to soil humidity. (Rum) Bucharest. Acad. Repub. Pop. Romine. Studii si Cercet. de Biol. Ser. A, Biol. Veg. 14(2):189-195. Ref. 1962. 451 B852
French summary.

1158. PARIS. CENTRE TECHNIQUE INTERPROFESSIONNEL DES OLEAGINEUX METROPOLITAINS. La culture du tournesol [The cultivation of sunflowers]. Paris, 1965. 14p. 77 P212

1159. PARIS. CENTRE TECHNIQUE INTERPROFESSIONNEL DES OLEAGINEUX METROPOLITAINS. Report of activity, 1962-1963. (Fr.) 54 p. 77 P212R
Varietal sunflower and rape trials are reported.

1160. PARTESHKO, V. G. Biological action of the products of oxidation. (Cz.) Cesk. Gastroenterol Vyziva 16:305-307. 1962
Dimers isolated from autooxidized sunflower oil were toxic for experimental animals and inhibited their growth.

1161. PARTESHKO, V. G. Biological effects of oxidized fats (copolymers). (Rus) Gigiena i Sanit. 28(4):42-44. 1963
A mixture of dimers obtained by air oxidation of sunflower seed oil was fed to rats.

1162. PARTESHKO, V. G. Biological value of sunflower oil. (Rus) Priroda [Moscow] 5:74-76. 1965. 410 P933
In human nutrition.

1163. PARTESHKO, V. G., and KUCHER, O. M. Effect of a polymeric fraction, isolated from sunflower oil, on the animal body. (Rus) Vopr. Pitaniya 23(2):44-48. 1964. 389.8 V89

1164. PARTESHKO, V. G., and KUCHER, O. M. The effect of oxy-polymers isolated from sunflower oil on the state of the gastrointestinal tract of animals under experimental conditions. (Rus) Byul. Eksptl. Biol. i Med. 57(1):24-28. 1964. 442.8 B87
English summary.

1165. PARTESHKO, V. G. Fat oxidation products in the diet of rats and the cholesterol and phospholipid level in the liver. (Rus) Byul. Eksperim. Biol. i Med. 61(2):43-45. 1966. 442.8 B87

1166. PARTESHKO, V. G. Peroxides in liver and fatty tissues of experimental animals. (Rus) Vopr. Pitaniya 23(5):20-23. 1964. 389.8 V89
The effect of a diet containing sunflower oil of high peroxide content on white rats was investigated.

1167. PARTESHKOV, V. G. Physico-hygienic characteristics of sunflower seed phosphatide concentrates. (Rus) Voprosy Pitaniya 22(5):39-43. Sept./Oct. 1963. 389.8 V89
English summary.
In animal nutrition.

1168. PASTRANA, J. A. A new pest of sunflower in Argentina and Uruguay. (Sp) Rev. de Invest. Agr. 15(2):349-360. 1961. 9 R329
Homoeosoma heinrichi n. Sp.

1169. PATWARDHAN, P. G. Factors affecting the development of the perithecial stage of powdery mildew of Helianthus annuus L. in India. Mycopathol. Mycol. Appl. 27(3/4):253-256. Dec. 1, 1965. 450 M994
Sphaerotheca fuliginea established pathogen.

1170. PAVEL, I., and others. Effect of heat on the antiatherogenic action of sunflower oil in rabbit. (Rum) Rev. Roumaine Med. Interne 1(5):463-469. 1964.

N. Chisiu, N. Mihalache, and R. Visinesco, joint authors.

English summary.

1171. PAVEL, I., and others. Effects of vegetable fats on experimental atherosclerosis. (Fr) Nutr. Dieta 6:106-116. 1964.

N. Chisiu, Gh. Ceausi, and N. Tanasescu, joint authors.

Sunflower oil was one of the vegetable fats studied.

1172. PAVLOV, G. M., and others. Hydrogenation of sunflower oil in the foam state. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Takhnol. 1965 (1):86-88. 389.8 Iz8

G. I. Kolesnikov, T. N. Okorokova, and V. G. Orobei, joint authors.

1173. PAWLOWSKI, S. H., and HAWN, E. J. Host-parasite relationships in sunflower wilt incited by Sclerotinia sclerotiorum as determined by the twin technique. Phytopathology 54(1):33-35. Ref. Jan. 1964. 464.8 P56

1174. PAWLOWSKI, S. H. A method of obtaining genetically identical sunflower plants. Canad. J. Bot. 41(5):743-744. May 1963. 470 C16C

1175. PAWLOWSKI, S. H. Methods for rapid determination of specific gravity of single seeds and seed samples and the correlation of specific gravity with oil content. Canad. J. Plant Sci. 43(2):151-156. 1963. 450 C16

A high negative correlation was found between specific gravity and oil content for seeds of safflower, flax, rape, and sunflowers.

1176. PAWLOWSKI, S. H. Pollination requirements of sunflowers. Res. Farmers 10(2):6-7. Spring 1965. 7 R31

1177. PAWLOWSKI, S. H. Seed genotype and oil percentage relationship between seeds of a sunflower. Canad. J. Genet. & Cytol. 6(3):293-297. Sept. 1964. 443.8 C16

1178. PAWLOWSKI, S. H., and SMITH, A. D. Sunflowers instead of fallow. Crops Soils 19(2):6-7. Nov. 1966. 6 W55

1179. PEDENKO, M. E. Defoliation of sunflowers grown for seeds. (Rus) Selek. Semenovodstvo 4:41-43. July/Aug. 1965. 61.9 Se5

1180. PEDENKO, M. E. Desiccation of the sunflower. (Rus) Zemledelie 8:58-60. Aug. 1965. 20 Z44

Magnesium chlorate used for treatment.

1181. PEDENKO, M. E. Drying of sunflower seeds under field conditions in Siberia (Rus) Zemledelie 8:84-85. Aug. 1963. 20 Z44

With reference to defoliation.

1182. PEDENKO, M. E. Pre-planting soil cultivation and planting date of sunflower. (Rus) Sel'sk. Khoz. Sibiri 1962(4):23-24. Apr. 20 Se492

1183. PEEV, K., and ATANASOV, P. Sunflower herbicides. Rastitelna Zastita, 11(12):24-30. 1963. 423.92 So2

Data on a 2-year test with the herbicide A1114 and on a 1-year test with A-1803.

1184. PEITCHEV, P., APOSTOLOV, G., and KARABACHTCHIEV, D. Action of some dry-distillation products (of sugar, sunflower, and maize) on fungi and dermatophytes. (Fr) Union Med. Balkan Arch. 2(5/6):621-624. 1964.

1185. PEN'KOV, G. K. Experience in the reprocessing of oilcakes delivered. (Rus) Masl.-Zhir. Promysh. 10:35-37. Oct. 1962. 307.8 M37

Sunflower cake.

1186. PEREDI, J. Changes in the monoglyceride content and in the fatty acid composition during the splitting of fats by different methods. (Ge) Fette, Seifen, Anstrichmittel 62:1034-1038. 1960. 384 C422

1187. PEREDOVIK sunflower. Seed Scoop 10(3):8. 1964. 61.8 Se36

1188. PERUMAL, S. Leaf-tip-drying disease on rice (Oryza sativa) Soil Sci. 91:218-221. 1961. 56.8 So3

Drainage and the rotation of sunflowers with rice are suggested as remedial measures.

1189. PETERBURGSKII, A. V., and NELYUBOVA, G. L. Anion exchange in roots. J. Sci. Food Agr 14:186-187. 1963. 382 So12

Sunflower was one of the crops tested.

1190. PETERBURGSKII, A. V. Use of radioisotopes of phosphorus and calcium to study assimilation of nutritive substances by plants. Sb. Nauchn. Tr. po Izvestkovaniyu Dernovo-Podzolistykh Pochv. Minsk. Akad. Sel'skokhoz. Nauk Belorussk SSR 1960:88-119.

Sunflower was one of the plants studied.

1191. PETINOV, N. S., and MOLOTKOVSKII, JU. V. Heat-resistance of plants and ways of increasing it. (Rus) Akad. Nauk SSSR. Vestnik 32(8):62-64. 1962. 511 Ak14V

Foliar nutrition with Zn increases heat resistance of crop plants; e. g., sugar beet, potato, and sunflower.

1192. PETINOV, N. S., and GRINEVA, G. M. Water absorption by plant roots in connection with the activity of oxidase systems. (Rus) Fiziol. Rast. 9(2):222-228. Ref. 1962. 450 F58

English summary.

Corn and sunflowers.

This journal will appear in English translation 450 F58Ae

1193. PETKOV, N. Promising sunflower varieties. (Bu) Kooper. Zemed. 1962(3):29. 280.28 K836

1194. PETKOV, N. Results of testing certain Soviet varieties of sunflower. (Bu) Akad. Selskostopanskite Nauk. Bulg. Inst. Khidrotekh. Melior. Izv. 4:183-190. 1963. 290.9 So2

English summary.

1195. PETKOV, N. Testing the effectiveness of hyperphosphate in fertilizing sunflower. (Bu) Akad. Selskostopanskite Nauk. Bulg. Inst. Khidrotekh. Melior. Izv. 4:99-110. 1963. 290.9 So2

English summary.

With reference to yields.

1196. PETROV, I. Effect of preceding crop on volume and quality of sunflower yields. (Bu) Rastenievudni Nauk. 2(5):119-127. Ref. 1965. 64.8 R18

German summary.

1197. PETROV, P. Results of testing Soviet high-oil varieties of sunflower. (Bu) Kooper. Zemed. 1965(1):22. 280.8 K836

1198. PETROV, P. Study of certain Soviet sunflower varieties of high oleaginous content. (Bu) Karnobat. Kompleksen Selskostopanski Nauchnoizsled. Inst. Izv. 3:39-49. Ref. 1963. 21 K14

English summary.

1199. PETROV-SPIRIDONOV, A. E., and MAZEL, YU. YA. Effect of pH on absorption of calcium by plants. (Rus) Moskov. Ordena Lenina Sel'skokhoz. Akad. im K. A. Timiryazeva. Dok. 109, Pt.1;159-165. 1965. 20 M857

1200. PETROV-SPIRIDONOV, A. E., and RADI, A. Effect of temperature and light on uptake and distribution of ash elements in plants. (Rus) Moskov. Ordena Lenina Sel'skokhoz. Akad. im. K. A. Timiryazeva. Dok. 89:260-267. 1963. 20 M857

Tomatoes, corn and sunflowers.

1201. PETROV-SPIRIDONOV, A. E. Protective role of calcium ions against unfavorable environmental conditions. (Rus) Timiryazevskaya Sel'skokhoz. Akad. Izv. 52:72-82. Ref. 1963. 106 P44

English summary.

Tests with sunflowers and beans.

1202. PETRUSENKO, P. Two-reactor system for the production of alkyd resins. (Bu) Khim. Ind. (Sofia) 38(6):270-274. 1966.

1203. PETTERSSON, S. Active and passive components of sulfate uptake in sunflower plants. Physiol. Plant 19(2):459-492. Ref. 1966. 450 P564

Studied with radiosulfate.

1204. PETTERSSON, S. Artificially induced water and sulfate transport through sunflower roots. Physiol. Plant. 19(3):581-601. Ref. 1966 450 P564

Radioactive sulfate utilized in soilless culture.

1205. PETTERSSON, S. Ion absorption in young sunflower plants. I. Uptake and transport mechanisms for sulphate. Physiol. Plant. 13(1):133-147. Ref. 1960. 450 P564

1206. PETTERSSON, S. Ion absorption in young sunflower plants. II. The sulphate uptake in the apparent free space. Physiol. Plant. 14(1):124-132. Ref. 1961. 450 P564

1207. PHILLIPS, G. D., and ROBERTS, W. K. Comparison of oral and duodenal administration of sunflower seed oil and soybean protein to sheep. Can. J. Anim. Sci. 46(1):59-65. Ref. Apr. 1966. 41.8 C163

1208. PHILLIPS, I. D. J., and JONES, R. L. Gibberellin-like activity in bleeding-sap of root systems of Helianthus annuus detected by a new dwarf pea epicotyl assay and other methods. Planta 63(3):269-278. Ref. 1964. 450 P693

1209. PHILLIPS, I. D. J. Root-shoot hormone relations. I-II. Ann. Bot. (n.s.)28(109):17-45. Ref. Jan. 1964. 450 An7
Sunflowers.

1210. PILC, V. Sulfated oil for fat-liquoring fibrous leather. (Cz) Kozarstvi 11: 322-323. 1961. 303.8 K84
A recipe is given, using sunflower oil as an ingredient, for the making of a sulfated oil for use in fat-liquoring leather.

1211. PIMANOV, A. Determination of quality and the accounting procedure for sunflower seeds. (Rus) Mukomol'no-Elevatornaya Promysh. 1961(12):8-12 Dec. 298.8 M895

1212. PINTEA, C., and others. Action of associated minor elements on corn, sugar beets, and sunflowers. (Rum) Jassy. Inst. Agron. "Ion Ionescu de la Brad." Lucrari Sti. 1961:195-202. 106.4 J31L
E. Tarnauceanu, A. Untu, A. Leonte, and G. Ciurea, joint authors.
French summary.

1213. PINTEA, C., and others. Efficacy of combined microelements applied to corn, sunflowers, and sugar beets. (Rum) Bucharest. Acad. Repub. Pop. Romine. Filiala Iasi. Studii si Cercet. Sti. Biol. si Sti. Agr. 13(2):349-358. 1962. 442.9 B855
E. Tarnauceanu, A. Untu, G. Ciurea, and A. Leonte, joint authors.
French summary.

1214. PINTEA, C., and others. L'influence de certains microéléments sur la croissance et le développement du tournesol et du mãis. (Rum) Prob. Agr. [Bucharest] 13(6):13-20. June 1961. 21 R862
E. Teleman, A. Leonte, and A. Untu, joint authors.
French summary.

1215. PINTEA, C., POPESCU, I., and SOFRONIE, G. Study of the effectiveness of thermophosphates with regard to corn and sunflowers. (Rum) Jassy. Inst. Agron. "Ion Ionescu de la Brad." Lucrari Sti. 1961:203-210. 106.4 J31L
French summary.

1216. PINTHUS, M. J. Some environmental effects on the oil yield components of sunflower seeds. Qualitas Plant. et Mater. Veg. 9(4):328-336. Ref. Nov. 10, 1963. 64.8 M41
Spacing and sowing date in Israel.

1217. PIRTKIEN, R., OPPERMANN, W., and SEYBOLD, G. The chloretic action of oils and fats in the rat. (Ge) Med. Welt 1963(35):1741-1744.

1218. PISANKO, S. P. Mechanical method of cleaning sunflower seeds from Sclerotinia sclerotiorum. (Rus) Selek i Semen. 2:74-75. Mar./Apr. 1964. 61.9 Se5

1219. PITERSKAYA, A. M. Bugs as pests of sunflower seeds. (Rus) Zashch. Rast. ot Vred. i Boleznei 1961(9):25-27. Sept. 421 Z1
Includes control.

1220. PITERSKAYA, A. M. Preparation for treatment of sunflower seeds. (Rus) Zasch. Rast. ot Vred. i Boleznei 1962(2):27. Feb. 421 Z1
To control click beetles [Elateridae].

1221. PLATONOV, A. Calculating excessive sale of grain and sunflowers. (Rus) Ekon. Sel'skogo Khoz. 9:47-52. Sept. 1966. 281.8 So73

1222. PLAUT, Z., and ORDIN, L. The effect of moisture tension and nitrogen supply on cell wall metabolism of sunflower leaves. Physiol. Plant. 17(2):279-286. Ref. 1964. 450 P564

1223. PLAUT, Z., and ORDIN, L. Effect of soil moisture content on the cell wall metabolism of sunflower and almond [Prunus amygdalus] leaves. Physiol. Plant. 14(3):646-658. Ref. 1961. 450 P564

1224. PLENERT, W., and ZOELLNER, H. Serum lipids in children. II. Serum lipids after ingestion of various fats. Z. Kinderheilk. 86:58-68. 1961.

1225. PLESHKOV, A. M. Effect of some vegetable oils on the blood levels of cholesterol and lecithin in patients with atherosclerosis. (Ge) Klinich. Med. 40(3):126-130. 1962.

1226. PLESHKOV, B. P. Fetilization and harvest quality. (Rus) Moscow, USSR. Timiryazevsk. Sel'skokhoz. Akad. Izv. 1964(1):105-107. 106 P44

Types and amounts of fertilizers affect the oil content of sunflower.

1227. PLUMMER, G. L. Growth responses of Helianthus annuus to internal calcium-45. Bot. Gaz. 123(4):272-278. Ref. June 1962. 450 B652

1228. PLYUSHKINA, E. Z. Hydrolytic and oxidative changes of the oil in sunflower seeds during drying. (Rus) Masl-Zhir. Promysh. 1961(10):23-29. Oct. 307.8 M37

1229. PLYUSHKINA, E. Z. The utilization of sunflower oil in the canning industry. Tr. Vtoroi Nauchn. Konf. po Vopr. Probl. Zhira v Pitanii, Nauchn.-Tekhn. Obschestvo Pishchevoi Prom. Leningr. Pravlenie, Inst. Radiats. Gigieny, Vses. Nauchn.-Issled. Inst. Zhirov 1962:326-335

1230. POD'YACHEVA, E. A., and GOLODOVA, L. S. Palladium-on-alumina as an active catalyst for low-temperature hydrogenation of oils in solvents. (Rus) Tr. Inst. Khim. Nauk, Akad. Nauk Kaz. SSR 13:202-206. 1965.

1231. POGONKINA, N. I., and RZHEKHIN, V. P. Determination of the total amount of the products of oxidation in vegetable oils. (Rus) Maslob.-Zhir. Prom. 29(8):7-10. 1963. 307.8 M37

1232. POKORNY, J., and KONDRATENKO, S. S. Autoxidation of lipids. I. Influence of heavy-metal traces on the initiation of oxidation of sunflower seed oil. (Fr) Oleagineaux 22(2):103-105. 1967. 77.8 OL2

1233. POKORNY, J., and CMOLIK, J. Autoxidation of some vegetable oils at elevated temperatures. IX. Kinetics of the reaction of peroxides with potassium iodide. Prague. Vysoka Skola Chem.-Technol. Fakulta Potravinarski Technol. Sb. 5(2):163-176. 1961. 389.9 P88

Sunflower seed and other refined vegetable oils and neutralized bleached lard were tested.

1234. POKORNY, J., and DANICKOVA, H. Autoxidation of the adducts of urea and of the fatty acids from the sunflower seeds and its ethyl esters. Rev. Univ. Ind. Santander 4:221-227. 1962.

1235. POKORNY, J. Complexes formed by the reaction of oxidized lipids with proteins. (Ge) Fette, seifen, Anstrichmittel 65:278-284. 1964. 384 C422

The reaction between casein and Me esters of the fatty acids of sunflower oil was studied.

1236. POKORNY, J., ZWAIN, H., and JANICEK, G. Influence of copper on the autoxidation of edible fats and oils. (Ge) Z. Lebensm.-Untersuch. - Forsch. 123(5):363-368. 1963. 384 Z39

Sunflower oil was one of those used in the tests.

1237. POKORNY, J., and VAVRA, R. Methods for evaluating the usability of hydrogenated fats for soap production. (Pol) Tluszcze i Srodki Piorace 4:155-162. 1960

Sunflower oil was among those investigated.

1238. POKORNY, J., ZWAIN, H., and JANICEK, G. A modified method for the determination of the thiobarbituric acid value in fats and oils. (Ge) Fette, Seifen, Anstrichmittel 67(7):477-480. 1965. 384 C422

1239. POKORNY, J. Paper chromatographic analysis of peroxides in fatty acids. (It) Riv. Ital. Sostanze Grasse 38:484. 1961. 307.8 OL3

Sunflower oil was analyzed.

1240. POKORNY, J., and JANICEK, G. Paper chromatography of fatty acid peroxides. (Pol) Tluszcze i Srodki Piorace 4:339-342. 1960

1241. POKORNY, J. A study of the autooxidation of some vegetable oils at elevated temperatures. X. Weight changes of sunflower seed oil during oxidation. Prague. Vysoka Sk. Chem.-Technol. Fak. Potravinarske Technol. Sb. 5(2):177-191. 1962. 389.8 P88

1242. POKROVSKAYA, E. I. Effect of a dry air blast on the phosphorus content in plants. (Rus) Fiziol. Ustoichivosti Rastenii Sb. 1960:597-600. 450 F58

1243. POKROVSKII, A. A., and ABRAROV, A. A. Peroxide resistance of erythrocytes. (Rus) Vopr. Pitaniya 23(6):44-49. 1964. 389.8 V89

Tests involved synthetic diets utilizing mainly sunflower oil as the fat constituent.

1244. POLAK, F. Operation of sunflower adapters. (Hu) Magyar Mezogazdasag 20(37):8-9. Sept. 15, 1965. 19 M27

Harvesting equipment.

1245. POLESHCHUK, IU. M. Lethrus. (Rus) Priroda [Moscow] 1960(4):118. Apr. 410 P933

Includes control in sunflower and corn culture.

1246. POLESHKO, D. V., and FURS, T. A. Effect of phospholipids on some biochemical indexes and their therapeutic efficiency in Botkin's disease. Vrachebnoe Delo 4:106-109. 1964.

1247. POPA, L., TANASESCU, D., and PADURARU, I. Determination by paper chromatography of amino acids in blood flour, dry beer yeast, corn, flour of alfalfa, and crushed sunflower seeds. (Rum) Bucharest Acad. Rep. Populare Romine Comun. 10:55-61. 1960. 512 B8522C

1248. POPESCU, C., POPESCU, I., and BUTNARU, V. Contributions to the determination of the optimum area for sunflower nutrition in the Jassy Region. (Rum) Prob. Agr. [Bucharest] 14(3):33-38. Mar. 1962. 21 R 862

French summary.

1249. POPESCU, C., BUTNARU, V., and POPESCU, I. The effect of mineral fertilizers on yields of the sunflower and the grain cultivated after it. (Rum) Bucharest. Acad. Repub. Pop. Romine. Filiala Iasi. Studii si Cercet. Sti. Biol. si Sti. Agr. 14(1):151-160. Ref. 1963. 442.9 B855

French summary.

1250. POPOV, A., and LAZAROV, M. Possibilities of using heterosis in sunflower breeding. (Bu) Akad. Selskostopanskite Nauk. Bulg. Inst. Rastenievud. Izv. 16:5-26. 1963. 451 B872

German summary.

1251. POPOV, A. With the plant breeders at Armavir. (Bu) Koop. Zemed. 1962(1):28-30. 280.28 K836

Report on Russian sunflower breeding.

1252. POPOV, P. S. Dynamics of phosphorus compount accumulation in the sunflower. (Rus) Krasnodar. Veses. Nauchn.-issled. Inst. Maslich Kultur. Sb. Maslich. Kultury. 1960:227-242. 77.9 K86S

1253. POPOV, V. I. The price of sunflower seeds should be determined according to the oil content. (Rus) Masl.-Zhir. Promysh. 1:28-30. Jan. 1964. 307.8 M37

1254. POPOVA, N. M. Adsorption and catalytic properties of nickel catalysts on dehydrated silica. Kataliticheskie Reaktsii v Zhidkoi Faze, Akad. Nauk Kaz. SSR, Kazakhsk. Gos. Univ., Kazakhsk. Resp. Pravlenie Mendeleevskogo Obshchestva, Tr. Vses. Konf., Alma-Ata 1962:47-53. 1963

Sunflower seed oil was used in the experiment.

1255. POPOVA, N. M., and SOKOL'SKII, D. V. Hydrogenation of sunflower oil on nickel-zinc oxide catalysts. (Rus) Tr. Inst. Khim. Nauk, Akad. Nauk Kaz. SSR 7:26-36. 1961

1256. POPOVA, O. N., KODANEVA, R. P., and VAVILOV, P. P. Distribution in plants of radium absorbed from the soil. (Rus) Fiziol. Rast. 11(3):436-441. 1964. 450 F58

Sunflower was one of the plants studied.

1257. POTAPOV, N. G., and SUMANOVA, V. E. Characteristics of plant nutrition by analysis of sap. (Rus) Akad. Nauk SSSR, Inst. Fiziol. Rast. Vodn. Rezhim. Rast. v Svyazi s Obmenom Veschestv i Produktivnost'yu. 1963:150-156. 463.3 Ak1V

Sunflower is one of the examples used.

1258. POVOLOCKAJA, K. L., RAKITIN, YU. V., and HOVANSKAJA, I. V. The part played by heteroauxins in the translocation of sugars in plants. (Rus) Fiziol. Rast. 9(3):303-308. 1962. 450 F58

Test plants included sunflower and cotton.

1259. POZDNUKHOVA, N. I. Intermediate and catch crops in the Kaliningrad Province. (Rus) Sev.-Zap. Nauchno-Issled. Inst. Sel'. Khoz. 1965(8):3-34.

Sunflower is one of the crops discussed.

1260. POZSAR, B. I., KURNIK, E., and PARRAGH, J. Triploidy induced by gamma irradiation during meiosis in sunflower. Zuchter 33(2):65-68. Ref. 1963. 442.8 Z8

1261. PRASAD, R. C., and FAVARGER, P. The influence of butter and various fats on the absorption and degradation of alimentary cholesterol. Med. Exptl. 6:295-300. 1962

1262. PREDTECHENSKII, V. K., and GAVRILENKOV, A. M. Testing two-cylinder drying equipment. (Rus) Masi.-Zhir. Promysh. 2:28-31. Feb. 1964. 307.8 M37

Sunflower seeds.

1263. PRELIMINARY studies on some problems regarding sunflower. (Ch) Acta Bot. Sinica 9(1/2):177-179. Mar./June 1960. 450 C432

1264. PRETORIUS, P. J., WEHMEYER, A. S., and MEY, H. S. The effect of milk fat and sunflower-seed oil on the diarrhoea, the nitrogen, the fat and mineral balance, and the rate of recovery of Kwashiorkor patients. S. African J. Lab. Clin. Med. 10(1):21-27. 1964.

1265. PRIADCENCU, A. Results of comparative trials of Soviet varieties of sunflower. (Rum) Bucharest. Inst. Cerc. Agron. An. Ser. C 28:159-166. 1960. 451 R86

1266. PRIMOST, E. The yield of some fodder crops in relation to N fertilizing. (Ge) Bodenkultur (A) 14(1):43-60. 1963. 19 B635

Sunflower was one of the crops sown.

1267. PROKOF'EV, A. A., and VYVAL'KO, I. G. Effect of the form of nitrogen feeding on the accumulation of reserve substances in seeds of Oleaceae. (Rus) Akad. Nauk SSSR. zv. Ser. Biol. 29(2):210-222. 1964. 511 Sa2B

Flax, colza, and sunflower.

1268. PROKOF'EV, A. A., and D'YAKOV, A. B. The leaf apparatus and the accumulation of the nutrient reserve in the sunflower seeds. (Rus) Bot. Zhur. [Moscow] 46(10):1433-1443. Ref. Oct. 1961. 451 R923

English summary.

Chiefly effects of spacing and notrogen fertilizers on chemical composition of the seeds.

1269. PROKOF'EV, O. Strengthen the control of quarantined weeds. (Rus) Sel'sk. Khoz. Kazakhstana 1961(6):44-46. June. 20 K185

Chiefly fodder, ragweed, and sunflowers.

1270. PROKOF'EV, A. A., and KATS, K. M. Transpiration of fruit of oil-bearing plants. (Rus) Akad. Nauk SSSR. Dokl. 139:744-747. 1961 511 P444A

Sunflower is included in the discussion.

1271. PROKOF'EV, A. A., and KATS, K. M. Transpiration of fruits and inflorescences depending on the intensity of meteorological factors and the age of plants. (Rus) Fiziol. Rast. 10(2):204-211. Ref. Mar./Apr. 1961. 450 F58

English summary.

Sunflowers and oil poppy.

1272. PROKOF'EV, A. A. Use of defoliants for increasing the rate of flow of assimilates to the seeds. (Rus) Fiziol. Rast. 12(3):416-423. Ref. 1965. 450 F58

English summary.

Sunflower and castorbeans.

1273. PUSTOVOIT, G. V. Breeding sunflower for resistance to rust. (Rus) Zas. Rast. Vredit. Bol. 9:10-11. 1963. 421 Z1

1274. PUSTOVOIT, G. V. Interspecific hybridization as a method of breeding sunflower for group immunity. (Rus) Genetika 1966(1):59-69. QH431 .A1G4

1275. PUSTOVOIT, V. S. Agricultural science to the level of the big new tasks: sunflower variety Enisej. (Rus) Selek. i Semen. 26(5):28-31. 1961. 61.9 Se5

At a meeting of the Lenin Academy of Agricultural Sciences in Moscow in 1961, the author described Enisej as having an oil content of 40 percent and newer selections as having up to 46 percent.

1276. PUSTOVOIT, V. S. Breeding and seed selection of sunflowers. (Rus) In Ivanov, N. I. Nauka-sel'skomu khozyaistvu, p. 205-222. 1963. 64 Iv12

1277. PUSTOVOIT, V. S., and PUSTOVOIT, G. V. Breeding sunflower for resistance to broom rape. (Rus) Zashchita Rast. ot Vreditelei i Boleznei 8(4):15-17. 1963. 421 Z21

1278. PUSTOVOIT, V. S. Methods of growing high quality sunflower seeds. (Rus) Selek. i Semen. 1961(1):21-23. Jan./Feb. 61.9 Se5

1279. PUSTOVOIT, V. S. Methods of growing sunflowers immune to main diseases and pests. (Rus) Vest. Sel'skokhoz. Nauki 1960(10):26-38. Oct. 20 V633
English Summary.

1280. PUSTOVOIT, V. S. More attention to sunflowers. (Rus) Zemledelie 1961(6):13-15. June. 20 Z44
Culture and breeding, chiefly.

1281. PUSTOVOIT, V. S. Numbers of replications of seed strains of sunflowers and some other crops. (Rus) Agrobiologiya 3:359-362. May/June 1965. 20 Ag822

1282. PUSTOVOIT, V. S. Results of the work on breeding and culture of sunflowers. (Rus) Agrobiologiya 5:662-697. Sept./Oct.1964. 20 Ag822

1283. PUSTOVOIT, V. S. Results of work done in the field of sunflower breeding and seed production for the period 1912-1961. (Rus) In Akademiya Nauk SSSR. Institut Genetiki. Genetika-Sel'skomu khozyaistvu, p. 372-386. 1963. 463.6 Ak1

1284. PUSTOVOIT, V. S. Results of work in the breeding and the growing for seeds of sunflowers. (Rus) Agrobiologiya 1960(3):332-334. May/June. 20 Ag822

1285. PUSTOVOIT, V. S. The results of work on the selection and seed-growing of sunflowers. (Rus) Selek. i Semen. 1960(5):48-55. Sept./Oct. 61.9 Se5

1286. PUSTOVOIT, V. S. Science and production. (Rus) Agrobiologiya 1:3-9. Jan./Feb.1965. 20 Ag822
Increasing the yield of sunflower and winter wheat; includes breeding and seed production.

1287. PUSZTAI, F., and others. Chronic toxicity of a mixture of volatile oils in rats. Pharmazie 18:238-241. 1963.
B. Kelentey, L. Szucs, and J. Soltesz, joint authors. Sunflower oil was used as a base.

1288. PUTT, E. D., and HEISER, C. B. Better hybrid sunflowers may result from sterility. Crops and Soils 16(7):18. 1964. 6 W55

1289. PUTT, E. D. Breeding behavior of resistance to leaf mottle or Verticillium [albo-atrum] in sunflowers. Crop Sci. 4(2):177-179. Ref. Mar./Apr. 1964. 64.8 C883

1290. PUTT, E. D. Breeding for large sunflower seed. Res. Farmer 10(2):10-11. Spring 1965. 7 R31
Canada.

1291. PUTT, E. D. Heterosis, combining ability, and predicted synthetics from a diallel cross in sunflowers (Helianthus annuus L.). Can. J. Plant Sci. 46(1):59-67. Ref. Jan. 1966. 450 C16

1292. PUTT, E. D. Long-term performance of sunflowers at stations in the three Prairie Provinces. Forage Notes [Ottawa] 8(2):9-12. June 1962. 60.8 F742

1293. PUTT, E. D., and HEISER, C. B. Male sterility and partial male sterility in sunflowers. Crop Sci. 6(2):165-168. Mar./Apr.1966. 64.8 C883

1294. PUTT, E. D. Recessive branching in sunflowers (Helianthus annuus) Crop Sci. 4(4):444-445. 1964. 64.8 C883.

1295. PUTT, E. D., and SACKSTON, W. E. Resistance of inbred lines and hybrids of sunflowers (Helianthus annuus L.) in a natural epidemic of aster yellows. Canad. J. Plant Sci. 40(2):375-382. Apr. 1960. 450 C16

1296. PUTT, E. D., and SACKSTON, W. E. Studies on sunflower rust. IV. Two genes, R_1 and R_2 for resistance in the host. Canad. J. Plant Sci. 43(4):490-496. Oct. 1963. 450 C16

1297. PUTT, E. D. Sunflower variety Armavirec. Can. J. Plant Sci. 47(3):331. May 1967. 450 C16

1298. PUTT, E. D. Sunflower variety Commander. Canad. J. Plant Sci. 45(2):208. Mar. 1965. 450 C16

1299. PUTT, E. D. Sunflower variety Peredovik. Canad J. Plant Sci. 45(2):207. Mar. 1965. 450 C16

1300. PUTT, E. D. Sunflowers. Commonwealth Bur. Pastures & Field Crop. Field Crops Abs. 16(1):1-6. Ref. Feb. 1963. 241 C73

Review of culture.

1301. PUTT, E. D. The value of hybrids and synthetics in sunflower seed production. Canad. J. Plant Sci. 42(3):488-500. Ref. July 1962. 450 C16

1302. PYSHKALO, R. Downy mildew of sunflowers. (Rus) Kolkhoz. -Sovkhoznoe Proizv. Moldavii 5:55-56. May 1963. 20 Z45

Includes chemical control.

1303. QUEENSLAND. DEPT. OF PRIMARY INDUSTRIES. AGRICULTURE BR. Growing millet and sunflower in Queensland. Queensland Agr. J. 91(6):342-355. June 1965. 23 Q33

1304. RAADTS, E., SODING, H., and NUERNBERGK, E. L. The influence of light on metabolism of growth substances and inhibitors in Bryophyllum daigremontianum and Helianthus annuus. (Ge) Planta 59(6):635-672. Ref. 1963. 450 P693

1305. RABEGA, C., and others. Influence of trace elements on the evolution and distribution of biochemical compounds in sunflower. (Rum) Analele Bucharest. Univ. Ser. Stiint. Nat. Biol. 10(28):7-12. 1961. 512 B856

T. Osorhan, M. Rabega, and R. Stanescu, joint authors.

1306. RABEGA, I. C., and others. Influence of molybdenum, manganese, boron, and cobalt on the germination of seeds and the development of some biochemical components of the sunflower. II. Influence of copper, nickel, zinc, and iron. (Rum) Bucharest. Univ. Analele, Ser. Stiint. Nat. Biol. 24:45-50, 51-54. 1960. 512 B856

T. Osorhan, R. Stanescu, and M. Rabega, joint authors.

1307. RAC, M., GAMS, M., and PETRIC, M. Determination of deodorization of edible oils by chemical analysis. (Croat.) Kem. Ind. (Zagreb) 14(2):88-90. 1965.

1308. RACHINSKII, V. V. Determination of absorption and evolution of labeled carbon dioxide in plants. (Rus) Mosk. Sel'skokhoz. Akad. Dokl. 89; 283-291. 1963. 20 M857

Sunflower was one of the plants studied.

1309. RACZ, I. Determination of the HLB requirement of an emulsified oil phase. (Hung) Acta Pharm. Hung. 34(1):26-30. 1964.

The hydrophile-lipophile balance of sunflower oil was determined.

1310. RADCHENKO, G. D. Annual renewal of varieties of sunflowers on the collective farms of Stalino Region. (Rus) Selek. i Semen. 1960(3):12-15. May/June. 61.9 Se5

1311. RADEMEYER, L. J., and BOOYENS, J. The effect of variations in the fat and carbohydrate content of the diet on the levels of magnesium and cholesterol in the serum of white rats. Brit. J. Nutr. 19(2):153-162. 1965. 389.8 B773

Sunflower oil was used in these experimental diets.

1312. RADET, E. Chemical study of sunflower. (Fr) Assoc. Franc. Etude Sol. Bull. 1962:306-317. 56.9 As7

1313. RADOEV, A., and KALICHKOV, M. Effect of the sunflower phosphatide concentrate on nutritional value and staling of wheat bread. (Bu) Khranitelna Prom. 12(2):13-14. 1963. 389.8 K523

1314. RAHMAN, A., and KOPSIC, T. Chemical investigation of Argentine sunflower, Helianthus annuus. Naturwissenchaften 48(9):379. May 1, 1961. 474 N213

1315. RAICU, C., and BANITA, E. Sunflower downy mildew and its control. (Rum) Probl. Agr. [Bucharest] 17(3):43-51. Ref. Mar. 1965. 21 R862
Caused by Plasmopara halstedii.

1316. RAJAN, A. K. The effect of root temperatures on water and sulphate absorption in intact sunflower plants. J. Expt. Bot. 17(50):1-19. Ref. Feb. 1966. 450 J8224

1317. RAMEL, P., and others. Behavior of edible oils during frying and overheating under controlled conditions. (Fr) Rev. Franc. Corps Gras 12(3):153-165. 1965. 307.8 R32
A. M. Le Clerc, J. Dumain, and D. Faucquemberque, joint authors.
Sunflower oil was one of those tested.

1318. RANEY, F., and VAADIA, Y. Dispersion of THO and ^{36}Cl uptake by sunflower root systems. Physiol. Plant. 18(1):8-14. Ref. 1965. 450 P564

1319. RANEY, F., and VAADIA, Y. Movement and distribution of THO in tissue water and vapor transpired by shoots of Helianthus and Nicotiana. Plant Physiol. 40(2):383-388. Mar. 1965. 450 P692
Tritiated water.
Heliathus annuus and Nicotiana rustica.

1320. RANEY, F. and VAADIA Y. Movement of tritiated water in the root system of Helianthus annuus in the presence and absence of transpiration. Plant Physiol. 40(2):378-382. Ref. Mar. 1965. 450 P692

1321. RANEY, F. C. Certain aspects of water movement in sunflower plants using tritium as a tracer. Plant Physiol. 36(Suppl.):xxxiv. 1961. 450 P692

1322. RANEY, F. C. and VAADIA, Y. The dispersion of tritiated water in exuding sunflower plants. Plant Physiol. 35(Suppl.):iv. 1960. 450 P692

1323. RANKOFF, G., STOILOV, L., and SPASOV, ST. Characteristic constants and compositions of oils from new types of sunflowers cultivated in various regions of Bulgaria. (Bu) Izv. Inst. Obshcha Neorg. Khim. Org. Khim. Bulgar Akad. Nauk 8:193-197. 1961.

1324. RANKOFF, G., RANKOFF, D., and MISLIEVA, W. Gleichzeitige Entsäuerung und Entfärbung von rohem Sonnenblumen-Pressöl mittels kalzinierter Soda. Bulgar. Akad. na Nauk. Dok. 13(4):435-438. July/Aug. 1960. 512 So2

1325. RANKOFF, G., RANKOFF, D., and IVANOVA, B. Natural stability of sunflower oil treated by watered soda solution or dry calcium soda. (Ge) Bulgar. Akad. na Nauk. Dok. 17(10):921-924. Ref. 1964. 512 So2

1326. RANKOFF, G., STOILOV, L., and SPASOV, S. Separation of acids from sunflower oil as urea inclusion compounds. (Ge) Sofia Acad. Bulgar Sci. Compt. Rend. 13:71-74. 1960. 512 So2

1327. RANKOFF, G., STOILOV, L., and SPASOV, S. Separation of fatty acids from sunflower oil by means of urea inclusion compounds. II. Preparation of synthetic drying oils and varnishes from linoleic acid fractions. (Ge) Sofia Acad. Bulgare Sci. Compt. Rend. 13:415-418. 1960. 512 So2

1328. RAO, S. D. T., and MURTI, K. S. Sunflower seed and its oil. Oils & Oilseeds J. 15(10):13-16. Apr. 1963. 307.8 Oi54
Includes culture.

1329. RASSOKHIN, V. M. Influence of animal and plant fat on the coagulability of the blood in atherosclerotic patients and well persons. (Ge) Terapevt. Arkh. 32:83-86. 1960.
The effect of butter and sunflower oil on the blood coagulation in atherosclerotic and well humans was investigated.

1330. RATNER, E. I., and UKHINA, S. F. Some features of metabolism of nitrogeneous substances in the roots of various plants as illustrated by the uptake of exogenous amino acids. (Rus) Fiziol. Rast. 12(5): 814-824. 1965. 450 F58
Sunflower was one of the plants studied.
English summary.

1331. RAULIN, J., and LEFORT, D. Importance and characteristics of intestinal and fecal phospholipides studied in the rat. Influence of the alimentary regime and of bacteriostats. (Fr) Arch. sci. physiol. 14:239-255. 1960.

1332. RAZUMOV, V. I. The acceleration of flowering in short-day plants treated with gibberellin. (Rus) Fiziol. Rast. 7:354-357. 1960. 450 F58

Experiments with sunflower, perilla and Italian hemp have shown that gibberellin is not a substitute for short-day treatment.

1333. RAZUMOV, V. I. The significance of gibberellin in plant development. (Rus) Agrobiologiyia 1960(3):406-419. 20 Ag822

1334. REICHART, G. Control of sunflower moth. (Hu) Magyar Mezogazdaság 16(35):12-13. Aug. 30, 1961. 19 M27

Homoeosoma nebullelum.

1335. REIFER, I., and MORAWSKA, G. Arginase inhibitor from sunflower seeds. Biochem. J. 89(1):51P. 1963. 382 B52

1336. REIFER, I., and MORAWSKA, G. An arginase inhibotor from sunflower seeds (Helianthus annuus). Acta Biochem. Polon. 10(4):413-417. 1963. 385 Ac85Ae

1337. REIFF, B. Comments on the theory of polar transport of growth substance. (Ge) Humboldt U. Wiss. Z. 10(1):47-56. Ref. 1961. 509 B453

English summary.

Studied on sunflower.

1338. REIFF, B., and GUTTENBERG, H. VON. Polaric auxin transport in Helianthus annuus in relation to age, condition of swelling and carbohydrate provision of the cells. (Ge) Flora [Jena] 151(1):44-72. Ref. July 31, 1961. 450 F66

1339. REINHOLD, L., and EILAM, Y. The interrelation between the effects of 2, 4-dinitrophenol and of substrate concentration on the rate of exogenous respiration. J. Exp. Botany 15(44):297-307. 1964. 450 J8224

1340. REINHOLD, L., and GLINKA, Z. Reduction in turgor pressure as a result of extremely brief exposure to CO_2. Plant Physiol. 41(1):39-44. Ref. Jan. 1966. 450 P692

Sunflowers.

1341. REMUSSI, C., and GUTIERREZ, H. P. Effects of X-rays on achenium of sunflower (Helianthus annuus L.). (Sp) Buenos Aires. U. Facul. de Agron. y Vet. Rev. 15(2):77-84. Ref. 1962, pub. 1964. 9 B863

English summary.

1342. RENAUD, J. How to handle combine harvesting of wheat, corn, rapeseed and sunflower. (Fr) Motorisation Agr. 17(178):9, 11, 13, 15, 17. May 1962. 58.8 M85

1343. RENEA, S., and OLTEANU, F. Contribution à l'établissement de quelques mesures agrotechniques pour la culture irriguée de l'helianthe. (Rum) Bucharest. Inst. de Cercet. Agron. An. Ser. B, Agroteh. Pasuni si Finete 27:33-41. 1959, pub. 1960. 64.9 R86

French summary.

1344. REPIN, A. N. Drying of sunflower seeds. (Rus) Selek. Semenovodstvo 4:26-29 July/Aug. 1965. 61.9 Se5

Equipment.

1345. REPKA, V. P., PANASYUK, L. V., and PANASYUK, V. G. Use of salt catalysts in the production of furfural. (Rus) Zh. Prikl. Khim. 36(12):2719-2724. 1963. 385 Z64

The use of NaCl, $FeCl_3$, $AlCl_3$, $MgCl_2$, $CaCl_2$, and $ZnCl_2$ as catalysts in the production of furfural from sunflower husks was studied.

1346. RERAT, A., and HENRY, Y. Need of lysine by growing rats: principles of a method and experimental results. Paris. Acad. Sci. Compt. Rend. 257:3045-3048. 1963. 14 P215Bc

Sunflower protein which contains lysine as the limiting amino acid was fed to the rats.

1347. RHODESIA, NORTHERN. MINISTRY OF AFRICAN AGRICULTURE. Annual report, 1962. 49p. 24 R343

Reports on sunflower varietal trials.

1348. RHODESIA, NORTHERN. MINISTRY OF AFRICAN AGRICULTURE. Annual report for the year 1963. Lusaka, 1964. p. 23. 24 R343

Sunflower trials. The highest-yielding variety was Short Russian.

1349. RHODESIA, NORTHERN. MINISTRY OF AFRICAN AGRICULTURE. Annual report including the reports of the Departments of Agriculture and Co-operatives and African Marketing for the year 1962. Lusaka, 1963. p. 28. 24 R343

Sunflower variety Russian Black outyielded other varieties in trials throughout the territory.

1350. RICE, E. L. Inhibition of nitrogen-fixing and nitrifying bacteria by seed plants. II. Characterization and identification of inhibitors. Physiol. Plant. 18(1):255-268. Ref. 1965. 450 P564

Tests with weeds Ambrosia elatior and Euphorbia corollata and with sunflowers.

1351. RIDER, V. A. Mechanization of BHC placement in the soil in hills and in belts. (Rus) Zashch. Rast. of Vred. i Boleznei 1960(2):13-14. Feb. 421 Z1

For wireworm control in corn and sunflower plantings.

1352. ROBEL, R. J., and SLADE, N. A. The availability of sunflower and ragweed seeds during fall and winter. J. Wildlife Manage. 29(1):202-206. Ref. Jan. 1965. 410 J827

To wildlife.

1353. ROBEL, R. J., and HARPER, W. R. Energy content and retention by ragweed and sunflower seeds during fall and winter. Kans. Acad. Sci. Trans. 68:401-405. Ref. 1965. 500 K13T

Nutritive value for wildlife.

1354. ROBERTS, W. K., MCKIRDY, J. A., and STRINGAM, E. W. Utilization of rapeseed oil, sunflowerseed oil and animal tallow by cattle. Jour. Animal Sci. 22(3):846. 1963. 49 J82

1355. ROBERTS, W. K., and MCKIRDY, J. A. Weight gains, carcass fat characteristics and ration digestibility in steers as affected by dietary rapeseed oil, sunflowerseed oil and animal tallow. J. Anim. Sic. 23(3):682-687. Ref. Aug. 1964. 49 J82

1356. ROBINSON, R. G., and SOINE, O. C. Sunflower production in Minnesota. Minn. U. Agr. Ext. Ext. B. 299, 12 p. May 1961. 275.29 M66S

1357. ROBINSON, R. G. Sunflower-soybean and grain sorghum-corn rotations versus monoculture. Agron. J. 58(5):475-477. Ref. Sept./Oct. 1966. 4 Am34P

1358. ROBU, C., and others. The influence of exoxidized fatty di- and triesters on alkyd lacquer characteristics. (Rum) Bucharest. Univ. "C. I. Parhon". Analele, Ser. Stiint. Nat. 9(26):175-187. 1960. 512 B856

Th. Domide, Em Angelescu, El. Dragan, and I. V. Nicolescu, joint authors.

Sunflower oil was one of those used in tests.

1359. RODRIGUEZ, I. The sunflower, new host of caterpillars of Actinote pellenea Hubner. (Sp) IDIA 189:47-48. Sept. 1963. 9 Id3

1360. RODRIGUEZ TORRES, J. R., and GUERRERO, A. H. Study on sunflower seed. (Sp) Rev. Agrent. Grasas Aceites 8(2):35-42. Ref. July/Dec. 1966. 307.8 R322

Composition as affected by degree of maturity, soil, and climate.

1361. RODRIGUEZ TORRES, J. R. Sunflower--problems of its biogenesis. (Sp) Rev. Argent. Grasas Aceites 8(2):47-50. July/Dec. 1966. 307.8 R322

Review of the literature.

Development of oil in the plant.

1362. ROGALEV, I. E. Effect of mixtures of potassium chloride and sulfate on the amount and quality of crops. (Rus) Kaliinye Udobr., Nauchn. Inst. po Udobr. i Insektofung. 1964:147-162. 57.22 M27

1363. ROJAS MENDOZA, E. Physiological races and host plants of Puccinia helianthi in Peru. Turrialba 1962(12):99-100. 8 T86

A new race, Pu_2, attacking sunflowers resistant to the prevalent race, Pu_1, has been found on Viguiera Sp. in the Sierra Central of Peru.

1364. ROJAS MENDOZA, E. Rust of sunflowers in Peru. (Sp) Vida Agr. [Lima] 39(463):327, 329-330. June 1962. 9.8 V66

1365. ROMANOVA, L. V. Chemical conservation of damp sunflower seeds. (Rus) Khim Sel'skom Khoz. 4:38-46. Ref. Apr. 1965. 385 K524

1366. ROMANOVA, L. V., and KUKOEVA, L. A. The effect of drying in a two-cylinder dryer on the quality of sunflower seeds. (Rus) Masl. Zhir. Promysh. 6:33-35. June 1964. 307.8 M37

1367. ROMANOVA, L. V., and SAZYKINA, N. A. Effect of heat drying on the quality of sunflower seeds. (Rus) Vses. Nauchn.-Issled. Inst. Zhirov Tr. 22:26-51. 1961. 307.9 M85

1368. ROMANOVA, L. V., SAZYKINA, N. A., and IVANOVA, L. B. Lipoxidase activity in sunflower seeds and methods for its determination. (Rus) Vses. Nauchn.-Issled. Inst. Zhirov Tr. 1963(23):5-13 307.9 M85

1369. ROMANOVA, L. V., and BERESTOVSKAYA, S. S. New indices for evaluation of the quality of sunflower seeds. (Rus) Masl.-Zhir. Promysh. 1962(2):12-14. Feb. 307.8 M37

1370. ROMANOVA, L. V., and SIL'CHENOK, Z. T. Pre-harvest defoliation of sunflowers with magnesium chlorate. (Rus) Maslozhirovaya Prom. 5:9-11. May 1965. 307.8 M37

1371. ROMNEY, E. M., and CHILDRESS, J. D. Effects of beryllium in plants and soil. Soil Sci. 100(3):210-217. 1965. 56.8 So3

In experiments with barley, sunflower and wheat, beryllium inhibited growth.

1372. ROMYSH, L. F., and DUBENETSKAYA, M. M. Standards for oxidative spoilage of sunflower oil. (Rus) Vop. Pitaniya 26(1):82-87. 1967. 389.8 V89

1373. RONSAL, G. A., and ZHMIN'KO, V. A. Effectiveness of presowing treatment of seeds on chestnut soil. (Rus) Primenenie Mikroelementov v. Sel'sk. Khoz., Akad. Nauk Ukr. SSR 1965:168-171.

Field experiments were conducted on chestnut soil using sunflower as one of the crops.

1374. ROSCA, D., PANAIT, V., and CRETU, A. Contribution to the study of methods of planting silo corn, forage soybean, and sunflower. (Rum) Jassy. Inst. Agron. "Ion Ionescu de la Brad." Lucrari Sti. 1962:225-235. 106.4 J31L

French summary.

1375. ROSCA, D., and PANAIT, V. The culture for ensilage of sugar sorghum and Sudan grass, forage soybean mixtures, and sunflower. (Rum) Prob. Agr. [Bucharest] 14(5):57-64. May 1962. 21 R862

French summary.

1376. ROSCA, D., PANAIT, V., and CRETU, A. Method of sowing silage maize with soyabean and sunflower. (Rum) Lucrar. Sti., Iasi 1962:225-235.

French summary.

1377. ROSSELLI, M., and SORDI, A. Serum lipids and transaminases after treatment with unsaturated vegetable oils. (It) Mal. Cardiovasc. 1:115-130. 1960

1378. ROSSOVA, M. M. Hygienic characteristics of vegetable oil subjected to thermal processes. Tr. Vtoroi Nauchn. Konf. po Vopr. Probl. Zhira v Pitanii, Nauchn.-Tekhn. Obshchestvo Pishchevoi Prom. Leningr. Pravlenie, I nst. Radiats. Gigieny, Vses. Nauchn.-Issled. Inst. Zhirov 1962:304-312.

Sunflower oil.

1379. RUBIN, B. A., and GERMANOVA-GAVRILENKO, V. F. Fe-porphyrine contents of roots in relation to their greening capacity. (Rus) Akad. Nauk SSSR. Dokl. 135:478-481. 1960. 511 P444A

Roots of sunflower developed more than a 2 mg. of chlorophylls a+b per 100 g. fresh weight when exposed to illumination.

1380. RUCKENSTEIN, C. The chemical composition of the residues left after the polishing-filtering of sunflower oil. (Rum) Indus. Aliment-Prod. Veg. 11(6):173-174. June 1960. 389.8 In26

English summary.

1381. RUCKIJ, I. A., and KANEVSKAJA, G. S. Distant hybridization within the Compositae by employing vegetative rapprochement. (Rus) Agrobiologija 1961:621-622. 20 Ag822

Incompatibility in direct and reciprocal crosses between sunflower and Guizotia abyssinica was overcome by vegetative rapprochement.

1382. RUDORF, W. Die Sonnenblume, Helianthus annuus L. In Roemer, T., and Rudorf, W. Handbuch der Pflanzenzüchtung, ed. 2, v. 5, p. 89-114. Ref. Berlin, Parey, 1961. 64 R66

Review of literature.

1383. RUDORF, W. World economic changes in the cultivation of important oil plants. (Ge) Fette Seif. Anstrichmittel 62:477-483. 1960. 384 C422

Results of sunflower trials show that its cultivation in Germany is feasible.

1384. RUMYANTSEV, S. N., SHTYURMER, G. A., and KHOVANOV, M. I. Friction coefficient for skidding sunflower pulp with regard to the steel shaft. (Rus) Maslob.-Zhir. Prom. 26(9):22-25. 1960. 307.8 M37

1385. RUSCHER, D. The use of sunflower oil in varnish production. (Ge) Farbe u. Lack 66:628-631. 1960. 334.8 F22

1386. RUTSKII, I. A., and KANEVSKAYA, G. S. Distant hybridization in the family Compositae by means of preliminary vegetative combination. (Rus) Agrobiologiya 1961(4):621-622. July/Aug. 20 Ag822

Guizotia abyssinica grafted onto Helianthus annuus.

1387. RYAZANTSEV, P., and RYAZANTSEVA, M. I. Some peculiarities of purchasing and storing the oilseeds. (Rus) Zakupki Sel'skokhoz. Prod. 10:16-19. Oct. 1966. 280.38 Z14

Sunflowers and castorbeans.

1388. RYAZANTSEVA, M. I. The use of dichloroethane for gassing sunflower seeds. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. Izv. 1961. 3:15-21. 389.8 Iz8

1389. RYAZANTSEVA, M. L., CHERKOVSKAYA, A. YA., and BONDARCHUK, S. S. Methallyl chloride as a means of controlling sunflower pests. (Rus) Vestnik. Tekh. Ekon. Inform. Nauch. Tekh. Sb. Vop. Khraneniya Pererabotki Zerna (158):6-7. 1964.

1390. RZHEKHIN, V. P., and POGONKINA, N. I. Contribution to the study of the interaction of lipides with protein substances of sunflower seeds during the extraction of oil from them. (Rus) Masl.-Zhir. Promysh. 1960(7):17-19. July. 307.8 M37

1391. RZHEKHIN, V. P., POGONKINA, N. I., and SOLOV'EVA, I. A. Fatty acids composition of phosphatides from sunflower and soybean oils. (Rus) Maslob.-Zhir. Prom. 30(12):11-13. 1964. 307.8 M37.

1392. RZHEKHIN, V. P., and POGONKINA, N. I. Hydrolytic processes in the manufacture of vegetable oils. (Rus) Vses. Nauchn.-Issled. Inst. Zhirov. Tr. 1959(19):300-310. 307.9 M85

1393. RZHEKHIN, V. P., and PREOBRAZHENSKAYA, I. S. Interaction of gossypol with phosphatides in ligroine and oil medium. Maslob.-Zhir. Prom. 27(2):9-12. 1961. 307.8 M37

Heating of 1 part gossypol with 2.82 parts phosphatides and 3 parts purified sunflower oil for 2 hrs. at 130° gave a greenish brown substance.

1394. SACKSTON, W. E. Botrytis cinerea and Sclerotinia sclerotiorum in seed of safflower and sunflower. Plant Dis. Reporter 44(8):664-668. 1960. 1.9 P69P

1395. SACKSTON, W. E., and CHERNICK, B. M. Effects of chemical treatment and storage on sunflower seeds. Canad. J. Plant Sci. 40(4):690-699. Ref. Oct. 1960. 450 C16

1396. SACKSTON, W. E., and others. Reactions of sunflower varieties and hybrids from U.S.S.R. to rust, downy mildew, and Verticillium wilt in inoculation tests with seedlings and their significance. In Canadian Phytopathological Society. Proc, 29th Sess, 1963:17. 464.9 C162

M. A. Jabbar Miah, P. G. Goosen, and A. L. Devaux, joint authors.

1397. SACKSTON, W. E. Studies on sunflower rust. II. Longevity of urediospores of Puccinia helianthi. Canad. J. Bot. 38(6):883-889. Ref. Nov. 1960. 470 C16C

1398. SACKSTON, W. E. Studies on sunflower rust. III. Occurrence, distribution, and significance of races of Puccinia helianthi Schw. Canad. J. Bot. 40(11):1449-1458. Ref. Nov. 1962. 470 C16C

1399. SACKSTON, W. E., and JABBAR MIAH, M. A. Use of rust (Puccinia helianthi) races to discover new gene pools for rust resistance in sunflowers. Phytopathol. 58(8):887. 1963. 464.8 P56

1400. SAHAROV, D. G. Organization of cultivated long term pastures in Latvia. (Rus) Zemledilie 8(2):77-85. 1960. 20 Z44

Sunflower as a forage crop.

1401. SAKS, A. I. The effect of gibberellin on crop culture. Akad. Nauk S. S. S. R. Sibir. Otdel. Izvest. 1960(10):114-129. 511 Ak196

1402. SALAGEANU, N., and PRISTAVU, N. The effect of ammonium nitrate and potassium sulphate on the rate of photosynthesis and leaf surface area in sunflowers. (Rum) Bucharest Acad. Rep. Pop. Romane Studii Cerc. Biol. (Ser. Bot.) 18(4):375-388. Ref. 1966. 451 B852

1403. SALAGEANU, N. Field determination method of the rate of photosynthesis, by an air stream. (Rum) Bucharest Acad. Rep. Pop. Romane. Studii Cercetari Biol., Ser. Botan. 16(6):513-520. 1964. 451 B852

Sunflower leaves.

1404. SALCEVA, G. Effect of continuous freezing of certain spring crop seeds on their germination energy. (Bu) Selskostop. Nauka 117(7-8):869-871. 1962. 21 Se492

Seeds of sunflower, when exposed to low temperatures, increased their germination strength slightly.

1405. SANDU-VILLE, C., SEREA, C., and SAPUNARU, T. Contribution to the means of combating rot of sunflower due to the fungus Sclerotinia. sclerotiorum (Lib) De Bary. (Rum) Bucharest. Acad. Repub. Pop. Romine. Filiala Iasi Studii si Cercet. Sti. Agr. 12(2):397-407. Ref. 1961. 442.9 B855

French summary.

1406. SANDU-VILLE, C., and others. Investigation of the fungus S. helianthi Ell. et Kell. (Rum) Jassy. Inst. Agron. Ion Brad. Lucrari Stint. 1962: 75-87. 106.4 J31L

A. Batcu, A. Lazar, and M. Hatmanu, joint authors.

Tests on the resistance of 16 sunflower varieties to artificial infection and of 10 varieties to natural infection were conducted.

1407. SANDU-VILLE, C., and others. The resistance of varieties of sunflowers to the broomrape. (Rum) Bucharest. Acad. Repub. Pop. Romine. Filiala Iasi. Studii si Cercet. Sti. Biol. si Sti. Agr. 14(1):213-233. 1963. 442.9 B855

P. Ciobanu, C. Serea, and T. Sapunaru, joint authors.

French summary.

1408. SARIC, T. Some observations on varieties of sunflowers with high yields. (Se) Poljoprivredni Pregl. 14(3/4):141-146. Mar./Apr. 1965. 21.5 P753

Tests on oil content.

1409. SARPE, N. The spacing of plants and density of planting sunflowers in the steppe zone of the South of the country. (Rum) Prob. Agr. [Bucharest] 14(3):24-28. Mar. 1962. 21 R862

French summary.

1410. SAUERBECK, D., and FUHR, F. The interference of carbon-14 labelled carbon dioxide in studies on the uptake of organic substances by plant roots. In Technical Meeting on the Use of Isotopes in Soil Organic Matter Studies, Brunswick, 1963. The use of isotopes in soil organic matter studies, p. 61-72. Ref. 1966. S590.T4.

Sunflower as test plant.

1411. SCHAFFNER, L. W., and TAYLOR, F. R. Market outlets and marketing methods for sunflower seed and tame mustard seed. N. Dak. Agr. Exp. Sta. Agr. Econ. Rep. 40, 22 p., map. Mar. 1965. 281.9 N814A

1412. SCHEFFER, F., KICKUTH, R., and ALDAG, R. Effect of D-leucine on Helianthus annuus. (GE) Naturwissenschafter 54(6):144. 1967. 474 N213

1413. SCHMELZER, K., and MOLNAR, A. Pseudomonas aptata (Brown et Jamieson) Stevens in relation to supposed plant virus diseases. (Ge) Phytopath. Z. 50(2):112-128. Ref. Apr. 1964. 464.8 P562
English summary.
Helianthus annuus in Hungary.

1414. SCHNEIDER, E. Results of a green-manuring experiment for potatoes on light soil. (Ge) Albr.-Thaer.-Arch. 6(8):545-555. 1962. 18 AL1
Sunflower was one of the crops used.

1415. SCHNEIDER, K. T. Self-sterility in sunflowers. (Af) S. Afr. J. Agr. Sci. 8(2):323-326. June 1965. 24 Su3
English summary.
Breeding.

1416. SCHNEIDER, K. T. Sunflowers for the Transvaal region. Farming So. Africa 39(8):23. Nov. 1963. 24 So842

1417. SCHON, H., and BRECH, J. Investigations of the ketogenesis due to various food fats. Z. Ernahrungswiss. 1:61-73. 1960. 389.8 Z35

1418. SCHRODER, V. N. Use of chromatography to study nutritional status of plants. Soil Crop Sci. Soc. Fla. Proc., 24th Annu. Meeting:111-114. 1964, pub. 1965. 56.9 So32
Oats and sunflowers.

1419. SCHUBERT, A., SCHMIDT, J., and SCHUBERT, K. An agglomerating flotation of cassiterite. (Cz) Rudy 14(11):385-389. 1966.
Sunflower oil was used as a collector in this experiment.

1420. SCHULZE, J. Die Prüfung der Kombinationseignung von Inzuchtstämmen der Sonnenblume (Helianthus annuus L.) durch Anwendung des Topcrossverfahrens. Z. f. Pflanzenzücht. 44(2):135-156. Ref. Oct. 1960. 450 Z36
English summary.

1421. SCHUSTER, W. Artificial induction of male sterility in the sunflower. (Ge) Z. f. Acker- u. Pflanzenbau 116(4):341-350. Ref. Feb. 1963. 18 J825
English summary.

1422. SCHUSTER, W. Investigations on artificially induced pollen sterility in the sunflower (Helianthus annuus L.). (Ge) Z. f. Pflanzenzücht. 46(4):389-404. Ref. Dec. 1961. 450 Z36
English summary.
Includes effects of gibberellic acid, maleic hydrazide and FW-450.

1423. SCOTT, E. G. Effect of supra-optimal boron levels on respiration and carbohydrate metabolism of Helianthus annuus. Plant Physiol. 35(5):653-661. Ref. Sept. 1960. 450 P692

1424. SECHET-SIRAT, J. Isolation of chlorogenic acid from sunflower seeds. Soc. Pharm. Bordeaux Bull. 99:108-111. 1960.

1425. SECHET-SIRAT, J. Localization of chlorogenic acid in sunflower seeds. Ann. Pharm. Franc. 21:455. 1964. 396.8 An7

1426. SEDLACEK, B. A. J. Changes in the properties of some fats in the course of heating at higher temperatures. (Ge) Nahrung 8(1):58-69. 1964. 389.8 N142
Sunflower oil was one of the fats investigated.

1427. SEDLACEK, B. A. J. Mechanism of the spectrophotometric method for the determination of the degree of rancidity of fats by means of diphenylcarbazide. (Ge) Nahrung 5:637-645. 1961. 389.8 N142

1428. SEDLACEK, B. A. J. Rancidity of fats by ultraviolet spectrophotometric and other methods. (Ge) Nahrung 8(2):176-187. 1964. 389.8 N142
Sunflower oil was one of the fats investigated.

1429. SEDLACEK, B. A. J. Ultraviolet spectra of fats during heating at elevated temperatures. II. Relations of the absorption maxima to each other and of the ultraviolet spectra results to those of other methods. (Ge) Nahrung 9(8):815-825. 1965. 389.8 N142

1430. SEDLACEK, B. A. J. Ultraviolet spectra of heated fats. IV. Relation between temperature and heating time. (Ge) Nahrung 10(7):581-592. 1966. 389.8 N142

1431. SEDLACEK, B. A. J. Ultraviolet spectra of oils heated to higher temperatures. (Ge) Nahrung 7(5):367-374. 1963. 389.8 N142
Sunflower oil.

1432. SEKERKA, V. Study of the influence of herbicides on the intensity of excretion of substances from plant roots. (Cz) Biologia (Bratislava) 21(9):654-662. 1966. 442.8 B5265
Barley and sunflower were used as test plants.

1433. SELIBER, G. L., and DOBROVOL'SKAYA, L. V. On the prolonged maintenance by bacteria of their capacity to decompose fat. (Rus) Mikrobiologiya 30(1):54-55. Jan./Feb. 1961. 448.3 M582
English summary.
Experiment with sunflower and olive oil.
This journal will appear in English translation 448.3 M582Ae

1434. SELL, J. L., and HODGSON, G. C. Comparative value of dietary rapeseed oil, sunflower seed oil, soybean oil and animal tallow for chickens. J. Nutr. 76(2, pt. 1):113-118. Ref. Feb. 1962. 389.8 J82

1435. SEMENENKO, V. E. Some features of carbon dioxide metabolism in transition states of photosynthesis upon changing from light to darkness and light-induced evolution of CO_2. (Rus) Fiziol. Rast. 11(3):375-384. 1964. 450 F58

1436. SEMENENKO, V. E. A study of the mechanism of the processes which determine the specific kinetic features of CO_2 absorption at the beginning of the induction period of photosynthesis. (Rus) Fiziol. Rast. 11(2):216-231. 1964. 450 F58
Induction effects in sunflower were studied with radioactive carbon.

1437. SEMENENKO, V. E. A study of the mechanism underlying the processes involved in the inductive period of photosynthesis carried out with the aid of the radioactive isotope C14. (Rus) Akad. Nauk SSSR. Dok- 134(1):207-210. Sept. 1, 1960. 511 P444A
Sunflowers.
This article will appear in English translation in Doklady: biochemistry sections (511 P444Aebc).

1438. SEMIKHNENKO, P. G., and BELEVTSEV, D. N. Dates of sunflower thinning in downy mildew [Plasmopara halstedii] areas. (Rus) Vest. Sel'skokhoz. Nauki 1961(6):30-36. June. 20 V633
English summary.

1439. SEMIKHNENKO, P. G. Fertilizers for sunflowers. (Rus) Masl.-Zhir. Promysh. 4:8-10. Apr. 1964. 307.8 M37

1440. SEMIKHNENKO, P. G., and PODOLYANSKII, YU. M. Harvesting date for sunflowers. (Rus) Zemledelie 8:57-58. Aug. 1965. 20 Z44

1441. SEMIKHNENKO, P. G., and IGNAT'EV, B. K. Irrigated culture of sunflowers. (Rus) Zemledelie 4:73-74. Apr. 1964. 20 Z44

1442. SEMIKHNENKO, P. G., and others. Kul'tura podsolnechnika [Growing of sunflowers]. Moskva, Gosudarstvennoe Izdatelstvo Selskokhozyaistvennoi Literatury, 1960. 275 p. Ref. 77 Se54
A. I. Klyuchnikov, T. M. Tokarev, V. P. Yagodkina, and A. M. Piterskaya, joint authors.

1443. SEMIKHNENKO, P. G., and KAMENNO-BRODSKAYA, V. P. Methods increasing yielding qualities of sunflower seeds. (Rus) Agrobiologiya 4:525-531. July/Aug. 1962. 20 Ag822
Chiefly breeding.

1444. SEMIKHNENKO, P. G., and GUSEVA, T. E. Sowing and yielding qualities of sunflower seeds as dependent on their stage of ripening. (Rus) Vest. Sel'-Khoz. Nauki. 1966(10):50-54. 20 V633

1445. SEMIN, V. N. Nutritive value of sunflower husks. (Rus) Zhivotnovodstvo 11:9-12. Nov. 1965. 49 Z6

1446. SEMIN, V. N. Nutritive value of sunflower meal. (Rus) Vestnik Sel'skokhoz. Nauk. [Moscow] 7:137-141. July 1966. 20 V633
Beef cattle.

1447. SENGER, H. Serious poisoning of cattle in the fall of 1963 by sunflowers, mustard and sugar beet leaf grazing. (Ge) Tierzucht 18(8):432-434. Aug. 1964. 49 T443

1448. SERBU, D., and MICLEA, E. Sunflower growing on the state farms in 1963. (Rum) Prob. Agr. [Bucharest] 16(2):70-76. Feb. 1964 21 R862

1449. SERGEEV, A. G., and others. Extracting high quality edible oil from the sunflower seeds. (Rus) Masl.-Zhir. Prom. 9:3-7. Sept. 1966. 307.8 M37
V. P. Rzhekhin, B. Ya. Sterlin, and V. T. Zolochevskii, joint authors.

1450. SERGEEV, A. V. Chlorophyll and vitamin C in corn and sunflower at various growth phases. (Rus) Kishinev Gos. Univ. Uch. Zap. 1962. (12):96-97. 511 K642

1451. SERGEEV, A. V. The dynamics of chlorophyll and ascorbic acid in corn (Zea mays) and sunflower during different phases of vegetation. (Rus) Kishinevskii Gosud. Univ. Uch. Zap. 12:96-97. 1962. 511 K642

1452 SERGEEVA, V. N., and GUNDARS, A. Thermolysis of lignocellulose from sunflower husks. (Rus) Riga. Zinatau Aka. Inst. Lesokhoz. Probl. i Khim. Drevesiny Tr. 24:109-112. 1962. 99.9 R44

1453. SESTAK, Z., CATSKY, J., and SAHULKA, J. Changes in sunflower shoot structure under influence of gibberellic acid. Biol. Plant. 2(4):247-251. Ref. 1960. 450 B52

1454. SESTAK, Z., and VODOVA, J. The effect of reversion and duplication of leaf disks on the accuracy of photosynthesis determination by the dry weight method. Biol. Plant Acad. Sci. Bohem-oslov 7(2):109-115. 1965. 450 B52

1455. SHADURKO, M. Drying of sunflower seeds. (Rus) Sel'sk. Khoz. Sibiri 9:72-74. Sept. 1962. 20 Se492

1456. EL-SHARKAWY, M. A., and HESKETH, J. D. Effects of temperature and water deficit on leaf photosynthetic rates of different species. Crop Sci. 4(5):514-518. 1964. 64.8 C883
In a growth chamber, net photosynthesis in leaves of sunflower was depressed by high water deficits and high temperatures.

1457. SHAROIKO, E. A. Changes of microflora in sunflower seeds during storage. (Rus) Moskov. Ord. Lenina Sel'skokhoz. Akad. K. A. Timiryazeva Dokl. 98:229-235. 1964. 20 M857
Bacteria and fungi.

1458. SHAROIKO, E. A. Hygroscopic properties of sunflower seeds. (Rus) Masl.-Zhir. Promysh. 3:6-9. Mar. 1964. 307.8 M37
With reference to storage.

1459. SHAW, M. The physiology of host-parasite relations. IX. Further observations on the accumulation of radioactive substances at rust infections. Canad. J. Bot. 39(6):1393-1407. Ref. Oct. 1961. 470 C16C
Puccinia helianthi on sunflowers and P. graminis tritici on wheat.

1460. SHCHERBAKOV, A. A. The swelling rate of plant waste and its influence on the yield of furfural. L'vov. Politekhn. Inst. Dokl. 5(1-2):109-113. 1963.
The swelling rate of sunflower seed husks, along with others, was investigated.

1461. SHCHERBAKOV, V. G., and KUDINOV, P. I. Accumulation of potassium in the shells of maturing sunflower seeds. (Rus) Maslozhir. Prom. 33(2):7-9. 1967. 307.8 M37

1462. SHCHERBAKOV, V. G., and SIRKO, V. N. Amino acid constitution of proteins of high-fat sunflower seeds with maturation. (Rus) Izv. Vyssh. Ucheb. Zaved., Pishch. Tekhnol. 1966(5):19-21. 389.8 Iz8

1463. SHCHERBAKOV, V. G., and SIRKO, V. N. Changes in nitrogen-containing matter of maturing seeds of sunflower. Maslozhir. Prom 31(10):5-6. 1965. 307.8 M37

1464. SHCHERBAKOV, V. G., and SIRKO, V. N. Effect of thermal treatment on proteins in sunflower with high content of oil. (Rus) Maslo-Zhir. Prom. 1:6-7. Jan.1967. 307.8 M37

1465. SHCHERBAKOV, V. G., and SIRKO, V. N. Formation of storage compounds in ripening sunflower seeds. (Rus) Maslozhir. Prom. 32(1):8-11. 1966. 307.8 M37

1466. SHCHERBAKOV, V. G., and KUDINOV, P. I. High oil sunflower seed coat. (Rus) Izv. Vyssh. Ucheb. Zaved., Pishch. Tekhnol. 1967(1):18-20. 389.8 Iz8

1467. SHCHERBAKOV, V. G., and TRUBITSYN, N. V. Influence of carbon dioxide on sunflower seed respiration. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Pischevaya Tekhnol. 1961(2):64-69. 389.8 Iz8

1468. SHCHERBAKOV, V. G., and TRUBITSYN, N. V. Sorption properties of sunflower seeds in relation to carbon dioxide. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. 1960(4):13-18. 389.8 Iz8

1469. SHERMAN, L. G. Effect of various diets and x-ray irradiation on the cholesterol level in organs and tissues. Tr. 2-oi (Vtoroi) Nauchn. Konf. po Vopr. Probl. Zhira v Pitanii, Leningrad 1962:283-290.

Sunflower oil was used in one of the diets.

1470. SHERSHEVSKI, M. G. Effect of animal and vegetable fat on ketonemia in atherosclerosis. (Rus) Leningrad. Gos. Izd. Med. Lit. Sb. Ateroskleroz 1961, 178-180.

1471. SHERSTNEV, E. A., and KURILENOK, G. V. Effect of B on the quantitative content of free amino acids and on the incorporation of tyrosine-^{14}C into the proteins in sunflower. (Rus) Botan. Zh. 49(5):699-702. 1964. 451 R923

1472. SHERSTNEV, E. A., and RAZUMOVA, M. V. The effect of boron deficiency on the ribonuclease activity in young leaves of sunflower plants. Agrochimica 9(4):348-340. Sept.1965. 385 Ag84

1473. SHERSTNEV, E. A., and KURILENOK, G. V. Effect of boron on the inclusion of adenine-C 14 in the ribonucleic acid of leaves and roots of the sunflower plant. (Rus) Akad. Nauk SSSR. Dok. 142(5):1201-1202. Ref. Feb.1962. 511 P444A

This article will appear in English translation in Doklady: biochemistry sections (511 P444Aebc).

1474. SHERSTNEV, E. A., and KURILENOK, G. V. The effect of boron on the quantitative content of free amino acids and on the incorporation of C^{14}-tyrosine in proteins of sunflowers. (Rus) Bot. Zhur. [Moscow] 49(5):699-702. Ref. May 1964. 451 R923

1475. SHERSTNEV, E. A. The participation of boron in the metabolism of nucleic acids in plants. (Rus) Mikroelementy i Estestv, Radioaktivn. Pochv, Rostovsk. Gos. Univ. Materialy 3-go (Tret'go) Mezhvuz. Soveshch. 1961:110-111. Pub. 1962. 385 Uk74

The test plant was sunflower.

1476. SHIBAOKA, H. The mechanism of the growth-inhibiting, effect of light. Plant Cell Physiol. 2:175-197. 1961. 450 P699

Sunflower leaves were used in the experiments.

1477. SHIMANSKII, N. K. The culture of sunflowers for seed of high yields. (Rus) Selek. i Semen. 2:72-73. Mar./Apr. 1965. 61.9 Se5

1478. SHIMANSKII, N. K., LOSHAK, I. F., and FASTOVETS, L. S. The effect of fertilizers on the yield and oil content of sunflower seeds. (Rus) Agrobiologiya 1961(6):849-853. Nov./Dec. 20 Ag822

Ammonium sulfate, superphosphate, and potassium salts.

1479. SHIMANSKII, N. K., and LOSHAK, I. F. Increasing the productivity of sunflowers by directed cultivation. (Rus) Selek. i Semen. 1961(5):24-28. Sept./Oct. 61. 9 Se5

Chiefly fertilizing with nitrogen and irrigation.

1480. SHIMSHI, D. Effect of chemical closure of stomata on transpiration in varied soil and atmospheric environments. Plant Physiol. 38(6):709-712. Nov. 1963. 450 P692

Sunflower and tobacco were test plants.

1481. SHKEL', S. E. Intake of radioactive calcium by sunflower leaves depending on calcium supply of nutritive medium and age of plants. (Rus) Timiryazevskaya Sel'shokhoz. Akad. Izv. 32:135-148. 1960. 106 P44

English summary.

1482. SHKOL'NIK, M. M., KRUPNIKOVA, T. A., and DMITRIEVA, N. N. The auxin oxidase activity and auxin content in sunflower plants grown on media with and without boron. (Rus) In Akad. Nauk Ukr. SSR. Mikroelementy v sel'skom khoz. i med. p. 76-79. 1963. QH659 .A35

1483. SHKOL'NIK, M. YA., KRUPNIKOVA, T. A., and DMITRIEVA, N. N. Effect of boron deficiency on some auxin metabolism processes in sunflower and corn. (Rus) Fiziol. Rast. 11(2):188-194. 1964. 450 F58

1484. SHKOL'NIK, M. YA., and KOSITSYN, A. V. Effect of boron on the speed of the inclusion of P^{32} in the nucleic acids of the sunflower. (Rus) Akad. Nauk SSSR. Dok. 144(3):662-664. May 21, 1962. 511 P444A

This article will appear in English translation in Doklady: biological sciences sections (511 P444Aeb).

1485. SHKOL'NIK, M. YA., and MAEVSKAYA, A. N. Morphological changes in sunflower as a result of boron deficiency. 7 p. Ref. Transl. 14470

Translation from Nauchnye Doklady Vysshei Shkoly [Seriya]. Biologicheskie Nauki. 1:143. 1961.

1486. SHKOL'NIK, M. YA., and others. Morphological variation of plants under boron deficiency. (Rus) Soveshchanie po Morfogenezu Rast Trudy 1(2):13-16. Ref. 1959, pub. 1961. 451 So84

A. N. Maevskaya, M. M. Steklova, and V. N. Davydova, joint authors.

Tomatoes and sunflowers.

1487. SHKOL'NIK, M. YA., and MAEVSKAYA, A. N. Morphological variations in plants induced by boron deficiency. (Rus) Bot. Zhur. [Moskva] 45(6):805-811. Ref. June 1960. 451 R923

English summary.

Sunflowers.

1488. SHKOL'NIK, M. YA., and others. On the morphological variation of plants caused by boron deficiency. (Rus) Bot. Zhur [Moscow] 49(11):1584-1591. Ref. Nov. 1964. 451 R923

A. N. Maevskaya, V. P. Bozhenko, and Kh. A. Alekeeva, joint authors.

English summary.

Sunflowers.

1489. SHKOL'NIK, M. YA., and MAEVSKAYA, A. N. On the problem of the mechanism of the effect of boron on biosynthesis of nucleic acids. Effect of boron on energy metabolism. (Rus) Akad. Nauk SSSR. Dok. 145(1):222-224. Ref. July 1, 1962. 511 P444A

Effects on content of ATP in sunflowers.

This article will appear in English translation in Doklady: biological sciences sections (511 P444Aeb).

1490. SHKOL'NIK, M. YA., TROITSKAYA, E. A., and MAEVSKAYA, A. N. Reporduction with aid of 8-azoguanine of the morphological changes in sunflower due to boron deficiency. (Rus) Fiziol. Rast. 12(5):876-887. Ref. Sept./Oct. 1965. 450 F58

English summary.

Includes seed germination.

1491. SHKOL'NIK, M. YA., and MAEVSKAYA, A. N. Significance of boron in nucleic acid metabolism. (Rus) Fiziol. Rast. 9(3):270-278. Ref. 1962. 450 F58

English summary.

Of beans and sunflowers.

This journal will appear in English translation 450 F58Ae.

1492. SHKOL'NIK, M. YA., MAEVSKAYA, A. N., and SOLOV'EVA, E. A. The significance of boron in nucleic exchange. (Rus) Mikroelementy v SSSR 1:39-40. 1961. 385 M58

Experiments with beans and sunflowers.

1493. SHKOL'NIK, M. YA., and SOLOV'EVA, E. A. Studies in the physiological role of boron. I. Elimination of the deleterious effects of boron deficiency by supplying nucleic acid. (Rus) Bot. Zhur. [Moscow] 46(2):161-173. Ref. Feb. 1961 451 R923

English summary.

To nutrient solutions for sunflowers; includes review of the literature.

1494. SHKOL'NIK, M. YA. Trace elements and nucleic acids. (Rus) Biol. Nukleinovogo Obmena u Rast., Akad. Nauk SSSR, Bashkirsk. Filial, Materialy 2-oi (Vtoroi) Nauchn. Konf., Ufa 1962: 38-51. Pub. 1964.

The role of trace elements in nucleic acid synthesis is in activation of enzymes of nucleic acid metabolism and in fixing of macromolecular nucleic acid configuration. Boron deficiency inhibited nucleic acid metabolism in sunflower.

1495. SHPAKOVA, V. M. Chemical composition of pollen from several flowers and grapes. (Rus) Odessk. Gos. Univ., Biol. Fak. Nauchn. Ezhegodnik 1960(2):247-249. 511 Od2

Sunflower is included.

1496. SHTARK, P. N. Effect of minor elements on formation of nucleic acids in sprouts of cultivated plants (corn, proso, wheat, flax and sunflowers). (Rus) In Khimiz. sel'sk. k-va Orenburgsk. obl. 1964: 68-71. Not in Libr.

Abstracted in Ref. Zh. Biol. Khim. 24:122. Dec. 25, 1965. 241.7 R252

1497. SHTENBERG, A. I., and EREMIN, YU. N. Influence of fats containing large amounts of highly unsaturated fatty acids upon the thyroid gland condition in animals. (Rus) Vopr. Pitaniya 20(3):34-41. 1961. 389.8 V89

1498. SHUL'GIN, G. Increase the production of vegetable oil. (Rus) Kolkhoz.-Sovkhoz. Proizvodstvo 3:46-47. 1963. 20 So85

Sunflower oil.

1499. SHUSTROV, V. S. Application of mineral fertilizers while plowing. (Rus) Khim. Sel'skom Khoz. 4(11):13-14. Nov. 1966. 385 K524

Sunflowers and barley.

1500. SIDAK, R. N. Raising the level of scientific studies and improving methodology. (Rus) Vestnik. Sel'skohozjajstv. Nauk 1965(5):7-16. 20 V633

Breeding sunflower.

1501. SIEGEL, O., and SCHMIDT, H. L. Laboratory experiments and results of field trials on inoculation with Azotobacter [chroococcum]. (Ge) Landwirt. Forsch. 19(1):18-28. 1966. 18 L2333

English summary.

1502. SIETZ, F. G. Determination of volatile substances in fatty oils. (Ge) Seifen-Oele-Fette-Wachse 90:668. 1964. 307.8 Se4

1503. SILVEIRA GUIDO, A. Los insectos enemigos del girasol en el Uruguay [The insect pests of sunflowers in Uruguay]. Montevideo. Univ. Fac. Agron. Bol. 81, 64 p. Ref., p. 59-62. Nov. 1965. 102.5 M76B

1504. SILVEIRA-GUIDO, A. The principal insect pests of sunflowers in Uruguay. (Sp) Agr. de las Amer. 11(5):66-69; (6):48-50, 52, 70. Ref. May-June 1962. 58.8 Ag832

1505. SIMAKOV, P. V., and BRYKINA, G. V. Effect of different amounts of sunflower oil on urinary excretion of vitamin B_2 and C in children. (Rus) Vopr. Pitaniya 24(2):29-32. 1965. 389.8 V89

1506. SIMIC, B., SIMIC, A., AND MARKOVIC, R. Longitudinal investigations of the influence of diets of different caloric value, quantity and fat, and sodium chloride content on blood pressure, and the incidence of abnormal electrocardiograms in old people. Acta Med. Iugoslavica OTS 63-11456/2:34-49. 1964.

Sunflower oil was one of the vegetable oils used in the experiment.

1507. SIMIONESCU, C., CALISTRU, E., and SIMIONESCU, N. Chemical changes in developing tumors induced by Agrobacterium tumefaciens. (Rum) Rev. Chim. 6:235-243. 1961. 385 R3222

Changes in contents of lignin, cellulose, and substances soluble in 1 percent NaOH were followed in blades of healthy plants and in tumors induced by A. tumefaciens in tomatoes and sunflowers.

1508. SIMKO, V., and BUCKO, A. Biological effect of thermally treated fats. (Cz) Cesk. Gastroenterol. Vyziva 17:160-167. 1963.

Sunflower oil was fed to guinea pigs in this test.

1509. SIMKO, V., BUCKO, A., and ONDREJICKA, R. Chemical and physical changes in sunflower oil and hardened vegetable fat on heating. (Cz) Cesk. Gastroenterol. Vyziva 15:429-432. 1961.

1510. SIMKO, V., and others. Chemical and physical changes induced in food fats during the process of heating and their effect on the histological picture of guinea pig organs. Nutr. Dieta 6:91-105. 1963.

A. Bucko, J. Babala, and R. Ondreicka, joint authors.

The results of physical and chemical analyses of sunflower oil, among others exposed to 170° indicate that products harmful from the nutritional point of view may develop under ordinary conditions of kitchen processing.

1511. SIMKO, V., and BUCKO, A. Fat balance in guinea pigs kept on diets containing fresh and heated sunflower seed oil, and hydrogenated fat. Cesk. Gastroenterol. Vyziva 17:86-90. 1963.

1512. SIMKO, V., BUCKO, A., and BOBEK, P. The nutritional effect of fresh and heat-treated sunflower oil and hydrogenated edible fat on the spectrum of serum proteins and lipoproteins of guinea pigs. Vnitrni Lekar 8, 1075-1079. 1962.

1513. SIMONYAN, E. G. Nucleoli in the sunflower after fertilization. (Rus) Akad. Nauk Armyanskoi SSR. Izv. Biol. Nauk. 14(11):39-44. Nov. 1961. 20 Er4

1514. SIMPLE ways to harvest sunflower seeds. Organ. Gard. and F. 8(5):34-35. May 1961. 57.8 Or32

1515. SIMS, R. P. A., and MES, J. C. The effect of relative concentrations on the efficiency of separation of polar and nonpolar lipides by alumina column chromatography. Am. Oil Chemists' Soc. J. 38:229-231. 1961. 307.8 J82

1516. SINGER, E., DUMITRESCU, V., and STOICULESCU, P. Storage and processing of sunflower seed with a high oil content. (Rum) Indus. Aliment--Prod. Veg. 11(10):314-316. Oct. 1960. 389.8 In26

English summary.

1517. SINGH, D. J. C. Mode of action of simazine [2-chloro-4, 6-bisethylamino-S-triazine] in wheat and sunflower. Andhra Agr. J. 12(6): 220-221. 1965. 34.2 An4

1518. SINGH, D. J. C. Mode of action on simazine in wheat and sunflower. Diss. Abs. 26(6):3004. Dec. 1965. 241.8 M58

1519. SINSKAYA, E. N. Experiments on hybridization of sunflower plants differing in direction and intensity of their photoperiodic reaction. (Rus) Trudy po Prikl. Bot. Genet. i Selek. 36(2):229-250. 1964. 451 R92

English summary.

1520. SINSKAYA, E. N. On the phylogeny of cultivated sunflowers. (Rus) Leningrad. Inst. Rastvod. Prob. Populyatsii u Vysshikh Rast. Trudy 1:141-151. Ref. 1961. 463.8 L54

1521. SINSKAYA, E. N. Physiological analysis of sunflower variety populations. (Rus) Fiziol. Rast. 7(2):225-231. Ref. 1960. 450 F58

This journal will appear in English translation 450 F58Ae.

1522. SINSKAYA, E. N. A physiological analysis of varietal populations of sunflower. Fiziol. Rast. 7(2):186-191. 1960. 450 F58

1523. SLONOV, L. S. Effect of trace elements on certain physiological indexes of plants under saline conditions. Materialy 4-oi (Chetvertoi) Nauchn. Konf. Aspirantov. Rostov-on-Don: Rostovsk. Univ. Sb. 1962:243-245.

Sunflower was one of the crops studied.

1524. SIPOS, G. Contribution to the knowledge of the influence of plant density and the distance between rows on sunflower production in Louvrin in the region of Banat. (Rum) Bucharest. Acad. Repub. Pop. Romine. Studii si Cercet. Biol. si Sti. Agr. 8(3/4):179-186. 1961. 442.9 B855

Russian and French summaries.

1525. SIPOS, G., and TIMIRGAZIU, C. Experimental results on the optimum density of plants and distance between rows of sunflowers on the Banat chernozem soils. (Rum) Prob. Agr. [Bucharest] 14(3):28-33. Mar. 1962. 21 R862

French summary.

1526. SISAKYAN, N. M., KOBYAKOVA, A. M., and FILIPOVICH, I. I. Adenosinetriphosphatase(s) of the protoplasmic structures of plants. (Rus) Biokhimiya 28(6):1011-1017. 1963. 385 B523

Sunflower was one of the plants observed.

1527. SKELLON, J. H., and WINDSOR, D. A. Fatty acid composition of egg yolk lipids in relation to dietary fats. J. Sci. Food Agr. 13:300-303. 1962. 389.8 F7322

1528. SKIPIN, A. I., ERMOLIN, S. S., and SHCHERBINA, K. P. Continuous hydration of compressed sunflower oil. (Rus) Masl.-Zhir. Promysh. 1962(4):22-24. Apr. 307.8 M37

1529. SKIPIN, A. I., ERMOLIN, S. S., and SHCHERBINA, K. P. The stabilization of phosphatides in sunflower oil and the production of salad oil. (Rus) Masl.-Zhir. Promysh 1960(8):28-30. Aug. 307.8 M37

1530. SKOGLEY, E. O., and DAWSON, J. E. Synthetic ion-exchange resins as a medium for plant growth. Nature 198:1328-1329. 1963. 472 N21

Sunflower was one of the crops grown in the medium.

1531. SKRIPNIK, G. Taking in consideration mistakes made last year. (Rus) Zakupki Sel'skokhoz. Prod. 9:26-27. Sept. 1966. 280.38 Z14

Sunflower production and purchasing.

1532. SLIWIOK, J. Detection of adulterant vegetable oils in olive oil by thin-layer chromatography. (Ge) Mikrochim. Ichnoanal. Acta 1965(2):294-296. 384 M58

Sunflower oil was one of those investigated.

1533. SLONOV, L. KH. Effect of trace elements on the physicochemical properties of biocolloids of protoplasm and on uptake of salts by plants under saline conditions. (Rus) Kabardino-Balkarsk. Gos. Univ. Uch. Zap. 1964(21):71-76

1534. SMIKALOV, N. A. Fats and fatty substances in mixed feeds for calves. (Rus) Zhivotnovodstvo 1961(1):66-68. Jan. 49 Z6

Phosphatides from sunflower waste.

1535. SMIRNOV, A. G. Morphological and physiological relationships between the stalks in a plant community and the significance of the relationships with respect to the community. (Rus) Moskov. Obscest. Ispyt. Prirody Otdel Biol. Bjull. 68(2):134-136. 1963. 511 M85

Sunflower was used in the tests.

1536. SMIRNOV, V. M. Solubility of fatty oils and fatty acids. (Rus) Vses. Nauchn.-Issled. Inst. Zhirov. Tr. 1960(20):178-199. 307.9 M85

1537. SMIRNOVA, R. I. Effect of desication on planting quality of sunflower seeds. (Rus) Selek. i Semen. 4:26-27. July/Aug. 1963. 61.9 Se5

1538. SMIRNOVA, R. I. Procedure that accelerates maturing of sunflower. (Rus) Maslob.-Zhir. Prom. 29(11):12-13. 1963. 307.8 M37

1539. SMIRNOVA, V. A. Production costs and yields of sunflowers and flax as affected by soil-climatic conditions. (Rus) Vses. Nauch.-Issled. Inst. Ekon. Sel'skogo Khoz. Dok. Soobshcheniya 21:122-141, map. 1964. 281.9 M852

1540. SMITH, D., and BUCHHOLTZ, K. P. Modification of plant transpiration rate with chemicals. Plant Physiol. 39(4):572-578. 1964. 450 P692
Sunflower and other crops.

1541. SMITH, J. E., and WAYGOOD, E. R. Enzyme-coenzyme relationships in glutamic acid metabolism of rust-infected sunflower cotyledons. Canad. J. Bot. 41(1):41-54. Ref. Jan. 1963. 470 C16C
Puccinia helianthi.

1542. SMITH, J. E. Glutamine synthesis in uredospores of Puccinia helianthi Schw. Canad. J. Microbiol. 11(2):381-383. Ref. Apr. 1965. 448.8 C162
Fungus disease of wheat and sunflower.

1543. SMITH, J. E. Mitochondrial transamination in sunflower hypocotyls. Biochim. et Biophys. Acta 57(1):183-185. Feb. 12, 1962. 381 B522

1544. SMITH, J. E., and WAYGOOD, E. R. Resolution of the apoenzyme and coenzyme of L-glutamic acid decarboxylase from sunflower cotyledons. Canad. J. Biochem. & Physiol. 39(6):1055-1059. Ref. June 1961. 470 C16E

1545. SOBOLEV, A. M. Enzymatic hydrolysis of phytin in vitro and in germinating seeds. (Rus) Fiziol. Rast. 9(3):334-341. Ref. 1962. 450 F58
English summary.
Wheat and sunflowers.
This journal will appear in English translation 450 F58Ae.

1546. SOBOLEV, A. M. Formation and accumulation of phytin in seeds. (Rus) Fiziol. Rast. 11(1):106-111. 1964. 450 F58
Sunflower seeds were among those studied.

1547. SOBOLEV, A. M. and RODIONOVA, M. A. Phytin synthesis by aleurone grains in maturing sunflower seeds. (Rus) Fiziol. Rast. 13(6):1090-1093. 1966. 450 F58

1548. SOBOLEVA, A. V. Effect of boron, cobalt, and manganese during separate and combined spray nutrition on the nitrogen and oil content of sunflower leaves and seeds. (Rus) Fiziol. Rast. 10(6):719-721. 1963. 450 F58

1549. SOBOLEVA, A. V. Oil accumulation in sunflower seeds in the process of their formation under the effect of top-dressing with boron and gibberellic acid. (Rus) Nauchn. Dokl. Vysshei Shkoly, Biol. Nauki 1966(1):145-147. 442.8 N22

1550. SOKOL'SKII, D. V., and ZHUBANOV, K. Hydrogenation of sunflower oil in a Vishnevskii autoclave on nickel-chromium catalyst. Met. i Khim. Prom. Kazakhstana, Nauchno-Tekhn. Sb. 1962(6):100-103.

1551. SOKOL'SKII, D. V., and ZHUBANOV, K. Investigations of catalysts for hydrogenation of fats in the Vishnevskii autoclave by intensive agitation. Kataliticheskie Reaktsii v Zhidkoi Faze, Akad, Nauk Zaz. SSR, Kazakhsk. Gos. Univ., Kazakhsk. Resp. Pravlenie Mendeleevskogo Obshchestva, Tr. Vses. Konf., Alma-Ata 1962:61-65 Pub. 1963.
Sunflower oil was used in the experiment.

1552. SOLOV'EVA-TROITSKAYA, E. A. Effect of ribonucleic acid on plants when applied to a boron-deficient medium. (Rus) Mikroelementy v Sel'sk.-Khoz. i Med. Sb. 1963:68-72. QH659 .A35

1553. SOME achievements in scientific plant production in the last twenty years. (Bu) Rasten. Nauk. 1(8):3-12. 1964. 64.8 R18
Sunflower is among the plants discussed.

1554. SOMOGYI, J. C., and KUNDIG, H. Stabilization of oils rich in polyene acids and other nutrient fats. Intern. Z. Vitaminforsch. 31:221-223. 1961. 384 Z324

1555. SOMOGYI, J. C., and KUENDIG-HEGEDUES, H. Stabilization of oils rich in polyunsaturated fatty acids and other dietary fats. (Ge) Mitt. Gebiete Lebensm. u. Hyg. 52:104-115. 1961. 389.9 Sw6

1556. SOOS, G. Sunflower production is profitable. (Hu) Magyar Mezogazdaság 16(3):9. Jan. 18, 1961. 19 M27

1557. SOROA Y PINEDA, J. M. DE. Comentarios sobre el cultivo del girasol. Agricultura [Madrid] 29(333):3-8. Jan. 1960. 15 Ag84

1558. SOUTH AFRICA. DEPT. OF AGRICULTURAL TECHNICAL SERVICES. Annual report, 1963. Pretoria, 1963. 106 p. 24 So863An

Sunflower research in South Africa is discussed, and the statement is made that a negative correlation has been found between height of plant and bushel weight.

1559. SOVIETS increased output and state purchases of both sunflowerseed and sugarbeets in 1966. For. Agr. 5(9):11. Feb. 27, 1967. A281.9 F76Fo

1560. SPAIN. INSTITUTO NACIONAL PARA LA PRODUCCION DE SEMILLAS SELECTAS (Madrid). Girasol [Sunflower]. Madrid, 1965. 4 p. SB299 .S9I5

Culture as oil plant.

1561. SPAIN. INSTITUTO NACIONAL PARA LA PRODUCCION DE SEMILLAS SELECTAS (Madrid). El girasol forrajero [Forage sunflower]. Madrid, 1965. 3 p. SB299 .S9I52

1562. SPARIN, V. I. Advanced techniques for growing sunflowers. (Rus) Zemledelie 1965(4):51. 20 Z44

1563. SPENNEMANN, F. The influence of environment on variety characteristics, sunflowers as an example. (Ge) Saatgut-Wirt. 15(12):352-355. Dec. 1963. 61.8 Sa1

1564. SPINOV, R. I. Regularities in the process of filtering of sunflower miscella. (Rus) Maslob.-Zhir. Prom. 30(5):5-10. 1964. 307.8 M37

Mathematical-theoretical.

1565. SPIROVA, M. Biology of pollination and fertilization of sunflower. (Bu) Viss. Selskostopan. Inst. G. Dimitrov Agron. Fak. Nauc. Trud. 13:63-73. 1964. 106.3 Se4N

1566. SPIROVA, M. Experiments on artificial induction of male sterility in sunflower. (Bu) Viss. Selskostopan. Inst. G. Dimitrov. Agron. Fak. Nauc. Trud. 16:145-157. 1965. 106.3 Se4N

1567. SPIROVA, M. On pollination and fertilization of some sunflower lines. (Bu) Rastenievudni Nauk. 3(2):3-11. 1966. 64.8 R18

English summary.

1568. SRECKOVIC, A., DELIC, I., and SARGIN, S. Extracted sunflower meal as protein source in concentrated mixtures for feeding growing and fattening pigs. (Se) Arh. Poljoprivredne Nauk. 18(59):115-125. 1965. 21.5 Y9

English summary.

1569. STAHLIN, A. Recent fodder plants in German fodder production. (Ge) Maataloust. Aikakausk. 36(1):22-37. Ref. 1964. 20 Su7M

1570. STAIKOV, G. Changes in growth, development, yields, and quality of planting material of early potatoes, corn, and sunflowers grown as interplanted crops. (Bu) Vissh Selskostopanski Inst. "Vasil Kolarov." Nauch. Tr. 14(1):179-187. 1965. 106.3 P72

German summary.

1571. STANCULESCU, C., ILLE, C., and DUMITRESCU, M. Research on the behavior of refined sunflower oil deposited in large metal tanks. (Rum) Bucharest. Inst. de Cercet. Aliment. Lucrarile 5:99-108. 1961. 389.9 R86

French summary.

1572. STARCK, J. R., TRUOG, E., and ATTOE, O. J. Availability of boron in soils and that adsorbed on anion exchange resins. (Pol) Roczniki Gleboznawcze 13(2):431-438. 1963. 56.8 R592

Sunflower plants in pots filled with sand and various forms of boron were used to determine the amounts of boron taken up by sunflower.

1573. STARCK, J. R. Effect of boron on the cell walls structure of sunflower (Helianthus annuus). Soc. Bot. Pol. Acta 32(3):619-623. 1963. 450 Ac89

1574. STARCK, J. R. Effect of boron on the mineral ion and water uptake by plants. Pol. Towarzystwo Bot. Acta. 31:357-378. 1962. 451 Sol2

1575. STARCK, Z. Influence of derootment on the translocation of photosynthates. Soc. Bot. Pol. Acta 33(4):759-771. 1966. 450 Ac89

The reaction of sunflower and bean plants to derootment is investigated.

1576. STARCK, Z. Relation between translocation of ^{14}C-assimilates and growth rate of sunflower, lupine and bean plants. Acad. Polon. Sci. Bull. Ser. Sci. Biol. 14(5):359-365. Ref. 1966. 512 W262

1577. STARODUBTSEVA, A. I., VETKINA, E. A., and KRETOVICH, V. L. The dependence of the respiratory intensity of sunflower seeds on their oil content (Rum) Akad. Nauk. Inst. Biochim Zerna, Sbornik 5:256-262. 1960. 59 Ak1

1578. STEBBINS, G. L., and DALY, K. Changes in the variation pattern of a hybrid population of Helianthus over an eight-year period. Evolution 15:60-71. 1961. 443.8 Ev62

1579. STEFAN, V., and BOTI, D. The influence of mineral and bacterial fertilizers on uptake of soil phosphorus by sunflower. (Rum) Bucharest Centrul Exptl. Ingrasaminte Bacteriene. Lucrari Stiint. 2:197-205. 1959. Pub. 1960. 57.9 B85

1580. STEFANOV, T. Advantages of sunflower production in Bulgaria. (Rus) Mezhdunar. Sel'skokhoz. Zh. 5:69-72. 1966. 20 M57

1581. STEIKHARDT, H. Report on experiments with second crops. (Ge) Z. Landw. Vers.-u. UntersuchWes. 6(5):408-419. 1962. 18 Z32

Sunflower yields as a second crop.

English summary.

1582. STEIKHARDT, H. Report on results of stubble-crop trials on light and medium soils. (Ge) Z. Landw. Vers.-u. UntersuchWes. 10(3):195-206. 1964. 18 Z32

Sunflower and other crops were compared as fodder catch-crops.

English summary.

1583. STEIKHARDT, H. Yield comparisons of stubble sown crops with a short growth period. (Ge) Dtsch. Landw. 13(8):379-382. 1962. 18 D4822

Sunflower was among the crops used in the trials.

1584. STEIN, L. I., and COHEN, P. P. Correlation of growth and aspartate transcarbamylase activity in higher plants. Arch. Biochem. Biophys. 109(3):429-433. 1965. 381 Ar2

1585. STEINBACH, M., and others. Physicochemical characteristics, fatty-acid content and therapeutic value of some vegetable oils and oils derived from certain marine fish and mammals. (Rum) Rev. Roumaine Med. Interne 1(5):451-462. 1964.

M. Lazarovici, C. Ille, A. Poboran, R. Nedelescu, I. Craescu, and G. Balanescu, joint authors.

Sunflower oil was among those used in the tests.

1586. STEPANOVA, O. S., CHEKURDA, A. I., and ZAVOLOKINA, E. P. Antioxidant properties of some sorbates. I. (Rus) Maslob.-Zhir. Prom. 30(3):20-21. 1964. 307.8 M37

Sunflower and whale oils.

1587. STEPANOVA, O. S., KONSHIN, N. P., and BEZGUDOVA, ZH. I. Continuous alcoholysis of oils. (Rus) Khim. Prom., Nauk.-Tekhn. Zb. 1964(1):6-8.

Experiments were carried out on sunflower oil, among others.

1588. STEVENSON, D. S., and BOERSMA, L. Effect of soil water content on the growth of adventitious roots of sunflower. Agron. J. 56(5):509-512. Sept./Oct. 1964. 4 Am34P

1589. STEVENSON, D. S. Effects of soil moisture-tension on rubidium uptake by sunflowers. Diss. Abs. 24(2):452. Aug. 1963. 241.8 M58

1590. STEVENSON, D. S., and BOERSMA, L. Water losses from soil and rubidium uptake by adventitious roots of sunflower as related to the content of soil. Agron. J. 56(5):512-514. Ref. Sept./Oct. 1964. 4 Am34P

1591. STOIKOV, S., KRACHANOV, KH. G. and NIKOLOVA, V. I. Factors influencing the gelation of sunflower pectin. III. Effect of acetylene content on the consistency of gelatin containing 65 percent sugar. (Rus) Vissh. Inst. Khranitelna Vkusova Prom. Plovdiv Nauchni Tr. 9, 245-250. 1962. 106.3 P72

1592. STOIKOV, S. A., KRACHANOV, KH. G., and DIMITROV, D. Protopectin in sunflowers and possibilities of its fractionation. (Rus) Vissh Inst. Khranitelna Vkusova Prom. -Plovdiv Nauchni Tr. 10:281-288. 1963. 106.3 P72

1593. STRUK, M. I., and TIKHOMIROVA, V. N. Effect of feeding waste products from sunflower seed oil refineries on hogs. Tr. Novocherk. Zootekhn. -Vet. Inst. 1961(13):161-165.

1594. SUKHANOVSKII, S. I., AKHIMA, E. I., and LISINA, Z. I. Lignin from sunflower seed husks and from corncobs as a raw material for granulated carbon. (Rus) Vses. Nauch. -Issled. Inst. Gidrolizn. i Sul'fitno-Spirt. Prom. Sb. Tr. 13:263-267. 1965.

1595. SUL'GIN, G. Carry out annual variety renewal of sunflowers. (Rus) Kolhoz. Proizvod. 1962(9):16. 20 So85

1596. SUNDERLAND, N. Cell division and expansion in the growth of the leaf. J. Expt. Bot. 11(31):68-80. Feb. 1960. 450 J8224
Sunflowers and lupine.

1597. SUNFLOWER contest winners for 1960. Org. Gard. and F. 7(12):52-54. Dec. 1960. 57.8 Or32

1598. SUNFLOWER contest winners for 1961. Org. Gard. and F. 8:44-45. Dec. 1961. 57.8 Or32

1599. THE SUNFLOWER Manfredi INTA yields more. (Sp) IDIA 170:28. 1962. 9 Id3

1600. SURREY, K. Modification of the relationship between growth and metabolism in seeds by X-irradiation. Radiat. Res. 25(3):470-479. 1965. 334.8 R11
Sunflower seed.

1601. SUSLOV, V. M. Effectiveness of growing high quality sunflower seeds on seed plots. (Rus) Zemledelie 1962(3):55-60. Mar. 20 Z44

1602. SUSLOV, V. M. Increase of labor productivity and methods of production cost cutting in sunflower growing. (Rus) Sel'sk. Khoz. Sev. Kavkaz. 1960(2):11-14. Feb. 20 Se495

1603. SUSLOV, V. M. On the culture of sunflowers. (Rus) Zemledelie 10:39-45. Oct. 1964. 20 Z44

1604. SUSLOV, V. M. Ways to increase the production of vegetable oil. (Rus) Ekon. Sel'sk. Khoz. 1:18-24. Jan. 1963. 281.8 So73
Sunflower culture.

1605. SUTIC, M. Occurrence of a sunflower disorder in Yugoslavia. FAO Plant Protect. B. 8(11):129-131. Aug. 1960. 421 P692

1606. SUTTIE, J. M. Sunflower: its culture and chemical composition. Kenya Farmer 108:10. July 1965. 24 R812

1607. SUZUKI, S., and others. Influence of several lipids on human serum cholesterol. IV. Effect of several vegetable oils. Ann. Rept. Natl. Inst. Nutr. (Tokyo) 1962:1-3. 389.9 T573
T. Tezuka, S. Oshima, T. Kuga, and M. Mitani, joint authors.
Sunflower oil was one of the vegetable oils used.

1608. SUZUKI, S., OSHIMA, S., and YAMAKAWA, K. Influence of several lipids on human serum cholesterol. V. Effect of rice oil. Eiyogaku Zasshi 20:139-141. 1962. 389.8 J27
Administration of rice oil lowered the blood cholesterol level more efficiently than sunflower, corn, or safflower oil.

1609. SVESHCHAROVA, M. Proteins of sunflowers. II. Composition of non-protein fraction of nitrogen. (Bu) Vissh Selskostopanski Inst. "Vasil Kolarov." Nauch. Tr. 14(1):309-313. 1965. 106.3 P72
German summary.
Seed proteins.

1610. SVESHNIKOVA, I. N., and BOLYAKINA, YU. P. Electron microscopic examination of sunflower seeds and accumulation of reserve substances. (Rus) Akad. Nauk SSSR. Dok. 151(5):1222-1224. Ref. 1963. 511 P444A

1611. SVESHNIKOVA, I. N., and BOLYAKINA, YU. P. Electronmicroscopic investigation of seeds of sunflower and the accumulation of reserve substances. 5 p. Ref. Transl. 13665

Translation from Akademiya Nauk SSSR. Doklady 151(5):1222-1224. 1963.

1612. SVESTAROVA, M. Determination of the C-terminal amino acids in globulin preparations obtained by differing degrees of salting out with ammonium sulfate. (Ge) Bulgar. Akad. Nauk Dokl. 19(4):285-286. 1966. 512 So2

1613. SVETZ, V. Something about the experience of the new installations of decorating sunflower seeds. (Rum) Indus. Aliment. 15(6/7):277-282. June/July 1964. 389.8 In26

English summary.

1614. SWAMY, P. M., and RAO, I. M. Chromatographic detection of some trace elements in leaves of sunflower (Helianthus annuus) plant. Cur. Sci. 33(3):85-86. Feb. 5, 1964. 475 Sci23

1615. SWOBODA, P. A. T., and LEA, C. H. The flavour volatiles of fats and fat-containing foods. II. A gas chromatographic investigation of volatile autoxidation products from sunflower oil. J. Sci. Food Agr. 16(1):680-689. Ref. Nov. 1965. 382 Sol2

1616. SYKES, D. J. Soil moisture availability to some mesic and semi-xeric species. Int. Grassland Cong., Sao Paulo, Brazil, 1965. Paper. 5 p.

Sunflower was one of the five species observed.

1617. SYKORA, V., and others. Use of synthetic ion exchange as adsorbants of plant nutrients. II. Influence of some ion exchangers on the germinative power and growth of plants. (Cz) Rostlinna Vyroba 9(11):1235-1246. 1963. 64.9 C33

J. Matous, F. Dubsky, and J. Soukup, joint authors.

Sunflower was one of the plants tested.

1618. SYONO, K., and YAMAKI, T. The similarity of the morphological effects of kinetin and light on sunflower seedlings. Tokyo. U. Col. Gen. Educ. Sci. Papers 13(2):197-202. Ref. Dec. 1963. 330.9 T572

1619. SYONO, K., and YAMAKI, T. Some physiological effects of kinetin at low concentrations. Tokyo. U. Col. Gen. Educ. Sci. Papers 13(2):203-211. Ref. Dec. 1963. 330.9 T572

Tests with sunflowers and carrots.

1620. SYSOEV, A. V., and POGORLETSKII, B. K. Mechanization of husking sunflower seeds for analysis of breeding materials. (Rus) Selek. i Semen. 1961(5):71-72. Sept./Oct. 61.9 Se5

1621. SZABO, J. Irrigational production of sunflower (Hu) Magyar Mezogazdasag 20(21):14. May 26, 1965. 19 M27

1622. SZENTMIHALYI, S. The feeding value of a sunflower-pea mixture. (Hu) Kiserletugyi Kozlemenyek 56/B(3):37-76, map. Ref. 1963, pub. 1965. 105.9 H89

English summary.

1623. SZENTMIHALYI, S. The feeding value of sunflower and pea mixture and its role in the green forage production line. (Hu) Allattenyésztés 9(2):183-190. June 1960. 49 AL57

German summary.

Fed to cattle.

1624. SZENTMIHALYI, S. Nutrient and mineral content of sunflowers and fodder peas and mixtures of them in Hungary and Thuringia. (Ge) Arbeitsgemenischaft fur Futterungsberatung. Jb. 1961/1962(4):408-418. 389.79 Arl

English summary.

1625. SZENTMIHALYI, S. The sunflower as green forage. (Hu) Allattenyesztes 12(1):63-71. Ref. Mar. 1963. 49 AL57

German summary.

1626. SZENTMIHALYI, S. Why isn't it practical to mow sunflower during flowering? (Hu) Magyar Mezogazdasag 18(31):17. July 31, 1963. 19 M27

1627. SZOKO, G., and SZABO, J. Results of chemical control of sunflower rust (Puccinia helianthi Schw.). Mosonmagyarovar Coll. Agric. Sci. Dep. Pl. Prot. Bull. 8:1-2, 9-13. 1965.

1628. TAEUFEL, K., and LINOW, F. Action of bleaching earths in the autoxidation of olefinic fats. I. Decrease in the metal content of olefinic fats by the combined use of active adsorbents and metal-inactivating compounds. (Ge) Ernaehrungsforschung 8(3):345-354. 1963. 386.3 P84

1629. TAEUFEL, K., and HEDER, G. Carbonyl formation during the autoxidation of fatty esters. (Ge) Fette, Seifen, Anstrichmittel 65:85-89. 1963. 384 C422

1630. TAEUFEL, K., and ZIMMERMANN, R. Carbonyl formation in autoxidized fats. (Ge) Ernahrungsforschung 5:104-109. 1960. 386.3 P84

1631. TAEUFEL, K., FRANZKE, C., and SCHLICKER, I. The catalytic glycerolysis of natural fats in pyridine solution. (Ge) Fette, Seifen, Anstrichmittel 64:513-517. 1962. 384 C422

1632. TAEUFEL, K., and LINOW, F. Effect of bleaching earth on the oxidation of olefinic fats. II. Behavior of metal-containing olefinic fats treated with a combination of bleaching earth and metal inactivators. (Ge) Nahrung 7(6):399-405. 1963. 389.8 N142

1633. TAEUFEL, K., and SERZISKO, R. Tocopherol content of some fats and oils. II. Distribution of tocopherol in selected products. (Ge) Nahrung 6:413-422. 1962. 389.8 N142

Sunflower oil was one of those investigated.

1634. TAEUFEL, K., and SERZISKO, R. Tocopherol content of some fats and oils. III. Paper chromatographic analyses of some Hungarian oils. (Ge) Nahrung 7(8):606-611. 1963. 389.8 N142

1635. TAKHTAI, I. Raw material for synthesis of furfural. (Rus) Kamenets-Podol'skii Sel'skokhoz. Inst. Nauchn. Tr. 3:85-86. 1960.

1636. TANAKA, I. H. Effect of boron on sugar composition in sunflower leaves: role of boron in sugar metabolism of higher plants. (Ja) Nippon Dojo-Hiryogaku Zasshi 37(11):568-572. 1966. 56.8 J27

1637. TANASE, V. Efficiency of photosynthesis in certain cultivated plants (Rum) Bucharest. Acad. Rep. Pop. Romane. Studii Cercetari Biol., Ser. Botan. 16(6), 535-545. 1964. 451 B852

1638. TANGANYIKA. DEPT. OF AGRICULTURE. Control of termite damage to crops. In Its Report 1959:12. Pub. 1960. 24 T15

Seed-dressing reduced the amount of sunflower seed removed by mice.

1639. TANO, F. The oil-producing sunflower in associated culture (It) Ital. Agr. 103(2):165-174. Ref. Feb. 1966. 16 It1

1640. TARABRIN, G. A. Absorption capacity of plant roots and their use of ions absorbed by the medium. (Rus) Mosk. Sel'skokhoz. Akad. Dokl. 1961(70):111-115. 20 M857

Sunflower was one of the crops used in the experiment.

1641. TARAKANOV, O. G., and EREMINA, E. G. Foam formation in nonaqueous media. II. Nature of the destruction of the foams based on dioctyl phthalate. (Rus) Kolloidn. Zh. 27(2):274-278. 1965. 385 K83

Cation-active sunflower phosphatide was used for the preparation of foam from dioctyl phthalate.

1642. TARAN, I. On moisture content of harvested sunflower seed. (Rus) Vest. Sel'skokhoz. Nauki [Moscow] 5:33-34. May 1963. 20 V633

English summary.

1643. TARASOV, S. G. Calculation and determination of time needed for drying sunflower seeds. (Rus) Masl.-Zhir. Prom. 9:7-11. Ref. Sept. 1966. 307.8 M37

Statistical method used.

1644. TARJAN, R., and KRAMER, M. Effect of dietary fats on cholesterol and carotene metabolism. Nutr. Dieta 6(4):263-272. 1964.

Sunflower oil was one of the three fats observed.

1645. TARNAUCEANU, E. Study of the efficiency of certain new nitrate fertilizers for corn, sunflower, and sugar-beet. (Rum) Jassy. Inst. Agron. Ionescu Brad. Iasi. Lucrari Stiint. 1965:63-74. 1965. 106.4 J31L

Russian and French summaries.

1646. TASKER, P. K., and others. Supplementary value of the proteins of sunflower (Helianthus annuus) and sesame seeds to groundnut and bengal gram (Cicer arietinum) proteins. Ann. Biochem. & Expt. Med. 20(2):37-40. Ref. Feb. 1960. 448.8 An73

K. Joseph, M. N. Rao, R. Rajagopalan, A. N. Sankaran, and M. Swaminathan, joint authors.

1647. TELEKI, E., and DELIC, I. The improvement of the quality of sunflower meal by the reduction of hull content. (Se) Stocarstvo 17(5/6): 247-252. Ref. May/June 1963. 43.8 St6

Feed.

1648. TELEKI, E. The sunflower seeds of new varieties with high oil content in oil mill practice. (It) Riv. Ital. Sostanze Grasse 42(12):563-572. Ref. Dec. 1965. 307.8 OL3

English summary.

1649. THOMAS, O. P., and others. Sunflower meal as a source of protein for chicken rations. S. African J. Agr. Sci. 8(4):1061-1068. 1965. 24 Su3

R. S. Martin, J. P. H. Wessels, and J. B. B. Human, joint authors.

1650. THOMAS, P. E. L., and VAN LINDERT, H. J. A. Henderson Research Station sunflower weed-killer experiments 1961-1963. PANS(C) 11(3):273-286. 1965. 79.9 G792

1651. TIFFIN, L. O., and BROWN, J. C. Iron chelates in plant exudate. Plant Physiol. 36(Suppl): 14. 1961. 450 P692

1652. TIFFIN, L. O. Iron translocation. Plant Physiol. 41(3):510-518. Mar. 1966. 450 P692

Sunflower, soybean, cucumber, and tomato.

1653. TIMARIU, A. Recherches sur quelques varietes de tournesol à la Station Agricole Experimentale de Cimpia Turzii. (Rum) Prob. Agr. Bucharest 12(3):31-37. Mar. 1960. 21 R862

French summary.

1654. TIMARIU, S., TASCENKO, V., and BARTA, M. Research on preservation of sunflower capitula and their use in animal feeding. (Rum) Bucharest. Inst. Cercet. Zooteh. Lucrarile Stiint. 22:67-76. 1965. 49.9 R86L

English summary.

1655. TIMASHOV, N. D. The effect of boron on the content of low- or high-polymeric RNA, on the nucleotide composition of RNA and on the activity of ribonuclease of cytoplasmatic structures of sunflower. (Rus) Akad. Nauk SSSR. Dokl. 169(6):1459-1462. Ref. 1966. 511 P444A

1656. TIMASHOV, N. D. Effect of root feeding with the trace elements B and Co, bound to EDTA, on P exchange in potatoes and sunflowers. Rol Mikroelementov v Sel'sk. Khoz., Tr. 2-go (Vtorogo) Mezhvuz, Soveshch. po Mikroelementam 1961:206-211.

1657. TIMOSHENKO, A. On the utilization of microelements on the Chernozem soils of Moldavia. (Rus) Zeml. i Zhivotn. Moldavii 1961(10):20-22. Oct. 20 Z45

Fertilizers for corn and sunflowers.

1658. TIUTIUNNIKOV, B. N., and VYSOTSKII, S. Contribution to the knowledge of the quantitative characteristics of radical selectivity in the hydrogenation of fats. (Rus) Masl.-Zhir. Promysh. 1960(4):25-29. Apr. 307.8 M37

Sunflower oil.

1659. TIUTIUNNIKOV, B. N., and VYSOTSKII, S. The effect of several factors on selectivity in the hydrogenation of fats. (Rus) Masl.-Zhir. Promysh. 1960(5):12-14. May. 307.8 M37

Sunflower oil.

1660. TIUTIUNNIKOV, B. N., and GRECHISHNIKOVA, L. P. Low-molecular-weight fatty acids in sunflower and cottonseed oils and whale fat. (Rus) Maslozhir. Prom. 31(1):9-12. 1965. 307.8 M37

1661. TIUTIUNNIKOV, B. N., and BOGDAN, I. V. The role of some factors in the formation of the isoöleic acids of fats. (Rus) Masl.-Zhir. Promysh. 1962(3):20-25. Ref. Mar. 307.8 M37

Includes information on sunflower and olive oils.

1662. TKACHEV, I. F., and others. Feed value of the sunflower cake with various degrees of thermal denaturation of proteins. (Rus) Zhivotnovodstvo 7:74-77. July 1964. 49 Z6

G. A. Taranenko, V. I. Zvyagintsev, and A. P. Bachikalo, joint authors.

1663. TKACHEV, I. F., and others. The nutritive value of the differently processed sunflower seed cakes. (Rus) Vestnik Sel'skokhoz. Nauk. [Moscow] 5:119-128. May 1965. 20 V633

G. A. Taranenko, A. P. Bachikalo, V. I. Zvyagintsev, Yu. P. Matsuk, and Yu. T. Kovalenko, joint authors.

English summary.

1664. TOICHKINA, A. V. Sunflower oil cakes (obtained) after various moisture and heat treatment (and used) in chicken rations. (Rus) Leningrad. Sel'skokhoz. Inst. Zap. 104:142-154. 1966. 106 L543

1665. TOKAREV, T. M. The complex mechanization of the harvesting of sunflowers. (Rus) Tekh. v Sel'sk. Khoz. 1960(8):19-21. Aug. 58.8 M11

1666. TOKAREV, T. M. Is a special combine needed for sunflowers? For a new technology in the harvesting of the sunflower. (Rus) Zemledelie 1960(11):84-88. Nov. 20 Z44

1667. TOKAREV, T. M. Methods for decreasing sunflower seed injuries during threshing. (Rus) Selek. i Semen. 1960(5):33-35. Sept./Oct. 61.9 Se5

Chiefly from combines.

1668. TOMASZEWSKI, M. Mechanism of synergistic effects between auxin and some natural phenolic substances. Colloq. Intern. Centre Nat'l. Rech. Sci. Paris, no. 123, 335-351. 1963. Pub. 1964.

A study was made of naturally occurring phenols and their interaction with auxins using, among others, etiolated Russian Mammoth sunflower hypocotyls.

1669. TOMOV, A. Poisoning of cattle with wild sunflowers. (Rus) Veterinariya 2:113. Feb. 1965. 41.8 V6426

1670. TOPALA, N. Our experience in sunflower growing. (Rum) Prob. Agr. [Bucharest] 16(2):77-79. Feb. 1964. 21 R862

1671. TOTAH, N., and RODRIGUEZ TORRES, J. R. Determination of oil in sunflower seeds. (Sp) Rev. Argent. Grasas Aceites 8(1):13-16. 1966. 307.8 R322

1672. TOTSUKA, T., OSHIMA, T., and MONSI, M. Effect of water economy on plant growth. 3. Effect of partial excision of root system on the dry matter production of sunflower plant. Bot. Mag. Tokyo 73(868):389-397. Ref. Oct. 1960. 450 B651

1673. TOTSUKA, T. Theoretical analysis of the relationships between water-supply and dry-matter production of plant communities. Tokyo Univ. Fac. Sci. J. Sec. 3. Bot. 8(8-10):341-375. 1963. 513 T571B

In sunflower, transpiration rate of leaves increased with light intensity.

1674. TOUBOL, V., and KAPARIS, V. Oily materials in the shells of sunflower seeds. (Fr) Awamia 15:119-121. Apr. 1965. 24 Aw1

1675. TRET'YAKOV, N. N., and TITOV, V. S. The pre-sowing rolling. (Rus) Zemledelie 1966(4):33-35. 20 Z44

1676. TRUBETSKOVA, O. M., and DANILOVA, N. S. Daily rate of exudation of plants. (Rus) In Akademiya Nauk. SSSR. Institut Fiziologii Rastenii im. K. A. Timiryazeva. Vodnyi rezhim rastenii v svyazi s obmenom veshchestv i produktivnost'yu, p.139-145. 1963. 463.3 Ak1V
Sunflowers.

1677. TRUBETSKOVA, O. M., KLYACHKO, N. L., and LOSEVA, Z. I. Diurnal rhythm of amino acid supply with the sap of the plant. (Rus) Akad. Nauk SSSR, Inst. Fiziol. Rast. Rol Minerl'n. Elementov v Obmene Veschestv i Produktivnosti Rast. 1964:45-52

1678. TRUBITSYN, N. V. Changes in the respiration characteristics of sunflower seeds stored hermetically sealed. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Pishchevaya Tekhnol. 1960:21-23. 389.8 Iz8

1679. TRUBITSYN, N. V., and KOPEIKOVSKII, V. M. The influence of gaseous conditions on sunflower seed microflora. (Rus) Izv. Vysshikh Uchebn. Zavedenii. Pishchevaya Tekhnol. 1:22-23. 1963. 389.8 Iz8

1680. TRUNCHENKOVA, E. S. Fat metabolism in diabetes mellitus and the role of vegetable oils. (Rus) Terapevt. Arkh. 35(4):95-102. 1963.

1681. TRUNINA, Z. V. Influence of phosphorus on the assimilation of molybdenum by plants. (Rus) Severo-Zapadn. Nauchn. -Issled. Inst. Sel'sk. Khoz. Nauchn. Tr. 7:157-162. 1963. 20 Se85

1682. TSALOV, Y. A varietal experiment with sunflower under irrigation. (Bu) Knezha. Inst. po Tsarevitsata. Izv. 6:93-99. Ref. 1963. 59.9 K73
English summary.

1683. TSITSIN, N. V., ed. Wide hybridization in plants. Israel Program for Scientific Translations, 1963. 364 p. 463.62 So8Ae
Discusses sunflower hybrids at length.

1684. TSITSISHVILI, G. V., and BARNABISHVILI, D. N. The sorption of stearic acid on clays and their bleaching ability. (Rus) Poverkhn. Yavleniya na Alyumosilikatakh, Akad. Nauk Gruz. SSR, Inst. Fiz. i Organ. Khim., Sb. Statei 1965:65-70.

1685. TSUKAMOTO, T., YAGI, A., and MIHASHI, K. Plant sterols. I. Gas chromatographic and infrared spectral studies on plant sterols. (Jap) Eiyoyakugaku Zasshi 17(1-2):11-13. 1963. 389.8 J27
Sterols from sunflower seeds.

1686. TSVETKOVA, I. V., and ANDREEVA, I. N. Effect of dust storm on absorbing and synthesizing activity of root system. (Rus) In Akademiya Nauk. SSSR. Institut Fiziologii Rastenii im. K. A. Timiryazeva. Vodnyi rezhim rastenii v svyazi s obmenom veshchestv i produktivnost'yu. p. 235-241. Ref. 1963. 463.3 Ak1V
Corn and sunflowers.

1687. TUERO, G. Waste and native materials as sources of some potassium salts. La Plata Univ. Fac. Cienc. Quim. Rev. 32:93-103. 1960. 385 L31

1688. TUFEGDZIC, N., and PAREZANOVIC-DORDEVIC, L. Rheological properties of soap-fatty oil systems and stabilization of suspensions in oily vehicles. Acta Pharm. Jugoslav. 11-159-166. 1961.

1689. TULLOCH, A. P., and CRAIG, B. M. Determination of double bond position in unsaturated triglycerides by analysis of the oxidation products with gas-liquid chromatography. Am. Oil Chemists' Soc. J. 41(4):322-326. 1964. 307.8 J82
Sunflower was one of the materials tested.

1690. TUMANOV, I. F., and RATNER, M. E. The acetic acid content of some vegetable raw materials. (Rus) Izv. Vysshikh Ucheb. Zavedenii, Lesnoi Zhur. 4(2):153-156. 1961. 99.8 Iz8
Sunflower seed hulls were among the materials examined.

1691. TUMANOV, I. F., and TRAVINA, L. F. Binding of sulfuric acid during hydrolysis of plant materials. (Rus) Khim. Pererabotka Drevesiny. Sb. 8:6-8. 1964.

Sunflower husks.

1692. UBRIZSY, G., and CSONGRADY, MRS. M. Chemical weed control of sunflower. (Hu) Magyar Mezogazdasag 21(14):13-14. Apr. 6, 1966. 19 M27

1693. UDOVENKO, G. V. Physiological role of chlorine in plants. (Rus) Akad. Nauk SSSR. Inst. Fiziol. Rast. Rol Mineral'n. Elementov v Obmene Veschchestv i Produktivnosti Rast. 1964:193-199.

Shaded sunflower leaves took up chlorine more slowly than those in light.

1694. UDOVENKO, G. V. Support for the adsorption theory of the permeability of cells in higher plants. (Rus) Akad. Navuk Belarusk. SSR. Ser. Biyal. Navuk Vesti. 1963(3):24-32. 442.8 M66

Sunflower was one of the plants tested.

1695. UHLIAR, J., and MORHAC, P. The effect of various nutritive elements in soil on yields of summer mixtures of field crops and their composition. (Cz) Czech. Min. Zemedel. Les. Vodn. Hospodar. Ustav. Vedeckotech. Inform. Rostlinna Vyroba 37(11):1149-1158. Ref. Nov. 1964. 64.9 C33

German summary.

Fertilizer combinations applied to corn and sunflower mixtures.

1696. ULEHLA, J. The effect of decreasing soil moisture on the water relations of sunflower seedlings. Biol. Plant. 3(4):312-319. Ref. 1961. 450 B52

1697. UNGAR, I. A. Some effects of controlled conditions on the morphology of Helianthus annuus L. Kans. Acad. Sci. Trans. 63:307-309. Ref. 1962. 500 K13T

Effects of humidity.

1698. URUGUAY. CENTRO DE INVESTIGACIONES AGRICOLAS ALBERTO BOERGER. Memoria anual, 1963. (Sp) La Estanzuela, 1963. 49 p. 9.9 Ur85

Includes a discussion of selection programs in progress for reduced height, increased oil content and resistance to fungus diseases of sunflower plants.

1699. USTINOVA, E. I. Biology of sunflower flowering and pollination. (Rus) Agrobiologiya 6:904-908. Nov./Dec. 1964. 20 Ag822

1700. USTINOVA, E. I. Changes of female gametophyte of sunflower (Helianthus annuus L.). (Rus) Moskov. Obshch. Isp. Prirody. B. Otd. Biol. 69(4):111-117. Ref. July/Aug. 1964. 511 M85

1701. USTINOVA, E. I. Embryological study of the effect of allogeneous pollen on fertilization and ontogeny of the sunflower embryo. (Rus) Moscow. U. Vest. Ser. 6, 1962(1):25-33. Ref. Jan./Feb. 442.9 M854

Pollen from various members of Compositae.

1702. USTINOVA, E. I. Study of interspecific hybrids Helianthus annuus L. (Rus) Moskov. Obshch. Ispytatelei Prirody. Byul. Otd. Biol. 71(2):100-106. Mar./Apr. 1966. 511 M85

1703. UTYUMOVA-MALOVA, A. V., and VERSHININ, A. A. Changes in properties of sunflower oil when fried in the production of canned goods. (Rus) Vopr. Pitan. 25(6):54-57. 1966. 389.8 V89

1704. UZZAN, A., and ARONDEL, M. T. Effect of variety, growth, site, and culture conditions of fatty seeds on the fatty acid composition of their oil. (Fr) Rev. Franc. Corps Gras 12(5):323-334. 1965. 307.8 R32

1705. VAADIA, Y. Autonomic diurnal fluctuations in rate of exudation and root pressure of decapitated sunflower plants. Physiol. Plant. 13(4):701-717. Ref. 1960. 450 P564

1706. VAADIA, Y., RANEY, F. C., and HODGES, T. K. Dispersion of H^3 and transport of Cl^{36} in topped sunflower and grapevine plants. Plant Physiol. 36 (Suppl.):xvi. 1961. 450 P692

1707. VAADIA, Y., and WAISEL, Y. Water absorption by the aerial organs of plants. Physiol. Plant. 16(1):44-51. Ref. 1963. 450 P564

Helianthus annuus and Pinus halepensis.

1708. VAICUM, L. The investigation of some vegetable oils with the help of the phenomenon of spontaneous turbidity of their acetic acid-toluene solutions in contact with water. Bucharest. Acad. rep. populare Romine. Inst. biochem. Studii cercetari biochem. 3:193-200. 1960

1709. VAKRIKOVA, J. Some biological effects of heated fats. (Cz) Cesk. Hyg. 10(3/4):254-257. 1965.

A diet containing 10 percent sunflower oil heated for 120 min. at 180° impaired the reproductive cycle in female mice.

1710. VALATIN, L. Storing of Krasnodar sunflower on ventilation floor. (Hu) Malomipar Termeny-forgalom 12(9):347-349. Nov./Dec. 1965. 298.8 M292

1711. VALICENTI, V. The sunflower in Matera Province. (It) Gior. di Agr. 73(14):143. Apr. 7, 1963. 16 It1G

Culture.

1712. VARDAR, Y., and DENIZCI, R. Some experiments performed with IAA-C^{14} on the auxin transport in relation to the role of sodium glycocholate (Na-G). Schweiz. Bot. Gessell. Ber. 72:132-138. Ref. 1962. 451 Sch9

In Ipomoea and Helianthus.

1713. VARSANYI, J. Sunflower as roughage. (Hu) Magyar Mezogazdasag 19(6):9-10. Feb. 5, 1964. 19 M27

1714. VASIL'EV, D. S. Dotted line method of planting sunflowers. (Rus) Zemledelie 2:72-75. Feb. 1964. 20 Z44

1715. VASIL'EV, D. S., and ANNENKOVA, G. N. Use of herbicides in plantings of sunflowers and other oil crops. (Rus) In Sokolov, N. S., ed. Primenenie gerbitsidov v sel'skom khozyaistve, p. 69-79. 1962. 79 So3P

1716. VASIL'EV, D. S., and others. The use of 2,4-D for control of offset weeds under the fall-plowing system. (Rus) Zemledelie 1961(8):64-66. Aug. 20 Z44

G. N. Annenkova, V. A. Bartenev, and P. A. Kostsov, joint authors.

Chiefly control of Cirsium setosum and Convolvulus arvensis on sunflower and castorbean fields.

1717. VASILEVA-DRYANOVSKA, O. A. On the detection of nucleic acids in the embryo sac of Helianthus annuus L. through the auramine method. Bulgar. Akad. na Nauk. Dok. 14(3):311-314. 1961. 512 So2

1718. VASILEVSKAYA, V. K. Primitive structural characteristics of sunflower shoots. (Rus) Bot. Zhur. [Moscow] 46(6):780-789. Ref. June 1961. 451 R923

English summary.

1719. VASIN, A. V. Enzymic oxidation-reduction properties of lipoprotein emulsions. (Rus) Saratovsk. Nauchn.-Issled. Vet. Sta. Sb. Nauchn. Rabot. 5:72-77. 1961. 41.9 Sa73

Lipoprotein emulsions were prepared by mixing sunflowerseed oil with serum and egg albumin in different proportions.

1720. VASSILEVA-DRYANOVSKA, O. A. Fluorescent microscopy of DNA in nuclei of embryo sacs. Bulgar. Akad. na Nauk. Dok. 17(6):585-588. 1964. 512 So2

Of Helianthus annuus, Nicotiana tabacum and N. glutinosa.

1721. VEDERNIKOV, N., and ODINCOVS, P. Effect of steam bleeding ratio on furfural yield. (Rus) Latvijas PSR Zinatnu Akad. Vestis Kim. Ser. 1963(2):237-239. 511 R442

Sunflower seed husks.

1722. VENTSLAVOVICH, F. S., and OLEINIKOVA, T. V. Effect of gibberellin on growth, development and green matter yield of sunflower. (Rus) Trudy po Prikl. Bot. Genet. i Selek. 35(2):25-32. Ref. 1963. 451 R92

English summary.

1723. VERGELESOV, V. M., BELOUSOV, A. P., and ANDRIANOV, YU. P. Polymorphic transformations in some fats and fatty bases of margarine. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Tekhnol. 1965(5):50-55. 389.8 Iz8

1724. VETTER, H., and SCHARAFAT, S. Root distribution of crop plants in subsoil. (Ge) Z. Acker- u. PflBau. 120(3):275-298. 18 J825
Sunflowers had the greatest root surface area.

1725. VIDALKO, N. E. Means to increase production of sunflowers in the Ukraine SSR. (Rus) Masl. Zhir. Promysh. 6:1-3. June 1964. 307.8 M37
Situation and outlook.

1726. VIKTOROV, D. P., and ERDELI, G. S. Effect of growth substances on content of ascorbic acid and drought resistance in sunflower as induced by different dosage of phosphorus fertilizers. (Rus) Vesoyuznoe Botanicheskoe Obshchestvo. Voronezhskoe Otdeleie. Nauchnye Zapiski 1964:10-14. Not in Libr.
Abstracted in Ref. Zh. Otd. Vypusk [Ser] 55. Rastenievod. 14:31. July 1965. Film S-202

1727. VINOT, G. La récolte du tournesol. Oléagineux 16(7):441-443. July 1961. 77.8 OL2
Chiefly harvesting equipment.

1728. VIRKUS, A. YU., and LOBANOV, D. I. Separation of methyl esters of higher fatty acids with the gas-liquid chromatograph UH-1. (Rus) Izv. Vysshikh Uchebn. Zavedenii, Pishchevaya Tekhnol. 1964(3):163-166. 389.8 Iz8
The contents of myristic, palmitic, stearic, oleic, and linolenic acids in cottonseed oil and sunflower oil were determined by this method.

1729. VISHNEVSKII, N. E., and others. Intensification of liquid-phase catalytic hydrogenation in apparatus with mechanical stirring. (Rus) Maslozhir. Prom. 32(3):17-20. 1966. 307.8 M37
D. M. Maiorov, N. L. Melamud, and D. V. Sokol'skii, joint authors.

1730. VISOCKIS, R. Changes in serum lipid and lipoprotein level as a consequence of a fatty meal in rats of different ages. (Rus) Latvijas PSR Zinatnu Akad. Vestis 1962(5):119-126. 511 R442

1731. VISOCKIS, R., and HEIDEMANIS, K. Distribution of fat labeled with I-131 after fat loading in white rats of various ages. (Rus) Latvijas PSR Zinatnu Akad. Vestis 1962(7):119-121. 511 R442

1732. VISSER, J. H. Root exudates of Eragrostis curvula as an ecological factor. Int. Grassland Cong. Sao Paulo, Brazil, Jan. 1965. Paper.
Development of Helianthus annuus was stimulated in the presence of these exudates.

1733. VITOLS, R. Acid content of silage. (Rus) Zhivotnovodstvo 1959(5):35-36. 49 Z6

1734. VIVAL'KO, I. G., and DOVGALENKO, G. V. Effect of ammonium and nitrogen nutrition on accumulation of oil in sunflower seeds. (Uk) In Zhivlennya ta udobrennya sil'skohospodars'kykh kul'tur 1964:40-50. (Not in NAL)
Abstracted in Ref. Zh. Otd. Vypusk [Ser.] 55, Rastenievod. 14:31. July 1965. Film S-202

1735. VOGEL, F. The results of variety trials of sunflower 1963-1965 and a few remarks on the cultivation of this oil plant in French-speaking Switzerland. (Fr) Agric. Romande. Ser. A. 1966(5):109-114. 17 Ag8

1736. VOINARSKAYA, V. V. Determination of lipase activity in cultures of molds. (Rus) Tr., Vses. Nauchn.-Issled. Inst. Fermentnoi i Spirt. Prom. no. 16, 64-68(1965)
Sunflower oil was used in the experiment.

1737. VOINOVA-RAIKOVA, Z., and BAKALIVANOV, D. Biological activation of organic-mineral fertilizer mixtures. (Bulg) Bulgar. Akad. Nauk. Tsentr. Nauchnoizsled. Inst. Pochv. Agrotekhn. "Nikola Pushkarov," Izv. 2:39-56. 1962. 56.9 So2

1738. VOISIN, J. C. Perspectives nouvelles en France pour le tournesol. Oleagineux 16(4):263-264. Ref. Apr. 1961. 77.8 OL2

1739. VOISIN, J. C. The sunflower, a crop that is confirmed in its technique and marketing. (Fr) Coop. Agr. [Paris] 9(101):29-31. June 1962. 280.28 C78972
Cooperatives.

1740. VOISIN, J. C. The sunflower, a crop that is vouched for in processing and marketing. (Fr) Coop. Agr. [Paris] 10(110):13-14. Mar. 1963. 280.28 C78972

1741. VOISIN, J. C. The sunflower: a crop which asserts itself in its technique and marketing. (Fr.) Coop. Agr. [Paris] 11(123):27-28. Apr. 1964. 280.28 C78972
Situation.

1742. VOISIN, J. C. The sunflower; determination of the oil content. (Fr) Coop. Agr. [Paris] 11(129):17-19. Oct.1964. 280.28 C78972

1743. VOL'F, V. G. Sonyashnyk na Ukrayini [Sunflowers in the Ukraine]. Kyyiv, Derzhsil'hospvydav URSR, 1962. 190 p. Ref. 77 V882

1744. VOL'F, V. G. Yields and oil content of stock seed of sunflower in Ukraine. (Rus) Selek. i Semen. 5:30-34. Sept./Oct. 1963. 61.9 Se5
Germination.

1745. VOLKOVA, M. G., and ZURAVLEV, E. M. The influence of gibberellic acid on different agricultural plants. (Rus) Fiziol. Rast. 10(2):231-234. 1963. 450 F58
Sunflower was one of the plants observed.

1746. VOLODARSKII, N. I., and GAZENKO, A. I. On the phasic heterogeneity of the tissues in the sunflower (Helianthus annuus L.). (Rus) Bot. Zhur. [Moskva] 45(5):742-745. May 1960. 451 R923

1747. VOLOVIK, P. P. Use of chlorazine in weed control of sunflower stands. (Rus) Vest. sel'skokhoz. Nauki [Moscow] 10:23-24. 1963. 20 V633
English summary.

1748. VOROB'EV, N. E. Use of dichloral urea in sunflower seedlings. (Rus) Khim. Sel. Khoz. 4(9):679-681. 1966. 385 K524
Not a suitable herbicide because of damage to crop.

1749. VORSTER, L. J. The edible oilseeds (peanut, sunflower) industry of South Africa. S. African Med. J. 38(29):652-654. 1964.

1750. VREBALOV, T., NIKOLIC-VIG, V., and RADENKOVIC, B. Results of experiments with varieties and cultural practices of sunflower in Yugoslavia. (Se) Savremena Poljorprivreda 11 (7/8):508-521. July/Aug.1963. 21 P75
English summary.

1751. VRINCEANU, V. Inheritance of male sterility sources in sunflower. (Rum) Probl. Agric. 19(2):28-39. 1967. 21 R862

1752. VRINCEANU, V. The production of elite seed and annual renewal of sunflower varieties. (Rum) Prob. Agric. 12(7):41-46. 1960. 21 R862
Improvement of seed yield and oil content.

1753. VUCIC, N., and others. The effect of irrigation method on the intensity of disease occurrence, yield and quality of sunflower in 1964. (Se) Savremena Poljoprivreda 13(11): 905-912. Nov. 1965. 21 P75
M. Acimovic, J. Vucic, and B. Jocic, joint authors.
English summary.

1754. VUKAVIC, D., and others. Substitution of sunflower seed oil meal with urea as a source of nitrogen in fattening of young bulls. (Se) Arh. za Poljoprivredne Nauke 14(45):17-24. Ref. 1961. 21.5 Y9
S. Zivković, M. Kosanović, S. Bacvanski, and T. Cobić, joint authors.
English summary.

1755. VULEV, V. Irrigation regime of sunflower on Chernozem-Smonitza soil. (Bu) Chirpan. Inst. Pamuka. Izv. 3:57-77. Ref. 1963. 72.9 C446
English summary.

1756. VULEV, V. The results of testing Bulgarian and Soviet varieties of sunflowers. Chirpan. Nauchnoizsled. Inst. po Pamuka. Izv. 2:21-27. 1962. 72.9 C446

English summary.

Chiefly with reference to yields.

1757. VULPE, O. Influence of planting time on mildew of sunflower. (Rum) Prob. Agr. [Bucharest] 15(3):70-73. Mar.1963. 21 R862

French summary.

1758. VUYST, A. DE, and others. Amino acids in oil cakes. Agricultura (Louvain) 11(3):385-390. 1963. 13 R32

W. Vervack, M. Vanbelle, R. Arnoud, and A. Moreels, joint authors.

Sunflower seed cakes were among those analyzed.

1759. VYSOTSKII, R. YA. Changes in lipid metabolism of rats of varying age on fat administration. Tr. 1-oi (Pervoi) Biokhim. Konf. Pribaltiisk. Resp. i Belorussii, Tartusk. Gos. Univ. Est. SSR, Estonsk. Biokhim. Obshchestvo, Tartu 1960:304-311. Pub. 1961.

1760. VYSOTSKII, R. YA. Changes of phospholipid and the cholesterol level in blood serum of rats of different ages after fat loading. (Rus) Latvijas PSR Zinatnu Akad. Vestis 1962(4):101-110. 511 R442

Sunflower oil was one of the fats used.

1761. VYVAL'KO, I. G. Effect of the form of nitrogenous fertilizer on the modification of content of oil in seeds of oil crops. Vopr. Uluchsheniya Kachestva Sel'skokhoz. Produktsii, Ukr. Akad. Sel'skokhoz. Nauk, Tr. Nauchn. Sessii, Khar'kov 1959(3). 119-126. Pub. 1960. 20 UK76

1762. WAGGONER, P. E., MOSS, D. N., and HESKETH, J. D. Radiation in the plant environment and photosynthesis. Agron. J. 55(1):36-39. 1963. 4 Am34P

With reference to maize and sunflowers.

1763. WALKER, R. B., and GROVER, R. Effects of calcium and magnesium on growth of the common sunflower. Plant Physiol. 35(Suppl):xxii. 1960. 450 P692

1764. WALLACE, K. E. (summarizer). Control of (broadleaved) annual weeds. (Numerous abstracts). InN. Centr. Weed Contr. Conf. Proc. Annu. Meeting 17:113. 1961. 79.9 N81

Control of weeds in sunflowers discussed along with many others.

1765. WALLES, B. Plastid structures of carotenoid-deficient mutants of sunflower (Helianthus annuus L.). 1. The white mutant. Hereditas 53(1/2):247-256. 1965. 442.8 H42

1766. WANAMAKER, G. E. USSR sunflower acreage, oil yield reported to be rising. For. Agr. 3(5):8 Feb.1, 1965. A281.9 F75Fo

1767. WANG, T.-D., and WEI, J. The CO_2 assimilation rate of plant communities as a function of leaf area index. (Ch) Acta Bot. Sin. 12(2):154-158. 1964. 450 C32

The CO_2 assimilation curves for wheat, rice and sunflower, in a growth chamber, were all similar in general form.

English summary.

1768. WASMUND, R., and FLEMMING, E. Research on the extractability of fat-containing bleaching earths in normal uncontinuous oilseed extraction equipment. (Ge) Seifen-Ole-Fette-Wachse 91(3):55-59. Feb.3, 1965. 307.8 Se4

English summary.

1769. WASSILEWA-DRJANOWSKA, O. A. The detection of nucleic acids in the embryo sac of Helianthus annuus by the auramine method. Bulg. Akad. Nauk. Dokl. 14:311-314. 1961. 512 So2

1770. WATANABE, R., and others. Effect of boron deficiency of polyphenol production in the sunflower. Phytochemistry 3(3):391-393. Ref. May 1964. 450 P5622

W. Chorney, J. Skok, and S. H. Wender, joint authors.

1771. WEISS, C., and VAADIA, Y. Kinetin-like activity in root apices of sunflower plants. Life Sci. 4(13):1323-1326. Ref. July 1965. 442.8 L62

1772. WEISS, E. A. Sunflower trials in western Kenya. East Afr. Agr. Forest. J. 31(4):405-408. Apr. 1966. 24 Ea74
Culture of plant for forage.

1773. WEISSMAN, G. S. Effect of ammonium and nitrate nutrition on protein level and exudate composition. Plant Physiol. 39(6):947-952. Ref. Nov. 1964. 450 P692
Sunflower as test plant.

1774. WELTE, E., and TROLLDENIER, G. The influence of soil microorganisms on the formation of dry substance and ash content of plants growing in nutrient solution. (Ge) Arch. f. Mikrobiol. 43(2):138-147. Ref. 1962. 442.8 Ar26
Trifolium pratense and Helianthus annuus.

1775. WELTE, E., and WERNER, W. Potassium-magnesium antagonism in soils and crops. J. Sci. Food Agr. 14:180-186. 1963. 382 Sol2
Field tests were run on sunflowers and other crops.

1776. WELTE, E., KLOKE, A., and MARCKWORDT, U. Reducing the uptake of strontium by plants from soil. (Ge) Atompraxis 7(1):3-7. 1961. 334.8 At73

1777. WENDLING, H. Industrial utilization of sunflowers. (Fr) Rev. Franc. des Corps Gras 10(1):3-8. Jan. 1963. 307.8 R32

1778. WESTDAL, P. H., and BARRETT, C. F. Injury by the sunflower maggot, Strauzia longipennis (Wied.) (Diptera:Trypetidae), to sunflowers in Manitoba. Canad. J. Plant Sci. 42(1):11-14. Jan. 1962. 450 C16

1779. WESTDAL, P. H., and BARRETT, C. F. Life-history and habits of the sunflower maggot, Strauzia longipennis (Wied.) (Diptera: Trypetidae), in Manitoba. Canad. Ent. 92(7):481-488. Ref. July 1960. 421 C 16

1780. WETSIK, V. Green manuring experiments with lupine and sunflower. (Hu) Agrártudomány 12 (11):4-8. Nov. 1960. 19 Ag83

1781. WHISTLER, R. L., and GAILLARD, B. D. E. Comparison of xylans from several annual plants. Arch. Biochem. Biophys. 93:332-334. 1961. 381 Ar2
Sunflower stalks.

1782. WHITEHEAD, F. H. Experimental studies of the effect of wind on plant growth and anatomy. II. Helianthus annuus. New Phytol. 61(1):59-62. Mar. 1962. 450 N42

1783. WHITEHEAD, F. H. Experimental studies of the effect of wind on plant growth and anatomy. IV. Growth substances and adaptive anatomical and morphological changes (Helianthus annuus). N. Phytol. 62(1):86-90. 1963. 450 N42

1784. WHITEHEAD, F. H., and HOOD, J. S. R. A method of maintaining fractions of field capacity in pot experiments. New Phytol. 65(2):240-244. 1966. 450 N42

1785. WIEBE, H. H., and WIHRHEIM, S. E. The influence of internal moisture stress on translocation (of photosynthetized substances in sunflower leaves). InSymp. Radioisotopes Soil-Plant Nutr. Studies, Proc. Bombay, 1962:279-288. 387.1 Sy65

1786. WIERSUM, L. K. Uptake of nitrogen and phosphorus in relation to soil structure and nutrient mobility. Plant Soil 16(1):62-70. 1962. 450 P696
Sunflower seedlings were among those studied.

1787. WILKENS, J. A., and DE WIT, H. The effect of dietary lipids on the serum cholesterol of rats. Can. J. Biochem. Physiol. 40:1079-1090. 1962. 470 C16E
The hypocholesterolemic activity of sunflower seed oil was studied.

1788. WILSON, A. M., and MCKELL, C. Effect of soil moisture stress on absorption and translocation of phosphorus applied to leaves of sunflower. Plant Physiol. 36(6):763-765. Ref. Nov.1961. 450 P692

1789. WILSON, J. W. Effect of temperature on net assimilation rate. Ann. Bot. (n.s.)30(120):753-761. Ref. Oct.1966. 450 An7
Rape, sunflower and maize.

1790. WILSON, J. W. High net assimilation rates of sunflower plants in an arid climate. Ann. Bot. (n.s.)30(120):745-751. Ref. Oct.1966. 450 An7

1791. WILSON, P. M. W., and WILSON, J. W. Cambial regeneration in approach grafts between petioles and stems. Aust. J. Biol. Sci. 16:6-18. 1963. 442.8 Au72
Sunflower was one of the plants used in this test.

1792. WITT, J. The effect of nitrogen deficiency on the growth hormones of Helianthus annuus L.(Ge) Portugaliae Acta Biol. Ser. A 8(3/4):195-247. Ref. 1964. 442.8 P83
English summary.

1793. WOLFF, J. P. Comparison of different methods for the determination of linoleic acids in oils. (Fr) Rev. Franc. Corps Gras 8:68-84. 1961. 307.8 R32

1794. WURZIGER, J., and GUNTHER, F. Zur Untersuchung und lebensmittelrechtlichen Beurteilung naturbelassener kaltgeschlagener Sonnenblumenöle. Fette, Seifen, Anstrichmtl. 63(6):519-523. June 1961. 384 C422
English summary.

1795. YACHENKO, N. I. D. Nitrogen-containing substances in the vegetative plant parts of sunflower. (Rus) Kishinev. Gos Univ. Tr. Khim. Prir. Soedin. 6:132-145. 1966.

1796. YAKUSHKINA, N. I., and LIKHOLAT, T. F. The effect of 2,4-D on the oxidized phosphorylation of mitochondria isolated from plants of different taxonomic groups. (Rus) Akad. Nauk SSSR. Dok. 161(4):975-977. 1965. 511 P444A
Corn and sunflower.

1797. YEH, C. F., and JUAN, T. L. Studies in the characteristics of growth and development of sunflowers in mandarin orange orchards and their cultural practices. (Ch) Zhongguo Nongye Kexue 4:47-50. Apr. 1964. 22.5 N928

1798. YORDANOV, I. Concerning the diurnal dynamics of the free amino acids in the bleeding sap of sunflower. (Bu) Bulg. Akad. Nauk. Inst. Fiziol. Rast. "Metod. Popov." Izv. 15:257-267. Ref. 1966. 442.9 B87
English summary.

1799. YUDINTSEVA, E. V. The influence of potassium of the accumulation of ^{137}Cs in the crops of agricultural plants. (Rus) Mosk. Sel'skokhoz. Akad. Dokl. 89:349-355. 1963. 20 M857
Sunflower was one of the crops studied.

1800. YUKHNOVSKII, G. L., and VOLOSYUK, V. M. Synthesis of alkyd resins by stepwise esterification. (Rus) Lakokrasochnye Materialy i ikh Primenenie 1963(5):18-21.
Sunflower oil fatty acids were used in the process.

1801. YUR'EV, E., and VILKOV, V. Cluster planting without wire. (Rus) Tekh. v Sel'sk. Khoz. 3:53-59. Mar.1964. 58.8 M11
Planting equipment for corn and sunflower.

1802. YUR'EVA, V. I. Trace elements in soils and plants of some areas of the Chelyabinsk Region. (Rus) Troitsk Troitskogo Vet. Inst. Tr. 8(1):20-25. 1962. 41.9 T74
Sunflower plants were used in the investigation.

1803. YUSKEVICH, T. I., and TURLO, Z. I. Refractometric method in determination of raw oil. (Rus) Maslozhirovaya Prom. 12:9-11. Dec. 1965. 307.8 M37
In sunflower seeds.

1804. ZAGIC, J., and PREININGEROVA, J. Hydrogenation of sunflower oil at low temperatures. (Cz) Prague. Vysoka Sk. Chem.-Technol. Sborn. Potravinarska Technol. 7(1):135-150. Ref. 1963. 389.9 P88
English summary.

1805. ZAHARIA, O. Increased oxidation of glycine by the polyphenoloxidase of the sunflower in the presence of proline. (Rum) Bucharest Acad. Rep. Populare Romine, Inst. Biochimie, Studii Cercetari Biochimie 4:235-239. 1961.

1806. ZAKURDAEV, P. D. Some problems in storage of raw sunflower oil. (Rus) Masl.-Zhir. Promysh. 1962(2):38-39. Feb. 307.8 M37

1807. ZAMFIRESCU, N., and others. Contribution to forage-plant crop in stubble field in reddish brown forest soil at the Experimental Farm, Baneasa. (Rum) Bucharest. Institutul Agronomic "N. Balcescu". Lucrari Stiint. Ser. A. 7:257-263. 1963-1964. 106.4 B854A

G. Bilteanu, P. Burcea, C. Barbulescu, and D. Costache, joint authors.

German summary.

Sunflower was one of the best crops for these conditions.

1808. ZAMFIRESCU, N., BILTEANU, G., and VOICA, R. Investigations on humidity regimen of sunflower by vegetative phases. (Rum) Bucharest. Inst. Agron. "N. Balcescu." Lucrari Sti. Ser. B, 5:101-112. 1961. 106.4 B854B

English summary.

1809. ZANE, A., and WENDER, S. H. Depsides in sunflower leaves. Nature [London] 209(5018):80-81. Jan. 1, 1966. 472 N21

1810. ZANE, A., and WENDER, S. H. Identification of gentisic acid-5-B-D-glucoside in boron-deficient sunflower plants. Chem. & Indus. 44:1835-1836. Oct. 31, 1964. 382 M31C

1811. ZARUBIN, M., and TISHCHENKO, D. V. Mechanical dewatering of hydrolysis lignins. (Rus) Izvest. Vysshikh Ucheb. Zavedenii, Lesnoi Zhur. 4(5):156-159. 1961. 99.8 Iz8

Sunflower hulls were among the materials that required higher pressing loads for dewatering.

1812. ZATHURECKY, L., and SOMOSKEOY, G. Estimation of the stability of stabilized and unstabilized animal and vegetable fats. (Ge) Kosmetik-Parfum-Drogen-Rundschau 7:133-138. 1960

1813. ZATHURECKY, L., and SOMOSKEOY, G. Evaluation of the action of antioxidants on the stability of salve bases with animal and plant fats by application of the accelerated method of active oxygen. (Cz) Cesk. Farm. 10(10):497-506. 1961.

Sunflower oil was one of the salve bases tested.

1814. ZATHURECKY, L., KRUPA, V., and ROCHOVA, M. Stabilizing effect of boric acid on lanolin and lanolin-oil mixtures. (Ge) Kosmetik-Parfum-Drogen Rundschau 11(3/4):35-40. 1964.

Sunflower oil was used in some of the mixtures.

1815. ZAUSCH, M. Digestibility and nitrogen balance trials with sunflower oil meal for pigs. Arbeitsgemeinsch Fuetterungsberat Jahrb. 4:238-240. 1961-62. 389.79 Arl

Barley was given as the basal feed with the oilmeal and digestibility of the oilmeal estimated by difference.

1816. ZAV'YALOV, V. Is a special combine needed for sunflowers? Our objections. (Rus) Zemledelie 1960(11):89. Nov. 20 Z44

1817. ZDANOV, L. A. Speech describing oil content of Soviet sunflowers given at the Presidium of the Lenin Academy of Agricultural Sciences. (Rus) Vestn. Sel'skohoz. Nauk. 1966(11):130-136. 20 V633

1818. ZEMANEK, J. Study of residual effect of sodium trichloro-acetate in the soil and its effect on subsequent plantings. (Cz) Ceskoslov. Akad. Zemedel. Ved. Sb. Rostlinna Vyroba 7:1031-1048. 1961. 64.9 C33

1819. ZEMLYANUKHIN, A. A., and ALEKSEEVA, O. V. Diurnal variations of organic acids in sunflower leaves. (Rus) Nauchn. Dokl. Vysshei Shkoly, Biol. Nauki 1966(1):176-181. 442.8 N22

1820. ZEMLYANUKHIN, A. A. and ZVYAGINTSEV, V. I. Influence of heteroauxin on the content of organic acids in the sunflower. (Rus) Akad. Nauk SSSR. Dokl. 167:468-470. Ref. 1965. 511 P444A

1821. ZEMSKAYA, V. A., and RAKITIN, YU. V. Detoxication of isopropul N-phenylcarbamate (IPC) in sunflower and oat plants. (Rus) Fiziol. Rast. 8(2):220-225. Ref. 1961. 450 F58
English summary.
This journal will appear in English translation.

1822. ZEMSKAYA, V. A., and RAKITIN, YU. V. Metabolism of 2,4-D in sunflower and oat plants. (Rus) Agrokhimiya 7:101-112. Ref. July 1964. 385 Ag89

1823. ZENK, M. H., and MUELLER, G. The effect of the wound surface upon the enzymic oxidation of indoleacetic acid in vivo. (Ge) Planta 61(4):346-351. 1964. 450 P693

1824. ZENK, M. H. Pathways of salicyl alcohol and salicin formation in Salix purpurea. Phytochemistry 6(2):245-252. 1966. 450 P5622
Sunflower was used in some of these experiments in an attempt to verify that free salicyl alcohol cannot be the direct precursor of salicin.

1825. ZHDANOV, L. A. Additional pollination of sunflowers with foreign pollen. (Rus) In Akademiya Nauk SSSR. Institut Genetiki. Genetika-sel'skomu khozyaistvu, p. 387-398. Ref. 1963. 463.6 Ak1
Effect on yields.

1826. ZHDANOV, L. A. Basic tasks in the selection of oil crops in the USSR. (Rus) Vest. Sel'skokhoz. Nauki 1960(6):46-52. June. 20 V633
English summary.
Chiefly sunflowers.

1827. ZHDANOV, L. A. Effect of allogeneous pollen during pollination of sunflowers. (Rus) In Ivanov, N. I. Nauka-sel'skomu khozyaistvu, p. 223-232. 1963. 64 Iv12

1828. ZHDANOV, L. A. Methods of utilization of heterogenetic foreign supplementary pollination in the selection of sunflower. (Rus) Agrobiologiya 4:483-489. 1963. 20 Ag822
With reference to genetics.

1829. ZHDANOV, L. A. Present data and prospects for use of alien pollen in sunflower breeding. (Rus) Vest. Sel'skokhoz. Nauki [Moscow] 3:122-124. Mar. 1963. 20 V633

1830. ZHDANOV, L. A. Short account, methods and tasks in breeding of sunflowers. (Rus) Agrobiologiya 6(156):813-823. Nov./Dec. 1965. 20 Ag822

1831. ZHDANOV, L. A. Ways of using pollination with allogeneous pollen in the breeding of sunflowers. (Rus) Selek. i Semen. 3:24-28. May/June 1963. 61.9 Se5

1832. ZHDANOVA, L. P., LEBEDEVA, N. M., and CHIVIZH, O. Activity of the leaf apparatus and formation of seeds in sunflower plants. (Rus) Fiziol. Rast. 7(1):35-43. Ref. 1960. 450 F58
English summary.
This journal will appear in English translation 450 F58Ae.

1833. ZHDANOVA, L. P. Content of volatile acids in leaves and seeds of ripening oil-bearing plants. (Rus) Akad. Nauk SSSR. Dokl. 156(5): 1229-1231. 1964. 511 P444A
Sunflower, poppy, and flax.

1834. ZHILIN, N. YA. Some peculiarities of sunflower and pea interplanting for silage in Tambov Region. (Rus) Moskov. Ord. Lenina Sel'skokhoz. Akad. K. A. Timiryazerva. Dokl. 98:53-57. 1964. 20 M857

1835. ZHIRNOV, B. F. Photosynthesis in high and low oil-producing varieties of sunflower. (Rus) Fiziol. Rast. 9(3):318-324. Ref. 1962. 450 F58
English summary.
This journal will appear in English translation 450 F58Ae.

1836. ZHUBANOV, K. A., and others. Continuous hydrogenation of fats during vigorous mixing. (Rus) Tr. Inst. Khim. Nauk, Akad. Nauk Kaz. SSR 14:129-258. 1966.

D. V. Sokol'skii, V. P. Kuidina, and F. B. Bizhanov, joint authors.

1837. ZHUBANOV, K. A., and SOKOL'SKII, D. V. Selectivity of a continuous oil hydrogenation. (Rus) Akad. Nauk Kaz. SSR, Izv. Ser. Khim. Nauk 14(4):65-68. 1964. 385 A162

1838. ZHUBANOV, K. A., and SOKOL'SKII, D. V. Transisomerization in the continuous hydrogenation of (sunflower seed) oils. (Rus) Tr. Inst. Khim. Nauk, Akad. Nauk Kaz. SSR 13:207-209. 1965.

1839. ZHUKOVSKII, A. V. On a mass appearance of Phytometra gamma [i. e. Autographa gamma] in Voronezh Region in 1960. (Rus) Voronezh. Sta. Zashch. Rast. Trudy 16:52-60. 1962. 464.9 V91

Sunflowers, sugar beets, and potatoes attacked.

1840. ZHURAVLEV, A. I. Effect exerted by gamma-radiation of sunflower seed oil. (Rus) Vopr. Pitaniya 20(2):65-69. 1961. 389.8 V89

1841. ZHURAVLEV, A. I., LOMOVA, M. A., and BENEVOLENSKII, V. N. Toxicity of irradiated and oxidized fat. (Rus) Med. Radiol. 6(2):46-51. 1961.

1842. ZIMONT, H. Effect of peat composts in combination with mineral (KP) fertilizers under different soil moisture conditions. (Pol) Rocz. Gleboznawcze 13(sup.):293-297. 1963. 56.8 R592

English summary.

Tests with sunflower.

1843. ZITKO, V., and BISHOP, C. T. Fractionation of pectins from sunflowers, sugar beets, apples, and citrus fruits. Canad. J. Chem. 43(12):3206-3214. Ref. Dec. 1965. 470 C16B

1844. ZITKO, V., and BISHOP, C. T. Structure of a galacturonan from sunflower pectic acid. Canad. J. Chem. 44(1):1275-1282. Ref. June 1, 1966. 470 C16B

1845. ZITLER, T. N., and others. The enterokinase and phosphatase contents in the mucosa of the small intestine of rats given thermally oxidized sunflower oil with their food. (Rus) Vopr. Pitaniya 25(1):40-41. 1966. 389.8 V89

M. N. Markova, M. Ya. Brents., and N. A. Nazarova, joint authors.

1846. ZOELLNER, H., and PLENERT, W. Continuing research on the serum lipids in infancy and childhood under the conditions of nutriment, sickness, and medical assistance. (Ge) Tr. Symp. Drugs Affecting Lipid Metab., Proc. Milan 1960:466-471. Pub. 1961.

AUTHOR INDEX

☆ U. S. GOVERNMENT PRINTING OFFICE : 1969—343-498/NAL-106