



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

29847m X

**UNITED STATES
DEPARTMENT OF AGRICULTURE**

Miscellaneous Publication No. 203

Washington, D. C.

November 1934

COTTON AND COTTONSEED

A list of the publications of the United States
Department of Agriculture on these subjects, including
early reports of the United States
Patent Office

Compiled by


RACHEL P. LANE

Junior Library Assistant
Division of Cotton and Other Fiber Crops and Diseases
Bureau of Plant Industry

Under the Direction of

EMILY L. DAY

Library Specialist in Cotton Marketing
Bureau of Agricultural Economics



UNITED STATES
DEPARTMENT OF AGRICULTURE

Miscellaneous Publication No. 203

Washington, D. C.

November 1934

COTTON AND COTTONSEED

A list of the publications of the United States
Department of Agriculture on these subjects, including
early reports of the United States
Patent Office

Compiled by

RACHEL P. LANE

Junior Library Assistant
Division of Cotton and Other Fiber Crops and Diseases
Bureau of Plant Industry

Under the Direction of

EMILY L. DAY

Library Specialist in Cotton Marketing
Bureau of Agricultural Economics



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1934

SOURCES CONSULTED

Card catalogs of the following libraries:

United States Department of Agriculture.

United States Department of Agriculture, Bureau of Agricultural Economics.

United States Department of Agriculture, Bureau of Agricultural Economics, Division of Cotton Marketing Branch.

Indexes and bibliographies:

ALLEN, J. M. CHECK LIST OF PUBLICATIONS ISSUED BY THE BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE, 1901-20 AND BY THE DIVISIONS AND OFFICES WHICH COMBINED TO FORM THIS BUREAU 1862-1901. U.S. Dept. Agr. Libr. Bibliog. Contrib. 3, 124 pp. 1921. [Mimeographed.]

HANDY, R. B., and CANNON, M. A. LIST BY TITLES OF PUBLICATIONS OF THE UNITED STATES DEPARTMENT OF AGRICULTURE FROM 1840 TO JUNE, 1901, INCLUSIVE. U.S. Dept. Agr., Div. Pubs. Bull. 6, 216 pp. 1902.

HUNT, M. G. LIST OF PUBLICATIONS OF THE UNITED STATES DEPARTMENT OF AGRICULTURE FROM JANUARY, 1901, TO DECEMBER, 1925, INCLUSIVE. U.S. Dept. Agr. Misc. Pub. 9, 182 pp. 1927.

Supplementary to bulletin no 6, Division of Publications, issued in 1902 but duplicating that list for months of January-June 1901.

— LIST OF PUBLICATIONS OF THE UNITED STATES DEPARTMENT OF AGRICULTURE FROM JANUARY, 1926, TO DECEMBER, 1930, INCLUSIVE. U.S. Dept. Agr. Misc. Pub. 153, 46 pp. 1932

Supplementary to U.S. Dept. Agr. Misc. Pub. 9.

UNITED STATES DEPARTMENT OF AGRICULTURE, DIVISION OF PUBLICATIONS. INDEX TO THE ANNUAL REPORTS OF THE UNITED STATES DEPARTMENT OF AGRICULTURE FOR THE YEARS 1837-93, INCLUSIVE. 252 pp. 1896.

All references * * * to subjects previous to 1862 are necessarily to Patent Office reports. Since and including 1862, when the Department of Agriculture was separated entirely from the jurisdiction of the Patent Office, references are to the reports of this Department.

—, BUREAU OF AGRICULTURAL ECONOMICS, DIVISION OF COTTON MARKETING. COTTON LITERATURE. v. 1-3, nos. 1-7. 1931-July 1933, also its predecessor, CURRENT LITERATURE ON COTTON, v. 1, nos. 1-6, July-December 1930. [Mimeographed.]

Selected references prepared in the Library of the United States Department of Agriculture with the cooperation of the Bureau of Agricultural Economics, Bureau of Plant Industry, and Bureau of Entomology. Compiled by Emily L. Day.

COTTON AND COTTONSEED

A LIST OF PUBLICATIONS OF THE UNITED STATES DEPARTMENT OF AGRICULTURE ON THESE SUBJECTS, INCLUDING EARLY REPORTS OF THE UNITED STATES PATENT OFFICE

Compiled by RACHEL P. LANE, *junior library assistant, Division of Cotton and Other Fiber Crops and Diseases, Bureau of Plant Industry*, under the direction of EMILY L. DAY, *library specialist in cotton marketing, Bureau of Agricultural Economics*.

CONTENTS

	Page		Page
Sources consulted.....	11	Cooperative marketing.....	72
Introduction.....	1	Fiber quality.....	74
Plant characteristics and development.....	3	General.....	74
Breeding and genetics.....	7	Spinning and manufacturing tests.....	76
Climatology.....	10	Color studies.....	78
Diseases.....	12	Utilization.....	79
Insects and pests.....	17	General.....	79
General.....	17	Bags and other containers.....	81
Bollweevil.....	19	Household uses.....	81
Bollworm and cotton worm.....	27	Wearing apparel.....	82
Pink bollworm.....	28	Fabric finishing and laundering.....	83
Other insects and pests.....	30	Cottonseed and cottonseed products.....	84
Agronomy.....	32	General.....	84
Fertilizers.....	43	Germination, selection, and distribution.....	85
Farm management.....	45	Cottonseed for planting purposes.....	87
Production costs.....	49	Cottonseed products.....	87
Production credit.....	49	Gossypol content and toxicity.....	91
Farm engineering.....	50	Legislation and regulation.....	93
Farm social problems.....	51	Cottonseed and linters.....	93
Cooperative production.....	51	Futures trading.....	93
Gins and ginning.....	52	Regulation of prices.....	94
Marketing.....	54	Regulation of production.....	94
Demand and competition.....	55	Standards.....	95
Movement.....	57	Regulation of warehousing.....	97
Supply.....	57	Miscellaneous regulations.....	97
Crop estimating and reporting.....	62	Research programs.....	97
Statistics.....	63	Study and teaching.....	98
Prices.....	66	General bibliographies and indexes.....	98
Marketing methods and practices.....	69	Appendix.....	100
Commercial classification.....	71	List of depository libraries.....	100
Storage.....	71	Index.....	105

INTRODUCTION

This list contains references to cotton and cottonseed in the printed and mimeographed publications of the United States Department of Agriculture from 1841 through June 1933, including the reports of the Agricultural Division of the United States Patent Office, through which Federal aid to agriculture was administered from 1839 to 1862. References found in the annual reports of the Department through 1900 have been included. Such references in the annual reports of the Department and of the Bureaus since that date have not been included, as they may be found in Index to Publications of the United States Department of Agriculture 1901-1925, by Bradley and Hunt, 1932. The Journal of Agricultural

Research and the Monthly Weather Review were the only periodicals examined.

The classification of entries follows that used in Cotton Literature—Selected References, a mimeographed periodical issued monthly by the Department library. The abbreviations used are those listed in United States Department of Agriculture Department Bulletin 1330, Abbreviations Employed in Experiment Station Record for Titles of Periodicals.

A detailed author and subject index is included. References in the index are to item numbers and not to page numbers.

The printed publications included in this list were issued by the Government Printing Office except where otherwise stated. Mimeographed publications were issued by the bureau indicated in the reference. Many of the publications listed are no longer available for distribution but may be seen in libraries that are depositories for United States Government publications, and in other libraries. (See appendix for list of depository libraries.) Printed publications available for distribution are listed in Miscellaneous Publication 60, List of Available Publications of the United States Department of Agriculture, January 2, 1932. Mimeographed publications when available may be obtained from the issuing bureau or office.

PLANT CHARACTERISTICS AND DEVELOPMENT

- ARMSTRONG, G. M., and ALBERT, W. B. (1)
A STUDY OF THE COTTON PLANT WITH ESPECIAL REFERENCE TO ITS NITROGEN CONTENT. Jour. Agr. Research 42: 689-703, illus. 1931.
Literature cited, pp. 702-703.
- THE TOUGHNESS OF COTTON BOLLS IN RELATION TO AGE AND NUTRIENT SUPPLY AS MEASURED BY PRESSURE TESTS. Jour. Agr. Research 36: 1011-1025, illus. 1928. (2)
Literature cited, pp. 1024-1025.
- BECKETT, R. E. (3)
BUDDING AND GRAFTING TRIALS WITH COTTON AND RELATED PLANTS. Circ. 267, 15 pp. illus. 1933.
Literature cited, pp. 13-14.
"The budding and grafting trials at the United States Acclimatization Garden, near Bard, Calif., show not only that widely different species of *Gossypium* can be successfully united by these methods, but that related genera also can be budded and grafted with species of *Gossypium*" (p. 13).
- GROWTH OF FRUITING PARTS IN GOSSYPIUM CERNUUM, AN ASIATIC COTTON. Jour. Agr. Research 35: 97-106, illus. 1927. (4)
While results of studies indicate that "Garro Hill [*Gossypium cernuum* (Tod.)] differs but little in its growth periods from the American upland varieties or the American Egyptian and the sea-island varieties * * * the data are of interest as a further contribution to the available information on the fruiting habits of the cotton plant in relation to production under bollweevil conditions" (p. 97).
- and HUBBARD, J. W. (5)
THE SHEDDING OF 4-LOCK AND 5-LOCK BOLLS IN UPLAND COTTON. Tech. Bull. 277, 16 pp., illus. 1932.
Data collected at United States Cotton Breeding Field Station at Greenville, Tex., in 1925, and at United States Acclimatization Garden, Bard, Calif., in 1926 and 1927. Lone Star and Acala varieties were used.
It is concluded that 5-lock bolls may have a greater tendency to abort than 4-lock bolls. "Also, 5-lock bolls are shown to be influenced by environmental and cultural conditions to a greater extent both in the number produced and in the rate of shedding, than are 4-lock bolls" (p. 15).
- BRIGGS, L. J., and SHANTZ, H. L. (6)
RELATIVE WATER REQUIREMENT OF PLANTS. Jour. Agr. Research 3: 1-64, illus. 1914.
Literature cited, pp. 62-63. Cotton was among the plants studied.
- CASKEY, CHARLES, JR., and GALLUP, W. D. (7)
CHANGES IN THE SUGAR, OIL, AND GOSSYPOL CONTENT OF THE DEVELOPING COTTON BOLL. Jour. Agr. Research 42: 671-673, illus. 1931.
Literature cited, p. 673.
- COOK, O. F. (8)
THE ABORTION OF FRUITING BRANCHES IN COTTON. Bur. Plant Indus. Circ. 118: 11-16. 1913.
"There is an inverse ratio of growth to fertility in cotton * * * The general reason for this is the competition of the vegetative branches with the fruiting branches."
- and MEADE, R. M. (9)
ARRANGEMENT OF PARTS IN THE COTTON PLANT. Bur. Plant. Indus. Bull. 222, 26 pp., illus. 1911.

- COOK, O. F. (10)
BRACHYSM, A HEREDITARY DEFORMITY OF COTTON AND OTHER PLANTS. Jour. Agr. Research 3: 387-400, illus. 1915.
"Brachysm is a term proposed to designate the shortening of the vegetative internodes of plants * * * Brachytic variations are of frequent occurrence in cotton, giving rise to the so-called 'cluster' and 'limbless' varieties, and afford unusually favorable opportunities for learning the nature and physiological significance of such variations" (p. 399).
-
- DIMORPHIC BRANCHES IN TROPICAL CROP PLANTS: COTTON, COFFEE, CACAO, THE CENTRAL AMERICAN RUBBER TREE, AND THE BANANA. Bur. Plant Indus. Bull. 198, 64 pp., illus. 1911. (11)
-
- MORPHOLOGY OF COTTON BRANCHES. Bur. Plant Indus. Circ. 109: 11-16. 1913. (12)
-
- MCLACHLAN, ARGYLE and MEADE, R. M. (13)
A STUDY OF DIVERSITY IN EGYPTIAN COTTON. Bur. Plant Indus. Bull. 156, 60 pp., illus. 1909.
The diversity found in Egyptian cotton in Arizona is of four different kinds, "evidently arising from different physiological factors", as follows: Hybridization caused by cross-fertilizing insects; incomplete acclimatization; the phenomenon of accommodation of different plants to differences in physical environment; and changes in the growth rate of various parts of the individual plant.
-
- DEWEY, L. H. (14)
PRINCIPAL COMMERCIAL PLANT FIBERS. Yearbook 1903: 387-398, illus. 1904. Cottons, pp. 388-390. Plant characteristics are described for American upland cotton, sea-island, Egyptian, India, and Peruvian (often called kidney cotton.) Pictures of leaves and flowers of American upland, sea island and India cottons are given in figures 1-3.
-
- DUVALL, LOUISE, compiler. (15)
REFERENCES FOR THE STUDY OF THE CHEMISTRY OF THE COTTON PLANT AND ITS PRODUCTS. Agr. Libr. Notes 1 (4): 62-65, 1926. [Mimeographed.]
-
- EATON, F. M. (16)
CELL-SAP CONCENTRATION AND TRANSPIRATION AS RELATED TO AGE AND DEVELOPMENT OF COTTON LEAVES. Jour. Agr. Research 40: 791-803, illus. 1930. Literature cited, pp. 802-803.
"The experimental plants were of the Pima variety of Egyptian cotton grown as a part of a water-requirement series at Sacaton, Ariz., in 1927" (p. 791).
-
- EARLY DEFOLIATION AS A METHOD OF INCREASING COTTON YIELDS, AND THE RELATION OF FRUITFULNESS TO FIBER AND BOLL CHARACTERS. Jour. Agr. Research 42: 447-462, illus. 1931. (18)
-
- LEAF TEMPERATURES OF COTTON AND THEIR RELATION TO TRANSPIRATION, VARIETAL DIFFERENCES, AND YIELDS. Tech. Bull. 91, 40 pp., illus. 1929. Literature cited, pp. 37-39. (19)
-
- ROOT DEVELOPMENT AS RELATED TO CHARACTER OF GROWTH AND FRUITFULNESS OF THE COTTON PLANT. Jour. Agr. Research 43: 875-883, illus. 1931. Literature cited, pp. 882-883. The experimental plants were grown at the United States Field Station, Sacaton, Ariz., in 1927.
-
- HARRIS, J. A., LAWRENCE, J. V., and LAWRENCE, Z. W. (20)
THE CHLORID CONTENT OF THE LEAF TISSUE FLUIDS OF EGYPTIAN AND UPLAND COTTON. Jour. Agr. Research 28: 695-704, illus. 1924. Literature cited, p. 704
Investigations at the United States Field Station in the Gila River Valley at Sacaton, Ariz., show that "the chlorid content is higher in the tissue fluids of the Egyptian than in those of upland cottons * * * The higher chlorid content may indicate a greater capacity of the Egyptian type for growth on saline land" (p. 704).

HARRIS, J. A., and PASCOE, T. A.

(21)

FURTHER STUDIES ON THE RELATIONSHIP BETWEEN THE CONCENTRATION OF THE SOIL SOLUTION AND THE PHYSICO-CHEMICAL PROPERTIES OF THE LEAF-TISSUE FLUIDS OF COTTON. Jour. Agr. Research 41: 767-788, illus. 1930.

Literature cited, p. 788.

and others.

(22)

THE LEAF-TISSUE FLUIDS OF EGYPTIAN COTTONS. Jour. Agr. Research 31: 1027-1033, illus. 1925.

Literature cited, p. 1033.

"While the Egyptian varieties apparently differ among themselves, all of the six varieties here considered have a higher osmotic concentration and specific electrical conductivity than the upland varieties (Acala, Meade, and Lone Star) with which they have been compared. The two types apparently do not differ in the ratio of specific electrical conductivity to freezing-point depression" (p. 1033).

(23)

THE RELATIONSHIP BETWEEN THE CONCENTRATION OF THE SOIL SOLUTION AND THE PHYSICO-CHEMICAL PROPERTIES OF THE LEAF-TISSUE FLUIDS OF EGYPTIAN AND UPLAND COTTON. Jour. Agr. Research 32: 605-647, illus. 1926.

Literature cited, pp. 646-647.

HOFFMAN, C. T., and HOFFMAN, W. F.

(24)

SULPHATE CONTENT OF THE LEAF-TISSUE FLUIDS OF EGYPTIAN AND UPLAND COTTON. Jour. Agr. Research 31: 653-661, illus. 1925.

Literature cited, p. 661.

"The sulphate content of the upland varieties (Meade and Lone Star) is higher than that of the Egyptian variety (Pima). The differences are clearly significant in comparison with their probable errors and range from 3 to 4 grams per liter, or from 18 to 28 percent of the upland value" (p. 660).

and others.

(25)

THE TISSUE FLUIDS OF EGYPTIAN AND UPLAND COTTONS AND THEIR F₁ HYBRID. Jour. Agr. Research 27: 267-328, illus. 1924.

Literature cited, pp. 325-327.

"This paper has a twofold purpose: (a) The presentation of the results of an investigation of the physicochemical properties of the leaf tissue fluids of Egyptian and upland cotton as grown under irrigation at Sacaton, Ariz.; (b) a comparison of the properties of the leaf tissue fluids of the F₁ hybrid between these two cottons with those of the two parent types" (p. 267).

HUBBARD, J. W.

(26)

FARM STUDY OF THE COTTON PLANT. Farmers' Bull. 1661, 18 pp., illus. 1931.

The structure, growth, and functions of each part of the plant are described.

(27)

ROOT CONSTRICTION OF COTTON PLANTS IN THE SAN JOAQUIN VALLEY OF CALIFORNIA. Jour. Agr. Research 44: 39-47, illus. 1932.

and HERBERT, F. W.

(28)

ROOT DEVELOPMENT OF COTTON PLANTS IN THE SAN JOAQUIN VALLEY OF CALIFORNIA. Circ. 262, 8 pp., illus. 1933.

KEARNEY, T. H., and HARTEK, L. L.

(29)

THE COMPARATIVE TOLERANCE OF VARIOUS PLANTS FOR THE SALTS COMMON IN ALKALI SOILS. Bur. Plant Indus. Bull. 113, 22 pp., illus. 1907.

Results with cotton (*Gossypium*), pp. 9-10. The Jannovitch Egyptian variety of cotton (*Gossypium barbadense*) and the Griffin upland variety (*G. hirsutum*) were used. Limits of endurance of cotton seedlings of salts of magnesium and sodium, table II (p. 10). "The most marked difference in resistance between the two species of *Gossypium* appear in the presence of sodium carbonate and sodium bicarbonate. Egyptian cotton (*Gossypium barbadense*) can endure twice as concentrated a solution of the carbonate and nearly twice as concentrated a solution of the bicarbonate as can upland cotton (*G. hirsutum*). In resistance to magnesium chlorid and to sodium chlorid, also, *Gossypium barbadense* is slightly superior to *G. hirsutum*" (p. 10).

- KEARNEY, T. H. (30)
DEVELOPMENT OF THE COTTON BOLL AS AFFECTED BY REMOVAL OF THE INVOLUCRE. Jour. Agr. Research 38: 381-393, illus. 1929.
Experiments were conducted at the United States Field Station, Sacaton, Ariz., in 1921. "The results * * * described in this paper point to the conclusion that the involucre of *Gossypium* plays an important part in the development of the flower and boll which it subtends. Suppression of this organ on plants of Pima cotton (Egyptian type) at the time of anthesis caused a marked reduction in the size and weight of the boll, in the weight of the seeds, and in the abundance of the lint" (p. 392).
- and HARRISON, G. J. (31)
VARIATION IN SEED FUZZINESS ON INDIVIDUAL PLANTS OF PIMA COTTON. Jour. Agr. Research 37: 465-472, illus. 1928.
"Rather high and very significant negative correlations between the height of the fruiting branch and the grade of fuzziness of the seeds borne thereon indicate a strong tendency for the bolls on the lower fruiting branches to have fuzzier seeds than the bolls on the higher branches" (p. 471).
- KING, C. J. (32)
DEVELOPMENT OF AXILLARY BUDS ON FRUITING BRANCHES OF PIMA AND UPLAND COTTON. Jour. Agr. Research 41: 697-714, illus. 1930.
- LOOMIS, H. F. (33)
DEVELOPMENT OF FLOWERS AND BOLLS OF PIMA AND ACALA COTTON IN RELATION TO BRANCHING. Dept. Bull. 1365, 28 pp., illus. 1927.
Literature cited, p. 27.
- MCCLELLAND, C. K., and NEELY, J. W. (34)
THE ORDER, RATE, AND REGULARITY OF BLOOMING IN THE COTTON PLANT. Jour. Agr. Research 42: 751-763, illus. 1931.
Literature cited, p. 763.
- MCLACHLAN, ARGYLE. (35)
THE BRANCHING HABITS OF EGYPTIAN COTTON. Bur. Plant Indus. Bull. 249, 28 pp., illus. 1912.
Results of investigations in Arizona and California during the seasons of 1909 and 1910. "To place the growing of Egyptian cotton in the Southwest on a practical basis, cultural control of the production and development of vegetative and fruiting branches must be established."
- MARTIN, R. D., BALLARD, W. W., and SIMPSON, D. M. (36)
GROWTH OF FRUITING PARTS IN COTTON PLANTS. Jour. Agr. Research 25: 195-208, illus. 1923.
"A comparison of similar phases of plant growth and development was obtained on several varieties under widely different environmental conditions—namely, Lone Star, Acala, Durango, and Pima Egyptian, at Sacaton, Ariz., in 1921 and 1922; Lone Star, near Greenville, Tex., in 1922; and Meade and sea island near Charleston, S.C., in 1922" (p. 206).
- MEADE, R. M. (37)
SUPERNUMERARY CARPELS IN COTTON BOLLS. Bur. Plant Indus. Circ. 111: 25-28, illus. 1913.
The author concludes that low temperatures might induce this abnormality, which has occurred at Lanham, Md., Glendale, Calif., and Clarksville, Tex.
- SHANTZ, H. L., and PIEMEISEL, L. N. (38)
THE WATER REQUIREMENT OF PLANTS AT AKRON, COLO. Jour. Agr. Research 34: 1093-1190, illus. 1927.
The results here recorded are part of an extensive experiment begun by L. J. Briggs, while in charge of the Office of Biophysical Investigations, and the senior author, then of the Office of Alkali and Drought Resistant Plant Investigations. "Cotton was included in the experiments each year at Akron. Notwithstanding the fact that cotton was far from its natural range the water requirement of that crop, 574 ± 9 , was as low as for oats and almost as low as for wheat" (p. 1109).
- STANFORD, E. T., and VIEHOEYER, ARNO. (39)
CHEMISTRY AND HISTOLOGY OF THE GLANDS OF THE COTTON PLANT, WITH NOTES ON THE OCCURRENCE OF SIMILAR GLANDS IN RELATED PLANTS. Jour. Agr. Research 13: 419-436, illus. 1918.
Literature cited, pp. 434-435. Second paper of a series on the chemistry of the cotton plant, with special reference to upland cotton.

TYLER, F. J.

THE NECTARIES OF COTTON. Bur. Plant Indus. Bull. 131: 45-54, illus. 1908. (40)

"Some natural method of grouping the species of cotton is greatly needed. The cultivated species especially have been confused since the time of Linnaeus, and the genus is generally considered very difficult.

"It is believed that the interesting diversity which has been noticed between the nectaries of different cottons will form diagnostic characters of considerable value." Lists species arranged in four groups having similar nectaries, and describes the nectaries in each species.

UNITED STATES DEPARTMENT OF AGRICULTURE, BUREAU OF PLANT INDUSTRY LIBRARY. (41)

BOTANY: CURRENT LITERATURE. January 31, 1919—date, biweekly. [Mimeographed.]

A bibliography compiled from material received in the Department of Agriculture library. Nos. 1-151 have title: Current author entries; nos. 152-183 have title: Current botanical literature.

Publications on the botany and diseases of the cotton plant are included in the issues.

VIEHOVER, ARNO, CHERNOFF, L. H., and JOHNS, C. O. (42)

CHEMISTRY OF THE COTTON PLANT, WITH SPECIAL REFERENCE TO UPLAND COTTON. Jour. Agr. Research 13: 345-352, illus. 1918.

Literature cited, pp. 351-352. This paper is the first of a series on the chemistry of the cotton plant.

"The main purpose of the investigation reported in this paper was to isolate the substance which proves so attractive to the boll weevil, an attraction causing such disastrous losses to the cotton industry. While this paper chiefly concerns the isolation of the glucosids and their products of hydrolysis, preliminary studies of an ethereal oil which has been isolated from different parts of the cotton plant are also discussed. This oil has been found decidedly attractive to the boll weevil" (p. 345).

BREEDING AND GENETICS

COOK O. F.

COTTON IMPROVEMENT THROUGH TYPE SELECTION, WITH SPECIAL REFERENCE TO THE ACALA VARIETY. Tech. Bull. 302, 62 pp., illus. 1932. (43)

"The new method is called type selection, in order to direct attention to the essential requirement of recognizing a single type of plant as the basis of selection and thus maintaining the uniformity of the stock. To appreciate and apply the new method to the best advantage, it is necessary to analyze and discriminate carefully between type selection and several other methods that have been used in the past, including mass selection, individual selection, and progeny selection" (p. 58). Though most of the data given in this bulletin are based on the study of Acala cotton, the methods are applicable to other varieties also.

COTTON SELECTION ON THE FARM BY THE CHARACTERS OF THE STALKS, LEAVES, AND BOLLS. Bur. Plant Indus. Circ. 66, 23 pp. 1910. (44)

DANGER IN JUDGING COTTON VARIETIES BY LINT PERCENTAGES. Bur. Plant Indus. Circ. 11, 16 pp. 1908. (45)

"The safest and most effective way of using lint percentages for agricultural and breeding purposes is for determining a lint index, representing the amount of lint produced by 100 seed" (p. 16). Examples of lint indexes of different varieties of cotton compared with lint percentages, table I (p. 15).

DIMORPHIC LEAVES OF COTTON AND ALLIED PLANTS IN RELATION TO HEREDITY. Bur. Plant. Indus. Bull. 221, 59 pp., illus. 1911. (46)

"The facts of dimorphism are worthy of being taken into account in breeding, as affording additional varietal characters and as one of the means of recognizing variations from the standard or typical form of a select variety. Dimorphism must also receive attention in the study of the influence of environmental conditions on the expression of characters. In cotton and other tropical crop plants the modification of dimorphic differences represents one of the most serious disturbances of normal heredity induced by external conditions" (p. 51).

- COOK, O. F. (47)
HEREDITY AND COTTON BREEDING. Bur. Plant Indus. Bull. 256, 113 pp., illus. 1913.
"This paper outlines some new methods and standpoints for the study of heredity, with applications to practical problems in the breeding of cotton. It shows how problems of heredity and methods of breeding can be simplified by a more definite recognition of the fact that the expression of characters is distinct from transmission. In addition * * * detailed information is given regarding the habits of the various types of cotton, the effects of external conditions, and the behavior of the different characters in heredity" (p. 3).
-
- MUTATIVE REVERSIONS IN COTTON. Bur. Plant Indus. Circ. 53, 18 pp. 1910. (48)
"The uniformity of the progeny of mutative variations renders them greatly superior to hybrids for breeding purposes. The possibility of obtaining superior mutative reversions from later generations of dilute hybrid stocks is worthy of investigation, especially in cases where desirable Mendelian combinations are not obtained in the earlier generations of hybrids.
"The Hindi variations of the Egyptian are similar in their characters and behavior to some of the reversions that appear in Upland varieties and may prove to be forms of reversion rather than results of recent contamination with a distinct type of cotton" (p. 17).
-
- REAPPEARANCE OF A PRIMITIVE CHARACTER IN COTTON HYBRIDS. Bur. Plant Indus. Circ. 18, 11 pp. 1908. (49)
"The facts considered in this brief report are incidental results of experiments undertaken for the purpose of acclimatizing in the United States weevil-resistant varieties of cotton from Central America and of hybridizing them with our United States varieties" (p. 3).
-
- THE SUPERIORITY OF LINE BREEDING OVER NARROW BREEDING. Bur. Plant Indus. Bull. 146, 45 pp. 1909. (50)
-
- SUPPRESSED AND INTENSIFIED CHARACTERS IN COTTON HYBRIDS. Bur. Plant Indus. Bull. 147, 27 pp. 1909. (51)
Records of observations made on Kekchi, upland, and Egyptian cottons in Texas and Oklahoma.
-
- HARRISON, G. J. (52)
METAXENIA IN COTTON. Jour. Agr. Research 42: 521-544. 1931.
Literature cited, pp. 543-544.
"The metaxenia effect on growth of lint of cotton suggests the danger of growing two or more varieties of widely divergent staple lengths in the same vicinity, as the uniformity of both products is likely to be impaired to the extent that cross-fertilization occurs."
-
- HARTLEY, C. P. (53)
INJURIOUS EFFECTS OF PREMATURE POLLINATION; WITH GENERAL NOTES ON ARTIFICIAL POLLINATION AND THE SETTING OF FRUIT WITHOUT POLLINATION. Bur. Plant Indus. Bull. 22, 48 pp., illus. 1902.
Experiments with cotton blossoms, pp. 19-22.
-
- KEARNEY, T. H. (54)
BREEDING NEW TYPES OF EGYPTIAN COTTON. Bur. Plant Indus. Bull. 200, 39 pp., illus. 1910.
Summary of 7 years' work in the southwestern part of the United States. Describes the Yuma and the Somerton varieties of Egyptian cotton, in addition to several other new superior strains.
-
- CORRELATIONS OF SEED, FIBER, AND BOLL CHARACTERS IN COTTON. Jour. Agr. Research 33: 781-796, illus. 1926. (55)
Literature cited, p. 796.
-
- COTTON BREEDING TO-DAY WORKS WITH MAIN TYPES KNOWN IN REMOTE PAST. Yearbook 1930: 182-190, illus. 1930. (56)
Sea-island, Egyptian, upland, and Asiatic varieties are described and histories given. Methods of breeding discussed, pp. 7-8.

KEARNEY, T. H., and PEEBLES, R. H.

HERITABILITY OF DIFFERENT RATES OF SHEDDING IN COTTON. *Jour. Agr. Research* 33: 651-661, illus. 1926.

Literature cited, pp. 660-661.

(57)

HERITABLE VARIATIONS IN AN APPARENTLY UNIFORM VARIETY OF COTTON. *Jour. Agr. Research* 21: 227-242, illus. 1921.

"Evidence is presented in this paper of the occurrence of heritable variations in the Pima variety of American Egyptian cotton, which is probably the most uniform variety of cotton now grown on an extensive scale" (p. 241.) Early history of the Pima variety, pp. 227-228.

(58)

INHERITANCE OF PETAL SPOT IN PIMA COTTON. *Jour. Agr. Research* 27: 491-512, illus. 1924.

and PEEBLES, R. H.

(59)

INHERITANCE OF RATE OF SHEDDING IN A COTTON HYBRID. *Jour. Agr. Research* 34: 921-936. 1927.

"The writers have presented evidence that different species and varieties of cotton differ consistently in the rate of shedding. They have shown also that in a hybrid between Pima Egyptian and Acala upland cottons the second generation was more variable than the first and that individual F_2 plants grown under identical conditions differed significantly in the percentage of buds and of young bolls lost by abscission. Third-generation progenies have been grown subsequently, and the data obtained from them are set forth in the present paper. The new evidence confirms the conclusion that abscission of the flower buds and young bolls in cotton is determined partly by genetic factors" (p. 921.)

and HARRISON, G. J.

(60)

INHERITANCE OF SMOOTH SEEDS IN COTTON. *Jour. Agr. Research* 35: 193-217, illus. 1927.

Literature cited, p. 217.

Report of an investigation made at the United States Field Station, Sacaton, Ariz. "This paper presents the evidence, from crosses between smooth-seeded and fuzzy-seeded cottons, that the inheritance of this character is mainly of a simple Mendelian type" (p. 215.)

(61)

MUTATION IN EGYPTIAN COTTON. *Jour. Agr. Research* 2: 287-302, illus. 1914.

Literature cited, pp. 301-302.

"The subjects treated in the following pages are: (1) The origin of Egyptian cotton, so far as it throws light upon the heterogeneous nature of this type and thus affords a possible explanation of its mutability; (2) the evidence for the mutational origin of the several varieties now grown commercially in Egypt; (3) the better known history of the Arizona varieties and the reasons for concluding that they have arisen by mutation, and (4) the evidence afforded by Egyptian cotton that mutability may be a result of hybridization" (p. 288.)

(62)

NON-INHERITANCE OF TERMINAL BUD ABORTION IN PIMA COTTON. *Jour. Agr. Research* 28: 1041-1042, illus. 1924.

and HARRISON, G. J.

(63)

POLLEN ANTAGONISM IN COTTON. *Jour. Agr. Research* 44: 191-226, illus. 1932.

Literature cited, pp. 224-226.

(64)

SEGREGATION AND CORRELATION OF CHARACTERS IN AN UPLAND-EGYPTIAN COTTON HYBRID. *Dept. Bull.* 1164, 58 pp., illus. 1923.

Literature cited, pp. 56-57.

Reports investigations made at the Cooperative Testing Station, Sacaton, Ariz., 1917-20, on a cross between the Holdon variety of upland cotton and the Pima (American Egyptian) variety. The results "have a practical bearing in throwing light upon the nature of the variants to be looked for in a field of Egyptian or of upland cotton which has been exposed to accidental cross-pollination by the other type. This knowledge should be useful both in determining the fact of whether such cross-pollination has occurred and in guiding the work of roguing to maintain supplies of pure planting seed" (p. 2.). Definition of the characters measured or graded, pp. 7-11.

- KEARNEY, T. H., and HARRISON, G. J. (66)
 SELECTIVE FERTILIZATION IN COTTON. Jour. Agr. Research 27: 329-340, illus. 1924.
 Literature cited, p. 340.
 "The writers, assisted by Max Willett and Dow D. Porter, have now succeeded in obtaining conclusive evidence that selective fertilization, in favor of the like pollen, takes place in upland, as well as in Egyptian cotton. The purpose of this paper is to describe the experiments which yielded this evidence" (p. 329). The experiments were conducted at the cooperative testing station at Sacaton, Ariz., in 1922 and 1923.
-
- (67)
 SELF-FERTILIZATION AND CROSS-FERTILIZATION IN PIMA COTTON. Dept. Bull. 1134, 68 pp., illus. 1923.
 "Most of the data and conclusions relate to the Pima variety of the Egyptian type of cotton, but comparison with upland cotton has been made in numerous instances. With very few exceptions the experiments were performed at Sacaton at the Pima Indian Agency in southern Arizona during the 8-year period from 1914 to 1921" (p. 2).
-
- (68)
 SHORT BRANCH, ANOTHER CHARACTER OF COTTON SHOWING MONOHYBRID INHERITANCE. Jour. Agr. Research 41: 379-387, illus. 1930.
 Literature cited, pp. 386-387.
-
- (69)
 THE UNIFORMITY OF PIMA COTTON. Dept. Circ. 247, 6 pp. 1922.
 "Methods which are used in the Salt River Valley of Arizona in providing pure planting seed of Pima long-staple cotton and in conserving the uniformity of the variety" (p. 1).
- LONGLEY, A. E. (70)
 CHROMOSOMES IN GOSSYPIUM AND RELATED GENERA. Jour. Agr. Research 46: 217-227, illus. 1933.
 Literature cited, pp. 226-227.
- MARTIN, R. D. (71)
 STUDY OF OFF-TYPE PLANTS OF ACALA COTTON. Dept. Circ. 390, 11 pp., illus. 1926.
 "The purpose of this paper is to present data on inheritance of off-type characters in progenies of aberrant plants of Acala cotton raised at the United States Field Station, Sacaton, Ariz., in 1924" (p. 1).
- MEADE, R. M. (72)
 METHODS OF SECURING SELF-POLLINATION IN COTTON. Bur. Plant Indus. Circ. 121: 29-30, illus. 1913.
 The following methods are described: Bagging the flowers with paper bags; colling a fine wire about the enlarging flower bud, or using small rubber bands instead of the coiled wires; placing a paper clip over the end of the bud.
- MELOY, G. S. (73)
 LINT PERCENTAGE AND LINT INDEX OF COTTON AND METHODS OF DETERMINATION. Dept. Bull. 644, 12 pp., illus. 1918.
 "Simple methods for ascertaining the lint index, the lint percentage, and the weight of seeds are described, and tables to simplify computation are given", for use of cotton breeders.
- SHAMEL, A. D. (74)
 THE EFFECT OF INBREEDING IN PLANTS. Yearbook 1905: 377-392, illus. 1906.
 "One of the best examples of plants largely self-fertilized, but occasionally crossed, is the cotton plant." Short description of fertilization, p. 382.
- STROMAN, G. N. (75)
 CORRELATIONS OF CERTAIN LINT CHARACTERS IN COTTON AND THEIR PRACTICAL APPLICATION. Jour. Agr. Research 44: 523-527, illus. 1932.
 Literature cited, p. 527.

CLIMATOLOGY

- DAINGERFIELD, L. H. (76)
 WEATHER AND COTTON YIELD IN TEXAS, 1899-1929, INCLUSIVE. Monthly Weather Rev. 57: 451-453, illus. 1929.

- HANNAY, A. M., compiler. (77)
 THE INFLUENCE OF WEATHER ON CROPS: 1900-1930. A SELECTED AND ANNOTATED BIBLIOGRAPHY. Misc. Pub. 118, 246 pp. 1931.
 The arrangement of entries is alphabetical by authors. For references to cotton see the index.
- HENRY, A. J. (78)
 REPORT OF THE RELATIVE HUMIDITY OF SOUTHERN NEW ENGLAND AND OTHER LOCALITIES. Weather Bur. Bull. 19, 23 p., illus. 1896.
 Manufacture of cotton abroad; climatic influences affecting, pp. 17-20. This study was made in an effort to judge various sections of the United States, especially the Southern States, in regard to their suitability for cotton spinning. Illustrated by tables and charts.
- KINCER, J. B., FRANKENFIELD, H. C., GREGG, W. R., SMITH, B. B., and MUNNS, E. N. (79)
 WEATHER AND AGRICULTURE. Yearbook 1924: 457-558, illus. 1925.
 Weather and cotton, pp. 520-524; effect of weather on the growth of cotton, charts (pp. 521-522).
- KINCER, J. B. (80)
 COMPUTING THE COTTON CROP FROM WEATHER RECORDS AND GINNING REPORTS. Monthly Weather Rev. 49: 295-299, illus. 1921.
- (81)
 A CORRELATION OF WEATHER CONDITIONS AND PRODUCTION OF COTTON IN TEXAS. Monthly Weather Rev. 43: 61-65, illus. 1915.
- (82)
 RELATION OF WEATHER TO THE AMOUNT OF COTTON GINNED DURING CERTAIN PERIODS. Monthly Weather Rev. 45: 6-10, illus. 1917.
 Charts and tables are included.
- MARBURY, J. B. (83)
 RELATION OF WEATHER CONDITIONS TO GROWTH AND DEVELOPMENT OF COTTON. Yearbook 1904: 141-150, illus. 1905.
 "It being a well-established fact that the temperature and the amount and distribution of rainfall are vital factors in the growth and maturity of all crops, a careful study of these elements in conjunction with the average yield of cotton per acre for each year since 1893 [through 1903] has been made, and the following results deduced as to the weather conditions most favorable for the growth and development of this important crop."
- MELL, P. H. (84)
 REPORT ON THE CLIMATOLOGY OF THE COTTON PLANT. Weather Bur. Bull. 8, 68 pp., illus. 1893.
 Contents: History of the cotton plant and its species.—A general discussion of those countries where cotton is cultivated to any extent.—The general climatic features prevailing in the southern part of the United States during the preparation of the land for the planting of the seed.—The climate of the seed-planting season.—The growing period of the plant, and its weather conditions.—Character of weather best suited for the production of fiber during its process of formation.—The picking season and its weather.—Discussion of temperature charts. Illustrated by charts and tables.
- SMITH, B. B. (85)
 RELATION BETWEEN WEATHER CONDITIONS AND YIELD OF COTTON IN LOUISIANA. Jour. Agr. Research 30: 1083-1086, illus. 1925.
- SMITH, J. W. (86)
 INFLUENCE OF THE WEATHER ON THE YIELD OF CROPS. Monthly Weather Rev. 50: 567-572, illus. 1922
 The relation of weather to the yield of cotton, pp. 570-572.
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (87)
 AVERAGE PRECIPITATION IN TEXAS BY CROP ESTIMATE DISTRICTS AND TEN-DAY PERIODS AND AVERAGE YIELD OF LINT COTTON IN TEXAS BY DISTRICTS. 13 pp., illus. 1924. [Mimeographed.]
 Tables of value to "investigators making historical studies of weather relations to various crops in Texas * * * The average cotton yields are inserted for the convenience of those making studies in cotton, as they are not published elsewhere."

- GILBERT, W. W. (103)
COTTON WILT AND ROOT KNOT. Farmers' Bull. 625, 21 pp., illus. 1914.
Breeding wilt-resistant varieties, pp. 13-20.
- GLOVER, TOWNEND. (104)
ACCIDENTS AND DISEASES OF THE COTTON PLANT. U. S. Commr. Patents Rpt. 1855 (Agr.): 230-234. 1856.
"Cotton * * * is subject to diseases, caused principally by accidents, the defects of the soil in which it grows, the depredations of insects, and the effects of the weather. Those which are the most fatal may be described as follows." Includes short descriptive notes on sore-shin; "Frenching"; effects of a bad subsoil; rust; shedding of young buds, or bolls; and rot.
- GODFREY, G. H. (105)
ROOT-KNOT: ITS CAUSE AND CONTROL. Farmers' Bull. 1345. 27 pp., illus. 1923.
Revision and extension of Farmers' Bull. 648, The Control of Root Knot, by E. A. Bessey and L. P. Byars. 1915.
- HERBERT, F. W., and HUBBARD, J. W. (106)
VERTICILLIUM WILT (HADROMYCOSIS) OF COTTON IN THE SAN JOAQUIN VALLEY OF CALIFORNIA. Circ. 211, 8 pp., illus. 1932.
- JOHNSON, JAMES. (107)
HOST PLANTS OF THIELAVIA BASICOLA. Jour. Agr. Research 7: 289-300, illus. 1916.
Literature cited, pp. 299-300.
Gossypium herbaceum is included in a list of host plants of this fungus (p. 293).
- KING, C. J. (108)
COTTON ROOT ROT CAUSES GREAT LOSS IN SOUTHWEST; CONTROL PROBLEM UNSOLVED. Yearbook 1932: 152-155, illus. 1932.
Studies made in Texas and Arizona. Includes the life history of the fungus. It is known to have three stages of development: the vegetative (ozonium), the conidial (phymatotrichum), and the sclerotial or resting stage.
- _____ (109)
COTTON ROOT ROT IN ARIZONA. Jour. Agr. Research 23: 525-527. 1923.
Control experiments, pp. 526-527. The use of formaldehyde is recommended.
- _____ and LOOMIS, H. F. (110)
COTTON ROOT-ROT INVESTIGATIONS IN ARIZONA. Jour. Agr. Research 39: 199-211, illus. 1929.
Literature cited, p. 221.
"During the seasons 1925, 1926, and 1927 * * * evidence was obtained at the United States Field Station at Sacaton, Ariz., that certain chemical disinfectants and organic manures are effective in reducing the injury and that the fungus is more destructive and more persistent in recurrence at the margins of areas where new territory is being invaded. The behavior of the fungus in cultures on different media, its ability to grow on dead roots, and the relationship of dead roots in carrying over the disease in the soil were also studied. The results of these experiments and observations are reported and discussed in this paper" (p. 199).
- _____ and HOPE, CLAUDE. (111)
DISTRIBUTION OF THE COTTON ROOT-ROT FUNGUS IN SOIL AND IN PLANT TISSUES IN RELATION TO CONTROL BY DISINFECTANTS. Jour. Agr. Research 45: 725-740, illus. 1932.
Literature cited, p. 740.
- _____ and LOOMIS, H. F. (112)
EXPERIMENTS ON THE CONTROL OF COTTON ROOT ROT IN ARIZONA. Jour. Agr. Research 32: 297-310, illus. 1926.
Literature cited, pp. 309-310. Review of control experiments in Texas, pp. 297-299.
- _____ and LOOMIS, H. F. (113)
FACTORS INFLUENCING THE SEVERITY OF THE CRAZY-TOP DISORDER OF COTTON. Dent. Bull. 1484. 22 pp., illus. 1927.
Literature cited, p. 21.

- KING, C. J. and LOOMIS, H. F. (114)
 FURTHER STUDIES OF COTTON ROOT ROT IN ARIZONA, WITH A DESCRIPTION OF
 A SCLEROTIUM STAGE OF THE FUNGUS. Jour. Agr. Research 39: 641-676,
 illus. 1929.
 Literature cited, pp. 675-676.
- _____ (115)
 HABITS OF THE COTTON ROOT-ROT FUNGUS. Jour. Agr. Research 26: 405-
 418, illus. 1923.
 Literature cited, p. 418. Habits of the fungus in alfalfa fields.
- _____ LOOMIS, H. F., and HOPE, CLAUDE. (116)
 STUDIES ON SCLEROTIA AND MYCELIAL STRANDS OF THE COTTON ROOT-ROT FUN-
 GUS. Jour. Agr. Research 42: 827-840, illus. 1931.
- McNAMARA, H. C. (117)
 BEHAVIOR OF COTTON ROOT ROT AT GREENVILLE, TEX., INCLUDING AN EXPERI-
 MENT WITH CLEAN FALLOWES. Jour. Agr. Research 32: 17-24, illus. 1926.
- _____ HOOTON, D. R., and PORTER, D. D. (118)
 CYCLES OF GROWTH IN COTTON ROOT ROT AT GREENVILLE, TEX. Circ. 173, 18
 pp., illus. 1931.
- _____ and HOOTON, D. R. (119)
 SCLEROTIA FORMING HABITS OF THE COTTON ROOT-ROT FUNGUS IN TEXAS BLACK-
 LAND SOILS. Jour. Agr. Research 46: 807-819, illus. 1933.
 Literature cited, p. 819.
- _____ and HOOTON, D. R. (120)
 STUDIES OF COTTON ROOT ROT AT GREENVILLE, TEX. Circ. 85, 16 pp., illus.
 1929.
 "Records of the location and distribution of root rot on all plots
 of the United States Cotton-Breeding Field Station at Greenville, Tex.,
 have been made since 1920, and these records of infection for the 8-
 year period from 1920 to 1927, inclusive, form the basis of this report"
 (p. 15).
- MANN, ALBERT. (121)
 FUNGUS STAINING OF COTTON FIBERS. Bur. Plant Indus. Circ. 110: 27-28.
 1913.
 "The appearance of bright-red or deep purple-blue threads appearing
 in white cotton cloth" probably is due to presence of *Fusarium meta-
 chroum* App. and Wr. in the raw material.
- MEIER, F. C. (122)
 WATERMELON STEM-END ROT. Jour. Agr. Research 6: 149-152, illus. 1916.
Diplodia injury (watermelon stem-end rot) is found on cotton plants
 also.
- NEAL, D. C. (123)
 COTTON DISEASES TAKE TWO MILLION BALES OF U.S. CROP ANNUALLY. Year-
 book 1933: 121-125, illus. 1933.
 "The major diseases affecting cotton in the order of their importance
 are root rot, Fusarium wilt, bacterial blight (in its various phases),
 root knot, rust, anthracnose, and Verticillium wilt." These diseases
 are described and control measures recommended.
- _____ and RATLIFF, G. T. (124)
 INFECTION EXPERIMENTS WITH THE COTTON ROOT-ROT FUNGUS, PHYMATO-
 TRICHUM OMNIVORUM. Jour. Agr. Research 43: 681-691, illus. 1931.
 Literature cited, p. 691. Studies made at San Antonio and Greenville,
 Tex.
- _____ and McLEAN, L. G. (125)
 VIABILITY OF STRAND HYPHAE OF THE COTTON ROOT-ROT FUNGUS. Jour. Agr.
 Research 43: 499-502, illus. 1931.
- ORTON, W. A. (126)
 THE CONTROL OF COTTON WILT AND ROOT-KNOT. Bur. Plant Indus. Doc. 648,
 4 pp. 1911.
- _____ and GILBERT, W. W. (127)
 THE CONTROL OF COTTON WILT AND ROOT-KNOT. Bur. Plant Indus. Circ. 92,
 19 pp., illus. 1912.
 Details of progeny-row method of breeding cotton to secure resistant
 seed, pp. 13-19.

- GILBERT, W. W. (103)
COTTON WILT AND ROOT KNOT. Farmers' Bull. 625, 21 pp., illus. 1914.
Breeding wilt-resistant varieties, pp. 13-20.
- GLOVER, TOWNEND. (104)
ACCIDENTS AND DISEASES OF THE COTTON PLANT. U.S. Commr. Patents Rpt. 1855 (Agr.): 230-234. 1856.
"Cotton * * * is subject to diseases, caused principally by accidents, the defects of the soil in which it grows, the depredations of insects, and the effects of the weather. Those which are the most fatal may be described as follows." Includes short descriptive notes on sore-shin; "Frenching"; effects of a bad subsoil; rust; shedding of young buds, or bolls; and rot.
- GODFREY, G. H. (105)
ROOT-KNOT: ITS CAUSE AND CONTROL. Farmers' Bull. 1345. 27 pp., illus. 1923.
Revision and extension of Farmers' Bull. 648, The Control of Root Knot, by E. A. Bessey and L. P. Byars. 1915.
- HERBERT, F. W., and HUBBARD, J. W. (106)
VERTICILLIUM WILT (HADROMYCOSIS) OF COTTON IN THE SAN JOAQUIN VALLEY OF CALIFORNIA. Circ. 211, 8 pp., illus. 1932.
- JOHNSON, JAMES. (107)
HOST PLANTS OF THIELAVIA BASICOLA. Jour. Agr. Research 7: 289-300, illus. 1916.
Literature cited, pp. 299-300.
Gossypium herbaceum is included in a list of host plants of this fungus (p. 293).
- KING, C. J. (108)
COTTON ROOT ROT CAUSES GREAT LOSS IN SOUTHWEST; CONTROL PROBLEM UNSOLVED. Yearbook 1932: 152-155, illus. 1932.
Studies made in Texas and Arizona. Includes the life history of the fungus. It is known to have three stages of development: the vegetative (ozonium), the conidial (phymatotrichum), and the sclerotial or resting stage.
- _____ (109)
COTTON ROOT ROT IN ARIZONA. Jour. Agr. Research 23: 525-527. 1923.
Control experiments, pp. 526-527. The use of formaldehyde is recommended.
- _____ and LOOMIS, H. F. (110)
COTTON ROOT-ROT INVESTIGATIONS IN ARIZONA. Jour. Agr. Research 39: 199-211, illus. 1929.
Literature cited, p. 221.
"During the seasons 1925, 1926, and 1927 * * * evidence was obtained at the United States Field Station at Sacaton, Ariz., that certain chemical disinfectants and organic manures are effective in reducing the injury and that the fungus is more destructive and more persistent in recurrence at the margins of areas where new territory is being invaded. The behavior of the fungus in cultures on different media, its ability to grow on dead roots, and the relationship of dead roots in carrying over the disease in the soil were also studied. The results of these experiments and observations are reported and discussed in this paper" (p. 199).
- _____ and HOPE, CLAUDE. (111)
DISTRIBUTION OF THE COTTON ROOT-ROT FUNGUS IN SOIL AND IN PLANT TISSUES IN RELATION TO CONTROL BY DISINFECTANTS. Jour. Agr. Research 45: 725-740, illus. 1932.
Literature cited, p. 740.
- _____ and LOOMIS, H. F. (112)
EXPERIMENTS ON THE CONTROL OF COTTON ROOT ROT IN ARIZONA. Jour. Agr. Research 32: 297-310, illus. 1926.
Literature cited, pp. 309-310. Review of control experiments in Texas, pp. 297-299.
- _____ and LOOMIS, H. F. (113)
FACTORS INFLUENCING THE SEVERITY OF THE CRAZY-TOP DISORDER OF COTTON. Dept. Bull. 1484. 22 pp., illus. 1927.
Literature cited, p. 21.

- KING, C. J. and LOOMIS, H. F. (114)
 FURTHER STUDIES OF COTTON ROOT ROT IN ARIZONA, WITH A DESCRIPTION OF
 A SCLEROTIUM STAGE OF THE FUNGUS. Jour. Agr. Research 39: 641-676,
 illus. 1929.
 Literature cited, pp. 675-676.
- _____ (115)
 HABITS OF THE COTTON ROOT-ROT FUNGUS. Jour. Agr. Research 26: 405-
 418, illus. 1923.
 Literature cited, p. 418. Habits of the fungus in alfalfa fields.
- _____ LOOMIS, H. F., and HOPE, CLAUDE. (116)
 STUDIES ON SCLEROTIA AND MYCELIAL STRANDS OF THE COTTON ROOT-ROT FUN-
 GUS. Jour. Agr. Research 42: 827-840, illus. 1931.
- McNAMARA, H. C. (117)
 BEHAVIOR OF COTTON ROOT ROT AT GREENVILLE, TEX., INCLUDING AN EXPERI-
 MENT WITH CLEAN FALLOWS. Jour. Agr. Research 32: 17-24, illus. 1926.
- _____ HOOTON, D. R., and PORTER, D. D. (118)
 CYCLES OF GROWTH IN COTTON ROOT ROT AT GREENVILLE, TEX. Circ. 173, 18
 pp., illus. 1931.
- _____ and HOOTON, D. R. (119)
 SCLEROTIA-FORMING HABITS OF THE COTTON ROOT-ROT FUNGUS IN TEXAS BLACK-
 LAND SOILS. Jour. Agr. Research 46: 807-819, illus. 1933.
 Literature cited, p. 819.
- _____ and HOOTON, D. R. (120)
 STUDIES OF COTTON ROOT ROT AT GREENVILLE, TEX. Circ. 85, 16 pp., illus.
 1929.
 "Records of the location and distribution of root rot on all plots
 of the United States Cotton-Breeding Field Station at Greenville, Tex.,
 have been made since 1920, and these records of infection for the 8-
 year period from 1920 to 1927, inclusive, form the basis of this report"
 (p. 15).
- MANN, ALBERT. (121)
 FUNGUS STAINING OF COTTON FIBERS. Bur. Plant Indus. Circ. 110: 27-28.
 1913.
 "The appearance of bright-red or deep purple-blue threads appearing
 in white cotton cloth" probably is due to presence of *Fusarium meta-
 chroum* App. and Wr. in the raw material.
- MEIER, F. C. (122)
 WATERMELON STEM-END ROT. Jour. Agr. Research 6: 149-152, illus. 1916.
Diplodia injury (watermelon stem-end rot) is found on cotton plants
 also.
- NEAL, D. C. (123)
 COTTON DISEASES TAKE TWO MILLION BALES OF U.S. CROP ANNUALLY. Year-
 book 1933: 121-125, illus. 1933.
 "The major diseases affecting cotton in the order of their importance
 are root rot, Fusarium wilt, bacterial blight (in its various phases),
 root knot, rust, anthracnose, and Verticillium wilt." These diseases
 are described and control measures recommended.
- _____ and RATLIFF, G. T. (124)
 INFECTION EXPERIMENTS WITH THE COTTON ROOT-ROT FUNGUS, PHYMATO-
 TRICHUM OMNIVORUM. Jour. Agr. Research 43: 681-691, illus. 1931.
 Literature cited, p. 691. Studies made at San Antonio and Greenville,
 Tex.
- _____ and McLEAN, L. G. (125)
 VIABILITY OF STRAND HYPHAE OF THE COTTON ROOT-ROT FUNGUS. Jour. Agr.
 Research 43: 499-502, illus. 1931.
- ORTON, W. A. (126)
 THE CONTROL OF COTTON WILT AND ROOT-KNOT. Bur. Plant Indus. Doc. 648,
 4 pp. 1911.
- _____ and GILBERT, W. W. (127)
 THE CONTROL OF COTTON WILT AND ROOT-KNOT. Bur. Plant Indus. Circ. 92,
 19 pp., illus. 1912.
 Details of progeny-row method of breeding cotton to secure resistant
 seed, pp. 13-19.

- ORTON, W. A. (128)
COTTON WILT. Farmers' Bull. 333, 24 pp., illus. 1908.
Wilt-resistant varieties, pp. 15-17.
-
- THE DEVELOPMENT OF FARM CROPS RESISTANT TO DISEASE. Yearbook 1908: 453-464, illus. 1909. (129)
Wilt-resistant cottons, p. 463. (130)
-
- THE WILT DISEASE OF COTTON AND ITS CONTROL. Div. Veg. Physiol. and Path. Bull. 27, 16 pp., illus. 1900. (131)
- PELTIER, G. L., KING, C. J., and SAMSON, R. W. (131)
OZONIUM ROOT ROT. Dept. Bull. 1417, 28 pp., illus. 1926.
Part I, Studies of Ozonium Root Rot in Arizona and Texas, by G. L. Peltier and C. J. King, pp. 1-19; Part II, The Pathological Anatomy of Ozonium Root Rot, by G. L. Peltier and R. W. Samson, pp. 20-25.
- RATLIFF, G. T. (132)
A PROLONGED SAPROPHYTIC STAGE OF THE COTTON ROOT-ROT FUNGUS. Circ. 67, 8 pp., illus. 1929. (133)
- ROSEN, H. R. (133)
EFFORTS TO DETERMINE THE MEANS BY WHICH THE COTTON-WILT FUNGUS, *Fusarium vasinfectum*, INDUCES WILTING. Jour. Agr. Research 33: 1143-1162, illus. 1926.
Literature cited, pp. 1161-1162.
It is concluded from experiments that wilting is due to poisonous chemical substances formed by the fungus.
- SCOFIELD, C. S. (134)
COTTON ROOT-ROT IN THE SAN ANTONIO ROTATIONS. Jour. Agr. Research 21: 117-125, illus. 1921. (135)
-
- COTTON ROOT-ROT SPOTS. Jour. Agr. Research 18: 305-310, illus. 1919. (136)
- SHAPOVALOV, MICHAEL. (136)
THE TWO MOST COMMON DECAYS OF COTTON BOLLS IN THE SOUTHWESTERN STATES. Jour. Agr. Research 35: 307-312, illus. 1927.
Literature cited, p. 312.
Describes *Aspergillus niger* Van Tiegh. and *Rhizopus nigricans* Ehr.
- SHEAR, C. L., and MILES, G. F. (137)
THE CONTROL OF TEXAS ROOT-ROT OF COTTON. Bur. Plant Indus. Bull. 102: 39-42, illus. 1907.
Rotation of crops and deep fall plowing are recommended.
and MILES, G. F. (138)
-
- TEXAS ROOT-ROT OF COTTON; FIELD EXPERIMENTS IN 1907. Bur. Plant Indus. Circ. 9, 7 pp., illus. 1908. (139)
- SMITH, E. F., and GODFREY, G. H. (139)
BACTERIAL WILT OF CASTOR BEAN (*Ricinus communis* L.). Jour. Agr. Research 21: 255-262, illus. 1921.
The effect of the organism on plants other than castor bean is included in the discussion. "Cotton plants when of any size proved resistant, but the young seedlings are subject to the disease." Plates 63 and 64 illustrate inoculated plants. (140)
-
- WILT DISEASE OF COTTON, WATERMELON, AND COWPEA (*Neocosmospora* NOV. GEN.). Div. Veg. Physiol. and Path. Bull. 17, 72 pp., illus. 1899. (141)
- TAUBENHAUS, J. J. (141)
RECENT STUDIES ON *Sclerotium rolfsii* SACC. Jour. Agr. Research 18: 127-138, illus. 1919.
Literature cited, pp. 137-138.
Cotton is a host plant of *Sclerotium rolfsii* Sacc. in Florida and Texas. This disease is also called "blight", "wilt", "Sclerotium wilt", and "southern Sclerotium rot." (142)
-
- TUCKER, C. M. (142)
A LEAF, BRACT, AND BOLL SPOT OF SEA-ISLAND COTTON CAUSED BY *Helminthosporium gossypii* N. SP. Jour. Agr. Research 32: 391-395, illus. 1926.
Report on a disease occurring on cotton in Puerto Rico. "The fungus does not infect the seeds, and no infected plants were obtained from seed from diseased bolls."

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF PLANT INDUSTRY.

(143)

COTTON ANTHRACNOSE. Bur. Plant Indus. Doc. 331, 1 p., illus. 1907.

DIVISION OF VEGETABLE PATHOLOGY.

(144)

ROOT-ROT OF COTTON. Div. Veg. Path. Circ. 9, 4 pp., 1889.

A circular of inquiry which was sent to farmers. In the introduction it is mentioned that root-rot "is variously known as 'Cotton Blight', 'Frenching', 'Dead Spots', 'Alkali', or simply 'Dying of Cotton.'"

INSECTS AND PESTS

GENERAL

COAD, B. R.

(145)

COTTON INSECT CONTROL MEASURES SHOULD FIT INTO THE FARM SCHEME. Yearbook 1930: 197-202. 1930.

Damage by the following insects is considered, with suggestions for control measures: Bollweevil, cotton leaf worm, cotton bollworm, cotton louse, cotton flea hopper and related species, and minor insects.

(146)

FLOODS DISTURB THE BALANCE OF NATURE IN WORLD OF INSECTS. Yearbook 1927: 312-317, illus. 1928.

"The laboratory of the cotton-insect investigations of the Bureau of Entomology, located at Tallulah, La., was in the approximate center of the flooded territory [in 1927] * * * Consequently, the entomologists of this organization have been especially well situated for studying the effect of the floods on the insect problems, and particularly those relating to cotton." The effect of the flood on infestation by bollweevils, leaf worms and fall army worms is discussed.

and HOWE, R. W.

(147)

INSECT INJURY TO COTTON SEEDLINGS. Jour. Agr. Research 6: 129-140, illus. 1916.

Observations were made in the vicinity of Tallulah, La., during the spring of 1915. "It seems that mutilation of cotton seedlings may be produced by one of several insect pests. These consist of a number of species of lepidopterous larvae (cutworms, measuring worms, 'woolly-bear' larvae, tussock-moth larvae, etc.), grasshoppers, and leaf beetles" (p. 138).

(148)

INSECTS CAPTURED BY AIRPLANE ARE FOUND AT SURPRISING HEIGHTS. Yearbook 1931: 320-323. 1931

Bollweevils were found as high as 1,000 feet; cotton flea hoppers at 5,000 feet; and pink bollworm moths were found as high as 3,000 feet. "These findings have a most important relation to many of the problems of insect repression or control."

FOLSOM, J. W.

(149)

INSECT ENEMIES OF THE COTTON PLANT. Farmers' Bull. 1688, 29 pp., illus. 1932.

Revises and supersedes Farmers' Bull. 890, How Insects Affect the Cotton Plant and Means of Combating Them, by W. D. Pierce. 1924.

FULLAWAY, D. T.

(150)

INSECTS OF COTTON IN HAWAII. Hawaii Agr. Expt. Sta. Bull. 18, 27 pp., illus. 1909.

"Accounts of all insects thus far known to attack the cotton plant in the Hawaiian Islands, together with suggestions for their control." Includes accounts of stem maggot, wireworms, cutworms, aphids, Japanese beetle, mealybug and scale insects, bollworm, leaf-folding caterpillar, stem borer, minor pests, and beneficial insects.

GLOVER, TOWNEND.

(151)

INSECTS FREQUENTING THE COTTON-PLANT. U. S. Commr. Patents Rpt., 1855 (Agr.): 64-115. 1856.

Classifies insects according to the part of the plant most generally frequented by them.

(152)

INSECTS INJURIOUS TO THE COTTON PLANT IN FLORIDA. U. S. Commr. Patents Rpt., 1858 (Agr.): 271-272. 1859.

Cutworms and cotton-stainers, or red bugs, are described.

- HARNED, R. W. (153)
 CULTURE, INSECTICIDES, AND QUARANTINES HELP CONTROL COTTON PESTS.
 Yearbook 1933: 126-132, illus. 1933.
 Condensed information on 12 important cotton insects in the United States, table 4 (pp. 127-128). Information includes common name of insect, scientific name, probable native home, distribution in the United States, nature of injury, crops other than cotton attacked, and control methods. The insects thus described are bollweevil, bollworm, cotton leaf worm, cotton flea hopper, tarnished plant bug, cotton plant bug, common red spider, cotton aphid, corn root aphid, pink bollworm, cotton leaf perforator, and Thurberia weevil.
- HINDS, W. E. (154)
 CARBON DISULPHID AS AN INSECTICIDE. Farmers' Bull. 799, 21 pp., 1917.
 Fumigation of sacked cottonseed, p. 14.
- HOWARD, L. O. (155)
 INSECTS AFFECTING THE COTTON PLANT. Farmers' Bull. 47, 32 pp., illus. 1897.
 "Reprinted, with revision by the author, from Bulletin 33, Office of Experiment Stations." Describes general appearance, habits, and life history, parasites and natural enemies, and remedies for cotton worm, or cotton caterpillar; cotton bollworm; Mexican cotton bollweevil; and includes brief notes on other cotton insects, such as cutworms, plant lice, leaf-feeding caterpillars, etc.
- HUNTER, W. D. (156)
 RELATION BETWEEN ROTATION SYSTEMS AND INSECT INJURY IN THE SOUTH.
 Yearbook 1911: 201-210. 1912.
 "An attempt will be made in this paper to point out some of the general considerations that must be taken into account in connection with rotation practices which are coming to be generally followed in the Southern States."
- MORRILL, A. W. (157)
 PLANT-BUGS INJURIOUS TO COTTON BOLLS. Bur. Ent. Bull. 86, 110 pp., illus. 1910.
 The conchuela, grain bug, pentatomid bugs, and insects of the squash-bug, leaf-bug, chinch-bug, and cotton-stainer families are described and methods of control are suggested.
- PIERCE, W. D. (158)
 DESCRIPTIONS OF SOME WEEVILS REARED FROM COTTON IN PERU. Dept. Rpt. 102, 16 pp., illus. 1915.
 Listed according to systematic order. "All belong to the series Phytobaga, although the bruchids, or bean weevils, of the family Mylabridae do not belong to the subseries Rhynchophora, which contains the true weevils."
- SANDERSON, E. D. (159)
 MISCELLANEOUS COTTON INSECTS IN TEXAS. Farmers' Bull. 223, 24 pp., illus. 1905.
 "The result of a year's work on the minor insect enemies of the cotton plant."
 (160)
- REPORT ON MISCELLANEOUS COTTON INSECTS IN TEXAS. Bur. Ent. Bull. 57, 63 pp., illus. 1906.
- UNITED STATES DEPARTMENT OF AGRICULTURE. DIVISION OF ENTOMOLOGY. (161)
 CATALOGUE OF THE EXHIBIT OF ECONOMIC ENTOMOLOGY AT THE WORLD'S INDUSTRIAL AND COTTON CENTENNIAL EXPOSITION, NEW ORLEANS, 1884-85. Div. Ent. Gen. Pub., 95 pp. 1888.
 Insects affecting cotton, pp. 48-51.
- DIVISION OF ENTOMOLOGY. (162)
 REPORTS OF OBSERVATIONS AND EXPERIMENTS IN THE PRACTICAL WORK OF THE DIVISION, MADE UNDER THE DIRECTION OF THE ENTOMOLOGIST, TOGETHER WITH EXTRACTS FROM CORRESPONDENCE ON MISCELLANEOUS INSECTS. Div. Ent. Bull. (old ser.) 4, 102 pp., illus. 1884.
 Partial contents: Preliminary report of observations upon insects injurious to cotton, orange, and sugarcane in Brazil, pp. 63-69. Also notes in "Extracts from correspondence."

- WILSON, C. E. (163)
 INSECT PESTS OF COTTON IN ST. CROIX AND MEANS OF COMBATING THEM. Virgin Islands Agr. Expt. Sta. Bull. 3, 20 pp., illus. 1923.
 The life histories of some of the insects thus far known to attack cotton in St. Croix are given; and methods of combating the more destructive species are suggested. The author discusses the insects in order of their importance as regards attack, grouping them under two main headings—those attacking the leaf and stem, and those attacking the boll and flower.
- ZEIMET, CARLO, and McBATH, W. E. (164)
 A BIBLIOGRAPHY ON THE USE OF AIRPLANES IN INSECT CONTROL TO MARCH 1, 1928. 17 pp. Bur. Ent. [n.d.] [Mimeographed].
 References to articles on cotton dusting are included.

BOLLWEEVIL

GENERAL

- BECKER, J. A. (165)
 THE EFFECT OF THE BOLL-WEEVIL UPON THE COTTON PRODUCTION OF THE UNITED STATES. 7 pp., illus. Bur. Agr. Econ. [1929] [Mimeographed].
 Prepared for the International Cotton Congress at Vienna, and published in the International Cotton Bulletin, June 1924 issue.
- BISHOPP, F. C. (166)
 AN ANNOTATED BIBLIOGRAPHY OF THE MEXICAN COTTON BOLL WEEVIL. Bur. Ent. Circ. 140, 30 pp. 1911.
- COOK, O. F. (167)
 BOLLWEEVIL COTTON IN TEXAS. Dept. Bull. 1153, 20 pp., illus. 1923.
 The term "bollweevil cotton" describes an abnormal luxuriance of the plants caused by bollweevil injury. Wider separation of rows and close spacing of plants within the row are recommended to avoid the condition. List of publications on weevil resistance and close spacing, pp. 19-20.
- GALLOWAY, B. T. (168)
 WORK OF THE BUREAU OF PLANT INDUSTRY IN MEETING THE RAVAGES OF THE BOLL WEEVIL AND SOME DISEASES OF COTTON. Yearbook 1904: 497-508. 1905.
 The work is discussed under the following outline: Plant breeding and selection work; investigations of tropical cottons; diseases; diversification; cooperative demonstration farms; distribution of early-maturing varieties; and farmers' institute work.
- HOWARD, L. O. (169)
 THE MEXICAN COTTON-BOLL WEEVIL (*Anthonomus grandis* BOH.). Div. Ent. Circ. (ser. 2) 18, 8 pp., illus. 1897.
 Revision of Div. Ent. Circ. (ser. 2) 14, same author and title, 1896.
 "In this circular all of the essential points of the previous circulars have been repeated, the section on remedies has been entirely rewritten, and a paragraph has been added on the work of the weevil during 1896" (p. 1).
- THE MEXICAN COTTON-BOLL WEEVIL IN 1897. Div. Ent. Circ. (ser. 2) 27, 7 pp. 1897. (170)
- HUNTER, W. D., and COAD, B. R. (171)
 THE BOLL-WEEVIL PROBLEM. Farmers' Bull. 1329, 30 pp., illus. 1923.
 Discusses the origin, spread, and distribution of the insect; life history and hibernation; control measures; and effect of control methods on the control of other insects.
- and PIERCE, W. D. (172)
 MEXICAN COTTON-BOLL WEEVIL. MESSAGE FROM THE PRESIDENT OF THE UNITED STATES TRANSMITTING A COMMUNICATION FROM THE SECRETARY OF AGRICULTURE SUBMITTING A REPORT ON THE MEXICAN COTTON-BOLL WEEVIL. Bur. Ent. Bull. 114, 188 pp., illus. 1912. (62d Cong., 2d sess., Senate Doc. 305.)
 Supersedes Bureau of Entomology Bulletin 51, The Mexican Cotton Boll Weevil, by W. D. Hunter and W. E. Hinds, 1905. Summarizes results of investigations of the bollweevil up to December 31, 1911.

- HUNTER, W. D. (173)
PRESENT STATUS OF THE COTTON-BOLL WEEVIL IN THE UNITED STATES. Year-
book 1904: 191-204, illus. 1905.
-
- (174)
THE PRESENT STATUS OF THE MEXICAN COTTON BOLL WEEVIL IN THE UNITED
STATES. Yearbook 1901: 369-380, illus. 1902.
This article describes the introduction of the insect in the United
States in 1894 in Texas; distribution and dangers of its spread in 1901;
and cultural methods for combating it. "There seems but little prospect
for aid from machines designed for the destruction of the weevil." Map
of eastern Texas showing the distribution of the weevil in 1901, p. 372.
(175)
-
- SOME RECENT STUDIES OF THE MEXICAN COTTON BOLL WEEVIL. Yearbook 1906:
313-324, illus. 1907.
Studies were made during 1906 on the relation between precipitation
and weevil damage; on early and late planting as a check to the insect;
fall destruction of stalks in the field; and the work of predacious insects
such as the native ant *Solenopsis geminata*. (176)
-
- THE STATUS OF THE COTTON BOLL WEEVIL IN 1909. Bur. Ent. Circ. 122, 12 pp.,
illus. 1910.
Includes map showing the regions in which the cotton bollweevil
occurred in 1909. (177)
-
- THE STATUS OF THE MEXICAN COTTON BOLL WEEVIL IN THE UNITED STATES IN
1903. Yearbook 1903: 205-214, illus. 1904.
Plan of the bollweevil work of the Department of Agriculture (pp.
209-211). (178)
- HYSLOP, J. A. (178)
AN ESTIMATE OF THE DAMAGE BY SOME OF THE MORE IMPORTANT INSECT
PESTS IN THE UNITED STATES. 21 pp. Bur. Ent. 1930. [Mimeographed.]
Bollweevil, p. 4. Damage as estimated by the United States Bureau
of Crop Estimates [1910-1928] table II, (p. 21). Bollworm or corn-ear
worm (*Heliothis obsoleta* Fab.), pp. 5-6.
-
- UNITED STATES DEPARTMENT OF AGRICULTURE. (179)
STUDY AND INVESTIGATION OF BOLLWEEVIL AND HOG CHOLERA PLAGUES. LETTER
FROM THE SECRETARY OF AGRICULTURE, TRANSMITTING INFORMATION REGARD-
ING THE STUDY AND INVESTIGATION OF THE BOLL WEEVIL AND HOG CHOLERA
PLAGUES, AS DIRECTED IN HOUSE RESOLUTION NO. 254, DATED SEPTEMBER 16,
1913. 25 pp. 1913. (63d Cong., 2d sess. H. Doc. 463.)
The work of the Bureau of Plant Industry in connection with the
cotton bollweevil from 1904 to 1913, inclusive, pp. 1-8; a report of the
work of the Bureau of Entomology on the Mexican cotton bollweevil, in
pursuance of House Resolution No. 254, pp. 9-18.
-
- COTTON COUNCIL. (180)
SUGGESTIONS FOR SECURING GREATER UNIFORMITY OF ACTION IN THE PRODU-
TION OF COTTON UNDER BOLLWEEVIL CONDITIONS. 2 pp. 1922. [Mimeo-
graphed.]
"Because of differences in the climatic and economic conditions of the
various cotton-producing States, we suggest that experiments and studies
be made in each State in cooperation with the United States Depart-
ment of Agriculture." It is suggested that studies and experiments be
made along cultural, remedial, biological, chemical, and mechanical
lines.
-
- COTTON COUNCIL. (181)
SUMMARY OF RECOMMENDATIONS FOR THE PRODUCTION OF COTTON UNDER BOLL-
WEEVIL CONDITIONS. 2 pp. 1922. [Mimeographed.]
-
- BUREAU OF ENTOMOLOGY. (182)
THE DISPERSION OF THE BOLLWEEVIL IN 1911-22. 1912-23.
Title varies: 1911, The movement of the Mexican cotton bollweevil;
1912-14, The movement of the cotton bollweevil; 1915-17, The spread
of the cotton bollweevil; 1918, The occurrence of the bollweevil; 1919,
Distribution of the bollweevil. Publications for 1911-12 are Bureau
of Entomology Circulars 146 and 167; those for 1920-22 are Depart-
ment Circulars 163, 210, 266.

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF ENTOMOLOGY (183)
PAPERS ON THE COTTON BOLLWEEVIL AND RELATED AND ASSOCIATED INSECTS.
Bur. Ent. Bull. 63, 71 pp., illus. 1907.

Partial contents:—Hibernation and Development of the Cotton Bollweevil, by E. D. Sanderson (pp. 1-38); Notes on the Biology of Certain Weevils Related to the Cotton Bollweevil, by W. D. Pierce (pp. 39-44); An Ant Enemy of the Cotton Bollweevil (*Solenopsis geminata* Fab., var. *ayltoni* McC.), by W. E. Hinds (pp. 45-48); A Predatory Bug Reported as an Enemy of the Cotton Bollweevil (*Apromerus spissipes* Say), by A. C. Morgan (pp. 49-54); The Cotton Stalk-Borer, by A. C. Morgan (pp. 63-66).

— BUREAU OF ENTOMOLOGY. (184)

PROCEEDINGS OF THE EIGHTEENTH ANNUAL MEETING OF THE ASSOCIATION OF ECONOMIC ENTOMOLOGISTS. Bur. Ent. Bull. 60, 206 pp., illus. 1906.

Proceedings of meeting held at New Orleans, La., January 1-4, 1906.

Partial contents: Notes Upon a Little-Known Insect Enemy of Cotton and Corn, by Wilmon Newell (pp. 52-58) (Regarding *Cicada erratica* Osborn, found in Louisiana); A Consideration of the Cultural System for the Bollweevil in the Light of Recent Observations, by A. F. Conradi (pp. 107-111); Laboratory Methods in the Cotton Bollweevil Investigations, by W. E. Hinds (pp. 111-119); The Work of the State Crop Pest Commission of Louisiana on the Cotton Bollweevil, by Wilmon Newell (pp. 119-134).

— BUREAU OF ENTOMOLOGY. (185)

PROCEEDINGS OF THE SEVENTEENTH ANNUAL MEETING OF THE ASSOCIATION OF ECONOMIC ENTOMOLOGISTS. Bur. Ent. Bull. 52, 123 pp., illus. 1905.

Report of meeting held at Philadelphia, Pa., December 29-30, 1904.

Notes on Cuban Insects, by M. T. Cook (pp. 28-29). It is stated that the bollweevil is very abundant. Some Observations on the Cotton Bollweevil, by E. D. Sanderson (pp. 29-41).

WEBB, J. L., and MERRILL, F. A. (186)

COTTON OR WEEVILS. Misc. Pub. 35 (rev. ed.), 17 pp., illus. 1930. Issued 1929; revised 1930.

Discussion of important facts about the bollweevil, the damage caused by it, and suggestions for poisoning.

BIOLOGY OF THE BOLLWEEVIL

COAD, B. R. (187)

FEEDING HABITS OF THE BOLLWEEVIL ON PLANTS OTHER THAN COTTON. Jour. Agr. Research 2:235-245, illus. 1914.

"In the course of the investigations on the biology of *Anthonomus grandis* at Victoria, Tex., during the summer of 1913, under the direction of Mr. W. D. Hunter, the writer was able to conduct a number of experiments on the possibility of the bollweevil's breeding in some of the native malvaceous plants. Since the results secured differ with the plants, they are grouped under the various species of plants tested" (p. 235).

— (188)
RECENT STUDIES OF THE MEXICAN COTTON BOLLWEEVIL. Dept. Bull. 231, 34 pp., illus. 1915.

Technical experiments and observations on the relation between the typical bollweevil and the Arizona wild-cotton (or *Thurberia*) weevil, which was discovered in 1913, and changes in the habits of the bollweevil since it first entered the United States.

FENTON, F. A., and DUNNAM, E. W. (189)

BIOLOGY OF THE COTTON BOLLWEEVIL AT FLORENCE, S.C. Tech. Bull. 112, 76 pp., illus. 1929.

Report of study at Pee Dee Experiment Station, South Carolina, 1924-27.

- FENTON, F. A., and DUNNAM, E. W. (190)
DISPERSAL OF THE COTTON BOLLWEEVIL, *Anthonomus grandis* BOH. Jour. Agr. Research 36: 135-149, illus. 1928.
Literature cited, p. 149.
"The cotton bollweevil has a pronounced habit of dispersal by flight during the summer months, either from one part of a field to another or between fields * * * Such factors as degree of minimum relative humidity, number of squares on the plants, number of weevils in the field, direction of moderate winds, or emergence of a definite generation of weevils, have little influence on the extended flight activities of this species. There is, however, a distinct relationship between degree of infestation in a field and weevil flights. When the percentage of infestation reaches a certain point, which has not yet been determined, these insects become restless and fly" (p. 149).
- HINDS, W. E., YOTHERS, W. W., and HUNTER, W. D. (191)
HIBERNATION OF THE MEXICAN COTTON BOLL WEEVIL. Bur. Ent. Bull. 77, 100 pp., illus. 1909.
The information included in this bulletin was accumulated through the investigations and observations of the agents connected with the work during the seasons of 1902-07.
- HOWE, R. W. (192)
STUDIES ON THE MEXICAN COTTON BOLL WEEVIL IN THE MISSISSIPPI VALLEY. Dept. Bull. 358, 32 pp., illus. 1916.
- MCINDOO, N. E. (193)
SENSES OF THE COTTON BOLL WEEVIL—AN ATTEMPT TO EXPLAIN HOW PLANTS ATTRACT INSECTS BY SMELL. Jour. Agr. Research 33: 1095-1141, illus. 1926.
Literature cited, pp. 1139-1141.
- MALLY, F. W. (194)
THE MEXICAN COTTON BOLL WEEVIL. Farmers' Bull. 130, 30 pp., illus. 1901.
Life habits of the weevil and methods of extermination.
- PIERCE, W. D. (195)
A NEW INTERPRETATION OF THE RELATIONSHIPS OF TEMPERATURE AND HUMIDITY TO INSECT DEVELOPMENT. Jour. Agr. Research 5: 1183-1191, illus. 1916.
"The principal data upon which the writer has based his studies include records of individual bollweevils (*Anthonomus grandis* Boh. and *A. g. thurberiae* Pierce), made by the members of the bollweevil force under the direction of Mr. W. D. Hunter and the writer at various localities in Texas, Louisiana, and Arizona throughout the period of years from 1902 to 1915" (p. 1183). Practical applications, p. 1191. "The cotton bollweevil must have food up to the time that it enters hibernation. Early harvesting and destruction of stalks before the low temperatures set in offer one of the most satisfactory methods of control." Graph showing the relation of temperature and humidity to cotton bollweevil activity, figure 1 (p. 1186).
- THE OCCURRENCE OF A COTTON BOLLWEEVIL IN ARIZONA. Jour. Agr. Research 1: 89-[98], illus. 1913.
Describes and illustrates differences between the Arizona weevil, *Anthonomus grandis thurberiae* and the Mexican cotton bollweevil, *Anthonomus grandis* Boh.
- SMITH, G. D. (197)
STUDIES IN THE BIOLOGY OF THE MEXICAN COTTON BOLL WEEVIL ON SHORT-STAPLE UPLAND, LONG-STAPLE UPLAND, AND SEA-ISLAND COTTON. Dept. Bull. 926, 44 pp., illus. 1921.
Results of studies made at Madison, Fla., 1918-19. Varieties used were King, a short-staple upland; Webber no. 49, a long-staple variety; and a sea-island cotton known as "Hope Straight."

BOLLWEEVIL CONTROL

GENERAL

- HOWARD, L. O. (198)
REMEDIAL WORK AGAINST THE MEXICAN COTTON-BOLL WEEVIL. Div. Ent. Circ. (ser. 2) 33, 6 pp. 1898.

HUNTER, W. D. (199)

THE CONTROL OF THE BOLL WEEVIL. Farmers' Bull. 500, 14 pp. 1912.

Extract from Bur. Ent. Bull. 114, The Mexican Cotton Boll Weevil, by W. D. Hunter and W. D. Pierce. 1912. "Contains a brief outline of the methods which have been tested under various conditions and sums up the present available knowledge concerning the subject of control" (p. 5).

(200)

THE CONTROL OF THE BOLL WEEVIL, INCLUDING RESULTS OF RECENT INVESTIGATIONS. Farmers' Bull. 216, 32 pp., illus. 1905.

Supersedes Farmers' Bull. 189, Information Concerning the Mexican Cotton Boll Weevil, by W. D. Hunter. 1904. This bulletin "contains the previous recommendations of the Bureau of Entomology regarding the means of mitigating the damage by this very serious pest, with such minor modifications as have been made necessary by the work of the past season. In addition, various topics, such as the territory infested, the present status of State quarantines against the bollweevil, and other matters are considered."

(201)

CONTROLLING THE BOLL WEEVIL IN COTTON SEED AND AT GINNERIES. Farmers' Bull. 209, 31 pp. 1904.

(202)

METHODS OF CONTROLLING THE BOLL WEEVIL [ADVICE BASED ON THE WORK OF 1902]. Farmers' Bull. 163, 16 pp., illus. 1903.

"By special appropriation, which became available on the 4th of June 1902, it became possible for the Division [of Entomology] to conduct field work on a large scale and according to a system that gives tangible and presentable results. The arrangement consists of a contract whereby certain planters agree to plant, cultivate, and care for the crop exactly in accordance with the directions of the agent of the Division * * * In this way 200 acres at Calvert and 150 acres at Victoria, Tex., were used for experimental purposes. A complete field laboratory was established at the latter place for rearing work, breeding parasites, and testing poisons, as well as investigating every feature of the life history of the weevil that may afford any advantage in fighting the pest" (p. 5).

UNITED STATES DEPARTMENT OF AGRICULTURE. DIVISION OF ENTOMOLOGY. (203)

SOME MISCELLANEOUS RESULTS OF THE WORK OF THE DIVISION OF ENTOMOLOGY.

III. PREPARED UNDER THE DIRECTION OF L. O. HOWARD, ENTOMOLOGIST. Div. Ent. Bull. (n.s.) 18, 101 pp., illus. 1898.

Cotton field insects, pp. 85-88. List of species caught by J. D. Mitchell, of Victoria, Tex., on October 1, 1897, when he "set out three trap lanterns in a cotton field near Victoria for one night * * *. The object of the experiment was to see whether the Mexican cotton bollweevil (*Anthonomus grandis*), which was injurious in the vicinity, could be captured in this way. The results of the catch are interesting and worthy of record, but it must be premised that not a single specimen of *Anthonomus grandis* was found in the material received" (p. 85).

CHEMICAL AND MECHANICAL CONTROL

COAD, B. R. (204)

AIRPLANE DUSTING OF COTTON FIELDS PROVES EFFECTIVE, ECONOMICAL. Year-book 1928: 117-120, illus. 1929.

"Airplane dusting is sold by contract * * * and the farmer merely contracts for such applications as he needs on his crops." Reasonably level land and treeless areas are desirable.

— and CASSIDY, T. P. (205)

COTTON BOLL WEEVIL CONTROL BY THE USE OF POISON. Dept. Bull. 875, 31 pp. 1920.

Results of investigations carried on since July 1918. "The present system of weevil poisoning is intended merely to keep the weevils controlled to such a degree that they will not be able to do more than offset the normal shedding of the cotton plants."

- COAD, B. R., JOHNSON, E., and McNEIL, G. L. (206)
 DUSTING COTTON FROM AIRPLANES. Dept. Bull. 1204, 40 pp., illus. 1924.
 Experiments were made at Tallulah, La., on control of the leafworm. "Whether this application was sufficiently thorough to control the boll-weevil is quite another question, since weevil control requires a much more thorough application than is necessary to control the leafworm, but all records bearing on this question appear to furnish decidedly favorable indications of success * * * Many districts in the South have now reached the point in public sentiment where the desirability of community weevil control can be seen, and it is only by some such method as the use of the airplane that such community poisoning can be attempted in the near future" (p. 40).
-
- and CASSIDY, T. P. (207)
 DUSTING FOR THE COTTON BOLL WEEVIL. Dept. Circ. 274, 3 pp. 1923.
 Revision of Department Circular 162, "Some Rules for Poisoning the Cotton Boll Weevil", by B. R. Coad and T. P. Cassidy. 1922.
 Instructions for use of various dusting machines. (208)
-
- KILLING BOLL WEEVILS WITH POISON DUST. Yearbook 1920: 241-252, illus. 1921. (209)
-
- and GAINES, R. C. (209)
 POISONING THE COTTON BOLL WEEVIL. Leaflet 37, 4 pp. 1929.
 Advantages of dusting with calcium arsenate and brief description of the method. (210)
-
- RECENT EXPERIMENTAL WORK ON POISONING COTTON-BOLL WEEVILS. Dept. Bull. 731, 15 pp., illus. 1918.
 Tests made at Tallulah, La., in 1916-17 showed that dusting plants with arsenicals is effective. (211)
-
- HUNTER, W. D. (211)
 THE USE OF PARIS GREEN IN CONTROLLING THE COTTON BOLL WEEVIL. Farmers' Bull. 211, 23 pp., illus. 1904.
 "From the rather extensive observations and experiments noted the Bureau of Entomology concludes that the use of paris green in controlling the bollweevil is absolutely futile" (p. 22).
-
- JOHNSON, ELMER, HOWARD, S. T., and COAD, B. R. (212)
 COTTON-DUSTING MACHINERY. Farmers' Bull. 1319, 20 pp., illus. 1923.
 Supersedes Farmers' Bulletin 1098, Dusting Machinery for Cotton Boll Weevil Control, by Elmer Johnson and B. R. Coad. 1920.

CULTURAL CONTROL

- BALLARD, W. W., and SIMPSON, D. M. (213)
 BEHAVIOR OF COTTON PLANTED AT DIFFERENT DATES IN WEEVIL-CONTROL EXPERIMENTS IN TEXAS AND SOUTH CAROLINA. Dept. Bull. 1320, 44 pp., illus. 1925.
 Data are given for four successive plantings made in the season of 1923 at San Antonio, Tex., Charleston, S.C., and Gainesville, Fla. The results "do not show that later planting is impracticable either in Texas or South Carolina. From the nature of the problem a wide range of seasonal and soil conditions must be tested before a general advantage can be demonstrated."
-
- BENNETT, R. L. (214)
 A METHOD OF BREEDING EARLY COTTON TO ESCAPE BOLL-WEEVIL DAMAGE. Farmers' Bull. 314, 28 pp., illus. 1908.
 "Seed selection for early, rapid fruiting, and for productiveness to escape weevils", pp. 17-21.
-
- COAD, B. R., and McGEHEE, T. F. (215)
 COLLECTION OF WEEVILS AND INFESTED SQUARES AS A MEANS OF CONTROL OF THE COTTON BOLL WEEVIL IN THE MISSISSIPPI DELTA. Dept. Bull. 564, 51 pp., illus. 1917.
 Report of studies conducted near Tallulah, La., during the cotton-growing seasons of 1915 and 1916, and of observations made at various points throughout Louisiana and Mississippi. It was concluded that "in a year of light infestation a slight degree of benefit may be secured from the picking operations, but that in a year of average or heavy infestation this benefit is completely lost."

COAD, B. R. (216)
COTTON BOLL-WEEVIL CONTROL IN THE MISSISSIPPI DELTA, WITH SPECIAL REFERENCE TO SQUARE PICKING AND WEEVIL PICKING. Dept. Bull. 382, 12 pp. 1916.

Preliminary report of studies described more fully in Department Bulletin 564 (see item 215).

COOK, O. F. (217)
RELATION OF DROUGHT TO WEEVIL RESISTANCE IN COTTON. Bur. Plant Indus. Bull. 220, 30 pp. 1911.

"In order to take full advantage of other measures for combating the weevils, the relation of drought to the behavior of the growing plants must be considered, no less than the direct effect of the drought upon the weevils. Questions of the value of early and late varieties and of early and late planting require to be reconsidered and given further study now that the effects of dry weather are more fully appreciated" (p. 7).

HUNTER, W. D. (218)
THE MOST IMPORTANT STEP IN THE CONTROL OF THE BOLL WEEVIL. Bur. Ent. Circ. 95, 8 pp. 1907.

Revision of Bureau of Entomology Circular (ser. 2) 56, The Most Important Step in the Cultural System of Controlling the Boll Weevil, by W. D. Hunter. 1904.

Reasons for and methods of fall destruction of plants.

(219)
WHAT CAN BE DONE IN DESTROYING THE COTTON BOLL WEEVIL DURING THE WINTER. Bur. Ent. Circ. 107, 4 pp. 1909.

Recommends raking and burning trash that might afford a shelter for the weevil.

NATURAL CONTROL

BAILEY, VERNON. (220)
BIRDS KNOWN TO EAT THE BOLL WEEVIL. Bur. Biol. Survey Bull. 22, 16 pp. 1905.

"Field work for the purpose of obtaining this information was begun at Seguin, Guadalupe County, in southern Texas, October 31, 1904, and was carried on at several localities in the bollweevil district until December 16."

COOK, O. F. (221)
COTTON CULTURE IN GUATEMALA. Yearbook 1904: 475-488, illus. 1905.

"The Kekchi cotton is protected by the kelep, an antlike insect which feeds upon the boll weevils. It was also learned that this and other Guatemalan varieties of cotton have special characters which assist in protecting them from the weevils. Some of these weevil-resisting adaptations may be of use in the United States, since the cotton varieties cultivated by the Guatemalan Indians belong to the Upland type so extensively planted in this country. The nature of the protective characters and the cultural methods observed in Guatemala can best be understood, however, with certain local conditions and historical facts in mind."

(222)
AN ENEMY OF THE COTTON BOLL WEEVIL. Dept Rpt. 78, 7 pp. 1904.
Brief preliminary report on kelep, or cotton-protecting ant, observed in Guatemala.

(223)
REPORT ON THE HABITS OF THE KELEP, OR GUATEMALAN COTTON-BOLL-WEEVIL ANT. Bur. Ent. Bull. 49, 15 pp. 1904.

Preliminary report on the habits of the kelep after its importation into the United States on cotton fields near Victoria, Tex.

(224)
THE SOCIAL ORGANIZATION AND BREEDING HABITS OF THE COTTON-PROTECTING KELEP OF GUATEMALA. Bur. Ent. Bull. 10, 55 pp. 1905.

(225)
WEEVIL-RESISTING ADAPTATIONS OF THE COTTON PLANT. Bur. Plant Indus. Bull. 88, 87 pp., illus. 1906.

Bionomic study of Kekchi and other Central American varieties with weevil-resistant characters. Investigations were made in Guatemala in 1904 and 1905. The importance of the weevil-eating kelep is pointed out.

HENSHAW, H. W.

(226)

BIRDS USEFUL IN THE WAR AGAINST THE COTTON BOLL WEEVIL. Bur. Biol. Survey Circ. 57, 4 pp. 1907.

"The main purpose of this circular is to direct the attention of cotton growers and others in the cotton-growing States to the importance of birds in the bollweevil war, to emphasize the need of protection for them, and to suggest means to increase the numbers and extend the range of certain of the more important kinds" (p. 1).

HINDS, W. E.

(227)

PROLIFERATION AS A FACTOR IN THE NATURAL CONTROL OF THE MEXICAN COTTON BOLL WEEVIL. Bur. Ent. Bull. 59, 45 pp., illus. 1906.

"The present paper does not pretend to be a study of proliferation in the botanical aspects of the question, but rather a practical statement of the large number of observations made by agents of the Bureau of Entomology primarily regarding the effect of this formation of loose tissue cells upon the bollweevil. It is consequently of an entomological and not a botanical character. The botanical significance of the phenomenon has been very fully considered by Mr. O. F. Cook, of the Bureau of Plant Industry." Bibliography of proliferation, p. 8, footnote.

(228)

SOME FACTORS IN THE NATURAL CONTROL OF THE MEXICAN COTTON BOLL WEEVIL. Bur. Ent. Bull. 74, 79 pp., illus. 1907.

"By 'natural control' is meant the combined effect upon the weevil of all natural enemies and of all conditions or forces in nature which retard or prevent the development of the weevils and reduce the injury which they might otherwise inflict upon the crop. These are, in general, the factors which operate to produce and to preserve what is often spoken of as 'the balance in nature.' The principal factors are temperature and moisture conditions in summer and in winter, the attack of predaceous enemies or parasites, and the dependence of the species upon a favorable condition of food supply" (p. 6).

HOWELL, A. H.

(229)

BIRDS THAT EAT THE COTTON BOLL WEEVIL. A REPORT OF PROGRESS. Bur. Biol. Survey Bull. 25 pp. 1903.

Investigation made during the period from February to October 1905. "In the summary which follows, the results obtained by previous investigations are combined with those secured during the past season, thus bringing together all that is at present known concerning the relations of birds to bollweevils" (p. 10).

(230)

DESTRUCTION OF THE COTTON BOLL WEEVIL BY BIRDS IN WINTER. Bur. Biol. Survey Circ. 64, 5 pp., illus. 1908.

(231)

THE RELATION OF BIRDS TO THE COTTON BOLL WEEVIL. Bur. Biol. Survey Bull. 29, 31 pp., illus. 1907.

"As a result of investigations carried on intermittently during five seasons, 43 species of our native birds have been found to feed on the weevil. The greatest destruction of weevils in summer is wrought by swallows and orioles; in winter, by blackbirds and meadow larks." Recommends legislation needed to protect the useful birds; suggests designs for bird houses; gives status of the species of birds known to eat the bollweevil; describes field investigations in summer of 1906, and winter and spring of 1907.

NEWELL, WILMON, and BARBER, T. C.

(232)

THE ARGENTINE ANT. Bur. Ent. Bull. 122, 98 pp., illus. 1913.

Bibliography, pp. 97-98.

The Argentine ant and the bollweevil, pp. 68-69. Experiments lead to the conclusion "that the Argentine ant will never be of material value as an enemy of the bollweevil. In fact, in this respect it cannot hope to approach in efficiency the common native fire ant, *Solenopsis geminata* Fab."

- PIERCE, W. D., CUSHMAN, R. A., HOOD, C. E., and HUNTER, W. D. (233)
 THE INSECT ENEMIES OF THE COTTON BOLL WEEVIL. Bur. Ent. Bull. 100, 99
 pp., illus. 1912.

Bibliography, pp. 97-99.

"The present report is supplementary to a former bulletin which was based on investigations prior to 1907 (Pierce, 1908). The matter contained herein has mainly been gathered during the years 1907, 1908, and 1909. Only such notes as are of value for the sake of comparison have been repeated from the previous report.

"The work is divided into three parts: I. The status of the cotton bollweevil and its enemies. II. The biological complex. III. The economic application" (p. 12).

(234)

- STUDIES OF PARASITES OF THE COTTON BOLL WEEVIL. Bur. Ent. Bull. 73, 63 pp.,
 illus. 1908.

Bibliography, pp. 51-52.

"There are two possible practical applications of the information obtained and recorded in this bulletin, both, however, requiring expert entomological knowledge and experience. These are: (1) The propagation and collection of parasites, and their distribution in regions where the same species are either present in but small numbers or altogether absent; and (2) the elimination of related weevils by the destruction of their food plants in or about cotton fields, thereby forcing the parasites to transfer their attention to the bollweevil."

BOLLWORM AND COTTON WORM

- BISHOPP, F. C. (235)
 THE BOLLWORM OR CORN EAR WORM AS A COTTON PEST. Farmers' Bull. 1595,
 14 pp., illus. 1929.

Supersedes Farmers' Bulletin 872, The Bollworm or Corn Earworm, by F. C. Bishopp. 1917.

"The average annual loss to cotton on account of its depredations has been estimated at \$8,500,000. This injury to cotton is most severe in parts of Texas, Oklahoma, and Arkansas. There is also considerable injury in some seasons in Louisiana, Mississippi, and Alabama."

and JONES, C. R.

(236)

- THE COTTON BOLLWORM: A SUMMARY OF ITS LIFE HISTORY AND HABITS, WITH
 SOME RESULTS OF INVESTIGATIONS IN 1905 AND 1906. Farmers' Bull. 290,
 32 pp., illus. 1907.

COMSTOCK, J. H.

(237)

- REPORT UPON COTTON INSECTS. PREPARED UNDER THE DIRECTION OF THE COM-
 MISSIONER OF AGRICULTURE IN PURSUANCE OF AN ACT OF CONGRESS APPROVED
 JUNE 19, 1878. Div. Ent. Gen. Pub., 511 pp. 1879.

Part I, The cotton worm: Classification and nomenclature, past history, statistics of losses, cotton worm in other countries, habits and natural history, theory of migrations of the moth, influence of weather, natural enemies, remedies, bibliography; Part II, The bollworm: Importance of the subject, natural history, remedies; Part III, Nectar and its uses.

HUNTER, W. D.

(238)

- THE COTTON WORM OR COTTON CATERPILLAR (*Alabama argillacea* HUBN.) Bur.
 Ent. Circ. 153, 10 pp., illus. 1912.

"Also but incorrectly called the 'army worm.'"

MCCLELLAND, C. K., and SAHR, C. A.

(239)

- CULTURAL METHODS FOR CONTROLLING THE COTTON BOLL WORM. Hawaii Agr.
 Expt. Sta. Press Bull. 32, 8 pp., illus. [1912?]

Methods described for controlling the bollworm in Hawaii: annual pruning; clean culture; and trapping the mature moths.

MALLY, F. W.

(240)

- THE BOLL WORM OF COTTON. A REPORT OF PROGRESS IN A SUPPLEMENTARY
 INVESTIGATION OF THIS INSECT. Div. Ent. Bull. (old ser.) 24, 50 pp., illus.
 1891.

"The bollworm was treated at some length in the fourth report of the United States Entomological Commission, and the chief object of the present investigation was to conduct further experiments with remedies, as well as to verify the value of those already employed" (p. 5).

- MALLY, F. W. (241)
 REPORT ON THE BOLL WORM OF COTTON (*Heliothis armiger* HUBN.) Div. Ent. Bull. (old ser.) 29, 73 pp., illus. 1893.
 Habits and natural enemies, remedies, and bacteriological experiments with insect diseases.
- QUAINTANCE, A. L., and BRUES, C. T. (242)
 THE COTTON BOLLWORM. Bur. Ent. Bull. 50, 155 pp., illus. 1905.
 Bibliography, pp. 135-149 "prepared largely by Mr. A. A. Girault."
 "The present work deals more especially with results of laboratory investigations and other points of interest concerning the insect as a pest to cotton and other crops throughout its extended range" (p. 4).
 Results of field investigations in 1903 are given in Farmers' Bulletin 191; in 1904 in Farmers' Bulletin 212.
- and BISHOPP, F. C. (243)
 THE COTTON BOLLWORM: SOME OBSERVATIONS AND RESULTS OF FIELD EXPERIMENTS IN 1904. Farmers' Bull. 212, 32 pp., illus. 1905.
 Supersedes Farmers' Bulletin 191, The Cotton Bollworm: an Account of the Insect, with Results of Experiments in 1903, by A. L. Quaintance. 1904.
- UNITED STATES DEPARTMENT OF AGRICULTURE. DIVISION OF ENTOMOLOGY (244)
 REPORTS OF EXPERIMENTS, CHIEFLY WITH KEROSENE, UPON THE INSECTS INJURIOUSLY AFFECTING THE ORANGE TREE AND THE COTTON PLANT, MADE UNDER THE DIRECTION OF THE ENTOMOLOGIST. Div. Ent. Bull. (old ser.) 1, 62 pp. 1883.
 Observations and Experiments Upon the Cotton Worm (pp. 38-45); Report of Observations and Experiments on the Cotton Worm (*Aletia xyliana*) by R. W. Jones (pp. 47-51); Reporte Upon the Cotton Worm, Bollworm, and Other Insects, by Lawrence Johnson (pp. 53-58).
- DIVISION OF ENTOMOLOGY. (245)
 REPORTS OF OBSERVATIONS AND EXPERIMENTS IN THE PRACTICAL WORK OF THE DIVISION, MADE UNDER THE DIRECTION OF THE ENTOMOLOGIST. Div. Ent. Bull. (old ser.) 26, 95 pp., illus. 1892.
 Report of Progress in the Investigation of the Cotton Bollworm, by F. W. Mally, pp. 45-56.
- DIVISION OF ENTOMOLOGY. (246)
 REPORTS OF OBSERVATIONS AND EXPERIMENTS IN THE PRACTICAL WORK OF THE DIVISION, MADE UNDER THE DIRECTION OF THE ENTOMOLOGIST. Div. Ent. Bull. (old ser.) 3, 75 pp., illus. 1883.
 Report Upon the Cotton Worm in South Texas in the Spring and Early Summer of 1883, by E. H. Anderson (pp. 31-38); Experimental Tests of Machinery Designed for the Destruction of the Cotton Worm, by W. S. Barnard (pp. 39-48).
- ### PINK BOLLWORM
- BUSCK, AUGUST. (247)
 THE PINK BOLLWORM, *Pectinophora gossypiella*. Jour. Agr. Research 9: 343-370, illus. 1917.
 Literature cited, pp. 366-370.
 A detailed description, "based on an investigation * * * conducted in the Hawaiian Islands during the summer of 1915 and subsequent anatomical studies made from material from various sources." Contains also a "similar detailed descriptive and anatomical study of another lepidopterous insect, *Pyroderces rileyi* Walsingham, which may be called the 'scavenger bollworm' because it frequently occurs in decayed or dried bolls injured by other insects." It has occasionally been mistaken for the pink bollworm.
- FENTON, F. A., and WAITE, W. W. (248)
 DETECTING PINK BOLLWORMS IN COTTONSEEDS BY THE X-RAY. Jour. Agr. Research 45: 347-348, illus. 1932.

- HEINRICH, CARL. (249)
 SOME LEPIDOPTERA LIKELY TO BE CONFUSED WITH THE PINK BOLLWORM.
 Jour. Agr. Research 20: 807-836, illus. 1921.
 This study was conceived and arranged by W. D. Hunter, in charge of the pink-bollworm eradication, to aid the work of his inspectors.
 "The purpose of the present paper is to define the characters which will distinguish the larva and pupa of the pink bollworm, *Pectinophora gossypiella* Saunders, from those of other Lepidoptera attacking cotton or related malvaceous plants and of still others feeding on plants other than malvaceous but frequently found in the neighborhood of cotton fields." The field work upon which this paper is based was conducted throughout the pink-bollworm area in southeastern Texas and in Cameron County, in the southern extremity of Texas.
- HUNTER, W. D. (250)
 THE FIGHT AGAINST THE PINK BOLLWORM IN THE UNITED STATES. Yearbook 1919: 355-368, illus. 1920.
 Texas pink-bollworm law discussed, pp. 360-362.
- THE PINK BOLLWORM. Bur. Ent. [Unnumb. Pub.], 6 pp., illus. 1914. (251)
- THE PINK BOLLWORM, WITH SPECIAL REFERENCE TO STEPS TAKEN BY THE DEPARTMENT OF AGRICULTURE TO PREVENT ITS ESTABLISHMENT IN THE UNITED STATES. Dept. Bull. 1397, 31 pp., illus. 1926. (252)
 Literature cited, pp. 29-30.
 Supersedes Department Bulletin 723, issued under the same title in 1918.
- LOFTIN, U. C., MCKINNEY, K. B., and HANSON, W. K. (253)
 REPORT ON INVESTIGATIONS OF THE PINK BOLLWORM OF COTTON IN MEXICO. Dept. Bull. 918, 64 pp., illus. 1921.
 Appendix, pp. 58-64: Generic and specific description, reprinted from The Pink Bollworm, *Pectinophora gossypiella* by August Busck, Jour. Agr. Research 9: 343-370. 1917.
- OHLENDORF, W. (254)
 STUDIES OF THE PINK BOLLWORM IN MEXICO. Dept. Bull. 1374, 64 pp., illus. 1926.
 Report based on 2 years' study of the pink bollworm in the Laguna district of Mexico, with especial attention to control measures.
 Discusses in detail the distribution of the pink bollworm, its habits, damage caused, food plants, dissemination by flight, natural control, and repression by cultural methods; heat treatment of seeds, and poisoning.
- SASSCER, E. R. (255)
 PINK BOLLWORM AND MEASURES TO EXCLUDE IT. Yearbook 1926: 582-584, illus. 1927.
 Fumigation measures are described.
- SCHUTZ, H. H., and HASKELL, E. S. (256)
 A SURVEY OF THE PINK BOLLWORM SITUATION IN THE LAGUANA DISTRICT, MEXICO. 87 pp. Bur. Markets and Crop Estimates. [1922.] [Mimeographed.]
- UNITED STATES DEPARTMENT OF AGRICULTURE. FEDERAL HORTICULTURAL BOARD. (257)
 FINDINGS OF PINK BOLLWORM CONFERENCE, DALLAS, TEX., DECEMBER 2, 1921.
 REPORT OF COMMITTEE AT LARGE. 2 pp. [1921.] [Mimeographed.]
- FEDERAL HORTICULTURAL BOARD. (258)
 PINK BOLLWORM SITUATION SUMMARIZED. 6 pp. [1921.] [Mimeographed.]
 Issued in connection with the pink-bollworm conference called by the Department of Agriculture for May 16, 1921.
- FEDERAL HORTICULTURAL BOARD. (259)
 REPORT OF PINK BOLLWORM CONFERENCE. 4 pp. [1921.] [Mimeographed.]
 Report of conference held at Washington, D.C., May 16, 1921, and attended by representatives from Virginia, North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Louisiana, Texas, Arkansas, Oklahoma, New Mexico, Arizona, and California. List of delegates, p. 4.

UNITED STATES DEPARTMENT OF AGRICULTURE. FEDERAL HORTICULTURAL BOARD. (260)

SUMMARY OF THE PINK BOLLWORM SITUATION. NOVEMBER 26, 1921. 6 pp. 1921. [Mimeographed.]

Prepared for the information of the persons attending the conference called by the Department of Agriculture for December 2 [1921.] at Dallas, Tex.

WILLARD, H. F. (261)

PARASITES OF THE PINK BOLLWORM IN HAWAII. Tech. Bull. 19, 16 pp., illus. 1927.

Literature cited, pp. 14-15.

The pink bollworm is attacked in Hawaii by seven parasites. Notes are given for two of these, *Microbracon mellitor* Say and *Perisierola emigrata*.

OTHER INSECTS AND PESTS

BARBER, E. R. (262)

THE ARGENTINE ANT: DISTRIBUTION AND CONTROL IN THE UNITED STATES. Dept. Bull. 377, 23 pp., illus. 1916.

"In corn, cotton, and sugarcane fields the Argentine ant, when present, is constantly attending the aphids and mealy bugs, increasing the numbers of these species to an alarming degree, much to the detriment of the plants" (p. 6).

BARBER, T. C. (263)

PRELIMINARY OBSERVATIONS ON AN INSECT OF THE COTTON STAINER GROUP NEW TO THE UNITED STATES. Jour. Agr. Research 31: 1137-1147, illus. 1925.

Preliminary information concerning the life history and habits of *Dysdercus obscuratus* Distant, which was found in cotton fields in the lower Rio Grande Valley of Texas and in Tamaulipas, Mexico.

BECKER, G. G. (264)

COTTON PEST RELATED TO BOLL WEEVIL NOW QUARANTINED IN WEST. Year-book 1927: 226-228, illus. 1928.

"Quarantine No. 61 against the Thurberia weevil became effective July 15, 1926. The territory immediately affected by the quarantine was practically confined to cotton cultures in the Santa Cruz Valley of Arizona extending from Nogales north to and including the so-called 'Postvale area,' map, (fig. 60, p. 228).

BROOKS, F. E., and COTTON, R. T. (265)

THE CAMBIUM CURCULIO, *Conotrachelus anaglypticus* SAY. Jour. Agr. Research 28: 377-386, illus. 1924.

Literature cited, p. 386.

There is "a possibility that sound cotton bolls are attacked and injured by the larvae" (p. 379).

COAD, B. R., FOLSOM, J. W., and GAINES, R. C. (266)

COTTON-LOUSE CONTROL. Leaflet 53, 4 pp., illus. 1929.

Method of dusting the louse or aphid with nicotine dust.

(267)

RELATION OF THE ARIZONA WILD COTTON WEEVIL TO COTTON PLANTING IN THE ARID WEST. Dept. Bull. 233, 12 pp., illus. [1915].

Habits of the wild cotton or Thurberia weevil and possibility of its transference to cultivated cotton.

(268)

STUDIES ON THE BIOLOGY OF THE ARIZONA WILD COTTON WEEVIL. Dept. Bull. 344, 23 pp., illus. 1916.

COBB, N. A. (269)

A NEW PARASITIC NEMA FOUND INFESTING COTTON AND POTATOES. Jour. Agr. Research 11: 27-33, illus. 1917.

FOLSOM, J. W., and BONDY, F. F. (270)

CALCIUM ARSENATE DUSTING AS A CAUSE OF APHID INFESTATION. Circ. 116, 12 pp., illus. 1930.

Results of investigations conducted at the Delta Laboratory of the Bureau of Entomology at Tallulah, La., 1922-30, showed that "excessive applications of calcium arsenate are often followed by heavy infestations of the cotton louse * * * In experiments it was found that a heavy aphid infestation is built up by the killing of hymenopterous parasites when they emerge in the presence of the arsenical * * * Initial infestations were found to be due to the positive phototropic reaction of winged females to the white deposit of calcium arsenate" (p. 11).

- FORD, E. (271)
COTTON-CATERPILLAR RUST AND ROT. U.S. Commr. Patents Rpt. 1852 (Agr.): 47-48. 1853.
- GIBSON, E. H. (272)
THE CORN AND COTTON WIREWORM IN ITS RELATION TO CEREAL AND FORAGE CROPS, WITH CONTROL MEASURES. Farmers' Bull. 733, 8 pp., illus. 1916.
"Cotton is injured in the early stages by larvae boring into the seed and injuring the very young plants, checking the growth so much that the plant dies or struggles along only to produce little or no cotton." Life history, pp. 4-5.
- GLOVER, TOWNEND. (273)
INVESTIGATIONS ON THE INSECTS AND DISEASES AFFECTING THE COTTON PLANT. U.S. Commr. Patents Rpt. 1857 (Agr.): 121-129, illus. 1858.
Rust and blight are described and the cotton louse is mentioned.
- HUNTER, W. D. (274)
COTTON HOPPER, OR SO-CALLED "COTTON FLEA." Dept. Circ. 361, 15 pp., illus. 1926.
- THE COTTON STAINER. Bur. Ent. Circ. 149, 5 pp., illus. 1912. (275)
- TWO DESTRUCTIVE TEXAS ANTS. Bur. Ent. Circ. 148, 7 pp. 1912. (276)
The cutting or parasol ant and the agricultural or hillock ant, which attack cotton and other plants, are described.
- JACKSON, C. T. (277)
RESEARCHES ON THE COTTON-STAINER, OR RED BUG. U.S. Commr. Patents Rpt. 1858 (Agr.): 272-273. 1859.
Researches resulted in the discovery of "the art of making a yellow dye of a permanent character, from the red bug * * * Its value, however, is likely to be chiefly local, as the quantity of these insects the planters can collect would not be adequate to the demand."
- KING, W. V., and COOK, W. S. (278)
FEEDING PUNCTURES OF MIRIDS AND OTHER PLANT-SUCKING INSECTS AND THEIR EFFECT ON COTTONS. Tech. Bull. 296, 12 pp., illus. 1932.
Experiments begun in 1927 and carried on for 3 years at Tallulah, La., "indicate that hopper damage is due to injected substances normally present in the insects and toxic to the plant, rather than to a transmissible disease" (p. 11).
- MCGREGOR, E. A. (279)
Lygus elisus: A PEST OF THE COTTON REGIONS IN ARIZONA AND CALIFORNIA. Tech. Bull. 4, 15 pp., illus. 1927.
Lygus elisus, also known as the "tarnished bug" and the "cotton dauber", causes injury to cotton plants by puncturing the squares, blooms, and young bolls by mouth parts.
- THE RED SPIDER ON COTTON. Bur. Ent. Circ. 172, 22 pp., illus. 1913. (280)
Supersedes Bureau Entomology Circular 150, issued under the same name in 1912.
- and McDONOUGH, F. L. (280a)
THE RED SPIDER ON COTTON. Dept. Bull. 416, 72 pp., illus. 1917.
Bibliography, pp. 69-72.
Includes detailed report on classification and synonymy; food plants; life-history; description and habits; damage; insect enemies; remedial measures; and other subjects relating to this pest.
- THE RED SPIDER ON COTTON AND HOW TO CONTROL IT. Farmers' Bull. 831 (rev. ed.), 15 pp., illus. 1931. (281)
Supersedes Farmers' Bull. 735, issued under the same title in 1916.
"For many years this trouble has been called 'rust' by cotton planters, who concluded from the reddening of the leaves that it was a disease. The injury, however, is caused by the presence on the cotton leaves of multitudes of small mites called 'red spiders.'" (p. 3).
- THE TRUE CRICKET—A SERIOUS COTTON PEST IN CALIFORNIA. Circ. 75, 8 pp. 1929. (282)

- PAINTER, R. H. (283)
 A STUDY OF THE COTTON FLEA HOPPER, *Psallus seriatus* REUT., WITH ESPECIAL REFERENCE TO ITS EFFECT ON COTTON PLANT TISSUES. Jour. Agr. Research 40: 485-516, illus. 1930.
 Literature cited, p. 516.
- SNYDER, T. E. (284)
 "WHITE ANTS" AS PESTS IN THE UNITED STATES AND METHODS OF PREVENTING THEIR DAMAGE. Farmers' Bull. 759, 20 pp., illus. 1916.
 It is noted that white ants occasionally injure the stems and roots of cotton plants.
- TITUS, E. S. G. (285)
 THE COTTON RED SPIDER. Bur. Ent. Circ. 65, 5 pp., illus. 1905
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF ENTOMOLOGY. (286)
 SOME MISCELLANEOUS RESULTS OF THE WORK OF THE BUREAU OF ENTOMOLOGY. VIII. Bur. Ent. Bull. 54, 99 pp., illus. 1905.
 Report on a Mexican cotton pest, the "conchueta" (*Pentatoma ligata* Say.), by A. W. Morrill, pp. 18-34.
-
- (287)
 SOME MISCELLANEOUS RESULTS OF THE WORK OF THE BUREAU OF ENTOMOLOGY—IX. Bur. Ent. Bull. 64, 98 pp., illus. 1911.
 Issued in separate form on April 2, 1907.
 I. The Mexican Conchueta in Western Texas in 1905. (*Pentatoma ligata* Say.), by A. W. Morrill, pp. 1-14.

AGRONOMY

- BLAIR, R. E. (288)
 THE WORK OF THE YUMA RECLAMATION PROJECT EXPERIMENT FARM IN 1918. Dept. Circ. 75, 77 pp., illus. 1920.
 Cotton, pp. 14-16. "Nearly 64 percent of the entire irrigated area of the project, or 28,608 acres, was planted to cotton." Yields and farm values are given. Cotton experiments, pp. 26-63. Variety tests and ratooning, thinning tests, time-of-planting experiment with Pima cotton, the furrow-and-bed method, breeding work.
- CAMP, W. B. (289)
 COTTON CULTURE IN THE SAN JOAQUIN VALLEY IN CALIFORNIA. Dept. Circ. 164, 22 pp., illus. 1921.
 "This circular is devoted principally to the growing of Pima Egyptian long-staple cotton in the San Joaquin valley, although the same methods are applicable to such long-staple upland varieties as the Durango and Acala, which are preferable for short-season districts." (p. 4.)
-
- (290)
 PRODUCTION OF ACALA COTTON IN THE SAN JOAQUIN VALLEY OF CALIFORNIA. Dept. Circ. 357, 24 pp., illus. 1925.
 "Circular No. 164 [see item 289] * * * treated of the culture of Pima Egyptian cotton in the San Joaquin Valley, but since then the Acala variety of Upland cotton has been substituted and is now being grown to the exclusion of all others * * * Cultural methods which have proved well adapted to conditions there, including preparation of land, planting, thinning, irrigation, cultivating, etc., are described in this bulletin."
- CAPRON, HORACE. (291)
 AGRICULTURE IN JAPAN. Dept. Agr. Rpt. 1873: 364-374. 1874.
 Cotton, pp. 370-371.
 Requirements of cultivation are given. It is stated that cotton cultivation is "second alone in importance to rice."
- CARDON, P. V. (292)
 EXPERIMENTS WITH SINGLE-STALK COTTON CULTURE IN LOUISIANA, ARKANSAS, AND NORTH CAROLINA. Dept. Bull. 526, 31 pp., illus. 1918.
 Results of a series of experiments made in 1915. "There was no significant difference in the lint produced by the different systems of culture, the lint percentage, the size of the seed, the lint index (grams of lint of 100 seeds), and the grade and length of lint remaining about the same."

- CARDON, P. V. (293)
 NURSE PLANTING SELECT COTTON SEED. Dept. Bull. 668, 12 pp., illus. 1918.
 The experiments reported were conducted in 1917 at the United States Experiment Farm at San Antonio, Tex. The method suggested uses substitute seeds of a different type of cotton, or of beans or peas, in place of those select cotton seed that would produce surplus plants to be removed in thinning. Beans or peas are as effective as select cotton plants in breaking through the soil crust.
- CHAMBERS, C. L. (294)
 HAIRY VETCH TURNED UNDER GREATLY INCREASES SOUTH'S COTTON AND CORN YIELDS. Yearbook 1930: 302-305, illus. 1930.
- CHILCOTT, E. C., and COLE, J. S. (295)
 SUBSOILING, DEEP TILLING, AND SOIL DYNAMITING IN THE GREAT PLAINS. JOUR. Agr. Research 14: 481-521, illus. 1918.
 Literature cited, p. 521.
 "Results of subsoiling at 12 stations [of the Office of Dry-Land Agriculture Investigations, United States Department of Agriculture] in the Great Plains area for a total of 66 station-years, or an average of 5½ years at each station. From four to seven crops have been grown each year at each station." Cotton was one of the crops under trial. Results of other investigations of subsoiling and deep tilling, pp. 517-519.
- CLOUD, N. B. (296)
 COTTON CULTURE IN 1866. Dept. Agr. Rpt. 1866: 190-193. 1867.
 Describes an improved system of culture, based upon the use of labor-saving machinery and proper fertilization.
- COOK, O. F., and DOYLE, C. B. (297)
 ACALA COTTON, A SUPERIOR UPLAND VARIETY FROM SOUTHERN MEXICO. Circ. 2, 30 pp., illus. 1927.
 History of Acala cotton, cultural and marketing advantages, and production in 1-variety communities. Acala cotton "now forms the bulk of the crop in the irrigated districts of western Texas, New Mexico, Arizona, and California."
- (298)
 COTTON IMPROVEMENT UNDER WEEVIL CONDITIONS. Farmers' Bull. 501 (rev. ed.), 22 pp. 1922.
 Issued 1912; revised 1920; reprinted 1922.
 Early varieties and cultural methods that favor a rapid development of the crop are recommended.
- (299)
 COTTON MORE PRODUCTIVE WHEN THICK SPACED FOR SMALL UPRIGHT PLANTS. Yearbook 1931: 167-171, illus. 1931.
- (300)
 COTTON VARIETIES IN CALIFORNIA. 3 pp. 1929. Bur. Plant Indus. [Mimeographed.]
 Report on variety tests conducted in the season of 1928.
- (301)
 and MARTIN, R. D.
 CULTURE OF PIMA AND UPLAND COTTON IN ARIZONA. Farmers' Bull. 1432, 14 pp., illus. 1924.
 Revision of Farmers' Bull. 577, Growing Egyptian Cotton in the Salt River Valley, Arizona, by E. W. Hudson. 1914.
- (302)
 DURANGO COTTON IN THE IMPERIAL VALLEY. Bur. Plant Indus. Circ. 111: 11-22, illus. 1913.
 History of Durango cotton, the acclimatization of which was begun in 1905; its cultural characters, and comparison with the Columbia, Foster, Allen, and Egyptian varieties. The author concludes that "the introduction of the Durango cotton meets the demand for a long-staple variety adapted to the local conditions and promises the largest profits for the farmers of the valley".
- (303)
 HINDI COTTON IN EGYPT. Bur. Plant Indus. Bull. 210, 58 pp., illus. 1911.
 Conclusions drawn from a visit to the cotton-growing districts of Egypt in June and July 1910. "Hindi is the name applied in Egypt to an undesirable type of cotton with a short, weak fiber, that injures the high-grade Egyptian varieties by infesting them with hybrids. * * * The establishment of a profitable culture of Egyptian cotton in Arizona and southern California depends largely on the exclusion of the Hindi contamination."

- COOK, O. F. (304)
IMPROVEMENTS IN COTTON PRODUCTION. Dept. Circ. 200, 12 pp. 1921. (305)
-
- LOCAL ADJUSTMENT OF COTTON VARIETIES. Bur. Plant Indus. Bull. 159, 75 pp. 1909.
A comparison made between two fields of Triumph cotton—one at Lockhart, Tex., the other at Kerrville, Tex., in the season of 1907.
The process of selection to restore the uniformity of a variety in a new place is called local adjustment.
“Selection for local adjustment is distinct in objects and methods from breeding for improvement or for originating new varieties. The object of local adjustment is to preserve varieties already existing and guard them against recurrence of diversity.” (306)
-
- A NEW SYSTEM OF COTTON CULTURE AND ITS APPLICATION. Farmers' Bull. 601, 12 pp., illus. 1914.
The descriptive portion of this bulletin (pp. 1-5) is to a large extent reprinted from a paper in Bureau of Plant Industry Circular 115, A New System of Cotton Culture, by O. F. Cook, issued in 1913, which is now out of print.
The new system is based on control of vegetative branches by improved methods of thinning, which permit an earlier development of the fruiting branches. (307)
-
- ORIGIN OF THE HINDI COTTON. Bur. Plant Indus. Circ. 42, 12 pp. illus. 1909
“Experiments with Egyptian cotton in Arizona show that the so-called ‘Hindi’ variations which appear among plants grown from seed imported from Egypt are one of the principal factors of the diversity that would diminish the commercial value of the fiber.
“Comparisons with other types indicate that the Hindi cotton is of American origin instead of a result of hybridization with a native Egyptian or other Old World species of cotton as various writers have assumed.” (308)
-
- RESULTS OF COTTON EXPERIMENTS IN 1911. Bur. Plant Indus. Circ. 96, 21 pp. 1912.
“Brief summary of the principal conclusions that have been reached [by research in the Bureau of Plant Industry], especially those that affect general problems of breeding and crop production.
“The present statement is to be considered as supplementary to that contained in the Annual Report of the Chief of the Bureau of Plant Industry for 1911.”
Juvenile leaf curl of cotton, pp. 13-15. Experiments on Egyptian cotton, pp. 16-20. (309)
-
- SINGLE-STALK COTTON CULTURE. Bur. Plant Indus. [Doc.] 1130, 11 pp., illus. 1914.
“The cultural ideal under the new system is a cotton plant with only the single erect central stalk, bearing numerous well-developed fruiting branches, but none of the vegetative branches, or secondary stalks.” (310)
-
- COTTON CONVENTION, ATLANTA, GA. (310)
ADDRESS OF HON. GEO. B. LORING, COMMISSIONER OF AGRICULTURE, AND OTHER PROCEEDINGS OF THE COTTON CONVENTION HELD IN ATLANTA, GA., NOVEMBER 2, 1881. Dept. Rpt. 17, 35 pp. 1881.
Commissioner Loring's address (pp. 4-16). A discussion of “1. The increase of the crop of cotton to the acre; and, 2, the introduction of diversified farming as a source of profit to the farmer and of benefit to the soil he cultivates.”—Address by Edward Atkinson, containing a plea for uniformity of staple (pp. 16-18).—Address by Professor Riley, describing machines for poisoning the boll worm (pp. 19-29).

- CROSBY, M. A. (311)
 FARM PRACTICES THAT INCREASE CROP YIELDS IN THE GULF COAST REGION.
 Farmers' Bull. 986, 28 pp., illus. 1918.
 Crop rotations, pp. 21-28. Rotation for control of root knot, pp. 24-25.
- DEWEY, L. H. (312)
 EGYPTIAN COTTON IN THE UNITED STATES. Div. Bot. Circ. 26, 9 pp., illus.
 1900.
 Importations; experiments with imported seed; description of varieties; cotton cultivation in Egypt; soil, temperature, humidity, and rainfall conditions in the United States compared with those in Egypt.
- DOYLE, C. B. (313)
 LIVE-AT-HOME PLANS AND SOIL BUILDING AID COTTON GROWERS. Yearbook
 1933: 114-118. 1933.
 "As a result of an intensive study made several years ago, the following general recommendations for improvements in farm practices with cotton are being emphasized by the United States Department of Agriculture and the Association of Southern Agricultural Workers."
 (314)
- MULTIPLICITY OF VARIETIES HANDICAPS IMPROVEMENT IN THE AMERICAN COTTON CROP. Yearbook 1933: 107-114, illus. 1933.
 Includes a discussion of the characters of a superior variety, cluster varieties, and novelty varieties.
- FOADEN, G. P. (315)
 COTTON CULTURE IN EGYPT. Off. Expt. Sta. Bull. 42, 34 pp., illus. 1897.
 Includes Exports of Cotton from Egypt, by F. H. Hitchcock, pp. 29-34.
 (316)
- NOTES ON EGYPTIAN AGRICULTURE. Bur. Plant Indus. Bul. 62, 62 pp., illus.
 1904.
 Cotton, pp. 16-42. Methods of cultivation are discussed and some information on marketing is included. Notes are given on the Ashmouni, Mit Afii, Abbasi, and Jannovitch varieties.
 The author, at the time of writing this bulletin, was secretary of the Khedivial Agricultural Society, Cairo.
- GALLOWAY, B. T. (317)
 INDUSTRIAL PROGRESS IN PLANT WORK. Yearbook 1902: 219-230. 1903.
 Progress in cotton improvement, pp. 228-230. Discusses investigations which have been made of diseases; development of new types of cotton for special regions and special purposes; and introduction of Egyptian cotton.
- HALE, G. A. (318)
 THE EFFECT OF LATITUDE, LENGTH OF GROWING SEASON, AND PLACE OF ORIGIN OF SEED ON THE YIELD OF COTTON VARIETIES. Jour. Agr. Research 46: 731-737, illus. 1933.
- HARRIS, J. A., and NESS, M. M. (319)
 APPLICABILITY OF PEARSON'S EQUIVALENT PROBABILITY r METHOD TO THE PROBLEM OF SEEDLING MORTALITY IN SEA-ISLAND, EGYPTIAN, AND UPLAND COTTON. Jour. Agr. Research 36: 615-623. 1928.
 Literature cited, p. 623.
 (320)
- THE CORRELATION BETWEEN THE SOIL SALINITY AND FLOWERING DATE IN COTTON. Jour. Agr. Research 38: 109-112. 1929.
 Literature cited, p. 112.
 "Consideration of the correlations between soil resistance and flowering date in an extensive culture of Pima Egyptian, Meade upland, and Acala upland cottons, made at the United States Field Station in the Gila River Valley at Sacaton, Ariz., indicates that there is a low negative correlation between the soil resistance and the time required for flowering in these three varieties of cotton. Since soil salinity is measured in terms of resistance, while flowering date is measured in terms of days after an arbitrary origin date (June 1), negative correlation coefficients indicate that the flowering date is slightly retarded by soil salinity."

HARRIS, J. A., HARRISON, G. J., and LOCKWOOD, E. K. (321)

A CRITERION OF THE DIFFERENTIATION OF VARIETIES OR OF EXPERIMENTAL AREAS WITH RESPECT TO THEIR CAPACITY TO PRODUCE SEEDLING STANDS OF COTTON. *Jour. Agr. Research* 38: 601-621, illus. 1929.

Literature cited, pp. 619-621.

"The primary purpose of this paper is to give and to illustrate the applicability of criteria for the determination of differences in the seedling stands produced by different varieties of cotton when grown under the same conditions and by the same variety of cotton when grown under different field conditions.

"Pearson's double χ^2 criterion, which compares all the classes involved in the two frequency distributions, is shown to be a suitable test of differentiation in such cases.

"Incidentally, comparisons between the seedling stands produced by a number of varieties, as grown under irrigation in southern Arizona, are made. Pima Egyptian cotton showed a marked superiority over the upland varieties with which it was compared in its ability to establish seedling stands under the rather saline soil conditions of the Gila River Valley of southern Arizona. Sea-island cotton seemed to show a behavior similar to Pima Egyptian in this respect."

and GUNSTAD, B. (322)

EXTENSION OF PEARSON'S CORRELATION METHOD TO INTRAClass AND INTERCLASS RELATIONS. *Jour. Agr. Research* 42: 279-291. 1931.

Literature cited, pp. 290-291.

"While illustrations of the application of the method to the problem of the influence of field heterogeneity, in the sense in which this term has been used in earlier papers * * * on seedling stand in sea-island and Durango cotton have been given, the primary purpose of the present investigation has been to derive the necessary biometric formulas."

HARRISON, G. J., and WADLEY, F. M. (323)

ILLUSTRATIONS OF THE APPLICATION OF A CRITERION OF THE DEVIATION OF AN OBSERVED FROM A RANDOM DISTRIBUTION TO THE PROBLEM OF SEEDLING STAND IN SEA-ISLAND, EGYPTIAN, AND UPLAND COTTON. *Jour. Agr. Research* 36: 603-614, illus. 1928.

"In this paper attention is limited to a comparison of the actual frequency distribution of the number of seedlings per hill with the theoretical distribution which should arise if frequencies were determined solely by chance."

(324)

A POSSIBLE RELATIONSHIP BETWEEN SOIL SALINITY AND STAND IN COTTON. *Jour. Agr. Research* 37: 213-231, illus. 1928.

Literature cited, pp. 230-231.

"The present investigation has dealt with the problem of the relationship between the concentration of the soil solution and the seedling stand produced in cultures of Pima Egyptian and of Meade, Acala, and Lone Star upland cotton in heterogeneous experimental fields."

HASTINGS, S.H., and LETTEER, C. R. (325)

EXPERIMENTS IN SUBSOILING AT SAN ANTONIO [TEXAS]. *Bur. Plant Indus. Circ.* 114: 9-14, illus. 1913.

"Subsoiling consists in loosening the soil to a depth greater than it can be loosened with an ordinary plow. This is accomplished by a subsoil plow, which operates in the bottom of the furrow left by a breaking plow, loosening the soil to the additional depth of about 12 inches." Corn, cotton (Triumph variety), oats, grain sorghums, and sorgos were grown in the experiments.

(326)

THE WORK OF THE SAN ANTONIO EXPERIMENT FARM IN 1915. *Bur. Plant Indus., West. Irrig. Agr. [Circ.]* 10, 17 pp., illus. 1916.

"The work of the San Antonio Experiment Farm was continued in 1915 along the same general lines as those indicated in previous reports." Experiments with cotton, pp. 13-14. "Some varietal tests were continued, further studies were made with regard to the acclimatization of certain introduced varieties, and considerable breeding work was done."

- HORNER, W. H. (327)
COTTON IN MISSOURI. U.S. Commr. Patents Rpt. 1861 (Agr.): 221-223.
1862.
Notes on cultivation.
- HUBBARD, J. W. (328)
OUTLINES OF COTTON CULTURE IN THE SAN JOAQUIN VALLEY OF CALIFORNIA.
Circ. 256, 8 pp., illus. 1933.
- HUDSON, E. W. (329)
PREPARATION OF LAND FOR EGYPTIAN COTTON IN THE SALT RIVER VALLEY,
ARIZONA. Bur. Plant Indus. Circ. 110, 17-20. 1913.
"To secure the best crop of Egyptian cotton, it is of very great
importance that the grower select uniform land with very slight grade
on which alfalfa has grown for at least 3 years."
- JACKSON, C. T. (330)
CHEMICAL ANALYSES OF COTTON SOILS—ANALYSES OF THE ASH OF THE COTTON
PLANT. U.S. Commr. Patents Rpt. 1857 (Agr.): 296-304, illus. 1858.
- JANSSEN, GEORGE, and BARTHOLOMEW, R. P. (331)
THE INFLUENCE OF THE POTASH CONCENTRATION IN THE CULTURE MEDIUM
ON THE PRODUCTION OF CARBOHYDRATES IN PLANTS. Jour. Agr. Research
40: 243-261, illus. 1930.
Literature cited, pp. 259-261.
Cotton grown in water culture, table 3, C, (p. 247).
- KEARNEY, T. H. (332)
COTTON CULTURE IN THE SOUTHWESTERN UNITED STATES. Bur. Plant Indus.
Doc. 362, 3 pp. 1908.
- and MEANS, T. H. (333)
CROPS USED IN THE RECLAMATION OF ALKALI LANDS IN EGYPT. Yearbook
1902: 573-588, illus. 1903.
The observations upon which this paper is based were made in the
course of a visit to northern Africa under the auspices of the Office of
Seed and Plant Introduction and Distribution, Bureau of Plant Industry.
The primary object of this expedition * * * was to secure seeds of
plants suitable for introduction into the arid parts of the United States.
Crops used in the process of reclamation: Cotton, pp. 586-587.
- (334)
EGYPTIAN COTTON AS AFFECTED BY SOIL VARIATIONS. Bur. Plant Indus. Circ.
112: 17-24, illus. 1913.
"It is evident that in order to obtain the largest yields and what
is of the utmost importance, the greatest possible uniformity in the staple,
strength, and other qualities of the fiber, Egyptian cotton must be grown
in soils that do not vary greatly in texture and salt content."
- and PETERSON, W. A. (335)
EGYPTIAN COTTON IN THE SOUTHWESTERN UNITED STATES. Bur. Plant Indus.
Bull. 128, 71 pp., illus. 1908.
Experiments made during 1902-7 in the Southwest, especially at Yuma,
Ariz., show that the region is well adapted to Egyptian varieties of cotton.
Suggestions as to cultural methods are given. Cotton culture in Egypt,
pp. 10-26. Mean monthly and annual temperatures in degrees Fahrenheit,
at localities in Egypt and in the southwestern part of the United
States, table 1 (p. 12).
- and PETERSON, W. A. (336)
EXPERIMENTS WITH EGYPTIAN COTTON IN 1908. Bur. Plant Indus. Circ. 29,
22 pp., 1909
Progress of the work since the publication of Bureau of Plant Industry
Bulletin 128. (See item 335.) Includes a statement "regarding the
volume and value of the imports of Egyptian cotton into the United
States in 1908 and * * * a report on the spinning test made by
manufacturers with the fiber produced at Yuma in 1907."
- (337)
TESTS OF THE PIMA EGYPTIAN COTTON IN THE SALT RIVER VALLEY, ARIZONA.
Bur. Plant Indus., Alkali and Drought Resistant Plant Invest. Circ. 1,
4 pp. 1916.
Comparison of plant characters of Pima and Yuma cottons show
superiority of the Pima variety in boll productiveness, earliness, size of
bolls, greater freedom of limbs, longer and finer fiber. Mention is made
of field tests conducted in cooperation with the Salt River Valley Egyptian
Cotton Growers' Association.

KEATING, F. E.

(338)

AGRONOMIC WORK OF THE BIG SPRING, TEX., FIELD STATION—1915-1929. Circ. 202, 32 pp., illus. 1932.

Experiments with cotton included rotation and tillage investigations; variety tests, date-of-seeding tests, and rate-of-seeding tests.

KING, C. J., and LOOMIS, H. F.

(339)

AGRICULTURAL INVESTIGATIONS AT THE UNITED STATES FIELD STATION, SACATON, ARIZ., 1925-1930. Circ. 206, 64 pp., illus. 1932.

Studies on cotton included attention to diseases; variety tests; irrigation experiments; physiological investigations; experiments in genetics.

Genetics: Cotton of the Egyptian type, by T. H. Kearney, pp. 41-45. and LEDING, A. R.

(340)

AGRICULTURAL INVESTIGATIONS AT THE UNITED STATES FIELD STATION, SACATON, ARIZ., 1922, 1923, AND 1924. Dept. Circ. 372, 46 pp., illus. 1926.

Cotton experiments, pp. 11-24. Variety tests; spacing rotation, time-of-planting, and irrigation experiments; production at the seed farm; breeding test with Pima, and studies of hybrids, pollination, and cell-sap properties (sections prepared by T. H. Kearney).

LOOMIS, H. F., and VARMETTE, D. L.

(341)

COMPARISON OF PIMA COTTON WITH UPLAND VARIETIES IN ARIZONA. Jour. Agr. Research 28: 937-954, illus. 1924.

Literature cited, p. 953.

"Adjacent plantings of Pima Egyptian and several Upland varieties of cotton were made at Sacaton, Ariz., from 1920 to 1923, and data of plant behavior secured on habits of growth, flowering, shedding, yields, and lint and boll characters. A series of measurements on selected groups of 25 plants of each variety were conducted through the seasons of 1922 and 1923."

(342)

CROP TESTS AT THE COOPERATIVE TESTING STATION, SACATON, ARIZ. Dept. Circ. 277, 40 pp., illus. 1923.

Tests with cotton are included, pp. 9-16; root rot, pp. 35-37; Breeding work with Egyptian cotton, report by T. H. Kearney, pp. 39-40.

(343)

WATER-STRESS BEHAVIOR OF PIMA COTTON IN ARIZONA. Dept. Bull. 1018, 24 pp., illus. 1922.

Literature cited, pp. 23-24.

"An investigation of the practicability of using soil-moisture determinations as an index of the water requirement for growing Pima cotton was begun in 1918 and continued through the year 1919, in the belief that definite information would be of value in determining the best methods of irrigation." Water relations and the shedding of immature bolls, pp. 11-15.

KNAPP, BRADFORD.

(344)

EMERGENCY CROPS FOR OVERFLOWED LANDS IN THE MISSISSIPPI VALLEY. Bur.

Plant Indus., Farmers' Coop. Demon. Work, Unnumb. Pub., 8 pp. 1912. Cotton, pp. 2-3.

(345)

FIELD INSTRUCTIONS FOR FARMERS' COOPERATIVE DEMONSTRATION WORK. Bur. Plant Indus. Doc. 523 (rev. ed.), 8 pp. 1912.

Revision of Bureau Plant Industry Document 344, Field Instructions for Farmers' Cooperative Demonstration Work, by S. A. Knapp. 1911.

Gives outlines of cultural methods recommended for cotton.

(346)

SOME RESULTS OF THE FARMERS' COOPERATIVE DEMONSTRATION WORK. Year-book 1911: 285-296, illus. 1912.

Results are given of 7 years' work since the organization of the service by S. A. Knapp in 1904 in Texas. Information on bollweevil control and crop diversification was carried to farmers by about 600 agents. A table shows "increased average yield of cotton and corn on demonstration farms over the average yield in several Southern States in 1909 and 1910" (p. 290).

- KNAPP, S. A.** (347)
 AGRICULTURAL METHODS FOR BOLL-WEEVIL DISTRICTS. Bur. Plant Indus. Doc. 136, 8 pp. 1905.
 Contains the principal points covered in Farmers' Bulletin 189, Information Concerning the Mexican Cotton Boll Weevil, by W. D. Hunter, 1904, in addition to general cultural recommendations.
-
- FAMILIAR TALKS ON FARMING. CULTIVATION OF THE CROP.** Bur. Plant Indus. Doc. 365, 3 pp. 1908 (348)
 Recommendations for cultivating cotton.
-
- THE PRODUCTION OF COTTON UNDER BOLL WEEVIL CONDITIONS.** Bur. Plant Indus. Doc. 619, 8 pp. 1911. (349)
- LETTEER, C. R.** (350)
 EXPERIMENTS IN CROP PRODUCTION ON FALLOW LAND AT SAN ANTONIO [TEXAS]. Dept. Bull. 151, 10 pp., illus. 1914.
 Corn, cotton, and winter oats were used in the experiments, which covered the years 1911-13. "In this paper the word 'fallow' is used to mean thorough cultivation of the land from the time it is plowed after the removal of a crop throughout the next season and until the crop is planted at the beginning of the second season" (p. 1).
-
- THE WORK OF THE SAN ANTONIO (TEXAS) EXPERIMENT FARM IN 1918.** Dept. Circ. 73, 38 pp., illus. 1920. (351)
 Experiments with cotton, pp. 15-16.
- LUDWIG, C. A.** (352)
 SOME FACTORS CONCERNING EARLINESS IN COTTON. Jour. Agr. Research 43: 637-659, illus. 1931.
 Literature cited, pp. 657-659.
 "The following topics have been investigated and are considered here: (1) Varietal differences in the maturation periods of squares and bolls; (2) effect on the maturation periods of the time of application of nitrogenous fertilizer; (3) effect of the amount of nitrogenous fertilizer applied; (4) effect of the spacing of the plants; (5) effect of duration of cultivation; (6) effect of stripping the forms; and (7) the rate of development of the bolls."
- LYMAN, J. B.** (353)
 COTTON PLANTING. Dept. Agr. Rpt. 1866: 93-211. 1867.
 Selection of a cotton farm; stock, laborers, and implements; how cotton should be planted; enemies of the plant and how to destroy them; picking; ginning, baling, and marketing; improved and scientific cultivation; improvements in seed.
- McKEEVER, H. G.** (354)
 SPACING EXPERIMENTS WITH ACALA COTTON IN SOUTHERN CALIFORNIA. Jour. Agr. Research 28: 1081-1093, illus. 1924.
 Experiments with cotton grown on irrigated land. Yields are shown in table I (p. 1085).
- McLACHLAN, ARGYLE.** (355)
 THE CULTURE OF DURANGO COTTON IN THE IMPERIAL VALLEY [CALIFORNIA]. Bur. Plant Indus. Circ. 121: 3-12. 1913.
 "The object of the present paper is to call attention to special methods and precautions that need to be observed in the development of a long-staple industry under the local conditions."
- McNAMARA, H. C.** (356)
 COTTON-SPACING EXPERIMENTS AT GREENVILLE, TEXAS. Dept. Bull. 1473, 48 pp., illus. 1927.
 "The spacing experiments discussed in this report extend over a period of five years, from 1921 to 1925, inclusive, and include many repetitions. The combined results show larger yields from the closer spacings and indicate that cotton plants generally are left in the fields at distances too far apart to obtain the best yields."
-
- HUBBARD, J. W., and BECKETT, R. E.** (357)
 GROWTH AND DEVELOPMENT OF COTTON PLANTS AT GREENVILLE, TEX. Dept. Circ. 401, 18 pp., illus. 1927.
 Growth and development under various cultural methods as affected by environmental conditions.

- MEADE, R. M. (358)
SINGLE-STALK COTTON CULTURE AT SAN ANTONIO. Dept. Bull. 279, 20 pp., illus. 1915.
Gives results of a series of tests made in 1914 on the United States Experiment Farm at San Antonio, Tex. The advantages of the single-stalk system as compared with wide spacing are shown.
- MELOY, G. S., and DOYLE, C. B. (359)
MEADE COTTON, AN UPLAND LONG-STAPLE VARIETY REPLACING SEA ISLAND. Dept. Bull. 1030, 24 pp., illus. 1922.
Literature cited, p. 24.
Meade cotton was the subject of experimentation, in 1917 and 1918 in various sections of the Cotton Belt, in an effort to replace the sea-island variety, because of bollweevil injury to the latter. Origin and history of the Meade variety are given, and cultivation and production during 1920. Comparative spinning tests of Meade and sea-island, and Meade and Egyptian Sakellaridis, pp. 20-22.
- MILLER, H. A. (360)
A SIMPLE WAY TO INCREASE CROP YIELDS. METHODS FOLLOWED BY FARMERS OF THE COASTAL PLAIN SECTION OF THE CENTRAL ATLANTIC STATES IN BUILDING UP SOIL FERTILITY. Farmers' Bull. 924 (rev. ed.), 20 pp., illus. 1932.
Issued 1918; revised 1932.
Examples of soil improvement. A cotton farm, pp. 17-18. This farm was located in the southeastern part of Virginia. "The following 2-year rotation was put in operation: First year—Cotton plus crimson clover after first picking. Second year—Corn plus cowpeas at last cultivation."
- NOBLE, E. G. (361)
THE WORK OF THE YUMA RECLAMATION PROJECT EXPERIMENT FARM IN 1919 AND 1920. Dept. Circ. 221, 37 pp., illus. 1922.
"The Yuma Experiment Farm, which includes 160 acres, is located on the Yuma reclamation project and adjoins the town site of Bard on the California side of the Colorado River. The work of the farm is under the immediate supervision of the Division of Western Irrigation Agriculture, while arrangements are provided for some special experiments under the direction of representatives of other offices of the Bureau of Plant Industry."
Cotton, pp. 15-22. Variety tests; furrow-and-bed method of growing Pima cotton; fertilizers; selection; improvement of varieties.
- ORTON, W. A. (362)
SEA ISLAND COTTON. Farmers' Bull. 787, 40 pp., illus. 1916.
Revision of Farmers' Bulletin 302, Sea Island Cotton: Its Culture, Improvement, and Diseases, by W. A. Orton. 1907.
- OSBORN, W. M. (363)
ROTATION AND TILLAGE EXPERIMENTS AT THE LAWTON (OKLA.) FIELD STATION, 1917-30. Tech. Bull. 330, 35 pp. illus. 1932.
Results with cotton, pp. 21-25. Acre yield (in pounds) of cotton lint and seed cotton grown by different methods at the Lawton field station, 1917-30, table 14 (pp. 22-23).
- PATTEN, H. E., and WAGGAMAN, W. H.
ABSORPTION BY SOILS. Bur. Soils Bull. 52, 95 pp., illus. 1908.
Selective absorption. Cotton, pp. 30-31. Absorption of potash from potassium chloride solutions.
- PETERSON, W. A. (365)
THE WORK OF THE YUMA EXPERIMENT FARM IN 1912. Bur. Plant Indus. Circ. 126: 15-25, illus. 1913.
Cotton (pp. 20-21). "In addition to the breeding and extension work with Egyptian cotton, extensive experiments along cultural lines have been carried on at the Yuma farm by the Office of Acclimatization and Adaptation of Crop Plants and Cotton-Breeding Investigations. It has been demonstrated that cotton can be reproduced from mature wood cuttings and that cotton plants can be volunteered by protecting the bases of the stems with soil during the winter."
- PHILLIPS, M. W. (366)
REMARKS ON THE CULTIVATION OF COTTON. U. S. Commr. Patents Rpt. 1849 (Agr.): 313-315. 1850.
Preparation of land and planting.

- RATLIFFE, G. T., and ATKINS, I. M. (367)
 CROP ROTATION AND TILLAGE EXPERIMENTS AT THE SAN ANTONIO (TEXAS) FIELD STATION. Circ. 193, 39 pp., illus. 1931.
 Cotton. Crop yield in detail, pp. 14-16. Comparison of effects of rotations and cultural treatments on crop yields, pp. 29-33. "Cotton yields were generally higher in rotations than under continuous cropping."
 Literature cited, p. 39. (368)
- THE WORK OF THE SAN ANTONIO [TEXAS] EXPERIMENT FARM IN 1919 AND 1920. Dept. Circ. 209, 39 pp., illus. 1922.
 Experiments with cotton in 1920, pp. 15-19. "A variety test and a cultural experiment were planted, and breeding work with the Kekchi, Acala, and Lone Star varieties was continued." (369)
- REDDING, R. J. (369)
 ESSENTIAL STEPS IN SECURING AN EARLY CROP OF COTTON. Farmers' Bull. 217, 16 pp., illus. 1905.
 Discusses preparation of the soil, fertilizers, selecting the variety and planting, spacing the plants, cultivating the crop, clearing away the plants in autumn.
- SCOFIELD, C. S. (370)
 AGRICULTURE ON THE YUMA RECLAMATION PROJECT. Bur. Plant Indus. Circ. 124: 3-8. 1913.
 "While alfalfa in rotation with cotton may serve as the basis of a profitable agriculture, particularly if accompanied by one or more of the possible animal industries, it is to be expected that several of the more intensive plant industries, such as orchard fruits, will be developed." (371)
- EGYPTIAN COTTON CULTURE IN THE SOUTHWEST. Bur. Plant Indus. Circ. 123: 21-28, illus. 1913.
 Describes experimental plantings by farmers in the Salt River Valley, Ariz., and the Imperial Valley, Calif. (372)
- SUGGESTIONS ON GROWING EGYPTIAN COTTON IN THE SOUTHWEST. Bur. Plant Indus. Doc. 717, 10 pp., illus. 1912.
 Monthly range of prices (in cents per pound) quoted at Boston for Egyptian cotton and at Savannah for Middling upland cotton from November 1909 to October 1911.
- SMITH, LONGFIELD. (373)
 SEA ISLAND COTTON IN ST. CROIX. Virgin Islands Agr. Expt. Sta. Bull. 1, 14 pp., illus. 1921.
 "Sea Island cottonseed was imported into the Virgin Islands from Barbados about 1908, and cotton raising has become one of the principal industries of the islands where the soil and climate are well suited to its cultivation. The area devoted to it, though at present small, is producing very well, the average yield of seed cotton in 1919-20 being around 1,000 pounds per acre. One of the plats at the experiment station produced at the rate of 4,450 pounds of seed cotton per acre" (p. 3.) Includes description of breeding and cultural methods; ginning and marketing; yield; diseases and pests. Process of sunning and whipping is mentioned on page 10. "Seed cotton is usually spread out in long trays to be sunned for a day before whipping. This operation consists in striking the seed cotton on a piece of stout mesh wire forming the bottom of the tray. When the dirt has passed through the tray, the stained and weak cotton, all leaves, and hardened bolls are picked out. After being cleaned the cotton is sent to be ginned and baled." (374)
- TYLER, F. J. (374)
 VARIETIES OF AMERICAN UPLAND COTTON. Bur. Plant Indus. Bull. 163, 127 pp., illus. 1910.
 Gives origin of upland varieties as a whole; defines botanical terms used in descriptions; classifies varieties as to groups (such as big-boll group, long-staple group, etc.); lists and describes varieties alphabetically by name, giving States and counties where grown, references to literature, history, and characteristics, pp. 24-122.

- UNITED STATES DEPARTMENT OF AGRICULTURE. (375)
 COTTON. Dept. Agr. Rpt. 1862: 104-113, illus. 1863.
 What cotton is and where it grows; its climate; the best cotton soil: preparation of the soil; planting and culture; result of an experiment in growing cotton north of its accustomed limits; statistics (world manufactures, 1850; production, 1856; exports, 1860; imports into Great Britain, 1850 and 1860.)
- COTTON COUNCIL. (376)
 IMPROVING THE QUALITY OF AMERICAN COTTON. 7 pp. [1922] [Mimeographed.]
 "This statement was prepared by a special committee and approved by the Cotton Council of the Department of Agriculture, and represents a summary of the Department's attitude at present."
 "Varieties of cotton recommended for specific conditions or regions or indicated as outstanding" by the state experiment stations, list (pp. 3-7.)
- OFFICE OF EXPERIMENT STATIONS. (377)
 THE COTTON PLANT: ITS HISTORY, BOTANY, CHEMISTRY, CULTURE, ENEMIES, AND USES. Off. Expt. Stas. Bull. 33, 433 pp., illus. 1896.
 Also issued as U.S. Cong., 54th, 2d sess., House Doc. 267, Serial no. 3536.
 Bibliographies at end of chapters; Supplemental bibliography of cotton, pp. 423-433.
 Contents: Introduction, by C. W. Dabney, Jr.; History and General Statistics of Cotton, by R. B. Handy; Botany of Cotton, by W. H. Evans; Chemistry of Cotton, by J. B. McBryde and W. H. Beal; Climatology and Soils, by Milton Whitney; The Manuring of Cotton, by H. C. White; Cultivated Varieties of Cotton, by S. M. Tracy; Culture of Cotton, by Harry Hammond; Experiments in Cotton Culture by the Experiment Stations; Diseases of Cotton, by G. F. Atkinson; The Insects Which Affect the Cotton Plant in the United States, by L. O. Howard; The Handling and Uses of Cotton, by Harry Hammond; The Feeding Value of Cotton Seed Products, by B. W. Kilgore.
- BUREAU OF MARKETS. (378)
 BRIEF HISTORY OF DEVELOPMENT OF AMERICAN-EGYPTIAN PIMA COTTON. 3 pp. 1918. [Mimeographed.]
 Short account of the origin of this variety; description of production in Arizona; and summary of spinning tests, 1915-18.
- BUREAU OF PLANT INDUSTRY LIBRARY. (379)
 AGRONOMY; CURRENT LITERATURE. January 1926—date, biweekly. [Mimeographed.]
 A bibliography compiled from material received in the Department of Agriculture library.
 Publications on field cultivation of cotton included.
- BUREAU OF PLANT INDUSTRY. COMMITTEE ON SOUTHWESTERN COTTON CULTURE. (380)
 COTTON AS A CROP FOR THE YUMA RECLAMATION PROJECT. Bur. Plant Indus. Doc. 1009, 6 pp. 1913.
 The committee on Southwestern cotton culture was composed of C. S. Scofield, C. J. Brand, O. F. Cook, T. H. Kearney, and W. T. Swingle. The growing of Egyptian cotton is recommended.
- STATES RELATIONS SERVICE. (381)
 METHODS OF GROWING COTTON UNDER BOLL-WEEVIL CONDITIONS. States Relat. Serv. Doc. 36, Ext. S. "A"-71, 8 pp. 1917.
 "The result of the experience of the demonstration work for the past 12 years in several of the more western cotton states."
- UNITED STATES PATENT OFFICE. (382)
 COTTON. HISTORY AND CULTURE IN MISSISSIPPI [CONDENSED FROM WAILES' REPORT ON THE AGRICULTURE AND GEOLOGY OF MISSISSIPPI]. U.S. Commr. Patents Rpt. 1854 (Agr.): 177-181. 1855.
- (383)
 COTTON. HISTORY AND RESULTS OF THE CULTURE OF COTTON IN BRITISH INDIA. U.S. Commr. Patents Rpt. 1855 (Agr.): 226-230. 1856.
- WALKER, R. M. (384)
 SEA ISLAND COTTON IN PORTO RICO. P.R. Agr. Expt. Sta. Circ. 3, 4 pp. Mayaguez. 1904.
 General information for planters.

- WEBBER, H. J., and BOYKIN, E. B. (385)
 THE ADVANTAGE OF PLANTING HEAVY COTTON SEED. *Farmers' Bull.* 285, 16 pp.,
 illus. 1907.
 "This paper embodies the results of experiments in the separation of
 cotton seed, and shows the advantage to growers of making such a
 separation of their seed for planting. The methods presented and the
 apparatus described are new and are of great importance to the cotton
 industry."
- THE GROWING OF LONG-STAPLE UPLAND COTTONS. *Yearbook* 1903: 121-136,
 illus. 1904. (386)
 Contains a short history of the introduction of long-staple cottons into
 the United States; descriptive notes on the varieties; methods of culti-
 vating, picking, ginning, marketing. Prices for cotton of different
 lengths of staple at Yazoo City, Miss., are given in a table (p. 136).
- YOUNGBLOOD, BONNEY. (387)
 RELATION OF SOIL FERTILITY TO THE QUALITY OF COTTON . . . ADDRESS AT THE
 MEETING OF THE SOUTHERN AGRICULTURAL WORKERS, HOUSTON, TEXAS, FEB-
 RUARY 6, 1929. 7 pp. *Bur. Agr. Econ.* [1929]. [Mimeographed.]

FERTILIZERS

- ALLISON, F. E. (388)
 CYANAMID, ITS USES AS A FERTILIZER MATERIAL. *Circ.* 64, 12 pp., illus. 1929.
 Use on cotton, pp. 9-10. "Cotton may receive up to about 100 pounds
 of cyanamid in the row, but not in contact with the seed." Photographs
 illustrate effect of use and nonuse on growth of the plants.
- BRAHAM, J. M., and McMURTREY, J. E., JR. (389)
 FIELD EXPERIMENTS WITH ATMOSPHERIC-NITROGEN FERTILIZERS. *Dept. Bull.*
 1180, 44 pp., illus. 1924.
 Experiments during 1919, 1920, and 1921 at the Government nitrati-
 on-
 fixation plants at Muscle Shoals and Sheffield, Ala., of the effect of cyana-
 mid, ammonium nitrate, and other synthetic-nitrogen products when used
 as fertilizers. Cotton and corn were the principal crops used. Cyanamid
 proved the least satisfactory as a source of nitrogen.
- BEAVERS, J. C. (390)
 FARM PRACTICE IN THE USE OF COMMERCIAL FERTILIZERS IN THE SOUTH ATLANTIC
 STATES. *Farmers' Bull.* 398, 24 pp., illus. 1910.
 Fertilizing cotton, pp. 17-19. Quantity and composition of fertilizer
 mixtures suggested for application to each acre of cotton grown on var-
 ious kinds of soil, table 4 (p. 18).—Quantity and composition of a
 mixed fertilizer of definite analysis suggested for application to each
 acre of cotton grown on various kinds of soil, table 5 (p. 19).
- BROWN, B. E., and SKINNER, J. J. (391)
 POTASH HUNGER IN WAR YEARS TAUGHT LESSON. *Yearbook* 1926: 593-595,
 illus. 1927.
 Cotton-rust problems, pp. 594-595. "In the case of cotton, the lack
 of potash was particularly marked on sandy soils and resulted in a con-
 dition known to cotton growers as cotton rust."
- DAVIS, R. O. E. (392)
 FERTILIZER'S VALUE MEASURED IN TESTS IN NORTH CAROLINA. *Yearbook* 1930:
 263-266, illus. 1930.
 Data from experiments at the North Carolina Agricultural Experiment
 Station are discussed. The relation of the cost of fertilizer to the total
 cost of the crop is shown in charts.
- FRED, E. B. (393)
 RELATION OF GREEN MANURES TO THE FAILURE OF CERTAIN SEEDLINGS. *Jour.*
Agr. Research 5: 1161-1176, illus. 1916.
 Literature cited, pp. 1175-1176.
 Effect of time of planting and quantity of green manure on the germi-
 nation of cotton seed, pp. 1164-1165. "From the data of this experi-
 ment it is very evident that the serious injury caused by green manures
 is only temporary."
- [McBRYDE, J. B.] (394)
 FERTILIZING CONSTITUENTS CONTAINED IN A CROP OF COTTON YIELDING 100
 POUNDS OF LINT PER ACRE. [POUNDS PER ACRE.] *Yearbook* 1896: 615.
 1897.
 Table.

- McBRYDE, J. B. (395)
 FERTILIZER CONSTITUENTS CONTAINED IN A CROP OF COTTON YIELDING 300 POUNDS OF LINT PER ACRE. Yearbook 1895: 569. 1896.
 Table.
- McBRYDE, J. M. (396)
 FERTILIZERS FOR COTTON. Farmers' Bull. 14, 31 pp., illus. 1894.
 The discussion in this bulletin is based on experiments at the South Carolina Agricultural Experiment Station.
- MEHRING, A. L., and CUMINGS, G. A. (397)
 EFFECTS ON COTTON OF IRREGULAR DISTRIBUTION OF FERTILIZERS. Jour. Agr. Research 44: 559-570, illus. 1932.
- SKINNER, J. J. (398)
 FERTILIZER COMPOSITION AND PLACEMENT PLAY BIG PART IN COTTON GROWING. Yearbook 1933: 118-121. 1933.
-
- (399)
 FERTILIZER MATERIALS FOR COTTON GROWING MUST BE WELL CHOSEN. Yearbook 1930: 259-262, illus. 1930.
 "Experiments conducted by the department deal with the nutrition of the cotton plant, its response to different forms of nitrogen and potash, to varying quantities of fertilizers, and a study to determine the ratio of nitrogen, phosphoric acid, and potash suitable for cotton on prominent soil types."
-
- (400)
 FERTILIZER PLACEMENT OF VAST IMPORTANCE IN COTTON-GROWING STATES. Yearbook 1932: 538-541, illus. 1932.
 Experiments made on cotton in South Carolina are described.
-
- (401)
 FERTILIZERS FOR COTTON SOILS. Misc. Pub. 126, 10 pp., illus. 1931.
-
- (402)
 and ALLISON, F. E.
 INFLUENCE OF FERTILIZERS CONTAINING BORAX ON THE GROWTH AND FRUITING OF COTTON. Jour. Agr. Research 23: 433-444, illus. 1923.
 Literature cited, p. 443.
-
- (403)
 NEW FERTILIZER MATERIALS AND THEIR USES. 8 pp. Bur. Chem. and Soils. [1928] [Mimeographed].
 Presented at Fertilizer Short Course of Department of Agronomy, North Carolina Agricultural Experiment Station, Raleigh, N.C., August 1928.
 The effect of concentrated air-derived nitrogen salts used on cotton in North Carolina soils.
-
- (404)
 RESULTS OF FERTILIZER EXPERIMENTS ON NORFOLK FINE SANDY LOAM AND ON NORFOLK SANDY LOAM. Tech. Bull. 225, 23 pp., illus. 1931.
 Experiments reported were made on cotton and corn at Pee Dee Experiment Station, S.C., 1919-23, and at Darlington, S.C., 1922-24.
-
- (405)
 "THE USE OF COMMERCIAL FERTILIZER IN THE GROWING OF COTTON." 8 pp., illus. Bur. Chem. and Soils. 1930. [Mimeographed].
 Address delivered before the Agronomy Section of the North Carolina Farmers' Convention, State College, Raleigh, N.C., July 31, 1930.
- UNITED STATES DEPARTMENT OF AGRICULTURE. (406)
 THE MANURING OF COTTON. Farmers' Bull. 48, 16 pp., illus. 1897.
 Condensed from an article by H. C. White, in Bulletin 33 of the Office of Experiment Stations.
-
- (407)
 DIVISION OF STATISTICS.
 THE FERTILIZER INDUSTRY: REVIEW OF STATISTICS OF PRODUCTION AND CONSUMPTION, WITH ABSTRACTS OF STATE LAWS FOR ANALYSIS AND SALE. Div. Statis. Bull. (misc. ser.) 13, 27 pp., illus. 1898.
 Fertilizers and profit in cotton raising, pp. 16-19. Relationship between the cost of fertilizers and profit or loss in raising cotton in 1896, table 10 (pp. 18-19).

WHITNEY, MILTON.

(408)

FERTILIZERS FOR COTTON SOILS. Bur. Soils Bull. 62, 24 pp., illus. 1909.

Results of 2,802 fertilizer tests reported by experiment stations. A large percentage of the tests were made from 1888 to 1893.

FARM MANAGEMENT

BAKER, O. E., BROOKS, C. F., COVERT, J. R., and HAINESWORTH, R. G. (409)

SEEDTIME AND HARVEST. A GRAPHIC STUDY OF SEASONAL WORK ON FARM CROPS. Dept. Circ. 183, 53 pp., illus. 1922.

Cotton, pp. 36-39.

BERCAW, L. O., compiler.

(410)

LABOR REQUIREMENTS OF FARM PRODUCTS IN THE UNITED STATES. A LIST OF REFERENCES TO MATERIAL PUBLISHED SINCE 1922. Bur. Agr. Econ. Libr., Agr. Econ. Bibliog. 26, 62 pp. 1929. [Mimeographed.]

For references to cotton, see the index.

BOEGER, E. A., and GOLDENWEISER, E. A.

(411)

A STUDY OF THE TENANT SYSTEM OF FARMING IN THE YAZOO-MISSISSIPPI DELTA. Dept. Bull. 337, 18 pp., illus. 1916.

"The principal factor in determining the amount of the tenant's labor income and the rate of the landlord's profits in this region is the yield of cotton per acre." A study made in 1913 and "based on 878 records relating to the business of tenants on plantations in the Yazoo-Mississippi Delta. Comparison is made between share croppers, who supply nothing but their labor and receive one-half of the crop; share-renters, who supply their own implements and livestock and receive two-thirds or three-fourths of the crop; and cash renters, who supply the same items as share renters but pay a fixed rent in cash or lint cotton."

BRODELL, A. P.

(412)

LABOR REQUIREMENTS MEASURED FOR PRINCIPAL CROPS. Yearbook 1926: 466-467. 1927.

"Requirements for producing a pound of lint cotton * * * range from about 0.7 hour of man labor in the Eastern States to about 0.2 hour in the western district of Texas * * * In parts of Texas and Oklahoma growers frequently plant as much as 100 acres of cotton per man with extra labor for hoeing, thinning, and harvesting. Growers in the eastern cotton States usually plant from 10 to 20 acres per man."

BRODIE, D. A.

(413)

BUILDING UP A RUN-DOWN COTTON PLANTATION. Farmers' Bull. 326, 22 pp., illus. 1915.

"An account of the progress made in 3 years in changing a run-down cotton plantation into a profitable stock and hay farm." Comparison of cotton operations for 1905, 1906, and 1907, pp. 6-9. Results show "striking example of the beneficial effect of leguminous crops in building up exhausted soils."

— and McCLELLAND, C. K.

(414)

DIVERSIFIED FARMING UNDER THE PLANTATION SYSTEM. Farmers' Bull. 299, 14 pp., illus. 1907.

The work reported in this study was carried on by the Louisiana Agricultural Experiment Station and the United States Department of Agriculture in 1906 on the plantation of William Polk, near Moreland, La. "From observations during the first year's work it was clearly seen that it was possible to establish a system of diversification on plantations and that the tenants were eager to raise other things than cotton, provided the owner was willing and they had some little instruction in the care of the new crops. However, it was noticed that true diversification is possible only where the tenant lives upon the land he tills."

CATES, H. R.

(415)

FARM PRACTICE IN THE CULTIVATION OF COTTON. Dept. Bull. 511, 62 pp., illus. 1917.

Surveys were made of 19 areas throughout the Cotton Belt. Data of tillage practice, presented in tabular form, are accompanied by short summaries of various farm customs and conditions.

- CLOTHIER, R. W. (416)
 FARM ORGANIZATION IN THE IRRIGATED VALLEYS OF SOUTHERN ARIZONA. Dept. Bull. 654, 59 pp., illus. 1918.
 "This bulletin presents the results of a farm survey of 627 farms conducted in the three larger irrigated valleys in southern Arizona. The general object of these investigations was to determine those factors of business management and farm practice which influence financial returns and lead to success or failure, in order that recommendations might be made that would lead to general financial improvement among all farmers in the districts studied." Cotton farming, pp. 38-39. "It may be safely stated * * * that with yields as high as 400 pounds of lint, and with a price as low as 15 cents a pound, cotton farming is not so profitable as other well-established enterprises, but since the price has been below 20 cents but 1 year out of the 6 in which it has been grown in Arizona, the enterprise may be strongly recommended to supplement the livestock interests now so firmly established in these districts, the crop proving admirably adapted for rotation with alfalfa."
- COVERT, J. R. (417)
 SEEDTIME AND HARVEST: CEREALS, FLAX, COTTON, AND TOBACCO. DATES OF PLANTING AND HARVESTING EAST OF MERIDIANS 102-104, IN THE UNITED STATES. Bur. Statis. Bull. 85, 152 pp., illus. 1912.
 Cotton, pp. 92-100.
- CROSBY, M. A. (418)
 AN EXAMPLE OF INTENSIVE FARMING IN THE COTTON BELT. Farmers' Bull. 519, 13 pp., illus. 1913.
 Study of the system followed by an Alabama farmer on a 2-acre cotton farm. "Productiveness as measured by cotton was increased from one-third of a bale to 3 bales or more to the acre", by processes of seed selection and by plowing under dead crops.
- , DUGGAR, J. F., and SPILLMAN, W. J. (419)
 A SUCCESSFUL ALABAMA DIVERSIFICATION FARM. Farmers' Bull. 310, 24 pp., illus. 1907.
 "The record of a 65-acre hog farm in the black prairie region of Alabama." Cotton, p. 13. Short record of cultivation of the cotton field, which was included in the farm for 1 year only.
- DIXON, H. M., and HAWTHORNE, H. W. (420)
 AN ECONOMIC STUDY OF FARMING IN SUMTER COUNTY, GA. Dept. Bull. 492, 64 pp., illus. 1917.
 An analysis of farm management on 534 farms in a strictly cotton-growing section.
- FUNK, W. C. (421)
 VALUE OF A SMALL PLOT OF GROUND TO THE LABORING MAN. A STUDY OF THE FOOD RAISED BY OPERATIVES IN SOUTHERN COTTON-MILL TOWNS. Dept. Bull. 602, 12 pp., illus. 1918.
 The cotton-mill village, pp. 2-3.
- GIFT, G. W. (422)
 COTTON UNDER HIGH CULTURE. Dept. Agr. Rpt. 1867: 409-412, illus. 1868.
 Recommends a "mixed system of farming." Estimate of receipts and expenses for 25 acres, table (p. 412).
- GOODRICH, C. L. (423)
 COTTON GROWER OFTEN FINDS LARGER OUTLAY PAYS IN BIGGER YIELD. Year-book 1927: 221-223, illus. 1928.
 A chart "shows the average effect of increase in expenditures per acre on the yield of lint cotton per acre and on the cost per pound on 401 farms scattered throughout the Cotton Belt in 1926" fig. 59, (p. 222). The use of fertilizer, rotation systems, and approved practices of protection against insects are mentioned.
- (424)
 FACTORS THAT MAKE FOR SUCCESS IN FARMING IN THE SOUTH. Farmers' Bull. 1121, 31 pp., illus. 1920.
 Practices involved in the successful management of a cotton farm.

- GOODRICH, C. L. (425)
 A PROFITABLE COTTON FARM. Farmers' Bull. 364, 23 pp. illus. 1909.
 "An account of the progressive and successful farm operations of a farmer of South Carolina, who, by combining thorough tillage, crop rotation, barnyard manure, and a judicious use of commercial fertilizer, has changed a previously badly managed and run-down cotton farm into a very productive and profitable enterprise."
- TESTING FARMS IN THE SOUTH FOR EFFICIENCY IN MANAGEMENT. Dept. Circ. 83, 27 pp., illus. 1920.
 Field practice and labor requirements for some crops (including cotton) in central Georgia (about 100 farms) Table 13, (p. 19)
- HASKELL, E. S. (427)
 A FARM-MANAGEMENT SURVEY IN BROOKS COUNTY. Dept. Bull. 648, 60 pp., illus. 1918.
 "This area was selected for study because here has been developed a diversified and profitable type of agriculture, with cotton retained as the chief single source of income."
- HOWARD, C. W. (428)
 CONDITION OF AGRICULTURE IN THE COTTON STATES. Dept. Agr. Rpt. 1874: 215-238. 1875.
 Methods of improvement, pp. 220-238. The remedy for the low condition of southern agriculture "is to be found in the abandonment of exclusive cotton-culture and the devotion of a much larger area to the growth of cereals, the grasses, and the raising of livestock."
- JOHNSON, O. M., and TURNER, H. A. (429)
 THE OLD PLANTATION PIEDMONT COTTON BELT. A PRELIMINARY REPORT. 32 pp. Bur. Agr. Econ., 1930. [Mimeographed.]
 List of references, p. 32.
 "This preliminary report is an attempt to picture the conditions and changes in the old plantation Piedmont as a whole, affecting at least 150,000 landowners and tenants, thus preparing the way for more intensive reports that may be forthcoming later from the various agencies that are interested in the problems of the section."
- KNAPP, BRADFORD. (430)
 SAFE FARMING IN THE SOUTHERN STATES IN 1920. Dept. Circ. 85, 19 pp., illus. 1920.
 "By safe farming is meant a system which maintains soil fertility, produces the food and feed for the people and the livestock in sufficient quantities to insure a comfortable surplus, and produces cotton as a strictly cash crop" (p. 8).
- KNAPP, S. A. (431)
 FAMILIAR TALKS ON FARMING. DIVERSIFICATION. Bur. Plant Indus. Doc. 383, 4 pp. 1908.
 Recommends diversification of cotton with other crops.
- LONDON, M. D. (432)
 COTTON (BY FREE LABOR). Dept. Agr. Rpt. 1864: 88-92, illus. 1865.
 "The following article is not presented as an abstract treatise on cotton growing, but rather as a familiar history of how a thousand and forty acres of cotton were raised in Arkansas by free labor. Slavery has long seemed the *sine qua non* of successful agriculture in the South, and well is it that the present revolution has developed the grand fact of FREE LABOR; that labor is *always commensurate* with its reward. The rich bottom lands of the Mississippi are now opening to a new civilization. The dark-skinned menial, the chained hero of the soil, is becoming an individual and, with the hoe and axe, is hewing his way to citizenship." The "average amount of wages earned by each person during the summer" is shown in a table (p. 91). The average expense of raising 1,000 acres of cotton by free labor for 1 year was \$30,000 or \$30 per acre, "including the payment of rent to the Government or private citizen, and the purchase of new stock and implements from the North" (p. 92). A discussion of cotton insects is included.

MANNY, T. B.

(433)

FARMER OPINIONS AND OTHER FACTORS INFLUENCING COTTON PRODUCTION AND ACREAGE ADJUSTMENTS IN THE SOUTH. Circ. 258, 42 pp., illus. 1933.

"In the course of the study, 834 farmers in 11 counties were interviewed * * * These counties were selected as representative of three principal cotton-growing areas east of the Mississippi River: The Mississippi Delta, the piedmont, and the South Atlantic coastal plain." The objectives of the study may be summarized as follows: "(1) To note recent changes in acreage planted to cotton and to other important crops. (2) To learn the reasons given by farmers for planting the specific acreages they did. (3) To determine, if possible, the premises upon which these farmer decisions were based and the sources of information used in arriving at decisions of this kind. (4) To note the extent to which interviewed farmers received and utilized the outlook information prepared and distributed by Federal and State agencies. (5) To note general differences as regards the acreage adjustments between farmers as classified by various factors such as size of farm, tenure, schooling, length of farm experience, etc. (6) To discover the chief sources of resistance to adjustments in the farm business, especially sources that are not exclusively economic in character" (p. 1-2). Includes tables giving acreage statistics, 1926-31.

SMITH, A. G.

(434)

A FARM-MANAGEMENT STUDY IN ANDERSON COUNTY, SOUTH CAROLINA. Dept. Bull. 651, 32 pp., illus. 1918.

"In a farm-management and cost-determination survey of 112 farms in Williamston, Belton, Broadway, and Honeapath Townships, in Anderson County, S.C. * * * it was found that in the organization and operation of the farms there are three outstanding factors that determine the degree of success. These are (1) yields; (2) efficiency in use of labor and equipment or, as it may be indicated in this region, the acres of crops grown per work animal; and (3) the combination of enterprises * * * The purpose of this bulletin is to show the bearing of these outstanding factors on the business of the farms surveyed, their influence on farm efficiency, and how that efficiency can be improved." Cotton is the predominating crop on these farms.

SPILLMAN, W. J., and others.

(435)

DIVERSIFIED FARMING IN THE COTTON BELT. I. SOUTH ATLANTIC COAST, BY W. J. SPILLMAN. II. ALABAMA AND MISSISSIPPI, BY M. A. CROSBY. III. LOUISIANA, ARKANSAS, AND NORTHEASTERN TEXAS, BY D. A. BRODIE. IV. TEXAS, BY C. W. WARBURTON. Yearbook 1905: 193-218, illus. 1906.

THIBODEAUX, B. H., and WELLS, O. V.

(436)

USE OF OUTLOOK INFORMATION IN FARM-BUSINESS PLANNING IN THE COTTON BELT. A PRELIMINARY REPORT. 47 pp., illus. Bur. Agr. Econ., 1932. [Mimeographed.]

Detailed budget for cotton farm table 2, (pp. 16-17). Charts and tables relating to cotton prices, acreage, consumption, etc., are included also. Sources of outlook information, pp. 26-27. Sources of additional information, pp. 46-47.

UNITED STATES DEPARTMENT OF AGRICULTURE.

(437)

SOUTHERN AGRICULTURE. Dept. Agr. Rpt. 1867: 412-428. 1868.

Discussion of answers to a questionnaire in regard to the following subjects: Cotton acreage, cultivation methods, labor prices (1860, 1867, 1868), planting by Negroes, size of plantations, diversification, stock-growing, rotation, fertilizers, and farm implements.

BUREAU OF PLANT INDUSTRY.

(438)

MODEL PLAN FOR A SOUTHERN FARM. Bur. Plant Indus. Doc. 290, 11 pp., illus. 1907.

A model of 160 acres of land designed for a combined cotton, hog, and dairy farm.

WILLARD, R. E.

(439)

A FARM MANAGEMENT STUDY OF COTTON FARMS OF ELLIS COUNTY, TEXAS. A STATISTICAL STUDY OF THE INVESTMENT IN LAND AND EQUIPMENT, COST OF OPERATION AND OF PRODUCTION OF CROPS, AND INCOME FROM DIFFERENT TYPES OF TENURE IN 1914. Dept. Bull. 659, 54 pp., illus. 1918.

PRODUCTION COSTS

- BRODELL, A. P., and COOPER, M. R. (440)
 REQUIREMENTS AND COSTS FOR PICKING, SNAPPING, AND SLEDDING COTTON IN WESTERN TEXAS AND OKLAHOMA. A PRELIMINARY REPORT. 7 pp. Bur. Agr. Econ., 1927. [Mimeographed.]
- COOPER, M. R., and HAWLEY, C. R. (441)
 COST OF PRODUCING FIELD CROPS, 1923 (CORN, WHEAT, OATS, POTATOES, AND COTTON). Dept. Circ. 340, 28 pp., illus. 1925.
 Cotton production costs, 1923, pp. 25-27. "Shown by yield groups, rather than by States and by the entire Cotton Belt." Fertilizer costs and cotton yields, p. 27.
- FELDKAMP, C. L., compiler. (442)
 SELECTED LIST OF REFERENCES ON THE COST OF COTTON PRODUCTION. 3 pp. Office of Farm Management, 1919. [Mimeographed.]
 Entries are arranged chronologically, 1899-1919.
- JENSEN, W. C. (443)
 FARM MANAGEMENT AND COST INVESTIGATIONS IN ANDERSON COUNTY, SOUTH CAROLINA—1922. PRELIMINARY REPORT. 23 pp. Bur. Agr. Econ., 1924. [Mimeographed.]
- LONG, L. E., and SWINSON, C. R. (444)
 COST OF PRODUCING COTTON IN FIFTEEN SELECTED AREAS, 1923. PRELIMINARY REPORT. 18 pp., illus. Bur. Agr. Econ., 1925. [Mimeographed.]
 The areas selected for study were Johnson County, N.C.; Darlington County, S.C.; Greene and Sumter Counties, Ga.; Madison and Chilton Counties, Ala.; Madison and Bolivar Counties, Miss.; Lee and Faulkner Counties, Ark.; McIntosh and Grady Counties, Okla.; and Rusk, Ellis, and Lubbock Counties, Tex.
- MOORHOUSE, L. A., and COOPER, M. R. (445)
 THE COST OF PRODUCING COTTON (842 RECORDS 1918). Dept. Bull. 896, 59 pp., illus. 1920.
 The investigation covered farms in 10 districts in Alabama, Georgia, South Carolina, and Texas. "The basic factors of production constitute the fundamental data of this report * * * Such factors include the hours of man and mule labor utilized in growing the crop; the quantity of seed used; the amount of fertilizer applied per acre; and the quantities used of such other materials as are necessary in growing cotton." Variation in cost of producing cotton (net cost per pound of lint) on farms studied (tables 1a-10a, appendix, pp. 50-59).
- UNITED STATES PATENT OFFICE (446)
 "WHAT DOES IT COST A POUND TO GROW COTTON?" U.S. Commr. Patents Rpt. 1849 (Agr.): 309-313. 1850.
 "From the National Intelligencer."
 Items of expense on several farms are discussed.
- WATKINS, J. L. (447)
 THE COST OF COTTON PRODUCTION. Div. Statis. Bull. (misc. ser.) 16, 99 pp., illus. 1899.
 Average cost of producing an acre of cotton in 1896 on farms showing a profit, by counties [Alabama, Arkansas, Florida, Georgia, Indian Territory, Louisiana, Mississippi, Missouri, North Carolina, South Carolina, Oklahoma Territory, Tennessee, Texas, Virginia] table 20, (pp. 67-87). Average cost of producing an acre of cotton in 1896 on farms showing a loss, by counties [in the same States] table 21 (pp. 88-99).
 Tables give 1896 costs of rent of land, plowing, seed for planting, planting, fertilizers, distributing fertilizers, chopping (to stand), hoeing, picking, ginning and pressing, bagging and ties, marketing, repairing implements, and incidental expenses. Cost of cotton production under the slave-labor system and under the free-labor system, pp. 41-56.

PRODUCTION CREDIT

- MOORE, A. N. (448)
 CREDIT PROBLEM IN COTTON STATES HAS SEVERAL ASPECTS. Yearbook 1927: 240-242. 1928.
 Discussion is based on data gained from a questionnaire, regarding the marketing of the 1926 crop, which was sent to cotton growers in 10 States.

- ROWE, W. H. (449)
 AGRICULTURAL CREDIT CORPORATIONS AFFILIATED WITH COTTON COOPERATIVE
 MARKETING ASSOCIATIONS. Tech. Bull. 322, 64 pp., illus. 1932.
-
- (450)
 AN ANALYSIS OF THE SOUTH CAROLINA AGRICULTURAL LOAN ASSOCIATION. A
 PRELIMINARY REPORT. 30 pp., illus. Bur. Agr. Econ., 1931. [Mimeo-
 graphed.]
-
- (451)
 THE TEXAS COTTON GROWERS FINANCE CORPORATION. A PRELIMINARY REPORT.
 38 pp. Bur. Agr. Econ., 1931. [Mimeographed.]
- WICKENS, D. L. (452)
 CREDIT STUDY IN THE SOUTHEAST REVEALS SHIFT TO CASH LOANS. Yearbook
 1927: 242-243. 1928.
 "Reports from over 4,000 farmers in 1926, three-fourths of whom were
 owners, showed that the average amount of short-term credit used per
 farm in 10 cotton States was about \$340 * * * Expenditure for fer-
 tilizer usually appears as the principal purpose in borrowing in the
 Southeast."

FARM ENGINEERING

- BRODELL, A. P. (453)
 COTTON HARVESTING BY NEWER METHODS SAVES MUCH LABOR. Yearbook 1927:
 223-224. 1928.
 Sledding and snapping cotton in the southwestern part of the United
 States.
- CAMP, W. B., and TOWNSEND, J. S. (454)
 UNIFORM-DEPTH PRESS-WHEEL COTTON-PLANTER ATTACHMENT. Dept. Circ. 381,
 6 pp., illus. 1926.
- CUMINGS, G. A., MEHRING, A. L., SKINNER, J. J., and SACHS, W. H. (455)
 MECHANICAL APPLICATION OF FERTILIZERS TO COTTON IN SOUTH CAROLINA, 1931.
 Circ. 264, 32 pp., illus. 1933.
 Third progress report of study made in South Carolina.
-
- (456)
 MEHRING, A. L., SERVISS, G. H., and SACHS, W. H.
 PROGRESS REPORT ON MECHANICAL APPLICATION OF FERTILIZERS TO COTTON IN
 SOUTH CAROLINA, 1930. Circ. 192, 32 pp., illus. 1931.
- HASTINGS, S. H. (457)
 IRRIGATION AND RELATED CULTURAL PRACTICES WITH COTTON IN THE SALT
 RIVER VALLEY OF ARIZONA. Circ. 200, 31 pp., illus. 1932.
-
- (458)
 A LISTER ATTACHMENT FOR A COTTON PLANTER. Bur. Plant Indus., Crop
 Physiol. and Breeding Invest. Circ. 2, 3 pp., illus. 1917.
- HURST, W. M., and CHURCH, L. M. (459)
 POWER AND MACHINERY IN AGRICULTURE. Misc. Pub. 157, 39 pp., illus. 1933.
 Literature cited, pp. 37-38.
 Power and machinery have not affected the labor requirements in
 cotton production so greatly as in small-grain or corn production, because
 of the larger amount of hand labor necessary in chopping, hoeing, and
 picking. However, from 1841 to 1930 the man-hours required in the
 production of cotton were reduced at least 50 percent in some areas
 (p. 5). Approximate labor requirements for major operations in the
 production of 1 acre of cotton (750 pounds seed cotton), table 3 (p. 4).
 (460)
-
- (461)
 SOME TYPES OF HARVESTING MACHINERY REACH HIGH STATE OF DEVELOPMENT.
 Yearbook 1932: 445-446. 1932.
 The cotton harvester, p. 446. Mentions two types of cotton harvesters
 in the experimental stage: the stripper harvester, which "removes all
 of the crop at one operation," and the mechanical picker, which "is
 designed to gather only the open cotton."
- MARR, J. C., and HEMPHILL, R. G. (461)
 THE IRRIGATION OF COTTON. Tech. Bull. 72. 38 pp. illus. 1928.
 This bulletin was prepared for the purpose of bringing together the
 available information on the irrigation of cotton in the United States.
 It includes a survey made in the States of California, Arizona, New
 Mexico, and Texas, and also the results of experiments carried on in
 Texas.

- MARTIN, R. D. and LOOMIS, H. F. (462)
 SUMMER IRRIGATION OF PIMA COTTON. Jour. Agr. Research 23: 927-946, illus. 1923.
 Experiment conducted at the Cooperative Testing Station, Sacaton, Ariz., in 1920. "Indicates the importance of giving more attention to the spring treatment of cotton, so as to have the plants in a normal fruiting condition when summer irrigations begin. When this normal fruiting condition is attained, the summer irrigation problems are simplified, since the plants are not so easily forced into rank growth by the application of water in excess of the actual requirements."
- MEHRING, A. L., and CUMINGS, G. A. (463)
 FACTORS AFFECTING THE MECHANICAL APPLICATION OF FERTILIZERS TO THE SOIL. Tech. Bull. 182, 96 pp., illus. 1930.
 Literature cited, pp. 94-95.
 Description and illustration of types of fertilizer distributors, pp. 42-72.
- REYNOLDS, L. A., and THIBODEAUX, B. H. (464)
 MECHANIZATION IN SOUTH HAS BEEN RETARDED BY LACK OF A COTTON-PICKING MACHINE. Yearbook 1932: 428-431, 1932.
 "The next few years should witness the success or failure of the cotton and cane machines." Factors resistant to mechanization, p. 429. These include the cropper system of tenure based on small farming units and the diversity of crops cultivated.
- TODD, S. E. (465)
 IMPROVED FARM IMPLEMENTS. Dept. Agr. Rpt. 1866: 225-288, illus. 1867.
 Dowlaw's cotton planter, pp. 263-264.

FARM SOCIAL PROBLEMS

- TURNER, H. A., and HOWELL, L. D. (466)
 CONDITION OF FARMERS IN A WHITE-FARMER AREA OF THE COTTON PIEDMONT, 1924-26. Circ. 78, 78 pp., illus. 1929.
 Results of a study made in the summer of 1925 of "the tenure status, financial progress, and standards of living" of a group of 300 white farmers in Gwinnett County, Ga., a "typical cotton county." "The general facts presented are more particularly representative of conditions in the upper counties of the cotton-growing piedmont."

COOPERATIVE PRODUCTION

- COOK, O. F. (467)
 COMMON ERRORS IN COTTON PRODUCTION. Farmers' Bull. 1686, 26 pp., illus. 1932.
 Discusses certain cultural practices and improper ginning as factors in production of inferior cotton. Suggests organization of 1-variety communities as an improvement measure.
- and MARTIN, R. D. (468)
 COMMUNITY COTTON PRODUCTION. Farmers' Bull. 1384, 21 pp. 1924.
 Factors in judging varieties, pp. 15-17.
- (469)
 COTTON COMMUNITIES GROWING ONE VARIETY ONLY ARE INCREASING. Yearbook 1927: 215-219, illus. 1928.
 Illustration shows effect of selection in cotton, figure 57 (p. 218): "The photograph shows uniform fiber on seeds from successive plants in a selected stock, compared with irregular fiber from successive plants in a mixed gin-run stock."
- (470)
 COTTON FIBER IMPROVEMENT NECESSITATES COMMUNITY ACTION TO KEEP SEED PURE. Yearbook 1932: 145-148, illus. 1932.
- (471)
 COTTON IMPROVEMENT ON A COMMUNITY BASIS. Yearbook 1911: 397-410, 1912.

- COOK, O. F. (472)
COTTON PROGRESS IN IRRIGATED VALLEYS A COMMUNITY PROBLEM. Yearbook 1928: 238-240, illus. 1929.
"With production based on one variety, the crop can be standardized by reference to the conditions of growth. Working out these relations in the irrigated districts [of California] may be to the great advantage of the entire Cotton Belt."
- and DOYLE, C. B. (473)
ONE-VARIETY COMMUNITY PLAN SHOWS NUMEROUS PRACTICAL ADVANTAGES. Yearbook 1933: 132-138. 1933. (474)
ONE-VARIETY COTTON COMMUNITIES. Dept. Bull. 1111, 51 pp. 1922.
Reissued in 1927.
List of publications on community cotton improvement, pp. 49-50.
- DOYLE, C. B. (475)
COTTON GROWING IN ONE-VARIETY COMMUNITIES. Yearbook 1926: 263-267, illus. 1927.
"The advantage of community production comes in two ways—the community cotton is of better quality and can be sold at a higher price."
- McKEEVER, H. G. (476)
COMMUNITY PRODUCTION OF ACALA COTTON IN THE COACHELLA VALLEY OF CALIFORNIA. Dept. Bull. 1467, 48 pp., illus. 1927.
"The objective here has been to describe the development of an actual one-variety community from a mixed-variety condition, enumerating the difficulties encountered and the way in which they were surmounted. Many of the advantages of one-variety production are of course mentioned, but they are the ones incidental to the problems encountered and are discussed primarily from the standpoint of actual improvements effected." (477)
COTTON COMMUNITIES SHOWING MORE INTEREST IN ONE-VARIETY PLAN. Yearbook 1932: 139-140, illus. 1932.
The steps to be taken in organizing a 1-variety community are outlined.
- McLACHLAN, ARGYLE. (478)
COMMUNITY PRODUCTION OF DURANGO COTTON IN THE IMPERIAL VALLEY. Dept. Bull. 324, 16 pp. 1915.
History of the industry in the Imperial Valley of California since 1902; varieties grown; connection of exchanges, associations and 1-variety communities in stabilizing the long-staple cotton industry.
- MELOY, G. S. (479)
PURE SEED IN RELATION TO COMMUNITY PRODUCTION OF COTTON. 13 pp. Bur. Markets [1920] [Mimeographed.]
A paper read at the conference of the Cotton Division, New Orleans, La., June 23-25, 1920.
Community production of single varieties, pp. 9-15.
Appeared in Chinese in Chinese Cotton Jour. 2: 241-245. 1921, and in China Min. Agr. and Com. Jour. (pt. 3) 7 (11): 1. 1921.

GINS AND GINNING

- BENNETT, C. A. (480)
SEED-COTTON DRYING PROVES PROFITABLE; TWO TYPES OF DRIERS USED. Yearbook 1932: 433-435, illus. 1932.
Includes illustrations of the vertical seed-cotton drier developed by the Bureau of Agricultural Engineering, United States Department of Agriculture. (481)
THE VERTICAL SEED-COTTON DRIER. Misc. Pub. 149, 8 pp., illus. 1932.
- BROWN, H. H., and ROETHE, H. E. (482)
COTTON-GIN FIRES FREQUENT; CHIEF CAUSE IS STATIC ELECTRICITY. Yearbook 1930: 192-195, illus. 1930.
- BUCHANAN, H. F. (483)
THE DEVELOPMENT OF COOPERATIVE COTTON GINS IN GEORGIA. A PRELIMINARY REPORT. 24 pp. Bur. Agr. Econ., 1927. [Mimeographed.]

- GERDES, F. L. (484)
COTTON QUALITY AFFECTED IN GINNING PROCESS BY MOISTURE IN SEED COTTON. Yearbook 1932: 431-433, illus. 1932.
The advantage of drying cotton artificially is discussed. Illustration shows effect on lint of drying the seed cotton before ginning.
- HATHCOCK, J. S. (485)
COOPERATIVE COTTON GINS AS LOCAL UNITS OF MARKETING ASSOCIATIONS. Yearbook 1927: 188-189. 1928.
- DEVELOPMENT OF COOPERATIVE COTTON GINS IN NORTHWEST TEXAS. A PRELIMINARY REPORT. 30 pp. Bur. Agr. Econ., 1927. [Mimeographed.] (486)
- POSSIBLE SERVICES OF COOPERATIVE COTTON GINS * * * ADDRESS BEFORE THE SCHOOL OF COOPERATIVE MARKETING, COLLEGE STATION, TEXAS, MARCH 1, 1928. 13 pp. Bur. Agr. Econ. [1928] [Mimeographed.] (487)
- PRACTICES AND COSTS OF COTTON-GIN OPERATION IN A SELECTED SECTION OF NORTH CAROLINA, 1924-25. A PRELIMINARY REPORT. 21 pp. Bur. Agr. Econ., 1927. [Mimeographed.] (488)
- PRACTICES AND COSTS OF COTTON-GIN OPERATION IN NORTH-CENTRAL TEXAS, 1924-25. Tech. Bull. 13, 60 pp., illus. 1927.
Appendix D, Texas laws relating to ginning, pp. 55-59.
- MELOY, G. S. (490)
COTTON GINNING. Farmers' Bull. 1465, 29 pp., illus. 1925.
- ROETHE, H. E. (491)
FIRES IN COTTON GINS AND HOW TO PREVENT THEM. Circ. 76, 8 pp., illus. 1929.
Revises and supersedes Department Circular 28, Cotton Gin Fires Caused by Static Electricity, by H. H. Brown, 1920, and Department Circular 271, Grounding Cotton Gins to Prevent Fires, by H. E. Roethe, 1923.
A wiring system for grounding gins is described.
- SAUNDERS, D. A., and CARDON, P. V. (492)
CUSTOM GINNING AS A FACTOR IN COTTONSEED DETERIORATION. Dept. Bull. 288, 8 pp., illus. 1915.
Supplemented by Department Circular 205, Cottonseed Mixing Increased by Modern Gin Equipment, by W. W. Ballard and C. B. Doyle. 1922. (See item 808.)
- SWARTHOUT, A. V., and BEXELL, J. A. (493)
A SYSTEM OF ACCOUNTING FOR COTTON GINNERIES. Dept. Bull. 985, 42 pp., illus. 1921.
- TAYLOR, FRED, GRIFFITH, D. C., and ATKINSON, C. E. (494)
COTTON GINNING INFORMATION FOR FARMERS. Farmers' Bull. 764, 10 pp., illus. 1916.
Discusses mechanical processes of ginning by saw gins. Written with the purpose of pointing out to farmers the importance of keeping seed pure and eliminating improper preparation of cotton for the market.
- TOWNSEND, J. S. (495)
GINNING PIMA COTTON IN ARIZONA. Dept. Bull. 1319, 12 pp., illus. 1925.
Describes operation of the roller gin, emphasizing "the treatment which determines the mechanical condition and appearance of the cotton in the bales after the actual ginning is accomplished." Suggests improvements in methods.
- UNITED STATES DEPARTMENT OF AGRICULTURE. (496)
AGRICULTURAL PATENTS OF THE YEAR. Dept. Agr. Rpt. 1869: 315-334, illus. 1870.
Cotton gins, pp. 330-331.
- WEBB, R. W. (497)
PROBLEMS AND RESEARCH METHODS IN COTTON GINNING. A PRELIMINARY REPORT. 13 pp., illus. Bur. Agr. Econ. 1929. [Mimeographed.]
The material presented in this paper was given in substance before the Alabama ginners' convention at Montgomery, Ala., February 26, 1929.

MARKETING

- BERCAW, L. O., and COLVIN, E. M., compilers. (498)
 BIBLIOGRAPHY ON THE MARKETING OF AGRICULTURAL PRODUCTS. (Supplementary to Miscellaneous Circular 35.) Misc. Pub. 150, 351 pp. 1932.
 "Designed to include the important references to printed publications in English on methods of marketing agricultural products and the principles on which methods of marketing should be based. It covers approximately the dates 1924-1931. No attempt has been made to cover the field of statistics" (p. 1). Cotton, pp. 48-53.
- COX, A. B. (499)
 EVOLUTION OF COTTON MARKETING. A SPECIAL REPORT. 21 pp. Bur. Agr. Econ. 1925. [Mimeographed.]
- DAY, E. L., JACOBS, KATHARINE, and OLCOTT, M. T., compilers. (500)
 BIBLIOGRAPHY ON THE MARKETING OF AGRICULTURAL PRODUCTS. Misc. Circ. 35, 56 pp. 1924.
 Revised and enlarged from Bibliographical Contributions 7, Library, United States Department of Agriculture. [Mimeographed.]
 Part III, Cotton, pp. 14-16.
 Supplemented by Miscellaneous Publication 150, Bibliography on the Marketing of Agricultural Products (see item 498).
- EDWARDS, E. E. (501)
 HISTORICAL BACKGROUND OF THE PRESENT SITUATION IN SOUTHERN AGRICULTURE. 13 pp. Bur. Agr. Econ. [1930] [Mimeographed.]
 References to literature cited, pp. 11-13.
 Address, third annual meeting, Southeastern Economics Association, Atlanta, Ga., November 14-15, 1930.
 "A history of the cotton system, broadly considered."
- GRIFFITH, M. E., compiler. (502)
 SELECTED LIST OF PUBLICATIONS ON THE MARKETING OF FARM PRODUCTS. 9 pts. Bur. Markets, 1918. [Mimeographed.]
 Part 2. Cotton and cotton seed. 9 pp. Includes references on cotton, cottonseed, and storage and transportation.
 Supplement. 2 pp., 1919.
- MYERS, LAWRENCE, HOWELL, L. D., and THIBODEAUX, B. H. (503)
 AMERICAN COTTON HOLDS GROUND DESPITE GROWTH OF FOREIGN COMPETITION. Yearbook 1933: 97-107, illus. 1933.
 Pre-war and post-war production and consumption; quality of American cotton; utilization; transportation; storage; market organization; and the cotton farm situation.
- UNITED STATES DEPARTMENT OF AGRICULTURE. (504)
 COTTON EXCHANGES. Yearbook 1899: 758-759, 1900; Yearbook 1900: 753, 1901; Yearbook 1901: 696-697, 1902; Yearbook 1902: 757, 1903.
 Tables listing city and State, name of organization, and name of secretary of cotton exchanges.
- BUREAU OF AGRICULTURAL ECONOMICS. (505)
 FEATURES OF THE WORK OF THE U. S. DEPARTMENT OF AGRICULTURE IN IMPROVING COTTON MARKETING CONDITIONS IN THE UNITED STATES. 33 pp. [1922] [Mimeographed.]
 Describes the details of the cotton projects of the Bureau of Agricultural Economics as follows: The official standards for grade; regulation of the future exchanges; the quotation service; and demonstrations to farmers of standards and grading.
- BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF COTTON MARKETING. (506)
 COTTON NEWS SUMMARY. October 9, 1929—date, daily. [Mimeographed.]
 Prepared for the use of the Division of Cotton Marketing, by Mildred C. Benton. Not for general distribution.
- COTTON COUNCIL. (507)
 THE COTTON MARKETING PROBLEM. 2 pp. 1922. [Mimeographed.]
 "This statement was prepared by a special committee and approved by the Cotton Council of the Department of Agriculture."
 Summary of the work of the Department of Agriculture in connection with cotton marketing.

UNITED STATES DEPARTMENT OF AGRICULTURE. OFFICE OF FARM MANAGEMENT. (508)

ATLAS OF AMERICAN AGRICULTURE [ADVANCE SHEETS, 4] PART V. THE CROPS.

SECTION A. COTTON. By O. C. Stine and O. E. Baker. 28 pp., illus. 1918.

"Prepared under the supervision of O. E. Baker."

Principal commercial types. Geography of production. Economics and methods of production. History of production. Marketing and distribution. A selected bibliography of sources, p. 4. Illustrated by maps, charts, etc.

UNITED STATES PATENT OFFICE. (509)

COTTON PRODUCTION, COMMERCE, AND MANUFACTURE IN VARIOUS COUNTRIES OF THE GLOBE. U.S. Commr. Patents Rpt. 1856 (Agr.): 255-305. 1857.

Replies to a questionnaire relating to cotton "issued from the Patent Office on the 29th of February, 1856, and forwarded through the Department of State to our Diplomatic and Commercial Agents, Missionaries, Officers of the Navy, and other Public Functionaries, residing and travelling in the principal countries of the globe."

YOUNGBLOOD, BONNEY. (510)

COTTON CULTURE AND MARKETING IN THE UNITED STATES. ADDRESS DELIVERED BEFORE THE INSTITUTE OF POLITICS, WILLIAMS COLLEGE, WILLIAMSTOWN, MASSACHUSETTS, AUGUST 17, 1927. 9 pp. Bur. Agr. Econ. [1927] [Mimeographed.]

DEMAND AND COMPETITION

BROWNE, D. J. (511)

THE COTTON MANUFACTURES OF THE UNITED STATES. U.S. Commr. Patents Rpt. 1857 (Agr.): 305-318, illus. 1858.

Tables "show the amount and valuation of cotton consumed in the United States during the fiscal year ending June 30, 1857, and the character, quantity, and valuations of the goods manufactured therefrom, as far as returns have been made."

CLAIBORNE, JOHN. (512)

CONSUMPTION OF COTTON IN EUROPE. U.S. Commr. Patents Rpt. 1857 (Agr.): 319-414, illus. 1858.

DEWEY, L. H. (513)

ENGLISH ARTIFICIAL COTTON. 2 pp. Bur. Plant Indus., 1929. [Mimeographed.]

"Efforts to learn something definite about the identity" of "English artificial cotton", press reports of which appeared in newspapers of England and the United States beginning in November 1928, proved unavailing. The conclusion is reached that "notwithstanding the many positive statements that have been published, there is no definite information available indicating that either a promising new fiber or fiber-producing plant actually exists. Unless and until something more definite and tangible for examination and testing is produced, the so-called English artificial cotton cannot affect the textile industry and is unworthy of serious attention."

(514)

HEMP FIBER LOSING GROUND, DESPITE ITS VALUABLE QUALITIES. Yearbook 1931: 285-287, illus. 1931.

"Cotton, which is adapted to a wider range of uses than other vegetable fibers, has replaced hemp for many purposes, and in most cases advantageously, for it can be spun more easily and with less waste, making smoother and more uniform yarns."

FETROW, W. W. (515)

COTTON EXPORTS OF UNITED STATES REFLECT CONTINUOUSLY SHIFTING WORLD MARKET. Yearbook 1931: 164-167, illus. 1931.

Charts and tables relating to consumption illustrate the discussion. Percentage distribution of American cotton, specified countries, average annual 1824-25 to 1828-29 and 1924-25 to 1928-29, fig. 31 (p. 165).

HITCHCOCK, F. H. (516)

FOREIGN MARKETS FOR AMERICAN AGRICULTURAL PRODUCTS. TESTIMONY OF FRANK H. HITCHCOCK, CHIEF OF THE SECTION OF FOREIGN MARKETS, BEFORE THE INDUSTRIAL COMMISSION. Dept. Rpt. 67, 53 pp. 1901.

Testimony before the United States Industrial Commission, June 13 and 15, 1900.

Some facts about cotton and cottonseed-oil exports are included.

- JANNEY, S. M. (517)
 VIRGINIA: HER PAST, PRESENT, AND FUTURE. Dept. Agr. Rpt. 1864: 17-42, illus. 1865.
 Statement of cotton manufactures of Virginia, according to the census of 1860, table (p. 35).
- M'KAY, [C. F.] (518)
 THE COTTON TRADE, FROM 1825 TO 1850. U. S. Commr. Patents Rpt. 1850 (Agr.): 506-516, illus. 1851.
- MICHAEL, L. G. (519)
 AGRICULTURAL SURVEY OF EUROPE: FRANCE. Tech. Bull. 37, 184 pp., illus. 1928.
 Literature cited, pp. 179-184.
 Cotton, pp. 103-104. "Cotton is not produced on a commercial scale but data on the cotton trade are given in Tables 90, 91, and 92 as indicating the recovery of this branch of the textile industry in contradistinction to the decline in flax spinning."
- NYHUS, P. O. (520)
 CHINA'S DEMAND LARGE FOR SOME UNITED STATES PRODUCTS, DESPITE LOW INCOME. Yearbook 1932: 129-134, illus. 1932.
 Cotton, pp. 130-131. "In recent years cotton has taken the leading place among these products." The cotton-spinning industry of China is described.
- STINE, O. C. (521)
 FOREIGN TRADE IN FARM PRODUCTS IS ABOVE PRE-WAR LEVEL. Yearbook 1930: 273-275. 1930.
 Exports of cotton to China and Japan are included in discussion. (522)
- WHAT AGRICULTURAL PRODUCTS HAD WE BEST EXPORT? 24 pp. Bur. Agr. Econ. [1930] [Mimeographed.]
 Address, twenty-first annual meeting, American Farm Economic Association, Cleveland, Ohio, December 31, 1930.
 "What agricultural products had we best export? A short answer to the question is: We should export those agricultural products which, sold in foreign markets, will return more net profit than would substitute products sold on a domestic market basis." The writer states that "cotton is by far the most important export commodity of the United States", and discusses points favorable to its export, pp. 3-4. Table shows exports of cotton, including linters, from the United States by principal countries, average 1909-13 and 1925-29, annual, 1928-29, (p. 12).
- UNITED STATES DEPARTMENT OF AGRICULTURE. FLAX AND HEMP COMMISSION. (523)
 REPORT OF THE FLAX AND HEMP COMMISSION, APPOINTED UNDER ACT OF CONGRESS FEB. 25, 1863. 96 pp., illus. [1865.]
 The commission, consisting of J. K. Moorhead, J. A. Warder, and Charles Jackson, was appointed "for investigations to test the practicality of cultivating and preparing flax or hemp as a substitute for cotton."
 "After the most careful consideration of various modes of growing and treating flax to obtain the best results to the farmer, and an abundant supply to the manufacturer, we are of the opinion that the crop should be planted mainly for the seed, and incidentally for the fiber" (p. 51). Illustrations of the cotton fiber (pp. 71-72).
- VOLIN, L. (524)
 COTTON EXPORTS TO RUSSIA DECLINE AS ACREAGE AND OUTPUT THERE INCREASE. Yearbook 1932: 142-145. 1932.
- WATKINS, J. L. (525)
 THE FUTURE DEMAND FOR AMERICAN COTTON. Yearbook 1901: 193-206, illus. 1902.
 In an attempt to determine the future world consumption of American cotton, the author discusses the competition of cotton with wool, linen, and silk, and appraises India, Russia, Brazil, Egypt, and Africa as competitive sources of supply. Tables give statistics for the world's commercial cotton crop, 1860-1901; and world consumption, 1860-1900.
- WRIGHT, J. W., and CHEATHAM, R. J. (526)
 COMPARATIVE ADVANTAGES OF JUTE AND COTTON BAGGINGS FOR AMERICAN COTTON BALES. A PRELIMINARY REPORT. 24 pp., illus. Bur. Agr. Econ., 1933. [Mimeographed.]

YOUNGBLOOD, BONNEY. (527)

ADJUSTING THE QUALITY OF THE COTTON CROP TO SPINNERS' REQUIREMENTS * * * ADDRESS DELIVERED BEFORE THE GENERAL SESSION OF THE ASSOCIATION OF SOUTHERN AGRICULTURAL WORKERS, AT MEMPHIS, TENNESSEE, FEBRUARY 1, 1928. 12 pp. Bur. Agr. Econ. [1928] [Mimeographed.]

KILLOUGH, H. B., and STRANG, P. M. (528)

DOMESTIC MILL CONSUMPTION OF AMERICAN COTTON BY GRADES AND STAPLES. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 5, 17 pp. 1928. [Mimeographed.]

THE QUALITY OF COTTON AND MARKET DEMAND * * * ADDRESS AT THE MEETING OF THE SOUTHERN AGRICULTURAL WORKERS, HOUSTON, TEXAS, FEBRUARY 7, 1929. 10 pp. Bur. Agr. Econ. [1929] [Mimeographed.]

MOVEMENT

ANDREWS, FRANK. (530)

CROP EXPORT MOVEMENT AND PORT FACILITIES ON THE ATLANTIC AND GULF COASTS. Bur. Statis. Bull. 38, 80 pp., illus. 1905.

Cotton, pp. 11-17. Discusses places of concentration, decline of exports from North Atlantic ports and compares ports for 1905. Tables are included.

FREIGHT COSTS AND MARKET VALUES. Yearbook 1906: 371-386. 1907.

Cotton, pp. 372-376. Includes discussion of railroad and ocean freight rates; estimated average costs of carrying cotton in the United States and to the United Kingdom during the year ended June 30, 1906 (p. 376).

WHITE, J. C., and GOULD, B. R. (532)

THE MOVEMENT OF THE 1924-25 COTTON CROP AND CHANGES IN FREIGHT RATES ON COTTON 1913-27. 12 pp. Bur. Agr. Econ. [1928.] [Mimeographed.]

SUPPLY

AGELASTO, A. M., FETROW, W. W., and FARRINGTON, C. C. (533)

SOME PHASES OF THE LONG-STAPLE COTTON SITUATION IN THE UNITED STATES. 47 pp., illus. Bur. Agr. Econ., 1932. [Mimeographed.]

"Long-staple cotton, or staple cotton, as used in this report, refers to cotton having a staple length of $1\frac{1}{2}$ inches and longer. The supply of this cotton in the United States consists of both domestic and foreign growths. The domestic production consists of (1) that portion of the upland crop having a staple length of $1\frac{1}{2}$ inches and longer, (2) American-Egyptian or Pima cotton, and (3) sea-island cotton. The principal foreign growths of staple cotton consumed in the United States are Egyptian and Peruvian." Tables (pp. 11-47)—Statistics of staple length, production, ginnings, consumption, imports, prices, premiums, etc., charts (figs. 1-17).

BECKER, J. A. (534)

REGIONAL SHIFTS LARGE IN MAJOR CROP ACREAGES DURING DECADE 1919-29. Yearbook 1932: 483-487, illus. 1932.

Cotton increase or decrease in acreage, map (p. 486). Higher levels prevail in western Texas, Oklahoma, and the Mississippi Delta; lower levels prevail in Georgia and South Carolina.

BRANNER, J. C. (535)

COTTON IN THE EMPIRE OF BRAZIL; THE ANTIQUITY, METHODS, AND EXTENT OF ITS CULTIVATION; TOGETHER WITH STATISTICS OF EXPORTATION AND HOME CONSUMPTION. Misc. Spec. Rpt. 8, 79 pp., illus. 1885.

"During the winter of 1883-84, Mr. J. C. Branner, assisted by Mr. A. Koebele, was sent to Brazil to collect certain entomological information and, incidentally, any facts relating to cotton and its culture. A preliminary account of the journey has been published in Bulletin No. 4 of the Division of Entomology, and the entomological observations have been, or will be, used elsewhere." (p. 5). The early uses of cotton, pp. 16-20. Replies to questionnaire regarding cotton cultivation in Brazil, pp. 53-77.

- CALLANDER, W. F. (536)
 REVIEW OF THE 1928 COTTON CROP. A RADIO TALK * * * MAY 17, 1929.
 2 pp. Bur. Agr. Econ. [1929] [Mimeographed.]
- COOK, O. F. (537)
 COTTON FARMING IN THE SOUTHWEST. Bur. Plant Indus. Circ. 132: 9-18.
 1913.
 Possibility of extension of the cotton industry in the Southwestern States is attended by several obstacles, such as the presence of a temporary population and the fact that living and working methods there are not well adapted to the climate.
-
- (538)
 COTTON OF LONG STAPLE COULD BE PRODUCED IN MUCH GREATER QUANTITY. Yearbook 1930: 202-207, illus. 1930.
 "Superior varieties of long-staple upland cotton are now available, as early and productive as varieties with less than an inch staple * * * All of the field operations—preparing, planting, and cultivating—are the same for growing inferior cotton as for producing good fiber."
-
- (539)
 COTTON PROBLEMS IN LOUISIANA. Bur. Plant Indus. Circ. 130: 3-14. 1913.
 "Whether long-staple cotton can take the place of sugarcane on any of the Louisiana lands and how far such a substitution may be expected to go are questions of present interest, but even outside the sugar districts it is important to have more definite knowledge of the possibilities of improvement. The presence of the bollweevil introduces a new element of uncertainty and requires many readjustments that are not yet complete. New varieties and improved cultural methods have been developed in recent years by the Department of Agriculture and are likely to be useful in Louisiana, but they have still to be tested and adapted to the local conditions. There are problems of other kinds that remain to be solved. The selling of the cotton must be considered, as well as the raising of it. The substitution of short fiber is now a more serious menace to the long-staple industry than the bollweevil."
-
- (540)
 EXTENSION OF COTTON PRODUCTION IN CALIFORNIA. Dept. Bull. 533, 16 pp. 1917.
 "Cotton was grown in California half a century ago, but the early attempts were made on a basis of direct competition with the South, which could not be maintained when normal conditions had been reestablished after the Civil War. The present possibilities of development of cotton culture in California lie in the direction of producing Egyptian or other special types of long-staple cotton."
-
- (541)
 FACTORS AFFECTING THE PRODUCTION OF LONG-STAPLE COTTON. Bur. Plant Indus. Circ. 123: 3-9. 1913.
 "The production of long-staple cotton is one of the undeveloped agricultural resources of the United States and one that is capable of enormous expansion. But it is equally apparent that anything like a full development of these resources must be accompanied by extensive changes and readjustments in the commercial and industrial world."
-
- (542)
 and DOYLE, C. B.
 SEA-ISLAND AND MEADE COTTON IN THE SOUTHEASTERN STATES. Dept. Circ. 414, 20 pp., illus. 1927.
 "Object of the present circular is to call attention to the facts that should be considered in any attempts that are made to produce sea-island cotton or other extra-length staples in the Atlantic coast districts of South Carolina, Georgia, and Florida." One-variety communities, pp. 6-9.
-
- (543)
 DOYLE, C. B.
 COTTON GROWERS ADVISED NOT TO TRY LARGE-SCALE PLANTING OF SEA-ISLAND. Yearbook 1932: 148-150, illus. 1932.
 "At present, satisfactory market arrangements have not been worked out with manufacturers, and until more information is available, farmers are being advised not to plant sea-island on a large scale anywhere in the continental United States."

- FETROW, W. W. (544)
 STAPLE LENGTHS OF WORLD COTTON CROPS. A PRELIMINARY REPORT. 10 pp.
 Bur. Agr. Econ., 1930. [Mimeographed.]
- FLINT, WILSON. (545)
 TEXTILE FIBRES OF THE PACIFIC STATES. Dept. Agr. Rpt. 1864:471-487.
 1865.
 Cotton growing in the Pacific States a failure from meteorological
 causes, pp. 473-475.
- HITCHCOCK, F. H. (546)
 EXPORTS OF COTTON FROM EGYPT. Sec. Foreign Markets Circ. 15, 7 pp., illus.
 1897.
 Reprinted from Cotton Culture in Egypt, by G. P. Foaden. Off. Expt.
 Stas. Bull. 42. 1897.
- HOLMES, C. L. (547)
 SHIFTS IN PRODUCTION AREAS IN THE UNITED STATES INDUCED BY CHANGES IN
 FARM PRICES AND FARM TECHNIQUE. 31 pp., illus. Bur. Agr. Econ.
 [1931] [Mimeographed.]
 Address, Conference of Principal and Reviewing Appraisers of the
 Federal Farm Loan Bureau, Washington, March 16, 1931.
 Shifts in areas of cotton production, pp. 12-17. Includes the follow-
 ing charts: Cotton picked, increase in acreage, 1919-24.—Cotton picked,
 decrease in acreage, 1919-24.—Cotton acreage in Texas, Georgia, and
 South Carolina 1800-1930. "The increase in cotton acreage between
 [1919] and 1924 was notable in Texas and Oklahoma and in the upper
 end of the Mississippi Delta. Some increase occurred in portions of
 the Coastal Plain. Decreases during the same 5 years were notable
 in Georgia and South Carolina, and a small decrease is indicated in
 the Delta near Memphis and southward."
- KEARNEY, T. H. (548)
 COTTON OF AMERICAN-EGYPTIAN VARIETY IN U.S. Yearbook 1926: 251-254,
 illus. 1927.
 A general discussion of selection and marketing of American-Egyptian
 cotton. Production and estimated value to the growers of the 14 annual
 crops 1912-25, table 3 (p. 252).
- KNAPP, S. A. (549)
 COTTON, THE GREATEST OF CASH CROPS. Off. Sec. Circ. 32, 8 pp. 1910.
 Address on the outlook for cotton production in bollweevil territory,
 delivered at Greenville, Miss., January 17, 1910.
- LANHAM, W. B. (550)
 COTTON DATA RECORD VARIATION IN STAPLE LENGTH, 1928-1931. Yearbook
 1932: 140-142, illus. 1932.
- (551)
 COTTON GRADE AND STAPLE ESTIMATES SHOW QUALITY TREND. Yearbook 1930:
 195-197, illus. 1930.
 A description of the work of the grade and staple estimates project
 of the United States Department of Agriculture. Distribution of co-
 operating gins is shown in figure 42 (p. 196). Supply of American up-
 land cotton in the United States, by staple length, 1928-29, figure 43
 (p. 197).
- (552)
 GEOGRAPHIC DISTRIBUTION OF STAPLE LENGTHS OF AMERICAN UPLAND COTTON—
 CROPS OF 1928, 1929, AND 1930. A PRELIMINARY REPORT. 9 pp., illus. Bur.
 Agr. Econ., 1932. [Mimeographed.]
- (552a)
 HARPER, F. H., NELSON, F. E., and McCOLLUM, J. L. (552a)
 GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE UNITED STATES,
 1928-29 TO 1931-32. Statis. Bull. 40, 158 pp., illus. 1933.
 Much of the information presented herein was released previously
 in preliminary reports, but this is the first publication issued by the
 United States Department of Agriculture in which detailed information
 on the subject is assembled for 4 consecutive years.
- (553)
 and McCOLLUM, J. L. (553)
 GRADE AND STAPLE OF ALABAMA COTTON—CROPS OF 1928 AND 1929. A PRELIM-
 INARY REPORT. 14 pp., illus. Bur. Agr. Econ., 1931. [Mimeographed.]
- (554)
 and McCOLLUM, J. L. (554)
 GRADE AND STAPLE OF ARKANSAS COTTON—CROPS OF 1928 AND 1929. A PRE-
 LIMINARY REPORT. 15 pp., illus. Bur. Agr. Econ., 1931. [Mimeog-
 raphed.]

- LANHAM, W. B., and McCOLLUM, J. L. (555)
 GRADE AND STAPLE OF LOUISIANA COTTON—CROPS OF 1928 AND 1929. A PRELIMINARY REPORT. 14 pp., illus. Bur. Agr. Econ., 1931. [Mimeographed.]
- and BETTS, R. E. (556)
 GRADE AND STAPLE OF MISSISSIPPI COTTON—CROPS OF 1928 AND 1929. A PRELIMINARY REPORT. 19 pp., illus. Bur. Agr. Econ., 1931. [Mimeographed.]
- and BETTS, R. E. (557)
 GRADE AND STAPLE OF SOUTH CAROLINA COTTON—CROPS OF 1928 AND 1929. A PRELIMINARY REPORT. 15 pp., illus. Bur. Agr. Econ., 1931. [Mimeographed.]
- and McCOLLUM, J. L. (558)
 GRADE AND STAPLE OF TENNESSEE COTTON—CROPS OF 1928, 1929, AND 1930. A PRELIMINARY REPORT. 13 pp., illus. Bur. Agr. Econ., 1931. [Mimeographed.]
- (559)
 PROGRESS AND PRACTICAL USE OF THE COOPERATIVE GRADE AND STAPLE WORK. 14 pp. Bur. Agr. Econ. [1933] [Mimeographed.]
 Address delivered before the meeting of the Southern Agricultural Workers Association, New Orleans, La., February 1, 1933.
- and BETTS, R. E. (560)
 QUALITY OF COTTON PRODUCED IN NORTH CAROLINA CROPS OF 1928 AND 1929. A PRELIMINARY REPORT. 14 pp., illus. Bur. Agr. Econ., 1930. [Mimeographed.]
- (561)
 STAPLE LENGTH OF TEXAS COTTON CROPS OF 1928 AND 1929. A PRELIMINARY REPORT. 14 pp., illus. Bur. Agr. Econ., 1930. [Mimeographed.]
- (562)
 THE STAPLE OF OKLAHOMA COTTON 1928 SEASON, A PRELIMINARY REPORT. 12 pp., illus. Bur. Agr. Econ., 1930. [Mimeographed.]
- MEADOWS, W. R. (563)
 ECONOMIC CONDITIONS IN THE SEA ISLAND COTTON INDUSTRY. Dept. Bull. 146, 18 pp., illus. [1914]
 Results of investigation made, during August and September 1913, of economic conditions in the sea-island cotton industry in Charleston, S.C., and nearby islands, in Georgia and Florida, and of the American mills spinning yarns from sea-island cotton. It was found that deterioration in quality, and competition with Sakellaridis were among factors causing decrease in consumption of sea-island. Statistics of crops, prices, grades, imports, consumption of sea-island cotton are given in appendix (pp. 16-18).
- PRYOR, W. L. (564)
 LENGTH OF COTTON LINT, CROPS 1916 AND 1917. Dept. Bull. 733, 8 pp., illus. 1918.
 Length estimates by States and amount produced 1916-17 are given in tables. Discussion of distribution of varieties is included.
- SCOFIELD, C. S. (565)
 COTTON PRODUCTION IN THE IRRIGATED SOUTHWEST IN 1920. 32 pp. Bur. Plant Indus., 1920. [Mimeographed.]
 A survey of the cotton industry in the southwestern part of the United States.
- SPILLMAN, W. J. (566)
 CHANGES IN SOUTHERN AGRICULTURE AND THE PROBLEMS ARISING THEREFROM. 7 pp., illus. Bur. Agr. Econ. [1928] [Mimeographed.]
 Address before the Economics Section, Association of Southern Agricultural Workers, Memphis, Tenn., February 2, 1928.
 "The principal change in the agriculture of the South since 1909 has consisted in a vast shift of cotton production westward and northward. This has given rise to a number of new problems and has placed more marked emphasis on a number of old problems * * * The principal problem dealt with in this paper is that of rehabilitating the agriculture of [the] three southeasternmost States" (South Carolina, Georgia, and Florida). The introduction of livestock enterprises as a substitute for cotton production is discussed. Charts: (1) Cotton area as percent of total crop area, 1909; (2) Cotton area as percent of total crop area, 1924.

- SPILLMAN, W. J. (567)
 CHANGES IN TYPE OF FARMING, 1919-1924. Yearbook 1926: 203-207, illus. 1927.
 Changes in cotton acreage, p. 207. Cotton acreage decreased in all the States from South Carolina to Louisiana except Alabama, and increased in the Western States. "For the country as a whole there was an increase of 16.2 percent. These increases were the result of the high prices for cotton that prevailed during most the war years and for some years afterward. The increase appears to have gone too far, for at the present time the situation of the cotton grower is critical because of low prices."
- STRANG, P. M. (568)
 QUALITY OF THE COTTON SPUN IN THE UNITED STATES (YEAR ENDING JULY 31, 1928). A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing. Util. Amer. Cotton Ser. 8, 14 pp. 1929. [Mimeographed.]
- STAPLE LENGTH OF FOREIGN-GROWN COTTONS CONSUMED IN THE UNITED STATES, 1928-1931. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing. Util. Amer. Cotton Ser. 12, 6 pp. 1932. [Mimeographed.] (569)
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (570)
 THE AGRICULTURAL OUTLOOK 1924-1933. Misc. Circulars 23, 38, 65, 101, and Misc. Pubs. 19, 44, 73, 108, 144, 156. 1924-33.
 Includes the Cotton outlook.
- BUREAU OF AGRICULTURAL ECONOMICS. (571)
 THE AGRICULTURAL OUTLOOK FOR THE SOUTHERN STATES, 1930-31; 1931-32. Misc. Pubs. 102 and 137. 1930, 1931.
- BUREAU OF AGRICULTURAL ECONOMICS. (572)
 SOME FACTS ABOUT THE COTTON OUTLOOK FOR 1932. Misc. Pub. 139, 8 pp., illus. 1932.
 "The principal facts of the cotton situation have been summarized to aid southern farmers in planning their crop production for 1932." Charts show prices, 1911-30; supply, consumption, 1920-31; acreage, yield per acre, production, 1890-1931.
- BUREAU OF AGRICULTURAL ECONOMICS. (573)
 THE WORLD COTTON SITUATION WITH OUTLOOK FOR 1931-32 AND THE LONG-TIME OUTLOOK FOR SOUTHERN AGRICULTURE. Misc. Pub. 104, 76 pp., illus. 1930.
- BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF COTTON MARKETING. (574)
 THE LONG-STAPLE UPLAND COTTON SITUATION. A SUPPLEMENTAL STATEMENT TO THE COTTON OUTLOOK ISSUED IN NOVEMBER AT ATLANTA. 3 pp. [1932] [Mimeographed.]
- BUREAU OF AGRICULTURAL ECONOMICS. CROP REPORTING BOARD. (575)
 SPECIAL REPORT ON REVISED ESTIMATES OF UNITED STATES COTTON ACREAGE AND YIELD, 1866-1931. v. p. 1933. [Mimeographed.]
- BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF STATISTICAL AND HISTORICAL RESEARCH. (576)
 THE WORLD CARRYOVER AND CONSUMPTION OF AMERICAN COTTON, OCTOBER 13, 1927. 10 pp., illus. [1927?] [Mimeographed.]
 "In the preparation of the usual monthly survey of the cotton-price situation for September [1927] the Bureau of Agricultural Economics used the Bureau of the Census estimate of stocks of American cotton in the United States, the International Cotton Federation's estimate of foreign mill stocks, and the Commercial and Financial Chronicle's estimate of stocks in foreign ports and afloat, as an indication of the world's carryover of American cotton into the new season beginning August 1, 1927. These estimates indicate that the world's carryover of American cotton was about 7,800,000 bales. The publication of this figure has given rise to many inquiries concerning sources used and reasons why this figure differs from that of the New Orleans Cotton Exchange." A table presents "the estimates used by the Bureau in comparison with the estimates of the New Orleans Cotton Exchange, with foreign cotton and linters deducted from each of the items insofar as it is possible to do so."

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF PLANT INDUSTRY.
COMMITTEE ON SOUTHWESTERN COTTON CULTURE (577)

PRODUCTION OF AMERICAN EGYPTIAN COTTON. Dept. Bull. 742, 30 pp. 1919.
Revision of Department Bulletin 332, Community Production of
Egyptian Cotton in the United States, by the Committee on South-
western Cotton Culture, 1916.

The committee on southwestern cotton culture was composed of C. S.
Scofield, T. H. Kearney, C. J. Brand, O. F. Cook, and W. T. Swingle.
Bibliography, pp. 28-29.

"The purposes of this bulletin are to tell how Egyptian-cotton pro-
duction became established in the Southwest as a result of community
action, to describe the present status of the industry, and to give the
reasons for encouraging the growing of this type of cotton in the United
States."

OFFICE OF THE SECRETARY.

(578)

THE AGRICULTURAL SITUATION FOR 1918. A SERIES OF STATEMENTS PREPARED
UNDER THE DIRECTION OF THE SECRETARY OF AGRICULTURE. PART V. COTTON.
MAINTAINING THE SUPPLY OF COTTON. Off. Sec. Circ. 88, 34 pp., illus.
1918.

List of contents includes the following headings: Demand for cotton;
How supply of long-staple cotton was reduced; Efforts to re-establish
long staples; Future demand for long-staple cotton; Cooperative efforts
bring results; Increase the production per acre; Choose best variety for
local conditions; Increase through cultural practices; Relation of disease
to cotton production; Insect enemies of cotton; Seed greatly increases
value of crop; Cotton marketing. Products and uses of cotton seed,
diagram (taken from Bur. Census Bull. 131), p. 19.

UNITED STATES PATENT OFFICE.

(579)

COTTON. U. S. Commr. Patents Rpt. 1845: 755-804, illus. 1846.

Consists of articles reprinted from various periodicals and other
sources. Includes the following: On the culture of cotton; Cotton manu-
facture in Austria, in India; Cultivation of cotton in India; Growth of
cotton in India; Report of the Committee of the Barnwell Agricultural
Society on the Culture of Cotton, signed by J. H. Hammond, chairman;
Preparing Fine Cottons for Market, by Alexander McDonald; "Liverpool
annual report" and "Manchester market—annual report."

WOOTEN, E. O.

(580)

COTTON IN THE TEXAS PLAINS AREA. Yearbook 1926: 271-274. 1927.

Discusses the appearance of cotton as a crop in this region which was
primarily considered a cattle range. The success of the crop is indicated
by figures for receipts in Lubbock County, Tex., in 1924.

YOUNGBLOOD, BONNEY.

(581)

COTTON QUALITY STUDIES SHOW OPPORTUNITIES TO ADJUST STAPLE PRODUCTION.
Yearbook 1928: 240-241. 1929.

"Data obtained in Georgia and a Texas-Oklahoma area, compared with
results of a study of American mill consumption, indicate that these
areas produce too much cotton seven-eighths of an inch and under, and
too little cotton fifteen-sixteenths of an inch and above, in length."

(582)

COTTON-SPINNING VALUE STUDIES SHOW NEED OF HIGHER QUALITIES. Yearbook
1927: 228-232. 1928.

A discussion of data from grade and staple reports of cotton produced
in Georgia and in certain counties in Texas and Oklahoma, preceded by
a short history of the official standards for grade and staple.

CROP ESTIMATING AND REPORTING

BECKER, J. A.

(583)

COTTON CROP REPORTS OF THE UNITED STATES DEPARTMENT OF AGRICULTURE.
16 pp., illus. Bur. Agr. Econ. [1926] [Mimeographed.]

For Southwestern Political Science Association meeting, Dallas, Tex.,
April 2, 1926.

"An attempt to provide a full discussion of the methods used in making
the estimates and forecasts of cotton production."

(584)

CROP REPORTING BOARD POLICY IN FORECASTING COTTON PRODUCTION FROM
CONDITION. 6 pp. Bur. Agr. Econ. [1929] [Mimeographed.]

Prepared upon request for August 11, 1928, issue of United States
Daily.

- BECKER, J. A. (585)
CROP-YIELD FORECASTS DEMAND STUDY OF MANY COMPLEX RELATIONSHIPS.
Yearbook 1928: 245-247. 1929.
Forecasts of the cotton crop by the United States Department of
Agriculture are discussed as illustration of the crop-yield forecasting
system.
- CALLANDER, W. F., and CHILDS, V. C. (586)
METHODS USED BY CROP REPORTING BOARD IN ESTIMATING THE COTTON CROP.
8 pp. Bur. Agr. Econ. [1931] [Mimeographed.]
- RECENT DEVELOPMENTS IN COTTON CROP ESTIMATING. 15 pp. Bur. Agr. Econ.
[1928] [Mimeographed.] (587)
An address given before the American Statistical Association, New
York City, April 20, 1928.
- CRAWFORD, J. C. (588)
METHOD OF ESTIMATING THE YIELD OF COTTON IN THE FIELD. Yearbook 1904:
625-626, illus. 1905.
Directions are given for using a table for "number of cotton bolls per
plant of various classes required at certain distances to produce a bale
per acre when cotton gins 33 $\frac{1}{3}$ percent of lint."
- SARLE, C. F. (589)
ADEQUACY AND RELIABILITY OF CROP-YIELD ESTIMATES. Tech. Bull. 311, 138 pp.,
illus. 1932.
Cotton, pp 75-80. Comparison of yield estimates of the Department
of Agriculture and yields derived from Census data, cotton, pp. 122-126.
- TAYLOR, H. C. (590)
THE GOVERNMENT COTTON REPORTS. 6 pp. Bur. Agr. Econ., 1923. [Mimeo-
graphed.]
Published in Commerce and Finance. September 12, 1923.
Discusses sources of information; reports issued; sources and methods
of determining acreage; the monthly crop condition estimates and fore-
casts; construction and use of "pars"; the July and August forecasts,
and intentions to plant.
- UNITED STATES DEPARTMENT OF AGRICULTURE. (591)
REPORT OF ADVISORY COMMITTEE ON COTTON CROP REPORTS TO THE SECRETARY
OF AGRICULTURE, DECEMBER 22, 1923. 6 pp. [1924] [Mimeographed.]

STATISTICS¹

- AGELASTO, A. M., DOYLE, C. B., MELOY, G. S., and STINE, O. C. (592)
THE COTTON SITUATION. Yearbook 1921: 323-406, illus. 1922.
Includes notes on world production; principal commercial types of cot-
ton; shifts in production; acreage, yield and production; diversification
of crops; pests and diseases; cost of production; production credit, hand-
ling and marketing; consumption 1896-97 to 1920-21; summary of the
situation and outlook.
Statistical charts and tables are contained in the discussion. "Soil
regions of the cotton belt", by H. H. Bennett. map (p. 339).

¹ Statistics of cotton, cottonseed, and cottonseed products appear regularly in the Year-
book of Agriculture. For example, see the following:

U. S. DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. STATISTICAL
COMMITTEE.

AGRICULTURAL STATISTICS. Yearbook 1933: 399-776, illus. 1933.

Chairman of the Statistical Committee, J. A. Becker.

Statistics of cotton, sugar, and tobacco, pp. 472-507. Tables for cotton acreage,
production, value, exports, etc., United States, 1890-1932; acreage and production
in specified countries, 1925-26 to 1932-33; world production of lint, 1909-10 to
1932-33; consumption by domestic mills, etc. Includes also statistics on produc-
tion, prices, trade, etc., of cottonseed, cottonseed oil, and cottonseed meal. "For
current statistics to supplement Yearbook statistics, the following sources should
be used: (1) Crops and Markets—a monthly publication of the department carry-
ing the latest current statistics on agriculture in the United States; (2) Foreign
Crops and Markets—issued weekly by the Bureau of Agricultural Economics and
devoted to current world statistics of crops, livestock and markets"; (3) World
Cotton Prospects—published monthly by the Bureau of Agricultural Economics;
(4) The Agricultural Situation—issued monthly; "(5) market news reports of
the Bureau of Agricultural Economics—issued daily, weekly, monthly, quarterly,
or at irregular intervals, at Washington and at the principal markets"; (6) Cotton
Grade and Staple Reports—issued by the Division of Cotton Marketing, Bureau of
Agricultural Economics.

- ANDREWS, FRANK, compiler. (593)
 HANDBOOK OF FOREIGN AGRICULTURAL STATISTICS. Dept. Bull. 987, 69 pp., illus. 1921.
 Tables arranged alphabetically by countries. Includes statistics for cotton imports and exports, 1910-20. United States equivalents of the principal weights and measures used in foreign agricultural statistics, pp. 68-69.
- BAKER, O. E. (594)
 AGRICULTURAL MAPS. Yearbook 1928: 640-665, illus. 1929.
 Cotton, p. 4. Acreage and production, 1924. (595)
- A GRAPHIC SUMMARY OF AMERICAN AGRICULTURE BASED LARGELY ON THE CENSUS. Misc. Pub. 105, 228 pp., illus. 1931.
 "Revision and enlargement of A Graphic Summary of American Agriculture contained in the 1915 Yearbook of the Department of Agriculture which was also issued as Yearbook Separate 681, and of a second contribution having the same title in the 1921 Yearbook, which was also issued as Yearbook Separate 878."
 Cotton, pp. 30-35. Maps. Comparison of cotton with other crops in importance; acreage increases and decreases; changes in production and yield; number of farmers growing cotton, 1924. Farmers' associations handling cotton, 1929 (p. 144).
- DODGE, J. R. (596)
 AGRICULTURAL GRAPHICS. A REPORT OF EXHIBITS ILLUSTRATING AGRICULTURAL STATISTICS AT THE WORLD'S INDUSTRIAL AND COTTON EXPOSITION AT NEW ORLEANS, LA. Dept. Rpt. 40, 42 pp., illus. 1885.
 Cotton, pp. 24-26. Progress of production; area. Production and export of cotton from 1841 to 1884, diagram xxiv; acreage, 1879, diagram xxv.
- HYDE, JOHN. (597)
 THE COTTON CROP OF 1896-97. Div. Statis. Circ. 8, 14 pp., illus. 1897.
 Includes tables.
- KNAPP, S. A. (598)
 RECENT FOREIGN EXPLORATIONS AS BEARING ON THE AGRICULTURAL DEVELOPMENT OF THE SOUTHERN STATES. Bur. Plant Indus. Bull. 35, 44 pp., illus. 1903.
 Report of visit to rice-producing countries. Statistics for cotton are given in table 1. Area (in acres) under crop of principal products in each province of British India, 1897-1900, p. 31.
- MYERS, LAWRENCE, and COOPER, M. R. (599)
 COTTON STATISTICS AND RELATED DATA FOR AGRICULTURAL WORKERS. 108 pp., illus. Bur. Agr. Econ., 1932. [Mimeographed.]
 Supplement no. 1, a revision of pages 28, 29, and 30, appeared in World Cotton Prospects C-92, Sup., May 31, 1933.
- ROBINSON, H. A. (600)
 ACREAGE, PRODUCTION, AND VALUE OF PRINCIPAL FARM CROPS IN THE UNITED STATES, 1866 TO 1895, WITH OTHER DATA AS TO COTTON AND WOOL. Div. Statis. Circ. 1, 8 pp., illus. 1896. (601)
- THE COTTON CROP OF 1896. Div. Statis. Circ. 7, 4 pp., illus. 1897.
 Preliminary report upon crop of 1896-97 is included.
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (602)
 FARM VALUE, GROSS INCOME, AND CASH INCOME FROM FARM PRODUCTION. . . A PRELIMINARY REPORT. Pts. 1-3, 5, illus. 1930-33. [Mimeographed.]
 Statistics for the cotton crop are included.
- BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF CROP AND LIVESTOCK ESTIMATES (603)
 GROSS INCOME FROM FARM PRODUCTION, 1929-1931. SUMMARY OF THE INCOME ESTIMATES. 5 pp., illus. 1932. [Mimeographed.]
 Table includes figures for income from cotton lint and cottonseed.
- BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF INFORMATION. (604)
 SOURCES OF FACTS ABOUT COTTON PRODUCTION, MARKETING AND OTHER ECONOMIC STATISTICS FROM FEDERAL SOURCES. 12 pp. 1926. [Mimeographed]

- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF STATISTICAL AND HISTORICAL RESEARCH (605)
 COTTON FACTS. 28 pp., illus. 1930. [Mimeographed.]
 Supersedes Facts about Cotton 1930 Outlook, February 1930. Illustrated by diagrams.
- BUREAU OF CROP ESTIMATES. (606)
 STATISTICAL DATA COMPILED AND PUBLISHED BY THE BUREAU OF CROP ESTIMATES 1863-1920. PART I. PUBLICATIONS OF THE BUREAU OF CROP ESTIMATES. PART II. SUBJECTS INCLUDED IN THE REPORTS AND RECORDS OF THE BUREAU OF CROP ESTIMATES. Dept. Circ. 150, 64 pp. 1921.
 Cotton, pp. 27-29. Cottonseed, pp. 29-30.
- BUREAU OF STATISTICS. (607)
 COTTON CROP OF THE UNITED STATES, 1790-1911. Bur. Statis. Circ. 32, 9 pp., illus. 1912.
 Compiled under the direction of G. K. Holmes.
- BUREAU OF STATISTICS. DIVISION OF FOREIGN MARKETS. (608)
 BULLETINS 1-37. 1895-1903.
 Statistics of cotton and other commodities are contained in a number of these bulletins, which include material regarding world markets for American products; distribution of agricultural exports of the United States, etc.
- BUREAU OF STATISTICS. DIVISION OF FOREIGN MARKETS. (609)
 CIRCULARS 1-26. 1895-1903.
 Contain information regarding imports, exports, foreign trade, etc. Statistics of the cotton trade are included in most of these circulars.
- DIVISION OF STATISTICS. (610)
 PRODUCTION AND DISTRIBUTION OF THE PRINCIPAL AGRICULTURAL PRODUCTS OF THE WORLD. COMPILED FROM OFFICIAL SOURCES. Div. Statis. Rpt. (misc. ser.) 5, 205 pp., illus. 1893.
 "The tables presented in this report may be grouped under three heads: (1) A general presentation of the production, imports and exports, of the various countries for which data are available of the products considered in the report; (2) a summary, so far as such a summarization is possible, of the net supply of each product available in the various countries; (3) a detailed statement of the production, imports, and exports of each product, for a period of years, for each country separately" Cotton, pp. 33-36. "In the absence of official data it has been thought best to present a commercial estimate of the world's crop, and the careful compilation of Mr. Thomas Ellison, of Liverpool, has been selected."
- WATKINS, J. L. (611)
 THE COMMERCIAL COTTON CROP OF 1903-4. Bur. Statis. Bull. 34, 101 pp., illus. 1905.
- (612)
 THE COMMERCIAL COTTON CROPS OF 1900-1901, 1901-1902, AND 1902-1903. Bur. Statis. Bull. 28, 83 pp., illus. 1904.
 Tables give statistics of crops by States; shipments from railroad stations; progress of cotton spinning in the South; consumption at principal mill points; sea-island crops; prices and value of the crops; course of prices; cost of picking; exports and imports; world's spindles and consumption; acreage and crops since 1897; industry in Brazil; imports into Great Britain. 1895 to 1902; world's cotton crop, 1865-1902.
- (613)
 CONSUMPTION OF COTTON IN THE COTTON STATES. Yearbook 1903: 463-478, illus. 1904.
 The history of southern cotton manufacturing from 1787 through 1903. Includes pictures of early mills. Tables for consumption and production, 1850-1903, in South Carolina, North Carolina, Georgia, Alabama, Tennessee, Virginia, and in the Southern States as a group.
- (614)
 THE COTTON CROP OF 1898-99. Div. Statis. Bull. (misc. ser.) 17, 32 pp., illus. 1900.
- (615)
 THE COTTON CROP OF 1805. Div. Statis. Circ. 4, 14 pp., illus. 1896.

WATKINS, J. L. (616)
THE COTTON CROP OF 1899-1900. Div. Statis. Bull. (misc. ser.) 19, 46 pp.,
illus. 1901.

THE COTTON CROP OF 1897-98. Div. Statis. Circ. 9, 16 pp., illus. 1898. (617)

PRODUCTION AND PRICE OF COTTON FOR ONE HUNDRED YEARS. Div. Statis.
Bull. (misc. ser.) 9, 20 pp., illus. 1895. (618)

Studies "the causes of the great fluctuations which sometimes occur
in the prices of this commodity—how far prices have been governed by
the law of supply and demand, and how far affected by artificial causes.

"With this view the following tables have been prepared, showing
the supply and consumption and surplus stocks of cotton in the United
States, Great Britain, and Continental Europe, and its prices in the
leading markets of the world. The period under consideration, for con-
venience, is divided decennially, and begins and ends with two of the
most remarkable events in the history of cotton, namely, the introduc-
tion of Whitney's saw gin (the invention was completed in 1793 and
patented in 1794) and the production of the largest crop the world has
ever seen. The figures prior to 1795 are given merely to show the rapid
increase in the production of cotton brought about by the invention of
Whitney's saw gin.

"In the compilation of the tables the estimates and prices furnished by
Levi Woodbury, Secretary of the Treasury in 1836, the Liverpool Cotton
Association, Thomas Ellison, A. B. Shepperson, E. J. Donnell, B. F.
Nourse, Ott-Trumpler, and Latham, Alexander & Co., have been used.
Other well-known and trustworthy authorities have been consulted."
A "summary of some of the most interesting events relating to the
growth and consumption of cotton, and the most important facts affect-
ing its prices" follows each table. The commercial instead of the crop
year is used.

An abstract of this bulletin was issued under the title "Cotton and
Currency," 3 pp. [1895] (not seen).

WEST, C. J., and FLOHR, L. B. (619)
MARKET STATISTICS. Dept. Bull. 982, 279 pp., illus. 1921.

Tables. Pt. VI. Cotton, pp. 268-273. Production in principal coun-
tries, 1913-20; exports and imports, 1909-20; monthly exports of cotton-
seed oil, 1910-20; prices of cotton and cottonseed.

PRICES

ADAMS, L. A. (620)
AN ANALYSIS OF THE DIFFERENCE BETWEEN THE RETAIL PRICE OF COTTON
CLOTH AND THE PRICE OF COTTON. PRELIMINARY REPORT. 34 pp. Bur. Agr.
Econ., 1923. [Mimeographed.]

BEAN, L. H. (621)
APPLICATIONS OF A SIMPLIFIED METHOD OF GRAPHIC CURVILINEAR CORRELATION.
A PRELIMINARY REPORT. 20 pp., illus. Bur. Agr. Econ., 1929. [Mimeo-
graphed.]

Among typical cases used as examples of method of approach are the
following: Case II, Relation of cotton prices and business conditions to
the domestic mill consumption of cotton (pp. 4-5); case III, Cotton
consumption (continued) (pp. 5-7); case VI, Effect of price on acreage
of cotton harvested in the United States (pp. 9-10).

FARM PRICES AND INCOMES REFLECT BUSINESS AND FINANCIAL CONDITIONS.
Yearbook 1932: 200-205, illus. 1932. (622)

Cotton consumption and industrial production in the United States
1919-31, chart (fig. 52, p. 203).

SOME INTERRELATIONSHIPS BETWEEN THE SUPPLY, PRICE, AND CONSUMPTION
OF COTTON. ADDRESS DELIVERED BEFORE THE AMERICAN STATISTICAL ASSO-
CIATION, NEW YORK CITY, FRIDAY, APRIL 20, 1928. 8 pp., illus. Bur. Agr.
Econ. [1928.] [Mimeographed.] (623)

Illustrated by charts.

Cox, A. B.

(624)

COTTON PRICES AND MARKETS. Dept. Bull. 1444, 78 pp., illus. 1926.

"An understanding of the marketing of cotton involves a knowledge of the demand for cotton, the supply of it, the machinery developed to bring demand and supply into trading relations, and the historical development of these three market factors. This analysis of the fundamental factors involved in cotton price making and this description of the markets in which prices are made is a contribution to that understanding." Illustrated by charts.

GIST, F. W., and POPE, J. D.

(625)

PREVAILING PRICES PAID TO FARMERS FOR COTTON EACH SATURDAY, BEGINNING WITH SEPTEMBER 19TH, AND CONTINUING THROUGH DECEMBER 12TH [1925] 9 TO 12 O'CLOCK, AS REPORTED BY COUNTY AGENTS. [8] pp., illus. Bur. Agr. Econ. [1925.] [Mimeographed.]

Tables.

HOLMES, G. K.

(626)

AGRICULTURAL PRODUCTION AND PRICES. Yearbook 1897: 577-606, illus. 1898.

Prices of cotton and wheat (pp. 594-595). Average prices of cotton per pound in New York and Liverpool, 1791 to 1896, by periods of years table (p. 594). Influences that depress prices (pp. 595-599). Includes discussion of transportation, cost of marketing, effect of inventions, results of use of fertilizers. Charges for marketing a bale of cotton, 1840 and 1897, table (p. 596).

HOWELL, L. D.

(627)

COTTON PRICES TO GROWERS DO NOT REFLECT ACCURATELY VARIATIONS IN QUALITY. Yearbook 1931: 171-172, illus. 1931.

"Data on prices paid and on the classification of 107,247 bales sold during the season of 1928-29 in 143 local markets, representing as nearly as possible a cross section of the types of local markets in the United States, were collected and analyzed" in a study made by the United States Department of Agriculture. A summary of findings is discussed. Illustrated by charts of grade and staple length.

— and BURGESS, J. S., JR.

(628)

FARM PRICES OF COTTON IN RELATION TO ITS GRADE AND STAPLE LENGTH IN LOCAL MARKETS IN THE UNITED STATES SEASON 1928-29, 1929-30, AND 1930-31. A PRELIMINARY REPORT. 71 pp., illus. Bur. Agr. Econ., 1932 [Mimeographed.]

— BURGESS, J. S., JR., and NEUBAUER, T. A.

(629)

FARM PRICES OF COTTON RELATED TO ITS GRADE AND STAPLE LENGTH—MISSISSIPPI CROP—SEASON 1928-29. A PRELIMINARY REPORT. 46 pp., illus. Bur. Agr. Econ., 1932. [Mimeographed.]

(630)

FARM PRICES OF COTTON RELATED TO QUALITY—ARKANSAS CROP, SEASON 1928-29. A PRELIMINARY REPORT. 23 pp., illus. Bur. Agr. Econ., 1931. [Mimeographed.]

(631)

FARM PRICES OF COTTON RELATED TO QUALITY. OKLAHOMA CROP—SEASON 1928-29. A PRELIMINARY REPORT. 23 pp., illus. Bur. Agr. Econ., 1931. [Mimeographed.]

MYERS, LAWRENCE.

(632)

FERTILIZER CONSUMPTION IN COTTON AREA VARIES WITH RETURN FROM CROP. Yearbook 1928: 292-293, illus. 1929.

Charts show "the average effect of fertilizer prices at planting time, cotton prices during the fall and winter prior to planting time, and yield per acre and acreage of the previous year's cotton crop upon the annual consumption of fertilizers in the cotton States" (p. 293).

SARLE, C. F.

(633)

RELIABILITY AND ADEQUACY OF FARM-PRICE DATA. Dept. Bull. 1480, 66 pp., illus. 1927.

"This bulletin is designed to meet the needs of those students and research workers in the field of agricultural economics who may have occasion to work with the farm-price data which are collected and published by the Department of Agriculture. It is intended primarily for those students who are familiar with technical, statistical terms. The data published by the United States Department of Agriculture are too often taken for granted by the research worker, largely because the

reliability and adequacy of the data have never been fully analyzed. Many students would like to know what is back of farm-price data—how and when collected, and their most obvious limitations before trying to use them in some important economic problem." Analysis of cotton and cottonseed prices, pp. 30-31. Farm prices of cotton and cottonseed: Selected illustrations of size of sample, measures of dispersion, and probable error, table 12 (p. 31).

SMITH, B. B.

(634)

FACTORS AFFECTING THE PRICE OF COTTON. Tech. Bull. 50, 75 pp., illus. 1928. Literature cited, pp. 72-74.

"A study of factors influencing the yearly and monthly price variations over a period of 20 years * * * The first part * * * has been written in the nature of a general summary of results, followed by a detailed description of the methods used, the reasons for selecting certain data to represent factors of supply and demand, and the logic and assumptions underlying the study. To this latter section all readers are referred who are interested in the technic of price analysis." Tables and charts are included.

STINE, O. C.

(635)

THE EFFECT OF THE BUSINESS DEPRESSION ON AGRICULTURE. ADDRESS, TWENTY-SECOND SEMI-ANNUAL MEETING, AMERICAN RAILWAY DEVELOPMENT ASSOCIATION, CHICAGO, DECEMBER 5, 1930. 4 pp., illus. Bur. Agr. Econ. [1930] [Mimeographed].

"Cotton prices have followed fairly closely the long-time swings in the general price level." Cotton consumption and industrial production in the United States, 1919-1930, fig. 5.

(636)

PROGRESS IN PRICE ANALYSIS AND AN APPRAISAL OF SUCCESS IN PRICE FORECASTING. ADDRESS BEFORE THE ANNUAL MEETING OF THE AMERICAN FARM ECONOMIC ASSOCIATION, CHICAGO, DECEMBER 28, 1928. 8 pp., illus. Bur. Agr. Econ. [1928] [Mimeographed].

The writer states: "Let me illustrate the possible significance to farmers of some improvement in their knowledge of the real value of a product and the probable course of prices through a marketing season. I will use cotton as an illustration." Charts, (1) Farm prices of cotton and index of retail prices of commodities farmers buy. 1910-30.—(2) Cotton: Farm marketings and farm prices, 1926-27, 1927-28.

TAYLOR, FRED.

(637)

RELATION BETWEEN PRIMARY MARKET PRICES AND QUALITIES OF COTTON. Dept. Bull. 457, 15 pp., illus. 1916.

Survey made in 1912-13 of Oklahoma and in 1913-14 of the remainder of the Cotton Belt. The conclusion is drawn from figures given that "practically no premium is paid for the grades above middling." Tables are included.

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS.

(638)

DISCUSSION OF PRICE FORECASTING AT A CONFERENCE WITH STATE REPRESENTATIVES. ANNUAL OUTLOOK MEETING OF THE BUREAU OF AGRICULTURAL ECONOMICS, JANUARY 26, 1928. 14 pp., illus. [1928] [Mimeographed].

Price forecasting. Abstract of discussion by L. H. Bean, pp. 10-14. Cotton included. Contains charts as follows: Actual and estimated yearly average prices of middling spot cotton at New Orleans crop years, August-July 1920-21 to date [1927-28]—Middling spot cotton price, New Orleans, and price estimated from various factors. Monthly, June 1905 to date [1926] (years beginning in June)—Relation between average yearly price of cotton at New Orleans and world carry-over of American cotton at end of season, 1920-21 to 1926-27.—Prices of middling spot cotton at New Orleans in years of large crops. [1] Years of large crops followed by years of small crops. [2] Years of large crops followed by years of large crops.—Actual percentage changes in United States cotton acreage harvested and changes estimated from relationships to antecedent factors. 1902-28.—Relation between gross income from cotton and fertilizer expenditures in cotton States for the following crop. 1913-28.—United States yield of cotton and yield estimated from winter weather index 1919-24.

- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS (639)
 INDEX NUMBERS OF FARM PRICES AND OTHER TABLES. 1925, 1927, 1928, 1931, 1932. [Mimeographed.]
 Index numbers of cotton and cottonseed prices are included.
- WARREN, G. F. (640)
 PRICES OF FARM PRODUCTS IN THE UNITED STATES. Dept. Bull. 999, 72 pp., illus. 1921.
 Purchasing power of cotton at December 1 prices [1882-1920], chart, p. 21. Farm price and purchasing power of cotton in the United States at December 1 prices [1876-1920] table 24 (p. 71).
- WELLS, O. V. (641)
 FARMERS' RESPONSE TO PRICE. A SELECTED BIBLIOGRAPHY. 26 pp. Bur. Agr. Econ., 1933. [Mimeographed.]
 For references to cotton see the index.

MARKETING METHODS AND PRACTICES

- BEVERIDGE, E. A. (642)
 INVESTIGATIONS OF AMERICAN COTTON TARE. A PRELIMINARY REPORT. 17 pp., illus. Bur. Agr. Econ., 1925. [Mimeographed.]
 Deals with the usual so-called "square" bale, unless the context indicates a gin-compressed bale. "Tare" is used in the usual trade sense of the bagging and ties themselves, that is, the material used for covering. Estimated annual savings in the major items affected by tare standardization, table (p. 5).
- BRAND, C. J. (643)
 IMPROVED METHODS OF HANDLING AND MARKETING COTTON. Yearbook 1912: 443-462, illus. 1913.
- COOK, O. F. (644)
 THE RELATION OF COTTON BUYING TO COTTON GROWING. Dept. Bull. 60, 21 pp. [1914.]
 Deals with the long-staple cotton situation. "The present tendency to buy long-staple cotton at flat prices like short-staple cotton does not encourage greater care and discrimination on the part of the farmer, but encourages the opposite tendencies to carelessness, loss of uniformity of fiber and degeneration of varieties."
- Cox, A. B. (645)
 LOCAL COTTON MARKETING IN TEXAS. A PRELIMINARY REPORT. 26 pp. Bur. Agr. Econ., 1927. [Mimeographed.]
- (646)
 MARKETING AMERICAN COTTON IN ENGLAND. Tech. Bull. 69, 88 pp., illus. 1928.
 Written "to picture the marketing facilities and the marketing processes as they are related to America and Americans, rather than to go into an analysis of the more fundamental demand and supply factors which explain price" (p. 5).
- (647)
 MARKETING AMERICAN COTTON ON THE CONTINENT OF EUROPE. Tech. Bull. 78, 95 pp., illus. 1928.
 Literature cited, pp. 94-95.
 A description of marketing practices in Europe, centering around the larger markets in Germany, Belgium, Italy, Spain, and France.
- (648)
 SERVICES IN COTTON MARKETING. Dept. Bull. 1445. 40 pp., illus. 1926.
 A survey of the following services: Preparation; standardization; classing; assembling and distributing; warehousing; inspection and regulatory work; financing; and furnishing information (regarding demand, supply, price, personnel of buyers and sellers, etc.). Agencies of market information and data supplied, table 7 (p. 34). Sources of cotton prices, the data, and the publication in which they appear, table 8 (p. 35).
- CRAWFORD, G. L. (649)
 POINT BUYING OF COTTON VERSUS BUYING ON QUALITY BASIS. 9 pp. Bur. Agr. Econ. [1930]. [Mimeographed.]
 Address, Economic Section, meeting of Southern Agricultural Workers, Jackson, Miss., February 6, 1930.

CRESWELL, C. F. (650)
DISADVANTAGES OF SELLING COTTON IN THE SEED. Dept. Bull. 375, 19 pp.,
illus. 1916.

Reports an investigation conducted in Oklahoma during the season of 1913-14. It is shown by tables of price variations that in most cases losses resulted from selling cotton in the seed.

LOSSES FROM SELLING COTTON IN THE SEED. Farmers' Bull. 775 (rev. ed.),
10 pp., illus. 1926. (651)

Issued 1916; revised 1926 by G. S. Meloy.

"Based on personal interviews during May and June of 1916 with farmers, ginnermen, oil-mill men, and others in all the important sections where cotton is sold in the seed, and on a study of seed-cotton marketing made in Oklahoma during the 1913-14 season." For the latter study, see Department Bulletin 375, Disadvantages of Selling Cotton in the Seed, by C. F. Creswell. 1916. (See item 650.)

HOLT, W. I. (652)
STANDARDIZED COTTON TARE IN EGYPT. Circ. 47, 14 pp., illus. 1928.

"This study of the Egyptian methods of baling and marketing cotton is published in the hope that it will suggest practical methods for improving the American bale."

Principal among the advantages of the Egyptian bale are the following: "Uniformity of bale * * *; completeness of protection afforded the cotton by the covering; regularity of tare; lightness of tare; square heads, or ends, facilitating storage; and general neatness of the package" (p. 2). A discussion of the relation of Egyptian marketing methods and the Egyptian bale is included. "Tare" is used in this circular to mean "the collective weight of covering and bands put on bale."

McCONNELL, O. J., and CAMP, W. R. (653)

A STUDY OF COTTON MARKET CONDITIONS IN NORTH CAROLINA WITH A VIEW TO THEIR IMPROVEMENT. Dept. Bull. 476, 19 pp., illus. 1917.

"This investigation was confined to the eastern part of the State during the season of 1914-15, and embraced all cotton-producing sections during the season of 1915-16." An attempt was made to ascertain the value to the farmer of his knowing the class of his cotton before selling it. It was found that classed cotton sold at a primary market increased the price paid for unclassified cotton in the same market about 50 cents per bale. Includes a discussion of related problems.

SUGGESTED IMPROVEMENTS IN METHODS OF SELLING COTTON BY FARMERS, BASED ON A COMPARISON OF COTTON PRODUCERS' AND CONSUMERS' PRICES. Dept. Circ. 56, 8 pp., illus. 1919. (654)

"The average cotton mill in North Carolina paid about \$11.50 per bale more than North Carolina farmers received for the same class of cotton during the period covered by the investigation" [1916-17 and 1917-18 seasons] (p. 6). After a comparison of cotton producers' and consumers' prices, suggestion is made of the following improvements in farmers' selling methods: (1) The production of such cotton as the mills need; (2) the erection of a compress and ample storage and shed space at some central point or points in the main producing area; (3) a disinterested classing service; (4) better ginning facilities; (5) the shipment of less damaged cotton to the mills; (6) cultivation of varieties that produce a better staple.

MARTIN, J. G., and WHITE, G. C. (655)

HANDLING AND MARKETING DURANGO COTTON IN THE IMPERIAL VALLEY. Dept. Bull. 458, 22 pp., illus. 1917.

Investigations made in 1915 in the Imperial Valley of California.

THE HANDLING AND MARKETING OF THE ARIZONA-EGYPTIAN COTTON OF THE SALT RIVER VALLEY. Dept. Bull. 311, 16 pp., illus. 1915. (656)

Classing the Arizona-Egyptian cotton, pp. 7-8; staples, pp. 9-10.

SCOFIELD, C. S. (657)

COTTON HEDGES AND STRADDLES. 16 pp. Bur. Plant Indus., 1914. [Mimeographed.]

- SHERMAN, W. A., TAYLOR, FRED, and BRAND, C. J. (658)
 STUDIES OF PRIMARY COTTON MARKET CONDITIONS IN OKLAHOMA. Dept. Bull. 36,
 36 pp., illus. [1913]
 A survey, begun in October 1912, of 103 towns in Oklahoma shows relation of grade and staple to prices paid in local markets, and irregularities in prices of identical cotton in the same markets on the same dates. Includes discussion of selling cotton in the seed and of marketing "bolly" and "gathered" cotton.
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (659)
 AVOIDABLE LOSSES IN COTTON HANDLING. STENOGRAPHIC TRANSCRIPT OF PROCEEDINGS OF CONFERENCE HELD FEBRUARY 24, 1925, AT WASHINGTON, D.C. 57 pp. [1925] [Mimeographed.]
 The conference was attended by Government officials, representatives of cotton exchanges and associations, manufacturers, editors, and others.
- WRIGHT, J. W., and CHEATHAM, R. J. (660)
 AMERICAN COTTON-TARE PRACTICES AND PROBLEMS. A PRELIMINARY REPORT. 73 pp., illus. Bur. Agt. Econ., 1933. [Mimeographed.]
 Appendix A. Abstract of State laws relating to cotton tare (pp. 58-61.)—Appendix B. Abstract of tare rules of cotton exchanges and trade associations (pp. 61-73.)

COMMERCIAL CLASSIFICATION

- EARLE, D. E., and TAYLOR, FRED. (661)
 CLASSIFICATION OF AMERICAN UPLAND COTTON. Farmers' Bull. 802, 28 pp., illus. 1917.
 Revision of Farmers' Bulletin 591, The Classification and Grading of Cotton, by D. E. Earle and W. S. Dean. 1914.
- FINCH, C. L. (662)
 COTTON CLASSIFICATION SERVICE IS MAINTAINED UNDER STANDARDS ACT. Yearbook 1928: 233, illus. 1929.
 A short description of the cotton classification service of the Division of Cotton Marketing, Bureau of Agricultural Economics.
- PALMER, A. W. (663)
 THE COMMERCIAL CLASSIFICATION OF AMERICAN COTTON, WITH REFERENCE TO THE STANDARDS FOR GRADE, COLOR, AND STAPLE. Dept. Circ. 278, 36 pp., illus. 1924.
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF COTTON MARKETING. (664)
 OFFICIAL CLASSIFICATION OF COTTON. SERVICE AVAILABLE UNDER COTTON STANDARDS ACT TO GROWERS, MERCHANTS, SPINNERS, AND OTHERS. 3 pp. [1931?] [Mimeographed.]

STORAGE

- BRAND, C. J., and SHERMAN, W. A. (665)
 BEHAVIOR OF SEED COTTON IN FARM STORAGE. Bur. Plant Indus. Circ. 123: 11-20, illus. 1913.
 Reports of experiments at Bennettsville, S. C., during the picking season of 1912. Discusses temperature in unginned cotton stored under varying conditions; and moisture conditions in unginned cotton in farm storage. Results show "the perfect safety with which considerable bodies of mature seed cotton can be stored if care is taken to have the cotton free from exterior moisture when stored." The effect on seed germination of temperatures developed during storage: "The practical point to be observed is that cotton from which planting seed is to be saved must be so thoroughly dried out before bulking or must be spread out in such thin layers as to prevent any noticeable development of heat if the germination of the seed is not to be affected."
- NEWTON, R. L., and WORKMAN, J. M. (666)
 COTTON WAREHOUSING—BENEFITS OF AN ADEQUATE SYSTEM; WITH A DISCUSSION OF THE RECEIPT UNDER THE UNITED STATES WAREHOUSE ACT. Yearbook 1918: 399-432, illus. 1919.
 "Graphic presentation of the fluctuations of New York spot price levels for middling upland cotton as related to the 'into-sight' movement and the heavy marketing period" fig. 1 (pp. 402-403.)

- NEWTON, R. L., and HUMPHREY, J. R. (667)
A SYSTEM OF ACCOUNTS FOR COTTON WAREHOUSES. Dept. Bull. 520, 31 pp.,
illus. 1917.
- NIXON, R. L. (668)
COTTON WAREHOUSE CONSTRUCTION. Dept. Bull. 277, 38 pp., illus. 1915.
Descriptions and diagrams of several types of standard warehouses.
(669)
- COTTON WAREHOUSES: STORAGE FACILITIES NOW AVAILABLE IN THE SOUTH.
Dept. Bull. 216, 26 pp., illus. [1915]
Results of warehouse survey of Georgia and North Carolina made early
in 1914. Some data for other Southern States also included. Discusses
present number and conditions of warehouses, insurance rates and im-
portance of proper warehousing.
(670)
- WEATHER DAMAGE TO COTTON. Dept. Bull. 1438, 15 pp., illus. 1926.
"The findings of the experiments here described should be useful
in combating the prevalent belief, especially on the part of farmers,
that the exposure of baled cotton to unfavorable weather does not reduce
the value of the product. The data emphasize the desirability of storing
cotton in proper warehouses immediately after ginning and point out the
best method of storing cotton in the open when it is necessary to do so.
"Weather damage", as here used, means damage resulting to the cotton
fibers on account of an excess of moisture."
Six tests were conducted at five representative points in the Cotton
Belt as follows: (1) Little Rock, Ark., November 25, 1918, to June 7,
1919; (2) Raleigh, N.C., November 20, 1918, to June 9, 1919; (3) Dallas,
Tex., December 23, 1919, to August 3, 1920; (4) Raleigh, N.C., January
15, 1920, to August 24, 1920; (5) Jefferson, Ga., January 10, 1920, to
August 26, 1920; (6) Dunn, N.C., December 13, 1921, to July 31, 1922.
STEECE, H. M., compiler. (671)
ANNOTATED BIBLIOGRAPHY ON THE STORAGE OF COTTONSEED AND OF SEED COT-
TON. 13 pp. Ext. Serv. [1927]. [Mimeographed.]
Also in Agr. Jour. India, March 1929 issue, pp. 127-134.
- WORKMAN, J. M. (672)
CONSTRUCTION AND FIRE PROTECTION OF COTTON WAREHOUSES. Dept. Bull.
801, 79 pp., illus. 1919.
Standard warehouse plans are given in an appendix.

COOPERATIVE MARKETING

- CHRISTENSEN, C. L. (673)
BUSINESS SET-UP OF A COOPERATIVE MARKETING ASSOCIATION. Dept. Circ. 403,
14 pp. 1926.
The Staple Cotton Cooperative Association, pp. 6-7. Discussion is
based on a business study and analysis made by the United States De-
partment of Agriculture. (See item 684.)
- ELSWORTH, R. H. (674)
AGRICULTURAL COOPERATIVE ASSOCIATIONS, MARKETING AND PURCHASING, 1925.
Tech. Bull. 40, 98 pp., illus. 1928.
Cotton and cotton-products associations, pp. 33-36. "The 121 as-
sociations listed by the Department in 1925 included 15 large-scale as-
sociations engaged in marketing cotton, approximately 50 cooperative
cotton gins, and about 50 small associations performing miscellaneous
functions." Cotton marketed by centralized associations and value,
1921-26, table 12 (p. 34).
(675)
- COOPERATIVE MARKETING AND PURCHASING, 1920-1930. Circ. 121, 121 pp.,
illus. 1930.
"The material now presented includes data based on a count of the
active farmers' business associations in 1930, with estimates as to the
membership in 1928 for each of the States in the various commodity
groups and estimates on the same basis for the business transactions for
the 1927-28 marketing season. This information will bring up to date
the more important part of Technical Bulletin No. 40." (See item 674).
Cooperative associations for handling cotton, pp. 12-15.

- ELSWORTH, R. H. (676)
DEVELOPMENT AND PRESENT STATUS OF FARMERS' COOPERATIVE BUSINESS ORGANIZATIONS. Dept. Bull. 1302 (rev. ed.), 76 pp., illus. 1925.
Issued 1924; revised 1925.
State and regional cotton marketing associations, June 1924, table 56 (p. 63).
- GARDNER, CHASTINA, compiler. (677)
COOPERATION IN AGRICULTURE. A SELECTED AND ANNOTATED READING LIST WITH SPECIAL REFERENCE TO PURCHASING, MARKETING, AND CREDIT. INCLUDING ONLY WORKS PRINTED IN ENGLISH. Misc. Circ. 97, 76 pp. 1927.
Supersedes Miscellaneous Circular 11, Agricultural Cooperation: A Selected and Annotated List with Special Reference to Purchasing, Marketing, and Credit, by Chastina Gardner. 1923.
- GATLIN, G. O. (678)
COOPERATIVE MARKETING OF COTTON. Dept. Bull. 1392, 48 pp., illus. 1926.
Background of the movement; contemporary organizations; American Cotton Growers' Exchange; principles and policies; methods and practices; costs and prices. State-wide and regional cooperative cotton-marketing associations, dates of incorporation, and number of members, table I (pp. 1-2).
- HATHCOCK, J. S. (679)
COTTON COOPERATIVES LIBERALIZE CONTRACTS AND EXTEND SERVICES. Yearbook 1928: 237-238. 1929.
A list is given of economic services rendered advantageously to the grower by the cooperative associations. (680)
SIGNIFICANCE OF RECENT CHANGES IN THE COOPERATIVE MARKETING OF COTTON. 11 pp. Bur. Agr. Econ. [1929] [Mimeographed].
Address at cooperative-marketing school, Stillwater, Okla., February 20, 1929.
- JESNESS, O. B., and KEER, W. H. (681)
COOPERATIVE PURCHASING AND MARKETING ORGANIZATIONS AMONG FARMERS IN THE UNITED STATES. Dept. Bull. 547, 82 pp., illus. 1917.
History, present forms, statistics, and digest of laws of cooperative organizations. Cotton organizations, pp. 34-35. "Reports were received from 213 cotton associations distributed among 14 States. Over one-half of them are located in the States of Texas and Georgia, the former reporting 71 and the latter 44. Alabama reported 19, Arkansas 15, South Carolina 14, Oklahoma 13, Mississippi 11, and North Carolina 10; and the remainder are scattered over the cotton-producing States of the South. Practically all are cotton warehousing associations. Comparing the number of grain elevators and the number of cotton associations, it is evident that the cotton growers of the South are not nearly as well organized as the grain growers of the North Central States." Tables list type of organization, volume of business, and number of members of organizations reporting, by States and kinds of business (pp. 14-24).
- JONES, J. W., and JESNESS, O. B. (682)
MEMBERSHIP RELATIONS OF COOPERATIVE ASSOCIATIONS (COTTON AND TOBACCO). Dept. Circ. 407, 28 pp., illus. 1927.
- MANNY, T. B. (683)
FARMERS' EXPERIENCES AND OPINIONS AS FACTORS INFLUENCING THEIR COTTON-MARKETING METHODS. Circ. 144, 63 pp., illus. 1931.
One of several studies undertaken by the Bureau of Agricultural Economics during 1928-29 for the purpose of analyzing existing cotton marketing conditions. The objectives of this study may be briefly outlined as follows: To determine farmers' experiences in selling cotton through various methods during the period 1920-30; to find out the characteristics of members and nonmembers of cotton cooperative marketing associations; to find out what these farmers think as to what the associations have and have not accomplished; to ascertain possibilities of increasing membership in cotton cooperative-marketing associations. Data and conclusions are based on personal interviews which were held in 1928 with farmers in six counties in North Carolina and Georgia. "Only farmers who have control of marketing the cotton crops that they or their tenants grow" were interviewed. "It is suggested that the findings be accepted as tentative for the larger areas."

- SWARTHOUT, A. V. (684)
 FARMERS' COOPERATIVE BUSINESS STUDY. THE STAPLE COTTON COOPERATIVE ASSOCIATION. Dept. Circ. 397, 56 pp., illus. 1926.
 "The purpose of the study was to cover thoroughly every feature of the association's operations during the 4 years of its existence [1921-25] and to bring out, if possible, the experiences which would be helpful to other cooperatives."
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF COOPERATIVE MARKETING. (685)
 FARMERS' BUSINESS ASSOCIATIONS. LIST PREPARED FROM REPORTS RECEIVED BY THE DIVISION OF COOPERATIVE MARKETING, BUREAU OF AGRICULTURAL ECONOMICS, UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C., JULY 1, 1929. [1929] [Mimeographed.]
 Part 1. Cotton and cotton products (5 pp.)

FIBER QUALITY

GENERAL

- ALLARD, H. A. (686)
 THE FIBERS OF LONG-STAPLE UPLAND COTTONS. Bur. Plant Indus. Bull. 111: 13-15, illus. 1907.
 The writer states that the apparently un-uniform longer fibers often found in upland cottons "are not longer fibers as they have been generally considered, but are caused by more or less curling and interweaving, which results in the pulling out of fibers from adjacent seeds" (p. 14).
- CHANDLER, E. E. (687)
 A NEW MECHANICAL METHOD FOR DETERMINING THE LENGTH OF COTTON FIBERS. A PRELIMINARY REPORT. 38 pp. Bur. Agr. Econ., 1926. [Mimeographed.] (688)
- A NEW METHOD FOR DETERMINING THE STRENGTH OF COTTON. A PRELIMINARY REPORT. 16 pp. Bur. Agr. Econ., 1926. [Mimeographed.]
- DEWEY, L. H., and GOODLOE, MARIE. (689)
 THE STRENGTH OF TEXTILE PLANT FIBERS. Bur. Plant Indus. Circ. 128: 17-21, illus. 1913.
 Strength of cotton fibers, pp. 17-19; tensile strength of cotton fibers, by varieties, table I (p. 19); diameters of cotton fibers, table II (p. 19); American upland, sea-island, Egyptian (American grown); photograph of fiber tester used in Office of Fiber Investigations, fig. 1 (p. 18); strength of long fibers [bast and hard fibers] (pp. 19-21).
- DODGE, C. R. (690)
 A DESCRIPTIVE CATALOGUE OF USEFUL FIBER PLANTS OF THE WORLD, INCLUDING THE STRUCTURAL AND ECONOMIC CLASSIFICATIONS OF FIBERS. Off. Fiber Invest. Rpt. 9, 361 pp., illus. 1897.
Gossypium spp. Cotton, pp. 174-186. Common and native names in various counties; habitat and species; surface fiber: cultivation in various sections of the world; cotton industry of the United States, including cultivation, ginning, baling, manufacture; use of the bast fiber. (691)
- VEGETABLE FIBERS. Dept. Agr. Rpt. 1879: 498-611. 1880.
Gossypium herbaceum. Cotton, pp. 513-517. Origin, history, production; and description of samples in the museum of the Department of Agriculture.
 Appendix III, list of patents for fiber machinery and processes (pp. 609-611). List of patents granted, 1875-79, "for inventions for obtaining and preparing fibrous substances other than cotton and wool, with name of inventor and date of issue."
- HAWKINS, R. S., and SERVISS, G. H. (692)
 DEVELOPMENT OF COTTON FIBERS IN THE PIMA AND ACALA VARIETIES. Jour. Agr. Research 40: 1017-1029, illus. 1930.
 "The data included in the present publication relate to the life history of two types of cotton fibers developing in successive periods during the growing season of 1926." The plants were grown at the Salt River Valley Experiment Station.

- HAWKINS, R. S., and SERVISS, G. H. (693)
 METHODS OF ESTIMATING COTTON FIBER MATURITY. Jour. Agr. Research 43:
 733-742. 1931.
 The extent of fluffiness in the boll, and the color, plumpness, and ma-
 turity of a representative quantity of the delinted seed are indicative of
 the amount of immature fibers present.
- KEARNEY, T. H. (694)
 FIBER FROM DIFFERENT PICKINGS FROM EGYPTIAN COTTON. Bur. Plant Indus.
 Circ. 110: 37-39. 1913.
 Investigations were made upon material collected in two pickings of
 Yuma cotton at Sacaton, Ariz., in fall of 1911. "The earliest ripening
 bolls (chiefly those near the base of the plant), which open while ex-
 tremely high temperatures prevail, are likely to contain less abundant,
 shorter, weaker, coarser, and less uniform fiber than bolls which ripen
 later."
- and HARRISON, G. J. (695)
 LENGTH OF COTTON FIBERS FROM BOLLS AT DIFFERENT HEIGHTS OF THE PLANT.
 Jour. Agr. Research 28: 563-565, illus. 1924.
 Investigations on Pima cotton grown under irrigation at the United
 States Field Station at Sacaton, Ariz. "The fiber in the bolls borne on
 fruiting branches at nodes 9 to 14, from which a large part of the first
 picking probably is derived, is decidedly shorter than the fiber produced
 higher on the plant."
- and SCOFIELD, C. S. (696)
 THE SALT CONTENT OF COTTON FIBER. Jour. Agr. Research 28: 293-295, illus.
 1924.
- PALMER, A. W. (697)
 COTTON-FIBER RESEARCH POINTS WAY TO BETTER MARKETING PRACTICES. Year-
 book 1928: 235-236, illus. 1929.
 "An evaluation of the properties of cotton fibers is the key to the exten-
 sion of the standards system and to further simplification and refinement
 of existing standards."
- POPE, O. A. (698)
 THE DETERMINATION OF SAMPLE SIZE FOR DIAMETER MEASUREMENTS IN COTTON-
 FIBER STUDIES. Jour. Agr. Research 43: 957-984, illus. 1931.
- SHEPPARD, W. (699)
 ANALYSIS OF COTTON SEED AND WOOL. U.S. Commr. Patents Rpt. 1849 (Agr.):
 317, illus. 1850.
 Composition of ash residuum of burnt cottonseed and of cotton wool.
- TAYLOR, THOMAS. (700)
 MICROSCOPIC INVESTIGATION. Dept. Agr. Rpt. 1872: 188-203, illus. 1873.
 Fiji Island cotton, pp. 192-193. The writer discusses "artificial
 knots" seen with microscope and concludes that they are caused by the
 use of rollers in ginning.
- UNITED STATES PATENT OFFICE. (701)
 COTTON. U.S. Commr. Patents Rpt. 1853 (Agr.): 178-197, illus. 1854.
 Consists of replies to a questionnaire sent manufacturers in different
 parts of the United States "in consequence of a degree of uncertainty
 prevailing in regard to the amount of injury or loss sustained by care-
 less harvesting and ginning." The following questions are among those
 discussed: "(1) Does the well-matured cotton-boll yield its staple, or fibre,
 of different lengths in one or the same boll or lock? or does the product
 of an individual seed exhibit an approximate uniformity in its length
 before separation by the gin? * * * (4) What is the percentage of
 loss arising from shortened or divided fibre, caused by ginning, which
 flies off during the process of manufacturing; and how much * * *
 are the strength and durability of * * * fabrics diminished in con-
 sequence of such breakage or division? (5) Has the general condition
 of cotton staple, as to length and strength, deteriorated within the last 20
 years?" Continued in U.S. Commr. Patents Rpt. 1854 (Agr.): 181-186.
 1855.
 Remarks on the cottons of India. [From the reports of the juries of the
 Exhibition of the Works of Industry of all Nations at London, 1851]
 pp. 195-197.

SPINNING AND MANUFACTURING TESTS

- CAMPBELL, M. E. (702)
 SPINNING TESTS OF SELECTED BALES OF SEA ISLAND, AMERICAN-EGYPTIAN, AND EGYPTIAN-SAKELLARIDIS COTTON. A PRELIMINARY REPORT. 17 pp., illus. Bur. Agr. Econ., 1933. [Mimeographed.]
- and WILLIS, H. H. (703)
 SPINNING TEST OF PICKED AND SNAPPED COTTON (TEXAS—CROP OF 1926). A PRELIMINARY REPORT. 13 pp. Bur. Agr. Econ., 1928. [Mimeographed.]
- COBB, N. A. (704)
 TESTS OF THE WASTE, TENSILE STRENGTH, AND BLEACHING QUALITIES OF THE DIFFERENT GRADES OF COTTON AS STANDARDIZED BY THE UNITED STATES GOVERNMENT. Dept. Bull. 62, 8 pp., illus. [1914.]
 Preliminary statements of tests made at certain institutions and mills. Sources of cotton used and mill conditions of the experiments are described.
- DEAN, W. S. (705)
 MANUFACTURING TESTS OF COTTON FUMIGATED WITH HYDROCYANIC-ACID GAS. Dept. Bull. 366, 12 pp., illus. 1916.
 Tests on cotton (Sakellaridis Egyptian) fumigated for the destruction of pink bollworm larvae. Results indicated that fumigation does not materially affect "the percentages of waste, spinning qualities, tensile strength, bleaching, dyeing, or mercerizing properties of the cotton."
- and TAYLOR, FRED. (706)
 MANUFACTURING TESTS OF THE OFFICIAL COTTON STANDARDS FOR GRADE. Dept. Bull. 591, 27 pp., illus. 1917.
 Tests showed that "after making allowances for the losses due to the cleaning processes there is comparatively little difference between the grades above and those below middling in the price paid by the manufacturer for each pound of the usable cotton obtained from bales of the different grades, but that there is a difference in the intrinsic value per pound of the manufactured product" (p. 27).
- MEADOWS, W. R., and BLAIR, W. G. (707)
 COMPARATIVE SPINNING TESTS OF MEADE AND SEA-ISLAND COTTONS. Dept. Bull. 946, 5 pp., illus. 1921.
 "Comparing the breaking strength of the Meade and sea-island yarns for the three seasons [1916-17, 1918-19, 1919-20], a difference of 17.2 pounds was found in favor of the sea-island for the 23's yarn and 1.68 pounds for the 10's yarn."
- and BLAIR, W. G. (708)
 COMPARATIVE SPINNING TESTS OF SUPERIOR VARIETIES OF COTTON (GROWN UNDER WEEVIL CONDITIONS IN THE SOUTHEASTERN STATES; CROP OF 1921). Dept. Bull. 1148, 7 pp., illus. 1923.
 The tests "were conducted to determine the relative spinning value of cotton commercially thought to be of superior character with that of a number of pure strains of superior varieties of cotton. All were grown under bollweevil conditions in the southeastern cotton States during the season of 1921." Results showed spinning advantages of fiber produced by purebred strains of superior varieties over fiber produced from commercial seed.
- and BLAIR, W. G. (709)
 PRELIMINARY MANUFACTURING TESTS OF THE OFFICIAL COTTON STANDARDS OF THE UNITED STATES FOR COLOR FOR UPLAND TINGED AND STAINED COTTON. Dept. Bull. 990, 12 pp., illus. 1921.
- and BLAIR, W. G. (710)
 SPINNING TESTS OF COTTON COMPRESSED TO DIFFERENT DENSITIES. Dept. Bull. 1135, 19 pp., illus. 1923.
 "Tests showed that compressing cotton to standard or high density when in a dry or normal condition is not injurious to its spinning value."
- and BLAIR, W. G. (711)
 SPINNING TESTS OF REGINED AND CLEANED COTTON. 4 pp. Bur. Markets, 1921. [Mimeographed.]

TAYLOR, FRED, and DEAN, W. S.

(712)

COMPARATIVE SPINNING TESTS OF THE DIFFERENT GRADES OF ARIZONA-EGYPTIAN WITH SEA ISLAND AND SAKELLARIDIS EGYPTIAN COTTONS. Dept. Bull. 359, 21 pp., illus. 1916.

"The difference in the tensile strength of yarn made from the three kinds of cotton was practically negligible * * * After bleaching, dyeing and mercerizing, the Arizona-Egyptian and sea-island cottons were practically equal and slightly superior to the Sakellaridis."

and EARLE, D. E.

(713)

MANUFACTURING AND LABORATORY TESTS TO PRODUCE AN IMPROVED COTTON AIRPLANE FABRIC. Dept. Bull. 882, 48 pp., illus. 1920.

Varieties tested were Pima, sea-island and high-grade Sakellaridis-Egyptian. Sakellaridis-Egyptian gave the strongest yarn and cloth. Signal Corps specifications for airplane cloth, pp. 2-6. Elasticity curves (figs. 1-23).

and SHERMAN, W. A.

(714)

SPINNING TESTS OF UPLAND LONG-STAPLE COTTONS. Dept. Bull. 121, 20 pp., illus. [1914.]

"Tests of upland long-staple cotton as compared with Deltas of the 1912 crop" showed that certain varieties being produced in the South-east were "fully equal in almost every respect to average Deltas of the same length."

WILLIS, H. H.

(715)

CLEANING LOW-GRADE COTTON (TEXAS—CROP OF 1926). A PRELIMINARY REPORT. 15 pp., illus. Bur. Agr. Econ., 1928. [Mimeographed.]

Results of a test "to determine the relative spinning value of cottons harvested by the three methods—picking, snapping, and sledging—the snapped and sledged cottons having been passed through a boll extractor. Other factors such as variety and, in so far as possible, environment, were identical. A substest was also conducted on sledged cotton to study the effect of an additional process of cleaning in the picker room."

COTTON LINT RESEARCH. Yearbook 1926: 267-271, illus. 1927.

Discusses the work of the cotton-testing project of the Bureau of Agricultural Economics, United States Department of Agriculture. Includes a description of the cotton-fiber laboratory.

EFFECTS OF METHODS OF HARVESTING AND WEATHER EXPOSURE ON SPINNING QUALITY OF COTTON (TEXAS AND OKLAHOMA—CROP OF 1926). A PRELIMINARY REPORT. 23 pp. Bur. Agr. Econ., 1928. [Mimeographed.]

(718)

MANUFACTURING TESTS OF COTTON OF THE WHITE GRADES OF THE UNIVERSAL STANDARDS FOR AMERICAN COTTON. Dept. Bull. 1488, 30 pp., illus. 1927.

and CUMMINGS, E. S.

(719)

RESULTS OF SPINNING TESTS OF SOUTH CAROLINA COTTONS (CROP OF 1925). A PRELIMINARY REPORT. 10 pp. Bur. Agr. Econ., 1927. [Mimeographed.]

Conducted to determine the relative spinning value of three grades of representative cotton grown in certain sections of South Carolina.

(720)

SPINNING TESTS OF Acala AND PIMA COTTON, SAN JOAQUIN VALLEY, CALIFORNIA. (CROP OF 1924). A PRELIMINARY REPORT. 21 pp. Bur. Agr. Econ., 1925. [Mimeographed.]

(721)

SPINNING TEST OF Acala COTTONS GROWN IN NEW MEXICO (CROP OF 1926). A PRELIMINARY REPORT. 14 pp. Bur. Agr. Econ., 1928. [Mimeographed.]

(722)

SPINNING TESTS OF LEADING VARIETIES OF NORTH CAROLINA COTTONS (CROP OF 1925). A PRELIMINARY REPORT. 28 pp. Bur. Agr. Econ., 1926. [Mimeographed.]

The varieties tested were Acala, Mexican no. 6, Mexican no. 14, Mexican no. 18, Trice, Sugar Loaf, and Cleveland, grown in several counties in the eastern part of North Carolina.

WILLIS, H. H.

(723)

SPINNING TESTS OF LEADING VARIETIES OF SOUTH CAROLINA COTTONS (CROP OF 1925). A PRELIMINARY REPORT. 37 pp. Bur. Agr. Econ., 1926. [Mimeographed.]

Conducted to study the comparative spinning value of seven well-known varieties grown in South Carolina: Deltatype no. 4, Hartsville no. 20, Deltatype-Webber no. 49, Dixie Triumph, Piedmont-Cleveland, Coker-Cleveland, and Wannamaker-Cleveland.

(724)

SPINNING TESTS OF LEADING VARIETIES OF TEXAS COTTON (CROP OF 1924). A PRELIMINARY REPORT. 19 pp. Bur. Agr. Econ., 1926. [Mimeographed.]

(725)

SPINNING TESTS OF LEADING VARIETIES OF TEXAS COTTON (CROP OF 1923). A PRELIMINARY REPORT. 17 pp. Bur. Agr. Econ., 1925. [Mimeographed.]

(726)

SPINNING TESTS OF PICKED AND SNAPPED COTTONS (TEXAS AND OKLAHOMA—1925 CROP). A PRELIMINARY REPORT. 18 pp. Bur. Agr. Econ., 1926. [Mimeographed.]

and McNAMARA, H. C.

(727)

SPINNING TESTS OF SOME TEXAS-GROWN VARIETIES OF COTTON (CROPS OF 1923, 1924, AND 1925). A PRELIMINARY REPORT. 27 pp., illus. Bur. Agr. Econ., 1928. [Mimeographed.]

(728)

UTILIZATION OF PIMA COTTON. Dept. Bull. 1184, 27 pp., illus. 1923.

"The purpose of this bulletin is to discuss some of the objections current among manufacturers regarding the production, the textile qualities, and the utilization of Pima cotton as found during a cooperative investigation conducted by the Bureau of Plant Industry, the Bureau of Agricultural Economics, and the Arizona Pima Cotton Growers." Pima cotton compared with Sakellaridis in strength and capability for mercerization, pp. 7-10.

COLOR STUDIES

NICKERSON, DOROTHY.

(729)

APPLICATION OF COLOR MEASUREMENT IN THE GRADING OF AGRICULTURAL PRODUCTS. A PRELIMINARY REPORT. 36 pp. Bur. Agr. Econ., 1932. [Mimeographed.]

Literature cited, pp. 35-36.

and WELSH, C. F., compilers.

(730)

COLOR CONVERSION TABLES. TABLES FOR CONVERTING THE DISC AREAS OF CONSTANT BRILLIANCE AND CHROMA TO COLOR NOTATION IN TERMS OF HUE, BRILLIANCE AND CHROMA. 2 pp., 62 tables. Bur. Agr. Econ., 1930. [Mimeographed.]

Compiled for use in standardization work.

(731)

COLOR MEASUREMENT OF FARM PRODUCTS IS A FACTOR IN GRADING. Yearbook 1928: 206-208, illus. 1929.

(732)

COTTON PROGRESSIVELY LOWERED IN GRADE BY EXPOSURE, TESTS SHOW. Yearbook 1932: 150-152, illus. 1932.

Methods of procedure and some results of a color study made in 1930 by the United States Department of Agriculture on cotton grown at the South Carolina Agricultural Experiment Station at Clemson College.

(733)

A METHOD FOR DETERMINING THE COLOR OF AGRICULTURAL PRODUCTS. Tech. Bull. 154, 32 pp., illus. 1929.

"Experiments made on cotton are used throughout this bulletin as an example of what may be done with other products. They include spectrophotometric, photometric, and colorimetric measurements * * * In order to illustrate how these color readings may be translated into terms which may be used by nonscientific workers * * * the development of hay conversion tables is described."

- NICKERSON, DOROTHY, and MILSTEAD, L. D. (734)
 STUDIES OF STABILITY OF COLOR IN RAW COTTON. A PRELIMINARY REPORT.
 22 pp., illus. Bur. Agr. Econ., 1933. [Mimeographed.]
 "To determine the kind and amount of color change in cotton and to study the extent to which other factors are related to these changes, a series of seven cottons from different parts of the Cotton Belt was examined. One cotton was examined for the 1931 season; six other cottons were added for the study of 1932 cotton." Results are summarized as follows: "The chief points are that: (1) Upland cottons at time of opening were fairly constant in brightness; (2) upland cottons at time of opening varied greatly in amount of creaminess or chroma; (3) the creamier cottons held their brightness better than did the whiter cottons; and (4) in most cases there seemed to be a high correlation between amount of rainfall and change in brightness."

UTILIZATION

GENERAL

- BENTON, M. C., compiler. (735)
 USES FOR COTTON. SELECTED REFERENCES IN THE ENGLISH LANGUAGE. Bur. Agr. Econ. Libr. Agr. Econ. Bibliog. 44, 43 pp. 1932. [Mimeographed.]
 "This bibliography lists references to books, pamphlets, and periodical articles which show the variety of uses for cotton. No attempt has been made to include references to uses for cottonseed and cottouseed products, although several such uses appear in connection with other references. With a few exceptions the period covered is 1910 to November 1932, inclusive."
- BRAND, C. J. (736)
 CROP PLANTS FOR PAPER MAKING. Bur. Plant Indus. Circ. 82, 19 pp., illus. 1911.
 "Printed on paper made wholly or in part from crop wastes and by-products from corn, broom corn, rice, and cotton." Cotton-hull fiber and stalks as source for paper, pp. 13-14. Page 19 is made from cornstalks and cotton hulls.
- THE UTILIZATION OF CROP PLANTS IN PAPER MAKING. Yearbook 1910: 329-340, illus. 1911. (737)
 Cotton-hull fiber, pp. 334-335. Cotton stalks, pp. 335-336.
- CHEATHAM, R. J., FETROW, W. W., and FARRINGTON, C. C. (738)
 COTTON CONSUMPTION IN POWER LAUNDRIES OF THE UNITED STATES—1928. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 10, 16 pp., illus. 1930. [Mimeographed.]
 "It is estimated that the power laundries of the United States consumed about 52,000 bales of cotton during 1928, through wash nets, twine, padding, sheeting, laundry bags, double-faced felt, and cover duck" (p. 16). Statistical data for various uses are included.
- and WIGINGTON, J. T. (739)
 COTTON PICKING SACKS, COTTON PICKING SHEETS, AND TARPAULINS USED ON COTTON FARMS OF THE UNITED STATES—1929. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 11, 11 pp., illus. 1931. [Mimeographed.]
- STRANG, P. M. and CLEAVES, FLORENA. (740)
 FARM USES FOR COTTON AND ITS PRODUCTS. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 3, 7 pp. 1928. [Mimeographed.]
- NEW USES FOR COTTON . . . ADDRESS, FARMERS' WEEK, CLEMSON COLLEGE, SOUTH CAROLINA, AUGUST 7, 1929. 6 pp. Bur. Agr. Econ. [1929] [Mimeographed.] (741)
 "Broadly speaking, the uses of cotton may be grouped under three heads, depending upon whether the manufactured product is intended (1) for clothing, (2) for use in the building trades or other industries, or (3) for household furnishings."

- CHEATHAM, R. J., MELOY, G. S., and WIGINGTON, J. T. (742)
 SOME USES OF THE PRODUCTS OF THE COTTON PLANT. Bur. Agr. Econ. [1930.]
 Chart listing uses of cotton fiber and cottonseed. The uses of the fiber are subdivided into agricultural, household, industrial uses, and wearing apparel. Uses of cottonseed are listed as derived from oil, meal, linters, and hulls.
- GROGGINS, P. H. (743)
 VAT DYES PLAY BIG PART IN BROADENING COTTON GOODS MARKET. Yearbook 1931: 537. 1931.
 "The utilization of printing methods for applying vat colors on lustrous cotton goods has made possible the manufacture of fabrics which are at once serviceable and attractive."
- HOLMAN, H. P., LEVINE, B. S., and JARRELL, T. D. (744)
 WATERPROOFING AND MILDEWPROOFING OF COTTON DUCK. Farmers' Bull. 1157 (rev. ed.), 10 pp., illus. 1931.
 Issued 1920; revised 1931.
 Care of cotton duck or canvas on the farm, where it is used "for the protection of machinery, sacked grain, shocks, stacks and ricks, for wagon and truck covers, for awnings and temporary shelters, for horse covers, and for catching grain which falls to the ground during threshing."
- JARRELL, T. D., and HOLMAN, H. P. (745)
 WATERPROOFING OF CANVAS. REVIEW OF INVESTIGATIONS. 7 pp. Bur. Chem. and Soils, 1927. [Mimeographed.]
 Presented before the Sixteenth Annual Convention of the National Tent and Awning Manufacturers' Association, Long Beach, New York, October 11-14, 1927.
 Answers "as briefly and simply as possible a number of questions that might be asked" regarding the waterproofing of canvas, such as: How does waterproofing affect the durability of canvas? What are the best treatments for paulins, light-weight tent fabrics, and awning materials? How can treated canvas be tested for water resistance?
- KILLOUGH, H. B. (746)
 A PARTIAL LIST OF USES OF AMERICAN RAW COTTON. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 1, 19 pp. 1927. [Mimeographed.]
 "Some of the principal secondary sources of information about uses for cotton", pp. 16-19.
 Tabulations indicate "in so far as possible: (1) Uses for the finished product, (2) grades and staples of cotton required in the manufacture of different fabrics, and (3) relative proportions of the total consumption of raw cotton in the United States which the different manufactures and classes of manufacture represent."
- O'BRIEN, RUTH. (747)
 SELECTION OF COTTON FABRICS. Farmers' Bull. 1449, 22 pp., illus. 1926.
 Lists the standard cotton fabrics, classified according to suitability for various uses; discusses and illustrates details of fabric construction. Glossary of some common cotton fabrics, pp. 19-22.
- PHILLIPS, MAX. (748)
 LIGNIN, FARM BYPRODUCT, NOW WASTED, MAY SUPPLY CHEAP ORGANIC CHEMICALS. Yearbook 1932: 519. 1932.
 "The various byproducts of the agricultural industry, such as cereal straws, cotton stalks, corn stalks, and hulls, are composed principally of carbohydrates, chiefly cellulose and pentosans, and a substance called lignin."
- UNITED STATES DEPARTMENT OF AGRICULTURE. [BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF INFORMATION.] (749)
 AGRICULTURAL AND INDUSTRIAL USES OF COTTON. SOME FACTS IN CONNECTION WITH THE EXHIBIT AT THE NATIONAL COTTON SHOW, MEMPHIS, TENNESSEE, SEPT. 28-OCT. 5, 1929. 4 pp. [1929] [Mimeographed.]
 [Prepared by J. C. Gilbert.]
 The exhibit was sponsored by the New Uses for Cotton Committee. Some of the industries using cotton, list (p. 4).

BAGS AND OTHER CONTAINERS

- CHEATHAM, R. J., and FETROW, W. W. (750)
 COTTON BAGS AND OTHER CONTAINERS IN THE WHOLESALE GROCERY TRADE. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 6, 12 pp., illus. 1928. [Mimeographed.]
- _____ (751)
 COTTON BAGS IN THE FERTILIZER INDUSTRY. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 7, 3 pp., illus. [1928] [Mimeographed.]
- _____ and WIGINGTON, J. T. (752)
 USE OF COTTON BAGS AND OTHER CONTAINERS IN FLOUR MILLS OF THE UNITED STATES—1931. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 13, 17 pp. 1932. [Mimeographed.]
- KILLOUGH, H. B., STRANG, P. M., and CHEATHAM, R. J. (753)
 COTTON BAGS IN THE WHOLESALE GROCERY TRADE. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 2, 9 pp., illus. 1927. [Mimeographed.]
- PARK, JOHN. (754)
 THE USE OF COTTON BAGS AS CONSUMER PACKAGES FOR POTATOES. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 9, 7 pp. 1929. [Mimeographed.]
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF FRUITS AND VEGETABLES. (755)
 USE OF CONSUMER PACKAGES IN MARKETING POTATOES. 3 pp. [1930] [Mimeographed.]
- YOUNGBLOOD, BONNEY, CHEATHAM, R. J., and NIXON, R. L. (756)
 COTTON BAGGING FOR COTTON. A PRELIMINARY REPORT. Bur. Agr. Econ., Div. Cotton Marketing Util. Amer. Cotton Ser. 4, 13 pp. 1928. [Mimeographed.]

HOUSEHOLD USES

- O'BRIEN, RUTH. (757)
 TEXTILE BUYING FOR THE HOME WOULD BE AIDED BY SYSTEM OF LABELING. Yearbook 1931: 513-516. 1931.
 "A large gap now exists between the technical information in regard to fabric manufacture and the practical information of value in everyday living * * * It is this type of research upon which the Bureau of Home Economics is making a beginning." A study on the "relative wearing qualities of sheets made with different grades of cotton of the same staple length" is discussed.
- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF INFORMATION. (758)
 COTTON IN THE HOME; AN EXHIBIT PREPARED BY THE UNITED STATES DEPARTMENTS OF AGRICULTURE AND COMMERCE, AND THE COTTON TEXTILE INSTITUTE, COOPERATING, NATIONAL COTTON SHOW, MEMPHIS, TENN., SEPTEMBER 28 TO OCTOBER 5, 1929. 8 pp. [1929] [Mimeographed.]
 Prepared by J. C. Gilbert.
 List of uses of cotton in a 4-room house, pp. 4-5.
- UNITED STATES PATENT OFFICE. (759)
 COTTON BEDS. U.S. Commr. Patents Rpt. 1844: 281-285. 1845.
 From the Jackson (Miss.) Southron.
 The advantages of cotton for use in mattresses, and an analysis of the cost of a cotton mattress. Among advantages mentioned is the "medicinal value" of cotton: it is stated that "raw cotton, worn on the parts affected, is one of the best and most effectual cures for rheumatic affections" (p. 75).
- VIEMONT, B. M. (760)
 COTTON IS UTILIZED AS NEW FOUNDATION MATERIAL FOR MAKING HOOKED RUGS. Yearbook 1932: 558-560, illus. 1932.
 Some results of tests made by the Bureau of Agricultural Economics and the Bureau of Home Economics on experimental fabrics. A new cotton material is compared with various kinds of burlap ordinarily used for hooked-rug foundations, table 13 (p. 560).

WEARING APPAREL

- CAMPBELL, MAUDE. (761)
DRESSES FOR THE LITTLE GIRL. Leaflet 26, 7 pp., illus. 1928.
Cotton dresses are recommended.
- CLARK, E. L. (762)
THE CHANGING USES OF TEXTILE FIBERS IN CLOTHING AND HOUSEHOLD ARTICLES.
Misc. Pub. 31, 56 pp., illus. 1928.
"The purposes of this study were: First, to find how the use of cotton, silk, and rayon in the different garments worn by men and women had changed during the preceding 5 years; and second, to determine the extent to which cotton is used in household articles at present and whether there is a tendency for its use in these articles to increase or decrease relative to other textile fibers."
- COTTON IN FARM WOMEN'S GARB PARTLY REPLACED BY SILK AND RAYON. (763)
Yearbook 1927: 224-225. 1928.
Summary of answers of 231 farm women to a survey, conducted in 1927 by the Bureau of Home Economics, of the uses of cotton in clothing and household articles.
- DAVIS, M. A. (764)
CHILDREN'S ROMPERS. Leaflet 11, 7 pp., illus. [1927.]
Suggestions for rompers made of cotton fabrics.
- DOWNEY, K. M. (765)
FABRICS FOR CHILDREN'S PLAY SUITS TESTED FOR RESISTANCE TO WEATHER.
Yearbook 1931: 221-225, illus. 1931.
Discusses results of data from a study made by the Bureau of Home Economics of cotton and woolen materials for children's wear. "The results obtained * * * seem to indicate that the needed protection from wind and moisture will be given by one of the tightly woven, low permeability materials such as the new American cotton or a proofed sailcloth." A comparison of the construction, weight, and tensile strength of a representative group of the fabrics [cotton and woolen], table 7, (p. 223).
- HAYS, M. B., compiler. (766)
TEXTILES AND CLOTHING: SELECTED LIST OF REFERENCES ON THE PHYSICAL TESTING OF FABRICS. Bur. Home Econ. Bibliog. 8 (rev. ed.), 26 pp. 1933. [Mimeographed.]
- HESS, KATHERINE, FLOYD, E. V., and BAKER, LULIAN. (767)
A COMPARATIVE STUDY OF THE PROTECTIVE VALUE OF CERTAIN FABRICS IN STILL AND MOVING AIR. Jour. Agr. Research 41: 139-146, illus. 1930.
"The following fabrics commonly used in clothing were studied: Canton flannel, nap in and nap out; knit cotton underwear; knit infant's vest, wool and cotton; navy-blue flannel; and gray astrakhan, pile in and pile out."
- HAMILTON, J. O., and JUSTIN, MARGARET. (768)
PROTECTION AFFORDED THE SKIN AGAINST SUNBURN BY TEXTILE FIBERS. Jour. Agr. Research 35: 251-259, illus. 1927.
"The data submitted from a number of tests tend to prove that the protection from sunburn afforded the skin by fabrics depends primarily upon the percent of interspace due to weave but that the vegetable fibers, cotton and linen, transmit some of the rays that burn and tan, thus offering a small coefficient of protection, whereas the animal fibers, silk and wool, absorb a larger portion of these rays, thus offering a higher coefficient of protection. Due to the fact that temperature is a factor in the burning of the skin the greater conductivity of cotton and linen, as compared with that of silk and wool, might in a measure account for the higher prospective value of silk and wool."
- O'BRIEN, RUTH, PETERSON, E. C., and WORNER, R. K. (769)
BIBLIOGRAPHY ON THE RELATION OF CLOTHING TO HEALTH. Misc. Pub. 62, 146 pp. 1929.
Includes references to books and articles in English, French, and German.
References to properties of cotton, subject index, p. 143.

- O'BRIEN, RUTH. (770)
 COTTON FABRICS AGAIN IN FASHION'S FAVOR FOR WOMEN'S SUMMERWEAR. Yearbook 1928: 233-235, illus. 1929.
 The suitability of cotton for summer garments is discussed; the possibilities of industrial cloths, such as osnaburg, for household decoration are mentioned.
-
- COTTON TRADE FEELS CHANGES OF STYLES IN WOMEN'S CLOTHING. Yearbook 1927: 232-234. 1928. (771)
 "An attempt was made recently [by the Bureau of Home Economics] to determine the influence of dress styles and patterns on the consumption of yardage. The results of the study showed that during the past 10 years there has been a marked decrease in the amount of fabric required for women's dresses. About 2 yards less of material is needed now for each dress than was required in 1918."
-
- SUN SUITS FOR CHILDREN. Leaflet 24, 7 pp., illus. 1928. (772)
 Includes pictures of suits made of cotton.
- SCOTT, C. L. (773)
 COTTON FABRICS ARE THE MOST SUITABLE FOR CHILDREN'S WEAR. Yearbook 1930: 190-192, illus. 1930. (774)
-
- DRESSES FOR LITTLE GIRLS. Leaflet 80, 8 pp., illus. 1931. (775)
 Cotton materials are recommended.
-
- ENSEMBLES FOR SUNNY DAYS. Leaflet 63, 4 pp., illus. 1930. (776)
 Cotton is used for these garments.
-
- ROMPERS. Leaflet 79, 8 pp., illus. 1931. (777)
 Cotton broadcloth is used.
-
- SUITS FOR THE SMALL BOY. Leaflet 52 (rev. ed.), 8 pp., illus. 1930. (778)
 Issued 1929; revised 1930.
 "Children may wear cotton fabrics the year round provided the underwear is adjusted to the season. Heavy cottons such as jean, madras, and piqué may be used for winter wear" (p. 7).
- VAN DEMAN, RUTH, compiler. (778)
 SELECTED LIST OF GOVERNMENT PUBLICATIONS ON TEXTILES AND CLOTHING. Bur. Home Econ. Bibliog. 3 (rev. ed.), 17 pp., 1930. [Mimeographed.] Cotton, pp. 5-7.
-
- VIEMONT, B. M. (779)
 PLAY SUITS FOR WINTER. Leaflet 54, 8 pp. illus. 1929.
 "For many years wool fabrics were considered the only ones that would really hold in heat. Recently, however, cotton materials that compare favorably with the wools, are appearing on the market. Although they may not replace wool entirely, in some cases they may be used to advantage."

FABRIC FINISHING AND LAUNDERING

- DOWNEY, K. M. (780)
 LAUNDRY TESTS UNDER SCIENTIFIC CONTROL SHOW HOW TO PREVENT DAMAGE. Yearbook 1932: 569-572, illus. 1932.
 Tests were made by the Bureau of Home Economics on sheets, manufactured under supervision of the Bureau of Agricultural Economics from known grades of raw cotton. A method for measuring the degree of scorch is discussed. Photographs of materials, yarns, and fibers show weakening effect of scorch.
- FURRY, M. S. (781)
 SOME PHYSICAL PROPERTIES OF STARCH PASTES WHICH AFFECT THEIR STIFFENING POWER ON FABRICS. Tech. Bull. 284, 18 pp., illus. 1932.
 "This study shows that the stiffness of a sized fabric depends on the penetrating and coating powers of starch pastes, and these factors in turn depend in a general way on the consistency of the pastes * * * The size of the swollen starch granules bears a definite relation to the penetrating and coating powers of the starch pastes." Photomicrographs are included.

- HILL, A. E. (782)
ARTIFICIAL SOILING OF COTTON FABRICS PREPARATORY TO LAUNDERING STUDIES. Jour. Agr. Research 39: 539-550, illus. 1929.
Literature cited, pp. 549-550.
"A comparative study of the black constituents suggested for use in experimental soiling methods results in the recommendation of Oildag for this purpose. Samples soiled with mixtures containing this material are of uniform and reproducible brightness."
- PETERSON, E. C. (783)
COTTON FABRIC FINISH MAY BE RESTORED BY RIGHT LAUNDERING. Yearbook 1927: 219-221, illus. 1928.
"Experiments have been made in the Bureau of Home Economics * * * Approximately 25 different common cotton fabrics were laundered and ironed but not resized. The effect of the laundering operation was then observed by making a comparison between the original and the laundered fabrics."
- and DANTZIG, TOBIAS. (784)
FABRICS' STIFFNESS IS MEASURABLE BY DEVICE MADE FOR THE PURPOSE. Yearbook 1928: 279-280. 1929.
"As a part of the study on starches and other sizing agents for finishing new fabrics and restoring the finish to laundered materials, a quantitative method of measuring stiffness in fabrics has been developed in the Bureau of Home Economics."
- and DANTZIG, TOBIAS. (785)
STIFFNESS IN FABRICS PRODUCED BY DIFFERENT STARCHES AND STARCH MIXTURES, AND A QUANTITATIVE METHOD FOR EVALUATING STIFFNESS. Tech. Bull. 108, 30 pp., illus. 1929.
Literature cited, pp. 27-29.
Stiffness has been considered an important property included in the term "feel." "A physical method for measuring the stiffness of materials and the abilities of wheat, rice, corn, and potato starches to produce stiffness in a cotton fabric have been determined. The methods employed for desizing the fabric and preparing the starches and starch pastes are given."

COTTONSEED AND COTTONSEED PRODUCTS

GENERAL

- BOERNER, E. G. (786)
THE INTRINSIC VALUES OF GRAIN, COTTONSEED, FLOUR AND SIMILAR PRODUCTS, BASED ON THE DRY-MATTER CONTENT. Dept. Bull. 374, 32 pp., illus. 1916.
- CRESWELL, C. F., and BIDWELL, G. L. (787)
COMPOSITION OF COTTONSEED. Dept. Bull. 948, 221 pp., illus. 1921.
"Issued for the guidance of producers, dealers, and crushers in order that they may know more nearly the content of the product in which they are dealing and be better able to judge the value and consequently the price that can be paid for seed. It sets forth data showing as nearly as possible approximate oil and meal yields in each county of the cotton belt." Data were collected from 1914-15 to 1918-19, inclusive.
- GARNER, W. W., ALLARD, H. A., and FOUBERT, C. L. (788)
OIL CONTENT OF SEEDS AS AFFECTED BY THE NUTRITION OF THE PLANT. Jour. Agr. Research 3: 227-249, illus. 1914.
Experiments were made for the most part on soybeans, but some tests were made with cottonseed, pp. 240-241. Varietal differences in the oil content of cottonseed grown in northern Georgia and in the Coastal Plain region of South Carolina, table 8 (p. 239). Results of tests with cotton at Manning, S.C., to determine the influence of fertilizers on the oil content of the seed, table 12 (p. 246).
- MELOY, G. S. (789)
COTTONSEED GRADES ARE TO BE ISSUED. Yearbook 1926: 275-276. 1927.
"During the crushing season of 1925-26, the Department of Agriculture began a study of cottonseed to determine whether it is possible to grade them for crushing purposes in the primary markets. These studies indicate that cottonseed may be graded on the basis of their kernel content and official grades will be established as soon as the necessary apparatus and proper methods for grading are worked out."

MELOY, G. S.

(790)

COTTONSEED'S KERNEL, CONTENT AND COMPONENTS ARE BASIS OF GRADING. Yearbook 1928: 241-242. 1929.

"The value of a ton of seed may be measured by its kernel content even though a pound of oil is worth many pounds of protein, for nature has set up a natural correlation between the amount of oil and the amount of protein in the same seed. This relation is so consistent that it may be considered a rule that as the percentage of oil goes down the percentage of protein goes up, the values tending to balance one another."

(791)

A STUDY OF THE VARIABLE COMPOSITION OF COTTONSEED. A PRELIMINARY REPORT. 18 pp., illus. Bur. Agr. Econ., 1931. [Mimeographed.]

Includes discussion of variations in composition of cottonseed of different crops; possible influence of rainfall on the composition of cottonseed; variations during a season. Tables are included.

SIEVERS, A. F., and LOWMAN, M. S.

(792)

A STUDY OF COTTONSEED WITH REFERENCE TO VARIETAL CHARACTERISTICS AND SOURCES OF PRODUCTION. 12 pp., illus. Bur. Plant Indus. [1932] [Mimeographed.]

Review of the literature, pp. 2-4.

"A study of the relative value of the seed of cotton varieties for the production of oil-mill products with reference to the oil and ammonia content of the seed was undertaken at the request of the Cottonseed Products Industries. Through a cooperative arrangement the seed samples were furnished by the Division of Cotton, Rubber, and Other Tropical Plants from experimental plots grown in connection with adaptation and lint-production studies.

"The work extended through five successive seasons, from 1923 to 1927, inclusive. Seed from 42 varieties was included, but data sufficient to be of value were obtained from only 30 of these. The varieties were grown in a number of localities * * * 1 each in Arizona, Florida, Kansas, New Mexico, Oklahoma, South Carolina, and Virginia, 3 in Texas, and 4 in California. In Arizona, New Mexico, and California, the varieties were grown under irrigation.

"The percentage of moisture, fuzz, meats, oil, and ammonia in the seed was determined, but only the last three are included in the tabulated data. The ammonia determinations were made by the Barrow-Agee laboratories at Memphis, Tenn."

GERMINATION, SELECTION, AND DISTRIBUTION

DUVEL, J. W. T.

(793)

THE VITALITY OF BURIED SEEDS. Bur. Plant Indus. Bull. 83, 22 pp., illus. 1905.

Gossypium hirsutum L. was one of the seeds selected for experimentation.

HICKS, G. H.

(794)

THE VITALITY OF SEED TREATED WITH CARBON BISULPHID. Div. Bot. Circ. 11, 5 pp., illus. [1897.]

Cottonseed will "endure the most severe treatment with the fumes of carbon bisulphid without their germination being injured to any appreciable extent."

KEARNEY, T. H.

(795)

SEED SELECTION OF EGYPTIAN COTTON. Dept. Bull. 38, 8 pp. 1913.

Bibliography, pp. 7-8.

History of Egyptian type and its cultivation in Arizona. Methods to be used by farmers and associations in maintaining a pure seed supply.

KNAPP, BRADFORD.

(796)

SELECTION OF COTTON AND CORN SEED ON SOUTHERN FARMS. Bur. Plant Indus. Doc. 747, 8 pp., illus. 1912.

Revision of Bureau of Plant Industry. Document 485, The Selection of Cotton and Corn Seed for Southern Farms, by S. A. Knapp, 1909.

- KNAPP, S. A. and BARROW, D. N. (797)
SEED SELECTION FOR SOUTHERN FARMS. Bur. Plant Indus. Doc. 386, 8 pp., illus. 1908.
"Five points should be carefully noted in cottonseed improvement: Type, variety, selection, ginning, and storing."
- LUDWIG, C. A. (798)
THE GERMINATION OF COTTONSEED AT LOW TEMPERATURES. Jour. Agr. Research 44: 367-380, illus. 1932.
- ORTON, W. A. (799)
CIRCULAR OF INFORMATION TO ACCOMPANY SEED OF WILT-RESISTANT UPLAND COTTON, 1907. Bur. Plant Indus. Doc. 263, 3 pp. 1907. (800)
WILT-RESISTANT JACKSON COTTON. Bur. Plant Indus., Seed and Plant Introd. Distrib. [Unnumb. Pub.], 2 pp. 1904.
Circular mailed with seed. Includes description of variety, and directions for planting and saving seed.
- PIETERS, A. J. (801)
AGRICULTURAL SEEDS—WHERE GROWN AND HOW HANDED. Yearbook 1901: 233-256, illus. 1902.
Cotton, pp. 249-250. "A great deal of special breeding is now going on among cotton experts, but such careful methods have not yet come into general use." (802)
- THE BUSINESS OF SEED AND PLANT INTRODUCTION AND DISTRIBUTION. Yearbook 1905: 291-306, illus. 1906.
Description of methods of the Office of Seed and Plant Introduction and Distribution of the Bureau of Plant Industry. Cotton, pp. 295-296. "As new varieties of merit are found seed is bought and distributed, and contracts are made for an acreage of such new varieties as are still in process of selection."
- TOOLE, E. H., and DRUMMOND, P. L. (803)
THE GERMINATION OF COTTONSEED. Jour. Agr. Research 28: 285-292, illus. 1924.
A preliminary study of germination tests.
- UNITED STATES DEPARTMENT OF AGRICULTURE. (804)
TESTS OF DEPARTMENT SEEDS. Dept. Agr. Rpt. 1872: 407-423, illus. 1873.
Tahiti cotton, p. 423. Results of planting seeds of Tahiti cotton. "The Tahiti cotton is evidently a sea-island variety, resembling that of the Fiji Islands in black seed and length and fineness of staple. It is feared, however, that when planted inland it will very much deteriorate."
- BUREAU OF PLANT INDUSTRY. (805)
CONGRESSIONAL SEED AND PLANT DISTRIBUTION CIRCULARS, 1902-1903. Bur. Plant Indus. Bull. 25, 82 pp., illus. 1902.
Consists of a number of circulars prepared by different members of the scientific force of the Bureau of Plant Industry and one prepared by the Chief of the Bureau of Soils. These circulars were originally printed to accompany the seeds sent out through the Congressional distribution and consist of descriptions of varieties and directions for their culture. Partial contents: Plan of distributing the varieties; description of varieties distributed; methods of cultivation and ginning, by H. J. Webber.—Rivers sea-island cotton (a variety resistant to the wilt disease or "Black-root"), by W. A. Orton.—Sea-island cotton no. 224, by W. A. Orton.
- BUREAU OF PLANT INDUSTRY. (806)
DISTRIBUTION OF COTTON SEED. 1903-1923. 21 nos., illus. 1903-[1923].
1921 is Dept. Circ. 151. No more published.
- WEBBER, H. J. (807)
IMPROVEMENT OF COTTON SEED SELECTION. Yearbook 1902: 365-386, illus. 1903.
"It is the writer's object in this paper to discuss the salient principles on which the production of improved seed rests, and to describe both simple and complex methods of selection."

COTTONSEED FOR PLANTING PURPOSES

BALLARD, W. W., and DOYLE, C. B. (808)
COTTONSEED MIXING INCREASED BY MODERN GIN EQUIPMENT. Dept. Circ. 205,
12 pp., illus. 1922.

Supplemental to Department Bulletin 288, Custom Ginning as a Factor in Cottonseed Deterioration, by D. A. Saunders and P. V. Cardon. 1915 (see item 492).

This circular "shows the result of a similar test conducted in 1920 by one of the writers, Mr. Ballard, at Greenville, Tex., by the method that was used in 1914, but with a more recent type of ginning equipment."

BARR, J. E. (809)

DELINTING AND RECLEANING COTTONSEED FOR PLANTING PURPOSES. Dept Bull. 1219, 20 pp., illus. 1924.

The delinting machine was the same type as that used extensively in cottonseed-oil mills, and the recleaning machine, a type used for recleaning all kinds of seed.

"Investigations show that each of the two processes possesses certain definite advantages but is of greatest value or is most effective when performed in conjunction with the other."

(810)

MARKETING COTTONSEED FOR PLANTING PURPOSES. Dept. Bull. 1056 (rev. ed.), 23 pp., illus. 1926.

Issued 1922; revised 1926.

Discussion of "some of the fundamental points in selecting, improved methods of preparing and storing, and ways of overcoming or eliminating some of the existing unfair and unscrupulous practices in selling planting cottonseed." Total quantity of cottonseed required for planting and estimated normal percentage and quantity obtained from various sources, table I (p. 2). Delinting, pp. 4-11.

COTTONSEED PRODUCTS

GENERAL

AGELASTO, A. M. (811)

LINTERS. Dept. Circ. 175, 10 pp., illus. 1921.

A general discussion of how linters are obtained, production of linters, handling, commercial values, uses, etc. Included is a statement prepared by the War Department describing "the processes through which the cotton fiber passes in its preparation for use in the manufacture of gun cotton" (p. 9).

BOYKIN, E. B. (812)

COMPARATIVE VALUE OF WHOLE COTTON SEED AND COTTON-SEED MEAL IN FERTILIZING COTTON. Farmers' Bull. 286, 14 pp., illus. 1907.

Experiments were "carried on in connection with Mr. John C. Fletcher's cotton farm at McColl, S.C.", over a period of several years. "In these tests 1,000 pounds of meal were used in comparison with 1 ton of seed, and it is evident from the results that less meal would have yielded as much as the seed. It is believed, therefore, that these results amply justify the assumption that 900 pounds of meal is at least equivalent to a ton of seed in effect on the crop; that is, on such land as was used for this experiment."

COLEMAN, D. A., and FELLOWS, H. C. (813)

A SIMPLE METHOD FOR DETERMINING THE OIL CONTENT OF SEEDS AND OTHER OIL-BEARING MATERIALS. Tech. Bull. 71, 14 pp., illus. 1928.

"The optical method applied to cottonseed products by Wesson was found most promising. The procedure necessary in the application of the optical method to a number of commodities was worked out in the grain-research laboratory of the Bureau of Agricultural Economics, and a standard practice for each is recommended."

COOPER, J. H. (814)

COTTON-SEED OIL, ETC. U.S. Commr. Patents Rpt. 1844: 431-432. 1845.

The writer suggests that oil and cake be manufactured from cottonseed, "of so little value hitherto." He concludes that "The present low prices of cotton will present a sufficient inducement to planters to save and sell the seed at reasonable prices; and it is believed that, if a cheap and effective mode of refining the oil can be discovered, this branch of manufacture will become one of very high value to the country."

- DAUGHERTY, C. M. (815)
 THE COTTON-SEED INDUSTRY. Yearbook 1901: 285-298, illus. 1902.
 The growth of the industry is traced. Statistics for manufacture of oil and oil products, oil exports, and home consumption are given (p. 294) (year ended June 30, 1872-1901.)
-
- THE INDUSTRY IN OIL SEEDS. Yearbook 1903: 411-426, illus. 1904.
 Discussion of production and consumption in the United States, United Kingdom, France, Germany, Holland, Belgium, and Denmark. Statistics for imports and exports are given.
- HICKS, G. H. (817)
 OIL-PRODUCING SEEDS. Yearbook 1895: 185-204, illus. 1896.
 Cottonseed oil, pp. 186-188. "In 1826 a Virginian was led to experiment with cottonseed. He made a small machine with which he was able to express a dark-red oil that gave a fair light when burned in an ordinary lamp. In the same year, it is reported, an oil mill was constructed at Columbia, S.C., which expressed a good quality of oil from cottonseed."
- JACKSON, C. T. (818)
 CHEMICAL RESEARCHES ON THE SEED OF THE COTTON-PLANT. U.S. Commr. Patents Rpt. 1855 (Agr.): 234-238. 1856.
 The author, having noticed that "refuse cottonseeds are partly saved for planting, but by far the greater mass of them is allowed to rot and is then used for manure", makes a suggestion based on analyses of cottonseed, "that cottonseed may be profitably employed in the production of a rich, fat oil, and that the woolly fiber, adhering to the hulls, may be economised in the manufacture of paper, while the substance of the seeds, or their 'meats' after having the oil extracted may be employed for feeding animals; and, probably, would also serve as an excellent fertiliser * * * The object of the present paper is to call the attention of Southern planters and of Northern manufacturers to these new uses to which cottonseed may be applied."
- JAMIESON, G. S. (819)
 PRODUCTION AND UTILIZATION OF FATS, FATTY OILS, AND WAXES IN THE UNITED STATES. Dept. Bull. 1475, 36 pp., illus. 1927.
 Revision of Department Bulletin 769, The Production and Conservation of Fats and Oils in the United States, by H. S. Bailey and B. E. Reuter. 1919.
 Cottonseed oil, pp. 4-8; preparation: pressing, settling, refining, wintering; grades (as established by the Interstate Cotton Seed Crushers Association); uses; statistics, pp. 34-36; production, consumption, imports, raw materials used, 1921-25.
- LANGWORTHY, C. F., and HOLMES, A. D. (820)
 DIGESTIBILITY OF SOME VEGETABLE FATS. Dept. Bull. 505, 20 pp., illus. 1917.
 The fats studied included cottonseed oil.
- MELROY, G. S. (821)
 COLOR OF LINTERS ANALYZED AND COLOR STANDARDS ESTABLISHED. 2 pp. Bur. Agr. Econ. [1928]. [Mimeographed.]
 Extract from address on the use of the official standards for American cotton linters, Annual Convention of the Better Bedding Alliance of America, Chicago, Ill., January 17, 1928.
-
- COTTON WASTES ARE TURNED BY CHEMISTS INTO PROFIT SOURCES. Yearbook 1927: 234-236, illus. 1928.
 "The increased use of cotton goods, resulting from enhanced attractiveness and durability due to mercerization, is problematical, but the diverting of 5,558,243 tons (1926) of cottonseed from the refuse pile into channels of consumption produced \$256,027,431 of value that would never have existed but for the intercession of chemical research." A chart (p. 235) shows "where chemistry touches the cotton industry" during growth of plant, in manufacturing processes of the cotton, and in numerous forms of seed products, which are listed.

- MELOY, G. S. (823)
COTTONSEED CRUSHING INDUSTRY GROWS. Yearbook 1926: 259-263, illus. 1927.
It is stated that the first practical extraction of cottonseed oil was attempted in a small mill in Columbia, S.C., in 1826.
Growth of the cottonseed-crushing industry in the United States [1826-1925], table 4 (p. 260). (Number of mills, seed crushed, value of products, remarks.)
- THE ESTABLISHMENT OF STANDARD GRADES FOR AMERICAN COTTON LINTERS. (824)
Misc. Pub. 10, 8 pp. 1927.
- POWICK, W. C. (825)
COMPOUNDS DEVELOPED IN RANCID FATS, WITH OBSERVATIONS ON THE MECHANISM OF THEIR FORMATION. Jour. Agr. Research 26: 323-362, illus. 1923.
Literature cited, pp. 360-362.
Cottonseed oil was among the oils studied.
- ROSS, W. H., and MERZ, A. R. (826)
FERTILIZER CONCENTRATION NEED NOT INCREASE THE RISK OF BURNING PLANTS. Yearbook 1928: 291-292, illus. 1929.
Includes a formula for cottonseed meal in fertilizer mixtures (p. 291).
- STANLEY, LOUISE. (827)
COTTONSEED FLOUR RICH IN VITAMIN G, EXPERIMENTS SHOW. Yearbook 1931: 173-174. 1931.
"Recent research in the department has demonstrated that cottonseed is a valuable source of the pellagra-preventing vitamin. Accordingly, the Bureau of Home Economics is studying the possibilities of cottonseed as a food for human beings." The composition of cottonseed flour is discussed.
- TOLMAN, L. M. (828)
DETECTION OF COTTONSEED OIL IN LARD. Yearbook 1904: 359-362, illus. 1905.
The author describes the Bömer test method, with which cottonseed oil is identified by the presence of the telescopic crystals of phytosterol.
- UNITED STATES DEPARTMENT OF AGRICULTURE. OFFICE OF EXPERIMENT STATIONS. (829)
COTTONSEED AND ITS PRODUCTS. Farmers Bull. 36, 16 pp. 1896.
Condensed from original articles.
Discusses method of manufacturing cottonseed products; the cottonseed oil industry; cottonseed meal; cottonseed hulls; cotton-hull ashes; and feeding cottonseed products to farm stock.
- BUREAU OF SOILS. (830)
MINUTES OF CONFERENCE HELD AT THE DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C., TO CONSIDER COST OF PRODUCTION OF COTTONSEED MEAL. ALL PRODUCERS OF THIS MATERIAL WERE INVITED TO BE PRESENT. [OCT. 7, 1919] 41 pp. [1919] [Mimeographed.]
- UNITED STATES PATENT OFFICE. (831)
MEMORANDA OF EXPERIMENTS MADE IN JANUARY, 1836, AT NATCHEZ, TO ASCERTAIN THE RELATIVE QUANTITIES OF CRUDE OIL, CAKE, &C., FROM THE SEED OF SHORT STAPLE OR UPLAND COTTON. U.S. Commr. Patents Rpt. 1844: 432-433. 1845.
- WILEY, H. W., editor. (832)
PROCEEDINGS OF THE NINTH ANNUAL CONVENTION OF THE ASSOCIATION OF OFFICIAL AGRICULTURAL CHEMISTS HELD AT THE NATIONAL MUSEUM, WASHINGTON, D.C., AUGUST 25, 26, AND 27, 1892. Div. Chem. Bull. 35, 243 pp., illus. 1892.
The Occurrence of Metaphosphoric and Pyrophosphoric Acids in Cottonseed Meal, by M. B. Hardin, pp. 50-52.
- COTTONSEED PRODUCTS AS FEED
- ARMSBY, H. P. (833)
THE COMPUTATION OF RATIONS FOR FARM ANIMALS BY THE USE OF ENERGY VALUES. Farmers' Bull. 346, 32 pp., illus. 1919.
Cottonseed meal was among the rations studied.
- BELL, G. A., and WILLIAMS, J. O. (834)
COTTONSEED MEAL FOR HORSES. Dept. Bull. 929, 10 pp., illus. 1920.
Reports experiments to determine value of cottonseed meal as partial substitute for grain and to assess amount which can be fed to horses with safety.

- BETHKE, R. M., SASSAMAN, H. L., KENNARD, D. C., and EDINGTON, B. H. (835)
 THE COMPARATIVE NUTRITIVE VALUE OF PROTEINS OF LINSEED MEAL AND COTTONSEED MEAL FOR DIFFERENT ANIMALS. *Jour. Agr. Research* 36: 855-871, illus. 1928.
 Literature cited, pp. 870-871.
 Experiments were conducted with rats, pigs, calves, and growing chicks.
- BLACK, W. H., LANTOW, J. L., and BURNHAM, D. R. (836)
 FATTENING STEERS ON DRY-LAND CROPS OF THE SOUTHWEST. *Tech. Bull.* 30, 15 pp., illus. 1927.
 "Ground milo, sorgo fodder, sorgo silage, cowpea hay, and cottonseed meal were used. * * * Of the four rations * * * not one seems to be materially superior to any of the others in the rate of producing gains in weight. In feed required for 100 pounds of gain, the use of cowpea hay instead of cottonseed meal results in a considerable saving of concentrates. The fodder lot was more economical in the use of concentrates than the silage lot fed cottonseed meal. This is important because about one-sixth to one-seventh of the concentrates fed was cottonseed meal costing about 50 percent more than milo and twice as much as cowpea hay."
- , JONES, J. M., and KEATING, F. E. (837)
 SORGO SILAGE, SORGO FODDER, AND COTTONSEED HULLS AS ROUGHAGES IN RATIONS FOR FATTENING CALVES IN THE SOUTHWEST. *Tech. Bull.* 43, 24 pp., illus. 1928.
 "Sorgo silage and sorgo fodder, in each of the three tests, proved to be more efficient than cottonseed hulls when fed to fattening calves."
- GALLUP, W. D., and KUHLMAN, A. H. (838)
 A PRELIMINARY STUDY OF THE DETERMINATION OF THE APPARENT DIGESTIBILITY OF PROTEIN BY MODIFIED PROCEDURES. *Jour. Agr. Research* 42: 665-669, illus. 1931.
 Literature cited, p. 669.
 "Choice cottonseed meal containing 43 percent crude protein was used in these experiments. The autoclaved meal was prepared in the laboratory by cooking the meal under 25 pounds of steam pressure for 30 minutes."
- HOSKING, F. J. (839)
 FEEDS COMMERCIALY PRODUCED HAVE WIDE DISTRIBUTION IN U. S. *Yearbook* 1928: 286-288. 1929.
 "Consumption of cottonseed cake and meal as feed totaled nearly 2,000,000 tons in 1926 and 1927, and about 1,500,000 tons in 1927-28."
- LINDSEY, J. B., BEALS, C. L., and ARCHIBALD, J. G. (840)
 THE DIGESTIBILITY AND ENERGY VALUES OF FEEDS FOR HORSES. *Jour. Agr. Research* 32: 569-604, illus. 1926.
 Literature cited, pp. 603-604.
 Cottonseed meal. pp. 586-587, 597.
- MITCHELL, H. H., and HAMILTON, T. S. (841)
 THE NUTRITIVE VALUE FOR GROWING SWINE OF THE PROTEINS OF LINSEED MEAL AND OF COTTONSEED MEAL, BOTH ALONE AND IN COMBINATION WITH THE PROTEINS OF CORN. *Jour. Agr. Research* 43: 743-748, illus. 1931.
 Literature cited, p. 748.
 Tables are included.
- SHEETS, E. W., and THOMPSON, E. H. (842)
 FEEDING COTTONSEED PRODUCTS TO LIVESTOCK. *Farmers' Bull.* 1179 (rev. ed.), 14 pp., illus. 1930.
 Issued Nov. 1920; revised April 1924 and December 1930. Supersedes *Farmers' Bulletin* 655, Cottonseed Meal for Feeding Beef Cattle, by W. F. Ward, 1915.
 Composition of cottonseed products, table 1 (p. 2); quantities of products yielded by a ton of cottonseed, p. 2 (linters, hulls, cake or meal, crude oil, dirt and loss in manufacture); grades and classes of cottonseed products, pp. 2-3. Includes definition of cottonseed cake, meal, hulls, and cottonseed-hull bran.

- TAYLOR, C. W. (843)
 IMPORTANCE OF RAISING AND FEEDING MORE CATTLE AND SHEEP. Dept. Agr. Rpt. 1864: 249-288, illus. 1865.
 Discussion of cottonseed meal, pp. 275-276. "In the albuminous, or flesh-forming portions, it far exceeds the best English or American linseed meal. The same qualities make it most excellent feed for milch cows and we have, by repeated experiments, proved that for the production of milk it is worth just about double corn-meal, pound for pound."
- WARD, W. F., JERDAN, S. S., and LLOYD, E. R. (844)
 A COMPARISON OF CONCENTRATES FOR FATTENING STEERS IN THE SOUTH. Dept. Bull. 761, 16 pp., illus. 1919.
 I. The comparative value of cottonseed meal, cold-pressed cottonseed cake, and a mixture of cottonseed meal and corn for fattening steers.
 II. A comparison of cottonseed meal, cottonseed meal and broken-ear corn, and cottonseed meal and shelled corn for fattening steers.

GOSSYPOL CONTENT AND TOXICITY

- DOWELL, C. T., and MENAUL, PAUL. (845)
 EFFECT OF AUTOCLAVING UPON THE TOXICITY OF COTTONSEED MEAL. Jour. Agr. Research 26: 9-10. 1923.
 Results of a series of feeding experiments carried on with young pigs at the Oklahoma Agricultural Experiment Station. "These experiments seem to show (1) that autoclaving cottonseed meal destroys the poison peculiar to it (2) that different lots of the meal contain different amounts of the poison. Further work will have to be done to determine whether it is the high temperature that destroys the poison or oxidation by the oxygen of the air during the drying."
- GALLUP, W. D. (846)
 A CHEMICAL STUDY OF THE DEVELOPMENT OF COTTON BOLLS AND THE RATE OF FORMATION OF GOSSYPOL IN THE COTTON SEED. Jour. Agr. Research 36: 471-480, illus. 1928.
 Literature cited, p. 480.
- THE GOSSYPOL CONTENT AND CHEMICAL COMPOSITION OF COTTONSEEDS DURING CERTAIN PERIODS OF DEVELOPMENT. Jour. Agr. Research 34: 987-992, illus. 1927.
 Literature cited, pp. 991-992.
 "The greatest change in the composition of the seeds over the range studied occurred at the time the boll was mature and about to crack, from which time until the boll opened the gossypol content increased rapidly and continued to increase for some time thereafter. This increase in gossypol was greater than the increase of any of the other constituents, all of which showed only small increases after the boll had opened. No correlation was found between the formation of oil and the formation of gossypol."
- MENAUL, PAUL (848)
 THE PHYSIOLOGICAL EFFECT OF GOSSYPOL. Jour. Agr. Research 26: 233-237, illus. 1923.
 Literature cited, p. 237.
 Experiments were made with rabbits, sheep, and fish. "Gossypol causes death in animals by reducing the oxygen-carrying capacity of the blood. Thus an excessive burden is thrown on the respiratory and circulatory organs which results in the condition found in animals that have died from gossypol or cottonseed meal poisoning—namely, a passive hyperemia and oedema of the lungs and some hydrothorax. These conditions are always present and are not due to bacterial infection."
- ROMMEL, G. M., and VEDDER, E. B. (849)
 BERIBERI AND COTTONSEED POISONING IN PIGS [PRELIMINARY NOTE]. Jour. Agr. Research 5: 489-493. 1915.
- SCHWARTZ, E. W., and ALSBERG, C. L. (850)
 PHARMACOLOGY OF GOSSYPOL. Jour. Agr. Research 28: 191-198, illus. 1924.
 Literature cited, p. 197.
 Results of "investigation upon the toxicity of gossypol for cats, together with some additional observations on rabbits, guinea pigs, rats, and mice, are here presented."

- SCHWARTZE, E. W., and ALSBERG, C. L. (851)
 QUANTITATIVE VARIATION OF GOSSYPOL AND ITS RELATION TO THE OIL CONTENT
 OF COTTONSEED. *Jour. Agr. Research* 25: 285-295, illus. 1923.
 Literature cited, p. 295.
 "The gossypol content appears to depend upon factors other than varietal factors. If a varietal influence exists, practically it is masked. A variation of 200 percent was found in samples of one variety from the same plantation, but from crops of different years. * * * The variation in the gossypol content was fairly regular in that it tended to vary directly with and bore a true relationship to the oil content. This was true for all seeds from any one region, regardless of the regional tendency."
- and ALSBERG, C. L. (852)
 RELATION BETWEEN TOXICITY OF COTTONSEED AND ITS GOSSYPOL CONTENT. *Jour. Agr. Research* 28: 173-189, illus. 1924.
 Literature cited, pp. 188-189.
 "Rats were fed upon a totally adequate diet to which were added in some cases known quantities of gossypol and in other cases raw cottonseed kernels in which the gossypol content had been determined. The toxicity of these diets with moderate variations corresponded to their gossypol content."
- SHERWOOD, F. W. (853)
 STUDIES ON GOSSYPOL: THE GOSSYPOL AND D-GOSSYPOL CONTENT OF SOME NORTH CAROLINA COTTONSEED MEALS. *Jour. Agr. Research* 32: 793-800, illus. 1926.
 Literature cited, p. 800.
- WITHERS, W. A., and CARRUTH, F. E. (854)
 COMPARATIVE TOXICITY OF COTTONSEED PRODUCTS. *Jour. Agr. Research* 14: 425-452, illus. 1918.
 Literature cited, pp. 451-452.
 In this paper are reported "some of the experiments conducted to ascertain to what extent the change in toxicity takes place under oil-mill conditions. These experiments led to the conclusion that there still remained a toxic factor in all the samples of cottonseed meal and cottonseed flour [which were fed]. Rats and hens are less affected by this factor than rabbits and swine. In fact, in diets well supplemented with milk powder the toxic factor for rats may remain entirely masked" (p. 426). In the experiments various cottonseed products, including raw cottonseed kernels, ether-extracted kernels, gossypol, and several meals, were fed to rats, rabbits, poultry, and swine.
- and CARRUTH, F. E. (855)
 GOSSYPOL, THE TOXIC SUBSTANCE IN COTTONSEED. *Jour. Agr. Research* 12: 83-102, illus. 1918.
 Literature cited, pp. 100-101.
 "Inasmuch as no comparative experiments with an isolated and purified substance have been reported, we present the results of additional experiments with various animals to supplement those given in our previous experiments, in which rabbits and fowls were used." Review of previous work, p. 83. Experiments were conducted with rats, rabbits, and pigs. "Cottonseed meal is much less toxic than raw cottonseed, owing mainly to the oxidation of gossypol during cooking. * * * Outdoor exercise, access to forage and soil, and improved diets tend to postpone or avert cottonseed-meal poisoning of swine. The deficiency hypothesis that cottonseed-meal poisoning of swine is similar to beriberi is untenable."
- and CARRUTH, F. E. (856)
 GOSSYPOL, THE TOXIC SUBSTANCE IN COTTONSEED MEAL. *Jour. Agr. Research* 5: 261-288, illus. 1915.
 Literature cited, pp. 287-288.
 This paper is the third in a series of Studies in Cottonseed Meal Toxicity. Study I, Withers and Ray (1913), is a criticism of Crawford's pyrophosphoric-acid hypothesis; Study II, Withers and Brewster (1913) suggests iron salts as an antidote. (Footnote, p. 261.) Study I appeared in *Jour. Biol. Chem.* 14 (2): 53-58, 1913. Study II appeared in *Jour. Biol. Chem.* 15 (1): 161-166, 1913.

LEGISLATION AND REGULATION

COTTONSEED AND LINTERS

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (857)

OFFICIAL STANDARDS OF THE UNITED STATES FOR AMERICAN COTTON LINTERS. Serv. and Regulat. Announc. 94, 9 pp. 1925.

American cotton linters, by G. S. Meloy, pp. 3-7.

— BUREAU OF AGRICULTURAL ECONOMICS. (858)

THE OFFICIAL STANDARDS OF THE UNITED STATES FOR THE GRADING, SAMPLING, AND ANALYZING OF COTTONSEED SOLD OR OFFERED FOR SALE FOR CRUSHING PURPOSES. EFFECTIVE JUNE 1932. Serv. and Regulat. Announc. 133. 10 pp. 1932.

FUTURES TRADING

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (859)

ITEMS RELATING TO THE ADMINISTRATION OF THE UNITED STATES COTTON FUTURES AND COTTON STANDARDS ACTS. Serv. and Regulat. Announc. 109, 13 pp. 1928.

Act authorizing the Secretary of Agriculture to collect and publish statistics of the grade and staple length of cotton, pp. 12-13.

— BUREAU OF AGRICULTURAL ECONOMICS. (860)

REGULATIONS OF THE SECRETARY OF AGRICULTURE UNDER THE UNITED STATES COTTON FUTURES ACT. EFFECTIVE MAY 1, 1931. Serv. and Regulat. Announc. 124, 22 pp. 1931.

Supersedes Serv. and Regulat. Announc. 105. 1927.

Amendments 1-2, 1931.

— OFFICE OF MARKETS AND RURAL ORGANIZATION. (861)

DETERMINATION OF DISPUTES ON QUESTIONS OTHER THAN GRADE ARISING IN CONNECTION WITH THE FIFTH SUBDIVISION OF SECTION 5 OF THE UNITED STATES COTTON FUTURES ACT. Serv. and Regulat. Announc. 2, 13-15 pp. 1915.

— OFFICE OF MARKETS AND RURAL ORGANIZATION. (862)

[INFORMATION RELATING TO THE U.S. COTTON FUTURES ACT] Serv. and Regulat. Announc. 3, 6 pp. 1915.

— OFFICE OF MARKETS AND RURAL ORGANIZATION. (863)

Serv. and Regulat. Announc. 4, 23-49 pp. 1915.

[INFORMATION RELATING TO THE U.S. COTTON FUTURES ACT.]

Opinions of general interest regarding questions arising under the United States Cotton Futures Act, pp. 30-48.

— OFFICE OF MARKETS AND RURAL ORGANIZATION. (864)

[INFORMATION RELATING TO THE U.S. COTTON FUTURES ACT] Serv. and Regulat. Announc. 5, 51-80 pp., illus. 1915.

The United States Cotton Futures Act, by F. G. Caffey, pp. 51-66. (Address delivered before the Alabama State Bar Association at Montgomery, Ala., July 10, 1915).—Opinions of general interest.

— OFFICE OF MARKETS AND RURAL ORGANIZATION. (865)

[INFORMATION RELATING TO THE U.S. COTTON FUTURES ACT] Serv. and Regulat. Announc. 8, 51-95 pp., illus. 1916.

Contents: Necessity for adequately designating by letters, marks, or lot numbers the bales involved in disputes. The determination of disputes. Record of disputes, 1915, arranged by dispute number, tables (pp. 59-95).

— OFFICE OF MARKETS AND RURAL ORGANIZATION. (866)

[ITEMS RELATING TO THE U.S. COTTON FUTURES ACT] Serv. and Regulat. Announc. 9, 97-117 pp., illus. 1916.

Includes a review of some of the provisions of the pending cotton futures bill, H.R. 11861, and of causes of differences between prices of Middling cotton in New York and Liverpool; charts of comparative price variations, 1913, 1914, 1915, showing "the fact that the cotton futures Act has accomplished the results intended by its framers."

— OFFICE OF MARKETS AND RURAL ORGANIZATION. (867)

[ITEMS RELATING TO THE U.S. COTTON FUTURES ACT] Serv. and Regulat. Announc. 10, 119-134 pp. 1916.

UNITED STATES DEPARTMENT OF AGRICULTURE. OFFICE OF MARKETS AND RURAL ORGANIZATION. (867)

[ITEMS RELATING TO THE U. S. COTTON FUTURES ACT] Serv. and Regulat. An-
nounc. 16, 15 pp., illus. 1916.

A comparison of the official cotton standards of the United States for
grade with the Liverpool standards (pp. 13-15). Tables.

REGULATION OF PRICES

EDMINSTER, L. R., SCHABEN, L. J., and LYNSKY, MYER. (869)

AGRICULTURAL PRICE-SUPPORTING MEASURES IN FOREIGN COUNTRIES. Bur. Agr.
Econ., Foreign Agr. Serv. F. S. 56, 294 pp. 1932. [Mimeographed.]

"A descriptive summary of recent and present agricultural price-
supporting measures in foreign countries. In general the measures
discussed are such as have involved more or less intervention on the
part of governments." Measures relating to cotton are included.

LACY, M. G., HANNAY, A. M., and DAY, E. L., compilers. (870)

PRICE FIXING BY GOVERNMENTS 424 B.C.—1926 A.D. A SELECTED BIBLIOGRAPHY,
INCLUDING SOME REFERENCES ON THE PRINCIPLES OF PRICE FIXING, AND ON
PRICE FIXING BY PRIVATE ORGANIZATIONS. Bur. Agr. Econ. Libr., Agr.
Econ. Bibliog. 18, 149 pp. 1926. [Mimeographed.]

For references to cotton see the index.

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECO-
NOMICS. (871)

STATEMENT OF LLOYD S. TENNY . . . SUBMITTED TO THE SUBCOMMITTEE OF
THE COMMITTEE ON AGRICULTURE AND FORESTRY, UNITED STATES SENATE, 70TH
CONGRESS, 1ST SESSION HEARINGS PURSUANT TO SENATE RESOLUTION 142, A
RESOLUTION TO INVESTIGATE THE RECENT DECLINE IN COTTON PRICES, APRIL
26, 1928. 42 pp. [1928] [Mimeographed.]

— BUREAU OF AGRICULTURAL ECONOMICS. (872)

THE WORLD CARRY-OVER AND CONSUMPTION OF AMERICAN COTTON. STATEMENT
OF LLOYD S. TENNY . . . TO THE SENATE SUBCOMMITTEE INVESTIGATING THE
DECLINE IN COTTON PRICES, SUBMITTED FOR THE RECORD, MAY 7, 1928. 20 pp.
[1928] [Mimeographed.]

REGULATION OF PRODUCTION

BENTON, M. C., compiler. (873)

COTTON SURPLUS RELIEF PLANS. SOME REFERENCES TO COMMENT ON THE SUB-
JECT. 1930-DATE. 11 pp. Bur. Agr. Econ. [1932] [Mimeographed.]

BERCAW, L. O., compiler. (874)

THE DOMESTIC ALLOTMENT PLANS FOR THE RELIEF OF AGRICULTURE. SELECTED
REFERENCES. Bur. Agr. Econ. Libr., Agr. Econ. Bibliog. 41, 48 pp. 1933.
[Mimeographed.]

For references to cotton see the index.

EDWARDS, E. E. (875)

MEMORANDUM CONCERNING THE CAMPAIGNS IN 1905, 1915, 1921, AND 1927 TO
DECREASE THE COTTON ACREAGE. 8 pp. Bur. Agr. Econ. [1930.]
[Mimeographed.]

EZEKIEL, MORDECAI. (876)

KINDS OF AGRICULTURAL SURPLUSES. 12 pp., illus. Bur. Agr. Econ., 1927.
[Mimeographed.]

Address before Section O, American Association for the Advancement
of Science, Philadelphia, Pa., December 30, 1926.

The cotton crop is used as an illustration of the discussion. "The
surpluses which are due to inadequacies of the marketing arrangements
may be grouped according to the time and space involved into day-to-day
surpluses, short-time surpluses, seasonal surpluses, and crop-year sur-
pluses. * * * The possibility of increasing returns by holding part of
the supply over from one crop year to another depends upon four major
factors: (1) The expenses involved in storing; (2) the probable future
changes in price if only the usual quantity is put into storage; (3) the
probable effect upon price at the time of withdrawing the stored supply
from the market; (4) the effect upon price at the time of selling the
stored supply. These last two points differ when the question is re-

garded from the point of view of storing by individuals or of storing by a whole group of organized producers, and each would have to be considered separately." Relation between world supplies of American cotton and average price for the season, fig. 4. Relation between price of cotton and carry-over into next season, fig. 5.

HANNAY, A. M., compiler. (877)

COTTON OF PRODUCTION OF AGRICULTURAL PRODUCTS BY GOVERNMENTS. A SELECTED BIBLIOGRAPHY. Bur. Agr. Econ. Libr., Agr. Econ. Bibliog. 23, 88 pp. 1927. [Mimeographed.]

"By control of production is meant, in general, direct limitation of output, although a few instances are given in which limitation of production is the result of monopoly of trade or of price fixing." Cotton, pp. 2-16.

UNITED STATES DEPARTMENT OF AGRICULTURE. (878)

SURPLUS FARM PRODUCTS. LETTER FROM THE SECRETARY OF AGRICULTURE TO SENATOR SIMEON D. FESS, SUBMITTING INFORMATION AND CHARTS ON THE HANDLING OF SURPLUS FARM PRODUCTS AND A COOPERATIVE PLAN THEREON. U.S.Cong., 69th, 1st sess., Senate Doc. 125, 20 pp., illus. 1926.

A discussion of the cotton surplus is included.

AGRICULTURAL ADJUSTMENT ADMINISTRATION. (879)

THE AGRICULTURAL ADJUSTMENT ACT APPLIED TO COTTON. 4 pp. 1933.

STANDARDS

COBB, N. A. (880)

MEMORANDUM OF INFORMATION CONCERNING OFFICIAL COTTON GRADES. Bur. Plant Indus. Doc. 720, 3 pp. 1912.

Short notes on method of preparation and on the act governing the sale of official types; the names of the advisory committee are listed.

TENNY, L. S. (881)

NATIONAL STANDARDS FOR FARM PRODUCTS. Circ. 8 (rev. ed.), 52 pp., illus. 1930.

Issued 1927; revised, 1930, by Caroline B. Sherman.

Cotton, pp. 8-12. Cotton linters, pp. 12-13. List of standards for cotton formulated by the Bureau of Agricultural Economics, as of 1930, p. 49.

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (882)

PROCEEDINGS OF THE INTERNATIONAL UNIVERSAL COTTON STANDARDS CONFERENCE . . . 1929. 1931. 1933. 1929-1933. [Mimeographed.]

Title varies. Proceedings of the 1929 conference are also contained in Serv. and Regulat. Announc. 117.

For history of the conference, see Serv. and Regulat. Announc. 82 and 92.

The Division of Cotton Marketing has a typewritten copy of proceedings for the conferences of 1923, 1925, and 1927.

BUREAU OF AGRICULTURAL ECONOMICS. (883)

PROCEEDINGS OF INTERNATIONAL UNIVERSAL COTTON STANDARDS CONFERENCE OF 1929 AND ITEMS RELATING TO THE ADMINISTRATION OF THE UNITED STATES COTTON FUTURES AND COTTON STANDARDS ACTS. Serv. and Regulat. Announc. 117, 23 pp. 1929.

Act relating to investigation of new uses of cotton (approved Apr. 12, 1928, 45 Stat.L. 426), pp. 22-23.

Amendment, July 30, 1932.

Supplement no. 1. Determinations of Staple Length (3 pp. Apr. 10, 1933). [Mimeographed.]

BUREAU OF AGRICULTURAL ECONOMICS. (884)

REGULATIONS OF THE SECRETARY OF AGRICULTURE UNDER THE UNITED STATES COTTON STANDARDS ACT. EFFECTIVE MAY 1, 1931. Serv. and Regulat. Announc. 125, 23 pp. 1931.

Supersedes Serv. and Regulat. Announc. 115, 1928.

Amendments 1-4, 1931-1933. [Mimeographed.]

- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (885)
- REPORT OF CONFERENCE CALLED AT WASHINGTON, D. C., FOR THE CONSIDERATION OF TENTATIVE REGULATIONS OF THE SECRETARY OF AGRICULTURE UNDER THE U. S. COTTON STANDARDS ACT, APRIL 8-10, 1923. 88 pp. 1923. [Mimeographed.]
- BUREAU OF AGRICULTURAL ECONOMICS. (886)
- STANDARDS FOR COTTON CLASSIFICATION IN THE UNITED STATES AND ABROAD. Serv. and Regulat. Announc. 92, 23 pp., illus. 1925.
- Prepared by C. L. Finch, supervisor of administration, United States Cotton Futures and Cotton Standards Acts. This pamphlet was published to bring up to date and supplement the information given in Serv. and Regulat. Announc. 82. 1924.
- American cotton in export trade—formal action of the European cotton exchanges in adopting official cotton standards of the United States for grades and colors of American upland cotton as universal standards, pp. 12-17. Original and supplemental agreement, pp. 17-20.
- Public notice establishing the grades constituting the official standards of the United States for American cotton linters, pp. 10-11. Amendment. 1928. [Mimeographed.]
- BUREAU OF AGRICULTURAL ECONOMICS. (887)
- UNITED STATES COTTON STANDARDS ACT. A PAMPHLET CONTAINING QUESTIONS AND ANSWERS ON THE COTTON STANDARDS ACT OF 1923. 12 pp. 1924. [Mimeographed.]
- BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF COTTON MARKETING. (888)
- HANDBOOK FOR LICENSED CLASSIFIERS (U. S. COTTON STANDARDS ACT). 30 pp. 1931. [Mimeographed.]
- Issued 1930; revised 1931.
- BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF COTTON MARKETING. (889)
- HANDBOOK FOR SUPERVISORS OF COTTON INSPECTION (UNITED STATES COTTON FUTURES ACT AND UNITED STATES COTTON STANDARDS ACT). 11 pp. 1931. [Mimeographed.]
- BUREAU OF AGRICULTURAL ECONOMICS. DIVISION OF COTTON MARKETING. (890)
- STAPLE STANDARDS CONFERENCE JULY 18-JULY 21, 1932. 22 pp. [1932.] [Mimeographed.]
- The conference was held in Washington, D. C., and attended by representatives of the cotton trade and of the Bureau of Agricultural Economics.
- BUREAU OF MARKETS. (891)
- [ITEMS RELATING TO THE OFFICIAL COTTON STANDARDS.] Serv. and Regulat. Announc. 41, 16 pp., illus. 1919.
- Includes public notices establishing official cotton standards of the United States for American Egyptian cotton and for sea-island cotton.—Public notice establishing official cotton standards of the United States for length of staple.—History of standards of American Egyptian and sea-island cotton.—Photographs showing method of pulling staple, pp. 12-16.
- Amendment. 1924. [Mimeographed.]
- BUREAU OF MARKETS AND CROP ESTIMATES. (892)
- UNIVERSAL STANDARDS FOR AMERICAN COTTON WITH A BRIEF HISTORY OF THE MOVEMENT TO SECURE UNIVERSAL COTTON STANDARDS. THE UNITED STATES DEPARTMENT OF AGRICULTURE. 34 pp. [1921.] [Mimeographed.]
- French and German editions also were issued.
- OFFICE OF MARKETS AND RURAL ORGANIZATION. (893)
- BRIEF HISTORY OF THE MOVEMENT TO SECURE UNIVERSAL COTTON STANDARDS. Serv. and Regulat. Announc. 7, 50 pp., illus. 1916.
- OFFICE OF MARKETS AND RURAL ORGANIZATION. (894)
- ESTABLISHMENT AND PROMULGATION OF OFFICIAL COTTON STANDARDS OF THE UNITED STATES. Serv. and Regulat. Announc. 1, 11 pp. 1915.

UNITED STATES DEPARTMENT OF AGRICULTURE. OFFICE OF MARKETS AND RURAL ORGANIZATION. (895)

THE OFFICIAL COTTON STANDARDS OF THE UNITED STATES. Serv. and Regulat. Announc. 6, 32 pp., illus. 1916.

"A full description of the work and equipment of the Office of Markets and Rural Organization in connection with the standards." Includes detailed illustrations of standard boxes; arrangement of the cotton in glass tubes for preservation; mechanical equipment used in the evacuation of vacuum tubes; skylight in grading room. Holders of sets of standards, listed by States (pp. 22-32).

REGULATION OF WAREHOUSING

UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (896)

REGULATIONS OF THE SECRETARY OF AGRICULTURE UNDER THE UNITED STATES WAREHOUSE ACT OF AUGUST 11, 1916 AS AMENDED. REGULATIONS FOR WAREHOUSEMEN STORING COTTONSEED FOR COMMERCIAL BUT NOT FOR SEED STOCK PURPOSES. APPROVED AUGUST 24, 1926. ISSUED SEPTEMBER 1926. Serv. and Regulat. Announc. 102, 35 pp. 1926.

Amendments 1, 2. 1927, 1929. [Mimeographed.]

BUREAU OF AGRICULTURAL ECONOMICS. (897)

REVISED REGULATIONS FOR COTTON WAREHOUSES. APPROVED APRIL 27, 1931.

REGULATIONS OF THE SECRETARY OF AGRICULTURE UNDER THE UNITED STATES WAREHOUSE ACT OF AUGUST 11, 1916 AS AMENDED. ISSUED JUNE 1931. Serv. and Regulat. Announc. 126, 23 pp. 1931.

BUREAU OF MARKETS. (898)

COMPLETE LISTS OF WAREHOUSEMEN, CLASSIFIERS, INSPECTORS, GRADERS, AND WEIGHERS LICENSED UNDER THE UNITED STATES WAREHOUSE ACT. LISTS OF LICENSES ISSUED PRIOR TO APRIL 1, 1921. Serv. and Regulat. Announc. 68, 26 pp. 1921.

List of cotton warehousemen, classifiers, and weighers licensed prior to April 1, 1921, pp. 2-16.

BUREAU OF MARKETS. (899)

INFORMATION CONCERNING THE UNITED STATES WAREHOUSE ACT. Serv. and Regulat. Announc. 61, 36 pp., illus. 1920.

Illustrations of forms of cotton warehouse receipts are included.

MISCELLANEOUS REGULATIONS

(900)

UNITED STATES DEPARTMENT OF AGRICULTURE. FEDERAL HORTICULTURAL BOARD.

COMPENSATION ON ACCOUNT OF NONCOTTON ZONES.—JOINT RESOLUTION OF CONGRESS AND REGULATIONS. (EFFECTIVE ON AND AFTER APRIL 1, 1922). PUBLIC RESOLUTION NO. 12. U.S. Cong., 67th [S.J.Res. 72], 2 pp. 1922.

Amendment, 1924.

PLANT QUARANTINE AND CONTROL ADMINISTRATION. (901)

SERV. AND REGULAT. ANNOUNC. 1-105. 1914-1932.

Nos. 1-95 were issued by the Federal Horticultural Board.

Items regarding the importation of cotton lint, linters, cottonseed, and legislation concerning the pink bollworm are included in this series.

WELLS, C. F. (902)

TARIFF RATES ON REPRESENTATIVE AGRICULTURAL PRODUCTS UNDER TARIFF ACTS OF 1930 AND 1922. 44 pp. Bur. Agr. Econ. 1931. [Mimeographed.]

Cotton, p. 32, cottonseed, p. 10, cottonseed oil, p. 8, cotton waste, p. 32.

RESEARCH PROGRAMS

FETROW, W. W. (903)

COTTON RESEARCH PROGRAM OF THE UNITED STATES DEPARTMENT OF AGRICULTURE AS AN AID TO COTTON COOPERATIVES * * * ADDRESS AT THE OKLAHOMA COOPERATIVE MARKETING SCHOOL, STILLWATER, OKLAHOMA, FEBRUARY 19, 1929. 11 pp., illus. Bur. of Agr. Econ. [1929] [Mimeographed.]

- UNITED STATES DEPARTMENT OF AGRICULTURE. BUREAU OF AGRICULTURAL ECONOMICS. (904)
- RESEARCH IN PROGRESS IN THE BUREAU OF AGRICULTURAL ECONOMICS JULY 1, 1932. PREPARED FOR THE USE OF RESEARCH WORKERS IN THE BUREAU OF AGRICULTURAL ECONOMICS, THE STATE AGRICULTURAL COLLEGES AND EXPERIMENT STATIONS, AND OTHER RESEARCH AGENCIES IN AGRICULTURAL ECONOMICS. 102 pp. 1932. [Mimeographed.]
- COTTON RESEARCH COORDINATION COMMITTEE. (905)
- LIST OF RESEARCH PROJECTS PERTAINING TO COTTON, INDICATING OBJECTIVES, ESTIMATED SUPPORT AND AVAILABLE PUBLICATIONS. 59 pp. 1929. [Mimeographed.]
- COTTON RESEARCH COORDINATION COMMITTEE. (906)
- MINUTES OF THE THIRD MEETING OF THE COTTON RESEARCH COORDINATION COMMITTEE. 5 pp. [1930] [Mimeographed.]
- YOUNGBLOOD, BONNEY. (907)
- THE CORRELATION OF RESEARCH IN COTTON MARKETING * * * ADDRESS DELIVERED BEFORE THE GENERAL SESSION OF THE ASSOCIATION OF SOUTHERN AGRICULTURAL WORKERS, AT MEMPHIS, TENNESSEE, FEBRUARY 2, 1928. 11 pp. Bur. Agr. Econ. [1928] [Mimeographed.]
- Describes the program of the Division of Cotton Marketing, Bureau of Agricultural Economics, United States Department of Agriculture. (908)
- THE NECESSITY FOR BETTER CORRELATION OF RESEARCH ACTIVITIES IN THE FIELD OF AGRICULTURE WITH SPECIAL REFERENCE TO COTTON GROWING. 16 pp. Off. Expt. Sta. [1930] [Mimeographed.]
- Presented before the Association of Southern Agricultural Workers, Jackson, Miss., February 5, 1930. (909)
- THE RESEARCH PROGRAM OF THE DIVISION OF COTTON MARKETING. 9 pp. Bur. Agr. Econ., 1927. [Mimeographed.]
- "The program, as now under way, may be outlined as follows: (1) Studies having to do with the spinning utility, or utilities, of the annual supply of American cotton * * * (2) studies of the consumption of cotton * * * (3) studies of the cotton markets themselves."

STUDY AND TEACHING

- LANE, C. H. (910)
- LESSONS ON COTTON FOR THE RURAL COMMON SCHOOLS. Dept. Bull. 294, 16 pp., illus. 1915.
- Designed to supplement organized school work.
- MERRILL, F. A. (911)
- LESSONS ON COTTON FOR ELEMENTARY SCHOOLS. Misc. Circ. 43, 27 pp., illus. 1925.
- "Intended as aids in teaching the subject in the seventh or eighth grades of elementary schools. * * * The lessons furnish only special features of the subject and are not intended to be exhaustive" (p. 1).

GENERAL BIBLIOGRAPHIES AND INDEXES

- BRADLEY, M. A., and HUNT, M. G. (912)
- INDEX TO PUBLICATIONS OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, 1901-25. 2689 pp. 1932.
- Covers all the publications of the United States Department of Agriculture for the period given with the exception of the periodicals issued by the Bureaus. The Journal of Agricultural Research and the News Letter, later called the Official Record, are included (p. 1).
- DAY, E. L., compiler. (913)
- COTTON LITERATURE; SELECTED REFERENCES. PREPARED IN THE LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE WITH THE COOPERATION OF THE BUREAU OF AGRICULTURAL ECONOMICS, BUREAU OF PLANT INDUSTRY AND BUREAU OF ENTOMOLOGY. January 1931—date, monthly. [Mimeographed.]
- Superseded Current Literature on Cotton; Selected References, July-December 1930. [Mimeographed.]

EDWARDS, E. E., compiler.

(914)

A BIBLIOGRAPHY OF THE HISTORY OF AGRICULTURE IN THE UNITED STATES.
Misc. Pub. 84, 307 pp. 1930.

For references to cotton see the index.

HAWKS, E. B., compiler.

(915)

COTTON: PARTIAL LIST OF PUBLICATIONS IN ENGLISH EXCLUSIVE OF PUBLICATIONS ON DISEASES AND PESTS AND PUBLICATIONS OF THE STATE EXPERIMENT STATIONS. Agr. Libr. Notes 1 (6) Sup., 12 pp. [1926.] [Mimeographed.]

OGDEN, E. L., and HAWKS, E. B., compilers.

(916)

LIST OF MANUSCRIPT BIBLIOGRAPHIES AND INDEXES IN THE U.S. DEPARTMENT OF AGRICULTURE INCLUDING SERIAL MIMEOGRAPHED LISTS OF CURRENT LITERATURE. Libr. Bibliog. Contrib. 11, 38 pp. 1926. [Mimeographed.]

Item 34 (p. 7), Cotton: Breeding and genetics of cotton. Approximately 500 entries by author. Fairly complete since 1910. (T. H. Kearney, Bureau of Plant Industry.)—Item 94 (p. 14), Southern field crop insects, e.g. cotton, tobacco, sugarcane, rice. A fairly complete bibliography of American and foreign species filed by author and by insect species, up to date. (J. L. Webb, Bureau of Entomology).

WARNER, M. F., compiler.

(917)

COTTON: PARTIAL LIST OF PUBLICATIONS IN ENGLISH EXCLUSIVE OF PUBLICATIONS ON DISEASES AND PESTS AND PUBLICATIONS OF THE STATE EXPERIMENT STATIONS 1926-28. Agr. Libr. Notes 4 (1-2) Sup., 5 pp. [1929.] [Mimeographed.]

A continuation of the original list with the same title, compiled by E. B. Hawks in 1926. (See item 915.)

APPENDIX

LIST OF DEPOSITORY LIBRARIES

The libraries listed have been designated by Congress to receive copies, as issued, of all publications printed by the Government for public distribution. These publications may be consulted by anyone during library business hours.

State or Territory	Place	Name of library	State or Territory	Place	Name of library
Ala....	Auburn.....	Alabama Polytechnic Institute.	Calif..	Santa Rosa.....	Free Public.
	Birmingham.....	Howard College. M. Paul Phillips, Birmingham Southern College.		Stanford University.	Stanford University.
	Florence.....	State Teachers College.	Colo....	Stockton.....	Free Public.
	Jacksonville.....	Do.		Boulder.....	University of Colorado.
	Montgomery.....	Department of Archives and History, State Capitol. State and Supreme Court.		Colorado Springs.	Colorado College Co-burn.
Alaska	Tuskegee Institute. University.....	Hollis Burke Frissell. University of Alabama.	Conn..	Denver.....	Colorado State. Public. Regis College. University of Denver. State Agricultural College.
	College.....	Alaska Agricultural College and School of Mines.		Gunnison.....	Western State College.
Ariz...	Juneau.....	Territorial Historical Library and Museum.	Del....	Pueblo.....	McClelland Public.
	Jerome.....	Public.		Bridgeport.....	Bridgeport Public.
Ark....	Phoenix.....	Do. State Law and Legislative Reference.	D.C....	Hartford.....	Connecticut State. Trinity College.
	Tucson.....	University of Arizona.		Middletown.....	Wesleyan University.
	Clarksville.....	College of the Ozarks.	New Haven.....	Yale University.	
Calif..	Conway.....	Hendrix College.	Newark.....	New London.....	Connecticut College.
	Fayetteville.....	University of Arkansas.		Storrs.....	Connecticut Agricultural College.
	Jonesboro.....	State A. & M. College.	Del....	Waterbury.....	Silas Bronson.
	Russellville.....	Arkansas Polytechnic College.		Dover.....	Delaware State. University of Delaware.
	Alturas.....	Modoc County Public.	Wilmington.....	Washington.....	Wilmington Institute Free.
Berkeley.....	University of California.	Washington.....		Army War College. Department of Agriculture. Department of Interior. Department of Justice. Naval Records and Library, Navy Department.	
Calif..	Claremont.....	Pomona College.	D.C....	Washington.....	Department of Interior. Department of Justice. Naval Records and Library, Navy Department.
	Eureka.....	Eureka Free.		Washington.....	Department of State. Treasury Department.
	Fresno.....	Fresno County Free.	D.C....	Washington.....	Sampson Library of John B. Stetson University.
	Los Angeles.....	Loyola University. Public. University of California. University of Southern California.		Washington.....	Department of State. Treasury Department.
	Long Beach.....	Public.	D.C....	Washington.....	Sampson Library of John B. Stetson University.
	Oakland.....	Oakland Free.		Washington.....	University of Florida. Public.
	Pasadena.....	California Institute of Technology.	D.C....	Washington.....	Do.
	Redlands.....	University of Redlands.		Washington.....	Florida State. Rollins College.
	Sacramento.....	California State. City Free.	D.C....	Washington.....	University of Georgia General.
	San Diego.....	Public.		Washington.....	Carnegie. Georgia State.
San Francisco.....	Mechanics Mercantile. Public.	D.C....	Washington.....	Library of Richmond County Academy and Junior College of Augusta.	
San Francisco.....	Mechanics Mercantile. Public.		Washington.....	North Georgia Agricultural College.	

State or Territory	Place	Name of library	State or Territory	Place	Name of library
Ga.	Emory University.	Asa Griggs Candler Library of Emory University.	Iowa	Mount Vernon	Cornell College.
	Macon	Washington Memorial.	Kans.	Sioux City	Public.
	Rome	Carnegie.		Baldwin	Baker University.
Hawaii	Savannah	Public.	Emporia	Kellogg Library of Kansas State Teachers College.	
	Honolulu	Library of Hawaii.	Hays	Forsyth Library of Fort Hays Kansas State College.	
Idaho	Albion	Albion State Normal.	Hiawatha	Morrill Free Public.	
	Boise	Carnegie Public.	Lawrence	University of Kansas.	
Ill.	Caldwell	Strahorn Memorial Library of College of Idaho.	Manhattan	Kansas State College of Agriculture and Applied Sciences.	
	Moscow	University of Idaho.	Pittsburg	Public.	
	Pocatello	University of Idaho, Southern Branch.	Salina	Kansas Wesleyan University.	
	Belleville	Public.	Topeka	Kansas State.	
	Bloomington	Illinois Wesleyan University.	Wichita	Kansas State Historical Society.	
	Carbondale	Wheeler Library, Southern Illinois State Normal University.		Morrison Library of the Municipal University of Wichita.	
	Ky.	Chicago	John Crerar. Museum of Science and Industry.	Danville	Center College.
			Newberry. Public.	Frankfort	Kentucky State.
			St. Ignatius High School.	Glasgow	Glasgow.
			University of Chicago.	Henderson	Public.
Danville		Public.	Lexington	University of Kentucky.	
Evanston		Northwestern University.	Lincoln Ridge	Lincoln Institute of Kentucky.	
Freeport		Public.	Louisville	Free Public.	
Galesburg		Do.	Murray	University of Louisville.	
Jacksonville		MacMurray College.	Somerset	Murray State Teachers College.	
Joliet		Do.	Winchester	Carnegie Public.	
La.	Lisle	St. Procopius College.	Baton Rouge	Kentucky Wesleyan College.	
	Monmouth	Monmouth College.	Louisiana State University.		
	Normal	Illinois State Normal University.	Louisiana State University Law.		
	Peoria	Public.	Natchitoches	Louisiana State Normal College.	
	Rockford	Do.	New Orleans	Howard Memorial.	
	Springfield	Illinois State.	Louisiana State.		
	Urbana	University of Illinois.	Louisiana State Museum.		
	Bloomington	Indiana University.	Public.		
	Crawfordsville	Wabash College.	Tulane University.		
	Evansville	Public.	Louisiana Polytechnic Institute.		
Ind.	Fort Wayne	Do.	Ruston	Louisiana Polytechnic Institute.	
	Greencastle	DePauw University.	Shreveport	Shreve Memorial.	
	Hanover	Hanover College.	Augusta	Maine State.	
	Huntington	City Free.	Bangor	Public.	
	Indianapolis	Indiana State.	Brunswick	Bowdoin College.	
	LaFayette	Purdue University.	Lewiston	Bates College.	
	Muncie	Public.	Machias	Washington State Normal School.	
	Notre Dame	University of Notre Dame.	Orono	University of Maine.	
	Richmond	Morrison-Reeves.	Portland	Public.	
	Terre Haute	Indiana State Teachers College.	Waterville	Colby College.	
Iowa	Valparaiso	Valparaiso University.	Md.	Annapolis	Maryland State.
	Ames	Iowa State College.			United States Naval Academy.
	Boone	Ericson Free Public.	Baltimore	Enoch Pratt Free.	
	Cedar Falls	Public.		Johns Hopkins University.	
	Council Bluffs	Free Public.		Peabody Institute Library.	
	Des Moines	Iowa State.	Chestertown	Washington College.	
	Dubuque	Public.	College Park	University of Maryland.	
	Fairfield	Free Public.	Westminster	Western Maryland College.	
	Fayette	Upper Iowa University.	Mass.	Amherst	Converse Memorial Library of Amherst College.
	Grinnell	Grinnell College.			Massachusetts State College.
Iowa City	State University of Iowa.				
Lamoni	Graceland College.				
Mount Pleasant	Iowa Wesleyan College.				

State or Territory	Place	Name of library	State or Territory	Place	Name of library	
Mass.	Boston	Boston Athenaeum. Public. State Library of Massachusetts.	Mont.	Missoula	State University of Montana.	
	Brookline	Public.		Lewistown	Fergus County High School.	
	Cambridge	Harvard College.	Nebr.	Blair	Dana College.	
	Lynn	Public.		Fremont	Midland College.	
	New Bedford	Do.		Lincoln	Nebraska State University of Nebraska.	
	Salem	Essex Institute.		Omaha	Public.	
	Tufts College	Tufts College.	Scottsbluff	Carnegie Public.		
	Williamstown	Williams College.	Carson City	Nevada State.		
	Worcester	American Antiquarian Society.	Reno	University of Nevada.		
	Mich.	Ann Arbor	Free Public. General Library of the University of Michigan.	N.H.	Concord	New Hampshire State.
Battle Creek		Public School Library.	Dover		Public.	
Benton Harbor		Public.	Durham	Hamilton Smith Library of the University of New Hampshire.		
Detroit		Do. University of Detroit.	N.J.	Hanover	Dartmouth College.	
East Lansing		Michigan State College of Agriculture and Applied Science.		Laconia	Public.	
Grand Rapids		Public.		Manchester	City.	
Houghton		Michigan College of Mines and Tech.		Atlantic City	Free Public.	
Kalamazoo		Public.		Bayonne	Do.	
Lansing		Michigan State.		Camden	Do.	
Muskegon		Hackley Public.		Elizabeth	Public.	
Port Huron	Public.	Jersey City		Free Public.		
Saginaw	Hoyt Public.	Newark		Public.		
Minn.	Cokato	H. C. Bull Memorial.		N. Mex.	New Brunswick	Free Public.
	Duluth	Public.	Princeton		Rutgers University.	
	Fergus Falls	Do.	Trenton		Princeton University.	
	Minneapolis	Do. University of Minnesota.	Albuquerque		Free Public.	
	Northfield	Carleton College.	East Las Vegas		New Jersey State University of New Mexico.	
	St. Paul	St. Olaf College. Minnesota Historical Society. Minnesota State. Public.	Santa Fe		University of New Mexico Normal University.	
	Stillwater	Carnegie Public.	Silver City		New Mexico State Teachers College.	
	Columbus	J. C. Fant Memorial Library of Mississippi State College for Women.	State College		New Mexico College of Agriculture and Mechanic Arts.	
	Jackson	Mississippi State.	N.Y.		Albany	New York State.
	State College	Mississippi State College.			Brooklyn	Montague Branch of Brooklyn Public.
University	University of Mississippi.	Buffalo	Pratt Institute Free. Grosvenor. Public.			
Mo.	Cape Girardeau	State Teachers College.	Canton	St. Lawrence University.		
	Columbia	University of Missouri.	Farmingdale	State Institute of Applied Agriculture.		
	Fulton	Westminster College.	Glens Falls	Crandall.		
	Hannibal	Free Public.	Hamilton	Colgate University.		
	Jefferson City	Missouri State. Public.	Ithaca	Cornell University.		
	Kansas City	Public. Rockhurst College.	Jamaica	Queens Borough Public.		
	Liberty	William Jewell College.	Keuka Park	Keuka College Public.		
	Rolla	School of Mines and Metallurgy Library of University of Missouri.	Newburgh	Newburgh Free.		
	St. Joseph	Public.	New York	Astor Branch of New York Public.		
	St. Louis	Do. St. Louis University.	N.C.	Chapel Hill	University of North Carolina.	
Washington	University.	Schenectady		Union College.		
Springfield	Drury College.	Syracuse		Syracuse University.		
Warrensburg	State Teachers College.	Troy		Public.		
Bozeman	Montana State College.	Utica		Do.		
Butte	Montana School of Mines.	West Point		United States Military Academy.		
Helena	Historical Society of Montana. Public.	Yonkers		Public.		

State or Territory	Place	Name of library	State or Territory	Place	Name of library
N. C.	Charlotte	Queens College.	Pa.	Bethlehem	Lehigh University.
	Davidson	Library of Davidson College.		Bradford	Carnegie Public.
	Durham	Duke University.		Carlisle	J. Herman Bosler Memorial.
	Raleigh	North Carolina State College.		Erie	Public.
	Salisbury	North Carolina State College.		Gettysburg	Gettysburg College.
	Wake Forest	Catawba College.		Harrisburg	Pennsylvania State.
	Washington	Wake Forest College.		Haverford	Haverford College.
	Wilson	Public Schools.		Huntingdon	Juniata College.
		Atlantic Christian College.		Lancaster	Watts De Peyster Library of Franklin & Marshall College.
N. Dak.	Bismarck	State Historical. State Law.		Meadville	Allegheny College.
	Fargo	North Dakota Agricultural College and Experiment Station.		Philadelphia	Free. Mercantile. Philadelphia Library Co.
	Grand Forks	University of North Dakota.			Philadelphia Museum. University of Pennsylvania.
	Minot	State Teachers College.		Pittsburgh	Carnegie. Carnegie Free Library of Allegheny. University of Pittsburgh.
Ohio	Valley City	Do.		Reading	Public.
	Alliance	Mount Union College.		Scranton	Do.
	Athens	Ohio University, Edwin Watts Chubb Library.		State College	Pennsylvania State College.
	Bowling Green	Bowling Green State College.		Swarthmore	Swarthmore College.
	Bucyrus	Public.		Warren	Warren Library Association.
	Chillicothe	Do.		Washington	Memorial Library of Washington and Jefferson College.
	Cincinnati	Do.		Williamsport	James V. Brown.
	Cleveland	University of Cincinnati.	P. I.	Manila	National Library. University of the Philippines.
	Columbus	Adelbert College Library of Western Reserve University.	P. R.	Mayaguez	University of Puerto Rico, College of Agriculture and Mechanic Arts.
	Dayton	Case. Ohio State. Ohio State University.		Rio Piedras	University of Puerto Rico.
	Delaware	Do.	R. I.	Kingston	Rhode Island State College.
	Gambier	Charles Slocum Library of Ohio Wesleyan University.		Providence	Brown University. Public. Rhode Island State. Public.
	Granville	Kenyon College.	S. C.	Westerly	Public. Charleston College. Charleston Library.
	Hiram	Denison University.		Charleston	Charleston College. Clemson College.
	Marietta	Hiram College.		Clemson College	Clemson College.
	Marietta	Marietta College.		Clinton	Presbyterian College.
	Oberlin	Oberlin College.		Columbia	South Carolina State. University of South Carolina.
	Oxford	Miami University.		Greenwood	Public.
	Portsmouth	Public.		Rock Hill	Carnegie Library of Winthrop College.
	Sidney	Do.	S. Dak.	Brookings	South Dakota State College of Agriculture and Mechanic Arts.
	Springfield	Warder Public.		Huron	Huron College.
	Springfield	Public.		Mitchell	Dakota Wesleyan University.
	Toledo	Public.		Pierre	South Dakota State.
	Van Wert	Brumback Library of Van Wert County.		Sioux Falls	Carnegie Free Public.
	Youngstown	Public.		Yankton	Yankton College.
Okla.	Ada	East Central State Teachers.		Vermillion	University of South Dakota.
	Alva	Northwestern State Teachers College.	Tenn.	Chattanooga	Carnegie Public.
	Durant	Southeastern Teachers College.		Knoxville	University of Tennessee.
	Enid	Carnegie Public.		Memphis	Cossitt.
	Norman	University of Oklahoma.		Murfreesboro	State Teachers College.
	Oklahoma City	Oklahoma State.		Nashville	Carnegie. Tennessee State.
	Shawnee	Oklahoma Baptist University.			Vanderbilt University.
	Stillwater	Agriculture and Mechanical College.			
	Tahlequah	Northeastern State Teachers College.			
	Tulsa	University of Tulsa.			
Oreg.	Corvallis	Oregon Agricultural College.			
	Eugene	Oregon Agricultural College.			
	Forest Grove	University of Oregon.			
	Portland	Pacific University.			
	Portland	Library Association of Portland.			
	Salem	Reed College.			
		Oregon State.			

State or Territory	Place	Name of library	State or Territory	Place	Name of library
Tenn...	Sewanee.....	University of the South.	Va....	Norfolk.....	Public.
Tex....	Austin.....	Texas State.		Richmond.....	Virginia State.
	Brownwood.....	University of Texas.		Salem.....	Roanoke College.
	Canyon.....	Howard Payne College.		University.....	University of Virginia.
	College Station.....	The West Texas State Teachers College.		University of Richmond.	University of Richmond.
	Corsicana.....	Agricultural and Mechanical College of Texas.	Wash..	Everett.....	Public.
	Dallas.....	Public.		Olympia.....	Washington State.
		Law Library, Southern Methodist University.		Pullman.....	State College of Washington.
	Denton.....	Public.		Seattle.....	Public.
	El Paso.....	Texas State College for Women, College of Industrial Arts.			University of Washington.
	Fort Worth.....	Public.	W.Va..	Spokane.....	Public.
	Galveston.....	Carnegie Public.		Tacoma.....	Do.
	Georgetown.....	Texas Christian University.		Walla Walla.....	Whitman College.
	Houston.....	Rosenberg.		Athens.....	Concord State Normal.
	Port Arthur.....	Southwestern University.		Charleston.....	Department of Archives and History, State.
	San Antonio.....	Public.		Elkins.....	Davis and Elkins College.
	Waco.....	Gates Memorial.		Fairmont.....	Fairmont State Teachers College.
Utah..	Ephraim.....	Carnegie.		Harpers Ferry...	Roger Williams Library of Storer College.
	Logan.....	Baylor University.		Huntington.....	James E. Morrow Library of Marshall College.
	Ogden.....	Snow College.		Institute.....	West Virginia State College.
	Provo.....	Utah State Agricultural College.		Montgomery.....	New River State College.
	Salt Lake City...	Carnegie Free.		Morgantown.....	West Virginia University.
Vt....	Burlington.....	Brigham Young University.		Salem.....	Salem College.
		University of Utah.	Wis...	Appleton.....	Lawrence College.
	Middlebury.....	Utah State.		Beloit.....	Beloit College.
	Montpelier.....	Fletcher Free.		Eau Claire.....	Public.
	Northfield.....	University of Vermont.		Fond du Lac.....	Do.
Va....	Blacksburg.....	Billings.		La Crosse.....	Do.
		Middlebury College.		Madison.....	State Historical Society.
	Bridgewater.....	Vermont State.			Wisconsin State.
	Emory.....	Norwich University.		Milwaukee.....	Public.
	Hampden Sidney.	Virginia Polytechnic Institute.		Racine.....	Do.
	Lexington.....	Bridgewater College.		Superior.....	Do.
		Emory and Henry College.	Wyo...	Casper.....	Natrona County Public.
		Hampden Sidney College.			lic.
		Virginia Military Institute.		Cheyenne.....	Wyoming State.
		Washington and Lee University.		Laramie.....	University of Wyoming.

INDEX

	Item		Item
Abbasi variety, notes on-----	316	Agricultural Economics Bureau :	
Absorption from potassium chloride solutions-----	364	Cotton Marketing Division. <i>See</i>	
Acala variety :		Cotton Marketing Division,	
breeding experiments-----	368	Bureau of Agricultural Economics,	
community production-----	476	Machine Tabulation and Comput-	
comparison with Pima-----	33	ing Section. <i>See</i> Machine	
cultural and marketing advan-		Tabulation and Computing	
tages-----	297	Section of Bureau of Agricul-	
fiber development-----	692	tural Economics.	
history-----	297	Research in progress July 1,	
improvement through type selec-		1932-----	904
tion-----	43	Agriculture, Department of :	
inheritance of off-type charac-		museum of cotton samples-----	691
ters-----	71	publications, 1901-25, index to-	912
production in San Joaquin Val-		Agriculture in the United States,	
ley-----	290	history-----	914
spacing experiments-----	354	Agronomy :	
spinning tests-----	722	current literature-----	379
Accounting system :		section on-----	288-387
for gins-----	493	Airplane (s) :	
for warehouses-----	667	fabric :	
Acreage :		manufacturing and labora-	
1866-95-----	600	tory tests-----	713
1866-1931, revised estimates-----	575	signal corps specifications-----	713
1867-----	437	use in insect control-----	148, 204, 206
1879-----	596	bibliography-----	164
1890-1930/31-----	572	Alabama :	
1924-----	594	consumption, 1850-1903-----	613
1926-31-----	433	diversified farming-----	419, 435
charts and tables-----	436	grade and staple length, 1928-	
effect of price on-----	621	29-----	553
estimates, revised-----	575	intensive farming-----	418
influenced by farmer opinions-----	433	nitrate plants-----	389
methods of determining-----	590	production :	
<i>See also</i> Crop reports.		1850-1903-----	613
percent of total crop area, 1909		costs :	
and 1924-----	566	1918-----	445
percentage changes, estimated		1923-----	444
and actual-----	638	successful diversification farm--	419
reduction campaigns in 1905,		<i>Alabama argillacea</i> Hbn. <i>See</i> Cotton	
1915, 1921 and 1927-----	875	leaf worm.	
shifts :		ALBERT, W. B. : A Study of the Cot-	
1919-24-----	547, 567	ton Plant with Especial Reference	
1919-29-----	534	to its Nitrogen Content. With G.	
effect on Southern agricul-		M. Armstrong-----	1
ture-----	566	Alfalfa in rotation with Egyptian	
maps-----	595	cotton-----	329
Acromania or "crazy-top" :		"Alkali", root-rot known as-----	144
and other growth disorders-----	95	Alkali lands, reclamation in Egypt,	
severity, factors influencing-----	113	use of cotton in-----	333
Act authorizing the Secretary of Ag-		ALLARD, H. A. :	
riculture to collect and publish		The Fibers of Long-staple Up-	
statistics of the grade and staple		land Cottons-----	686
length of cotton-----	859	Oil Content of Seeds as Affected	
ADAMS, L. A. : An Analysis of the		by the Nutrition of the Plant.	
Difference Between the Retail		With others-----	788
Price of Cotton Cloth and the		Allen variety, comparison with Dur-	
Price of Cotton-----	620	ango-----	302
Africa as competitive source of sup-		ALLISON, F. E. :	
ply-----	525	Cyanamid, its Uses as a Fertil-	
AGELASTO, A. M. :		izer Material-----	388
Linters-----	811	Field Experiments with Atmos-	
Some Phases of the Long-staple		pheric-nitrogen Fertilizers.	
Cotton Situation in the United		With others-----	389
States. With others-----	533	Influence of Fertilizers Contain-	
The Cotton Situation. With		ing Borax on the Growth and	
others-----	592	Fruiting of Cotton. With J.	
Agricultural Adjustment Act applied		J. Skinner-----	402
to cotton-----	879		

Item	Item
ALSBERG, C. L.:	ARMSTRONG, G. M.—Continued.
Pharmacology of <i>Gossypol</i> .	The Toughness of Cotton Bolls
With E. W. Schwartz-----	in Relation to Age and Nutri-
Quantitative Variation of <i>Gos-</i>	Supply as Measured by
ypol and its Relation to the	Pressure Tests-----
Oil Content of Cottonseed.	Army worm. See Cotton worm.
With E. W. Schwartz-----	Artificial cotton, English-----
Relation between Toxicity of	Ashmouni variety, notes on-----
Cottonseed and its <i>Gossypol</i>	Asiatic varieties, description-----
Content. With E. W.	Association of Economic Entomolo-
Schwartz-----	gists:
American Cotton Growers' Exchange,	17th annual meeting-----
organization and history-----	18th annual meeting-----
American-Egyptian cotton:	Association of Official Agricultural
production and estimated value,	Chemists, convention, 1892-----
1912-25-----	Association of Southern Agricultu-
report of Committee on South-	ral Workers, recommendation for
western cotton culture-----	cultural practices-----
selection and marketing-----	Associations, farmer:
spinning tests, selected bales--	handling cotton, 1929-----
standards-----	See also Cooperative organiza-
See also Arizona-Egyptian cotton;	tions.
Pima cotton.	ATKINS, I. M.: Crop Rotation and
American Upland cotton. See Up-	Tillage Experiments at the San
land cotton.	Antonio (Texas) Field Station.
ANDREWS, F.:	With G. T. Ratliffe-----
Crop Export Movement and	ATKINSON, C. E.: Cotton Ginning
Port Facilities on the Atlan-	Information for Farmers. With
tic and Gulf Coasts-----	others-----
Freight Costs and Market Val-	ATKINSON, E.: address at cotton
ues-----	convention, Atlanta, Ga-----
Handbook of Foreign Agricul-	ATKINSON, G. F.: Diseases of Cot-
tural Statistics-----	ton-----
ANDERSON, E. H.: Report upon the	Atlas of American Agriculture, Cot-
Cotton Worm in South Texas in	ton Section-----
the Spring and Early Summer of	Austria, manufacture, 1845-----
1883-----	
Ant(s):	Bagging:
Argentine-----	cotton:
attacking cotton in Texas-----	compared with jute-----
enemy of bollweevil-----	for cotton-----
white-----	See also Baling; Tare.
See also Kelep, weevil-eating	Bags and other containers:
ant.	as consumer packages for pota-
<i>Anthonomus grandis</i> Boh. See Boll-	toes-----
weevil.	in fertilizer industry-----
<i>Anthonomus grandis thurberia</i>	in flour mills-----
Pierce. See <i>Thurberia</i> weevil.	in grocery trade-----
Anthraxnose-----	in laundries-----
control-----	in wholesale grocery trade--
importance-----	750, 753
101, 123	BAILEY, H. S.: The Production and
Aphid. See Cotton aphid or louse.	Conservation of Fats and Oils in
ARCHIBALD, J.G.: The Digestibility	the United States. With B. E.
and Energy Values of Feeds for	Reuter-----
Horses. With others-----	819
840	BAILEY, V.: Birds Known to Eat
Area. See Acreage.	the Boll Weevil-----
Arizona:	220
farm survey-----	BAKER, L.: A Comparative Study of
irrigation survey-----	the Protective Value of Certain
Arizona-Egyptian cotton:	Fabrics in Still and Moving Air.
comparison with Sea Island	With others-----
and Sakellaridis Egyptian,	767
spinning tests-----	BAKER, O. E.:
handling and marketing in Salt	A Graphic Summary of American
River valley-----	Agriculture Based Largely
See also American-Egyptian cotton;	on the Census-----
Pima cotton.	Agricultural Maps-----
Arizona Pima Cotton Growers, in-	Atlas of American Agriculture.
vestigation of Pima-----	With O. C. Stine-----
728	Seedtime and Harvest. With
Arizona wild-cotton weevil. See	others-----
<i>Thurberia</i> weevil.	469
Arkansas:	Bale(s):
diversified farming-----	coverings. See Bagging: Bal-
grade and staple, 1928-29-----	ing; Tare.
prices related to quality-----	Egyptian, advantages-----
production:	652
by free labor-----	marketing charges, 1840 and
costs-----	1897-----
444	presses-----
single-stalk culture-----	490
292	Baling:
ARMSBY, H. P.: The Computation of	in 1866-----
Rations for Farm Animals by the	methods in Egypt-----
use of Energy Values-----	See also Bagging; Tare.
833	BALLARD, W. W.:
ARMSTRONG, G. M.:	Behavior of Cotton Planted at
A Study of the Cotton Plant	Different Dates in Weevil-
with Especial Reference to its	Control Experiments in Texas
Nitrogen Content. With W.	and South Carolina. With
B. Albert-----	D. M. Simpson-----
1	213

Item	Item
BALLARD, W. W.—Continued.	BECKETT, R. E.—Continued.
Cottonseed Mixing Increased by Modern Gin Equipment. With C. B. Doyle	The Shedding of 4-Lock and 5-Lock Bolls. With J. W. Hubbard
Growth of Fruiting Parts in Cotton Plants. With others	Beds See Mattresses, cotton
BARBER, E. R.: The Argentine Ant: Distribution and Control in the United States	Belgium, marketing practices
BARBER, T. C.: Preliminary Observations on an Insect of the Cotton Stainer Group New to the United States	BELL, G. A.: Cottonseed Meal for Horses. With J. O. Williams
The Argentine Ant. With W. Newell	BENNETT, C. A.: Seed-cotton Drying Proves Profitable; Two Types of Driers Used
BARNARD, W. S.: Experimental Tests of Machinery Designed for the Destruction of the Cotton Worm	The Vertical Seed-cotton Drier
Barrow Agricultural Society, Report on cultivation	BENNETT, H. H.: Soil Regions of the Cotton Belt (map)
BARR, J. E.: Delinting and Recleaning Cottonseed for Planting Purposes	BENNETT, R. L.: A Method of Breeding Early Cotton to Escape Boll-Weevil Damage
Marketing Cottonseed for Planting Purposes	BENTON, M. C.: Cotton News Summary
BARROW, D. N.: Seed Selection for Southern Farms. With S. A. Knapp	Cotton Surplus Relief Plans. Some references
Barrow-Agee laboratories, ammonia determinations	Uses for Cotton. Selected References
BARTHOLOMEW, R. P.: The Influence of the Potash Concentration in the Culture Medium on the Production of Carbohydrates in Plants. With G. Janssen	BERCAW, L. O.: Bibliography on the Marketing of Agricultural Products. With E. M. Colvin
BEAL, W. H.: Chemistry of Cotton. With J. B. McBryde	Labor Requirements of Farm Products in the United States. A list of references
BEALS, C. L.: The Digestibility and Energy Values of Feeds for Horses. With others	The Domestic Allotment Plans for the Relief of Agriculture. Selected references
BEAN, L. H.: Applications of a Simplified Method of Graphic Curvilinear Correlation	Beriberi and cottonseed poisoning
Discussion of price forecasting	BESSEY, E. A.: Root-knot and its Control
Farm Prices and Incomes Reflect Business and Financial Conditions	The Control of Root-knot. With L. P. Byars
Some Interrelationships between the Supply, Price, and Consumption of Cotton	BETHKE, R. M.: The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals. With others
BEAVERS, J. C.: Farm Practice in the Use of Commercial Fertilizers in the South Atlantic States	BETTS, R. E.: Grade and Staple of Mississippi Cotton—Crops of 1928 and 1929. With W. B. Lanham
BECKER, G. G.: Cotton Pest Related to Boll Weevil now Quarantined in West	Grade and Staple of South Carolina Cotton—Crops of 1928 and 1929. With W. B. Lanham
BECKER, J. A.: Cotton Crop Reports of the United States Department of Agriculture	Quality of Cotton Produced in North Carolina Crops of 1928 and 1929. With W. B. Lanham
Crop Reporting Board Policy in Forecasting Cotton Production from Condition	BEVERIDGE, E. A.: Investigations of American Cotton Tare
Crop-yield Forecasts Demand Study of Many Complex Relationships	BEXELL, J. A.: A System of Accounting for Cotton Ginneries. With A. V. Swarthout
Regional Shifts Large in Major Crop Acreages during Decade 1919-29	Bibliographies:
The Effect of the Boll-weevil upon the Cotton Production of the United States	agronomy
BECKETT, R. E.: Budding and Grafting Trials with Cotton and Related Plants	airplanes in insect control
Growth and Development of Cotton Plants at Greenville, Texas. With others	bollweevil
Growth of Fruiting Parts in <i>Gossypium certium</i>	botany
	chemistry of plant and products
	control of production by governments
	cotton and cottonseed
	storage
	domestic allotment plans
	farmers' response to price
	general, section on
	government publications on textiles and clothing
	in Atlas of American Agriculture
	in Experiment Stations Bull. 33
	influence of weather on crops
	labor requirements of farm products

Item	Item
Bibliographies—Continued.	
marketing of agricultural products	500
marketing of agricultural products (supplement)	498
price-fixing by governments	870
publications of the Bureau of Crop Estimates	606
relation of clothing to health	769
statistical data published by Bureau of Crop Estimates	606
storage of cottonseed and seed cotton	671
textiles and clothing	766
uses for cotton	735
BIDWELL, G. L.: Composition of Cotton Seed. With C. F. Creswell	787
Birds known to eat the boll weevil:	
in winter	230
investigations in 1904	220
listed	231
means of increasing numbers	226
summary of investigations	229
BISHOPP, F. C.:	
An Annotated Bibliography of the Mexican Cotton Boll Weevil	166
The Bollworm or Corn Ear Worm as a Cotton Pest	235
The Cotton Bollworm: A Summary of its Life History and Habits, with some Results of Investigations in 1905 and 1906. With C. R. Jones	236
The Cotton Bollworm: Some Observations and Results of Field Experiments in 1904. With A. L. Quaintance	243
BLACK, W. H.:	
Fattening Steers on Dry-land Crops of the Southwest. With others	836
Sorgo Silage, Sorgo Fodder, and Cottonseed Hulls as Roughages in Rations for Fattening Calves in the Southwest. With others	837
"Black-root"	805
BLAIR, R. E.: The Work of the Yuma Reclamation Project Experiment Farm of 1918	288
BLAIR, W. G.:	
Comparative Spinning Tests of Meade and Sea Island Cottons. With W. R. Meadows	707
Comparative Spinning Tests of Superior Varieties of Cotton (grown under weevil conditions). With W. R. Meadows	708
Preliminary Manufacturing Tests of the Official Cotton Standards of the United States for Color for Upland Tinged and Stained Cotton. With W. R. Meadows	709
Spinning Tests of Cotton Compressed to Different Densities. With W. R. Meadows	710
Spinning Tests of Reginned and Cleaned Cotton. With W. R. Meadows	711
Blight:	
control	123
described	102
investigations in 1857	273
Blooming order, rate and regularity	34
BOEGER, E. A.: A Study of the Tenant System of Farming in the Yazoo-Mississippi Delta. With E. A. Goldenweiser	411
BOERNER, E. G.: The Intrinsic Values of Grain, Cottonseed, Flour, and Similar Products, based on the Dry-matter Content	786
Boll (s):	
at different heights of plant,	
fiber lengths	695
carpels, supernumerary	37
characters, relation of fruitfulness to	17
decays	136
development:	
affected by removal of involucre	30
chemical study	846
rate	352
relation to branching	33
4- and 5-lock, shedding	5
gossypol content, changes	7
oil content, changes	7
plant bugs injurious to	157
rot. See Anthracnose.	
shedding:	
and water relations	343
control	102
4- and 5-lock bolls	5
spot	142
sugar, oil and gossypol content, changes	7
toughness in relation to age and nutrient supply	2
Bollweevil:	
and related and associated insects	183
Arizona and Mexican:	
differences	196
relation	188
See also Thurberia weevil.	
bibliography, by F. C. Bishopp	166
biology:	
at Florence, S.C.	189
on upland and sea-island cottons	197
studies in Mississippi Delta	192
section on	187-197
capture:	
at night	203
by airplane	148
cause of "boll-weevil" cotton in Texas	167
condensed information on	153
conditions:	
cultivation under	184, 349
improvement	298
methods	347, 381
recommendations	181
uniformity of action	180
urged	180
varieties grown under, spinning tests	708
control:	
at gins	202
by—	201
breeding early cotton	214
collecting weevils and infested squares	215, 216
destroying old plants in field	218
insect enemies	175
planting at different dates	213
poisoning	186
See also Bollweevil, dusting.	
square picking and weevil picking	216
in cottonseed	201
methods:	
brief outline	199
cultural	174, 175
effect on control of other insects	171
experiments	202
in farm scheme	145
summary	171, 199
section on	198, 234

Item	Item
Bollweevil—Continued.	Bollworm—Continued.
damage:	damage:
1910-28-----	average annual-----
relation of drought-----	estimate-----
relation of precipitation-----	life history and habits--- 236, 237, 241
destruction:	pink. <i>See</i> Pink bollworm.
by birds-----	poisoning by machines-----
importance-----	remedies-----
in winter-----	Bolly cotton, marketing-----
legislation needed-----	Bömer test method for detecting cottonseed oil in lard-----
species listed-----	BONDY, F. F.: Calcium Arsenate Dusting as a Cause of Aphid Infestation. With J. W. Folsom-----
summary of information-----	Borax in fertilizer, influence on growth and fruiting-----
by Guatemalan ant or kelep-----	Botany:
by insect enemies-----	current literature-----
development and activity, relation of temperature and humidity-----	of cotton, by W. H. Evans-----
dispersal flights-----	BOYKIN, E. B.:
distribution, 1911-22-----	Comparative Value of Whole Cotton Seed and Cotton-seed Meal in Fertilizing Cotton-----
dusting-----	The Advantage of Planting Heavy Cotton Seed. With H. J. Webber-----
community action in-----	Brachysm, or clustering:
experiments, 1916-17-----	distinguished from acromania-----
from airplanes-----	hereditary deformity-----
machinery-----	Bract spot-----
effect of floods on-----	BRADLEY, M. A.: Index to Publications of the United States Department of Agriculture, 1901-25. With M. G. Hunt-----
effect upon production in United States-----	BRAHAM, J. M.: Field Experiments with Atmospheric-nitrogen Fertilizers. With others-----
enemies:	Branches:
ants-----	dimorphic-----
Guatemalan ant or kelep-----	fruiting:
predatory bug-----	abortion-----
studied-----	competition with vegetative-----
feeding habits on plants other than cotton-----	development of axillary buds on-----
fight activities-----	height on plant, relation to seed fuzziness-----
hibernation and development-----	morphology-----
host plants-----	vegetative:
in-----	control:
Cuba-----	by closer spacing of plants-----
Louisiana-----	single-stalk culture-----
Mississippi Delta-----	<i>See also</i> Single-stalk culture.
Texas-----	Branching:
introduction into United States, 1894-----	development of bolls and flowers in relation to-----
investigations:	habits of Egyptian cotton-----
1904-13-----	BRAND, C. J.:
laboratory methods-----	Behavior of Seed Cotton in Farm Storage. With W. A. Sherman-----
plan of work-----	Crop Plants for Paper Making-----
report summarizing-----	Improved Methods of Handling and Marketing Cotton-----
life history-----	member of Committee on Southwestern Cotton Culture-----
changes since entrance into United States-----	Studies of Primary Cotton Market Conditions in Oklahoma. With others-----
observations-----	The Utilization of Crop Plants in Paper Making-----
odors attracting-----	BRANNER, J. C.: Cotton in the Empire of Brazil-----
origin, life history, hibernation, control-----	Brazil:
paris green as insecticide-----	competitive source of supply-----
problem-----	consumption-----
quarantines-----	cultivation—antiquity, methods and extent-----
ravages, work of Bureau of Plant Industry-----	exports-----
relation of drought to remedial work against-----	industry-----
section on-----	insects-----
senses-----	Breeding:
status-----	bibliography-----
in 1901-----	disease-resistant seed-----
in 1903-----	
in 1904-----	
in 1909-----	
temperature—	
and humidity relations-----	
factor in control-----	
wild cotton. <i>See</i> <i>Thurberia weevil</i> .	
“Boll-weevil cotton”-----	
Bollworm:	
and cotton worm, section on-----	
bibliography-----	
condensed information on-----	
control-----	

	Item		Item
Breeding—Continued.		Cake, cottonseed. See Cottonseed,	
experiments:		cake.	
at San Antonio, Tex.-----	326	California:	
Kekchi, Acala and Lone		cultivation in San Joaquin val-	
Star-----	368	ley-----	289, 328
industrial progress in-----	317	extension of production-----	540
line, superiority over narrow	50	handling and marketing Dur-	
methods-----	56	ango cotton-----	655
Breeding and genetics, section on-----	43-75	irrigation survey-----	461
BRIGGS, L. J.: Relative Water Re-		one-variety communities-----	476, 478
quirement of Plants. With H. L.		variety tests-----	300
Shantz-----	6	CALLANDER, W. F.:	
BRODELL, A. P.:		Methods used by Crop Report-	
Cotton Harvesting by Newer		Board in Estimating the	
Methods Saves much Labor-----	453	Cotton Crop. With V. C.	
Labor Requirements Measured		Childs-----	586
for Principal Crops-----	412	Recent Developments in Cotton	
Requirements and Costs for		Crop Estimating-----	587
Picking, Snapping and Sled-		Review of the 1928 Cotton	
ding Cotton in Western Texas		Crop-----	536
and Oklahoma. With M. R.		Cambium curculio, attack on bolls--	263
Cooper-----	440	CAMP, W. B.:	
BRODIE, D. A.:		Cotton Culture in the San	
Building up a Run-down Cotton		Joaquin Valley in Califor-	
Plantation-----	413	nia-----	289
Diversified Farming in the Cot-		Production of Acala Cotton in	
ton Belt. With others-----	435	the San Joaquin Valley of	
Diversified Farming under the		California-----	290
Plantation System. With C.		Uniform-depth Press-wheel Cot-	
K. McClelland-----	414	ton-planter Attachment. With	
BROOKS, C. F.: Seedtime and Har-		J. S. Townsend-----	454
vest. With others-----	409	CAMP, W. R.: A Study of Cotton	
BROOKS, F. E.: The Cambium Cur-		Market Conditions in North Car-	
culio <i>Conotrachelus anaglypticus</i>		olina with a View to their Im-	
Say. With R. T. Cotton-----	265	provement. With O. J. McCon-	
BROWN, B. E.: Potash Hunger in		nell-----	653
War Years Taught Lesson. With		CAMPELL, M.: Dresses for the Little	
J. J. Skinner-----	391	Girl-----	761
BROWN, H. H.:		CAMPBELL, M. E.:	
Cotton Gin Fires Caused by		Spinning Test of Picked and	
Static Electricity-----	491	Snapped Cotton (Texas Crop	
Cotton-gin Fires Frequent;		of 1926) With H. H. Willis--	703
Chief Cause is Static Electric-		Spinning Tests of Selected Bales	
ity. With H. E. Roethe-----	482	of Sea Island, American-	
BROWNE, D. J.: The Cotton Manu-		Egyptian, and Egyptian-Sakel-	
factures of the United States--	511	laridis Cotton-----	702
BRUES, C. T.: The Cotton Bollworm.		Canvas:	
With A. L. Quaintance-----	242	used in power laundries-----	738
<i>Bucculatrix thurbericlla</i> Busck. See		waterproofing and mildewproof-	
Cotton, leaf perforator.		ing:	
BUCHANAN, H. F.: The Development		investigations-----	745
of Cooperative Cotton Gins in		on the farm-----	744
Georgia. A preliminary report--	483	CAPRON, H.: Agriculture in Japan--	291
Bud(s):		Carbon disulphid, as insecticide---	154
abortion, noninheritance in		CARDON, P. V.:	
Pima-----	63	Custom Ginning as a Factor	
axillary, development on Pima		in Cottonseed Deterioration.	
and upland-----	32	With D. A. Saunders-----	492
Budding and grafting trials-----	3	Experiments with Single-stalk	
BULLARD, W. I., representative at In-		Cotton Culture in Louisiana,	
ternational Cotton Conference--	505	Arkansas, and North Caro-	
BURGESS, J. S., Jr.:		lina-----	292
Farm Prices of Cotton in Rela-		Nurse Planting Select Cotton	
tion to its Grade and Staple		Seed-----	293
Length in Local Markets in		CARPENTER, C. W.: Wilt Diseases of	
the United States Season		Okra and the Verticillium-	
1928-29, 1929-30, and 1930-		wilt Problem-----	94
31. With L. D. Howell-----	628	CARRUTH, F. E.:	
Farm Prices of Cotton Related		Comparative Toxicity of Cotton-	
to its Grade and Staple		seed Products. With W. A.	
Length—Mississippi Crop Sea-		Withers-----	854
son 1928-29. With others--	629	Gossypol, the Toxic Substance	
Burlap, comparison with new cotton		in Cottonseed. With W. A.	
material for hooked-rug founda-		Withers-----	855
tion-----	760	Gossypol, the Toxic Substance	
BURNHAM, D. R.: Fattening Steers		in Cottonseed Meal. With	
on Dry-land Crops of the South-		W. A. Withers-----	856
west. With others-----	836	Carryover:	
BUSCK, A.: The Pink Bollworm,		relation to price-----	638, 876
<i>Pectinophora gossypiella</i> -----	247	statistics. See Statistics, sec-	
partial reprint-----	253	tion on.	
BYARS, L. P.: The Control of Root-		world:	
knot. With E. A. Bessey-----	105	American cotton-----	576
CAFFEY, F. G.: The United States		and consumption of Ameri-	
Cotton Futures Act-----	864	can cotton-----	872

Item	Item
CASKEY, C., Jr.: Changes in the Sugar, Oil, and Gossypol Content of the Developing Cotton Boll. With W. D. Gallup-----	7
CASSIDY, T. P.: Cotton Boll Weevil Control by the Use of Poison. With B. R. Coad-----	205
Dusting for the Cotton Boll Weevil. With B. R. Coad-----	207
Some Rules for Poisoning the Cotton-Boll Weevil. With B. R. Coad-----	207
CATES, H. R.: Farm Practice in the Cultivation of Cotton-----	415
Cats, use in gossypol tests-----	850
Cell-sap properties-----	340
CHAMBERS, C. L.: Hairy Vetch Turned Under Greatly Increases South's Cotton and Corn Yields-----	294
CHANDLER, E. E.: A New Mechanical Method for Determining the Length of Cotton Fibers-----	687
A New Method for Determining the Strength of Cotton-----	688
Characters: boll-----	55
correlation: in upland-Egyptian hybrid-practical application-----	65
definitions-----	75
fiber-----	65
of several varieties, description of superior variety-----	14
off-type, inheritance-----	314
Pima and upland, comparison-----	71
relation to fruitfulness-----	337, 341
seed, fiber, and boll-----	17
segregation and correlation in upland-Egyptian hybrid-----	55
weevil-resistant. See Varieties, weevil-resistant.	65
CHEATHAM, R. J.: American Cotton-Tare Practices and Problems. With J. W. Wright-----	660
Comparative Advantages of Jute and Cotton Baggings for American Bales. With J. W. Wright-----	526
Cotton Bagging for Cotton. With others-----	756
Cotton Bags and other Containers in the Wholesale Grocery Trade. With W. W. Fetrow-----	750
Cotton Bags in the Fertilizer Industry-----	751
Cotton Bags in the Wholesale Grocery Trade. With others-----	753
Cotton Consumption in Power Laundries of the United States—1928. With others-----	738
Cotton Picking Sacks, Cotton Picking Sheets, and Tarpaulins used on Cotton Farms of the United States—1929. With J. T. Wigington-----	739
Farm Uses for Cotton and its Products. With others-----	740
New Uses for Cotton-----	741
Some Uses of the Products of the Cotton Plant. With others-----	742
Use of Cotton Bags and other Containers in Flour Mills of the United States—1931. With J. T. Wigington-----	752
Chemical research, chart-----	822
Chemistry of cotton plant: and histology of glands-----	39
and products: bibliography-----	15
discussion and charts-----	377
Chemistry of cotton plant—Contd. with special reference to upland-----	42
CHERNOFF, L. H.: Chemistry of the Cotton Plant, with Special Reference to Upland Cotton. With others-----	42
CHILCOTT, E. C.: Subsoiling, Deep Tilling, and Soil Dynamiting in the Great Plains. With J. S. Cole-----	295
China, demand for American cotton-----	520, 521
Chinchbug-----	157
CHILDS, V. C.: Methods Used by Crop Reporting Board in Estimating the Cotton crop. With W. F. Callander-----	586
CHRISTENSEN, C. L.: Business Set-up of a Cooperative Marketing Association-----	673
Chromosomes in Gossypium and related genera-----	70
CHURCH, L. M.: Power and Machinery in Agriculture. With W. M. Hurst-----	459
<i>Cicada erratic</i> Osborn-----	184
CLAIBORNE, J.: Consumption of Cotton in Europe-----	512
CLARK, E. L.: Cotton in Farm Women's Garb Partly Replaced by Silk and Rayon-----	763
The Changing Uses of Textile Fibers in Clothing and Household Articles-----	762
Classification: American upland cotton-----	661
commercial, with reference to standards for grade, color and staple-----	663
government activity in-----	648
handbook for classifiers-----	888
official-----	664
service maintained by Cotton Marketing Division-----	648, 662, 664
See also Grade(s); Grade and staple estimates project; Staple(s).	711, 715
Cleaned cotton, spinning tests-----	711, 715
CLEAVES, F.: Farm Uses for Cotton and its Products. With others-----	740
Cleveland variety, spinning tests-----	722
Climate: in: cotton districts of the globe-----	91
Egypt and United States, comparison-----	312, 335
Europe and United States, effect on spinning-----	78
Southern States-----	84
north of accustomed limits of cotton growing-----	375
See also Climatology, section on; Rainfall; Temperature; Weather.	377
Climatology: and soils-----	84
report, by P. H. Mell-----	76-92
section on-----	620
Cloth, retail price and price of cotton-----	620
See also Fabric(s); Textile(s).	416
CLOTHIER, R. W.: Farm Organization in the Irrigated Valleys of Southern Arizona-----	416
Clothing: changing uses of textile fibers in-----	762
children's: comparison of fabrics for-----	765, 773
resistance to weather-----	765
dresses for little girls-----	761, 774, 775
farm women's-----	763
government publications on-----	778

Item	Item
Clothing—Continued.	
play suits-----	765, 779
protective value:	
against sunburn-----	768
in still and moving air---	767
relation to health-----	769
rompers-----	764, 776
style changes, effect upon cotton consumption-----	771
sun suits-----	772
CLOUD, N. B.: Cotton Culture in 1866-----	296
Club-leaf-----	95
Clustering:	
distinguished from acromania--	95
hereditary deformity-----	10
COAD, B. R.:	
Airplane Dusting of Cotton Fields Proves Effective, Economical-----	204
Collection of Weevils and Infested Squares as a Means of Control of the Cotton Boll Weevil in the Mississippi Delta. With T. F. McGehee-----	215
Cotton Boll Weevil Control by the Use of Poison. With T. P. Cassidy-----	205
Cotton Boll-weevil Control in the Mississippi Delta, with Special Reference to Square Picking and Weevil Picking-----	216
Cotton-dusting Machinery. With others-----	212
Cotton Insect Control Measures Should Fit into the Farm Scheme-----	145
Cotton-louse Control. With others-----	266
Dusting Cotton from Airplanes. With others-----	206
Dusting for the Cotton Boll Weevil. With T. P. Cassidy-----	207
Feeding Habits of the Boll Weevil on Plants other than Cotton-----	187
Floods Disturb the Balance of Nature in World of Insects-----	146
Insect Injury to Cotton Seedlings. With R. W. Howe-----	147
Insects Captured by Airplane Are Found at Surprising Heights-----	148
Killing Boll Weevils with Poison Dust-----	208
Poisoning the Cotton Boll Weevil. With R. C. Gaines-----	209
Recent Experimental Work on Poisoning Cotton-Boll Weevils-----	210
Recent Studies of the Mexican Cotton Boll Weevil-----	188
Relation of the Arizona Wild Cotton Weevil to Cotton Planting in the Arid West-----	267
Some Rules for Poisoning the Cotton-boll Weevil. With T. P. Cassidy-----	207
Studies on the Biology of the Arizona Wild Cotton Weevil. The Boll-weevil Problem. With W. D. Hunter-----	171
COBB, N. A.:	
A New Parasitic Nema found Infesting Cotton and Potatoes-----	269
Memorandum of Information Concerning Official Cotton Grades-----	880
Tests of the Waste. Tensile Strength, and Bleaching Qualities of the Different Grades of Cotton as Standardized by the United States Government-----	704
Coker-Cleveland variety, spinning value-----	723
COLE, J. S.: Subsoiling, Deep Tilling, and Soil Dynamiting in the Great Plains. With E. C. Chilcott-----	295
COLEMAN, D. A.: A Simple Method for Determining the Oil Content of Seeds and other Oil-Bearing Materials. With H. C. Fellows-----	813
Color:	
conversion tables-----	730, 733
effect of weather on-----	732, 734
measurement:	
in grading-----	729, 731
methods-----	733
stability in raw cotton-----	734
Columbia variety, comparison with Durango-----	302
COLVIN, E. M.: Bibliography on the Marketing of Agricultural Products. With L. O. Bercaw-----	498
Commercial classification, section on-----	661-664
Committee on Southwestern Cotton Culture:	
Cotton as a Crop for the Yuma Reclamation Project-----	380
Production of American Egyptian Cotton-----	577
Competition:	
between fibers:	
burlap and cotton-----	760
English artificial cotton-----	513
flax and cotton-----	523
hemp and cotton-----	514, 523
in clothing and household articles-----	762
jute and cotton, for bagging-----	526
wool, linen, silk, with cotton-----	525
foreign and American cottons-----	503, 525
Compresses, description-----	490
Compressing to different densities, effect on spinning value-----	710
COMSTOCK, J. H.: Report upon Cotton Insects-----	237
Conchuela-----	157, 286, 287
Conference:	
on avoidable losses in handling staple standards, 1932-----	659
to consider—	890
cost of production of cottonseed meal-----	830
tentative regulations under Cotton Standards Act-----	885
Congressional seed and plant distribution circulars-----	805, 806
<i>Conotrachelus analypticus</i> Say. See <i>Cambium curculio</i> .	
CONRADI, A. F.: A Consideration of the Cultural System for the Boll Weevil in the Light of Recent Observations-----	184
Consumer—	
information regarding fabric manufacture-----	757
packages. See Bags and other containers.	
Consumption:	
1795-1895-----	618
1850, by countries-----	375
1860-1900-----	525
1896/97-1920/21-----	592
1919-31, chart-----	622
1920-31, charts-----	572
1927-----	576
American cotton, and world carryover-----	576, 872
and industrial production, 1919-31-----	622, 635
by grades and staples-----	528
by staple lengths, 1928-31-----	568
charts and tables-----	436, 515
foreign-grown cotton in United States, 1928-31-----	569

Item	Item
Consumption—Continued.	
in Europe, 1857-----	512
in power laundries-----	738
in United States, 1857-----	511
influence of style changes on--	771
long-staple cotton-----	533
pre-war and post-war-----	503
relation to—	
prices and business condi-	
tions-----	621
supply and price-----	623
relative proportions represented	
by different manufactures--	746
studies by Cotton Marketing	
Division-----	909
world:	
1860-1900-----	525
attempt to determine fu-	
ture-----	525
COOK, M. T.: Notes on Cuban In-	
sects-----	185
COOK, O. F.:	
A New System of Cotton Cul-	
ture and its Application-----	306
A Study of Diversity in Egypt-	
ian Cotton. With others-----	13
Acala Cotton, a Superior Up-	
land Variety from Southern	
Mexico. With C. B. Doyle-----	297
Acromania, or "Crazy-Top", a	
Growth Disorder of Cotton--	95
An Enemy of the Cotton Boll	
Weevil-----	222
Arrangement of Parts in the	
Cotton Plant. With R. M.	
Meade-----	9
Bollweevil Cotton in Texas--	167
Brachyism, a Hereditary Deform-	
ity-----	10
Common Errors in Cotton Pro-	
duction-----	467
Community Cotton Production.	
With R. D. Martin-----	468
Cotton Communities Growing	
One Variety only are Inceas-	
ing-----	469
Cotton Culture in Guatemala--	221
Cotton Farming in the South-	
west-----	537
Cotton Fiber Improvement Nec-	
essitates Community Action	
to keep Seed Pure-----	470
Cotton Improvement on a Com-	
munity Basis-----	471
Cotton Improvement through	
Type Selection, with Special	
Reference to the Acala	
Variety-----	43
Cotton Improvement under	
Weevil Conditions-----	298
Cotton More Productive When	
Thick Spaced for Small Up-	
right Plants-----	299
Cotton of Long Staple could be	
Produced in much Greater	
Quantity-----	538
Cotton Problems in Louisiana--	539
Cotton Progress in Irrigated	
Valleys a Community Prob-	
lem-----	472
Cotton Selection on the Farm by	
the Characters of the Stalks,	
Leaves, and Bolls-----	44
Cotton Varieties in California--	300
Culture of Pima and Upland	
Cotton in Arizona. With R.	
D. Martin-----	301
Danger in Judging Cotton Vari-	
eties by Lint Percentages--	45
Dimorphic Branches in Tropical	
Crop Plants-----	11
Dimorphic Leaves of Cotton and	
Allied Plants in Relation to	
Hereditiy-----	46
Durango Cotton in the Imperial	
valley-----	302
COOK, O. F.—Continued.	
Extension of Cotton Production	
in California-----	540
Factors Affecting the Produc-	
tion of Long-staple Cotton--	541
Habits of the Cotton Root Rot	
Fungus-----	96
Heridity and Cotton Breeding--	47
Hindi Cotton in Egypt-----	303
Improvements in Cotton Pro-	
duction-----	304
Leaf-cut, or Tomosis, a Disorder	
of Cotton Seedlings-----	97
Local Adjustment of Cotton	
Varieties-----	305
member of Committee on South-	
western Cotton Culture--- 380,	577
Morphology of Cotton Branches--	12
Mutative Reversions in Cotton--	48
One-variety Community Plan	
Shows Numerous Practical	
Advantages. With C. B.	
Doyle-----	473
One-variety cotton communities--	474
Origin of the Hindi Cotton--	307
Reappearance of a Primitive	
Character in Cotton Hybrids--	49
Relation of Drought to Weevil	
Resistance in Cotton-----	217
Report on the Habits of the	
Kelep, or Guatemalan Cotton-	
boll-weevil Ant-----	223
Results of Cotton Experiments	
in 1911-----	308
Sea-island and Meade Cotton in	
the Southeastern States.	
With C. B. Doyle-----	542
Single-stalk Cotton Culture--	309
Suppressed and Intensified	
Characters in Cotton Hybrids--	51
The Abortion of Fruiting	
Branches in Cotton-----	8
The Relation of Cotton Buying	
to Cotton Growing-----	644
The Social Organization and	
Breeding Habits of the Cot-	
ton-protecting Kelep of Guate-	
mala-----	224
The Superiority of Line Breed-	
ing over Narrow Breeding--	50
Weevil-resistant Adaptations	
of the Cotton Plant-----	225
COOK, W. S.: Feeding Punctures of	
Mirids and other Plant-sucking	
Insects and their Effect on Cot-	
tons. With W. V. King-----	278
COOPER, J. H.: Cotton-seed Oil, etc--	814
COOPER, M. R.:	
Cost of Producing Field Crops,	
1923. With C. R. Hawley--	441
Cotton Statistics and Related	
Data for Agricultural Work-	
ers. With Lawrence Myers--	599
Requirements and Costs for	
Picking, Snapping and Sled-	
ding Cotton in Western Texas	
and Oklahoma. With A. P.	
Brodell-----	440
The Cost of Producing Cotton	
(842 records—1918). With	
L. A. Moorhouse-----	445
Cooperation in production:	
section on-----	467-479
See also One-variety communities.	
Cooperative gins. See Gin(s).	
Cooperative marketing:	
and purchasing-----	675
background of the movement--	678
costs and prices-----	678
methods-----	678
organizations. See Cooperative	
organizations.	
recent changes-----	680
section on-----	673-685
selected reading list-----	677

Item	Item
Cooperative organizations:	
1920-30-----	675
1924-----	676
1925-----	674
agricultural credit corporations	
affiliated with-----	449
bibliography-----	677
business set-up-----	673
cotton marketed, amount and	
value, 1921-26-----	674
development and status, 1924-----	676
farmer opinions of-----	683
history, forms, statistics and dig-	
gest of laws-----	681
listed-----	685
members:	
and non-members, charac-	
teristics-----	683
number, 1925-----	678
membership relations-----	682
services rendered to growers-----	679
Staple Cotton Cooperative Asso-	
ciation-----	673, 684
statistics-----	674, 675, 681
Corn ear worm. <i>See</i> Bollworm.	
Correlation:	
graphic curvilinear, simplified	
method-----	621
methods applied to problem of	
stand-----	319-324
of seed, fiber and boll charac-	
ters-----	55
COTTON, R. T.: The Cambium Cur-	
culio <i>Conotrachelus anaglypticus</i>	
Say. With F. E. Brooks-----	265
Cotton--	
and currency-----	618
aphid or louse:	
condensed information on-----	153
control by nicotine dust-----	266
damage-----	145
infestation caused by dust-	
ing plants with calcium	
arsenate-----	270
mentioned-----	273
"blight." <i>See</i> Root-rot.	
botany of. W. H. Evans-----	377
caterpillar-----	238, 271
dauber-----	279
flea hopper:	
and related species, con-	
trol-----	145
captured by airplane-----	148
condensed information on-----	153
experiments and results-----	274
study-----	285
leaf perforator, condensed infor-	
mation on-----	153
leaf worm:	
condensed information on-----	153
control-----	
by dusting from air-	
planes-----	206
measures-----	145
infestation, effect of floods-----	146
literature: Selected references-----	913
news summary-----	506
partial list of publications:	
continuation by M. F. War-	
ner-----	917
original list by E. B.	
Hawks-----	915
plant bug, condensed infor-	
mation on-----	153
red bug, making dye from-----	277
red spider:	
E. A. McGregor-----	280
and F. L. McDonough-----	280a
E. S. G. Titus-----	285
bibliography-----	280a
classification and synonymy-----	280a
condensed information-----	153
life-history, description and	
habits-----	280a
mistaken for rust-----	281
remedial measures-----	280a
Cotton--Continued.	
research coordination commit-	
tee-----	905, 906
stainer:	
description and control-----	157, 275
life history and habits-----	263
making dye from-----	277
stalk borer-----	183
standards act. <i>See</i> Standards.	
wireworm-----	672
wool, analysis of-----	699
worm:	
classification, nomenclature,	
statistics, etc-----	237
control with kerosene-----	244
description-----	238, 271
destruction by machinery-----	246
observations and experi-	
ments-----	244
Cotton Belt:	
diversified farming-----	435
old plantation Piedmont-----	429
Soil regions (map)-----	592
use of outlook information-----	436
Cotton Council of the Department of	
Agriculture:	
Improving the Quality of Ameri-	
can Cotton-----	376
Suggestions for Securing Greater	
Uniformity of Action in the	
Production of Cotton under	
Boll Weevil Conditions-----	180
Summary of Recommendations	
for the Production of Cotton	
under Boll Weevil Conditions-----	181
The Cotton Marketing Problem-----	507
Cotton Marketing Division, Bureau	
of Agricultural Economics:	
Cotton News Summary-----	506
fiber laboratory-----	716
research--	
fiber quality-----	697
marketing--	
as an aid to cotton co-	
operatives-----	903
correlation-----	907
features-----	505
outlined-----	909
summarized-----	507
Cotton-Textile Institute, Inc., ex-	
hibit, "Cotton in the home"-----	758
Cottonseed:	
ammonia content-----	792
analysis of ash residuum of	
burnt-----	699
and cottonseed products:	
section on-----	786-856
toxicity and gossypol con-	
tent, section on-----	845-856
and linters--legislation and reg-	
ulation, section on-----	857-858
breeding-----	801
cake:	
consumption, 1926-28-----	839
definition-----	842
feed, comparative value-----	844
manufacture suggested in	
1844-----	814
yield per ton of seed-----	842
characteristics, varietal-----	792
chemical research, chart-----	822
composition:	
Creswell, C. F., and Bid-	
well, G. L.-----	787
influence of rainfall-----	791
variable-----	791
controlling the boll weevil in-----	201
delinting for planting purposes-----	809
deterioration, affected by gin-	
ning-----	492
distribution by Department of	
Agriculture:	
1903-23-----	806
circulars-----	805
methods used-----	802

	Item		Item
Cottonseed—Continued.		Cottonseed—Continued.	
dry matter content-----	786	meal—continued.	
fertilizer value, compared with		toxicity-----	848, 850, 855, 856
cottonseed meal-----	812	comparison with tox-	
flour-----	827	icity of other prod-	
food for human beings-----	827	ucts-----	854, 855
for planting purposes:		effect of autoclaving-----	845
delinting-----	509, 810	relation to gossypol	
marketing-----	810	content-----	852
recleaning-----	809	uses-----	742, 829
section on-----	808-810	yield:	
separating-----	385	by counties-----	787
fumigation-----	154	per ton of seed-----	842
fuzz:		meats, percentage-----	792
percentage-----	792	moisture percentage-----	792
variation in Pima-----	31	mixing, increased by gin equip-	
germination:		ment-----	808
at low temperatures-----	798	nurse planting-----	293
effect of:		oil:	
burying-----	793	content:	
green manure-----	393	affected by nutrition of	
storage-----	665	plant-----	788
treatment with carbon		determining by Wesson	
bisulphid-----	794	optical method-----	813
selection and distribution,		influence of fertilizers-----	788
section on-----	793-807	relation of gossypol-----	851
tests-----	803	varietal differences-----	788, 792
gossypol content:		consumption:	
and chemical composition		1872-1901-----	815
during certain periods of		1921-25-----	819
development-----	847	United States and Eu-	
rate of formation-----	846	rope-----	816
grades:		detection in lard-----	828
kernel content and compo-		digestibility-----	820
nents as basis-----	790	exports:	
standards-----	858	1872-1901-----	815
to be issued-----	789	1910-20-----	619
heat treatment for control of		foreign markets-----	516
pink bollworm-----	254	first practical extraction-----	823
hull(s):		formation of rancid fat-----	825
ashes-----	829	grades-----	819
bran, definition-----	842	in lard, detection-----	828
definition-----	842	industry, 1895-----	829
feed-----	829, 837	manufacture:	
food constituents-----	829	1872-1901-----	815
uses:		experimental, 1826-----	817
chart-----	742	suggested:	
in paper-making-----	736, 737	in 1844-----	814
yield per ton of seed-----	842	in 1855-----	818
improvement:		mills:	
1866-----	353	1826-1925-----	823
by selection-----	807	first-----	817, 823
industry:		preparation-----	819
1826-1925-----	823	pressing-----	819
history-----	815, 817	production, United States	
in United States and Eu-		and Europe-----	816
rope-----	816	refining-----	819
infected, carriers of disease-----	98	settling-----	819
inheritance of smooth-----	61	statistics, 1921-25-----	819
intrinsic value based on dry-		tariff rates-----	902
matter content-----	786	uses-----	742, 819
kernel content and oil content		wintering-----	819
as basis for grading-----	790	yield—	
lint index-----	45, 73	by counties-----	787
marketing:		per ton of seed-----	842
bibliography-----	50?	outlook, 1930-31 and 1931-32-----	571
for planting purposes-----	810	pink bollworm in, detecting by	
meal:		use of X-ray-----	248
consumption, 1926-28-----	839	place of origin:	
definition-----	842	effect on yield-----	318
digestibility-----	838	studied-----	792
feed:		poisoning in pigs, beriberi	
comparison with:		theory-----	849, 855
linseed meal-----	835,	prices:	
840, 843		analysis-----	633
other products-----	836, 844	index numbers-----	639
energy values-----	833	statistics-----	619
for horses-----	834, 840	production:	
grades and classes-----	842	income-----	603
fertilizer, comparison with		sources-----	792
cottonseed-----	812	products:	
gossypol content-----	853	as feed, section on-----	833-844
metaphosphoric and pyro-		chart-----	578, 822
phosphoric acids-----	832	composition, table-----	842
production cost-----	830		

Item	Item
Cottonseed—Continued.	
products—continued.	
feed:	
for livestock-----	842
value-----	377
from 1 ton of cottonseed,	
quantities-----	842
grades and classes-----	842
industries, study of cotton-	
seed-----	792
manufacturing methods-----	829
section on-----	811-856
toxicity:	
changes under oil-mill	
conditions-----	854
comparative-----	854
uses, chart-----	578
<i>See also</i> Cottonseed, cake;	
Cottonseed, flour; Cotton-	
seed, hull(s); Cotton-	
seed, meal; Cottonseed,	
oil.	
pure supply:	
community production-----	479
maintaining by roguing	
fields-----	65
recleaning for planting pur-	
poses-----	809
relative quantities of crude oil,	
cake, etc., from-----	831
selection:	
effect on fiber, photographs-----	469
five points to be noted-----	797
for southern farms-----	796
methods-----	807
sources of production-----	792
standards for grading, sampling	
and analyzing-----	858
statistics published by Crop Es-	
timates Bureau-----	606
storage (bibliography)-----	671
storage and transportation (bib-	
liography)-----	502
tariff rates-----	902
uses:	
chart-----	742
suggested in 1855-----	818
varietal characteristics-----	792
vitality:	
of buried-----	793
treated with carbon bisul-	
phid-----	794
weight, method of determining-----	73
COVERT, J. R.:	
Seedtime and Harvest-----	417
Seedtime and Harvest. With	
others-----	409
COX, A. B.:	
Cotton Prices and Markets-----	624
Evolution of Cotton Marketing-	
Local Cotton Marketing in	
Texas-----	645
Marketing American Cotton in	
England-----	646
Marketing American Cotton on	
the Continent of Europe-----	647
Services in Cotton Marketing-----	648
CRAWFORD, G. L.: Point Buying of	
Cotton Versus Buying on Quality	
Basis-----	649
CRAWFORD, J. C.: Method of Esti-	
mating the Yield of Cotton in the	
Field-----	588
Crawford's pyrophosphoric-acid hy-	
pothesis, criticism-----	856
Crazy-top. <i>See</i> Acromania.	
Credit:	
bibliography-----	677
in marketing-----	648
<i>See also</i> Production, credit.	
CRESWELL, C. F.:	
Composition of Cotton Seed.	
With G. L. Bidwell-----	787
Disadvantages of Selling Cotton	
in the Seed-----	650
CRESWELL, C. F.—Continued.	
Losses from Selling Cotton in	
the Seed-----	651
Cricket, cotton pest in California---	282
Crop Estimates Bureau:	
statistical data, publications	
list, 1863-1920-----	606
Crop estimating and reporting, sec-	
tion on-----	583-591
Crop reports:	
adequacy and reliability-----	589
comparison of Department of	
Agriculture and Department	
of Commerce-----	589
preparation-----	583-587, 590
report of Advisory Committee,	
1923-----	591
CROSBY, M. A.:	
A Successful Alabama Diversifi-	
cation Farm. With others-----	419
An Example of Intensive Farm-	
ing in the Cotton Belt-----	418
Diversified Farming in the Cot-	
ton Belt. With others-----	435
Farm Practices that Increase	
Crop Yields in the Gulf Coast	
Region-----	311
Cuba, insects-----	185
Culture:	
1845-----	579
1866-----	296
1867-----	353, 437
duration, effect on maturation	
period-----	352
effect of environmental condi-	
tions-----	357
experiments by experiment sta-	
tions-----	377
familiar talks on-----	348
in India, 1845-----	579
in Missouri, 1861-----	327
in San Joaquin valley, Calif-----	328
in Southwestern States-----	332
in United States-----	377
in various countries-----	690
mediums, water-----	331
methods:	
in Egypt-----	315, 316
recommended for South-----	313, 345
new system-----	306
north of climatic limits-----	375
on fallow land-----	350
preparation of land and plant-	
ing-----	366
rotation and tillage experi-	
ments-----	367
seasonal work, charts-----	409, 417
survey of farm practice-----	415
under bollweevil conditions.	
<i>See</i> Bollweevil, conditions.	
CUMINGS, G. A.:	
Effects on Cotton of Irregular	
Distribution of Fertilizers.	
With A. L. Mehring-----	397
Factors Affecting the Mechanical	
Application of Fertilizers	
to the Soil. With A. L. Meh-	
ring-----	463
Mechanical Application of Fertil-	
izers to Cotton in South	
Carolina, 1931. With others-----	455
Progress Report on Mechanical	
Application of Fertilizers to	
Cotton in South Carolina,	
1930. With others-----	456
CUMMINGS, E. S.: Results of Spin-	
ning Tests of South Carolina Cot-	
tons (crop of 1925). With H. H.	
Willis-----	719
Current literature on cotton-----	913
CUSHMAN, R. A.: The Insect	
Enemies of the Cotton Boll Weevil.	
With others-----	233
Cuttings, reproduction from-----	365
Cutworm injury to seedlings-----	147

	Item		Item
Cyanamid as fertilizer-----	388, 389	Distribution—Continued.	
Cyrtosis or club-leaf-----	95	cottonseed, circulars-----	805, 806
DABNEY, C. W., Jr.: Introduction to "The Cotton Plant," O.E.S. Bull. 33-----	377	staple lengths of American up- land-----	552
DAINGERFIELD, L. H.: Weather and Cotton Yield in Texas, 1899-1929, Inclusive-----	76	<i>Diplodia</i> injury-----	122
DANTZIG, T.: Fabrics' Stiffness is Measurable by Device Made for the Pur- pose. With E. C. Peterson-----	784	Diversification—	
Stiffness in Fabrics Produced by Different Starches and Starch Mixtures, and a Quantitative Method for Evaluating Stiff- ness. With E. C. Peterson-----	785	1867-----	437
DAUGHERTY, C. M.: The Cotton-seed Industry-----	815	in the Cotton Belt-----	435
The Industry in Oil Seeds-----	816	in Georgia-----	427
DAVIS, M. A.: Children's Rompers-----	764	on Alabama farm-----	419
DAVIS, R. O. E.: Fertilizer's Value Measured in Tests in North Caro- lina-----	392	recommended:	
DAX, E. L.: Bibliography on the Marketing of Agricultural Products. With others-----	500	1874-----	428
Cotton Literature; Selected References-----	913	1881-----	310
Price Fixing by Governments 424 B.C.-1926 A.D. A Selected Bibliography. With others-----	870	by S. A. Knapp-----	431
"Dead spots." See Root-rot.		under the plantation system--	414
DEAN, W. S.: Comparative Spinning Tests of the Different Grades of Ari- zona-Egyptian with Sea Island and Sak-laridis Egyptian Cot- tons. With Fred Taylor-----	712	Diversity in Egyptian cotton-----	13
Manufacturing Tests of Cotton Fumigated with Hydrocyanic- acid Gas-----	705	Division of Cotton Marketing. See Cotton Marketing Division, Bu- reau of Agricultural Economics.	
Manufacturing Tests of the Of- ficial Cotton Standards for Grade. With Fred Taylor-----	706	Dixie Triumph variety, spinning value-----	723
The Classification and Grading of Cotton. With D. E. Earle-----	661	DIXON, H. M.: An Economic Study of Farming in Sumter County, Ga. With H. W. Hawthorne-----	420
Delinting for planting purposes-----	809	DODGE, C. R.: A Descriptive Catalogue of Use- ful Fiber Plants of the World-----	690
Deltatype variety spinning value-----	723	Vegetable Fibers-----	691
Demand and competition, section on-----	511-529	DODGE, J. R.: Agricultural Graphics. A Report of Exhibits Illustrating Agricultural Statistics at the World's Industrial and Cotton Ex- position at New Orleans, La-----	596
Department of Agriculture. See Agriculture, Department of.		Domestic allotment plans-----	874
Depression in business, effect on price-----	635	Dowlaw's cotton planter-----	465
DEWEY, L. H.: Egyptian Cotton in the United States-----	312	DOWELL, C. T.: Effect of Auto- claving upon the Toxicity of Cot- tonseed Meal. With Paul Menaul-----	845
English Artificial Cotton-----	513	DOWNNEY, K. M.: Fabrics for Children's Play Suits Tested for Resistance to Weather-----	765
Hemp Fiber Losing Ground, Despite its Valuable Qualities-----	514	Laundry Tests under Scientific Control Show how to Pre- vent Damage-----	780
Principal Commercial Plant Fibers-----	14	DOYLE, C. B.: Acala Cotton, a Superior Upland Variety from Southern Mex- ico. With O. F. Cook-----	297
The Strength of Textile Plant Fibers. With Marie Goodloe-----	689	Cotton Growers Advised not to Try Large-scale Planting of Sea-Island-----	543
Disease(s): annual damage to crop-----	123	Cotton Growing in One-variety Communities-----	475
description and damage-----	592	Cottonseed Mixing Increased by Modern Gin Equipment. With W. W. Ballard-----	808
dissemination-----	99, 100	Live-at-home Plans and Soil Building Aid Cotton Growers-----	313
habits and control-----	102, 123	Meade Cotton, an Upland Long- staple Variety Replacing Sea Island. With G. S. Meloy-----	359
importance, order of-----	123	Multiplicity of Varieties Handi- caps Improvement in the American Cotton Crop-----	314
in United States, resumé of in- vestigation and results-----	377	One-variety Community Plan Shows Numerous Practical Advantages. With O. F. Cook-----	473
investigations-----	317	Sea-island and Meade Cotton in the Southeastern States. With O. F. Cook-----	542
publications on-----	41	The Cotton Situation. With others-----	592
resistant crops-----	129	Dresses. See Clothing.	
See also Varieties, wilt- resistant.		Driers:	
section on-----	93-144	types-----	480
See also under names of diseases.		vertical-----	480, 481
Distribution—		Drought, relation to weevil resist- ance in cotton-----	217
and marketing-----	508, 648	DRUMMOND, P. L.: The Germination of Cottonseed. With E. H. Toole-----	803
		DUCK. See Canvas.	

Item	Item
DUGGAR, J. F.: A Successful Alabama Diversification Farm. With others-----	Egypt—Continued.
419	cultivation----- 312, 335
DUNNAM, E. W.:	methods----- 315, 316
Biology of the Cotton Boll Weevil at Florence, S.C. With F. A. Fenton-----	exports----- 546
189	Hindi cotton----- 303
Dispersal of the Cotton-Boll Weevil. With F. A. Fenton-----	marketing methods----- 316, 652
190	tare methods----- 652
Durango variety:	use of cotton in reclaiming alkali lands----- 333
community production----- 478	Egyptian cotton—
comparison with other varieties----- 302	affected by soil variations----- 334
handling and marketing----- 655	branching habits----- 35
history----- 302	breeding:
in Imperial valley, Calif----- 302, 355	and extension work----- 365
Dusting:	new types----- 54
as cause of aphid infestation----- 270	report by T. H. Kearney----- 342
from airplanes----- 164, 204, 206	characteristics, descriptions, and pictures----- 14
machinery----- 207, 212	comparison with Durango----- 302
See also Boll weevil, dusting.	cultivation in Egypt----- 312, 316
DUVALL, L.: References for the Study of the Chemistry of the Cotton Plant and its Products-----	diversity of 4 different kinds----- 13
15	effect of soil variations----- 334
DUVEL, J. W. T.: The Vitality of Buried Seeds-----	experimental growing in Southwest----- 371
793	experiments:
Dye—	1908----- 336
made from cotton red bug or stainer-----	in Arizona----- 335
277	with imported seed----- 312
vat, on lustrous cotton goods----- 743	fiber from different pickings, quality----- 694
“Dying of cotton.” See Root-rot.	genetics----- 339
<i>Dysdercus obscuratus</i> Distant. See Cotton stainer.	Hindi variations----- 48
<i>Dysdercus suturellus</i> H.-Schf. See Cotton stainer.	history----- 56, 62, 795
EARLE, D. E.:	imports into United States, 1908----- 336
Classification of American Upland Cotton. With Fred Taylor-----	in Arizona----- 795
661	in Salt River valley----- 301
Manufacturing and Laboratory Tests to Produce an Improved Cotton Airplane Fabric. With Fred Taylor-----	in southwestern United States----- 332, 335, 371, 372
713	in United States----- 312
The Classification and Grading of Cotton. With W. S. Dean-----	introduction into United States—land preparation----- 329
661	leaf tissue fluids----- 20—25
Earliness in cotton:	mutation----- 62
factors concerning----- 352	origin and history----- 62
steps in securing----- 369	prices, 1909-11, at Boston----- 372
to escape weevil damage----- 214	recommended for Yuma reclamation project----- 380
EATON, F. M.:	resistance to alkali soil----- 333
Cell-sap Concentration and Transpiration-----	seed selection----- 795
16	seedling stand----- 319, 323
Early Defoliation as a Method of Increasing Cotton Yields-----	spinning tests----- 336
17	statistics, situation in United States----- 533
Leaf Temperatures of Cotton----- 18	suggestions for growing in Southwest----- 371, 372
Root Development as Related to Character of Growth and Fruitfulness of the Cotton Plant-----	varieties----- 312, 316
19	See also American-Egyptian cotton; Arizona-Egyptian cotton; Pima cotton; Sakellaridis-Egyptian cotton; Yuma cotton.
EDINGTON, B. H.:	Elasticity curves----- 713
The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals. With others-----	Electricity, static, cause of gin fires----- 482
835	ELLIOTT, J. A.: Cotton-wilt, a Seed-borne Disease----- 98
EDMINSTER, L. R.: Agricultural Price-supporting Measures in Foreign Countries. With others-----	ELLISON, T., estimate of world crop----- 610
869	ELSWORTH, R. H.:
EDWARDS, E. E.:	Agricultural Cooperative Associations, Marketing and Purchasing, 1925----- 674
A Bibliography of the History of Agriculture in the United States-----	Cooperative Marketing and Purchasing, 1920-30----- 675
914	Development and Present Status of Farmers' Cooperative Business Organizations----- 676
Historical Background of the Present Situation in Southern Agriculture-----	England, marketing American cotton in----- 646
501	English artificial cotton----- 513
Memorandum Concerning the Campaigns in 1905, 1915, 1921, and 1927 to Decrease the Cotton Acreage-----	Entomology Bureau, report of work on boll weevil----- 179
875	Entomology, economic, exhibit----- 161
Egypt:	
baling----- 652	
climate, comparison with United States----- 312, 335	
competition----- 525	

	Item		Item
Environment:		Farm(s)—Continued.	
accommodation of different		management:	
plants to-----	13	and cost, investigations in	
effect on dimorphism of leaves	46	Anderson county, S.C.---	443
effect on growth and develop-		section on-----	409-439
ment-----	357	successful, on South Caro-	
Europe:		lina farm-----	425
consumption, 1795-1895-----	618	survey and study---	
marketing American cotton in--	647	in Arizona-----	416
EVANS, W. H.: Botany of Cotton---	377	in Georgia-----	
Exchanges:		Brooks county---	427
city and State, 1899-1902-----	504	Sumter county---	420
regulation-----	505	in South Carolina,	
Exhibition of the Works of Industry		Anderson county.---	434, 443
of all Nations, London, 1851-----	701	in Texas, Ellis county-	439
Exhibits:		model plan-----	438
agricultural and industrial uses		organization:	
of cotton-----	749	economic significance-----	420
cotton in the home-----	758	in irrigated valleys of Ari-	
cotton samples-----	691	zona-----	416
economic entomology-----	161	situation, 1933-----	503
Experiment stations:		social problems-----	466
experiments in cotton culture--	377	uses for cotton-----	739, 740
fertilizer tests, 1888-93-----	408	Farmers:	
Experiment Stations Office Bulletin		classified by various factors--	433
33-----	377	condition in piedmont-----	466
Exports:		cooperative associations. See	
1841-84, diagram-----	596	Cooperative organizations.	
1860-----	375	cooperative demonstration work:	
1909-20-----	619	field instructions-----	345
1910-20-----	593	results-----	346, 381
distribution-----	515, 608	experiences and opinions influ-	
from Egypt-----	546	encing marketing methods---	683
from North Atlantic ports, de-		in piedmont-----	466
cline-----	530	number growing cotton, 1924--	595
percentage distribution-----	515	opinions, influencing production	
statistics-----	516, 609	and acreage adjustments-----	433
to China-----	520, 521	response to price (bibliography)	641
to Japan-----	521	tenure status, financial progress,	
to principal countries, 1909-13,		etc-----	466
1925-29, 1928-29-----	522	Farming:	
to Russia, decline-----	524	economic survey in Georgia,	
to specified countries-----	515	Sumter county-----	420
Exposure. See Weather.		intensive, system followed by	
EZEKIEL, M.: Kinds of Agricultural		Alabama farmer-----	418
Surpluses-----	876	"mixed system"-----	422
Fabric(s):		types, changes 1919-24-----	567
airplane:		FARRINGTON, C. C.:	
manufacturing and labora-		Cotton Consumption in Power	
tory tests-----	713	Laundries of the United	
signal corps specifications-----	713	States--1928. With others--	738
classified according to suitabil-		Some Phases of the Long-staple	
ity for various uses-----	747	Cotton Situation in the United	
construction:		States. With others-----	533
details-----	747	Fashion changes in clothing, effect	
for children's play suits-----	765	on cotton consumption-----	771
effect of laundering-----	783	FAULWETTER, R. C.:	
experimental-----	760	Dissemination of the angular	
finishing and laundering-----	780-785	leafspot of cotton-----	99
for summer garments-----	770	Wind-blown rain, a factor in	
glossary-----	747	disease dissemination-----	100
laundering:		Federal Horticultural Board:	
studies-----	780-785	compensation on account of non-	
tests-----	780	cotton zones-----	900
manufacture, grades and staples		Service and Regulatory An-	
required-----	746	nouncements-----	901
physical testing-----	766	FELDKAMP, C. L.: Selected List of	
protective value---		References on the Cost of Cotton	
against sunburn-----	768	Production-----	442
for children's play suits---	765	FELLOWS, H. C.: A Simple Method	
in still and moving air-----	767	for Determining the Oil Content	
resistance to weather-----	765	of Seeds and other Oil-bearing	
selection-----	747	Materials. With D. A. Coleman--	813
stiffness-----	781, 784, 785	Felt, used in laundries-----	738
suitability for children's wear--	765,	FENTON, F. A.---	
765, 773		Biology of the Cotton Boll Wee-	
tensile strength-----	765	vil at Florence, S.C. With	
weight-----	765	E. W. Dunnam-----	189
Fall army worm, effect of floods on		Detecting Pink Bollworms in	
infestation-----	146	Cottonseeds by the X-ray.	
Farm(s):		With W. W. Waite-----	248
budget-----	436	Dispersal of the Cotton-boll	
customs and conditions, sur-		Weevil. With E. W. Dunnam--	190
veyed-----	415		
engineering, section on-----	453-465		

	Item		Item
Fertilization:		Fiber(s)—Continued.	
cross-----	67	bast and hard:	
in Pima and upland, compar-		strength-----	689
son-----	67	use-----	690
selective-----	66	characters in relation to fruit-	
self-----	67, 74	fulness-----	17
Fertiliz r(s):		classification, structural and eco-	
analysis and sale, state laws---	407	nomic-----	690
application:		color. <i>See</i> Color-----	
effect on maturation pe-		competition. <i>See</i> Competition,	
riods-----	352	between fibers.	
mechanical-----	455, 456, 463	development---	
placement experiments in		in Acala-----	692
South Carolina-----	400	in Pima-----	692
quantity per acre-----	390	diameter---	
atmospheric-nitrogen-----	389	by varieties-----	689
commercial-----	405	determination of sample	
composition and placement-----	398	size-----	698
concentrated air-derived-----	403	from different pickings of Egyp-	
consumption:		tian cotton-----	694
effect of cotton prices-----	632	fungous staining-----	121
effect of fertilizer prices-----	632	illustrations-----	523
effect of yield and acreage-----	632	laboratory in Agricultural Eco-	
containing borax, influence on		nomics Bureau-----	716
growth-----	402	length---	
cost, relation to---		determining by new me-	
cost of production-----	392, 407	chanical method-----	687
credit-----	452	from bolls at different	
gross income, 1913-28-----	638	heights of plant-----	695
yield-----	441	uniformity within the boll-----	701
cottonseed meal:		maturity:	
comparison with cotton-		from different pickings-----	694
seed-----	812	methods of estimating-----	693
formula-----	826	microscopic investigation-----	700
distribution, irregular, effects-	397	of the Pacific States-----	545
experiments:		protection against sunburn-----	768
at experiment stations,		quality:	
1888-93-----	408	color studies, section on-----	729-734
at South Carolina station-	396	section on-----	686-734
on Norfolk fine sandy loam-	404	spinning and manufactur-	
industry:		ing tests, section on-----	702-728
bags used-----	751	research in Cotton Marketing	
production and consump-		Division-----	697, 716
tion statistics-----	407	salt content-----	696
prices at planting time, effect		spinning tests. <i>See</i> Spinning	
upon consumption-----	632	tests.	
relation to soil types-----	399	strength:	
section on-----	388-408	by varieties-----	689
use:		determining by new method-	688
effect on---		tester used in Office of Fiber	
oil content of seed-----	788	Investigations-----	689
prices-----	626	tests. <i>See</i> Spinning tests.	
farm practice in South At-		uniformity---	
lantic states-----	390	in long-staple upland-----	686
<i>See also</i> Green manures; Manur-		within the boll-----	701
ing.		Fiji island cotton, "artificial knots"	
Fertilizing constituents contained in		in-----	700
a crop yielding---		Financing cotton marketing,	
100 pounds of lint per acre----	394	methods-----	648
300 pounds of lint per acre----	395	FINCH, C. L.:	
Fess, S. D. (Senator), letter from		Cotton Classification Service is	
Secretary of Agriculture to, 1926-	878	Maintained under Standards	
FETROW, W. W.:		Act-----	662
Cotton Bags and other Con-		Standards for Cotton Classifica-	
tainers in the Wholesale		tion in the United States and	
Grocery Trade. With R. J.		Abroad-----	886
Cheatham-----	750	Fires in gins-----	482, 491
Cotton Consumption in Power		Flax:	
Laundries of the United		spinning industry, decline in	
States—1928. With others-----	738	France-----	519
Cotton Exports of U. S. Re-		substitute for cotton-----	523
flect Continuously Shifting		Flax and Hemp Commission: Report-	523
World Market-----	515	Flea hopper. <i>See</i> Cotton, flea hopper.	
Cotton Research Program of the		Fletcher, J. C., farm at McColl, S.C.,	
United States Department of		cottonseed and cottonseed-meal	
Agriculture as an Aid to Coton-		experiments conducted-----	812
Cooperatives-----	903	FLINT, W.: Textile Fibres of the	
Some Phases of the Long-staple		Pacific States-----	545
Cotton Situation in the United		FLOHR, L. B.: Market Statistics.	
States. With others-----	533	With C. J. West-----	619
Staple Lengths of World Cotton		Floods:	
Crops-----	544	cotton as crop for damaged	
Fiber(s):		lands-----	344
"artificial knots" in Fiji Island		effect on insect problems-----	146
cotton-----	700		

Item	Item
Florida—	
insects-----	152
livestock enterprise as substitute for cotton production-----	566
production of Sea Island and Meade-----	542
Flour—	
from cottonseed-----	827
mills, bags used-----	752
Flowering date, relation of soil salinity to-----	320
Flowers, pictures of-----	14
FLOYD, E. V.: A Comparative Study of the Protective Value of Cer- tain Fabrics in Still and Moving Air. With others-----	767
FOADEN, G. P.:	
Cotton Culture in Egypt-----	315
Notes on Egyptian Agriculture-----	316
FOLSOM, J. W.:	
Calcium Arsenate Dusting as a Cause of Aphid Infestation. With F. F. Bondy-----	270
Cotton-louse Control. With others-----	266
Insect Enemies of the Cotton Plant-----	149
FORD, E.: Cotton-caterpillar, Rust and Rot-----	271
Forecasting—	
prices-----	636, 638
production-----	583-585, 590
Foster variety, comparison with Durango-----	302
FOUBERT, C. L.: Oil Content of Seeds as Affected by the Nutrition of the Plant. With others-----	788
France—	
agricultural survey-----	519
marketing practices-----	647
textile industry-----	519
FRANKENFIELD, H. C.: Weather and agriculture. With others-----	79
FRED, E. B.: Relation of Green Minures to the Failure of Certain Seedlings-----	393
Freight rates:	
changes, 1913-27-----	532
ocean-----	531
rail-----	531
"Frenching"-----	104, 144
Fruitfulness—	
relation of fiber and boll char- acters-----	17
relation of root development-----	19
Fruiting	
habits, in relation to production under bollweevil conditions-----	4
influence of fertilizers contain- ing borax-----	402
parts, growth—	
in <i>Gossypium cernuum</i> -----	4
in several varieties, com- parison-----	36
FULLAWAY, D. T.: Insects of cotton in Hawaii-----	150
Fumigation—	
effect on spinning properties-----	705
measures described-----	255
of sacked cottonseed-----	154
with carbon bisulphid, effect on germination of seed-----	794
FUNK, W. C.: Value of a Small Plot of Ground to the Laboring Man-----	421
FURRY, M. S.: Some Physical Prop- erties of Starch Pastes which Af- fect their Stiffening Power on Fabrics-----	781
Fusarium wilt. See Wilt.	
Futures Act:	
determination of disputes-----	861
handbook for supervisors-----	889
legislation-----	859-868
record of disputes-----	865
results-----	866
Futures trading—legislation and regulations, section on-----	859-868
GAINES, R. C.:	
Cotton-louse Control. With oth- ers-----	266
Poisoning the Cotton Boll Wee- vil. With B. R. Coad-----	209
GALLOWAY, B. T.:	
Industrial Progress in Plant Work-----	317
Work of the Bureau of Plant Industry in Meeting the Ravages of the Boll Weevil and Some Diseases of Cotton-----	168
GALLUP, W. D.:	
A Chemical Study of the Devel- opment of Cotton Bolls and the Rate of Formation of Gossypol in the Cotton Seed-----	846
A Preliminary Study of the De- termination of the Apparent Digestibility of Protein by Modified Procedures. With A. H. Kuhlman-----	838
Changes in the Sugar, Oil, and Gossypol Content of the Devel- oping Cotton Boll. With Charles Caskey, Jr.-----	7
The Gossypol Content and Chemical Composition of Cot- tonseeds During Certain Pe- riods of Development-----	847
GARDNER, C.:	
Agricultural Cooperation. A Se- lected and Annotated List-----	677
Cooperation in Agriculture. A Selected and Annotated Read- ing List-----	677
GARNER, W. W.: Oil Content of Seeds as Affected by the Nutrition of the Plant. With others-----	788
Garro Hill (<i>Gossypium cernuum</i>), growth of fruiting parts-----	4
"Gathered" cotton, marketing-----	658
GATLIN, G. O.: Cooperative Market- ing of Cotton-----	678
Genetics—	
and breeding, section on-----	43-75
bibliography-----	916
experiments-----	339, 340
Geographic distribution of staple lengths of American upland cot- ton-----	552
Geography of production-----	508
Georgia:	
acreage decrease:	
1890-1930-----	547
1919-29-----	534
Brooks county, farm-manage- ment survey-----	427
climate and yield, 1892-1916-----	88
consumption, 1850-1903-----	613
farm-management surveys-----	420, 427
gins, cooperative-----	483
Gwinnett county, condition of farmers-----	466
livestock enterprise as substi- tute for cotton production-----	566
production:	
1850-1903-----	613
costs-----	444, 445
Sea Island and Meade-----	542
staple length and mill consump- tion-----	581, 582
warehouse survey-----	669
GERDES, F. L.: Cotton Quality Af- fected in Ginning Process by Moisture in Seed Cotton-----	484
Germany, marketing practices-----	647
Germination. See Cottonseed.	
GIBSON, E. H.: The Corn and Cot- ton Wireworm in its Relation to Cereal and Forage Crops, with Control Measures-----	272

	Item		Item
GIFT, G. W.: Cotton Under High Culture-----	422	GOODRICH, C. L.—Continued.	
GILBERT, J. C.: Agricultural and Industrial Uses for Cotton-----	749	Cotton Grower Often Finds Larger Outlay Pays in Bigger Yield-----	423
Cotton in the Home-----	758	Factors that Make for Success in Farming in the South-----	424
GILBERT, W. W.: Cotton Anthracnose and How to Control it-----	101	Testing Farms in the South for Efficiency in Management-----	426
Cotton Diseases and Their Con- trol-----	102	Gossypol—	
Cotton Wilt and Root-knot-----	103	in cottonseed—	
The Control of Cotton Wilt and Root-knot. With W. A. Or- ton-----	127	during certain periods of development-----	847
Gin(s)—		rate of formation-----	846
accounting systems-----	493	relation to—	
and ginning, section on-----	480-497	oil content-----	851
controlling bollweevil in-----	201	toxicity-----	852
cooperating in grade and staple estimates project-----	551	in cottonseed meal: in North Carolina-----	853
cooperative—		studies-----	856
as local units of marketing associations-----	485	in cottonseed products, compar- ative amounts-----	854, 855
in Georgia-----	483	pharmacology-----	850
in Texas-----	486	physiological effect-----	848
services-----	487	<i>Gossypium</i> <i>cernuum</i> . See Garo Hill.	
fires-----	482, 491	GOULD, B. R.: The Movement of the 1924-25 Cotton Crop and Changes in Freight Rates on Cotton 1913-27. With J. C. White-----	532
grounding system-----	491	Government intervention—	
patents, 1869-----	496	in price fixing-----	870
types:		in price-supporting measures, foreign countries-----	869
roller-----	495	Grade(s):	
saw-----	494	1928-29 crop in—	
Whitney's saw gin: effect upon production-----	618	Alabama-----	553
invention-----	618	Arkansas-----	554
Ginning:		Louisiana-----	555
1866-----	353	Mississippi-----	556
cause of cotton seed mixing-----	808	North Carolina-----	560
effect upon fiber quality-----	701	South Carolina-----	557
Fiji Island cotton-----	700	Tennessee-----	558
factor in cottonseed deteriora- tion-----	492	United States-----	552a
information for farmers-----	490, 494	act authorizing the Secretary of Agriculture to collect and publish statistics of-----	859
Pima cotton in Arizona-----	495	and staple estimates project:	
practices and costs—		act authorizing-----	859
in North Carolina-----	488	cooperating gins-----	551
in Texas-----	489	description of work-----	551
reports, computing crop from-----	80	progress and practical use-----	559
research, problems and methods-----	497	reports issued. See Statis- tics (section).	
GIRAULT, A. A.: Bibliography of Boll- worm-----	242	linters-----	824
GIST, F. W.: Prevailing Prices Paid to Farmers for Cotton Each Satur- day. Beginning with September 19th, and Continuing Through December 12th [1925] 9 to 12 O'clock as Reported by County Agents. With J. D. Pope-----	625	official—	
Glands of cotton plant-----	39	commercial classification with reference to-----	663
GLOVER, T.: Accidents and Diseases of the Cotton Plant-----	104	history-----	582
Insects Frequenting the Cotton Plant-----	151	manufacturing tests 704, 706, 718 memorandum of informa- tion-----	880
Insects Injurious to the Cotton Plant in Florida-----	152	relation to price:	
Investigations on the Insects and Diseases Affecting the Cotton Plant-----	273	in Arkansas-----	630
GODFREY, G. H.: Bacterial Wilt of Castor Bean. With E. F. Smith-----	139	in Mississippi-----	629
Root-knot: Its Cause and Con- trol-----	105	in North Carolina-----	653
GOLDENWEISER, E. A.: A Study of the Tenant System of Farming in the Yazoo-Mississippi Delta. With E. A. Boeger-----	411	in Oklahoma-----	631, 637, 658
GOODLOE, M.: The Strength of Tex- tile Plant Fibers. With L. H. Dewey-----	689	in United States-----	627, 637
GOODRICH, C. L.: A Profitable Cotton Farm-----	425	point buying vs. buying on quality basis-----	649
		required in manufacture of dif- ferent fabrics-----	746
		standards-----	505
		commercial classification with reference to-----	663
		comparison of United States and Liverpool-----	868
		establishment and promul- gation-----	894
		variations, 1928-31-----	550
		Grading:	
		color factor in-----	729, 731, 732
		demonstrations to farmers-----	505
		Grafting trials-----	3
		Grain bug-----	157

Graphic summary of American agriculture.....	595
Grasshopper injury to seedlings.....	147
Great Britain: consumption, 1795-1895.....	618
imports: 1850 and 1860.....	375
1895-1902.....	612
Green manures, use in relation to failure of seedlings.....	393
GREGG, W. R.: Weather and Agriculture. With others.....	79
GRIFFITH, D. C.: Cotton Ginning Information for Farmers. With others.....	494
GRIFFITH, M. E.: Selected List of Publications on the Marketing of Farm Products.....	502
Grocery trade, bags used in.....	750, 753
GROGGINS, P. H.: Vat Dyes Play Big Part in Broadening Cotton Goods Market.....	743
Growing season, length, effect on yield.....	318
Growth— and development— in several varieties under different environmental conditions.....	36
under various cultural methods as affected by environmental conditions.....	357
disorders.....	95
rate of various parts of plant.....	13
relation of weather conditions.....	83
Guatemala: cotton-protecting ant, or kelep.....	221, 222, 224
culture.....	221
weevil-resistant varieties.....	221
Gulf Coast region, increasing crop yields.....	311
Gun cotton, preparation.....	811
GUNSTAD, B.: Extension of Pearson's Correlation Method to Intra-class and Interclass Relations. With J. A. Harris.....	322
Hadromycosis. See Wilt, verticillium.	
HAINESWORTH, R. G.: Seedtime and Harvest. With others.....	409
Hairy vetch, effect on cotton yield.....	294
HALE, G. A.: The Effect of Latitude, Length of Growing Season and Place of Origin of Seed on the Yield of Cotton Varieties.....	318
HAMILTON, J. O.: Protection Afforded the Skin Against Sunburn by Textile Fibers. With others.....	768
HAMILTON, T. S.: The Nutritive Value for Growing Swine of the Proteins of Linseed Meal and of Cottonseed Meal, both Alone and in Combination with the proteins of Corn. With H. H. Mitchell.....	841
HAMMOND, H.: Culture of Cotton.....	377
The Handling and Uses of Cotton.....	377
HAMMOND, J. H.: Report of the Committee of the Barnwell Agricultural Society on the Culture of Cotton.....	579
Handling: avoidable losses in.....	659
improved methods.....	643
methods.....	377, 592
HANDY, R. B.: History and General Statistics of Cotton.....	377
HANNAY, A. M.: Control of Production of Agricultural Products by Governments. A selected bibliography.....	877

HANNAY, A. M.—Continued. Price Fixing by Governments 424 B.C.—1926 A.D. A selected bibliography. With others.....	870
The Influence of Weather on Crops: 1900-1930. A Selected and Annotated Bibliography.....	77
HANSON, W. K.: Report on Investigations of the Pink Bollworm of Cotton in Mexico. With others.....	253
HARDIN, M. B.: The Occurrence of Metaphosphoric and Pyrophosphoric Acids in Cottonseed Meal.....	832
HARNED, R. W.: Culture, Insecticides, and Quarantines Help Control Cotton Pests.....	153
HARPER, F. H.: Grade, Staple Length, and Tenderability of Cotton in the United States. With others.....	552a
HARRIS, J. A.: A Criterion of the Differentiation of Varieties or of Experimental Areas with Respect to Their Capacity to Produce Seedling Stands of Cotton. With others.....	321
A Possible Relationship between Soil Salinity and Stand in Cotton.....	324
Applicability of Pearson's Equivalent Probability <i>r</i> method to the Problem of Seedling Mortality in Sea-island, Egyptian and Upland Cotton. With M. M. Ness.....	319
Extension of Pearson's Correlation Method to Intra-class and Interclass Relations. With B. Gunstad.....	322
Further Studies on the Relationship between the Concentration of the Soil Solution and the Physico-chemical Properties of the Leaf-tissue Fluids of Cotton. With T. A. Pascoe.....	21
Illustrations of the Application of a Criterion of the Deviation of an Observed from a Random Distribution to the Problem of Seedling Stand in Sea-island, Egyptian, and Upland Cotton. With others.....	323
Sulphate Content of the Leaf-tissue Fluids of Egyptian and Upland Cotton. With others.....	24
The Chlorid Content of the Leaf Tissue Fluids of Egyptian and Upland Cotton. With others.....	20
The Correlation Between the Soil Salinity and Flowering Date in Cotton.....	320
The Leaf-tissue Fluids of Egyptian Cottons. With others.....	22
The Relationship between the Concentration of the Soil Solution and the Physicochemical Properties of the Leaf-tissue Fluids of Egyptian and Upland Cotton.....	23
The Tissue Fluids of Egyptian and Upland Cottons and their F ₁ Hybrid. With others.....	25
HARRISON, G. J.: A Criterion of the Differentiation of Varieties or of Experimental Areas with Respect to their Capacity to Produce Seedling Stands of Cotton. With others.....	321

Item	Item
HARRISON, G. J.—Continued.	
Illustrations of the Application of a Criterion of the Deviation of an Observed from a Random Distribution to the Problem of Seedling Stand in Sea-island, Egyptian, and Upland Cotton. With others.	323
Inheritance of Smooth Seeds in Cotton. With T. H. Kearney.	61
Length of Cotton Fibers from Bolls at Different Heights of the Plant. With T. H. Kearney.	695
Metaxenia in Cotton.	52
Pollen Antagonism in Cotton. With T. H. Kearney.	64
Selective Fertilization in Cotton. With T. H. Kearney.	66
Variation in Seed Fuzziness on Individual Plants of Pima Cotton. With T. H. Kearney.	31
HARTER, L. L.: The Comparative Tolerance of Various Plants for the Salts Common in Alkali Soils. With T. H. Kearney.	29
HARTLEY, C. P.: Injurious Effects of Premature Pollination.	53
Hartsville variety, spinning value.	723
Harvesting—	
dates	417
machinery	460
methods:	
effects on spinning quality	703, 715,
requirements and costs	440
<i>See also</i> Picking, Sledding, Snapping.	
HASKELL, E. S.:	
A Farm-management Survey in Brooks County, Georgia.	427
A Survey of the Pink Bollworm Situation in the Laguna District, Mexico. With H. H. Schutz.	256
HASTINGS, S. H.:	
A Lister Attachment for a Cotton Planter.	458
Experiments in Subsoiling at San Antonio. With C. R. Letteer.	325
Irrigation and Related Cultural Practices with Cotton in the Salt River Valley of Arizona.	457
The Work of the San Antonio Experiment Farm in 1915.	326
HATHCOCK, J. S.:	
Cooperative Cotton Gins as Local Units of Marketing Associations.	485
Cotton Cooperatives Liberalize Contracts and Extend Services.	679
Development of Cooperative Cotton Gins in Northwest Texas. A preliminary report.	486
Possible Services of Cooperative Cotton Gins.	487
Practices and Costs of Cotton Gin Operation in a Selected Section of North Carolina, 1924-25.	488
Practices and Costs of Cotton-gin Operation in North-central Texas, 1924-25.	489
Significance of Recent Changes in the Cooperative Marketing of Cotton.	680
Hawaii—	
bollworm control.	239
insects.	150
pink bollworm—	
investigation.	247
parasites.	261
HAWKINS, R. S.:	
Development of Cotton Fibers in the Pima and Acala Varieties. With G. H. Serviss.	692
Methods of Estimating Cotton Fiber Maturity.	693
HAWKS, E. B.:	
Cotton: Partial List of Publications in English Exclusive of Publications on Diseases and Pests and Publications of the State Experiment Stations.	915
List of Manuscript Bibliographies and Indexes in the U. S. Department of Agriculture Including Serial Mimeographed Lists of Current Literature. With E. L. Ogden.	916
HAWLEY, C. R.: Cost of Producing Field Crops, 1923. With M. R. Cooper.	441
HAWTHORNE, H. W.: An Economic Study of Farming in Sumter County, Ga. With H. M. Dixon.	420
Hay color conversion tables.	733
HAYS, M. B.: Textiles and Clothing: Selected List of References on the Physical Testing of Fabrics.	766
Health, relation of clothing to.	769
Hedges and straddles.	657
HEINRICH, C.: Some Lepidoptera Likely to be Confused with the Pink Bollworm.	249
<i>Heliothis armiger</i> Hübn. <i>See</i> Bollworm.	
<i>Heliothis obsoleta</i> Fab. <i>See</i> Bollworm.	
Hemp—	
replaced by cotton.	514
report of Flax and Hemp Commission.	523
HEMPHILL, R. G.: The Irrigation of Cotton. With J. C. Marr.	461
HENRY, A. J.:	
Report on the Relative Humidity of Southern New England and other Localities.	78
Weather and Agriculture. With others.	79
HENSHAW, H. W.: Birds Useful in the War against the Cotton Boll-weevil.	226
HERBERT, F. W.:	
Root Development of Cotton Plants in the San Joaquin Valley of California. With J. W. Hubbard.	28
Verticillium Wilt (Hadromycosis) of Cotton in the San Joaquin Valley of California. With J. W. Hubbard.	106
Heredity and cotton breeding.	47
HESS, K.:	
A Comparative Study of the Protective Value of certain Fabrics in Still and Moving Air. With others.	767
Protection Afforded the Skin against Sunburn by Textile Fibers. With others.	768
HICKS, G. H.:	
Oil-producing Seeds.	817
The Vitality of Seed Treated with Carbon Bisulphid.	794
High culture.	422
HILL, A. E.: Artificial Soiling of Cotton Fabrics Preparatory to Laundering Studies.	782
Hindi cotton—	
characteristics.	303
in Egypt.	303
origin.	48, 307
HINDS, W. E.:	
An Ant Enemy of the Cotton Boll Weevil.	183

Item	Item
HINDS, W. E.—Continued.	Household uses—Continued.
Carbon Disulphid as an Insecticide	hooked rugs-----
154	mattresses-----
Hibernation of the Mexican Cotton Boll Weevil. With others	760
191	759
Laboratory Methods in the Cotton Boll Weevil Investigations	HOWARD, C. W.: Condition of Agriculture in the Cotton States-----
184	428
Proliferation as a Factor in the Natural Control of the Mexican Cotton Boll Weevil	HOWARD, L. O.:
227	Insects Affecting the Cotton Plant-----
Some Factors in the Natural Control of the Mexican Cotton Boll Weevil	155
228	Remedial Work against the Mexican Cotton-boll Weevil-----
The Mexican Cotton Boll Weevil. With W. D. Hunter	198
172	The Insects which Affect the Cotton Plant in the United States-----
39	377
Histology of glands of cotton plant	The Mexican Cotton-boll Weevil-----
History of-----	169
agriculture (bibliography)-----	The Mexican Cotton-boll Weevil in 1897-----
914	170
cotton-----	84, 377, 691
cotton system-----	501
618	HOWARD, S. T.: Cotton-dusting Machinery. With others-----
marketing-----	212
499	HOWE, R. W.:
HITCHCOCK, F. H.:	Insect Injury to Cotton Seedlings. With B. R. Coad-----
Exports of Cotton from Egypt-----	147
315, 546	Studies of the Mexican Cotton Boll Weevil in the Mississippi Valley-----
Foreign Markets for American Agricultural Products-----	192
516	HOWELL, A. H.:
HOFFMAN, C. T.: Sulphate Content of the Leaf-tissue Fluids of Egyptian and Upland Cotton. With others	Birds that Eat the Cotton Boll Weevil. A report of progress. Destruction of the Cotton Boll Weevil by Birds in Winter-----
24	229
HOFFMAN, W. F.: Sulphate Content of the Leaf-tissue Fluids of Egyptian and Upland Cotton. With others	230
24	The Relation of Birds to the Cotton Boll Weevil-----
HOLMAN, H. P.:	231
Waterproofing and Mildewproofing of Cotton Duck. With others	HOWELL, L. D.:
744	American Cotton Holds Ground Despite Growth of Foreign Competition. With others-----
Waterproofing of Canvas. Review of investigations. With T. D. Jarrell	503
745	Condition of Farmers in a White-Farmer Area of the Cotton Piedmont. With H. A. Turner-----
HOLMES, A. D.: Digestibility of Some Vegetable Fats. With C. F. Langworthy	466
820	Cotton Prices to Growers do not Reflect Accurately Variations in Quality-----
HOLMES, C. L.: Shifts in Production Areas in the United States Induced by Changes in Farm Prices and Farm Technique	627
547	Farm Prices of Cotton in Relation to its Grade and Staple Length in Local Markets in the United States Season 1928-29, 1929-30, and 1930-31. With J. S. Burgess, Jr-----
HOLMES, G. K.: Agricultural Production and Prices	628
626	Farm Prices of Cotton Related to its Grade and Staple Length—Mississippi Crop—Season 1928-29. With others-----
HOLT, W. I.: Standardized Cotton Tare in Egypt	629
652	Farm Prices of Cotton Related to Quality—Arkansas Crop, season 1928-29-----
HOOD, C. E.: The Insect Enemies of the Cotton Boll Weevil. With others	630
233	Farm Prices of Cotton Related to Quality—Oklahoma Crop—Season 1928-29-----
HOOTON, D. R.:	631
Cycles of Growth in Cotton Root Rot at Greenville, Tex. With others	HUBBARD, J. W.:
118	Farm Study of the Cotton Plant-----
Sclerotia-forming Habits of the Cotton Root-rot Fungus in Texas Black-land Soils. With H. C. McNamara	26
119	Growth and Development of Cotton Plants at Greenville, Texas. With others-----
Studies of Cotton Root Rot at Greenville, Tex. With H. C. McNamara	357
120	Outlines of Cotton Culture in the San Joaquin Valley of California-----
HOPE, C.:	328
Distribution of the Cotton Root-rot Fungus in Soil and in Plant Tissues in Relation to Control by Disinfectants. With C. J. King	Root Constriction of Cotton Plants in the San Joaquin Valley of California-----
111	27
Studies on Sclerotia and Mycelial Strands of the Cotton Rootrot Fungus. With others	Root Development of Cotton Plants in the San Joaquin Valley of California. With F. W. Herbert-----
116	28
HORNER, W. H.: Cotton in Missouri	The Shedding of 4-lock and 5-lock Bolls in Upland Cotton. With R. E. Beckett-----
327	5
Horses, feeds for-----	Verticillium Wilt (Hadromycosis) of Cotton in the San Joaquin Valley of California. With F. W. Herbert-----
840	106
HOSKING, F. J.: Feeds Commercially Produced have Wide Distribution in U.S.	839
Household uses:	HUDSON, E. W.:
buying for-----	Growing Egyptian Cotton in the Salt River Valley, Arizona-----
changing-----	301
exhibit-----	758

Item	Item
HUDSON, E. W.—Continued.	
Preparation of Land for Egyptian Cotton in the Salt River Valley, Arizona	329
Hulls. See Cottonseed, hull(s).	
Humidity—	
relation to insect development	195
relative, in southern New England and other localities, effect on spinning	78
See also Weather.	
HUMPHREY, J. R.: A System of Accounts for Cotton Warehouses. With R. L. Newton	667
HUNT, M. G.: Index to Publications of the United States Department of Agriculture, 1901-1925. With M. A. Bradley	912
HUNTER, W. D.:	
Controlling the Boll Weevil in Cotton Seed and at Ginneries—Cotton Hopper, or So-called "Cotton Flea"	201
Hibernation of the Mexican Cotton Boll Weevil. With others.	274
Information Concerning the Mexican Cotton Boll Weevil.	191
Methods of Controlling the Boll Weevil [Advice Based on the Work of 1902]	200
Mexican Cotton-boll Weevil. Message from the President of the United States Transmitting a Communication from the Secretary of Agriculture Submitting a Report on the Mexican Cotton-boll Weevil. With W. D. Pierce.	202
Present Status of the Cotton Boll Weevil in the United States	172
Relation between Rotation Systems and Insect Injury in the South	173
Some Recent Studies of the Mexican Cotton Boll Weevil.	156
The Boll-Weevil Problem. With B. R. Coad	175
The Control of the Boll Weevil.	171
The Control of the Boll Weevil, Including Results of Recent Investigations	199
The Cotton Stainer	200
The Cotton Worm or Cotton Caterpillar	275
The Fight Against the Pink Bollworm in the United States	238
The Insect Enemies of the Cotton Boll Weevil. With others.	250
The Most Important Step in the Control of the Boll Weevil	233
The Pink Bollworm	218
The Pink Bollworm, with Special Reference to Steps Taken by the Department of Agriculture to Prevent its Establishment in the United States.	251
The Present Status of the Mexican Cotton-boll Weevil in the United States.	252
The Status of the Cotton Boll Weevil in 1909	174
The Status of the Mexican Cotton Boll-weevil in the United States in 1903	176
Two Destructive Texas Ants.	177
The Use of Paris Green in Controlling the Cotton Boll Weevil	276
What Can be Done in Destroying the Cotton Boll Weevil During the Winter	211
	219
HURST, W. M.:	
Power and Machinery in Agriculture. With L. M. Church.	459
Some Types of Harvesting Machinery Reach High State of Development	460
Hybosis, or leaf-curl	95
Hybridization caused by cross-fertilizing insects	13
Hybrids:	
characters:	
inherited	61
primitive, reappearance	49
segregation and correlation	65
suppressed and intensified	51
rate of shedding	60
study	340
HYDE, J.: The cotton crop of 1896-97	597
HYSLOP, J. A.: An Estimate of the Damage by Some of the More Important Insect Pests in the United States	178
Imports:	
1909-20	619
quarantine	901
statistics	609
Improvement—	
on community basis	471
summary of methods	304
through type selection	43
Inbreeding effects.	74
Income from farm production	602, 603
Index—	
numbers of farm prices	639
to publications of the United States Department of Agriculture	912
India—	
acreage, 1897-1900	598
competition with United States cottons—	525
in 1851	701
plant characteristics	14
cultivation—	
1845	579
history and results	383
Industrial Commission, testimony of F. H. Hitchcock	516
Information on marketing, sources	648
Inheritance of—	
off-type characters in Acala	71
petal spot in Pima	59
rate of shedding	57, 60
short branch	58
smooth seeds	61
variations in Pima	58
Insect (s):	
bibliography	916
captured—	
at night	203
by airplane	148
classified according to part of plant attacked	151
common and scientific names	153
Comstock's report	237
condensed information on 12 important	153
confused with pink bollworm	249
control:	
airplane dusting (bibliography) and farm scheme	164
carbon disulphid.	145
culture, insecticides and	154
quarantines	153
kerosene	244
methods	578, 592
crops other than cotton attacked	153
cross-fertilizing	13
damage—	
and control	578, 592
in United States, estimate	178

	Item		Item
Insect(s)—Continued.		JARRELL, T. D.:	
described.....	353, 377	Waterproofing and Mildewproofing of Cotton Duck. With others.....	744
development in relation to temperature and humidity.....	195	Waterproofing of Canvas. Review of Investigations. With H. P. Holman.....	745
effect of floods.....	146	JENSEN, W. C.: Farm management and Cost Investigations in Anderson County, S. C.—1922.....	443
exhibit.....	161	JERDAN, S. S.: A Comparison of Concentrates for Fattening Steers in the South. With others.....	844
habits, life history, etc.....	155	JESNESS, O. B.:	
in—		Cooperative Purchasing and Marketing Organizations among Farmers in the United States. With W. H. Kerr.....	681
Brazil.....	162	Membership Relations of Cooperative Associations (Cotton and Tobacco).....	682
Cuba.....	185	JOHNS, C. O.: Chemistry of the Cotton Plant, with Special Reference to Upland Cotton. With others.....	42
Florida.....	152	JOHNSON, E.:	
Hawaii.....	150	Cotton-dusting Machinery. With others.....	212
St. Croix.....	163	Dusting Cotton from Airplanes. With others.....	206
Texas.....	159, 160	JOHNSON, J.: Host Plants of <i>Thielavia basicola</i>	107
injurious—		JOHNSON, L.: Report upon the Cotton Worm, Boll Worm, and Other Insects.....	244
to bolls.....	157	JOHNSON, O. M.: The Old Plantation Piedmont Cotton Belt. With H. A. Turner.....	429
to seedlings.....	147	JONES, C. R.: The Cotton Bollworm: a Summary of its Life History and Habits. With F. C. Bishopp.....	236
names, common and scientific.....	153	JONES, J. M.: Sorgo Silage, Sorgo Fodder, and Cottonseed Hulls as Roughages in Rations for Fattening Calves in the Southwest. With others.....	837
native homes.....	153	JONES, J. W.: Membership Relations of Cooperative Associations. (Cotton and Tobacco.) With O. B. Jesness.....	682
odors attracting.....	193	JONES, R. W.: Report of Observations and Experiments on the Cotton Worm.....	244
plant-sucking.....	278	JUSTIN, M.: Protection Afforded the Skin Against Sunburn by Textile Fibers. With others.....	768
relation of rotation systems.....	156	Jute bagging compared with cotton. Juvenile leaf-curl.....	526 308
section on.....	145-287	KEARNEY, T. H.:	
<i>See also under names of insects.</i>		Breeding New Types of Egyptian Cotton.....	54
Inspection service, functions.....	648	Breeding Work with Egyptian Cotton.....	342
Insurance rates, warehouses.....	669	Correlations of Seed, Fiber, and Boll Characters.....	55
International Universal Cotton Standards Conference:		Cotton Breeding and Genetics (Bibliography).....	916
1929.....	883	Cotton Breeding To-day Works with Main Types Known in Remote Past.....	56
1929, 1931, 1933.....	882	Cotton Culture in the Southwestern United States.....	332
agreement of exchanges.....	886	Cotton of American-Egyptian Variety in U.S.....	548
history.....	886	Crops Used in the Reclamation of Alkali Lands in Egypt. With T. H. Means.....	333
Interstate Cotton Seed Crushers' Association, grades of cottonseed oil.....	819	Development of the Cotton Boll as Affected by Removal of the Involucre.....	30
Inventions:		Egyptian Cotton as Affected by Soil Variations.....	334
effect on prices.....	626		
for obtaining and preparing fibrous substances other than cotton and wool.....	691		
Involucre removal, effect on boll development.....	30		
Irrigation—			
and related cultural practices in Arizona.....	457		
experiments.....	339, 340		
methods.....	343		
on Yuma reclamation project.....	288		
Pima cotton.....	462		
summer.....	462		
survey of investigations in United States.....	461		
Italy, marketing practices.....	647		
JACKSON, C.: member of Flax and Hemp Commission.....	523		
JACKSON, C. T.:			
Chemical Analyses of Cotton Soils—Analyses of the Ash of the Cotton Plant.....	330		
Chemical Researches on the Seed of the Cotton-plant.....	818		
Researches on the Cotton-stainer, or Red Bug.....	277		
Jackson wilt-resistant variety.....	800		
JACOBS, K.: Bibliography on the Marketing of Agricultural Products. With others.....	500		
JAMIESON, G. S.: Production and Utilization of Fats, Fatty Oils, and Waxes in the United States.....	819		
JANNEY, S. M.: Virginia: Her Past, Present, and Future.....	517		
Jannovitch variety.....	316		
JANSSEN, G.: The Influence of the Potash Concentration in the Culture Medium on the Production of Carbohydrates in Plants. With R. P. Bartholomew.....	331		
Japan—			
consumption of American cotton.....	521		
cultivation.....	291		

Item	Item
KEARNEY, T. H.—Continued.	
Egyptian Cotton in the Southwestern United States. With W. A. Peterson-----	335
Experiments with Egyptian Cotton in 1908. With W. A. Peterson-----	336
Fiber from Different Pickings from Egyptian Cotton-----	694
Genetics: Cotton of the Egyptian Type-----	339
Heritability of Different Rates of Shedding in Cotton. With R. H. Peebles-----	57
Heritable Variations in an Apparently Uniform Variety of Cotton-----	58
Inheritance of Petal Spot in Pima Cotton-----	59
Inheritance of Rate of Shedding in a Cotton Hybrid. With R. H. Peebles-----	60
Inheritance of Smooth Seeds in Cotton. With G. J. Harrison-----	61
Length of Cotton Fibers from Bolls at Different Heights of the Plant. With G. J. Harrison-----	695
Member of Committee on Southwestern Cotton Culture-----	380, 377
Mutation in Egyptian Cotton-----	62
Non-inheritance of Terminal Bud Abortion in Pima Cotton-----	63
Pollen Antagonism in Cotton. With G. J. Harrison-----	64
Seed Selection of Egyptian Cotton-----	795
Segregation and Correlation of Characters in an Upland-Egyptian Cotton Hybrid-----	65
Selective Fertilization in Cotton. With G. J. Harrison-----	66
Self-fertilization and Cross-fertilization in Pima Cotton-----	67
Short Branch, Another Character of Cotton showing Monohybrid Inheritance-----	68
studies of hybrids, pollination, and cell-sap properties-----	340
Tests of Pima Egyptian Cotton in the Salt River Valley, Arizona-----	337
The Comparative Tolerance of Various Plants for the Salts Common in Alkali Soils. With L. L. Harter-----	29
The Salt Content of Cotton Fiber. With C. S. Scofield-----	696
The Uniformity of Pima Cotton-----	69
Variation in Seed Fuzziness on Individual Plants of Pima Cotton. With G. J. Harrison-----	31
KEATING, F. E.:	
Agronomic Work of the Big Spring, Texas Field Station—1915-29-----	338
Sorgo Silage, Sorgo Fodder, and Cottonseed Hulls as Roughages in Rations for Fattening Calves in the Southwest. With others-----	837
Kekchi variety:	
bionomic study-----	225
breeding experiments-----	368
hybrids-----	51
Kelep, weevil-eating ant:	
importation into United States-----	223
in Guatemala-----	221, 222, 225
social organization and breeding habits-----	224
KENNARD, D. C.: The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals. With others-----	835 244
Kerosene, use in insect control-----	835
KERR, W. H.: Cooperative Purchasing and Marketing Organizations among Farmers in the United States. With O. B. Jesness-----	681 14
Kidney cotton, characteristics-----	14
KILGORE, B. W.: The Feeding Value of Cotton Seed Products-----	377
KILLOUGH, H. B.:	
A Partial List of Uses of American Raw Cotton-----	746
Cotton Bags in the Wholesale Grocery Trade. With others-----	753
Domestic Mill Consumption of American Cotton by Grades and Staples. With others-----	528
KINCER, J. B.:	
A Correlation of Weather Conditions and Production of Cotton in Texas-----	81
Computing the Cotton Crop from Weather Records and Ginning Reports-----	80
Relation of Weather to the Amount of Cotton Ginned during Certain Periods-----	82
Weather and Agriculture. With others-----	79
KING, C. J.:	
Agricultural Investigations at the United States Field Station, Sacaton, Ariz., 1922, 1923 and 1924. With A. R. Leding-----	340
Agricultural Investigations at the United States Field Station, Sacaton, Arizona, 1925-1930. With H. F. Loomis-----	339
Comparison of Pima Cotton with Upland Varieties in Arizona. With others-----	341
Cotton Root Rot Causes Great Loss in Southwest; Control Problem Unsolved-----	108 109
Cotton Rootrot in Arizona-----	109
Cotton Root-rot Investigations in Arizona. With H. F. Loomis-----	110
Crop Tests at the Cooperative Testing Station, Sacaton, Arizona-----	342
Development of Axillary Buds on Fruiting Branches of Pima and Upland Cotton-----	32
Distribution of the Cotton Rootrot Fungus in Soil and in Plant Tissues in Relation to Control by Disinfectants. With Claude Hope-----	111
Experiments on the Control of Cotton Root Rot in Arizona. With H. F. Loomis-----	112
Factors Influencing the Severity of the Crazy-top Disorder of Cotton. With H. F. Loomis-----	113
Further Studies of Cotton Root Rot in Arizona, with a Description of a Sclerotium Stage of the Fungus. With H. F. Loomis-----	114
Habits of the Cotton Rootrot Fungus-----	115
Ozonium Root Rot. With others-----	131
Studies on Sclerotia and Mycelial Strands Of the Cotton Rootrot Fungus. With others-----	116
Water-stress Behavior of Pima Cotton in Arizona-----	343

Item	Item
KING, W. V.: Feeding Punctures of Mirids and other Plant-sucking Insects and their Effect on Cottons. With W. S. Cook-----	278
KNAPP, B.: Emergency Crops for Overflowed Lands in the Mississippi Valley-----	344
Field Instructions for Farmers' Cooperative Demonstration Work-----	345
Safe Farming in the Southern States in 1920-----	430
Selection of Cotton and Corn Seed on Southern Farms-----	796
Some Results of the Farmers' Cooperative Demonstration Work-----	346
KNAPP, S. A.: Agricultural Methods for Boll-weevil Districts-----	347
Cotton, the Greatest of Cash Crops-----	549
Familiar Talks on Farming. Cultivation of the Crop-----	348
Familiar Talks on Farming. Diversification-----	431
Field Instructions for Farmer's Cooperative Demonstration Work-----	345
Recent Foreign Explorations as Bearing on the Agricultural Development of the Southern States-----	598
Seed Selection for Southern Farms. With D. N. Barrow-----	797
The Production of Cotton under Boll-weevil Conditions-----	349
The Selection of Cotton and Corn Seed for Southern Farms-----	796
KOEBELE, A.: Studies in Brazil-----	535
KUHLMAN, A. H.: A Preliminary Study of the Determination of the Apparent Digestibility of Protein by Modified Procedures. With W. D. Gallup-----	838
Labor: man and mule, hours utilized in growing the crop-----	445
requirements: bibliography-----	410
for producing: one acre of cotton-----	459
one pound of lint cotton-----	412
in Georgia-----	426
slave: contrast with free-----	432
cost of production under-----	447
prices-----	437
Laboratory, cotton-fiber, in Agricultural Economics Bureau-----	716
LACY, M. G.: Price Fixing by Governments 424 B.C.—1926 A.D. A Selected Bibliography. With others-----	870
LONDON, M. D.: Cotton (by free labor)-----	432
LANE, C. H.: Lessons on Cotton for the Rural Common Schools-----	910
LANGWORTHY, C. F.: Digestibility of Some Vegetable Fats. With A. D. Holmes-----	820
LANHAM, W. B.: Cotton Data Record Variation in Staple Length, 1928-31-----	550
Cotton Grade and Staple Estimates Show Quality Trend-----	551
Geographic Distribution of Staple Lengths of American Upland Cotton—Crops of 1928, 1929, and 1930-----	552
LANHAM, W. B.—Continued. Grade, Staple Length, and Tenderability of Cotton in the United States. With others-----	552a
Grade and Staple of Alabama Cotton—Crops of 1928 and 1929. With J. L. McCollum-----	553
Grade and Staple of Arkansas Cotton—Crops of 1928 and 1929. With J. L. McCollum-----	554
Grade and Staple of Louisiana Cotton—Crops of 1928 and 1929. With J. L. McCollum-----	555
Grade and Staple of Mississippi Cotton—Crops of 1928, 1929, and 1930. With R. E. Betts-----	556
Grade and Staple of South Carolina Cotton—Crops of 1928 and 1929. With R. E. Betts-----	557
Grade and Staple of Tennessee Cotton—Crops of 1928, 1929, and 1930. With J. L. McCollum-----	558
Progress and Practical Use of the Cooperative Grade and Staple Work-----	559
Quality of Cotton Produced in North Carolina Crops of 1928 and 1929. With R. E. Betts-----	560
Staple Length of Texas Cotton Crops of 1928 and 1929-----	561
The Staple of Oklahoma Cotton 1928 Season-----	562
LANTOW, J. L.: Fattening Steers on Dry-land Crops of the Southwest. With others-----	836
Lard, detecting cottonseed oil in-----	828
Latitude, effect on yield-----	318
Laundry (ies): tests-----	780
uses of cotton-----	738
LAWRENCE, J. V.: The Chlorid Content of the Leaf Tissue Fluids of Egyptian and Upland Cotton. With others-----	20
LAWRENCE, Z. W.: The Chlorid Content of the Leaf Tissue Fluids of Egyptian and Upland Cotton. With others-----	20
Leaf(ves): age and development in relation to cell-sap concentration and transpiration-----	16
beetle, injury to seedlings-----	147
bug-----	157
curl: described-----	95
distinguished from leaf-cut-----	97
juvenile-----	308
cut-----	95, 97
dimorphic, in relation to heredity-----	46
perforator-----	153
pictures-----	14
spot: dissemination-----	99
Sea Island-----	142
temperatures, in relation to transpiration, varietal differences and yields-----	18
tissue fluids-----	20-25
worm. See Cotton, leaf worm.	
LEDING, A. R.: Agricultural Investigations at the United States Field Station, Sacaton, Ariz., 1922, 1923, and 1934. With C. J. King-----	340
Legislation and regulation: cottonseed and linters, section on-----	857-858
futures trading, section on-----	859-868
miscellaneous, section on-----	900-902
prices, section on-----	869-872
production, section on-----	873-879
section on-----	857-892
standards, section on-----	880-895
warehousing, section on-----	896-899

Item	Item
Lessons on cotton:	
for elementary schools-----	911
for rural common schools-----	910
LETTEER, C. R.:	
Experiments in Crop Production	
on Fallow Land at San Antonio-----	350
Experiments in Subsoiling at	
San Antonio. With S. H. Hastings-----	325
The work of the San Antonio	
(Texas) Experiment Farm in 1918-----	351
LEVINE, B. S.: Waterproofing and	
Mildewproofing of Cotton Duck.	
With others-----	744
Lignin from cotton stalks-----	748
LINDSEY, J. B.: The Digestibility and	
Energy Values of Feeds for Horses.	
With others-----	840
Lint:	
importation regulations-----	901
index:	
comparison with lint percentage-----	45
for judging cotton varieties-----	45
method of determining-----	73
length, crops of 1916 and 1917-----	564
percentage:	
comparison with lint index-----	45
method of determining-----	73
use-----	45
Linters:	
A. M. Agelasto-----	811
color analyzed and color standards-----	821
commercial values-----	811
exports-----	522
grades, standard:	
establishment-----	824
public notice-----	886
handling-----	811
legislation and regulation, section on-----	857-858
production-----	811
standards, official-----	811
Service and Regulatory Announcement 94-----	857
use-----	821
uses:	
chart-----	742
gun cotton-----	811
summary-----	811
yield per ton of seed-----	842
Lister attachment for planters-----	458
Live-at-home plans and soil building-----	313
"Liverpool annual report"-----	579
Liverpool standards for grade, comparison with United States standards-----	868
Livestock enterprise as substitute for cotton production in Southeast-----	566
LLOYD, E. R.: A Comparison of Concentrates for Fattening Steers in the South. With others-----	844
Local adjustment of varieties-----	305
Local markets. See Market(s), local.	
LOCKWOOD, E. K.: A Criterion of the Differentiation of Varieties or of Experimental Areas with Respect to Their Capacity to Produce Seeding Stands of Cotton. With others-----	321
LOFTIN, U. C.: Report on Investigations of the Pink Bollworm of Cotton in Mexico. With others-----	253
Lone Star variety, breeding experiments-----	368
LONG, L. E.: Cost of Producing Cotton in Fifteen Selected Areas, 1923. With C. R. Swinson-----	444
Long-staple cotton:	
imports-----	533
premiums-----	533
Long-staple cotton—Continued.	
production:	
factors affecting-----	541
in Louisiana-----	539
increasing-----	538
relation to price-----	644
situation:	
outlook, 1932-----	574
some phases of-----	533
spinning tests-----	714
supply, maintaining-----	578
LONGLEY, A. E.: Chromosomes in Gossypium and Related Genera-----	70
LOOMIS, H. F.:	
Agricultural Investigations at the United States Field Station, Sacaton, Arizona, 1925-1930. With C. J. King-----	339
Comparison of Pima Cotton with Upland Varieties in Arizona. With others-----	341
Cotton Root-rot Investigations in Arizona. With C. J. King-----	110
Development of Flowers and Bolls of Pima and Acala Cotton in Relation to Branching. Experiments on the Control of Cotton Root Rot in Arizona. With C. J. King-----	112
Factors Influencing the Severity of the Crazy-top Disorder of Cotton. With C. J. King-----	113
Further Studies of Cotton Root Rot in Arizona, with a Description of a Sclerotium Stage of the Fungus. With C. J. King-----	114
Studies on Sclerotia and Mycelial Strands of the Cotton Root Rot Fungus. With others-----	116
Summer Irrigation of Pima Cotton. With R. D. Martin-----	462
LORING, G. B., address at cotton convention, Atlanta, Ga-----	310
Louisiana:	
diversified farming-----	435
grade and staple length, 1928-1929-----	555
long staple as substitute for sugar cane-----	539
single-stalk culture-----	292
state crop pest commission, work on boll weevil-----	184
weather conditions and yield-----	85
Louse. See Cotton, aphid or louse.	
LOWMAN, M. S.: A Study of Cottonseed with Reference to Varietal Characteristics and Sources of Production. With A. F. Sievers-----	792
LUDWIG, C. A.:	
Some Factors Concerning Earliness in Cotton-----	352
The Germination of Cottonseed at Low Temperatures-----	798
Lygus elisus, in Arizona and California-----	279
LYMAN, J. B.: Cotton Planting-----	353
LYNSKY, M.: Agricultural Price-supporting Measures in Foreign Countries. With others-----	869
Machine Tabulation and Computing Section, Bureau of Agricultural Economics. Average Precipitation in Texas by Crop Estimate Districts and Ten-Day Periods and Average Yield of Lint Cotton-----	87
Machinery:	
dusting-----	207, 212
for destruction of cotton worm-----	246
harvesting-----	460
in agriculture-----	459
patents for fiber-----	691

Item	Item
MALLY, F. W.:	Marketing—Continued.
Report of Progress in the Investigation of the Cotton Boll Worm-----	and distribution-----
Report on the Boll Worm of Cotton-----	bale of cotton, cost in 1840 and 1897-----
The Boll Worm of Cotton-----	bibliographies-----
The Mexican Cotton-boll Weevil-----	cooperative. <i>See</i> Cooperative marketing.
“Manchester market—annual report”-----	cost, effect on prices-----
MANN, A.: Fungous Staining of Cotton Fibers-----	description-----
MANNY, T. B.:	evolution-----
Farmer Opinions and Other Factors Influencing Cotton Production and Acreage Adjustments in the South-----	financing-----
Farmers' Experiences and Opinions as Factors Influencing Their Cotton-marketing Methods-----	information, sources-----
Manufacture:	local. <i>See</i> Market(s), local.
1845, in Austria and India-----	long-staple cotton-----
1856, in various countries-----	methods-----
1857, in United States-----	among farmers-----
1860, in Virginia-----	and practices, section on-----
climatic influences affecting, Europe and United States-----	on-----
cottonseed products-----	improved-----
description-----	in Egypt-----
various classes, relative proportion of total consumption-----	in England-----
various fabrics, grades and staples required-----	in Europe-----
Manufacturers:	Program of Cotton Marketing Division-----
answers to questionnaire, 1853-----	research-----
objections to Pima cotton-----	section on-----
Manufacturing:	services-----
history:	Marketing Division. <i>See</i> Cotton Marketing Division, Bureau of Agricultural Economics.
1793-1893-----	MARR, J. C.: The Irrigation of Cotton. With R. G. Hemphill-----
in southern states-----	MARTIN, J. G.:
tests. <i>See</i> Spinning tests.	Handling and Marketing Durango Cotton in the Imperial Valley. With G. G. White-----
Manuring:	The Handling and Marketing of the Arizona-Egyptian Cotton of the Salt River Valley-----
bibliography-----	MARTIN, R. D.:
experiments and methods-----	Community Cotton Production. With O. F. Cook-----
<i>See also</i> Fertilizer(s); Green manures.	Culture of Pima and Upland Cotton in Arizona. With O. F. Cook-----
Manuscript bibliographies and indexes-----	Growth of Fruiting Parts in Cotton Plants. With others-----
MARBURY, J. B.:	Study of Off-type Plants of Acala Cotton-----
Relation of Weather Conditions to Growth and Development of Cotton-----	Summer Irrigation of Pima Cotton. With H. F. Loomis-----
Market(s):	Mattresses, cotton:
A. B. Cox-----	advantages-----
description-----	cost-----
England-----	Maturation period, factors influencing-----
Europe-----	MCBATH, W. E.: A Bibliography on the Use of Airplanes in Insect Control to March 1, 1928. With Carlo Zeimet-----
information, sources-----	McBRYDE, J. B.:
local:	Chemistry of Cotton. With W. H. Beal-----
in—	Fertilizing Constituents Contained in a Crop of Cotton Yielding 100 pounds of Lint per Acre-----
North Carolina:	Fertilizing Constituents Contained in a Crop of Cotton Yielding 300 Pounds of Lint per Acre-----
improvements-----	prices in relation to quality-----
prices-----	1912-14-----
Oklahoma-----	in—
Texas-----	Arkansas-----
prices in relation to quality-----	Mississippi-----
1912-14-----	Oklahoma-----
in—	United States-----
Arkansas-----	summary of findings-----
Mississippi-----	organization-----
Oklahoma-----	studies, Cotton Marketing Division-----
United States-----	types, definitions-----
summary of findings-----	world, for American products-----
organization-----	Marketing:
studies, Cotton Marketing Division-----	1866-----
types, definitions-----	American cotton-----
world, for American products-----	in England-----
Marketing:	in Europe-----
1866-----	
American cotton-----	
in England-----	
in Europe-----	

	Item		Item
McC <small>OLL</small> , S. C., farm of J. C. Fletcher.	812	Mc <small>NAMARA</small> , H. C.:	
McC <small>OLLUM</small> , J. L.:		Behavior of Cotton Root Rot at	
Grade, Staple Length, and Tenderability of Cotton in the United States. With others.	552a	Greenville, Tex., Including an Experiment with Clean Fallows	117
Grade and Staple of Alabama Cotton—Crops of 1928 and 1929. With W. B. Lanham.	553	Cotton-spacing Experiments at Greenville, Texas.	356
Grade and Staple of Arkansas Cotton—Crops of 1928 and 1929. With W. B. Lanham.	554	Cycles of Growth in Cotton Root Rot at Greenville, Tex. With others.	118
Grade and Staple of Louisiana Cotton—Crops of 1928 and 1929. With W. B. Lanham.	555	Growth and Development of Cotton Plants at Greenville, Texas. With others.	357
Grade and Staple of Tennessee Cotton—Crops of 1928, 1929, and 1930. With W. B. Lanham.	558	Sclerotia-forming Habits of the Cotton Root-rot Fungus in Texas Black-land Soils. With D. R. Hooton.	119
McC <small>ONNELL</small> , O. J.:		Spinning Tests of some Texas-grown Varieties of Cotton (crops of 1923, 1924, and 1925) With H. H. Willis.	727
A Study of Cotton Market Conditions in North Carolina with a View to their Improvement. With W. R. Camp.	653	Studies of Cotton Root Rot at Greenville, Tex. With D. R. Hooton.	120
Suggested Improvements in Methods of Selling Cotton by Farmers, Based on a Comparison of Cotton Producers' and Consumers' Prices.	654	Mc <small>NEIL</small> , G. L.: Dusting Cotton from Airplanes. With others.	206
Mc <small>DONALD</small> , A.: Preparing Fine Cottons for Market.	579	Meade, R. M.:	
Mc <small>DONOUGH</small> , F. L.: The Red Spider on Cotton. With E. A. McGregor.	280a	A Study of Diversity in Egyptian Cotton. With others.	13
Mc <small>GEEHEE</small> , T. F.:		Arrangement of Parts in the Cotton Plant. With O. F. Cook.	9
Collection of Weevils and Infested Squares as a Means of Control of the Cotton Boll Weevil in the Mississippi Delta. With B. R. Coad.	215	Methods of Securing Self-pollination in Cotton.	72
Mc <small>GREGOR</small> , E. A.:		Single-stalk Cotton Culture at San Antonio.	358
<i>Lygus elisus</i> : A Pest of the Cotton Regions in Arizona and California.	279	Supernumerary Carpels in Cotton Bolls.	37
The Red Spider on Cotton.	280	Meade variety:	
The Red Spider on Cotton. With F. L. McDonough.	280a	cultivation	359
The Red Spider on Cotton and How to Control it.	281	in Florida, Georgia, South Carolina	542
The True Cricket—a Serious Cotton Pest in California.	282	origin and history.	359
Mc <small>INDOO</small> , N. E.:		replacing Sea Island.	359
Senses of the Cotton Boll Weevil—an Attempt to Explain how Plants Attract Insects by Smell.	193	spinning tests.	359, 707
M <small>KAY</small> [C. F.]: The Cotton Trade, from 1825 to 1850.	518	MEADOWS, W. R.:	
Mc <small>KEEVER</small> , H. G.:		Comparative Spinning Tests of Meade and Sea Island Cottons. With W. G. Blair.	707
Community Production of Acala Cotton in the Coachella Valley of California.	476	Comparative Spinning Tests of Superior Varieties of Cotton (grown under weevil conditions). With W. G. Blair.	708
Cotton Communities Showing more Interest in One-Variety Plan.	477	Economic Conditions in the Sea Island Cotton Industry.	563
Spacing Experiments with Acala Cotton in Southern California.	354	Preliminary Manufacturing Tests of the Official Cotton Standards of the United States for Color for Upland Tinged and Stained Cotton. With W. G. Blair.	709
Mc <small>KINNEY</small> , K. B.: Report on Investigations of the Pink Bollworm of Cotton in Mexico. With others.	253	Spinning Tests of Cotton Compressed to Different Densities. With W. G. Blair.	710
Mc <small>LACHLAN</small> , A.:		Spinning Tests of Reginned and Cleaned Cotton. With W. G. Blair.	711
A Study of Diversity in Egyptian Cotton. With others.	13	Meal, cottonseed. See Cottonseed, meal.	
Community Production of Durango Cotton in the Imperial Valley.	478	MEANS, T. H.: Crops Used in the Reclamation of Alkali Lands in Egypt. With T. H. Kearney.	333
The Branching Habits of Egyptian Cotton.	35	Measuring worms, injury to seedlings.	147
The Culture of Durango Cotton in the Imperial Valley.	355	Mechanization in South, factors resistant to.	464
Mc <small>LEAN</small> , L. G.: Viability of Strand Hyphae of the Cotton Root-rot Fungus. With D. C. Neal.	125	"Medicinal value" of cotton.	759
Mc <small>MURTREY</small> , J. E., Jr.: Field Experiments with Atmospheric-nitrogen Fertilizers. With others.	389	MEHRING, A. L.:	
		Effects on Cotton of Irregular Distribution of Fertilizers. With G. A. Cumings.	397
		Factors Affecting the Mechanical Application of Fertilizers to the Soil. With G. A. Cumings.	463

Item	Item
MEHRING, A. L.—Continued.	
Mechanical Application of Fertilizers to Cotton in South Carolina, 1931. With others.	455
Progress Report on Mechanical Application of Fertilizers to Cotton in South Carolina, 1930. With others.	456
MEIER, F. C.: Watermelon Stem-end Rot.	122
MELL, P. H.: Report on the Climatology of the Cotton Plant.	84
MELOY, G. S.:	
A Study of the Variable Composition of Cotton Seed.	791
American Cotton Linters.	857
Color of Linters Analyzed and Color Standards Established.	821
Cotton Ginning.	490
Cotton Wastes are Turned by Chemists into Profit Sources.	822
Cottonseed Crushing Industry Grows.	823
Cottonseed Grades are to be Issued.	789
Cottonseed's Kernel Content and Components are Basis of Grading.	790
Lint Percentage and Lint Index of Cotton and Methods of Determination.	73
Losses from Selling Cotton in the Seed.	651
Meade Cotton, an Upland Long-staple Variety Replacing Sea Island. With C. B. Doyle.	359
Pure Seed in Relation to Community Production of Cotton.	479
Some Uses of the Products of the Cotton Plant. With others.	742
The Cotton Situation. With others.	592
The Establishment of Standard Grades for American Cotton Linters.	824
MENAU, P.:	
Effect of Autoclaving upon the Toxicity of Cottonseed Meal. With C. T. Dowell.	845
The Physiological Effect of Gossypol.	848
MERRILL, F. A.:	
Cotton or Weevils. With J. L. Webb.	186
Lessons on Cotton for Elementary Schools.	911
MERZ, A. R.: Fertilizer Concentration Need not Increase the Risk of Burning Plants. With W. H. Ross.	826
Metaxenia effect.	52
Mexican cotton boll weevil. <i>See</i> Bollweevil.	
Mexican variety, spinning test.	722
Mexico, pink bollworm:	
U. C. Loftin and others.	253
W. Ohlendorf.	254
survey of situation.	256
MICHAEL, L. G.: Agricultural Survey of Europe: France.	519
<i>Microbracon mellitor</i> Say, parasite of pink bollworm.	261
MILES, G. F.:	
Texas Root-rot of Cotton: Field Experiments in 1907. With C. L. Shear.	138
The Control of Texas Root-rot of Cotton. With C. L. Shear.	137
Mill(s):	
cottonseed oil:	
1826-1925.	823
earliest.	817, 823
earliest.	613
village, description.	421
MILLER, H. A.: A Simple Way to Increase Crop Yields. Methods Followed by Farmers of the Coastal Plain Section of the Central Atlantic States in Building up Soil Fertility.	360
MILSTEAD, L. D.: Studies of Stability of Color in Raw Cotton. With D. Nickerson.	734
Mirids and other plant-sucking insects.	278
Mississippi:	
diversified farming.	435
grade and staple length, 1928-1929.	556
history and cultivation.	382
prices in relation to quality.	629
production costs.	444
Mississippi Delta:	
acreage:	
increase, 1919-29.	534
shifts, 1919-24.	547
farmer opinion as influence on production.	433
tenant system on plantations.	411
Mississippi Valley:	
boll weevil studies.	192
overflowed lands, emergency crops.	344
Missouri, cultivation, 1861.	327
Mit Affi variety.	316
MITCHELL, H. H.: The Nutritive Value for Growing Swine of the Proteins of Linseed Meal and of Cottonseed Meal, Both Alone and in Combination with the Proteins of Corn. With T. S. Hamilton.	841
MITCHELL, J. D.: Experiment on capturing insects at night.	203
Moisture. <i>See</i> Humidity; Rainfall; Weather.	
MOORE, A. N.: Credit Problem in Cotton States has Several Aspects.	448
MOORHEAD, J. K., member of Flax and Hemp Commission.	523
MOORHOUSE, L. A.: The Cost of Producing Cotton (842 records—1918). With M. R. Cooper.	445
MORGAN, A. C.:	
A Predatory Bug Reported as an Enemy of the Cotton Boll Weevil.	183
The Cotton Stalk-borer.	183
Morphology of branches.	11, 12
MORRILL, A. W.:	
Plant-bugs Injurious to Cotton Bolls.	157
Report on a Mexican Cotton Pest, the "Conchuela".	286
The Mexican Conchuela in Western Texas in 1905.	287
Movement:	
1924-25 crop.	532
North Atlantic and Gulf ports.	530
section on.	530-532
MUNNS, E. N.: Weather and Agriculture. With others.	79
Muscle Shoals, Ala., nitration-fixation plant.	389
Museum of Department of Agriculture, cotton samples.	691
Mutability in Egyptian cotton.	62
Mutative reversions, study.	48
MYERS, L.:	
American Cotton Holds Ground Despite Growth of Foreign Competition. With others.	503
Cotton Statistics and Related Data for Agricultural Workers. With M. R. Cooper.	599
Fertilizer Consumption in Cotton Area Varies with Return from Crop.	632

	Item		Item
NEAL, D. C.:		NOBLE, E. G.:	The Work of the
Cotton Diseases take two Mil-		Yuma Reclamation Project Experi-	
lion Bales of U.S. Crop An-		ment Farm in 1919 and 1920...	361
nually-----	123	Noncotton zones, compensation...	900
Infection Experiments with the		North Carolina:	
Cotton Root-rot Fungus,		consumption, 1850-1903.....	613
<i>Phymatotrichum omnivorum</i> ,		cottonseed meals, gossypol con-	
With G. T. Ratliffe.....	124	tent.....	853
Viability of Strand Hyphae of		fertilizer tests.....	392
the Cotton Root-rot Fungus.		ginning practices and costs...	488
With L. G. McLean.....	125	grade and staple length, 1928-	
Nectar and its uses.....	237	29.....	560
Nectaries, description by species...	40	leading varieties, spinning tests	
NEELY, J. W.: The Order, Rate, and		market conditions:	
Regularity of Blooming in the		improvements.....	654
Cotton Plant. With C. K. McClel-		study.....	653
land.....	34	production:	
Negroes, planting done by, 1867...	437	1850-1903.....	613
NELSON, F. E.: Grade, Staple Length,		costs.....	444
and Tenderability of Cotton in the		single-stalk culture.....	292
United States, 1928-29 to 1931-		warehouse survey.....	669
32. With others.....	552a	Nurse planting select cottonseed...	293
Nema, infesting cotton and potatoes.	269	NIHUS, P. O.: China's Demand Large	
NESS, M. M.: Applicability of Pear-		for some U.S. Products, Despite	
son's Equivalent Probability r		Low Incomes.....	520
Method to the Problem of Seedling		O'BRIEN, R.:	
Mortality in Sea-island, Egyptian,		Bibliography on the Relation of	
and Upland Cotton. With J. A.		Clothing to Health. With	
Harris.....	319	others.....	769
NEUBAUER, T. A.: Farm Prices of		Cotton Fabrics again in Fash-	
Cotton Related to its Grade and		ion's Favor for Women's Sum-	
Staple Length.—Mississippi Crop—		mer Wear.....	770
Season 1928-29. With others...	629	Cotton Trade Feels Changes of	
New Mexico:		Styles in Women's Clothing...	771
Acala cottons, spinning tests...	721	Selection of Cotton Fabrics...	747
irrigation survey.....	461	Sun Suits for Children.....	772
New Uses for Cotton Committee,		Textile Buying for the Home	
Exhibit.....	749	would be Aided by System of	
NEWELL, W.:		Labeling.....	757
Notes upon a Little-known In-		OGDEN, E. L.: List of Manuscript	
sect Enemy of Cotton and		Bibliographies and Indexes in the	
Corn.....	184	U.S. Department of Agriculture	
The Argentine Ant. With T. C.		Including Serial Mimeographed	
Barber.....	232	Lists of Current Literature. With	
The Work of the State Crop Pest		E. B. Hawks.....	916
Commission of Louisiana on		OHELDORF, W.: Studies of the Pink	
the Cotton Boll Weevil.....	184	Bollworm in Mexico.....	254
NEWTON, R. L.:		Oil:	
A System of Accounts for Cot-		attracting bollweevil to cotton	
ton Warehouses. With J. R.		plant.....	42
Humphrey.....	667	content of seed..... 788, 792, 813,	851
Cotton Warehousing—Benefits of		cottonseed. See Cottonseed, oil,	
An Adequate System; with a		mills. See Mill(s).	
Discussion of the Receipt		Oklahoma:	
under the United States Ware-		acreage increase, 1919-29.....	534
house Act. With J. M. Work-		grade in relation to price.....	658
man.....	666	harvesting methods.....	717
NICKERSON, D.:		labor requirements for producing	
A Method for Determining the		a pound of lint cotton.....	412
Color of Agricultural Prod-		Lawton, field station, rotation	
ucts.....	733	and tillage experiments.....	363
Application of Color Measure-		local markets.....	658
ment in the Grading of Agri-		picked and snapped cottons,	
cultural Products.....	729	spinning tests.....	726
Color Conversion Tables. With		prices in relation to quality...	631,
C. F. Welsh.....	730	637, 658	
Color Measurement of Farm		production costs.....	444
Products is a Factor in Grading		staple length:	
ing.....	731	1928 crop.....	562
Cotton Progressively Lowered in		relation to—	
Grade by Exposure, Tests		mill consumption... 581, 582	582
Show.....	732	price.....	658
Studies of Stability of Color in		OLCOTT, M. T.: Bibliography on the	
Raw Cotton. With L. D. Mil-		Marketing of Agricultural Prod-	
stead.....	734	ucts. With others.....	500
Nitrogen content of plant.....	1	One-variety communities:	
NIXON, R. L.:		advantages.....	473
Cotton Bagging for Cotton.		development of an actual com-	
With others.....	756	munity.....	476
Cotton Warehouse Construc-		in—	
tion.....	668	California..... 472, 476,	478
Cotton Warehouses: Storage		Southeastern States.....	542
Facilities now Available in		organization.....	477
the South.....	669	See also Cooperation in produc-	
Weather Damage to Cotton....	670	tion.	

Item	Item
ORTON, W. A.:	
Circular of Information to Ac-	
company Seed of Wilt-resist-	
ant Upland Cotton-----	799
Cotton Wilt-----	128
Rivers Sea Island Cotton-----	805
Sea Island Cotton-----	362
Sea Island Cotton: its Culture,	
Improvement, and Diseases---	362
Sea Island Cotton no. 224-----	805
The Control of Cotton Wilt and	
Root-knot-----	126
The Control of Cotton Wilt and	
Root-knot. With W. W.	
Gilbert-----	127
The Development of Farm Crops	
Resistant to Disease-----	129
The Wilt Disease of Cotton and	
its Control-----	130
Wilt-resistant Jackson Cotton---	800
OSBORN, W. M.: Rotation and Till-	
age Experiments at the Lawton	
(Okla.) Field Station-----	363
Outlook:	
1921-----	592
1924-33-----	570
1930-----	605
1931-32-----	573
1932-----	572
information:	
sources-----	436
use by farmers:	
extent-----	433
in farm-business plan-	
ning-----	436
Southern States:	
1930/31-1931/32-----	571
long-time-----	573
Ozonium root rot. <i>See</i> Root-rot.	
Pacific States, meteorological causes	
and production, 1865-----	545
Padding used in power laundries---	738
PAINTER, R. H.: A Study of the Cotton	
Flea Hopper, <i>Psallus seriatus</i>	
Reut., with Special Reference to	
its Effect on Cotton Plant Tissues---	283
PALMER, A. W.:	
Cotton-fiber Research Points	
Way to Better Marketing	
Practices-----	697
The Commercial Classification	
of American Cotton, with	
Reference to the Standards	
for Grade, Color, and Staple---	663
Paper, manufacture:	
from hulls:	
and stalks-----	736, 737
suggested in 1855-----	818
from linters-----	811
Paris green, insecticide for boll-	
weevil-----	211
PARK, J.: The Use of Cotton Bags	
as Consumer Packages for Po-	
tatoes-----	754
PASCOE, T. A.: Further Studies on	
the Relationship between the Con-	
centration of the Soil Solution	
and the Physicochemical Prop-	
erties of the Leaf-tissue Fluids of	
Cotton. With J. A. Harris-----	21
Patents:	
for fiber machinery and pro-	
cesses-----	691
for gins, 1869-----	496
PATTEN, H. E.: Absorption by Soils.	
With W. H. Waggaman-----	364
Pearson's correlation method-- 319, 321,	322
<i>Pectinophora gossypiella</i> Saund. <i>See</i>	
Pink bollworm.	
PEEBLES, R. H.:	
Heritability of Different Rates	
of Shedding in Cotton. With	
T. H. Kearney-----	57
PEEBLES, R. H.—Continued.	
Inheritance of Rate of Shedding	
in a Cotton Hybrid. With	
T. H. Kearney-----	60
PELTIER, G. L.: Ozonium Root Rot.	
With others-----	131
<i>Pentatoma ligata</i> Say. <i>See</i> Con-	
chuela.	
Pentatomid bugs-----	157
<i>Perisierola emigrata</i> , parasite of	
pink bollworm-----	261
Peru, cotton, weevils reared from---	158
Peruvian cotton:	
consumption in United States,	
statistics-----	533
plant characteristics-----	14
Pests. <i>See</i> Insects.	
PETERSON, E. C.:	
Bibliography on the Relation of	
Clothing to Health. With	
others-----	769
Cotton Fabric Finish may be	
Restored by Right Launder-	
ing-----	783
Fabrics' Stiffness is Measurable	
by Device made for the Pur-	
pose. With T. Dantzig-----	784
Stiffness in Fabrics Produced by	
Different Starches and Starch	
Mixtures, and a Quantitative	
Method for Evaluating Stiff-	
ness. With T. Dantzig-----	785
PETERSON, W. A.:	
Egyptian Cotton in the South-	
western United States. With	
T. H. Kearney-----	335
Experiments with Egyptian Cot-	
ton in 1908. With T. H.	
Kearney-----	336
The Work of the Yuma Experi-	
ment Farm in 1912-----	365
PHILIPS, M. W.: Remarks on the	
Cultivation of Cotton-----	366
PHILLIPS, M.: Lignin, Farm By-	
product, now Wasted, may Supply	
Cheap Organic Chemicals-----	748
<i>Phymatotrichum omnivorum</i> (Shear)	
Dug. <i>See</i> Root-rot.	
Physiology. <i>See</i> Plants, characteris-	
tics and development, section on-	
Picked and snapped cotton, spinning	
test-----	703, 715
Picking:	
1866-----	353
cost-----	440, 612
effect on spinning quality-- 703, 715, 717	
machine-----	460, 464
sacks and sheets, amount of cot-	
ton used-----	739
<i>See also</i> Harvesting.	
Piedmont:	
conditions:	
and changes-----	429
farmers-----	466
Cotton Belt-----	429
production, influence of farmer	
opinion-----	433
Piedmont-Cleveland variety, spin-	
ning value-----	723
PIEMEISEL, L. N.: The Water Re-	
quirement of Plants at Akron,	
Colo. With H. L. Shantz-----	38
PIERCE, W. D.:	
A New Interpretation of the	
Relationships of Temperature	
and Humidity to Insect De-	
velopment-----	195
Descriptions of some Weevils	
Reared from Cotton in Peru---	158
How Insects Affect the Cotton	
Plant and Means of Combat-	
ing Them-----	149

Item	Item
PIERCE, W. D.—Continued.	Pink Bollworm—Continued.
Mexican Cotton-boll Weevil.	life history----- 251, 254
Message from the President	measures to exclude----- 255
of the United States Trans-	moths captured by airplane---- 148
mitting a Communication from	parasites, in Hawaii----- 261
the Secretary of Agriculture	quarantine and control regula-
Submitting a Report on the	tions----- 901
Mexican Cotton-boll Weevil.	section on----- 247-261
With W. D. Hunter----- 172	situation, 1921----- 258, 260
Notes on the Biology of Certain	Texas law----- 250
Weevils Related to the	Plant(s):
Cotton Boll Weevil----- 183	arrangement of parts----- 9
Studies of Parasites of the Cotton	characteristics and development,
Boll Weevil----- 234	section on----- 1-42
The Insect Enemies of the	chemistry:
Cotton Boll Weevil. With	bibliography----- 15
others----- 233	with special reference to
The Occurrence of a Cotton Boll	upland cotton----- 42
Weevil in Arizona----- 196	farm study----- 26
PIETERS, A. J.:	glands, chemistry and histology--
Agricultural Seeds—Where	nitrogen content----- 39
Grown and How Handled----- 801	water requirements at Akron,
The Business of Seed and Plant	Colorado----- 38
Introduction and Distribution-- 802	weevil-resisting adaptations---- 225
Pima cotton:	Plant Industry Bureau:
comparison with—	boll weevil control work:
Acala, plant behavior----- 33	1904----- 168
upland—	1904-13----- 179
fertilization methods-- 67	cottonseed introduction and dis-
plant behavior and	tribution:
characteristics----- 32, 341	1903-23----- 806
Yuma----- 337	methods----- 802
culture in Arizona----- 301	Plant Quarantine and Control Ad-
experiments—	ministration, Service and Regula-
at Yuma----- 288	tory Announcements 1-105----- 901
in San Joaquin Valley----- 289	Plantations:
fiber development----- 692	1867----- 437
ginning----- 495	building up run-down----- 413
heritable variations----- 58	diversification----- 414
history:	in Piedmont Cotton Belt----- 429
early----- 58	Yazoo-Mississippi Delta, ten-
short account----- 378	antry----- 411
petal spot, inheritance----- 59	Planter(s):
production, 1912-25----- 548	Dowlaw's----- 465
seed fuzziness, variation----- 31	lister attachment----- 458
self-fertilization and cross-fert-	uniform-depth press-wheel at-
tilization----- 67	tachment----- 454
spinning and manufacturing	Planting—
tests:	dates—
1915-18----- 378	east of meridians 102-104-- 417
California crop, 1924----- 720	in weevil-control experi-
comparative----- 728	ments----- 213
for airplane fabric----- 713	heavy cottonseed, advantage-- 385
selected bales----- 702	recommendations in—
statistics----- 533	1849----- 366
summer irrigation----- 462	1866----- 353
terminal bud abortion, nonin-	Point buying versus buying on qual-
heritance----- 63	ity basis----- 649
uniformity in Salt River Valley-- 69	Polk, William, plantation of----- 414
utilization----- 728	Pollen antagonism----- 64
value to growers, 1912-25----- 548	Pollination:
variations, inheritance----- 58	artificial----- 53
water-stress behavior----- 343	premature, injurious effects---- 53
Pink bollworm—	self-, methods of securing----- 72
condensed information----- 153	studies at Sacaton, Ariz----- 340
conference, Dallas, Tex., 1921-- 257-260	POPE, J. D.: Prevailing Prices Paid
control measures, study----- 254	to Farmers for Cotton each Satur-
damage----- 251	day, Beginning with September
description----- 251, 254	19th, and Continuing through
distribution and spread----- 251	December 12th [1925], 9 to 12
food plants----- 251	O'Clock, as Reported by County
fumigation:	Agents. With F. W. Gist----- 625
effect on fiber properties-- 705	POPE, O. A.: The Determination of
measures----- 254, 255	Sample Size for Diameter Measure-
habits, damage, control, etc----- 254	ments in Cotton Fiber Studies----- 698
in cottonseeds:	PORTER, D. D.: Cycles of Growth in
detecting by use of X-ray-- 248	Cotton Root Rot at Greenville,
heat treatment----- 254	Tex. With others----- 118
in—	Ports:
Hawaii----- 247	comparison, 1905----- 530
Mexico----- 253, 254	in England----- 646
United States----- 250	in Europe----- 647
insects confused with----- 247, 249	on Atlantic and Gulf coasts,
introduction into United States,	1905----- 530
precautions----- 252	

	Item
Potash hunger, result-----	391
Potatoes packaged in cotton bags-----	754, 755
Power-----	
and machinery in agriculture-----	459
laundries, cotton used-----	738
Powick, W. C.: Compounds Developed in Rancid Fats, with Observations on the Mechanism of Their Formation-----	825
Precipitation:	
relation to-----	
weevil damage-----	175
yield, Texas-----	87
<i>See also</i> Rainfall.	
Preparation:	
fine cottons-----	579
processes, description-----	648
Presses, description-----	490
Prices:	
1795-1895-----	618
1911-30-----	572
analysis:	
progress-----	636
technic-----	633, 634
and markets-----	624
cloth and cotton, difference between-----	620
decline-----	
investigation-----	871, 872
statement of L. S. Tenny-----	871, 872
effect of-----	
business depression-----	635
Cotton Futures Act, chart-----	866
effect on-----	
acreage-----	621
consumption-----	621
consumption of fertilizers-----	632
factors affecting, studies-----	624, 626, 634
farm:	
September-December 1925-----	625
and-----	
farm marketings, 1926-27-----	636
prices of commodities-----	636
purchasing power of cotton-----	640
data, adequacy and reliability-----	633
index numbers-----	639
farmers' response to (bibliography)-----	641
fixing:	
424 B.C.-1926 A.D. (bibliography)-----	870
bibliography-----	870
by foreign countries-----	869
fluctuations, causes-----	618
forecasting-----	
discussion at conference-----	638
success of-----	636
government intervention-----	
bibliography-----	870
in foreign countries-----	869
index numbers-----	639
legislation and regulation, section on-----	869-872
long-staple-----	
relation to staple length-----	644
statistics-----	533
New York and Liverpool, differences-----	866
producers' and consumers', comparison-----	654
publications furnishing-----	648
purchasing power, 1882-1920-----	640
regulation-----	869-872
relation of carry-over and supply-----	876
relation to-----	
"into-sight" movement and heavy marketing period-----	666
quality:	
Arkansas-----	630
Mississippi-----	629

	Item
Prices-Continued	
relation to-----continued.	
quality-----continued.	
North Carolina-----	653
Oklahoma-----	631, 637
United States-----	627, 628
supply and consumption-----	623
world carry-over-----	638
section on-----	620-641
sources-----	648
statistics-----	619
Production:	
1795-1895-----	618
1841-84-----	596
1856:	
statistics-----	375
various countries-----	509
1866-95-----	600
1890-1930/31-----	572
1900-1903, by States-----	612
1913-20, principal countries-----	619
1921, world-----	592
1924-----	594
control-----	
by governments-----	877
by price fixing-----	877
cost (s):	
1849, per pound-----	446
1867, on 25 acres-----	422
1896-----	447
effect on yield, survey on 401 farms-----	423
example for figuring-----	592
in-----	
Alabama-----	445
Arkansas, 1,000 acres by free labor-----	432
fifteen selected areas-----	444
Georgia:	
investigation-----	445
Sumter county-----	420
South Carolina-----	445
Texas-----	
Ellis county-----	439
investigation-----	445
relation of cost of fertilizers:	
1896-----	407
North Carolina-----	392
section on-----	440-447
under slave labor and free labor-----	447
credit-----	
corporations affiliated with cooperative marketing associations-----	449
forms of security-----	592
section on-----	448-452
situation, 1921-----	592
<i>See also</i> Credit.	
description-----	691
economics-----	508
effect of boll weevil upon-----	165
geography-----	508
history-----	508
improvements-----	304
in-----	
California, extension-----	540
France-----	519
Pacific States, failure in 1865-----	545
Southwest-----	
obstacles-----	537
survey-----	565
various countries-----	509
influence, statistics-----	602, 603
influence of farmer opinions and other factors-----	433
labor requirements-----	410, 412
legislation and regulation, section on-----	873-879
long-staple-----	
factors affecting-----	541
relation of price-----	644
statistics-----	533

	Item		Item
Production—Continued.		Rainfall—Continued.	
methods-----	508	<i>See also</i> Climate; Climatology;	
pre-war and post-war-----	503	Precipitation; Weather.	
progress-----	596	RATLIFF, G. T.:	
shifts-----		A Prolonged Saprophytic Stage	132
charts-----	595	of the Cotton Root-rot Fungus	
induced by changes in farm		Crop Rotation and Tillage Ex-	
prices and farm tech-		periments at the San Antonio	
nique-----	547	(Texas) Field Station. With	
southern agriculture, prob-		I. M. Atkins-----	367
lems-----	566	Infection Experiments with the	
summary-----	592	Cotton Root-rot Fungus,	
sources of facts about-----	604	<i>Phymatotrichum omnivorum.</i>	
study and teaching-----	910-911	With D. C. Neal-----	124
under bollweevil conditions:		The Work of the San Antonio	
outlook, 1910-----	549	Experiment Farm in 1919 and	
recommendations-----	181	1920-----	368
uniformity of action urged--	180	Recleaning cottonseed for planting	
world-----	610	purposes-----	809
Proliferation, factor in bollweevil		Red Spider. <i>See</i> Cotton, red spider.	
control-----	227	REDDING, R. J.: Essential Steps in	
Pryor, W. L.: Length of Cotton Lint,		Securing an Early Crop of Cotton--	369
Crops 1916 and 1917-----	564	Reginned and cleaned cotton, spin-	
<i>Psallus seriatus</i> Reut. <i>See</i> Cotton,		ning tests-----	711
lea hopper.		Regulation--	
Puerto Rico, Sea Island cotton pro-		marketing-----	648
duction-----	384	<i>See also</i> Legislation and regula-	
Purchasing power of cotton, 1882-		tion, section on.	
1920-----	640	Relief plans (bibliography)-----	873
QUAINTANCE, A. L.:		Reproduction, from mature wood cut-	
The Cotton Bollworm. With		tings-----	365
C. T. Brues-----	242	Research--	
The Cotton Bollworm: An Ac-		Agricultural Economics Bureau,	
count of the Insect-----	243	in progress-----	904
The Cotton Bollworm: Some		aid to cooperatives-----	903
Observations and Results of		coordination committee--	
Field Experiments in 1904.		list of projects-----	905
With F. C. Bishopp-----	243	minutes of third meeting--	906
Quality:		correlation--	
1928, cotton spun in United		in marketing-----	907
States-----	568	with reference to growing--	908
1928-31, foreign-grown, con-		Cotton Marketing Division--	
sumption in United States--	569	on fibers and standards-----	697
adjustment to spinners' require-		program described-----	907, 909
ments-----	527	ginning, methods-----	497
American and foreign, competi-		programs, section on-----	903-909
tion-----	503	projects, listed-----	904, 905
and market demand-----	529	REUTER, B. E.: The Production and	
basis for buying, versus point		Conservation of Fats and Oils in	
buying-----	649	the United States. With H. S.	
effect of--		Bailey-----	819
drying before ginning-----	484	REYNOLDS, L. A.: Mechanization	
ginning-----	701	in South has been Retarded by	
harvesting methods-- 703, 715,	717	Lack of a Cotton-picking Machine.	
improvement, recommendations		With B. H. Thibodeaux-----	464
of Cotton Council-----	376	Rheumatism, "medicinal value of	
relation of soil fertility-----	387	cotton" for-----	759
relation to price:		RILEY, PROFESSOR: address at cot-	
Cotton Belt:		ton convention, Atlanta, Ga-----	310
1913-14-----	637	Rivers Sea Island cotton, informa-	
1928-29-----	627	tion-----	805
Arkansas-----	630	ROBINSON, H. A.:	
Mississippi-----	629	Acreage, Production, and Value	
North Carolina-----	653	of Principal Farm Crops in	
Oklahoma:		the United States, 1866 to	
1912-13-----	658	1895, with other Data as to	
1928-29-----	631	Cotton and Wool-----	600
United States-----	628	The Cotton Crop of 1896-----	601
<i>See also</i> Fiber(s), quality;		ROETHE, H. E.:	
Grade(s); Staple(s).		Cotton-gin Fires Frequent; Chief	
Quarantine:		Cause is Static Electricity.	
noncotton zones, compensation	900	With H. H. Brown-----	482
pink bollworm-----	901	Fires in Cotton Gins and How	
Quotation service, Agricultural Eco-		to Prevent Them-----	491
nomics Bureau-----	505	Grounding Cotton Gins to Pre-	
Rain, wind-blown, factor in disease		vent Fires-----	491
dissemination-----	99, 100	ROMMEL, G. M.: Beriberi and Cot-	
Rainfall--		tonseed Poisoning in Pigs [Pre-	
influence on production, 1900-		liminary note] With E. B. Vedder--	849
1915-----	90	Root(s)--	
relation to--		constriction in San Joaquin Val-	
color in cotton-----	734	ley-----	27
composition of cottonseed--	791	development--	
growth and development of		in San Joaquin Valley--	28
plant-----	83, 92	relation to character of	
		growth and fruitfulness--	19

Item	Item
Root-knot—	
cause and control-----	105
control-----	126, 127
control by rotation of crops-----	311
damage and control-----	123
description and control-----	93, 102
habits and control-----	103
Root-rot—	
behavior at Greenville, Tex-----	117
circular of inquiry sent farmers, 1889-----	144
control—	
by formaldehyde-----	109
by rotations and deep fall plowing-----	137
experiments in Arizona and Texas-----	112
in the San Antonio rotations-----	134
cycles of growth at Greenville, Tex-----	118
damage and control-----	123
description and control-----	102
experiment with clean fallows, Greenville, Tex-----	117
fungus:	
distribution in relation to control by disinfectants-----	111
habits-----	96
infection experiments-----	124
life history-----	108
saprophytic stage, prolonged-----	132
sclerotial and mycelial strands-----	116
habits in alfalfa fields-----	115
pathological anatomy-----	131
sclerotia-forming habits in Texas black-land soils-----	119
sclerotium stage, study in Arizona-----	114
spots, variations-----	135
strand hyphae, viability-----	125
studies—	
at Greenville, Tex-----	120
in Arizona-----	110
in Arizona and Texas-----	131
Texas, field experiments, 1907-----	138
ROSEN, H. R.: Efforts to Determine the Means by which the Cotton-wilt Fungus, <i>Fusarium vasinfectum</i> , Induces Wilting-----	133
ROSS, W. H.: Fertilizer Concentration Need Not Increase the Risk of Burning Plants. With A. R. Merz-----	826
Rot:	
1852-----	271
notes on-----	104
Rotation (s):	
cotton with alfalfa—	
in Arizona-----	416
on Yuma reclamation project-----	370
effect on yield, compared with tillage experiments-----	367
relation to insect injury-----	156
used in control of—	
root-knot-----	311
root-rot-----	134
wilt-----	94
ROWE, W. H.:	
Agricultural Credit Corporations Affiliated with Cotton Cooperative Marketing Associations-----	449
An Analysis of the South Carolina Agricultural Loan Association-----	450
The Texas Cotton Growers Finance Corporation-----	451
Rugs, hooked, cotton compared with burlap as foundation-----	760
Russia:	
competition-----	525
imports of American cotton, decline-----	524
Rust—	
1852-----	271
caused by lack of potash-----	391
damage and control-----	123
description-----	273
description, cause and control-----	102
red spiders mistaken for-----	281
SACHS, W. H.:	
Mechanical Application of Fertilizers to Cotton in South Carolina, 1931. With others-----	455
Progress Report on Mechanical Application of Fertilizers to Cotton in South Carolina, 1930. With others-----	456
SAHR, C. A.: Cultural Methods for Controlling the Cotton Bollworm. With C. K. McClelland-----	239
St. Croix Island:	
insects-----	163
production of sea island-----	373
whipping cotton-----	373
Sakellaridis Egyptian cotton: comparison—	
with Pima—	
and sea island-----	712
in strength-----	728
competition with sea island-----	563
for airplane fabric, manufacturing and laboratory tests-----	713
fumigated, spinning test-----	705
selected bales, spinning test-----	702
Salt River Valley Egyptian Cotton Growers' Association, tests of Pima cotton-----	337
Sample size for diameter measurements in fiber studies-----	698
SAMSON, R. W.: Ozonium Root Rot. With others-----	131
SANDERSON, E. D.:	
Hibernation and Development of the Cotton Boll Weevil-----	183
Miscellaneous Cotton Insects in Texas-----	159
Report on Miscellaneous Cotton Insects in Texas-----	160
Some Observations on the Cotton Boll Weevil-----	185
SARLE, C. F.:	
Adequacy and Reliability of Crop-yield Estimates-----	589
Reliability and Adequacy of Farm-price Data-----	633
SASSAMAN, H. L.: The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals. With others-----	835
SASSCER, E. R.: Pink Bollworm and Measures to Exclude it-----	255
SAUNDERS, D. A.: Custom Ginning as a Factor in Cottonseed Deterioration. With P. V. Cardon-----	492
Scavenger bollworm, confused with pink bollworm-----	247
SCHABEN, L. J.: Agricultural Price-supporting Measures in Foreign Countries. With others-----	869
SCHUTZ, H. H.: A Survey of the Pink Bollworm Situation in the Laguana District, Mexico. With E. S. Haskell-----	256
SCHWARTZE, E. W.:	
Pharmacology of Gossypol. With C. L. Alsberg-----	850
Quantitative Variation of Gossypol and its Relation to the Oil Content of Cottonseed. With C. L. Alsberg-----	851
Relation Between Toxicity of Cottonseed and its Gossypol Content. With C. L. Alsberg-----	852
<i>Sclerotium rolfsii</i> Sacc., recent studies-----	141

Item	Item
SCOFIELD, C. S.:	SERVISS, G. H.—Continued.
Agriculture on the Yuma Re-	Progress Report on Mechanical
clamation Project-----	Application of Fertilizers to
370	Cotton in South Carolina,
Cotton Hedges and Straddles-----	1930. With others-----
657	456
Cotton Production in the Irrig-	SHAMEL, A. D.: The Effect of In-
ated Southwest in 1920-----	breeding in Plants-----
565	74
Cotton Root-rot in the San An-	SHANTZ, H. L.:
tonio Rotations-----	Relative Water Requirement of
134	Plants. With L. J. Briggs-----
Cotton Root-rot Spots-----	6
135	The Water Requirement of
Egyptian Cotton Culture in the	Plants at Akron, Colo. With
Southwest-----	L. N. Piemeisel-----
371	38
member of committee on South-	SHAPOVALOV, M.: The Two Most
western Cotton Culture-----	Common Decays of Cotton Bolls
380, 577	in the Southwestern States-----
Suggestions on Growing Egypt-	136
ian Cotton in the Southwest-----	SHEAR, C. L.:
372	Texas Root-rot of Cotton: Field
The Salt Content of Cotton	Experiments in 1907. With
Fiber. With T. H. Kearney-----	G. F. Miles-----
696	138
Scorch, effect on fibers, yarns,	The Control of Texas Root-rot
fabrics-----	of Cotton. With G. F. Miles-----
780	137
SCOTT, C. L.:	Shedding-----
Cotton Fabrics are the Most	and water relations-----
Suitable for Children's Wear-----	caused by wet weather-----
773	104
Dresses for Little Girls-----	description and illustration-----
774	102
Ensembles for Sunny Days-----	four-lock and five-lock bolls-----
775	5
Rompers-----	rate-----
776	heritable variations-----
Suits for the Small Boy-----	inheritance in a hybrid-----
777	58
Sea-island cotton-----	60
characteristics-----	Sheeting-----
14	made with different grades of
culture, improvement and dis-	cotton:
eases-----	laundry tests-----
362	wearing qualities-----
history-----	780
56	757
in-----	738
Florida-----	SHEETS, E. W.: Feeding Cottonseed
542	Products to Livestock. With E. H.
Georgia-----	Thompson-----
542	842
Puerto Rico-----	SHEPPARD, W.: Analysis of Cotton
384	Seed and Wool-----
St. Croix-----	699
373	SHERMAN, C. B.: National Stand-
South Carolina-----	ards for Farm Products-----
542	881
industry:	SHERMAN, W. A.:
competition with Sakellari-	Behavior of Seed Cotton in
dis-----	Farm Storage. With C. J.
563	Brand-----
economic conditions-----	665
563	Spinning Tests of Upland Long-
543	staple Cottons. With Fred
large-scale planting not advised-----	Taylor-----
142	714
leaf, bract and boll spot-----	Studies of Primary Cotton Mar-
142	ket Conditions in Oklahoma.
spinning tests:	With others-----
comparative-----	658
712	SHERWOOD, F. W.: Studies on Gos-
comparison with Meade-----	sypol: The Gossypol and d-Gossy-
359, 707	pol Content of Some North Caro-
713	lina Cottonseed Meals-----
for airplane fabric-----	853
713	Short branch, inheritance-----
selected bales-----	68
702	SIEVERS, A. F.: A Study of Cotton-
standards-----	seed with Reference to Varietal
891	Characteristics and Sources of
statistics:	Production. With M. S. Low-
1865-1913-----	man-----
563	792
1923-32-----	Signal corps specifications for air-
333	plane fabric-----
Seed. See Cottonseed.	713
Seed cotton:	STAMPSON, D. M.:
behavior in farm storage-----	Behavior of Cotton Planted at
665	Different Dates in Weevil-con-
driers:	trol Experiments in Texas and
two types-----	South Carolina. With W. W.
480	Ballard-----
vertical-----	213
481	Growth of Fruiting Parts in
drying before ginning-----	Cotton Plants. With others-----
484	36
marketing-----	Single-stalk culture-----
disadvantages-----	advantages-----
650	experiments in Arkansas, Louisi-
in Oklahoma-----	ana, and North Carolina-----
658	292
losses from-----	method and results-----
651	309
storage-----	SKINNER, J. J.:
bibliography-----	Fertilizer Composition and Place-
671	ment Play Big Part in Cotton
experiments-----	Growing-----
665	398
Seedlings:	Fertilizer Materials for Cotton
diseases, leaf-out or tomosis-----	Growing Must be Well Chosen-----
97	399
insect injury-----	
147	
stand. See Stand.	
Seedtime and harvest:	
1912-----	
417	
1922-----	
409	
Selection:	
methods:	
mass, individual, and prog-	
eny-----	
43	
type-----	
43	
on farm, by characters of stalks,	
leaves, and bolls-----	
44	
SERVISS, G. H.:	
Development of Cotton Fibers in	
the Pima and Acala Varieties.	
With R. S. Hawkins-----	
692	

Item	Item
SKINNER, J. J.—Continued.	
Fertilizer Placement of Vast Importance in Cotton-growing States-----	400
Fertilizers for Cotton Soils-----	401
Influence of Fertilizers Containing Borax on the Growth and Fruiting of Cotton. With F. E. Allison-----	402
Mechanical Application of Fertilizers to Cotton in South Carolina, 1931. With others-----	455
New Fertilizer Materials and Their Uses-----	403
Potash Hunger in War Years Taught Lesson. With B. E. Brown-----	391
Results of Fertilizer Experiments on Norfolk Fine Sandy Loam and on Norfolk Sandy Loam-----	404
The Use of Commercial Fertilizers in the Growing of Cotton-----	405
Slavery, Negro. See Labor, slave, Slidding-----	
and other methods of harvesting-----	453
effect on spinning value of lint, requirements and costs in Oklahoma and Texas-----	715
440	
Smalling, or stenosis-----	95
SMITH, A. G.: A Farm-management Study in Anderson County, South Carolina-----	434
SMITH, B. B.: Factors Affecting the Price of Cotton-----	634
Relation Between Weather Conditions and Yield of Cotton in Louisiana-----	85
Weather and Agriculture. With others-----	79
SMITH, E. F.: Bacterial Wilt of Castor Bean. With G. H. Godfrey-----	139
Wilt Disease of Cotton, Watermelon, and Cowpea-----	140
SMITH, G. D.: Studies in the Biology of the Mexican Cotton Boll Weevil on Short-staple Upland, Long-staple Upland, and Sea-island Cottons-----	197
SMITH, J. W.: Influence of the Weather on the Yield of Crops-----	86
SMITH, L.: Sea-island Cotton in St. Croix-----	373
Snapping-----	
and other methods of harvesting-----	453
effect on spinning value of lint, requirements and costs in Oklahoma and Texas-----	715
440	
SNYDER, T. E.: "White Ants" as Pests in the United States and Methods of Preventing their Damage-----	284
Soil(s)-----	
absorption-----	364
alkali salts, comparative tolerance of plants-----	29
analysis, chemical-----	330
and climatology-----	377
best for cotton-----	375
building-----	
recommendations-----	313
value of legumes-----	413
dynamiting in Great Plains-----	295
fertility, relation to cotton quality-----	387
improvement by rotations-----	360
regions of Cotton Belt, map-----	592
salinity, relation to-----	
flowering date-----	320
seedling stand-----	324
Soil(s)—Continued.	
variations, effect on Egyptian cotton-----	334
Somerton variety, description-----	54
Sore-shin: cause and control-----	102
description-----	104
South Atlantic States: diversified farming-----	435
production and acreage adjustments, influence of farmer opinions and other factors-----	433
South Carolina: acreage decrease: 1890-1930-----	547
1919-29-----	534
Agricultural Loan Association: analysis-----	450
and other credit corporations-----	449
Anderson County, farm management-----	
and cost investigations, 1922-----	443
study, 1918-----	434
boll-weevil control on cotton planted at different dates-----	213
climate and yield, 1892-1916-----	88
consumption, 1850-1903-----	613
fertilizers, mechanical application: progress report: 1930-----	456
1931-----	455
grade and staple length, 1928-29-----	557
McColl, experiments on fertilizing value of cottonseed and meal-----	812
production: 1850-1903-----	613
costs: 1923-----	444
basic factors-----	445
Sea Island and Meade-----	542
spinning tests: leading varieties-----	723
representative cottons, three grades-----	719
Southern <i>Sclerotium</i> wilt, study-----	141
Southern States: agriculture: 1867-----	437
changes, 1909-24-----	566
historical background-----	501
consumption, 1850-1903-----	613
manufacturing: history-----	613
progress-----	612
production, 1850-1903-----	613
Southwestern States: cultivation, recommendations-----	380
industry-----	
extension-----	537
survey-----	565
Spacing-----	
and weevil-resistance (publications)-----	167
close, recommended for suppressing vegetative branches-----	299
effect on earliness in cotton experiments-----	352
at Greenville, Tex.-----	356
with Acala, in southern California-----	354
Spain, marketing practices-----	647
SPILLMAN, W. J.: A Successful Alabama Diversification Farm. With others. Changes in Southern Agriculture and the Problems Arising Therefrom-----	419
Changes in Type of Farming, 1919-24-----	566
Diversified Farming in the Cotton belt. With others-----	567
435	

Item	Item
Spinning tests:	Standards—Continued.
Acala—	universal:
and Pima-----	agreement of European ex-
in New Mexico-----	changes-----
comparative:	benefits of adoption and his-
Arizona-Egyptian with sea-	tory of movement-----
island and Sakellaridis	conferences-----
Egyptian-----	882, 883, 886
Meade and sea-island-----	history of movement to se-
Meade and sea-island, and	cure-----
Meade and Egyptian	892, 893
Sakellaridis-----	manufacturing tests-----
Pima and Sakellaridis-----	718
selected bales of sea-island,	upland, tinged and stained, man-
American-Egyptian and	ufacturing tests-----
Sakellaridis Egyptian-----	709
varieties grown under weevil	vacuum storage, purpose and
conditions-----	methods-----
fumigated cotton-----	895
picked and snapped cotton—	STANFORD, E. T.: Chemistry and His-
in Texas-----	tology of the Glands of the Cotton
in Texas and Oklahoma-----	Plant. With A. Viehoever-----
Pima, 1915-18-----	39
project of Agricultural Econ-	STANLEY, L.: Cottonseed Flour Rich
omics Bureau-----	in Vitamin G, Experiments Show-
reginned and cleaned cotton-----	827
standards—	Staple(s):
color-----	length:
grade-----	1916-17, by States and
preliminary state-	amount produced-----
ments-----	1928:
white grades-----	consumption in United
to determine effect of:	States:
compressing-----	domestic-----
harvesting methods-----	foreign-grown cot-
harvesting methods and	tons-----
weather exposure-----	569
to produce an improved airplane	variations-----
fabric-----	1928-29:
upland long-staple-----	Alabama-----
Squash-bug, injuries to bolls-----	553
Stainer. <i>See</i> Cotton, stainer.	Arkansas-----
Stalk(s):	554
borer-----	Louisiana-----
source of lignin-----	555
use in paper-making-----	Mississippi-----
736, 737	556
Stand:	North Carolina-----
applicability of Pearson's method	560
to problem-----	Oklahoma-----
319	562
differentiation of varieties or of	South Carolina-----
experimental areas-----	557
321	Tennessee-----
frequency distribution-----	558
323	Texas-----
relation to soil salinity-----	561
324	United States-----
sea-island and Durango-----	552a
322	act authorizing the Secretary of
Standards:	Agriculture to
act:	collect and publish statis-
administration-----	tics of-----
662	859
classification with refer-	determinations-----
ence to-----	883
663	geographic distribution in
handbook:	United States-----
for classifiers-----	552
888	official standards, public no-
for supervisors-----	tice establishing-----
889	891
methods used by Board of Ex-	relation to price:
aminers-----	discussion-----
664	in:
questions and answers-----	Arkansas-----
837	630
tentative regulations, con-	Cotton Belt-----
ference, 1923-----	637
885	Mississippi-----
505	629
demonstrations to farmers-----	North Carolina-----
880-895	653
legislation and regulation, sec-	Oklahoma:
tion on-----	1912-13-----
881	658
list-----	1928-29-----
881	631
official:	United States-----
establishment and promul-	628
gation-----	544
894	world crops.
history and description-----	longer needed:
648	O. F. Cook-----
manufacturing tests-----	538
706	discussion-----
preparation-----	582
895	in Georgia, Texas, and Okla-
United States, comparison	homa-----
with Liverpool-----	581
868	pulling, methods-----
waste, tensile strength and	891
bleaching qualities, tests-----	required in manufacture of dif-
704	ferent fabrics-----
704	746
staple, conference, July 1932-----	standards:
890	conference, July 1932-----
	890
	legislation-----
	891
	uniformity, plea for, 1881-----
	310
	Staple Cotton Cooperative Associa-
	tion:
	discussion-----
	673
	study and analysis-----
	684
	Starch pastes, physical properties-----
	781
	Static electricity, cause of gin fires-----
	482
	Statistics:
	1790-1911-----
	607
	1795-1895, production and price-----
	618
	1841-84, production and export-----
	596
	1850, world manufactures-----
	375

Item	Item
Statistics—Continued.	
1850 and 1860, imports, Gt. Britain-----	375
1850-1903, consumption and production-----	613
1856, production-----	375
1860, exports-----	375
1860-1900, world crops-----	525
1863-1920, published by Bureau of Crop Estimates-----	606
1866-95, acreage, production, value-----	600
1880-91, production, etc-----	610
1895-----	615
1895-1903, export trade-----	608, 609
1896-----	601
1896-97-----	597
1897-98-----	617
1897-1900, acreage in India-----	598
1898-99-----	614
1899-1900-----	616
1900-1903-----	612
1903-4-----	611
1909-20, exports and imports-----	619
1910-20, foreign agricultural-----	593
1913-20, production in principal countries-----	619
1929-31, gross income-----	603
economic, sources-----	604
farm-price data, reliability and adequacy-----	633
farm value, gross income, cash income-----	602
fertilizer industry, 1898-----	407
for agricultural workers-----	599
foreign:	
handbook-----	593
weights and measures, United States equivalents-----	593
graphic summary-----	595
long staple situation in United States-----	533
production and price for one hundred years-----	618
published by Crop Estimates Bureau, 1863-1920-----	606
reliability and adequacy-----	633
section on-----	592-619
STEECE, H. M.: Annotated Bibliography on the Storage of Cottonseed and of Seed Cotton-----	671
Stenosis, or smalling, description-----	95
STINE, O. C.:	
Atlas of American Agriculture. With O. E. Baker-----	508
Foreign Trade in Farm Products is Above Pre-war Level-----	521
Progress in Price Analysis and an Appraisal of Success in Price Forecasting-----	636
The Cotton Situation. With others-----	592
The Effect of the Business Depression on Agriculture-----	635
What Agricultural Products Had We Best Export?-----	522
Storage:	
benefits of adequate system-----	666
bibliography-----	502
cottonseed and seed cotton, bibliography-----	671
farm:	
behavior of seed cotton-----	665
methods-----	670
section on-----	665-672
seed cotton:	
behavior in farm storage-----	665
bibliography-----	671
warehouse facilities available in the South-----	669
Stored supply, relation to price-----	876
Straddles and hedges-----	657
STRANG, P. M.:	
Cotton Bags in the Wholesale Grocery Trade. With others-----	753
Domestic Mill Consumption of American Cotton by Grades and Staples. With others-----	528
Farm Uses for Cotton and its Products. With others-----	740
Quality of Cotton Spun in the United States (year ending July 31, 1923)-----	568
Staple Length of Foreign-grown Cottons Consumed in the United States, 1928-31-----	569
Stripper harvester-----	460
STROMAN, G. N.: Correlations of Certain Lint Characters in Cotton and their Practical Application-----	75
Study and teaching, section on-----	910-911
Styles in clothing, influence on cotton consumption-----	771
Subsoiling experiments:	
in Great Plains-----	295
in Texas-----	325
Sugar Loaf variety, spinning tests-----	722
Sunburn protection afforded by various fibers-----	768
Sunning and whipping cotton in St. Croix-----	373
Supply:	
competitive sources-----	525
long-staple maintaining-----	578
quality. See Grade(s); Quality; Staple(s).-----	
relation to price and consumption-----	623
section on-----	533-582
stored, relation to price-----	876
surplus. See Surplus(es).-----	
See also Statistics.	
Surplus(es):	
campaigns to reduce acreage, 1905, 1915, 1921, 1927-----	875
control by Agricultural Adjustment Act-----	879
control by governments (bibliography)-----	877
cooperative plan for handling-----	878
domestic allotment plan (bibliography)-----	874
kinds-----	876
relief plans (bibliography)-----	873
Survey(s):	
farm customs and conditions-----	415
farmer opinion-----	433
See also Farm(s), management.	
SWARTHOUT, A. V.:	
A System of Accounting for Cotton Gineries. With J. A. Bexel-----	493
Farmers' Cooperative Business Study. The Staple Cotton Cooperative Association-----	684
SWINGLE, W. T., member of Committee on Southwestern Cotton Culture-----	380, 577
SWINSON, C. R.: Cost of Producing Cotton in Fifteen Selected Areas, 1923. With L. E. Long-----	444
Tahiti cotton, seed tests in United States-----	804
Tare:	
definition-----	642
investigations-----	642
jute and cotton baggings, comparison-----	526
methods in Egypt-----	652
practices and problems, United States-----	660
rules of exchanges and associations-----	660

Item	Item	Item
Tare—Continued.		
standardization:		
in Egypt	652	
in United States, estimated		
savings affected	642	
state laws	660	
<i>See also</i> Bagging; Baling.		
Tariff rates	902	
Tarnished plant bug:		
condensed information	153	
in Arizona and California	279	
Tarpaulins, cotton:		
used on farms, 1929	739	
waterproofing and mildewproofing:		
investigations	745	
on farms	744	
TAUBENHAUS, J. J.: Recent Studies on <i>Sclerotium rolfsii</i> Sacc.	141	
TAYLOR, C. W.: Importance of Raising and Feeding More Cattle and Sheep	843	
TAYLOR, F.:		
Classification of American Upland Cotton. With D. E. Earle	661	
Comparative Spinning Tests of the Different Grades of Arizona-Egyptian with Sea Island and Sakellaridis Egyptian Cotton. With W. S. Dean	712	
Cotton Ginning Information for Farmers. With others	494	
Manufacturing and Laboratory Tests to Produce an Improved Cotton Airplane Fabric. With D. E. Earle	713	
Manufacturing Tests of the Official Cotton Standards for Grade. With W. S. Dean	706	
Relation Between Primary Market Prices and Qualities of Cotton	637	
Spinning Tests of Upland Long-staple Cotton. With W. A. Sherman	714	
Studies of Primary Cotton Market Conditions in Oklahoma. With others	658	
TAYLOR, H. C.: The Government Cotton Reports	590	
TAYLOR, T.: Microscopic Investigation	700	
Temperature:		
effect on yield, South Carolina and Georgia, 1892-1916	88	
relation to—		
boll-weevil activity	195, 228	
growth and development of plant	83	
<i>See also</i> Climate; Climatology; Weather.		
Tenant systems in—		
Georgia:		
Gwinnett County	466	
Sumter County	420	
piedmont section	466	
Yazoo-Mississippi Delta	411	
Tenderability 1928-32	552a	
Tennessee:		
consumption and production, 1850-1903	613	
grade and staple length, 1928-30	558	
TENNY, L. S.:		
National Standards for Farm Products	881	
statement on decline in prices	871	
World Carryover and Consumption of American Cotton	872	
Tests. <i>See</i> Spinning tests.		
<i>Tetranychus bimaculatus</i> Harvey.		
<i>See</i> Cotton, red spider.		
<i>Tetranychus gloveri</i> Eks. <i>See</i> Cotton, red spider.		
Texas Cotton Growers Finance Corporation—		
and other corporations	449	
preliminary report	451	
Texas:		
acreage increase:		
1890-1930	547	
1919-29	534	
bollweevil control	213	
"boll-weevil cotton"	167	
diversified farming	435	
Ellis County, farm management study	439	
ginning:		
laws	489	
practices and costs	489	
gins, cooperative	486	
Greenville:		
plant growth and development—		
root-rot	357	
behavior	117	
cycles of growth	118	
studies	120	
spacing experiments	356	
growing in Plains Area	580	
harvesting methods, effect on spinning quality	717	
insects:		
miscellaneous	160	
report	159	
irrigation experiments and survey	461	
labor requirements for producing a pound of lint cotton	412	
Lubbock County, receipts, 1924	580	
marketing, local	645	
picked and snapped cotton, spinning test	703	
pink bollworm law	250	
precipitation and yield	87	
production—		
1916-17	564	
costs—		
1918	445	
1923	444	
effect of weather	81	
in Plains area	580	
root-rot, control	137	
San Antonio:		
experiment farm:		
experiments in sub-soiling work:	325	
1915	326	
1918	351	
1919-20	368	
field station, rotation and tillage experiments	367	
staple length:		
1928-29	561	
and mill consumption	581	
increasing	582	
varieties, spinning tests:		
1923 crop	725	
1923-25	727	
1924 crop	724	
weather:		
and yield, 1899-1929	70	
exposure, effect on spinning quality	717	
yields by districts, averages	87	
Textile(s):		
and clothing—		
bibliography	766	
government publications (bibliography)	778	
buying for home, aided by system of labeling	757	
industry:		
China	520	
France	519	
<i>See also</i> Fabric(s).		

Item	Item
THIBODEAUX, B. H.:	
American Cotton Holds Ground Despite Growth of Foreign Competition. With others.....	503
Mechanization in South has been Retarded by Lack of a Cotton- picking Machine. With L. A. Reynoldson.....	464
Use of Outlook Information in Farm-business Planning in the Cotton Belt. With O. V. Wells.....	436
<i>Thielavia basicola</i> , host plants.....	107
THOMPSON, E. H.: Feeding Cotton- seed Products to Livestock. With E. W. Sheets.....	842
Thurberia weevil: and Mexican bollweevil: differences.....	196
relation.....	188
biology.....	268
condensed information.....	153
habits.....	267
quarantine no. 61.....	264
TITUS, E. S. G.: The Cotton Red Spider (<i>Tetranychus gloveri</i> Bks.).....	285
TODD, S. E.: Improved Farm Imple- ments.....	465
TOLMAN, L. M.: Detection of Cotton- seed Oil in Lard.....	828
Tomosis, or leaf-cut: description.....	95
distinguished from leaf-curl.....	97
study.....	97
TOOLE, E. H.: The Germination of Cottonseed. With P. L. Drum- mond.....	803
TOWNSEND, J. S.:	
Ginning Pima Cotton in Arizona. Uniform-Depth Press-Wheel Cotton-Planter Attachment. With W. B. Camp.....	454
TRACY, S. M.: Cultivated Varieties of Cotton.....	377
Trade: 1825-50.....	518
statistics.....	608, 609
Transportation: bibliography.....	502
effect on prices.....	626
methods.....	503
rates.....	531
Trice variety, spinning tests.....	722
TUCKER, C. M.: A Leaf Bract and Boll Spot of Sea-island Cotton Caused by <i>Helminthosporium gos- sypti</i> n.sp.....	142
TURNER, H. A.:	
Condition of Farmers in a White-farmer Area of the Cotton Piedmont, 1924-1926. With L. D. Howell.....	466
The Old Plantation Piedmont Cotton Belt. With O. M. Johnson.....	429
Tussock-moth larvae, injury to seed- lings.....	147
Twine, used in power laundries.....	738
TYLER, F. J.:	
The Nectaries of Cotton.....	40
Varieties of American Upland Cotton.....	374
Uniform-depth press-wheel cotton- planter attachment.....	454
Uniformity: Pima cotton.....	69
metaxenia effect.....	52
Universal Cotton Standards Confer- ence. See International Univer- sarial Cotton Standards Conference.	
Universal standards. See Standards.	
Upland cotton: American: classification.....	661
varieties.....	374
Upland cotton—Continued.	
and Pima, culture in Arizona.....	301
and sea-island, bollweevil b.i.o.l- ogy studies.....	197
breeding.....	56
chemistry of— and histology of glands.....	39
isolation of oil attracting boll weevil.....	42
development of axillary buds.....	32
history.....	56
long-staple: growing.....	386
See also Long-staple cotton.	
plant characteristics.....	14
varieties: American.....	374
comparison with Pima.....	341
list and descriptions alpha- betically arranged.....	374
Uses— agricultural and industrial: chart.....	742
exhibit.....	749
and manufacture of by-products.....	377
bibliography by M. C. Benton.....	735
chart.....	742
early.....	535
farm.....	740
household.....	742
in a four-room house.....	758
in power laundries.....	738
industrial: chart.....	742
exhibit.....	749
industrial cloths.....	770
new: act authorizing investiga- tion.....	883
discussion.....	741
partial list.....	746
wearing apparel.....	742
See also Utilization, section on; also under names of uses.	
Utilization: bags and other containers, sec- tion on.....	750-756
fabric finishing and laundering section on.....	780-785
household uses, section on.....	757-760
section on.....	735-785
wearing apparel, section on.....	761-779
Value: 1866-95.....	600
1921-26, cotton marketed by associations.....	674
farm, statistics.....	602
VAN DEMAN, R.: Selected List of Government Publications on Tex- tiles and Clothing.....	778
Varietal differences: in maturation periods.....	352
relation of leaf temperatures to.....	18
Varieties: American upland, list and de- scriptions.....	374
Asiatic. See Asiatic varieties, description.	
classification: according to nectaries.....	40
according to proportion of lint to seed.....	377
according to time of ma- turity.....	377
cluster: caused by brachysm.....	10
description.....	314
common and native names in various countries.....	690
comparisons: plant behavior, Pima and Acala.....	33
plant characters: Pima and upland.....	341
Pima and Yuana.....	337

Varieties—Continued.	Item	Item	
comparisons—continued.		VIEHOEVER, A.—Continued.	
plant growth and develop-		Chemistry of the Cotton Plant,	
ment-----	36	with Special Reference to Up-	
tolerance for soils-----	29	land Cotton. With others----	42
descriptions, alphabetically ar-		VIEMONT, B. M.:	
ranged-----	377	Cotton is Utilized as New Founda-	
differentiation with respect to		Material for Making	
seedling stands-----	321	Hooked Rugs-----	760
for special regions and pur-		Play Suits for Winter-----	779
poses:		Virgin Islands, production and mar-	
development-----	317	keting of sea island-----	373
recommended-----	376	Virginia:	
grouped by nectaries-----	40	1850—1903:	
histories-----	56	consumption-----	613
improvement and tests, Yuma		production-----	613
reclamation project-----	361	1860, manufactures-----	517
in California-----	300	VOLIN, L.: Cotton Exports to Russia	
in Guatemala-----	221	Decline as Acreage and Output	
judging:		There Increase-----	524
by lint percentages, danger		WADLEY, F. M.: Illustrations of the	
in-----	45	Application of a Criterion of the	
factors in-----	468	Deviation of an Observed from a	
limbless, caused by brachysm-----	10	Random Distribution to the Prob-	
list and description, alphabeti-		blem of Seedling Stand in Sea-	
cally arranged-----	377	land, Egyptian, and Upland Cot-	
local adjustment-----	305	ton. With others-----	323
novelty-----	314	Wages, 1864-----	432
multiplicity in United States-----	314	WAGGAMAN, W. H.: Absorption by	
origin and history-----	377	Soils. With H. E. Patten-----	364
plant characteristics-----	14	Wailes' Report on the Agriculture	
relative rank:		and Geology of Mississippi, ab-	
in regard to seed composi-		stract-----	382
tion-----	792	WAITE, W. W.: Detecting Pink Boll-	
in regard to yield-----	377	worms in Cottonseeds by the X-	
seed distribution-----	805	Ray. With F. A. Fenton-----	248
spinning tests. <i>See</i> Spinning		WALKER, R. M.: Sea Island Cotton	
tests.		in Porto Rico-----	384
superior, characteristics of-----	314	WALLIS, B. C.: Rainfall and Agri-	
tests and experiments:		culture in the United States-----	92
at San Antonio experiment		Wannamaker-Cleveland variety, spin-	
farm-----	326	ning value-----	723
at Yuma reclamation project		War Department, preparation of gun	
ect-----	361	cotton-----	811
tropical, investigations-----	168	WARBURTON, C. W.: Diversified	
types, commercial-----	508	Farming in the Cotton Belt. With	
weevil-resistant:		others-----	435
acclimatization-----	49	WARD, W. F.:	
bionomic study of-----	225	A Comparison of Concentrates	
hybridization-----	49	for Fattening Steers in the	
in Guatemala-----	221	South. With others-----	844
wilt-resistant—		Cottonseed Meal for Feeding	
breeding—		Beef Cattle-----	842
discussed-----	103	WARDER, J. A., member of Flax and	
progeny-row method-----	127	Hemp Commission-----	523
circular of information con-		Warehouse(s):	
cerning-----	799	accounts system-----	667
description-----	128	act:	
development-----	129	information concerning-----	899
distribution of seed-----	805	receipt under-----	666
Jackson variety-----	800	construction:	
yield—		and fire protection-----	672
effect of latitude, length of		several types-----	668
growing season and place		facilities in South-----	669
of origin of seed on-----	318	fire protection-----	672
relative rank in regard to-		in Georgia and North Carolina,	
<i>See also</i> One-variety communi-		survey-----	669
ties; <i>also under</i> names of		insurance rates-----	669
varieties.		licenses issued prior to April 1,	
VARMETTE, D. L.: Comparison of		1921-----	898
Pima Cotton with Upland Vari-		list, 1921-----	898
eties in Arizona. With others----	341	regulations:	
Vat dyes, effect on utilization of		issued September 1926----	896
cloth-----	743	revised 1931-----	897
VEDDER, E. B.: Beriberi and Cotton-		storing cottonseed for commer-	
seed Poisoning in Pigs [Prelimi-		purposes, legislation----	896
nary note] With G. M. Rommel-	849	Warehousing:	
Vertical seed-cotton drier:		benefits of adequate system----	666
and other driers-----	480	legislation and regulation. sec-	
description and illustration----	481	tion on-----	896-899
Verticillium wilt. <i>See</i> Wilt.		service in marketing-----	648
Vetch, hairy, effect on cotton yield	294	WARNER, M. F.: Cotton: Partial List	
VIEHOEVER, A.:		of Publications in English Exclu-	
Chemistry and Histology of the		sive of Publications on Diseases	
Glands of the Cotton Plant.		and Pests and Publications of the	
With E. T. Stanford-----	39	State Experiment Stations 1926-	
		1928-----	917

Item	Item
WARREN, G. F.: Prices of Farm Products in the United States---	640
Wash nets, amount of cotton used---	738
Waste:	
from official grades, tests-----	704
percentages from fumigated cotton-----	705
tariff rates-----	902
Water culture, cotton grown in-----	331
Water requirement:	
at Akron, Colo-----	38
Pima cotton in Arizona-----	343
relative-----	6
Watermelon stem-end rot-----	122
Waterproofing canvas:	
farm methods-----	744
investigations, summary-----	745
WATKINS, J. L.:	
Consumption of Cotton in the Cotton States-----	613
Production and Price of Cotton for One Hundred Years-----	618
The Commercial Cotton Crop of 1903-04-----	611
The Commercial Cotton Crops of 1900-1901, 1901-1902, and 1902-1903-----	612
The Cost of Cotton Production-----	447
The Cotton Crop of 1895-----	615
The Cotton Crop of 1897-98-----	617
The Cotton Crop of 1898-99-----	614
The Cotton Crop of 1899-1900-----	616
The Future Demand for American Cotton-----	525
Wearing apparel. <i>See</i> Clothing.	
Weather---	
and yield in Texas, 1899-1929-----	76
best suited to various phases of cultivation-----	84
conditions:	
favorable for cotton-----	90
relation to---	
growth and development-----	83
yield in Louisiana-----	85
damage, effect on:	
baled cotton-----	670
grade-----	732
spinning quality-----	717
effect on:	
boll weevil damage-----	228
growth of cotton, charts-----	79
production, Texas-----	81
influence on:	
cotton worm-----	237
crops, 1900-1930 (bibliography)-----	77
records, computing crop from-----	80
relation to---	
amount of cotton ginned during certain periods-----	82
insect development-----	195
various crops in Texas-----	87
weevil damage-----	217
yield-----	86
resistance of various fabrics-----	765
<i>See also</i> Climate; Climatology; Rainfall; Temperature.	
Weather bureau. Weekly Cotton Region Bulletin-----	89
WEBB, J. L.---	
Cotton or Weevils. With F. A. Merrill-----	186
Southern Field Crop Insects. (Bibliography)-----	916
WEBB, R. W.: Problems and Research Methods in Cotton Ginning. A preliminary report-----	497
WEBBER, H. J.:	
Improvement of Cotton by Seed Selection-----	807
The Advantage of Planting Heavy Cotton Seed. With E. B. Boykin-----	385
The Growing of Long-staple Upland Cottons-----	386
Weekly Cotton Region Bulletin----	89
Weevils:	
reared from cotton in Peru-----	158
related to bollweevil, biology-----	183
<i>See also</i> Bollweevil; <i>Thurberia weevil.</i>	
Weights and measures used in foreign statistics, United States equivalents-----	593
WELLS, C. F.: Tariff Rates on Representative Agricultural Products under Tariff Acts of 1930 and 1922-----	902
WELLS, O. V.:	
Farmers' Response to Price. A selected bibliography-----	641
Use of Outlook Information in Farm-business Planning in the Cotton Belt. With B. H. Thibodeaux-----	436
WELSH, C. F.: Color Conversion Tables. With D. Nickerson-----	730
Wesson optical method-----	813
WEST, C. J.: Market Statistics. With L. B. Flohr-----	619
Whipping cotton in St. Croix-----	373
WHITE, G. C.:	
Handling and Marketing Durango Cotton in the Imperial Valley. With J. G. Martin-----	655
WHITE, H. C.:	
The Manuring of Cotton-----	377
abstract-----	406
WHITE, J. C.:	
The Movement of the 1924-25 Cotton Crop and Changes in Freight Rates on Cotton 1913-27. With B. R. Gould-----	532
WHITNEY, M.:	
Climatology and Soils-----	377
Fertilizers for Cotton Soils-----	408
Whitney's saw gin---	
effect upon production-----	618
invention-----	618
WICKENS, D. L.: Credit Study in the Southeast Reveals Shift to Cash Loans-----	452
WIGINGTON, J. T.:	
Cotton Picking Sacks, Cotton Picking Sheets, and Tarpaulins Used on Cotton Farms of the United States-1929. With R. J. Cheatham-----	739
Some Uses of the Products of the Cotton Plant. With others-----	742
Use of Cotton Bags and other Containers in Flour Mills of the United States-1931. With R. J. Cheatham-----	752
Wild-cotton weevil. <i>See</i> <i>Thurberia weevil.</i>	
WILEY, H. W., ed.: Proceedings of the Ninth Annual Convention of the Association of Official Agricultural Chemists, 1892-----	832
WILLARD, H. F.: Parasites of the Pink Bollworm in Hawaii-----	261
WILLARD, R. E.: A Farm Management Study of Cotton Farms of Ellis County, Texas-----	439
WILLIAMS, J. O.: Cottonseed Meal for Horses. With G. A. Bell-----	834
WILLIS, H. H.:	
Cleaning Low-grade Cotton (Texas-crop of 1926)-----	715
Cotton Lint Research-----	716
Effects of Methods of Harvesting and Weather Exposure on Spinning Quality of Cotton (Texas and Oklahoma-crop of 1926)-----	717
Manufacturing Tests of Cotton of the White Grades of the Universal Standards for American Cotton-----	718

Item	Item
WILLIS, H. H.—Continued.	WORKMAN, J. M.—Continued.
Results of Spinning Tests of South Carolina Cottons (crop of 1925). With E. S. Cummings-----	Cotton Warehousing—Benefits of an Adequate System; with a Discussion of the Receipt under the United States Warehouse Act. With R. L. Newton-----
719	666
Spinning Test of Acala Cottons Grown in New Mexico (crop of 1926)-----	World's Industrial and Cotton Centennial Exposition. Catalogue of the exhibit of economic entomology-----
721	161
Spinning Test of Picked and Snapped Cotton (Texas crop of 1926). With M. E. Campbell-----	World's Industrial and Cotton Exposition, New Orleans. Exhibits illustrating agricultural statistics-----
703	596
Spinning Tests of Acala and Pima Cotton, San Joaquin Valley, California-----	Worm. <i>See</i> Bollworm; Cotton, worm; Pink bollworm.
720	
Spinning Tests of Leading Varieties of North Carolina Cottons (crop of 1925)-----	WORNER, R. K.: Bibliography on the Relation of Clothing to Health. With others-----
722	769
Spinning Tests of Leading Varieties of South Carolina Cottons (crop of 1925)-----	WRIGHT, J. W.: American Cotton-tare Practices and Problems. With R. J. Cheatham-----
723	660
Spinning Tests of Leading Varieties of Texas Cotton (crop of 1923)-----	Comparative Advantages of Jute and Cotton Baggings for American Cotton Bales. With R. J. Cheatham-----
725	526
Spinning Tests of Leading Varieties of Texas Cotton (crop of 1924)-----	X-ray, used for detecting pink bollworm in cottonseeds-----
724	248
Spinning Tests of Picked and Snapped Cottons (Texas and Oklahoma—1925 crop)-----	Yarn tests. <i>See</i> Spinning tests.
726	Yazoo-Mississippi Delta, tenant systems-----
Spinning Tests of Some Texas-grown Varieties of Cotton (crops of 1923, 1924, and 1925). With H. C. McNamara-----	411
727	Yields:
Utilization of Pima Cotton-----	728
WILSON, C. E.: Insect Pests of Cotton in St. Croix and Means of Combating Them-----	actual and estimated, 1919-24-----
163	changes (maps)-----
Wilt:	economic significance to farmers-----
and root-knot, control-----	effect of:
126	cultural methods-----
carried by cottonseed-----	363
98	late spring-----
castor bean, susceptibility of cotton seedlings-----	88
139	latitude, length of growing season, and place of origin of seed-----
control:	318
and description-----	rotation and tillage, comparison-----
130	367
by rotation of crops-----	spacing:
94	in California-----
methods-----	354
127	in Texas-----
cotton, watermelon, and cowpea-----	356
140	estimating. <i>See</i> Crop reports.
description and control-----	in Gulf Coast region, increasing-----
102	311
discussion-----	in Texas, average, by districts-----
128	87
habits and control-----	increasing by:
103	early defoliation-----
okra, cotton, and other plants-----	17
94	rotations-----
resistant varieties:	360
development-----	seed-selection and plowing-----
129	418
<i>See also</i> Varieties, wilt-resistant.	turning under hairy vetch-----
southern <i>Sclerotium</i> -----	294
141	on demonstration farms, 1909-10-----
toxicity studies-----	346
133	per acre:
<i>Verticillium</i> :	1890-1931, charts-----
and wilt-diseases of okra-----	572
94	increasing-----
description and control-----	310
123	relation of:
in San Joaquin Valley-----	leaf temperatures-----
106	18
Wind-blown rain, factor in disease dissemination-----	weather:
100	Louisiana-----
WITHERS, W. A.:	85
Comparative Toxicity of Cottonseed Products. With F. E. Carruth-----	Texas:
854	1899-1929-----
Gossypol, the Toxic Substance in Cottonseed. With F. E. Carruth-----	76
855	studies-----
Gossypol, the Toxic Substance in Cottonseed Meal. With F. E. Carruth-----	87
856	revised estimates, 1866-1931-----
Woolly-bear larvae, injury to seedlings-----	575
147	YOTHERS, W. W.: Hibernation of the Mexican Cotton Boll Weevil. With others-----
WOOTEN, E. O.: Cotton in the Texas Plains Area-----	191
580	YOUNGBLOOD, B.:
WORKMAN, J. M.:	Adjusting the Quality of the Cotton Crop to Spinners' Requirements-----
Construction and Fire Protection of Cotton Warehouses-----	527
672	Cotton Baggings for Cotton. With others-----
	756
	Cotton Culture and Marketing in the United States-----
	510

Item	Item
YOUNGBLOOD, B.—Continued.	YOUNGBLOOD, B.—Continued.
Cotton Quality Studies Show Opportunities to Adjust Staple Production-----	The Quality of Cotton and Market Demand-----
581	529
Cotton-spinning Value Studies Show Need of Higher Qualities-----	The Research Program of the Division of Cotton Marketing-----
582	909
delegate to International Cotton Conference, Brazil-----	Yuma cotton : comparison with Pima-----
505	337
Domestic Mill Consumption of American Cotton by Grades and Staples. With others---	description-----
528	54
Relation of Soil Fertility to the Quality of Cotton-----	Yuma Project : cotton : in rotation with alfalfa---
387	370
The Correlation of Research in Cotton Marketing-----	recommended as crop-----
907	380
The Necessity for Better Correlation of Research Activities in the Field of Agriculture with Special Reference to Cotton Growing-----	work : 1912-----
908	365
	1918-----
	1919-20-----
	361
	ZEIMET, C.: A Bibliography on the Use of Airplanes in Insect Control to March 1, 1928. With W. E. McBath-----
	164
	Zones, noncotton, compensation-----
	900



