

The World's Largest Open Access Agricultural & Applied Economics Digital Library

# This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search http://ageconsearch.umn.edu aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.

# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

AUGUST 1963

•

:

:

:

:

:

AS READING ROOM ERS-137 RECENT TRENDS AND SEASONALITY IN ALFALFA MEAL PRODUCTION, USE AND PRICES

by Jack S. Ross\*

500 121h St., D. C. Washington, In 60 A. D., Columella said: "But of all the legumes, alfalfa is the best, because, when once it is sown it lasts 10 : years; because it can be mowed four times, and even six times, a year; because it improves the soil; because all lean cattle grow fat by feeding upon it; because it is a remedy for sick . : beasts; because a jugerum (two-thirds of an acre) will feed 3 : horses plentifully for a year." 1/

Alfalfa meal production in the U.S. generally has trended upward since its introduction as a new feed item in the early 1900's. In the beginning, meal was processed only from suncured alfalfa but, in 1910, the first dehydration system was developed with construction of a plant in Louisiana. Dehydrated alfalfa meal, however, did not advance to a commercial basis until the 1930's. In 1931, the first plant west of the Mississippi River, producing dehydrated meal on a commercial level, was located in Kansas. Through 1944-45, production totaled less than a million tons annually. But, in 1945-46, annual production increased sharply and has exceeded a million tons each year since. Alfalfa meal production has continued its upward trend in recent years and, in the current October-September feeding year, will probably exceed 1,600,000 tons for the first time.

The expanded demand for alfalfa meal has been due largely to its use as a vitamin supplement in poultry rations. Alfalfa meal contains a yellow-colored compound (xanthophyll), which imparts the desired yellow coloring to poultry flesh and egg yolks. Sold with a guaranteed protein of up to 20 percent, it generally contains added units of vitamin A. Basically, alfalfa meal can be described as a roughage feed ingredient which can be utilized in varying quantities by all classes of livestock and poultry. Its relatively high fiber content, however, limits the quantity that can be used in poultry rations. Alfalfa meal is marketed in a number of processed forms including meal, granules, pellets, and reground pellets. For ease of handling, most meal is exported in bulk as pellets.

- 1/ Crops in Peace and War, Yearbook of Agriculture, 1950-51, USDA, page 366.
- Agricultural Economist, Economic and Statistical Analysis Division, Economic Research Service, USDA.

ERS-137

MAY 2= 1572

:

:

Room

Reprinted from the Feed Situation, FdS-200, August 1963, by the Economic and Statistical Analysis Division, Economic Research Service.



# Dehydrated and Suncured Alfalfa Meal Production

In the past 2 decades, annual production of dehydrated alfalfa meal has trended upward rather sharply from the 317,000 tons produced in 1943-44 (year beginning October) to 1,259,000 in 1961-62. In the past 5 years, dehydrated alfalfa meal output has accounted for about 85 percent of total alfalfa meal produced. Production of dehydrated meal during October-June totaled 678,000 tons compared with 579,000 in that period a year earlier. If output is maintained at the current pace, production of dehydrated meal for the 1962-63 feeding year would total around 1,400,000 tons.

Prior to World War II most of the alfalfa meal produced in this country was from suncured alfalfa. Since 1945, annual production of meal from suncured alfalfa has trended downward from 675,000 tons to an average of about 200,000 in the past 7 to 8 years. During 1961-62, annual production of suncured alfalfa meal totaled 231,000 tons--the highest output since 1951-52. In the current feeding year, production may reach 260,000 tons, or 13 percent more than the output in 1961-62.

# Consumption of Alfalfa Meal

Alfalfa meal is used almost entirely as an ingredient in livestock and poultry feeds. Disappearance has followed closely the upward trend in production.

## Table 23.- Alfalfa meal: Production of dehydrated, suncured and total, United States, by months, 1950-62

Year : begin-	:	:	:	:		:		:					:
ning Oct.	Oct.		Dec. :	Jan. :	Feb.	Mar.	Apr.	May :	June	July	Aug.	Sept.	Total
	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons
:						Dehy	drated						
1950 1951 1952 1953 1954 1955 1956 1957 1958 1958 1959 1960 1961 <u>1</u> / 1962 <u>1</u> /	92 67 79 104 77 108 98 88 95 88 95 86 119	21 17 19 29 23 13 18 12 16 14 13 22	15 8 11 9 5 3 5 5 4 6 7 7	20 4 11 5 4 7 4 4 5 4 5 4 5 6	20 16 16 12 9 6 6 2 5 4 8 4 2	32 22 24 20 17 12 14 10 16 14 19 13 16	23 32 21 36 33 19 21 16 27 25 32 25 31	74 115 71 131 153 104 119 129 124 158 123 175 203	158 203 191 211 244 217 224 228 256 241 276 251 272	179 210 167 203 255 207 243 204 249 266 274 246	151 178 141 159 202 176 207 228 220 227 265 261	119 134 113 170 133 120 156 164 168 173 186 173	904 1,006 862 1,046 1,178 1,000 1,087 1,116 1,185 1,220 1,302 1,259
						Sun	cured						
1950 1951 1952 1953 1954 1955 1956 1957 1958 1958 1959 1960 1961 <u>1</u> / 1962 <u>1</u> /	19 28 23 18 21 13 19 15 17 18 16 17 27	22 33 19 17 22 16 21 16 18 24 23 17 31	21 31 17 19 26 17 19 18 22 25 23 18 30	32 36 18 20 20 16 17 16 23 19 17 20 31	26 22 15 17 15 15 15 14 21 18 16 18 28	24 18 19 19 15 14 16 20 15 16 20 22	13 15 17 15 12 13 14 15 15 14 15 15 14 15 17 18 17 18 17 18 17 18	16 15 13 14 14 13 14 14 13 16 15	18 19 19 19 15 13 14 15 13 14 15 13 17	28 23 20 21 18 16 14 13 16 13 23	23 22 18 20 19 16 15 16 17 17 17 25	19 18 26 19 14 16 14 18 17 16 23	261 280 208 219 224 181 186 179 215 213 194 231
:						T	otal						
1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 <u>1</u> / 1962 <u>1</u> /	111 95 102 89 111 117 96 123 115 106 111 103 146	43 56 36 51 39 34 30 40 37 30 53	36 39 28 35 22 23 27 29 29 25 37	52 49 25 24 23 21 20 28 23 21 24 37	46 38 31 27 26 21 16 26 22 24 23 30	56 40 39 36 27 28 26 36 35 33 38	36 47 32 53 48 31 34 30 40 46 42 49	90 130 84 146 167 118 131 142 138 172 136 191 218	176 222 207 230 263 232 237 242 270 256 289 268 288	207 233 187 224 273 223 257 217 265 282 287 269	174 200 159 221 192 222 244 237 244 279 286	138 152 139 189 147 136 170 178 186 190 202 196	1,165 1,286 1,070 1,265 1,402 1,181 1,273 1,295 1,400 1,433 1,496 1,490

# 1/ Preliminary.

For earlier years, see Grain and Feed Statistics, Stat. Bul. 159, June 1962, table 87 pages 76 and 77, ERS, USDA.

Compiled from reports of the Grain Division, Agricultural Marketing Service.

FdS-200

Disappearance is computed from production data adjusted for changes in stocks at processing plants during the feeding year. In 1961-62 (year beginning October), total utilization was 1,503,000 tons, up 5 percent from 1960-61 and 8 percent above the 1957-61 average. Total disappearance for the current feeding year is estimated at about 1,600,000 tons or 50,000 below the estimated production level for the year.

In recent years, exports of alfalfa meal have expanded, but available information on exact amounts and countries of destination is incomplete. Foreign trade officials report that Japan received over 100,000 tons of U.S. dehydrated alfalfa meal in 1962 compared with almost none in 1955. Other reports indicate that Common Market countries imported about 75,000 tons in 1962. About 60,000 tons of this was destined for the Netherlands, considered to be the largest producer of formula feeds in the Common Market. Liberal shipments of U.S. alfalfa meal to the Netherlands are expected to continue at least through November.

# Alfalfa Meal Production By Regions

Alfalfa meal is produced mostly in the West North Central and Western regions of the United States. In recent years, these 2 regions have accounted for about 80 percent of total U. S. output.

The West North Central region has produced about half of the U. S. total output in the past 6 years, of which Nebraska, the leading State, has provided about a third. Since 1957, Nebraska has accounted for about 65 percent of the total output from the West North Central region. In 1962-63 (May-April marketing year), production of alfalfa meal in Nebraska totaled 522,000 tons, about 7 percent more than in 1961-62, and 10 percent above the 1957-61 average (table 26). During May-June this year, production in Nebraska totaled 198,000 tons, compared with 161,000 in those 2 months last year. Kansas ranks second in the West North Central region and third in the U. S. in total quantity of meal output. In recent years, its production has exceeded 100,000 tons per year, or about 10 percent of the U. S. total.

About 28 percent of the total domestic production of alfalfa meal is produced in the Western region. During 1962-63, production in the Western region totaled 548,000 tons, nearly 130,000 more than the year before and 156,000 more than the 1957-61 average. California ranks second to Nebraska in volume output of U. S. meal, and is by far the leading producer in the Western region. In 1962-63, alfalfa meal production in California reached a new record of 364,000 tons, nearly 100,000 more than that produced in 1961-62. California's production of alfalfa meal in May-June totaled 80,000 tons, an increase of 15,000 over that period a year earlier. Colorado's annual production in the past 6 years has exceeded 100,000 tons and combined with California, accounted for around 90 percent of total alfalfa meal produced in the Western region. Meal production in Colorado during May-June was 20,000 tons, down nearly 50 percent from those 2 months of 1962. - 36 -

Table	2/+	Alfalfa	meal	: Total	disappe	earance	and	stocks	at	processors'	plants,
			by	months,	United	States	, 195	50 <b>-</b> 62 1,	/		-

Year beginning	: Oct	:	: Nov. :	Dec.	Jan.	Feb.	Mar.	Apr.	: May :	June	July :	Aug.	Sept.	Total
October	:	:	:	:	: :		:	:	: :	:	: :			
	: 1,0 : ton	00 s	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons
							Total d	disappea	arance					
1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1960 1961 2/	8 9 10 10 10 10 10 10 11 10 12 12 11 10 12 12 12 12 12 12 12 12 12 12	730411472065	78 83 77 84 89 71 97 79 100 107 114 123	98 78 68 103 93 81 80 83 111 108 113 110	88 67 51 90 98 89 95 130 96 121 131	79 61 72 70 81 72 78 82 88 104 103	97 69 100 73 81 90 78 97 84 103 105 111	68 52 79 85 97 71 98 84 84 100 98	84 93 46 102 135 105 99 104 95 113 103	138 147 141 133 154 150 123 155 138 135 147 137	152 167 127 137 161 135 142 151 170 162 142 162	135 150 101 123 134 132 133 123 123 139 144 139 172	114 112 107 121 121 108 120 124 125 125 132 132	1,218 1,178 1,043 1,210 1,324 1,249 1,218 1,284 1,284 1,379 1,357 1,436 1,503
1962 2/	: 14) :	0	160	128	133	110 Stocks	110	90	121	151				
1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 2/ 1962 <u>2</u> /	: 23 : 18 : 29 : 32 : 37 : 45 : 45 : 44 : 45 : 55 : 61 : 60	8 6 4 2 7 5 7 2 2 8 4 4 0	263 188 295 306 378 471 370 467 445 475 558 592 606	228 155 254 259 340 439 307 422 375 408 483 499 499	167 116 215 184 282 380 249 361 291 329 398 414 407	131 89 193 130 216 305 180 287 189 256 297 308 310	98 66 152 86 172 245 130 225 133 190 218 228 230	57 37 87 52 127 182 80 154 85 117 148 149 158	24 26 68 27 89 116 42 85 43 72 94 93 116	30 63 106 71 121 128 73 124 88 124 88 149 116 180 213	68 138 172 167 229 210 188 211 221 270 258 312 350	123 205 232 254 341 299 303 277 315 390 403 418	162 255 289 309 429 359 391 398 412 489 544 533	

1/ Total of both suncured and dehydrated. 2/ Preliminary. 3/ For earlier years, see Grain and Feed Statistics, Stat. Bul., 159, ERS, USDA, June 1962, table 90, page 78.

Compiled from reports of the Grain Division, Agricultural Marketing Service.

Table 25.- Alfalfa meal: Production, total disappearance, and percent of totals, to quarters, United States, average 1957-61, annual 1959-62 1/

Year	: :		Pro	duction		:	: Disappearance						
beginning October	Unit	Oct: Dec.	Jan: Mar.:	Apr: June	July- Sept.	Oct Sept.	Oct: Dec.	Jan: Mar.	Apr: June	July-: Sept.:	Oct Sept.		
Average 1957-61	: :												
Quantity	:1.000 tons:	173	77	461	712	1.423	322	305	337	428	1,392		
Proportion of total	: percent :	12	6	32	50	100	23	22	24	31	100		
1959-60	: :			-						-			
Quantity	:1,000 tons:	175	74	468	716	1,433	325	287	314	431	1,357		
Proportion of total	: percent :	12	5	33	50	100	24	21	23	32	100		
1960-61	: :												
Quantity	:1,000 tons:	177	80	471	768	1,49	333	330	360	413	1,436		
Proportion of total	: percent :	12	5	31	52	100	23	23	25	29	100		
1961-62 2/	: :												
Quantity	:1,000 tons:	158	80	501	751	1,490	358	345	338	462	1,503		
Proportion of total	: percent :	11	5	34	50	100	24	23	22	31	100		
1962-63 2/	: :												
Quantity	:1,000 tons:	232	105	555			428	353	362				
Proportion of total	: percent :												

1/ Total of suncured and dehydrated. 2/ Preliminary.

Compiled from reports of the Grain Division, Agricultural Marketing Service.

Table	26	Alfali	fa mea	al:	Prod	luction	by	region	s and	Sta	tes,
year	beg:	inning	May,	aver	age	1957-61	ة وا	annual	1957-6	2 1	/

Region and State	Average 1957-61	: : 1957-58 :	: : 1958-59 :	: : 1959-60 :	: : 1960-61 :	1961-62	1962-63 <u>2</u> /
	: 1,000 : tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons	1,000 tons
North Atlantic <u>3</u> /	33	24	314	36	35	35	33
East North Central Ohio Michigan and Wisconsin Illinois and Indiana	93 21 19	88 24 22	91 16 19	76 20 19	9 <sup>1</sup> 1 20 20	115 24 16	69 16 16
West North Central Nebraska Kansas Missouri Minnesota Iowa Total	: 473 : 142 : 46 : 24 : 29 : 716	436 135 50 21 27 4/685	451 142 46 19 26 684	493 125 46 22 26 712	492 149 46 22 29 738	199 160 43 3 <sup>1</sup> 4 <u>3<sup>1</sup>4</u> 761	522 195 39 39 35 830
South Central Arkansas and Tennessee Oklahoma Texas Total	: 22 : 8 : 25 : 55	20 10 26 56	14 11 27 52	21 7 26 54	30 7 24 61	26 6 22 54	23 8 21 52
Western California Colorado Washington and Utah Total	233 116 39 392	187 123 5/31 <u>7</u> /359	218 118 6/42 378	240 108 144 392	257 114 41 412	266 118 35 419	364 144 30 8/548
Other States Total U.S.	: 55 : 1,384	30 1,288	<u>54</u> 1,328	76 1,385	67 1,447	49 1,473	34 1,598

1/ Includes total of suncured and dehydrated. 2/ Preliminary. 3/ Pennsylvania only. 4/ Total includes 16,000 tons produced in North and South Dakota. 5/ Includes small quantity produced in Idaho. 6/ Includes small quantity produced in Arizona. 77 Includes 18,000 tons produced in Arizona and New Mexico. 8/ Includes 10,000 tons produced in New Mexico and Nevada.

Compiled from reports of the Grain Division, Agricultural Marketing Service.

Table 27.- Alfalfa meal: Average wholesale prices at selected markets, year beginning October, average 1957-61, annual 1957-62 1/

Market	:	Average 1957-61	:	: 1957-58 : :	1958 <del>-</del> 5	; 7 : ;	1959-60	: : 19 :	960-61	:	1961-62	:	1962 <b>-</b> 63 <u>2</u> /
	:	Dol.		Dol.	Dol.		Dol.	]	Dol.		Dol.		Dol.
:	:	per		per	per		per	I	Der		per		per
:	:	ton		ton	ton		ton	1	ton		ton		ton
:	:												
Buffalo	:	57.50		52.95	61.80		60.40	5	56.25		56.20		60.80
Chicago	:	50.40		44.40	54.90		52.65	2	+8.70		51.10		52.60
Kansas City	:	45.75		38.30	50.15		47.60	2	15.15		47.60		48.90
Memphis	:	51.90		3/49.40	58.10		54.00	1	+7.90		50.10		52.00
California mills	:	53.20		49.40	53.00		54.20	5	55.00		54.20		55.20
Principal markets 4/	:	47.70		41.30	51.20		49.50	Ĺ	+7.50		48.80		50.20

1/ Simple averages of Tuesday quotations, with exception of principal markets which are weighted. Prices are on a basis of bulk, 17 percent protein, dehydrated meal. 2/ October-July average. 3/ Bagged alfalfa meal. 4/ Kansas City, California mills, Minneapolis and Omaha.

Compiled from reports of the Grain Division, Agricultural Marketing Service.

Alfalfa meal production in the North Atlantic, Fast North Central and South Central regions has shown no consistent trend pattern in recent years. Production from these regions is relatively small when compared to the West North Central and Western regions.

## Seasonality of Production

Alfalfa meal production is characterized by extreme seasonal variation as noted by the chart on page 39. This variation is due to the fact that much of the alfalfa is cut for hay or processed into meal during May-September. Production is low and fairly stable from November through April, but swings sharply upward in May until peak outputs are reached in June and July. In recent years, there have been indications that alfalfa meal production has become somewhat more seasonal in nature. The indexes of seasonal variation for 1961 show a wider range from low to high production than the average range in 1950-55 or 1956-61 (table 28). Seasonal indexes are computed from the combined production of dehydrated and suncured meal. Production of suncured alfalfa is fairly stable throughout the year having much less seasonal swing than dehydrated meal. The increasing importance of dehydrated meal in the total production has been at least partly responsible for the increase in the seasonal swing in total production. Meal produced in the winter months is primarily from suncured alfalfa and is produced largely in California and Arizona which have relatively long growing seasons.

# Seasonality of Disappearance

Seasonal variation also exists in disappearance of alfalfa meal, but not to the extent of production. The seasonal pattern in disappearance is similar to production, but the degree of seasonal variation is much less. When seasonal variations of disappearance during later years were compared with those of earlier years, there was somewhat of a smoothing out effect in the latter years. This indicates less swing in the seasonal pattern at the current time. In the past 5 years, alfalfa meal disappearance in the winter months has increased while declining slightly in the spring and summer months when compared with the earlier period of 1950-55.

Volume wise, a higher quantity of meal is utilized during the summer months because of (1) larger production at the time, (2) seasonally lower prices, (3) and increased demand for use in mixed livestock and poultry feeds. Alfalfa meal processors also desire to move new meal into consumption channels as rapidly as possible to avoid storage costs and quality deterioration which occurs through prolonged periods of storage. Stocks of alfalfa meal at processing plants accumulate during periods of high production and diminish in periods of low production. About 50 percent of the total annual production occurs during July-September, while about only 30 percent of the total annual disappeance occurs in that period (table 25).

#### Alfalfa Meal Prices

During the past decade, average prices of alfalfa meal at Kansas City (17 percent protein, dehydrated, wholesale, bulk) for the October-September



Table 28 .-- Alfalfa meal: Seasonal variation in production, total disappearance and prices, 1950-61 with comparisons

	:			Monthly	/ indexes	of seasona	l variatio	on <u>1</u> /		
Year beginning	:	Pro	duction 2/	:	Total	disappeara	nce <u>2</u> /	P	rices <u>3</u> /	
October	:	Average 1950-55	Average 1956-61	1961	Average 1950-55	Average 1956-61	1961	Average 1950 <b>-</b> 55	Average 1956 <b>-</b> 61	1961
	:	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
October	:	103	100	95	102	99	97	104	103	101
November	:	41	32	30	83	88	92	107	109	109
December	:	30	23	23	87	88	90	114	110	109
January	:	29	21	20	76	93	94	122	115	112
February	:	31	20	19	73	74	77	122	117	114
March	:	39	28	27	78	83	85	113	114	112
April	:	40	34	34	71	80	79	110	111	110
May	:	115	128	125	102	95	91	80	87	93
June	:	216	225	223	135	129	125	72	78	81
July	:	217	225	229	148	138	138	81	80	82
August	:	186	207	213	130	122	122	85	85	87
September	:	153	157	162	115	111	110	90	91	90
Average	:	100	100	100	100	100	100	100	100	100

1/ The indexes are computed on the basis of monthly data for the period 1950-61, with adjustments for trend, cycles and irregularities in the data so as to reflect the "normal" seasonal variation for the 5 year periods and for 1961. 2/ Total of suncured and dehydrated.

3/ Wholesale, bulk, 17 percent protein, dehydrated, Kansas City. Compiled from reports of the Grain Division, Agricultural Marketing Service.

feeding year, have ranged from \$38.30 to \$53.35 per ton. In recent years, strong domestic and foreign demand has kept prices at around \$45 to \$50 per ton despite increased production. During October-July 1962-63, alfalfa meal prices averaged \$48.90 per ton, or about 2 percent higher than in the corresponding period last year.

Since 1957-58 alfalfa meal prices in the West North Central region, as represented by the Kansas City market, have been lower than in other regions of the U. S. (table 27). This is probably because the West North Central region is a major source of production and has a relatively large number of processing plants. Prices at Buffalo, one of the major feed mixing centers, ranged from about \$8.50 to \$14.50 per ton higher than at Kansas City. This price differential, although narrowing somewhat in recent years, generally reflects the transportation cost from the surplus producing areas of the Midwest to Buffalo.

Prices of alfalfa meal at California milling points in recent years have averaged about \$3.00 to \$11.00 per ton higher than at Kansas City, but have been slightly lower than prices at Buffalo. Expanded domestic and export demand for alfalfa meal, coupled with higher alfalfa production costs, involving irrigation systems, is reflected in relatively higher prices paid by California meal processors for alfalfa. Much of the alfalfa meal sold in the northern half of California carries a protein content of 20 percent. This also would contribute to the slightly higher price as most meal sold in the Midwest and other marketing points is on the basis of 17 percent protein. In the past 6 years, prices at California milling points have generally trended upward from \$49.40 per ton in 1957-58 to \$54.20 during 1961-62. During October-July, prices at California mills averaged \$55.20 per ton, about the same as last year's level for that period.

## Seasonality In Alfalfa Meal Prices

Like production and disappearance, prices of alfalfa meal also follow a seasonal pattern during the year. The highest prices occur in the winter months while the lowest prices occur in the summer months. The greatest seasonal price change occurs as a decline during the April-June quarter of the year. The pattern of price seasonal variation is opposite and considerably less pronounced than the seasonal variation in production (chart on page 39)--but exhibits similar swing with an opposite pattern when compared with seasonal variation in disappearance.

A review of distorical seasonal price data reveals that in recent years, prices of alfalfa meal have become somewhat less seasonal, therefore, lending support to the tendency of price variations leveling-out within the marketing year. During 1956-61, prices seasonally rose 50 percent from June to February. This was somewhat less than the increase of 69 percent in 1950-55. Summer prices in recent years have averaged higher than in earlier years, while winter prices have averaged lower.

\*\*\*\*\*\*\*\*

