

Asian Journal of Agricultural Extension, Economics & Sociology

25(2): 1-5, 2018; Article no.AJAEES.41961
ISSN: 2320-7027

An Improvement of Robust Estimator Using Known Values of Probability Weighted Moment for Finite Population Variance

M. A. Bhat[1*], S. Maqbool[1], S. A. Mir[1], N. A. Sofi[1], Ab. Rauf[1], Immad. A. Shah[1] and Mir Subzar[1]

[1]Division of Agricultural Statistics, SKUAST-Kashmir (190025), India.

Authors' contributions

This work was carried out in collaboration between all authors. Author MAB designed the study, performed the statistical analysis, wrote the protocol and first draft of the manuscript. Authors SM, SAM, NAS and AR managed the analyses of the study. Authors IAS and MS managed the literature searches. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/AJAEES/2018/41961
Editor(s):
(1) Ian McFarlane, School of Agriculture Policy and Development, University of Reading, UK.
Reviewers:
(1) Marwa Osman Mohamed, Zagazig University, Egypt.
(2) Thomas L. Toulias, Technological Educational Institute of Athens, Greece.
Complete Peer review History: http://www.sciencedomain.org/review-history/24857

Original Research Paper

Received 19th March 2018
Accepted 19th May 2018
Published 30th May 2018

ABSTRACT

In this study new improved robust estimator has been proposed for precise estimation of finite population variance in simple random sampling by incorporating as auxiliary information of probability weighted moment. Properties associated with proposed estimators are assessed by mean square error and bias through numerical demonstration. We have also provided theoretical efficiency comparison of the study.

Keywords: Ratio estimator; probability weighted moment; SRSWOR; MSE; bias and efficiency.

1. INTRODUCTION

Here we consider a finite population $U = \{U_1, U_2, ..., U_N\}$ of N distinct and identifiable units. Let Y be a real variable with value Y_i measured on $U_i, i = 1,2,3....N$ given a vector $[Y_1, Y_2, Y_3.........Y_N]$. Sometimes in sample

**Corresponding author: E-mail: mabhat.1500@gmail.com;*

surveys information on auxiliary variable X correlated with study variable Y, is available can be utilized to obtain the efficient estimator for the estimation of Population variance. With this this modification our aim is to estimate the population variance $S_y^2 = \frac{1}{N-1}\sum_{i=1}^{N}(y_i - \bar{y})^2$ on the bases of random sample selected from population U" to obtain the improved and precise estimates. Various authors have proposed different ratio estimators for finite population variance by utilizing the ancillary information of different parameters of population such as Isaki [1], Kadilar and Cingi [2], Subramani and Kumarapandiyan [3] and Bhat et al. [4].

2. MATERIALS AND METHODS

2.1 Notations

$N =$ Population size. $n =$ sample size. $\gamma = \frac{1}{n}$,Y= study variable. X= Auxiliary variable. $\bar{X}, \bar{Y}$ = Population means. $\bar{x}$, $\bar{y} =$ Sample means. S_Y^2 , $S_x^2 =$ Population variances. s_y^2 , s_x^2 = sample variances. C_x , $C_y =$ Coefficient of variation. $\rho =$ Correlation coefficient. $\beta_{1(x)} =$ Skewness of the auxiliary variable. $\beta_{2(x)} =$ Kurtosis of the auxiliary variable. $\beta_{2(y)} =$ Kurtosis of the study variable. B(.)=Bias of the estimator.

MSE(.)= Mean square error. $\hat{S}_R^2 =$ Ratio type variance estimato. S_{pw} = probability Weighted Moments

3. SUGGESTED ESTIMATOR

$$\hat{S}_{MS1}^2 = s_y^2\left[\frac{S_x^2 + S_{pw}}{s_x^2 + S_{pw}}\right]$$

We have derived here the bias and mean square error of the proposed estimator to first order of approximation as given below:

Let $e_0 = \frac{s_y^2 - S_y^2}{S_y^2}$ and $e_1 = \frac{s_x^2 - S_x^2}{S_x^2}$. Further we can write $s_y^2 = S_y^2(1+e_0)$ and $s_x^2 = S_x^2(1+e_1)$ and from the definition of e_0 and e_1 we obtain:

$E[e_0] = E[e_1] = 0$. $E[e_0^2] = \frac{1-f}{n}(\beta_{2(y)} - 1)$.

$E[e_1^2] = \frac{1-f}{n}(\beta_{2(x)} - 1)$.

$E[e_0 e_1] = \frac{1-f}{n}(\lambda_{22} - 1)$

The proposed estimator is given below:

$$\hat{S}_p^2 = s_y^2\left[\frac{S_x^2 + \alpha S_{pw}}{s_x^2 + \alpha S_{pw}}\right]$$

$$\Rightarrow \quad \hat{S}_p^2 = s_y^2(1+e_0)\left[\frac{S_x^2 + \alpha S_{pw}}{s_x^2 + e_1 S_x^2 + \alpha S_{pw}}\right]$$

$$\Rightarrow \quad \hat{S}_p^2 = \frac{S_y^2(1+e_0)}{(1+A_p e_1)}$$

where $A_p = \frac{S_x^2}{(S_x^2 + \alpha S_{pw})}$

$$\Rightarrow \hat{S}_p^2 = S_y^2(1+e_0)(1+A_p e_1)^{-1}$$

$$\Rightarrow \hat{S}_p^2 = S_y^2(1+e_0)(1 - A_p e_1 + A_p^2 e_1^2 - A_p^3 e_1^3 + ...)$$

Expanding and neglecting the terms more than 3rd order, we get

$$\hat{S}_p^2 = S_y^2 + S_y^2 e_0 - S_y^2 A_p e_1 - S_y^2 A_p e_0 e_1 + S_y^2 A_p^2 e_1^2 \quad (1)$$

$$\Rightarrow \hat{S}_p^2 - S_y^2 = S_y^2 e_0 - S_y^2 A_p e_1 - S_y^2 A_p e_0 e_1 + S_y^2 A_p^2 e_1^2 \quad (2)$$

By taking expectation on both sides of (1), we get

$$E\left(\hat{S}_p^2 - S_y^2\right) = S_y^2 E(e_0) - S_y^2 A_p E(e_1) - S_y^2 A_p E(e_0 e_1) + S_y^2 A_p^2 E(e_1^2)$$

$$BiasE\left(\hat{S}_p^2\right) = S_y^2 A_p^2 E(e_1^2) - S_y^2 A_p E(e_0 e_1) \quad (3)$$

$$BiasE\left(\hat{S}_p^2\right) = \gamma S_y^2 A_p [A_p (\beta_{2(x)} - 1) - (\lambda_{22} - 1)]$$

Squaring both sides of (2), neglecting the terms more than 2nd order and taking expectation, we get

$$E\left(\hat{S}_p^2 - S_y^2\right)^2 = S_y^4 E(e_0^2) - S_y^4 A_p^2 E(e_1^2) - 2 S_y^4 A_p E(e_0 e_1)$$

$$MSE\left(\hat{S}_p^2\right) = \gamma S_y^4 [(\beta_{2(y)} - 1) + A_p^2 (\beta_{2(x)} - 1) - 2 A_p (\lambda_{22} - 1)]$$

4. EFFICIENCY CONDITIONS

In this section, we have derived the efficiency conditions of proposed estimators with other existing estimators under which proposed estimator are performing better than the existing estimators.

The bias and Mean square error of existing ratio type estimators up to the first order of approximation is given by

$$BiasE\left(\hat{S}_K^2\right) = \gamma S_y^2 R_K [R_K (\beta_{2(x)} - 1) - (\lambda_{22} - 1)] \quad (1)$$

$$MSE\left(\hat{S}_K^2\right) = \gamma S_y^4 [(\beta_{2(y)} - 1) + R_K^2 (\beta_{2(x)} - 1) - 2 R_K (\lambda_{22} - 1)] \quad (2)$$

Where R_K = Constant, $K = 1,2,3$

Bias, MSE and constant of proposed estimators is given by

$$Bias\left(\hat{S}_P^2\right) = \gamma S_y^2 R_P \left[R_P (\beta_{2x} - 1) - (\lambda_{22} - 1)\right] \quad (3)$$

$$MSE\left(\hat{S}_P^2\right) = \gamma S_y^4 \left[(\beta_{2y} - 1) + R_P^2 (\beta_{2x} - 1) - 2 R_P (\lambda_{22} - 1)\right] \quad (4)$$

R_p = Constant, $p = 1$

From Equation (4) and (6), we have

$$MSE\left(\hat{S}_P^2\right) \le MSE\left(\hat{S}_K^2\right) if \lambda_{22} \ge 1 + \frac{(R_P + R_K)(\beta_{2x} - 1)}{2}$$

$$MSE\left(\hat{S}_P^2\right) \le MSE\left(\hat{S}_K^2\right)$$

$$\gamma S_y^4 \left[(\beta_{2y} - 1) + R_P^2 (\beta_{2x} - 1) - 2 R_P (\lambda_{22} - 1)\right] \le \gamma S_y^4 \left[(\beta_{2y} - 1) + R_K^2 (\beta_{2x} - 1) - 2 R_K (\lambda_{22} - 1)\right] \quad (5)$$

$$\Rightarrow \left[\left(\beta_{2y}-1\right)+R_P^2\left(\beta_{2x}-1\right)-2R_P\left(\lambda_{22}-1\right)\right] \leq \left[\left(\beta_{2y}-1\right)+R_K^2\left(\beta_{2x}-1\right)-2R_K\left(\lambda_{22}-1\right)\right] \quad (6)$$

$$\Rightarrow \left[1+R_P^2\left(\beta_{2x}-1\right)-2R_P\left(\lambda_{22}-1\right)\right] \leq \left[1+R_K^2\left(\beta_{2x}-1\right)-2R_K\left(\lambda_{22}-1\right)\right] \quad (7)$$

$$\Rightarrow \left(\beta_{2x}-1\right)\left(R_P^2-R_K^2\right)\left[-2R_P\left(\lambda_{22}-1\right)\right] \leq \left[-2R_K\left(\lambda_{22}-1\right)\right] \quad (8)$$

$$\Rightarrow \left(\beta_{2x}-1\right)\left(R_P^2-R_K^2\right)\left[-2\left(\lambda_{22}-1\right)\left(R_P-R_K\right)\right] \leq 0 \quad (9)$$

$$\Rightarrow \left(\beta_{2x}-1\right)\left(R_P^2-R_K^2\right) \leq \left[2\left(\lambda_{22}-1\right)\left(R_P-R_K\right)\right] \quad (10)$$

$$\Rightarrow \left(\beta_{2x}-1\right) \leq \frac{2\left(\lambda_{22}-1\right)\left(R_P-R_K\right)}{\left(R_P^2-R_K^2\right)} \quad (11)$$

$$\Rightarrow \left(\beta_{2x}-1\right) \leq \frac{2\left(\lambda_{22}-1\right)\left(R_P-R_K\right)}{\left(R_P-R_K\right)\left(R_P+R_K\right)} \quad (12)$$

$$\Rightarrow \left(\beta_{2x}-1\right)\left(R_P+R_K\right) \leq 2\left(\lambda_{22}-1\right) \quad (13)$$

By solving equation (13), we get

$$MSE\left(\hat{S}_P^2\right) \leq MSE\left(\hat{S}_K^2\right) if \lambda_{22} \geq 1+\frac{\left(R_P+R_K\right)\left(\beta_{2x}-1\right)}{2}$$

5. NUMERICAL ILLUSTRATION

We use the data of Murthy [5] page 228 in which fixed capital is denoted by X (auxiliary variable) and output of 80 factories are denoted by Y(study variable).we apply the proposed and existing estimators to this data set and the data statistics is given below:

N=80 ,Sx=8.4542, , n=20, Cx=0.7507, $\overline{X}=$ 11.2624, $\beta_{2(x)}=$ 2.8664, $\overline{Y}=$ 51.8264, $\beta_{2(y)}=$ 2.8664, $\rho=$ 0.9413, $\beta_{1(x)}=$ 1.05, $\lambda_{22}=$ 2.2209, S_y=18.3569, Md=7.5750, Q1=9.318, C_y=0.3542, G = 9.0408 D= 8.0138 S_{pw} = 7.9136

Table 1. Bias and Mean Square Error of the existing and the proposed estimators

Estimators	Bias	Mean Square Error
Isaki	10.8762	3925.1622
Kadilar&Cingi	10.4399	3850.1552
Subramani&Kumarapandiyan	6.1235	3180.7740
Proposed	5.2264	2474.4535

Table 2. Percent relative efficiency of proposed estimators with existing estimators

Estimators	Isaki	Kadilar and Cingi	Subramani and Kumarapandiyan
Proposed	158.6274	155.5961	128.5445

6. CONCLUSION

From the above study we revealed that our suggested estimator perform better than the existing estimators as the mean square error as well as bias s too much lower than existing estimators.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Isaki CT. Variance estimation using auxiliary information. Journal of the American Statistical Association. 1983; 78:117-123.
2. Kadilar C, Cingi H. Improvement in Variance estimation using auxiliary information Hacettepe Journal of mathematics and Statistics. 2006a;35(1): 117-115.
3. Subramani J, Kumarapandiyan G. Generalized modified ratio type estimator for estimation of population variance. Sri-Lankan journal ofapplied Statistics. 2015; 16-1,69-90.
4. Bhat MA, Maqbool S, Saraf SA, Rouf A, Malik SH. Variance estimation using linear combination of skewness and quartiles. Journal of Advances in Research. Article no. 37321. ISSN: 2348-0394, NLMID: 101666096. 2018;13(2):1-6.
5. Murthy MN. Sampling Theory and Methods. Statistical publishing Society, Calcutta; 1967.

Peer-review history:
The peer review history for this paper can be accessed here:
http://www.sciencedomain.org/review-history/24857