



**AgEcon** SEARCH  
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

*The World's Largest Open Access Agricultural & Applied Economics Digital Library*

**This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.**

**Help ensure our sustainability.**

Give to AgEcon Search

AgEcon Search

<http://ageconsearch.umn.edu>

[aesearch@umn.edu](mailto:aesearch@umn.edu)

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

*No endorsement of AgEcon Search or its fundraising activities by the author(s) of the following work or their employer(s) is intended or implied.*



## A Menace Reconsidered, Part 4: Losing Nitrogen

Jonathan Coppess, Shae Ruppert, and Marin Skidmore

Department of Agricultural and Consumer Economics  
University of Illinois

April 18, 2024

*farmdoc daily* (14): 74

Gardner Policy Series

---

Recommended citation format: Coppess, J., S. Ruppert, and M. Skidmore. "A National Menace Reconsidered, Part 4: Losing Nitrogen." *farmdoc daily* (14): 74, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, April 18, 2024.

Permalink: <https://farmdocdaily.illinois.edu/2024/4/a-menace-reconsidered-part-4-losing-nitrogen.html>

---

Amid the wind and rain of Midwestern April, the Farm Bill faithful may detect stirrings of a possible start to the long, difficult reauthorization process (Clayton, [April 16, 2024](#); Hagstrom, [April 17, 2024](#); Baethge, [April 17, 2024](#); Abbott, [April 16, 2024](#); Downs, [April 8, 2024](#)). Alexander Pope famously wrote that "Hope springs eternal in the human breast" and the line continues to resonate (Pope, 1732; Matteo, [March 26, 2022](#)). The challenges inherent in soil erosion seem also to spring eternal and this article continues that discussion by incorporating an exploration of the research on nitrogen losses, seeking to further build risk-based perspectives (*farmdoc daily*, [March 14, 2024](#); [March 21, 2024](#); [March 28, 2024](#); see also, [December 7, 2023](#); [January 4, 2024](#); and [January 15, 2024](#)). In the spirit of the season, it may be hoped that applying research to develop a wider, more comprehensive perspective on farm risk—one that incorporates natural resource risks—can inform the development of more effective farm policies.

### Background

Soil erosion adds risk to farming. It can magnify complications in farm management. It also carries significant cost implications. These realities are supported by a substantial body of research (*farmdoc daily*, [March 14, 2024](#); [March 21, 2024](#); [March 28, 2024](#)). Soil erosion possesses a long history and has menaced many societies, persisting as a perennial complication of farming and the production of food (Dotterweich, 2013; Brevik, 2018; Gibbard and Mead, 2020). Among the many challenges of soil erosion is designing effective policy responses. Soil erosion is a complex menace and the loss of nitrogen from fields helps demonstrate the point. One of the most critical nutrients for plant growth, and a major component of topsoil fertility, nitrogen is exported from farm fields in a different process than soil erosion. The two are connected in important ways, however. Erosion of fertile topsoil, for example, requires applications of nitrogen to compensate. Together, they can drive self-feeding cycles, compounding and complicating the challenges. Additionally, neither constitutes actual loss but rather misplacement or displacement, deposited in waterways or somewhere other than the fields where they are needed for crops.

Summarizing the research on the topic is daunting. Humans have likely doubled the amount of reactive nitrogen that cycles through ecosystems across the planet, a substantial portion of which is not consumed

---

*We request all readers, electronic media and others follow our citation guidelines when re-posting articles from farmdoc daily. Guidelines are available [here](#). The farmdoc daily website falls under University of Illinois copyright and intellectual property rights. For a detailed statement, please see the University of Illinois Copyright Information and Policies [here](#).*

as intended. Organic nitrogen abounds in soils but is not available for plants to consume. Bacteria and other microorganisms produce inorganic, plant-available, nitrogen, while ammonium forms of nitrogen are generally added by fertilizer inputs. Nitrogen fertilizers are subject to rapid nitrification to nitrate, the form of nitrogen favored by plants but also the one most soluble and easily transported such as being leached through the soil with water. Nitrate is especially mobile and susceptible to being leached, a risk that is most prominent early in the season when crop growth and nitrogen uptake is low, but mineralization of nitrogen (especially from fertilizer) is high. The complex system of artificial drainage contributes by quickly moving water from precipitation and snowmelt out of farm fields. That water, however, carries significant quantities of nitrates to lakes, reservoirs, and natural waterways such as the Mississippi River and the Gulf of Mexico. The result is that nutrients intended for crops degrade water quality and contribute to hypoxic or dead zones (Gentry et al., 2024; Li et al. 2022; Myrold, 2021; Cao, Lu and Yu, 2018; Fernández, Fabrizzi and Naeve, 2017; Pittlekow et al., 2017; Christianson and Harmel, 2015; Robertson et al., 2013; Dessureault-Rompré et al., 2011; David, Drinkwater, and McIsaac, 2010; Gentry et al., 2009; Robertson and Vitousek, 2009; Robertson and Groffman, 2007; Paul et al., 2003; Cassman et al., 2002; Smil, 2002; Williams, Hutchinson and Fehsenfeld, 1992; Kladvik et al., 1991; Russel and Williams, 1977; see also, *farmdoc daily*, February 8, 2024; March 10, 2016; March 17, 2016; February 17, 2021).

## Discussion

Agriculture, especially row crop agriculture, is the largest contributor of nitrogen to the environment in the United States, previously reported as contributing 54 percent of nitrate emissions (Ribaudo, September 1, 2011). Today's loss of nitrogen has been linked to the huge wave of investment, research, infrastructure, market development, and policy under the rapid technological changes in farming known as the Green Revolution (1966-1985) (see, Pingali, 2012; Mann, 2018; Anderson, 2006). For example, commercial and manure fertilizer application increased from 1 million metric tons in 1951 to 13 million metric tons in 2017 (Del Rossi et al., 2023). Figure 1 illustrates the total U.S. consumption of nitrogen as last reported by USDA's Economic Research Service (ERS) in 2019 through year ending June 30, 2015 (USDA-ERS, Fertilizer Use and Price, October 30, 2019). It also includes the acres planted to corn and other feed grains (sorghum, oats, and rye), wheat, upland cotton, and rice.





Figure 1 raises tough questions about whether farmers are overapplying nitrogen for these crops. Total nitrogen consumption has generally increased (and remained at elevated levels) even as acres planted to

these crops initially decreased and have remained relatively constant in the later years of the reported data. Overapplication of nitrogen, as well as application of nitrogen in the fall after harvest, contributes to water quality degradation. As discussed above, the research is clear that nitrogen fertilizer not consumed by the plants accumulates in the soil and that the mobile nitrate form is easily transported out of the fields, carried by water. For example, one study in Iowa found residual nitrate in the soils after corn harvest that ranged in amounts equal to between 16% and 26% of the applied rate of nitrogen in 2002 and 2004 (Jaynes and Covin, 2006).

As with soil erosion, we begin by applying the research on nitrogen losses to estimate this complex issue in terms of risk of loss. Nitrogen loss is extremely variable, which makes sense given the extent to which the transport of the nitrate form depends on water. For example, USDA previously estimated a range from less than 20 pounds per acre to more than 70 pounds per acre each year from 2003 to 2006 (USDA-NRCS, 2017). Figure 2 is the first attempt at illustrating the risk of nitrogen losses in farm fields each year based on a compilation of research findings over multiple years and sites in the Midwest (Gentry et al., 2024; Waring et al., 2022; Preza-Fontes et al., 2021; Pittlekow et al., 2017; Jaynes, 2015; Jaynes, 2013; Randall et al., 2003). Specifically, Figure 2 charts ranges of nitrogen loss measured as a percentage of the annual nitrate load measured in subsurface tiles relative to the amounts of nitrogen applied as fertilizer. It compares four different nitrogen application practices: fall-applied, spring-applied, split application in the spring, and side-dress (nitrogen applied between the rows of the growing crop).



Residual N pools, present in the soil of farm fields after commercial crop harvest, cost the farmer and society. Because of the nearly guaranteed loss of nitrogen, farmers are spending income for some amount of nitrogen that will not be utilized by the plant. Additionally, farmers are potentially absorbing extra costs that outweigh any benefits in crop yield. This concern has been magnified in recent years with the skyrocketing cost of nitrogen (see e.g., *farmdoc daily*, August 15, 2023; September 12, 2023). While overapplication of this expensive input means farmers have sunk in more cost than needed and diminished profitability, it also creates burdens on (and costs to) society in the form of drinking water contamination by excess nitrates, presence of cyanotoxins (cultivated by harmful algae blooms), and excess turbidity (Del Rossi et al., 2023). These costs include negative health effects, recreational and aesthetic damages, remediation actions for contaminated wells, installing filtration or treatment systems, as well as avoidance behaviors like purchasing bottled water. These costs are more intensely felt by the 43 million, mostly rural households, who source their water from a private well and live near the source of

this nonpoint source of pollution, agricultural lands (Del Rossi et al., 2023). Another deep well of complex issues to be explored further.

## Concluding Thoughts

This article expands upon the complex, complicated challenges of soil erosion by incorporating those of nitrogen losses from farming. Congress first proclaimed soil erosion to be a menace to society in 1935 in response to the Dust Bowl and Great Depression catastrophes; soil erosion, however, has a much longer history. It has menaced many societies throughout human history, persisting as a perennial complication of farming and the production of food. The Dust Bowl was a dramatic example of soil erosion and offers critical lessons. Ironically, its prominent position in history risks obscuring many of them. It can be narrowed to a single dimension in the popular imagination, isolated in time and place to moving mountains of soil across the drought-ravaged and wind-swept southern Great Plains. Soil erosion is a much more complex menace and the challenges are especially acute for designing effective policy responses. As discussed herein, the risks of losing nitrogen help demonstrate the point. One of the most critical nutrients for plant growth, and a major component of topsoil fertility, nitrogen is exported from farm fields in a different process than soil erosion. The two are connected in important ways, however. Erosion of fertile topsoil, for example, requires applications of nitrogen to compensate. Together they can drive self-feeding cycles, compounding and further complicating the challenges of each. The common ground is bare soil; farm fields left fallow and exposed after harvest are at an increased risk of both soil erosion and nutrient loss, critical consequences that result when the bare soils of farm fields are exposed to the elements. To initial evaluations of the risks of soil erosion, this article adds evaluation of the risks of nitrogen losses; applying research to develop a wider, more comprehensive perspective of farm risk that incorporates natural resource risks and in turn, accepts the multi-dimensional realities which could inform the development of more effective, multi-dimensional farm policies.

## References

- Abbott, Chuck. "Farm bill vote in committee before Memorial Day, says House Ag chairman." FERN's Ag Insider, *thefern.org*. April 16, 2024. [https://thefern.org/ag\\_insider/farm-bill-vote-in-committee-before-memorial-day-says-house-ag-chairman/](https://thefern.org/ag_insider/farm-bill-vote-in-committee-before-memorial-day-says-house-ag-chairman/).
- Anderson, J.L. *Industrializing the Corn Belt: Agriculture, Technology, and Environment, 1945-1972* (DeKalb, IL: Northern Illinois Press, 2009, 2016).
- Baethge, Joshua. "Thompson optimistic about passing farm bill." Farmprogress.com. April 17, 2024. <https://www.farmprogress.com/farm-policy/thompson-optimistic-about-passing-farm-bill>.
- Brevik, Eric C., Jeffrey A. Homburg, and Jonathan A. Sandor. "Soils, climate, and ancient civilizations." In *Developments in Soil Science*, vol. 35, pp. 1-28. Elsevier, 2018. <https://doi.org/10.1016/B978-0-444-63865-6.00001-6>.
- Cao, Peiyu, Chaoqun Lu, and Zhen Yu. "Historical nitrogen fertilizer use in agricultural ecosystems of the contiguous United States during 1850–2015: application rate, timing, and fertilizer types." *Earth System Science Data* 10, no. 2 (2018): 969-984. <https://essd.copernicus.org/articles/10/969/2018/>.
- Cassman, Kenneth G., Achim Dobermann, and Daniel T. Walters. "Agroecosystems, Nitrogen-use Efficiency, and Nitrogen Management." *AMBIO: A Journal of the Human Environment* 31, no. 2 (2002): 132-140. <https://doi.org/10.1579/0044-7447-31.2.132>.
- Christianson, L. E., and R. D. Harmel. "The MANAGE Drain Load database: Review and compilation of more than fifty years of North American drainage nutrient studies." *Agricultural Water Management* 159 (2015): 277-289. <https://www.sciencedirect.com/science/article/pii/S0378377415300408>.
- Clayton, Chris. "A Possible Summer Farm Bill? House Ag Chair Readies Farm Bill Ag Will Like, But Force Democrats to Choose." DTN Progressive Farmer. April 16, 2024. <https://www.dtnpf.com/agriculture/web/ag/news/article/2024/04/16/house-ag-chair-readies-farm-bill-ag>.
- Coppess, J. "Dead Zones & Drinking Water, Part 2: Why Tile Matters." *farmdoc daily* (6):47, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, March 10, 2016.

Coppess, J. "Dead Zones & Drinking Water, Part 3: the Illinois Nutrient Loss Reduction Strategy." *farmdoc daily* (6):53, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, March 17, 2016.

Coppess, J. "Measuring Farm Policy, Part 2: Conservation & A Nutrient Loss Reduction Perspective." *farmdoc daily* (14):27, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, February 8, 2024.

David, Mark B., Laurie E. Drinkwater, and Gregory F. Mclsaac. "Sources of nitrate yields in the Mississippi River Basin." *Journal of Environmental Quality* 39, no. 5 (2010): 1657-1667. <https://doi.org/10.2134/jeq2010.0115>.

Del Rossi, Gemma, Mohammad Mainul Hoque, Yongjie Ji, and Catherine L. Kling. "The economics of nutrient pollution from agriculture." *Annual Review of Resource Economics* 15 (2023): 105-130. <https://doi.org/10.1146/annurev-resource-111820-021317>.

Dessureault-Rompré, Jacynthe, Bernie J. Zebarth, Alex Georgallas, David L. Burton, and Cynthia A. Grant. "A biophysical water function to predict the response of soil nitrogen mineralization to soil water content." *Geoderma* 167 (2011): 214-227. <https://doi.org/10.1016/j.geoderma.2011.10.005>

Dotterweich, Markus. "The history of human-induced soil erosion: Geomorphic legacies, early descriptions and research, and the development of soil conservation—A global synopsis." *Geomorphology* 201 (2013): 1-34. <https://doi.org/10.1016/j.geomorph.2013.07.021>.

Downs, Garrett. "The farm bill slide continues." *Politico.com*. April 8, 2024. <https://www.politico.com/newsletters/weekly-agriculture/2024/04/08/the-farm-bill-slide-continues-00150979>.

Fernández, Fabián G., Karina P. Fabrizzi, and Seth L. Naeve. "Corn and soybean's season-long in-situ nitrogen mineralization in drained and undrained soils." *Nutrient Cycling in Agroecosystems* 107 (2017): 33-47. <https://link.springer.com/article/10.1007/s10705-016-9810-1>.

Gentry, Lowell E., John M. Green, Corey A. Mitchell, Luis F. Andino, Michelle K. Rolf, D. Schaefer, and Emerson D. Nafziger. *Split fertilizer nitrogen application with a cereal rye cover crop reduces tile nitrate loads in a corn-soybean rotation*. Vol. 53, no. 1. 2024. <https://access.onlinelibrary.wiley.com/doi/pdfdirect/10.1002/jeq2.20530>.

Gentry, Lowell E., Mark B. David, Frederick E. Below, Todd V. Royer, and Gregory F. Mclsaac. "Nitrogen mass balance of a tile-drained agricultural watershed in east-central Illinois." *Journal of Environmental Quality* 38, no. 5 (2009): 1841-1847. <https://doi.org/10.2134/jeq2008.0406>.

Gibbard, P. L., and M. J. Head. "The quaternary period." In *Geologic Time Scale 2020*, pp. 1217-1255. Elsevier, 2020. <https://doi.org/10.1016/B978-0-12-824360-2.00030-9>.

Hagstrom, Jerry. "Thompson promises farm bill before Memorial Day; Boozman, Stabenow upbeat." *Thefencepost.com*. April 17, 2024. <https://www.thefencepost.com/news/thompson-promises-farm-bill-before-memorial-day-boozman-stabenow-upbeat/>.

Jaynes, D. B. "Corn yield and nitrate loss in subsurface drainage affected by timing of anhydrous ammonia application." *Soil Science Society of America Journal* 79, no. 4 (2015): 1131-1141. <https://doi.org/10.2136/sssaj2015.01.0033>.

Jaynes, D. B. "Nitrate loss in subsurface drainage and corn yield as affected by timing of sidedress nitrogen." *Agricultural water management* 130 (2013): 52-60. <https://doi.org/10.1016/j.agwat.2013.08.010>.

Jaynes, D. B., and T. S. Colvin. "Corn yield and nitrate loss in subsurface drainage from midseason nitrogen fertilizer application." *Agronomy Journal* 98, no. 6 (2006): 1479-1487. <https://doi.org/10.2134/agronj2006.0046>.

Klavivko, E. J., G. E. Van Scoyoc, E. J. Monke, K. M. Oates, and W. Pask. *Pesticide and Nutrient Movement into Subsurface Tile Drains on a Silt Loam Soil in Indiana*. Vol. 20, no. 1. <https://doi.org/10.2134/jeq1991.00472425002000010043x>.

Li, Ziyi, Kaiyu Guan, Wang Zhou, Bin Peng, Zhenong Jin, Jinyun Tang, Robert F. Grant et al. "Assessing the impacts of pre-growing-season weather conditions on soil nitrogen dynamics and corn productivity in the US Midwest." *Field Crops Research* 284 (2022): 108563. <https://doi.org/10.1016/j.fcr.2022.108563>.

Mann, Charles C. *The Wizard and the Prophet: Two Groundbreaking Scientists and Their Conflicting Visions of the Future of Our Planet*. (New York: Alfred A. Knopf, 2018).

Matteo, Anna. "Hope Springs Eternal." VOAnews.com. March 26, 2022. <https://learningenglish.voanews.com/a/hope-springs-eternal-/6499807.html>.

Myrold, David D. "Transformations of Nitrogen." In *Principles and Applications of Soil Microbiology*, pp. 385-421. Elsevier, 2021.

Paul, K. I., P. J. Polglase, A. M. O'connell, J. C. Carlyle, P. J. Smethurst, and P. K. Khanna. "Defining the relation between soil water content and net nitrogen mineralization." *European Journal of Soil Science* 54, no. 1 (2003): 39-48. <https://doi.org/10.1046/j.1365-2389.2003.00502.x>.

Paulson, N., C. Zulauf, G. Schnitkey, J. Colussi and J. Baltz. "How Historic Were Fertilizer Prices in 2022?" *farmdoc daily* (13):165, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, September 12, 2023.

Paulson, N., G. Schnitkey, C. Zulauf, J. Colussi and J. Baltz. "Fertilizer Prices Continue Decline and May Impact Farmers' Nitrogen Decisions." *farmdoc daily* (13):150, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, August 15, 2023.

Pingali, Prabhu L. "Green revolution: impacts, limits, and the path ahead." *Proceedings of the national academy of sciences* 109, no. 31 (2012): 12302-12308. <https://doi.org/10.1073/pnas.0912953109>.

Pittelkow, Cameron M., Matthew W. Clover, Robert G. Hoelt, Emerson D. Nafziger, Jeffery J. Warren, Lisa C. Gonzini, and Kristin D. Greer. "Tile drainage nitrate losses and corn yield response to fall and spring nitrogen management." *Journal of environmental quality* 46, no. 5 (2017): 1057-1064. <https://doi.org/10.2134/jeq2017.03.0109>.

Pope, Alexander. 1732. "An Essay on Man: Epistle I." *poetryfoundation.org*. <https://www.poetryfoundation.org/poems/44899/an-essay-on-man-epistle-i>.

Preza-Fontes, Giovani, Laura E. Christianson, Kristin Greer, Rabin Bhattarai, and Cameron M. Pittelkow. "In-season split nitrogen application and cover cropping effects on nitrous oxide emissions in rainfed maize." *Agriculture, Ecosystems & Environment* 326 (2022): 107813. <https://doi.org/10.1016/j.agee.2021.107813>.

Randall, G. W., J. A. Vetsch, and J. R. Huffman. "Nitrate losses in subsurface drainage from a corn-soybean rotation as affected by time of nitrogen application and use of nitrapyrin." *Journal of Environmental Quality* 32, no. 5 (2003): 1764-1772. <https://doi.org/10.2134/jeq2003.1764>.

Ribaudo, Marc. "Reducing Agriculture's Nitrogen Footprint: Are New Policy Approaches Needed?" *Amber Waves*. (USDA-ERS) September 01, 2011. <https://www.ers.usda.gov/amber-waves/2011/september/nitrogen-footprint/>.

Robertson, G. Philip, and P. M. Groffman. "Nitrogen Transformations." In *Soil Microbiology, Ecology and Biochemistry*, pp. 341-364. Academic Press, 2007.

Robertson, G. Philip, and Peter M. Vitousek. "Nitrogen in agriculture: balancing the cost of an essential resource." *Annual Review of Environment and Resources* 34 (2009): 97-125. <https://doi.org/10.1146/annurev.enviro.032108.105046>.

Robertson, G. Philip, Tom W. Bruulsema, Ron J. Gehl, David Kanter, Denise L. Mauzerall, C. Alan Rotz, and Candiss O. Williams. "Nitrogen–climate interactions in US agriculture." *Biogeochemistry* 114 (2013): 41-70. <https://link.springer.com/article/10.1007/s10533-012-9802-4>.

Ruppert, S., J. Coppess and M. Skidmore. "A Menace to National Welfare Reconsidered, Part 2: Reviewing Tillage." *farmdoc daily* (14):57, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, March 21, 2024.

Ruppert, S., J. Coppess and M. Skidmore. "A National Menace Reconsidered, Part 3: Conservation Buffers." *farmdoc daily* (14):61, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, March 28, 2024.

Ruppert, S., J. Coppess, W. Fathauer and M. Skidmore. "A Menace to National Welfare Reconsidered, Part 1: Reviewing the Costs of Erosion." *farmdoc daily* (14):52, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, March 14, 2024.

Russel, Darrell A., and Gerald G. Williams. "History of chemical fertilizer development." *Soil Science Society of America Journal* 41, no. 2 (1977): 260-265. <https://doi.org/10.2136/sssaj1977.03615995004100020020x>.

Sellars, S. and V. Nunes. "Synthetic Nitrogen Fertilizer in the U.S." *farmdoc daily* (11):24, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, February 17, 2021.

Skidmore, M. and J. Coppess. "When It Rains, It Pours: Extreme Precipitation & Nutrient Loss, Part 1." *farmdoc daily* (13):222, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, December 7, 2023.

Skidmore, M. and J. Coppess. "When It Rains, It Pours: Extreme Precipitation & Nutrient Loss, Part 2." *farmdoc daily* (14):3, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, January 4, 2024.

Skidmore, M. and J. Coppess. "When It Rains, It Pours: Extreme Precipitation & Nutrient Loss, Part 3." *farmdoc daily* (14):10, Department of Agricultural and Consumer Economics, University of Illinois at Urbana-Champaign, January 15, 2024.

Smil, Vaclav. "Nitrogen and Food Production: Proteins for Human Diets." *AMBIO: A Journal of the Human Environment* 31, no. 2 (2002): 126-131. <https://doi.org/10.1579/0044-7447-31.2.126>.

U.S. Department of Agriculture, Natural Resources Conservation Service. 2017. Effects of Conservation Practices on Nitrogen Loss from Farm Fields: A National Assessment Based on the 2003-06 CEAP Survey and APEX Modeling Databases. 129 pp. <https://www.nrcs.usda.gov/publications/ceap-crop-2017-nitrogen-loss.pdf>.

Waring, Emily Rose, John Sawyer, Carl Pederson, and Matt Helmers. *Impact of nitrogen fertilizer timing on nitrate loss and crop production in northwest Iowa*. Vol. 51, no. 4. 2022. <https://doi.org/10.1002/jeq2.20366>.

Williams, E. J., G. L. Hutchinson, and F. C. Fehsenfeld. "NO<sub>x</sub> and N<sub>2</sub>O emissions from soil." *Global Biogeochemical Cycles* 6, no. 4 (1992): 351-388. <https://doi.org/10.1029/92GB02124>.