



**AgEcon** SEARCH  
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

*The World's Largest Open Access Agricultural & Applied Economics Digital Library*

**This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.**

**Help ensure our sustainability.**

Give to AgEcon Search

AgEcon Search  
<http://ageconsearch.umn.edu>  
[aesearch@umn.edu](mailto:aesearch@umn.edu)

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

**Generalization of the Generalized Composite Commodity Theorem**

**: Extension based on the Theil's Aggregation Theory**

PRELIMINARY- PLEASE DO NOT CITE, QUOTE, OR DISTRIBUTE

**Dae-Heum Kwon**

North Dakota State University  
E-mail: Dae-Heum.Kwon@ndsu.edu

**David A Bessler**

Texas A&M University  
E-mail: d-bessler@tamu.edu

*Selected Paper prepared for presentation at the Agricultural & Applied Economics Association  
2009 AAEA & ACCI Joint Annual Meeting, Milwaukee, Wisconsin, July 26-29, 2009.*

*Copyright 2009 by Dae-Heum Kwon and David A Bessler. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.*

## **Generalization of the Generalized Composite Commodity Theorem**

### **: Extension based on the Theil's Aggregation Theory**

#### **Introduction**

Empirical studies in economics have relied on various forms of classification and aggregation, since econometric considerations, such as degrees-of-freedom and multicollinearity, require an economy of parameters in empirical models. Even though the specific choice of such issues have been oftentimes based on convenience for addressing specific research objectives rather than on the empirical evidence for consistent classification and/or aggregation (Shumway and Davis, 2001), it has been demonstrated that small departures from valid classification and/or aggregation can result in large mistakes in elasticity/flexibility and welfare estimates (Lewbel, 1996). However, identifying a legitimate but less restrictive condition for a consistent classification and/or aggregation remains an open issue in general.

In the literature of the commodity-wise aggregation, the Hicks-Leontief composite commodity theorem (Hicks 1936, Leontief 1936) and the homothetic or weak separability concepts (Leontief 1947) have been proposed. However, it has been demonstrated that these two types of conditions provide only restrictive possibilities for consistent aggregation in empirical applications; the empirical tests of both conditions are rejected in most cases. To address such difficulties, Lewbel (1996) proposed the generalized composite commodity theorem for the direct demand system in log-linear form. The objective of this study is to further generalize the Lewbel's composite commodity condition based on the Theil's aggregation theory (Theil 1954 and 1971).

On the other hand, the problem of forming suitable partitions before conducting any empirical test to justify those classifications and/or aggregation has relied on researchers' intuition. However, the intuitive partitions based on the subjective reasoning are only a small set of possible partitions among an extremely large number of possible partitions. Thus when classification is empirically rejected, it might be simply because of researchers' unsuccessful identification of the partition itself, not because of non-existence of legitimate classification itself. Given the empirical implausibility of attempting all possible partitions, it can be useful to pursue inductive partitions related with legitimate aggregation conditions based on the data pattern.

In these respects, this study proposes the approximated and generalized forms of the compositional stability condition derived from Theil's compositional stability condition (TCSC). The generalized compositional stability condition (GCSC) extends the non-stochastic TCSC to allow some randomness and requires less restrictive condition than LCCC as will be discussed. The empirical testing procedure of the GCSC is suggested based on the Hausman misspecification testing method (Hausman, 1978). In addition, the approximated compositional stability condition (ACSC) is also proposed to address issue of forming suitable classification before conducting any legitimate aggregation tests. Based on ACSC, the homogeneous grouping of commodities is identified by the block-diagonal pattern of static and dynamic correlation matrixes (Croux, Forni, and Reichlin, 2001) of price or quantity variables. The modified k-nearest neighbor algorithm based on Wise's pseudo-color map is used as an alternative to the traditional clustering method to sort highly correlated commodities near each other along the main diagonal. The plausibility of the proposed classification/aggregation method is demonstrated by using the retail scanner data of soft drink consumption.

## I. Framework: Theil's Aggregation theory

Theil's aggregation theory is concerned with the transformation of individual relations (micro-relations) to a relation for the group as a whole (macro-relations) (Theil, 1971). It considers the possibility that micro-relations can be studied through the macro-relations, where micro-variables are grouped and represented by macro-variables. The main issue is to understand the general relationship between micro-parameters and macro-parameters. The ultimate goal is to identify conditions for the meaningful aggregation that makes it possible to represent micro-relations by macro-relations.

Theil's aggregation theory can be summarized as follows. For a given  $T$  time period, each individual unit has its own linear behavioral relationship. That is, for each individual micro-unit ( $n=1, \dots, N$ ), an endogenous variable  $y_n$  linearly depends on  $K$  exogenous variables  $x_n = [x_{1n}, \dots, x_{kn}]$  with corresponding micro-parameters  $\beta_n = [\beta_{1n}, \dots, \beta_{kn}]'$ . These relationships can be represented by following set of micro-equations.

$$(1) \quad y_n = x_n \beta_n + u_n \quad , \forall n=1, \dots, N .$$

To study the general tendency of phenomena which are common to most of all  $n=1, \dots, N$  individual micro-unit behaviors, it is postulated that the relation between the aggregated dependent variable  $Y$  and aggregated predetermined variables  $X = [X_1, \dots, X_k]$  can be represented in the same linear form of micro-equations as the following macro-equation (2).

$$(2) \quad Y = X \beta + U \quad \text{where} \quad Y \equiv \sum_{n=1}^N y_n \quad \text{and} \quad X \equiv \sum_{n=1}^N x_n .$$

The main issue is the properties of the macro-parameters  $\beta = [\beta_1, \dots, \beta_k]'$  estimated by the least-squares (LS) estimator, especially in the context of the relationship between macro- and micro-parameters. To focus on such main issue, the following assumptions are introduced.

*Assumption 0.* The  $N$  elements of the disturbance vector  $u_n = \{u_n\}$  are distributed independently of micro-regressors  $x_n = [x_{1n}, \dots, x_{kn}]$  and have zero means.

*Assumption 1.* The micro-regressors  $x_n$  are linearly related with macro-regressors  $X$  as  $x_n = X A_n + v_n$ , where the auxiliary-disturbances  $v_n$  are independent of  $X$  and have zero means.

The assumption 0 on  $y_n = x_n \beta_n + u_n$  ensures the correctly specified disaggregated model and implies the independence of  $u_n$  with macro-regressors  $X$ . The assumption 1 on  $x_n = X A_n + v_n$  suggests that (i) the LS  $\hat{A}_n = (X'X)^{-1} X'x_n$  is consistent for  $A_n$  and (ii)  $A_n$  can be used as the

weighting scheme because  $\sum_{n=1}^N A_n = I_{(K \times K)}$  due to  $X \left( \equiv \sum_{n=1}^N x_n \right) = \sum_{n=1}^N (X A_n + v_n) = X \sum_{n=1}^N A_n + \sum_{n=1}^N v_n$ . Note

that the correct specification of the aggregated relation becomes  $Y \left( \equiv \sum_{n=1}^N y_n \right) = \sum_{n=1}^N x_n \beta_n + \sum_{n=1}^N u_n$

and this true aggregated equation has the  $K \cdot N$  explanatory variables, so it contains as detailed information as a set of individual micro-relations as a whole, except the loss of information due to using aggregated dependent variable.

Under these settings, Theil (1954) defines the macro-parameters as mathematical expectation of its LS estimator and demonstrated following result.

*Result 0.* If the assumption 0 and 1 hold, the macro-parameters generally depend upon complicated combinations of corresponding and non-corresponding micro-parameters, i.e.

$$E(\hat{\beta}_k) = \sum_{n=1}^N \sum_{j=k}^K a_{kj,n} \beta_{j,n} = \sum_{n=1}^N a_{kk,n} \beta_{k,n} + \sum_{n=1}^N \sum_{j \neq k}^K a_{kj,n} \beta_{j,n}, \quad \forall k = 1, \dots, K.$$

The meaning of the result 0 can be understood more clearly in matrix notation,

$$(3) \quad p \lim \begin{bmatrix} \hat{\beta}_1 \\ \hat{\beta}_2 \\ \vdots \\ \hat{\beta}_K \end{bmatrix} = \sum_{n=1}^N \left( \begin{bmatrix} a_{11,n} & 0 & \cdots & 0 \\ 0 & a_{22,n} & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & a_{KK,n} \end{bmatrix} + \begin{bmatrix} 0 & a_{12,n} & \cdots & a_{1K,n} \\ a_{21,n} & 0 & \cdots & a_{2K,n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{K1,n} & a_{K2,n} & \cdots & 0 \end{bmatrix} \right) \begin{bmatrix} \beta_{1,n} \\ \beta_{2,n} \\ \vdots \\ \beta_{K,n} \end{bmatrix}, \text{ where}$$

$$p \lim \hat{\beta} = p \lim (X'X)^{-1} X'Y \quad , \text{ by true aggregation } Y = \sum_{n=1}^N x_n \beta_n + \sum_{n=1}^N u_n$$

$$= p \lim \sum_{n=1}^N (X'X)^{-1} X' x_n \beta_n + p \lim (X'X)^{-1} X' \sum_{n=1}^N u_n \quad , \text{ by assumption 0 and } \hat{A}_n = (X'X)^{-1} X' x_n$$

$$= p \lim \sum_{n=1}^N \hat{A}_n \beta_n = \sum_{n=1}^N A_n \beta_n \quad , \text{ by assumption 1 of } p \lim \hat{A}_n = A_n \quad .$$

Theil's conclusion summarized above has negative implications for the aggregate approach. Few economists will or can meaningfully interpret macro-parameters as complicated mixtures of heterogeneous components.

However, Theil (1954) identifies two special cases for the possibility of meaningful aggregation, which are the micro-homogeneity hypothesis and the compositional stability condition (Pesaran, Piersse, and Kumar 1989) as summarized in results 1 and 2.

*Result 1.* When the assumption 0 and 1 hold, if each of the micro-parameters has the common parameters across all individual units (*micro-homogeneity*), i.e.  $H_\beta : \beta_1 = \beta_2 = \cdots = \beta_N = \beta_C$ , then the macro-parameters capture those common parameters.

$$(4) \quad p \lim \hat{\beta} = \sum_{n=1}^N A_n \cdot \beta_C = \beta_C \quad , \text{ by } \sum_{n=1}^N A_n = I_{(K \times K)} \text{ under } H_\beta : \beta_1 = \beta_2 = \cdots = \beta_N = \beta_C .$$

*Condition 1.* (*Theil's compositional stability condition: TCSC*), The compositions of each of the micro-regressors across micro units  $x_n$  remain fixed over time with respect to each of the macro-regressors  $X$ , i.e.  $x_n$  are *non-stochastic* linear function of  $X$  as (5)

$$(5) \quad x_n = X C_n \text{ or } [x_{1n}, x_{2n}, \dots, x_{Kn}] = [X_1, X_2, \dots, X_K] \begin{bmatrix} c_{1,n} & 0 & \dots & 0 \\ 0 & c_{2,n} & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & c_{K,n} \end{bmatrix}, \forall n=1, \dots, N.$$

*Result 2.* If the assumption 0 and the condition 1 hold, then each of the macro-parameter represents the weighted average of the corresponding micro-parameters only as (6).

$$(6) \quad p \lim \begin{bmatrix} \hat{\beta}_1 \\ \hat{\beta}_2 \\ \vdots \\ \hat{\beta}_K \end{bmatrix} = \sum_{n=1}^N \begin{bmatrix} c_{1,n} & 0 & \dots & 0 \\ 0 & c_{2,n} & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & c_{K,n} \end{bmatrix} \begin{bmatrix} \beta_{1,n} \\ \beta_{2,n} \\ \vdots \\ \beta_{K,n} \end{bmatrix} = \begin{bmatrix} \sum_{n=1}^N c_{1,n} \beta_{1,n} \\ \sum_{n=1}^N c_{2,n} \beta_{1,n} \\ \vdots \\ \sum_{n=1}^N c_{K,n} \beta_{K,n} \end{bmatrix}, \text{ where}$$

$$p \lim \hat{\beta} = p \lim (X' X)^{-1} X' Y, \quad \text{by } Y = \sum_{n=1}^N x_n \beta_n + \sum_{n=1}^N u_n \text{ and assumption 1}$$

$$= p \lim \sum_{n=1}^N (X' X)^{-1} X' x_n \beta_n = \sum_{n=1}^N C_n \beta_n, \quad \text{by condition 1 of } x_n = X C_n.$$

## II. Generalized Compositional Stability Condition

In literature, the consistent aggregation conditions have been studied based on either pattern of micro-parameters or pattern of micro-variables. For example, the micro-homogeneity and separability conditions are based on the some kinds of equality of micro-parameters, thus requires the complete knowledge of micro-parameters' patterns. On the other hand, the TCSC and Hick-Leontief and Lewbel's composite commodity conditions are based on the micro-regressors' patterns without requiring any knowledge of micro-parameters. Note that when regressors are specified as either price variables or quantity variables, the non-stochastic compositional stability condition 1 becomes the Hicks-Leontief composite commodity condition.

The Hicks composite commodity theorem shows that if all the prices of commodities within group A ( $p_A$ ) move in exact proportion to a certain common representative price ( $P_A$ )



with fixed vector of constant ( $a_A$ ), i.e.  $p_A = a_A \cdot P_A$ , then (i) an aggregated macro-utility function defined over composite commodity can be derived from disaggregated micro-utility functions as

$$U_\mu(Q_A, q_B) \equiv \max_{q_A} \{ U(q_A, q_B) \mid a_A \cdot q_A \leq (E_A/P_A) \},$$

which has same properties corresponding to micro-utility functions such as continuity, monotonicity, and quasi-concavity in its arguments;

and (ii) the optimization problem based on disaggregated micro-utility functions as

$$\max_{q_A, q_B} \{ U(q_A, q_B) \mid P_A q_A + P_B q_B \leq E \}$$

is equivalent to the optimization problem based on aggregated macro-utility function as

$$\max_{Q_A, q_B} \{ U_{a_A}(Q_A, q_B) \mid P_A Q_A + P_B q_B \leq E \}$$

in terms of equivalence with adjustment by constant proportional factor ( $a_A$ ) between micro-optimization solution of ( $q_A^*, q_B^*$ )

and macro-optimization solution of ( $Q_A^*, q_B^*$ ) where  $Q_A^* = a_A \cdot q_A^* = E_A^*/P_A$ .

While the formal proofs for Hicks composite commodity theorem in the consumer context and its application in the producer context can be found in Diewert (1978), this result of Hicks composite commodity theorem can be intuitively understood based on the relationship of  $p_A \cdot q_A = (a_A \cdot P_A) \cdot q_A = P_A \cdot (a_A \cdot q_A) \equiv E_A \equiv P_A \cdot Q_A$ . Similarly the Leontief-composite commodity theorem can also be understood by starting with quantity-proportionality  $q_A = (a_A^{-1}) \cdot Q_A$  instead of price-proportionality  $p_A = a_A \cdot P_A$  and the intuitive relationship of  $p_A \cdot q_A \equiv E_A \equiv P_A \cdot Q_A$  through  $p_A \cdot q_A = P_A \cdot \langle (a_A^{-1}) \cdot Q_A \rangle = \langle (a_A^{-1}) \cdot P_A \rangle \cdot Q_A = P_A \cdot Q_A$ . The problem of Hicks-Leontief composite commodity condition is that the empirical test are always rejected because the variations in the price vector within group is restricted by the non-stochastic relation of  $x_{k,n} = X_k a_{k,k,n}$ . Thus the ratios of the prices (quantities) of individual commodities to composite commodity price (quantity) are strictly equal to constant proportional factors and remain fixed over time.

From approach of the micro-parameter patterns, it is argued that there can be group demand functions, when a structural property of preference (or technology) reveals a pattern

such that the marginal rate of substitution of all pairs of items within the subset is homogenous of degree zero in the quantities of items within the subset and is also independent of the quantities of all items outside the subset. While both conditions are required for homothetic separability, the latter condition is required for weak separability. Although the weakly separable condition implies only quantity aggregates not price aggregates, both of which are required for conducting consistent two-stage budgeting (Shumway and Davis, 2001). Although this separability assumption is less restrictive than the micro-homogeneity assumption, it still implies rather strong condition as (Lewbel, 1996) pinpoints that “even weak forms of separability impose very strong elasticity equality restrictions among every good in every group (pp. 525).”

Furthermore, the separability assumption is difficult to test powerfully, and requires group price indexes that depend on the parameters of the individual utility function (Lewbel, 1996). The empirical issue is that even when enough degrees of freedom are available to estimate disaggregated models, the multicollinearity among the prices as well as the relatively complicated cross equation parameter restrictions causes the resulting tests to have little or no power. In a Monte Carlo study, Barnett and Choi (1989) find that all of the standard tests fail to reject separability much of the time, even with data constructed from utility functions that are far from separable. Even though this “difficulty to reject” may be one reason why separability is so commonly assumed in practice, separability is often empirically rejected (Diewert and Wales, 1995).

In more general setting than commodity aggregation, Zellner (1962) propose hypothesis test of the micro-homogeneity (4) by the coefficient equality test across micro-units in disaggregated equations based on the seemingly unrelated regression Equation (SURE) method. However, Pesaran, Pierse, and Kumar (1989) and Lee, Pesaran, and Pierse (1990) criticize the

restrictiveness of the micro-homogeneity  $H_\beta$  as a method of testing aggregation bias and propose more direct approach based on the following result:

*Result 3.* The macro-disturbance vector  $U$  becomes only the sum of micro-disturbance  $\sum_{n=1}^N u_n$  if the *perfect aggregation condition*  $H_\xi : \xi \equiv \sum_{n=1}^N x_n \beta_n - X \beta = 0$  is satisfied.

The hypothesis of  $H_\xi$  has three implications. First, it is demonstrated that the gain in terms of fitting the macro-dependent variable is not expected by using disaggregated model rather than aggregated model (Pesaran, Pierse, and Kumar 1989). Second, Lee, Pesaran, and Pierse (1990) show that the perfect aggregation condition  $H_\xi$  can hold if  $x_n - X C_n = 0$  even though micro-homogeneity hypothesis is rejected, when the pseudo true macro-parameter value can be defined by the weighted average of micro-parameters as  $\beta_k = p \lim(\hat{\beta}_k) = \sum_{n=1}^N c_{k,n} \beta_{k,n}$  because  $H_\xi : \xi \equiv \sum_{n=1}^N x_n \beta_n - X \beta = \sum_{n=1}^N (x_n - X C_n) \beta_n = 0$ . And third implication is that the least square estimates of macro-parameters are not inconsistent since the macro-disturbance  $U = Y - X \beta = \sum_{n=1}^N (x_n \beta_n - u_n) - X \beta = \xi + \sum_{n=1}^N u_n$  becomes independent of macro-regressors  $X$  by the assumption 0. Otherwise, consistency is not guaranteed due to the dependency of macro-regressors  $X$  on non-zero components of  $\xi = \sum_{n=1}^N \beta_n (x_n - X C_n)$ .

In this study, we argue that when the pseudo true macro-parameter values are defined by the weighted average of micro-parameters as  $\beta_k = p \lim(\hat{\beta}_k) = \sum_{n=1}^N c_{k,n} \beta_{k,n}$ , the least square estimator of macro-parameter is consistent for those pseudo true values under weak condition without information of micro-parameters by following hypothesis 1 and result 4.

*Hypothesis 1.* When the micro-regressors  $x_n$  are *stochastic* function of macro-regressors  $X$  as

$$x_n = X \left( \begin{bmatrix} c_{1,n} & 0 & \cdots & 0 \\ 0 & c_{2,n} & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & c_{K,n} \end{bmatrix} + \begin{bmatrix} a_{11,n} - c_{1,n} & 0 & \cdots & 0 \\ 0 & a_{22,n} - c_{2,n} & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & a_{KK,n} - c_{K,n} \end{bmatrix} + \begin{bmatrix} 0 & a_{12,n} & \cdots & a_{1K,n} \\ a_{21,n} & 0 & \cdots & a_{2K,n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{K1,n} & a_{K2,n} & \cdots & 0 \end{bmatrix} \right) + v_n$$

or  $x_{k,n} = X c_{k,n} + \left( X_k (a_{kk,n} - c_{k,n}) + \sum_{j \neq k}^K X_j a_{jk,n} + v_n \right) = X c_{k,n} + d_{k,n}$  ,  $\forall k=1, \dots, K$  and  $\forall n=1, \dots, N$  , the

(auxiliary) disturbance of  $d_{k,n}$  are independent with macro-regressors  $X$  .

*Result 4.* If the assumption 0 and the hypothesis 1 hold, the macro-disturbance vector  $U$  is independent with macro-regressors  $X$  and the least square estimator of macro-parameter is consistent for the weighted average of the corresponding micro-parameters only as (6).

$$(7) \quad p \lim \begin{bmatrix} \hat{\beta}_1 \\ \hat{\beta}_2 \\ \vdots \\ \hat{\beta}_K \end{bmatrix} = \sum_{n=1}^N \begin{bmatrix} c_{1,n} & 0 & \cdots & 0 \\ 0 & c_{2,n} & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & c_{K,n} \end{bmatrix} \begin{bmatrix} \beta_{1,n} \\ \beta_{2,n} \\ \vdots \\ \beta_{K,n} \end{bmatrix} = \begin{bmatrix} \sum_{n=1}^N c_{1,n} \beta_{1,n} \\ \sum_{n=1}^N c_{2,n} \beta_{1,n} \\ \vdots \\ \sum_{n=1}^N c_{K,n} \beta_{K,n} \end{bmatrix}, \text{ where}$$

$$p \lim \hat{\beta} = p \lim (X' X)^{-1} X' Y \quad , \text{ by } Y = \sum_{n=1}^N x_n \beta_n + \sum_{n=1}^N u_n \text{ and assumption 1}$$

$$= p \lim \sum_{n=1}^N (X' X)^{-1} X' x_n \beta_n \quad , \text{ by hypothesis 1 of } \hat{C}_n = (X' X)^{-1} X' x_n$$

$$= p \lim \sum_{n=1}^N \hat{C}_n \beta_n = \sum_{n=1}^N C_n \beta_n \quad , \text{ by hypothesis 1 of } p \lim \hat{C}_n = C_n .$$

The independences of macro-regressors with  $d_{k,n}$  suggest the consistency of LS estimator of

$C_n = p \lim \hat{C}_n = p \lim (X' X)^{-1} X' x_n$  and the independences of macro-regressors  $X$  with  $U$  is implied

$$\text{from } U = Y - X \beta = \sum_{n=1}^N (x_n \beta_n - u_n) - X \beta = \sum_{n=1}^N \beta_n (x_n - X C_n) + \sum_{n=1}^N u_n = \sum_{n=1}^N \beta_n d_n + \sum_{n=1}^N u_n .$$

However, there have existed some ambiguities for the choice of  $C_n$  values, although the pseudo true macro-parameter value as  $\beta = p \lim(\hat{\beta}) = \sum_{n=1}^N C_n \beta_n$  can be understood by the result 2

based on the non-stochastic compositional condition 1. For example, Theil defines the true

macro-parameters as either a simple sum of micro-parameters by using  $c_n = 1$  (Theil, 1954) or a simple average of micro-parameters by using  $c_n = 1/N$  (Theil, 1971) based on the choice of aggregation function. However, this choice of a constant  $C_n$  is arbitrary because it is not related to the weighting schemes used in the aggregation function, so it is not related to the correct specification of aggregated relation. When the aggregation function defined as the simple sum is generalized to the weighted average as  $Y' \equiv \sum W_n^y y_n$  and  $X' \equiv \sum W_n^x x_n$ , the above results can be applied, *mutatis mutandis*, based on following specifications for the true aggregated relation and

$$\text{macro-equations, } Y' \left( \equiv \sum_{n=1}^N W_n^y y_n \right) = \sum_{n=1}^N W_n^y (x_n \beta_n + u_n) = \sum_{n=1}^N \left( W_n^x x_n \right) \left( \frac{W_n^y}{W_n^x} \beta_n \right) + \sum_{n=1}^N \left( W_n^y u_n \right) = \sum_{n=1}^N x_n' \beta_n' + \sum_{n=1}^N u_n'$$

and  $Y' = X' \beta' + U'$ . Especially, when  $W_n^y = W_n^x$ , such changes are not required because  $Y' = Y$ ,  $X' = X$ , and  $U' = U$  (Theil, 1954). In these respects, the choice of  $C_n$  does not depend on weighting schemes used in aggregation function and thus true macro-parameters do not depend on the correct specification of aggregated relation.

As Lee, Pesaran, and Pierse (1990) clearly pinpoint “In practice ... it is rare that a ‘consensus’ value of  $b$  (true macro-parameters) or some of its elements is available, and  $b$  needs to be chosen in light of the knowledge of the disaggregate model. ... The matrices  $C_n$  are the probability limits of the coefficients in the OLS regressions of the columns of  $x_n$  on  $X$ ; the ‘auxiliary’ equation in Theil’s terminology (pp. 139).” In this respect, the natural choice for  $C_n$  is the diagonal element of  $A_n = p \lim \hat{A}_n = p \lim (X' X)^{-1} X' x_n$  from the general relations  $x_n = X A_n + v_n$  in assumption 1 (with constraint of  $a_{kk',n} = 0, \forall k \neq k'$ ). When we take this choice based on the knowledge of the pattern of disaggregate regressors with respect to aggregate

regressors, the hypothesis 1 become (8) as the generalization of the non-stochastic compositional stability condition 1.

$$(8) \quad x_n = X H_n + d_n \quad \text{OR} \quad x_n = X \left( \begin{bmatrix} a_{11,n} & 0 & \cdots & 0 \\ 0 & a_{22,n} & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & a_{KK,n} \end{bmatrix} + \begin{bmatrix} 0 & a_{12,n} & \cdots & a_{1K,n} \\ a_{21,n} & 0 & \cdots & a_{2K,n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{K1,n} & a_{K2,n} & \cdots & 0 \end{bmatrix} \right) + v_n ,$$

$$\text{where } [d_{1,n}, d_{2,n}, \dots, d_{K,n}] = \left[ \sum_{j \neq k}^K X_j a_{j1,n} + v_{1,n}, \sum_{j \neq k}^K X_j a_{j2,n} + v_{2,n}, \dots, \sum_{j \neq k}^K X_j a_{jK,n} + v_{K,n} \right], \forall n = 1, \dots, N .$$

The hypothesis 1 in terms of (8) allows randomness of variables as long as the stochastic disturbances of  $d_n$  are independent with macro-regressors  $X$  in the set of equations  $x_n = X H_n + d_n$ . Hausman (1978) shows that this type of condition can be empirically tested by using a statistical test of  $H_0 : \gamma_n = 0$  in  $x_n = X H_n + IV \cdot \gamma_n + \varepsilon_n^N$ , where  $IV$  are instrumental variables such that  $IV$  is closely correlated with regressors  $X$  (relevance condition of  $IV$ ) and independent of error  $d_n$  (validity condition of  $IV$ ). Based on this Hausman type misspecification testing method, we can empirically test the generalized form of the compositional stability condition for the consistent aggregation (result 4).

Although it is not easy to identify the appropriate instrumental variables in general setting, the legitimate instrumental variable can be identified in demand analysis based on dual pairs of price and quantity for expenditure. The total expenditure variable can be used as the instrumental variable, when  $x_n$  are disaggregated micro-variables of price (quantity) of a specific group and  $X$  are corresponding aggregated macro-variables of price (quantity) of a specific group in the direct (inverse) demand system. First, the relevance condition can hold since the total expenditure is closely related with the aggregated price and quantity variables as in estimated macro-demand systems. Second, the validity condition can also hold based on the relationship of

$\sum p_n \cdot q_n \equiv E \equiv P \cdot Q$  if  $\sum a_{p,n} a_{q,n} = 1$  and  $\sum (a_{p,n} P \cdot d_{q,n}) + (a_{q,n} Q \cdot d_{p,n}) + (d_{p,n} \cdot d_{q,n}) = 0$ . It follows that  $\sum p_n \cdot q_n = \sum (a_{p,n} P + d_{p,n}) \cdot (a_{q,n} Q + d_{q,n}) = \sum (a_{p,n} a_{q,n} P Q) + (a_{p,n} P d_{q,n}) + (a_{q,n} Q d_{p,n}) + (d_{p,n} d_{q,n}) = P \cdot Q$ , where  $p_n = a_{p,n} P + d_{p,n}$  and  $q_n = a_{q,n} Q + d_{q,n}$ . While the condition  $\sum a_{p,n} a_{q,n} = 1$  corresponds to  $p_A = a_A \cdot P_A$  and  $q_A = (a_A^{-1}) \cdot Q_A$  as discussed in the Hicks-Leontief composite commodity condition, the other condition implies the fact that either each of the idiosyncratic variations of disaggregated price or quantity variable can cancel each other in calculating the total expenditure variable. In other words, the idiosyncratic variations of individual price or quantity variable do not have dependencies on the total expenditure variable, which captures the common variation of an entire group of commodities within the demand system through group-representative price and quantity macro-variables.

As an alternative to generalize restiveness of the Hicks-Leontief composite commodity condition, Lewbel (1996) argues that (i) the differences of the prices of individual commodities and composite commodity price can be allowed to vary and (ii) the macro-demand functions are solutions of utility maximization as long as (i) these differences are independent of composite commodity price or general rate of inflation of the group and (ii) the micro-demand functions are solutions of utility maximization. This generalized composite theorem is based on the idea that (i) the differences between individual commodity prices and the aggregate commodity price can be regarded as the aggregation errors and (ii) the estimated aggregated parameters can be consistent if these aggregation errors are well behaved so that they can be either included in the intercept term or absorbed into the error term.

This Lewbel's composite commodity condition (LCCC) can be understood in the context of the hypothesis 1 with the choice of  $c_n = 1$  as (9).

$$(9) \quad x_n = X + d_n^{Lewbel} \quad \text{or} \quad x_n = X \left( \begin{bmatrix} 1 & 0 & \cdots & 0 \\ 0 & 1 & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & 1 \end{bmatrix} + \begin{bmatrix} a_{11,n} - 1 & a_{12,n} & \cdots & a_{1K,n} \\ a_{21,n} & a_{22,n} - 1 & \cdots & a_{2K,n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{K1,n} & a_{K2,n} & \cdots & a_{KK,n} - 1 \end{bmatrix} \right) + v_n,$$

$$\text{where } d_{k,n}^{Lewbel} = X_k (a_{kk,n} - 1) + \sum_{j \neq k}^K X_j a_{jk,n} + v_n = x_n - X, \quad \forall k = 1, \dots, K \quad \text{and} \quad \forall n = 1, \dots, N.$$

The choice of  $c_n = 1$  makes it possible for us to easily define  $d_n^{Lewbel} \equiv x_n - X$  and allows us to avoid difficulty involved in searching for instrumental variables in empirically testing the compositional stability condition. However, it is arbitrary since there is no a prior reason that the true macro-parameters cannot be a simple average of micro-parameters as discussed. Furthermore, it is restrictive because it implies that the true macro-parameters should be a simple sum of micro-parameters. Even if each of the micro-parameters has the common value (micro-homogeneity), the macro-parameters should be the simple sum of those parameters rather than those common parameter value itself.

Another ambiguity in Lewbel's theorem is how to deal with fact that the Hick-Leontief composite commodity theorem is based on non-randomness of proportionality factors  $a_{kk,n}$ , given that there are no *a priori* reasons that the ratio of observed micro-variables to true macro-variable should be restricted to one. Lewbel deals with this difficulty either (i) by restricting his generalized theorem into log-linear model which should absorb non-random part of  $d_{k,n}^{Lewbel} \equiv X_k (a_{kk,n} - 1) + \sum_{j \neq k}^K X_j a_{jk,n} + v_{k,n}$  into an intercept term in macro-parameter vector of  $\beta$  or (ii) by allowing the differences be absorbed into the random error term of macro-equation. If the first assumption is taken, the macro-model should always have a significant intercept term, which is a complicated mixture of heterogeneous components and thus is difficult to be meaningfully interpreted. If the second assumption is taken, the intuitive rationale of a constant or stable



budget constraint condition within each commodity group for the Hick-Leontief composite commodity theorem is lost.

Compared with the Lewbel's consistent aggregation condition, the generalized form of the compositional stability condition maintains (i) the non-randomness of proportionality factors and thus the intuitive rationale of Hick-Leontief composite commodity theorem and (ii) it does not have *a priori* restrictions for true macro-parameters such as simple sum or simple average of micro-parameters. Furthermore, in contrast to the fact that Lewbel's condition is based on the direct demand system in the log-linear form, (i) the GCSC does not impose any restrictions on the functional forms except linearity in parameters; and (ii) it can be applied to direct, inverse, as well as mixed demand systems, where direct (inverse) system assume quantity (price) is a function of price (quantity) and mixed one captures demand system as a function of mixed set of price and quantities.

### **III. Approximated Compositional Stability Condition**

Under the assumption 0, Theil reaches his generally negative conclusion for aggregation based on the assumption 1, which makes it possible to relate the macro-parameters to the micro-parameters. By replacing this primary assumption with the hypothesis 1 in terms of (8), this article derives the GCSC for the positive possibility of legitimate aggregation. In other respect, the GCSC also generalize the non-stochastic condition 1 (TCSC) to allow some randomness in micro-regressors. This condition is, however, involved with the difficult search for instrumental variables in a Hausman-type misspecification test in the set of equations  $x_n = X H_n + d_n$ . When appropriate instrumental variables are not available, it is also possible to generalize the TCSC condition into the approximated compositional stability condition (ACSC).

The non-stochastic requirement of TCSC is that movements of corresponding micro-variables across disaggregate units have *the absolutely synchronous* and *perfect degree of co-movements* (the static correlation of one), whereas the non-corresponding micro-regressors are completely independent. In terms of degree of co-movements, this strict condition can be approximated by the condition that micro-variables within group are highly correlated but micro-variables across groups are only weakly correlated over time. This ACSC implies a block-diagonal pattern of the covariance or correlation matrix among micro-variables as in (10).

$$(10) \Sigma = \begin{bmatrix} \Sigma_{11} & \Sigma_{12} & \cdots & \Sigma_{1K} \\ \Sigma_{21} & \Sigma_{22} & \cdots & \Sigma_{2K} \\ \vdots & \vdots & \ddots & \vdots \\ \Sigma_{K1} & \Sigma_{K2} & \cdots & \Sigma_{KK} \end{bmatrix}, \text{ by the ACSC}$$

$$\approx \begin{bmatrix} \Sigma_{11} & 0 & \cdots & 0 \\ 0 & \Sigma_{22} & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & \Sigma_{KK} \end{bmatrix}, \text{ where } \Sigma_{kk} = \begin{bmatrix} 1 & \rho_{k,12} & \cdots & \rho_{k,1N} \\ \rho_{k,21} & 1 & \cdots & \rho_{k,2N} \\ \vdots & \vdots & \ddots & \vdots \\ \rho_{k,N1} & \rho_{k,N2} & \cdots & 1 \end{bmatrix}.$$

The main feature of the ACSC is that the ratios of the aggregated macro-variables to corresponding micro-variables are “near” stable with constant compositional factors over time but degree of co-movements in non-corresponding micro-regressors across individual units are very weak ( $Cov(d_k, d_{k'}) \leq \delta$ ,  $\forall k \neq k'$  where  $\delta$  is a small value). In this sense, the TCSC (or GCSC of  $d_n \perp X$  and  $E(d_n)=0$ ) can be approximated by the condition of  $Cov(d_k, d_{k'}) \leq \delta$ .

Not only the degree of co-movement, but also the way to measure the co-movement can be generalized. While the TCSC requires that corresponding micro-variables move *absolutely synchronously*, the ACSC can allow the possible lead and lag dependencies among micro-variables within a group, as long as  $Cov(d_k, d_{k'}) \leq \delta$  holds. While the standard static correlation only measures synchronous or contemporaneous co-movements between variables and requires an independence assumption over time, there are several alternative measurements of

dependency allowing for possible leads and/or lags in dependency among the time-series data in a dynamic setting. Two of these are the co-integration and the cross correlation. Co-integration is designed to measure long-run co-movements, so it can be too restrictive to use for identifying mid-run or short-run or contemporaneous dependency patterns. The cross-correlation with some leads and lags can capture mid-run or short-run dependency by varying lead and lag parameters, but the choice of lead and lag parameters can be somewhat arbitrary.

In this respect, we propose to use the standard static correlation as well as the dynamic correlation defined in (11) and (12) to measure the high co-movements of micro-variables within a group and near independences of micro-variables across groups.

$$(11) \rho_{xy}(\lambda) = \frac{C_{xy}(\lambda)}{\sqrt{S_x(\lambda) \cdot S_y(\lambda)}} \quad \text{for frequency } \lambda \text{ where } -\pi \leq \lambda \leq \pi$$

$$(12) \rho_{xy}(\Lambda) = \frac{\int_{\Lambda} C_{xy}(\lambda) d\lambda}{\sqrt{\int_{\Lambda} S_x(\lambda) d\lambda \cdot \int_{\Lambda} S_y(\lambda) d\lambda}} \quad \text{for frequency band } \Lambda = [\lambda_1, \lambda_2) \text{ where } 0 \leq \lambda_1 < \lambda_2 \leq \pi,$$

where  $x$  and  $y$  are two zero-mean real stochastic processes,  $S_x(\lambda)$  and  $S_y(\lambda)$  are the spectral density functions, and  $C_{xy}(\lambda)$  is the co-spectrum of  $x$  and  $y$  (Croux, Forni, and Reichlin, 2001).

The dynamic correlation, proposed from the frequency domain approach, has useful properties such as: (a) The dynamic correlation measures different degrees of co-movement which varies between -1 and 1 just as standard static correlation. (b) The dynamic correlation over the entire frequency band is identical to static correlation after suitable pre-filtering and it is also related to stochastic co-integration. (c) The dynamic correlation can be decomposed by frequency and frequency band, where the low or high frequency band in spectral domain have implication for the long-run or short-run in time domain respectively (Croux, Forni, and Reichlin, 2001).

This ASCS can also be used for searching specific homogeneous groups of original variables to form an initial partitioning. In this case, the index  $k$  become micro-variables' group

index that should be empirically identified, instead of an index for pre-determined classes of exogenous variables. The classification issue is important since the empirical rejection of any consistent aggregation condition can be simply because of researchers' unsuccessful identification of the classification not because of non-existence of legitimate aggregation. The issue of forming suitable partitions has relied on conventional classification or results of separability tests. However, the separability approach has some empirical difficulties as discussed in previous section. The conventional partitions are formed based on several reference variables such as animal origin, product quality etc., which hopefully proxy consumers' unobservable marginal utility structures. This intuition-based approach has an ambiguous aspect, since alternative choices of reference variables may result in several different classifications.

In these respects, we propose to use the clustering approach based on the ACSC for searching for specific homogeneous (commodity) groups. This inductive procedure is based on the idea that (i) the underlying similarity or homogeneity of a group of variables (prices and/or quantities) can be identified through their high co-movements in dynamics; and (ii) the classifications are determined by the ACSC to less likely reject the consistent aggregation condition of the GCSC. The application of cluster method to aggregation problem in economics is discussed by Fisher (1996) and Pudney (1981) and Nicol (1991) are examples of such approach for commodity aggregation based on the standard clustering methods such as hierarchical algorithm.

On the other hand, choice of algorithm for clustering can be important, given that (i) the resulting classifications implied cluster method can be not economically meaningful and (ii) the clustering results can depend on the choice of algorithms. For example, the standard clustering methods, such as hierarchical algorithm and k-mean algorithm, use the correlation matrix as only

an initial input of similarity measures and thus it is not easy to keep track of information on correlation matrix (Xu and Wunsch, 2005). In preliminary study, the hierarchical and k-mean algorithms return different final clustering results. Furthermore, the classifications implied by these clustering methods are not consistent with the block-diagonal pattern of (10), when the results are converted into the correlation matrix form. As an alternative, we choose to use the modified k-nearest neighbor algorithm based on Wise's pseudo-color map code in this study. The main feature of this algorithm is to reorder the variables in the correlation matrix such that highly correlated variables are sorted near each other along the main diagonal as (10). As will be discussed, this approach, based on the same correlation matrix used in preliminary study, returns an intuitively interpretable reordered final correlation matrix.

#### **IV. Empirical Results**

The proposed procedures for demand analyses can be summarized as follows: (i) the degree of co-movements in prices and/or quantities are measured by static and dynamic correlations; (ii) the measured co-movements are sorted by the modified k-nearest neighbor algorithm to identify block-diagonal pattern as (10); and (iii) based on the identified classification by the ACSC, the consistent aggregation condition of GCSC are tested by Hausman misspecification test method. In addition, the results of GCSC are compared with those based on LCCC. Note that the empirical tests are conducted for the direct, inverse, as well as mixed demand system in the differential form such as Rotterdam, CBS, and NBR demand systems. These differential demand systems are useful to address the nonstationarity issue, which cause several issues for the empirical test in LCCC. Furthermore, the Rotterdam functional form commonly exists for all specifications, including Rotterdam mixed demand system (Moschini and Vissa 1993).

The plausibility of the proposed classification/aggregation method is demonstrated by using the retail scanner data of soft drinks sold at Dominick's Finer Foods (DFF). The difficulties to identify legitimate classification and aggregation of soft drinks products are illustrated in Dhar, Chavas, and Gould (2003). After finding statistical evidence against various classifications of soft drinks suggested in literature based on the weakly separability conditions, they argue that the classification/aggregation of soft drinks remains a significant challenge to investigate. The data set consists of weekly observations on 23 soft drink products with size of 6/12 oz sold at DFF from 09:14:1989 through 09:22:1993 with the sample size 210. All the data are from the Dominick's database, which is publicly available from the University of Chicago Graduate School of Business (<http://www.chicagogsb.edu/>). Each soft drink used for this study is a specific soft drink of 6/12 oz size such as Coca-cola classic, Pepsi-cola cans, Seven-up diet can. The brand-level categories include Coke, Pepsi, Seven-up, Mountain Dew, Sprite, Rite-Cola, Dr. Pepper, A&W, Canada Dry, Sunkist, and Lipton Brisk. The size of 6/12 oz is chosen due to the data availability and identified homogeneity within this size of soft drinks in the preliminary study.

First, to measure co-movement among the disaggregated price and quantity variables, both the standard static correlation matrix and the dynamic correlation matrix over identified frequency bands are used. For the dynamic correlation over frequency band, several different frequency bands are chosen as the non-overlapping bands or regions approximately centered at peak  $\lambda_k$  so that  $\{ \Lambda = [\lambda_i, \lambda_j) \cup [-\lambda_j, -\lambda_i) : 0 \leq \lambda_i < \lambda_k < \lambda_j \leq \pi \}$ , where the frequency  $\lambda_k$  is specified as  $\{ \lambda_k = 2\pi \cdot k/T : k = 1, \dots, (T/2) \}$  and  $T$  is the sample size (Rodrigues, 1999). Note that if the frequency of a cycle is  $\lambda$ , the period of the cycle is  $2\pi/\lambda$ . Thus, a frequency of  $\lambda_k = 2\pi \cdot k/T$  corresponds to a period of  $2\pi/\lambda_k = T/k$ . We choose common frequency bands to measure co-

movement among variables with possible leads and lags, based on the estimated spectrums of variables, which capture dynamics of variables in terms of their cyclic properties with long or short run trends (Hamilton, 1994). Although there are some degrees of differences, the common frequency bands can be identified across price and quantity variables and thus among 23 commodities. We use three frequency bands: 0-62, 63-90, and 90-104.5 in terms of  $k$ . These correspond to a period more than 3.37 weeks (frequency Band 01), a period of 3.32 to 2.32 weeks (frequency Band 02), a period of less than 2.30 weeks (frequency Band 03) respectively. These ranges approximately correspond to 1 month, a half month, and less than a half month period ranges.

Based on these homogeneity or similarity measure of disaggregate micro-variables, the modified k-nearest neighbor algorithm is used to sort or reordered the variables such that the highly correlated variables are near each other along the main diagonal in the reordered correlation matrix. The final results of the sorted static correlation matrix and dynamic correlation matrixes for different frequency bands are presented in Figure 1. The black/white color scheme is used to represent the absolute value of measured correlations, where the darkest black represents the correlation of 1 and the brightest white represents the correlation of 0. More detailed information of measured correlation for the standard static correlation coefficient for the price variables (lower triangular matrix) and quantity variables (upper triangular matrix) is presented in Table 1. In the static correlation of price and quantity variables, the correlations among pair of products within the identified group are larger than 0.954 and 0.948 respectively.

Although the correlations of pair-wise variables across different groups show somewhat different degrees of correlation over the different frequency bands, the common groups of variables are identified over all the different frequency bands. It is also noticed that both price

and quantity variables show similar correlation patterns, thus imply the common commodity classification. Based on these results, the following six groups of soft drink products are identified as homogeneous groups: (i) Group 1: The Sunkist and Canada Dry product group (Product of 1 to 4); (ii) Group 2: The Coca-Cola and Sprite product group (Products of 5 to 8); (iii) Group 3: The Pepsi-Cola and Mountain Dew product group (Product of 9 to 13); (iv) Group 4: The Seven-Up and Dr Pepper product group (Products of 14 to 17); (v) Group 5: The A&W and Rite-Cola product group (Products of 18 to 21); and (vi) Group 6: The Lipton Brisk product group (Products of 22 to 23)<sup>1</sup>.

The above classification results can be interpreted as follows: (a) The products of group 2 and 3 correspond to the products of Coca-Cola company (Coca-Cola and Sprite) and Pepsi company (Pepsi-Cola and Mountain Dew) respectively. (b) The products of group 4 and 5 correspond to the products of competing companies (Seven-Up and Dr Pepper) and following companies (A&W and Rite-Cola) respectively, given that the Coca-Cola and Pepsi companies can be interpreted as the market leaders. (c) The products of group 1 and 6 correspond to the products of different substitutive groups for the carbonate soft drink products. The Sunkist and Canada Dry brands are identified as a homogenous group, although they represent two different types of substitute for the carbonate soft drink products. The Lipton Brisk product group shows different relationships across other groups and thus it is identified distinct group, although this group is closely related with group 5.

---

<sup>1</sup>The group of 2 and 3 are discriminated by their relatively different relationship with group 5, given that the variables in group 2 have higher correlation with the variables in group 5. The group of 3 and 4 are discriminated by their relatively different relationship with group 6, given that the variables in group 3 have higher correlation with the variables in group 6. The group of 5 and 6 are discriminated by their relatively different relationship with group 3, given that the variables in group 6 have higher correlation with the variables in group 3.



The resulting classification can be compared with other standard classifications, which rely on the conventions for the soft drink products in the literature. For example, one standard classifications scheme for multi-stage budgeting structures is as follows: (i) All soft drinks are classified as the branded, private label, and all-other products; (ii) The branded soft drinks are classified as Cola and Clear sub-segments; and (iii) The Cola sub-segment consists of Coke, Pepsi, RC Cola and Dr Pepper. On the other hand, the Clear sub-segment consists of Sprite, 7-Up and Mt. Dew (Dhar, Chavas, and Gould, 2003). Comparing with this and other conventional classification, the inductive classification of this study has following distinctive features: (a) The Cola and Clear sub-segments are not identified. (i) Sprite and Mountain Dew brands belong in their companies' brands, Coca-Cola and Pepsi-Cola respectively. (ii) The Seven-Up brand forms a distinct group with the Dr Pepper brand. (iii) The Rite-Cola brand forms a distinct group with the A&W brand. (b) The substitutive products for the carbonate soft drink products are classified as two distinctive groups, where one group consists of Sunkist and Canada Dry brands and the other group consists of Lipton Brisk product. (c) Diet or caffeine free products do not form distinctive groups. Note that Dhar, Chavas, and Gould (2003) find that classifications based on the Cola and Clear sub-segments are empirically rejected. In this respect, it can be argued that the classification inductively identified in this study provides another plausible classification scheme for soft drink products.

Then, based on the classification identified by the ACSC, two types of consistent aggregation conditions (GCSC and LCCC) are empirically tested and compared. Note that both tests are conducted for both price and quantity variables due to our interest in the alternative specification among direct, inverse, and mixed demand system. It is worth to emphasize that the test is actually a joint test for both classification and aggregation. Thus for the robustness check

of test results, the different index number formulas are used for actual aggregation procedure to decide weighting schemes for aggregating micro-variables into representative macro-variables within each identified group. The following different index number formulas are used: Tornqvist-Theil (dd), Fisher (ff), Paasche (pp), Laspeyres (ll), Fisher with chain (fc), Paasche with chain (pc), Laspeyres with chain (lc), Unit value (uv), Quantity share weighted index (qw), and Expenditure share weighted index (ew). The Tornqvist-Theil index is primary used in this study. The preference toward the Tornqvist-Theil index, especially rather than the Fisher index, is due to facts that unlike the Fisher index, the Tornqvist-Theil index does not invoke the problematic assumption of a homothetic or linear homogeneous utility function as discussed in Hill (2006).

First, the empirical results of the GCSC are presented in Table 2 and can be summarized as follows, given that a high p-value across almost all test implies a high probability of  $H_0 : \gamma_n = 0$  in  $x_n = X H_n + IV \cdot \gamma_n + \varepsilon_n^N$ , which in turn implies that  $d_n \perp X$  in  $x_n = X H_n + d_n$ : (i) The possible bias due to classification and aggregation for price variable can be ignored and thus the use of aggregate price variable for representing each group can be justified, when price variables are used as explanatory variables; (ii) The possible bias due to classification and aggregation for quantity variable can be ignored and thus the use of aggregate quantity variable for representing each group can be justified, when quantity variables are used as explanatory variables; and (iii) The classification itself, which is inductively identified, can be empirically justified in terms of both price and quantity variables, given that the results are robust with respect to different index number formulas for aggregation.

In addition, for the comparison with the empirical finding for the Clear soft drink group in Dhar, Chavas, and Gould (2003), the Sprite, Mt. Dew, 7-up, and 7-up diet are tested as a one

homogeneous group based on the compositional stability condition. The p-values for  $H_0 : \gamma_n = 0$  are 0.0018 (Sprite), 0.0001 (Mt. Dew), 0.00027 (7-up), and 0.0029 (7-up diet) in terms of the price variables and 0.000 for all the products in terms of quantity variables, when the Tornqvist-Theil index is used for price and quantity aggregates. This result is consistent with the empirical rejection of homogeneity of Sprite, Mt Dew, and 7-up products in Dhar, Chavas, and Gould (2003) and thus provides additional evidence for the non-existence of the Clear sub-group.

Second, Lewbel's generalized compositional commodity condition for differential demand system is tested based on the correlation test of  $H_0 : Corr(d_n^{Lewbel}, X) = 0$ , where  $d_n^{Lewbel} \equiv x_n - X$ . The empirical results of the unit root test (UR-test) for micro- and macro-variables imply stationarity of transformed variables in differential demand system, where unit root test results for disaggregate variables are in the column vector and those for aggregate variables are in the row vector under the heads of UR-Test for each group (Table 3.5). These results of unit root test are robust with respect to other specifications in unit root test. These results are consistent with the observation in the demand literature that the differential demand system has been considered as appropriate specification to deal with the possible non-stationarity problems.

The empirical results of the LCCC are presented in Table 3 and can be summarized as follows, given that high p-value implies high probability of  $H_0 : Corr(d_n^{Lewbel}, X) = 0$ : (i) The possible bias due to classification and aggregation for price variable can be ignored and thus the use of aggregate price variable for representing each group can be justified, when price variables are used as explanatory variables; (ii) The possible bias due to classification and aggregation for quantity variable cannot be ignored and thus the use of aggregate quantity variable for representing each group cannot be justified, when quantity variables are used as explanatory

variables; and (iii) The test results are ambiguous for classification itself. The classification itself can be empirically justified in terms of price variables but it cannot be justified in terms of quantity variables.

The different implications from the two test approaches for quantity variables can be explained based on the interpretation of the Lewbel's condition in the context of Theil's aggregation theory. As discussed, the ambiguity exists in the arbitrary choice on the proportionality factors  $c_n = 1$  in relationship between micro-variables and macro-variable for each group. When a high probability of the proportionality factor  $c_n = 1$  is empirically found, the same test results for the consistent aggregation condition are expected from the two test approaches. On the other hand, the low p-value of  $H_0 : c_n = 1$  can explain the different results from the two test approaches. The empirical test results of  $H_0 : c_n = 1$  are presented in Table 3.5. In general, high p-values are found for price variables, which can explain the same implications of two test approaches. On the other hand, low p-values are found for quantity variables, which can explain the different implications of two test approaches.

## V. Concluding Remarks

Although the consistent aggregation conditions have been studied based on patterns of either micro-parameters (e.g. micro-homogeneity and separability hypotheses) or micro-variables (e.g. compositional stability or composite commodity conditions), identifying a legitimate but less restrictive conditions remains an open issue. Based on the general aggregation theory, this study proposes the generalized and approximated compositional stability conditions (GCSC and ACSC) to address such issue of the consistent classification and aggregation for the demand analyses.

The proposed procedure does not require restrictions on preferences and information on micro-parameters and does generalize Hick-Leontief composite commodity condition based on the pattern of the micro-regressors only. Compared with Lewbel's generalized composite commodity condition (LCCC), our approach does not require *a priori* restrictions for the true macro-parameters, maintains the intuitive rationale of Hick-Leontief composite commodity theorem, and has general application for the direct, inverse as well as mixed demand systems.


The plausibility of the proposed method is demonstrated by using the retail scanner data of soft drinks consumption. While the application of the ACSC suggests alternative classification of the soft drinks, the results of the GCSC tests implies the aggregation bias can be ignored in terms of both price and quantity variables. These results allow the identified classification to be used for the direct, inverse as well as mixed demand system as aggregated macro-demand systems, while the results of LCCC restrict the use of that classification for only the direct demand system. The different implications between ours and Lewbel's condition are also explained by the restrictive condition imposed on the Lewbel's composite commodity condition.

## REFERENCES


- Barnett, W.A., and S. Choi. 1989. "A Monte Carlo Study of Tests of Blockwise Weak Separability." *Journal of Business and Economic Statistics* 7:363-377.
- Croux, C., M. Forni, and L. Reichlin. 2001. "A Measure of Comovements for Economic Indicators: Theory and Empirics." *The Review of Economics and Statistics* 83:232-241.
- Dhar, T., J.P. Chavas, and B.W. Gould. 2003. "An Empirical Assessment of Endogeneity Issues in Demand Analysis for Differentiated Products." *American Journal of Agricultural Economics* 85: 605-617.
- Diewert, W.E. 1978. "Superlative Index Numbers and Consistency in Aggregation." *Econometrica* 46:886-900.
- Diewert, W.E., and T.J. Wales. 1995. "Flexible Functional Forms and Tests of Homogeneous Separability." *Journal of Econometrics* 67(2):259-302.
- Fisher, W.D. 1936. *Clustering and Aggregation in Economics*. Oxford: Oxford University Press.
- Hausman, J.A. 1978. "Specification Tests in Econometrics." *Econometrica* 46:1251-1271.
- Hicks, J.R. 1936. *Value of Capital*. Oxford: Oxford University Press.
- Hill, R.J. 2006. "Superlative Index Numbers: Not All of them are Super." *Journal of Econometrics* 130:25-43.
- Lee, K.C., M.H. Pesaran, and R.G. Pierse. 1990. "Testing for Aggregation Bias in Linear Models." *The Economic Journal*. 100(400): 137-150.
- Leontief, W. 1936. "Composite Commodities and the Problem of Index Numbers." *Econometrica* 4(1): 39-50.
- \_\_\_\_\_. 1947. "Introduction to a Theory of the Internal Structure of Functional Relationships." *Econometrica* 15(4): 361-373.

- Lewbel, A. 1996. "Aggregation Without Separability: A Generalized Composite Commodity Theorem." *American Economic Review* 86:524-543.
- Moschini, G., and A. Vissa. 1993. "Flexible Specification of Mixed Demand System." *American Journal of Agricultural Economics* 75:1-9.
- Nicol, C.J. 1991. "The effects of Expenditure Aggregation on Hypothesis Tests in Consumer Demand Systems." *International Economic Review*. 32(2):405-416.
- Pesaran, M.H., R.G. Pierse, and M.S. Kumar. 1989. "Econometric Analysis of Aggregation in the context of Linear Prediction Models." *Econometrica*. 57(4):861-888.
- Pudney, S.E. 1981. "An Empirical Method of Approximating the Separable Structure of Consumer Preferences." *Review of Economic Studies*. 48(4):561-577.
- Rodrigues, J. 1999. "Classifying Interdependent Time Series in the Frequency Domain." ECARES, Universite Libre de Bruxelles, Working Paper.
- Shumway, C.R., and G.C. Davis. 2001. "Does Consistent Aggregation really Matter?" *Australian Journal of Agricultural and Resource Economics* 45:161-194.
- Theil, H. 1954. *Linear Aggregation of Economic Relations*, Amsterdam: North-Holland.
- \_\_\_\_\_. 1971. *Principles of Econometrics*. New York: John Wiley & Sons.
- Zellner, A. 1962. "An Efficient Method of Estimating Seemingly Unrelated Regressions and Tests for Aggregation Bias." *Journal of the American Statistical Association*. 57(298):348-368.
- Xu, R., and D. Wunsch II. May, 2005. "Survey of Clustering Algorithms." *IEEE Transactions on Neural Networks* 16(3):645-678.


Static Correlation of Price




Frequency Band 01 of Price




Frequency Band 02 of Price




Frequency Band 03 of Price




Static Correlation of Quant



Frequency Band 01 of Quant



Frequency Band 02 of Quant



Frequency Band 03 of Quant




Figure 1. Sorted Static and Dynamic Correlation Matrix



Table 1. Sorted Static Correlation Matrix

Var. #	Variable Names	dln(01)	dln(02)	dln(03)	dln(04)	dln(05)	dln(06)	dln(07)	dln(08)	dln(09)	dln(10)	dln(11)	dln(12)	dln(13)	dln(14)	dln(15)	dln(16)	dln(17)	dln(18)	dln(19)	dln(20)	dln(21)	dln(22)	dln(23)
01	SunkistStrawberry	1.000	0.988	0.983	0.975	0.248	0.272	0.269	0.274	0.282	0.287	0.281	0.289	0.269	0.264	0.282	0.300	0.297	0.212	0.191	0.187	0.189	0.196	0.187
02	SunkistOrange	0.998	1.000	0.988	0.982	0.270	0.297	0.294	0.302	0.308	0.313	0.311	0.316	0.294	0.298	0.317	0.332	0.327	0.237	0.222	0.215	0.210	0.207	0.202
03	CnadaDryGinger	0.998	0.999	1.000	0.994	0.264	0.291	0.287	0.291	0.304	0.310	0.306	0.311	0.293	0.288	0.302	0.317	0.314	0.239	0.223	0.220	0.214	0.218	0.216
04	CandaDryGngrAle	0.998	0.999	1.000	1.000	0.248	0.277	0.275	0.280	0.303	0.310	0.308	0.312	0.294	0.282	0.295	0.311	0.307	0.222	0.206	0.205	0.197	0.202	0.205
05	Sprite	0.279	0.282	0.287	0.291	1.000	0.971	0.968	0.967	0.734	0.740	0.730	0.734	0.728	0.654	0.653	0.637	0.645	0.570	0.568	0.587	0.575	0.537	0.507
06	CokeClassic	0.292	0.295	0.300	0.304	0.955	1.000	0.998	0.995	0.750	0.757	0.746	0.749	0.724	0.671	0.671	0.656	0.662	0.552	0.548	0.569	0.557	0.513	0.483
07	CokeDiet	0.291	0.295	0.300	0.304	0.954	0.999	1.000	0.995	0.748	0.756	0.745	0.748	0.722	0.661	0.661	0.647	0.652	0.550	0.544	0.568	0.555	0.506	0.480
08	CokeDietCaffeineFree	0.293	0.296	0.301	0.305	0.954	0.998	0.999	1.000	0.750	0.758	0.750	0.753	0.724	0.662	0.668	0.657	0.659	0.548	0.543	0.565	0.549	0.509	0.477
09	Pepsi	0.312	0.314	0.319	0.321	0.734	0.756	0.754	0.751	1.000	0.994	0.991	0.989	0.975	0.677	0.683	0.660	0.666	0.453	0.465	0.491	0.461	0.505	0.462
10	PepsiDiet	0.319	0.322	0.326	0.328	0.734	0.755	0.754	0.753	0.998	1.000	0.997	0.996	0.982	0.676	0.679	0.660	0.668	0.458	0.466	0.492	0.467	0.513	0.467
11	PepsiDietCaffeineFree	0.322	0.324	0.329	0.331	0.732	0.753	0.753	0.753	0.995	0.999	1.000	0.997	0.981	0.670	0.674	0.655	0.661	0.449	0.459	0.481	0.454	0.504	0.460
12	PepsiCaffeineFree	0.324	0.326	0.330	0.333	0.732	0.752	0.752	0.752	0.995	0.999	0.999	1.000	0.981	0.675	0.679	0.664	0.671	0.458	0.465	0.484	0.461	0.509	0.458
13	MountainDew	0.325	0.328	0.332	0.334	0.746	0.735	0.735	0.733	0.978	0.981	0.981	0.982	1.000	0.676	0.675	0.656	0.667	0.479	0.492	0.510	0.489	0.536	0.488
14	Seven-Up	0.319	0.321	0.325	0.329	0.652	0.648	0.644	0.642	0.646	0.644	0.641	0.641	0.662	1.000	0.993	0.982	0.988	0.467	0.477	0.490	0.464	0.359	0.316
15	Seven-UpDiet	0.321	0.325	0.329	0.332	0.648	0.645	0.642	0.641	0.643	0.642	0.640	0.641	0.661	0.998	1.000	0.990	0.991	0.458	0.469	0.481	0.449	0.353	0.304
16	DrPepperSugarFree	0.326	0.329	0.333	0.337	0.652	0.644	0.642	0.641	0.638	0.640	0.639	0.641	0.663	0.995	0.996	1.000	0.995	0.453	0.458	0.468	0.439	0.354	0.296
17	DrPepper	0.325	0.328	0.332	0.336	0.659	0.650	0.648	0.646	0.643	0.645	0.644	0.646	0.669	0.995	0.996	0.999	1.000	0.463	0.469	0.476	0.453	0.365	0.304
18	A&W_Diet	0.233	0.238	0.241	0.243	0.592	0.572	0.570	0.568	0.471	0.475	0.473	0.475	0.511	0.558	0.555	0.562	0.564	1.000	0.990	0.977	0.984	0.754	0.712
19	A&W	0.234	0.240	0.242	0.245	0.593	0.574	0.572	0.569	0.472	0.476	0.473	0.476	0.512	0.561	0.557	0.564	0.567	1.000	1.000	0.979	0.979	0.755	0.721
20	RiteColaDiet	0.222	0.228	0.230	0.233	0.601	0.588	0.586	0.584	0.482	0.486	0.483	0.484	0.516	0.541	0.537	0.539	0.544	0.990	0.989	1.000	0.979	0.754	0.722
21	RiteColaRedRaspberry	0.224	0.230	0.232	0.235	0.598	0.579	0.578	0.576	0.476	0.479	0.477	0.479	0.515	0.538	0.534	0.540	0.546	0.994	0.994	0.996	1.000	0.750	0.717
22	LiptonBrisk	0.216	0.220	0.224	0.224	0.573	0.546	0.544	0.543	0.556	0.559	0.557	0.560	0.583	0.399	0.395	0.402	0.406	0.747	0.747	0.747	0.750	1.000	0.948
23	LiptonBriskDiet	0.218	0.223	0.226	0.227	0.568	0.541	0.539	0.538	0.547	0.552	0.550	0.553	0.577	0.394	0.391	0.398	0.402	0.748	0.748	0.747	0.751	0.999	1.000

\* The lower triangular is for the static correlation coefficients of price variables and the upper triangular is for the static correlation coefficients of quantity variables and the shaded areas represent the identified groups.

Table 2. Test for Generalized Compositional Stability Condition

Var. #	Variable Names	Price variables										Quantity variables									
		dd	ff	pp	ll	fc	pc	lc	uv	qw	ew	dd	ff	pp	ll	fc	pc	lc	uv	qw	ew
01	SunkistStrawberry	0.146	0.070	0.153	0.070	0.149	0.205	0.178	0.152	0.064	0.048	0.014	0.012	0.013	0.012	0.012	0.012	0.015	0.012	0.031	
02	SunkistOrange	0.077	0.207	0.174	0.595	0.076	0.063	0.142	0.172	0.761	0.778	0.689	0.692	0.688	0.704	0.688	0.686	0.691	0.688	0.696	0.730
03	CnadaDryGinger	0.050	0.113	0.113	0.052	0.048	0.081	0.057	0.111	0.022	0.020	0.700	0.695	0.695	0.699	0.698	0.704	0.695	0.699	0.709	0.898
04	CandaDryGngrAle	0.296	0.427	0.375	0.805	0.289	0.254	0.314	0.378	0.659	0.638	0.549	0.537	0.549	0.540	0.536	0.543	0.533	0.545	0.538	0.379
05	Sprite	0.468	0.542	0.990	0.143	0.535	0.597	0.156	0.993	0.145	0.190	0.256	0.241	0.131	0.414	0.296	0.156	0.443	0.133	0.139	0.665
06	CokeClassic	0.577	0.645	0.552	0.137	0.673	0.695	0.587	0.585	0.111	0.155	0.927	0.935	0.877	0.805	0.951	0.894	0.909	0.878	0.893	0.560
07	CokeDiet	0.672	0.738	0.500	0.247	0.765	0.644	0.496	0.535	0.213	0.269	0.781	0.795	0.992	0.651	0.822	0.737	0.879	0.991	0.759	0.402
08	CokeDietCaffeineFree	0.978	0.977	0.382	0.898	0.959	0.513	0.323	0.418	0.990	0.961	0.913	0.912	0.821	0.946	0.911	0.961	0.764	0.818	0.945	0.893
09	Pepsi	0.218	0.264	0.937	0.119	0.267	0.815	0.194	0.933	0.127	0.165	0.082	0.080	0.100	0.076	0.092	0.096	0.080	0.099	0.077	0.020
10	PepsiDiet	0.628	0.606	0.627	0.132	0.673	0.827	0.892	0.652	0.175	0.181	0.206	0.219	0.250	0.175	0.222	0.252	0.171	0.245	0.292	0.041
11	PepsiDietCaffeineFree	0.713	0.786	0.356	0.825	0.715	0.511	0.352	0.362	0.752	0.832	0.735	0.716	0.718	0.766	0.730	0.713	0.791	0.709	0.663	0.653
12	PepsiCaffeineFree	0.275	0.333	0.164	0.186	0.289	0.275	0.067	0.164	0.160	0.198	0.148	0.153	0.165	0.132	0.156	0.169	0.124	0.177	0.183	0.066
13	MountainDew	0.051	0.113	0.190	0.020	0.066	0.187	0.019	0.216	0.012	0.017	0.624	0.594	0.487	0.745	0.599	0.467	0.758	0.484	0.552	0.680
14	Seven-Up	0.057	0.039	0.071	0.033	0.054	0.015	0.027	0.064	0.041	0.047	0.206	0.261	0.205	0.211	0.202	0.127	0.271	0.236	0.217	0.131
15	Seven-UpDiet	0.152	0.165	0.123	0.233	0.153	0.225	0.149	0.112	0.271	0.244	0.088	0.065	0.090	0.085	0.096	0.093	0.086	0.092	0.084	0.048
16	DrPepperSugarFree	0.147	0.169	0.132	0.235	0.140	0.069	0.058	0.128	0.235	0.261	0.594	0.641	0.587	0.600	0.588	0.550	0.630	0.605	0.603	0.392
17	DrPepper	0.069	0.085	0.066	0.154	0.065	0.031	0.026	0.059	0.156	0.168	0.986	0.984	0.997	0.971	0.986	0.972	0.998	0.997	0.977	0.661
18	A&W_Diet	0.029	0.035	0.042	0.040	0.027	0.011	0.046	0.042	0.035	0.061	0.019	0.017	0.018	0.017	0.008	0.026	0.020	0.018	0.017	0.014
19	A&W	0.019	0.022	0.028	0.025	0.017	0.005	0.026	0.028	0.023	0.056	0.066	0.049	0.060	0.064	0.062	0.075	0.053	0.064	0.058	0.039
20	RiteColaDiet	0.064	0.051	0.054	0.069	0.062	0.075	0.042	0.052	0.068	0.196	0.022	0.018	0.023	0.024	0.013	0.025	0.027	0.025	0.025	0.064
21	RiteColaRedRaspberry	0.206	0.129	0.186	0.074	0.202	0.367	0.156	0.190	0.106	0.151	0.015	0.014	0.015	0.013	0.013	0.015	0.011	0.015	0.013	0.013
22	LiptonBrisk	0.795	0.717	0.897	0.583	0.795	0.681	0.763	0.898	0.562	0.555	0.039	0.033	0.052	0.034	0.034	0.033	0.035	0.033	0.033	0.046
23	LiptonBriskDiet	0.398	0.426	0.329	0.576	0.403	0.386	0.350	0.332	0.554	0.548	0.105	0.092	0.138	0.090	0.094	0.094	0.097	0.096	0.092	0.127

\* All the values are the p-values for  $H_0: \gamma_n = 0$  in  $x_n = X H_n + IV \cdot \gamma_n + \varepsilon_n^{IV}$ , where  $IV$  is the total expenditure variable as the instrumental variable.

Table 3. Test for Lewbel's Composite Commodity Condition

Var. #	Variable Names	Price variables										Quantity variables									
		dd	ff	pp	ll	fc	pc	lc	uv	qw	ew	dd	ff	pp	ll	fc	pc	lc	uv	qw	ew
01	SunkistStrawberry	0.458	0.559	0.550	0.572	0.457	0.441	0.478	0.550	0.494	0.495	0.197	0.202	0.203	0.202	0.196	0.194	0.199	0.203	0.203	0.019
02	SunkistOrange	0.126	0.087	0.077	0.098	0.126	0.128	0.126	0.077	0.100	0.100	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
03	CnadaDryGinger	0.070	0.264	0.269	0.305	0.071	0.094	0.071	0.269	0.200	0.200	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
04	CandaDryGngrAle	0.807	0.908	0.900	0.909	0.807	0.796	0.831	0.900	0.963	0.963	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
05	Sprite	0.748	0.670	0.209	0.595	0.659	0.483	0.774	0.212	0.614	0.610	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
06	CokeClassic	0.854	0.804	0.206	0.547	0.754	0.433	0.378	0.204	0.552	0.551	0.005	0.006	0.036	0.000	0.007	0.014	0.004	0.036	0.036	0.959
07	CokeDiet	0.740	0.699	0.177	0.797	0.654	0.382	0.305	0.176	0.802	0.802	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
08	CokeDietCaffeineFree	0.694	0.658	0.175	0.930	0.619	0.368	0.303	0.174	0.934	0.934	0.038	0.038	0.038	0.036	0.038	0.046	0.030	0.038	0.038	0.000
09	Pepsi	0.072	0.094	0.352	0.076	0.090	0.333	0.067	0.370	0.079	0.079	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
10	PepsiDiet	0.688	0.659	0.951	0.603	0.706	0.996	0.996	0.920	0.783	0.783	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
11	PepsiDietCaffeineFree	0.334	0.391	0.361	0.175	0.366	0.392	0.132	0.344	0.146	0.146	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
12	PepsiCaffeineFree	0.127	0.159	0.188	0.044	0.149	0.207	0.037	0.178	0.037	0.037	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
13	MountainDew	0.225	0.263	0.367	0.144	0.251	0.394	0.123	0.354	0.133	0.133	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
14	Seven-Up	0.112	0.113	0.085	0.150	0.112	0.108	0.122	0.088	0.152	0.152	0.732	0.726	0.739	0.712	0.732	0.733	0.730	0.737	0.737	0.888
15	Seven-UpDiet	0.976	0.966	0.990	0.947	0.976	0.978	0.979	0.998	0.935	0.934	0.727	0.720	0.734	0.706	0.727	0.729	0.725	0.732	0.732	0.578
16	DrPepperSugarFree	0.559	0.543	0.542	0.542	0.559	0.561	0.555	0.536	0.584	0.585	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.001
17	DrPepper	0.066	0.067	0.069	0.065	0.066	0.067	0.065	0.067	0.064	0.064	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.010
18	A&W_Diet	0.972	0.967	0.931	0.968	0.974	0.825	0.904	0.931	0.888	0.889	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
19	A&W	0.678	0.660	0.633	0.662	0.680	0.559	0.788	0.633	0.613	0.614	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
20	RiteColaDiet	0.725	0.856	0.864	0.888	0.724	0.869	0.632	0.864	0.822	0.823	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
21	RiteColaRedRasberry	0.800	0.862	0.988	0.753	0.799	0.944	0.709	0.988	0.743	0.743	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22	LiptonBrisk	0.268	0.204	0.191	0.220	0.269	0.239	0.306	0.191	0.226	0.226	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
23	LiptonBriskDiet	0.196	0.243	0.273	0.218	0.196	0.217	0.182	0.273	0.224	0.224	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

\* All the values are the p-values for  $H_0: \text{Corr}(d_n^{\text{Lewbel}}, X) = 0$  where  $d_n^{\text{Lewbel}} \equiv x_n - X$ .

Table 4. Tests for the Unit Root and the Proportionality Factors

Price Variables												Quantity Variables											
	dd	ff	pp	ll	fc	pc	lc	uv	qw	ew		dd	ff	pp	ll	fc	pc	lc	uv	qw	ew		
dlnP06	UR-Test	-11.55	-11.54	-11.55	-11.54	-11.55	-11.53	-11.57	-11.55	-11.54	-11.54	dlnQ06	UR-Test	-10.95	-10.95	-10.95	-10.95	-10.95	-10.95	-10.95	-10.95	-10.93	
dln(p_01)	-11.61	0.57	0.67	0.66	0.50	0.58	0.34	0.44	0.65	0.52	0.51	dln(q_01)	-11.13	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.00	
dln(p_02)	-11.52	0.93	0.78	0.76	0.55	0.95	0.72	0.77	0.77	0.67	0.68	dln(q_02)	-10.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_03)	-11.54	0.27	0.35	0.68	0.46	0.26	0.40	0.26	0.68	0.78	0.79	dln(q_03)	-10.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_04)	-11.51	0.43	0.14	0.18	0.11	0.43	0.47	0.41	0.18	0.12	0.13	dln(q_04)	-10.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dlnP01	UR-Test	-11.10	-11.09	-10.98	-11.14	-11.09	-13.81	-10.72	-10.98	-11.14	-11.14	dlnQ01	UR-Test	-10.86	-10.85	-10.84	-10.87	-10.85	-10.76	-10.90	-10.84	-10.88	
dln(p_05)	-10.69	0.86	0.84	0.31	0.35	0.79	0.93	0.77	0.31	0.36	0.36	dln(q_05)	-10.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_06)	-11.15	0.53	0.54	0.08	0.85	0.47	0.26	0.16	0.08	0.82	0.82	dln(q_06)	-10.89	0.02	0.03	0.10	0.00	0.03	0.02	0.04	0.10	0.81	
dln(p_07)	-11.16	0.67	0.66	0.10	0.37	0.59	0.30	0.20	0.10	0.37	0.37	dln(q_07)	-10.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_08)	-11.04	0.94	0.92	0.15	0.19	0.83	0.40	0.35	0.15	0.20	0.19	dln(q_08)	-10.90	0.31	0.32	0.30	0.31	0.32	0.43	0.18	0.29	0.00	
dlnP02	UR-Test	-13.19	-13.19	-13.11	-11.45	-13.17	-13.10	-13.20	-13.11	-11.46	-11.46	dlnQ02	UR-Test	-10.38	-10.38	-10.37	-10.39	-10.38	-10.37	-10.38	-10.37	-10.39	
dln(p_09)	-11.59	0.34	0.47	0.94	0.29	0.42	0.94	0.12	0.92	0.30	0.31	dln(q_09)	-10.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_10)	-11.43	0.72	0.78	0.62	0.21	0.80	0.62	0.78	0.59	0.29	0.28	dln(q_10)	-10.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_11)	-13.10	0.53	0.55	0.30	0.72	0.52	0.31	0.25	0.29	0.64	0.64	dln(q_11)	-10.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_12)	-13.11	0.16	0.18	0.12	0.15	0.17	0.12	0.04	0.11	0.13	0.13	dln(q_12)	-10.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_13)	-12.51	0.28	0.41	0.51	0.20	0.33	0.55	0.16	0.48	0.18	0.17	dln(q_13)	-14.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dlnP03	UR-Test	-11.25	-11.26	-11.26	-11.26	-11.25	-11.27	-11.22	-11.26	-11.26	-11.26	dlnQ03	UR-Test	-13.53	-13.52	-13.53	-13.52	-13.53	-13.53	-13.52	-13.53	-13.47	
dln(p_14)	-11.27	0.25	0.28	0.27	0.30	0.26	0.33	0.13	0.28	0.29	0.27	dln(q_14)	-13.39	0.46	0.46	0.47	0.45	0.42	0.46	0.48	0.50	0.53	
dln(p_15)	-11.25	0.85	0.75	0.82	0.73	0.85	0.88	0.92	0.82	0.75	0.75	dln(q_15)	-13.38	0.80	0.80	0.80	0.82	0.80	0.81	0.80	0.80	0.93	
dln(p_16)	-11.17	0.84	0.88	0.86	0.91	0.84	0.97	0.65	0.85	0.98	0.98	dln(q_16)	-13.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_17)	-11.26	0.06	0.06	0.06	0.07	0.06	0.09	0.03	0.06	0.07	0.06	dln(q_17)	-13.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	
dlnP05	UR-Test	-11.92	-11.93	-11.93	-11.94	-11.92	-11.87	-11.94	-11.93	-11.93	-11.93	dlnQ05	UR-Test	-10.45	-10.45	-10.45	-10.45	-10.45	-10.44	-10.46	-10.45	-10.47	
dln(p_18)	-11.91	0.81	0.69	0.80	0.62	0.80	0.91	0.70	0.80	0.71	0.71	dln(q_18)	-10.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_19)	-11.99	0.64	0.72	0.63	0.78	0.64	0.47	0.82	0.63	0.74	0.74	dln(q_19)	-11.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_20)	-11.90	0.83	0.98	0.90	0.98	0.83	0.88	0.75	0.90	0.90	0.90	dln(q_20)	-10.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_21)	-9.86	0.74	0.69	0.56	0.85	0.75	0.53	0.85	0.56	0.88	0.88	dln(q_21)	-10.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dlnP04	UR-Test	-12.63	-12.63	-12.63	-12.64	-12.63	-12.64	-12.62	-12.63	-12.64	-12.64	dlnQ04	UR-Test	-11.69	-11.69	-11.69	-11.69	-11.69	-11.69	-11.69	-11.69	-11.71	
dln(p_22)	-12.63	0.04	0.03	0.03	0.02	0.04	0.05	0.06	0.03	0.01	0.07	dln(q_22)	-11.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
dln(p_23)	-12.64	0.04	0.05	0.07	0.02	0.04	0.06	0.04	0.07	0.01	0.07	dln(q_23)	-15.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

\* Unit Root test (UR-Test) is based on no constant and no trend with BIC lag length selection specification, where critical values are -2.58 (1%), -1.95 (5%), -1.62 (10%); the column vector of UR-Test is for disaggregate variables and row vector of UR-Test is for aggregate variables; and all other values are the p-values for  $H_0 : c_n = 1$  in  $x_n = X \cdot c_n + \varepsilon_n$ .