

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search http://ageconsearch.umn.edu aesearch@umn.edu

Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

Optimal Management of Molds in Stored Corn

Yigezu A. Yigezu Department of Agricultural Economics,

Purdue University 403 W. State St. West Lafayette, IN 47907-2056 Email: yyigezu@purdue.edu

Corinne E. Alexander

Department of Agricultural Economics, Purdue University 403 W. State St. West Lafayette, IN 47907-2056 Email: <u>cealexan@purdue.edu</u>

Paul V. Preckel

Department of Agricultural Economics, Purdue University 403 W. State St. West Lafayette, IN 47907-2056 Email: preckel@purdue.edu

Selected Paper prepared for Poster presentation at the American Agricultural Economics Association Annual Meeting, Orlando, FL, July 27-29, 2008.

Copyright 2008 by Yigezu, A.Y., C.E. Alexander and P.V. Preckel. All rights reserved. Readers may make verbatim copies of this document for non-commercial purposes by any means, provided that this copyright notice appears on all such copies.

Abstract: Long term storage of corn is becoming more common due to the recent increase in the demand for corn by ethanol plants. Infection of maize kernels by toxigenic fungi remains a challenging storage problem despite decades of research. Experts in storage management propose the use of a combination of preventive and monitoring-based responsive strategies in response to mold risks. In this paper, a stochastic dynamic programming model is solved to determine the expected profitability and optimal combination, timing and intensity of the proposed mold management strategies using farmers' existing infrastructure. The results show that even with relatively high monitoring costs, maintaining high quality grain using a monitoring based optimal mold management strategy costs less than the benefit it fetches. Farmers' current typical practice of aerating the grain until the end of December and doing nothing thereafter bears a high risk of economic losses if grain is to be stored until later during the summer. Generally, the optimal mold management strategy depends on monitoring the biophysical conditions of the grain and the time period under consideration. If the in-bin temperature is high and less than 5% of kernels are mold damaged, then aerating when the outside temperature is at least 3°C less than the in-bin temperature and continuing to store the grain is the optimal strategy.

Key words: Mold management, stored corn, expected profitability, integrated pest management, monitoring, aeration, stochastic dynamic programming,

1. Introduction

Molds rank second only to insects as a cause of damage in stored grains (CAST, 1989). They cause detrimental changes in grain appearance, quality and dry matter (Ng et al., 1998), and they reduce the energy content and ethanol yield for corn (Hardy et al., 2006). Molds also produce by-products called mycotoxins which are poisonous to humans and animals (MAFRI, 2006). The presence of molds and mycotoxins leads to price discounts or rejections of shipments by buyers. The annual loss due to mycotoxins from US exports of Bt corn is estimated at about \$23 million (Wu, 2006). Bt corn accounts for 40% of total US corn production (FBC, 2007). Total US corn production for 2006/7 is about 10.5 billion bushels and the share of exports in total corn production is 21.3% (Hagenbaugh, 2007; Westcott, 2007). Assuming that the proportion of grain containing mycotoxins is the same as the proportion for Bt corn exports, the estimated annual loss to the US due to mycotoxins in corn in 2006/7 is about \$270 million. Farmers who enter

contracts to deliver food-grade corn late during the storage season report that they either face huge discounts or incur higher costs to meet the minimum mold standards stipulated in the contract (Yigezu and Alexander, 2007). In the face of increasing demand for storing corn due to the recent the rise in the number of ethanol plants, storage mold invasion poses a major challenge for farmers.

Literature on the economics of stored product pest management is scanty, and most of it is devoted to the study of the profitability of an individual intervention or the comparison of a few possible combinations of strategies with fixed input intensities and times of application. Adam et al. (2004) and Rulon et al. (1999) used cost benefit analysis to compare the profitability of different strategies such as fumigation and aeration for controlling insects. Fox and Hennessey (1999) developed an economic loss minimization method which is useful for determining the timing of a given intervention to minimize economic loss during storage and applied it to the case of fumigation to control the lesser grain borer. Our paper is the first to model the economics of optimal mold control in stored grains.

Despite decades of research, mold infection remains a challenging problem (Munkvold, 2003). Experts in storage pest management recommend the use of a combination of preventive and monitoring-based integrated pest management (IPM) strategies (Hagstrum and Subramanyam, 2006; Arthur et al., 2001; Maier et al., 1997; Mason et al., 1993; Horn, 1988; Cuero and Smith, 1987; Thompson, 1972). However, it is not clear if any of these strategies are profitable, i.e. cost is less than the expected prevented economic loss. Currently, most Indiana farmers cool their corn during the fall, keep it in their on-farm storage with minimal monitoring during the cold winter period and then sell when temperatures start to rise around the first half of April. By so doing, farmers might be selling corn which is at low risk of mold damage, but they might be forgoing very high premiums during the summer that could more than offset the cost of storage.

The objective of this article is to determine the optimal combination, timing and intensity of mold management and marketing strategies. The expected profitability of the optimal mold management strategies conditional on the biophysical conditions of the grain will also be evaluated. In particular, we evaluate the potential benefits of a monitoring based mold management strategy which involves decisions on aeration and optimal timing of grain sales. For farmers who do not have a contractual commitment, the optimal time for selling their grain will be determined in view of the tradeoffs between higher prices in the future and the higher risk of grain quality and dry matter losses during storage. This analysis will determine which aeration strategies are profitable; when it is optimal to sell the grain conditional on its quality and the biophysical conditions inside the bin; and what minimum storage fee processors should pay to encourage contract farmers to deliver quality grain later in the storage season.

2. Mold Growth, Control and Farmers' Current Mold Management and Marketing Strategies

Small quantities of spores of storage fungi may be present on grain going into storage or on grain residues from previous harvests or in handling and storage equipment. Moreover, mold spores could be introduced into the bin by winds. Under improper storage conditions, a small amount of inoculums introduced by any of the above means can grow rapidly, leading to grain spoilage (Sweets, no date).

Researchers have developed several mold growth models. Some used the level of water activity (the ratio of the vapor pressure of the product to that of pure water expressed in decimal form) as the only explanatory variable (Gibson et al., 1994; Baranyi et al., 1993). A number of other studies used only temperature to explain fungal/mold growth (Carlile et al., 2001; Shanahan et al., 2003; Cuero and Smith, 1987; Sweets, no date). Still other studies tried to explain mold growth using both temperature and moisture content or water activity (Pitt, 1993; Cuero and Smith, 1987; Northolt and Bullerman, 1982; White et al., 1982a; White et al., 1982b; Schindler et al., 1967). Friday et al. (1989) argue that mold damage levels also depend on the hybrid type. The extent of mechanical damage on the grain kernels is also important in determining the level of mold damage (Wilcke et al., 2001; Gupta et al., 1999). Shanahan et al. (2003) argue that the three major storage conditions that favor continued mold growth and are necessary for mycotoxin formation in stored grain are: high corn kernel moisture content (16 to 30%); warm temperatures (77 to 90°F); and high humidity (80 to 100%).

Conditioning the storage environment is considered the best strategy for controlling molds (Wilcke et al., 2001; Pitt, 1993; Northolt and Bullerman, 1982). Particularly, IPM-based strategies of monitoring and aeration have been found to be very effective in controlling the atmospheric conditions in on-farm storage (Ileleji et al., 2007; Maier et al., 1996; Arthur et al., 1998; Thompson, 1972). Growth of molds is generally low at temperatures below 50°F (10°C), but slow growth will occur even at low temperatures if the moisture conditions are favorable. Moisture levels below 12% will prevent mold formation (Shanahan et al., 2003).

A survey of 8 farmers from different parts of Indiana and Illinois revealed that farmers recognize the importance of maintaining low moisture content in stored grain (Yigezu and Alexander, 2007). As a result, they try as much as possible to dry their corn in the field and put it directly into storage bins, which oftentimes is not feasible because favorable weather to dry corn on the field does not happen very often. They instead artificially dry it using either in-bin driers (via a high air flow rate aeration fans) or continuous flow or batch driers. Once dried to a level of 16% to 16.5% moisture content (MC), grain is moved to storage bins where the hot grain is left to steep for 8 to 24 hours and then is aerated using low air flow rate fans to cool it off and also to dry it further to 14 – 15% moisture content.

Farmers then core the grain by hauling a truck load or two from the bin to remove the fines and foreign material which usually are concentrated at the center, thereby allowing for better air circulation within the grain mass. After coring, aeration usually continues in the fall until in-bin temperature is as low as 4-5 ^oC to inhibit pest development. Farmers usually do not aerate their grain during the winter or summer. They do minimal monitoring which usually involves visual inspection and smell testing by opening the hatch on the bins. If the smell and visual tests create a suspicion of pest activity, farmers walk on the surface of the grain to check for pest damage. If traces of mold crusts or hot spots due to high mold activity are observed, they usually scoop them out of the bin or spread them across the surface of the grain mass. If the mold infection is visible and substantial, they may aerate the grain.

When a farmer contracts to deliver corn to a food processor, the contract will specify the minimum quality standards, the premium for meeting the quality standards and penalty for

failure to meet them, and a monthly storage fee paid to the farmers for storing the grain on farm. If the farmer fails to meet the minimum quality standards specified in the contract, then the grain will be rejected by the food processor and the farmer must deliver it to a local elevator for the cash price.

Typically, the contract also specifies that the exact delivery date will be chosen by the food processor, with 24 hours notice given to the farmer. The contract will also often specify an expected timeframe for delivery, say the month of June. For the purposes of this model, we assume that the farmer is choosing when to deliver the grain given the premium, penalties and storage fee offered by the food processor.

3. The Bio-economic Model

A stochastic dynamic programming (SDP) approach is used to model the economics of optimal mold control. The approach to solution is based on backward recursion as described by Bellman (1957) and Bellman and Dreyfus (1962). The key is to calculate at each point in time the optimal actions to maximize the current period contribution to net return profit plus the expectation of future returns given the current state of the system.

The state of the system is defined jointly by in-bin temperature (3°C-38°C in 5°C steps), cumulative mold damaged kernels (0% - 21% in steps of 0. 1423%) and whether the grain has already been sold. In this analysis, a proxy state variable – the cumulative dry matter loss in percent (*L*) is used first and then converted to the actual state variable- the cumulative mold

damaged kernels (D) variable as is explained below. These states are denoted by the set *i*. Each individual state represents an outcome and is weighted by the probability of that individual event occurring. The discrete states of nature and their probabilities can be viewed as an approximation to the continuous distributions that capture the non-stochastic and stochastic relationships among the random variables (Featherstone et al., 1990).

The potential controls (choice variables) in any period are do not aerate, aerate always, aerate only if in-bin temperature is greater than outside (ambient) temperature plus 3°C, sell to the food processor, sell to the local elevator or keep for future sale. These actions are denoted by the following:

 A_{ti} = the variable for the aeration strategies which takes values 1 to 3 (1 = do not aerate, 2= aerate unconditionally and 3 = aerate conditionally, i.e., only when the in-bin temperature is greater than the ambient temperature by at least 3⁰C) in period *t*. S_{ti} = Selling variable (1= do not sell now, 2 = sell to the elevator now and

3=sell to the food processor now) in period *t* and state *i*.

Mold management decisions in the current period (*t*) affect not only the value of the stored grain in the current period, but also its future values. Let $\pi_t(i)$ denote the current contribution to profit in period *t* given that we are in state *i*. Thus,

$$\pi_{t}(i) = \begin{cases} -c(A_{ti}) & \text{if } S_{ti} = 1 \text{ and } A_{ti} \neq 1 \\ -c(A_{ti}) & \text{if } S_{ti} = 1, \text{ and } A_{ti} = 1 \\ B_{ti} \times Q_{ti} - c(A_{ti}) & \text{if } S_{ti} = 2, \forall A_{ti} \\ X_{ti} \times Q_{ti} - c(A_{ti}) & \text{if } S_{ti} = 3, \forall A_{ti} \end{cases}$$
(1)

where,

 B_{ti} =price per unit of corn paid by the local elevator in period t and state i Q_{ti} =quantity sold in period t and state ic =cost function, which depends on the aeration decisions and includes monitoring
cost. X_{ti} =price paid by the food processor per bushel of corn in state i in a given time
period t, which is given by:

$$X_{ti} = Futures + Premium + Storage_t - Penalty_{ti}$$
⁽²⁾

where

Futures = Chicago Board of Trade futures price, which farmers can use to establish prices for delivery in December, March, May and July at anytime during the marketing year.

Premium = premium paid by the food processor for meeting minimum quality standards

- $Storage_t$ = storage fee per bushel paid by the food processor to the farmer in period t (this is a monthly payment starting in December).
- *Penalty_{ti}* = penalty for failing to meet the minimum quality standards in terms of moisture content, test weight and number of mold damaged kernels when the grain is in state *i* in period *t*.

Suppose that *i*, and *j* are indices reflecting the possible states of the system in the current and next periods. Suppose also that $P_{t,i,j}(S_{ii}, A_{ii})$ is the transition probability from state *i* in the current period (*t*) to state *j* in the next period conditional on the control variables (or decisions made) in period *t* and state *i*. If $V_t(i)$ denotes the maximum expected profit function in period t given state *i*, given that the optimal policy is used for the rest of the time horizon, then the procedure for calculating the optimal policy for the mold management problem is based on the following recurrence relationship (Bellman's equation):

$$V_{t}(i) = \max_{S_{ti}, A_{ti}} \left[\pi_{t}(i) + \alpha \sum_{j} P_{tij}(S_{ti}, A_{ti}) \times V_{t+1}(j) \right], \forall t, i$$
(3)

where

$$Max =$$
 the maximization operator where maximization takes place over the control
(choice) variables (S_{ti} , A_{ti}) and
 $\alpha =$ the per period discount factor.

This recursion is initiated by setting the value function in the terminal period to:

$$V_{T}(i) = \begin{cases} \max_{S_{u}=2or3} \left(\pi_{T}(i) - F/\alpha^{T} \right) & \text{if } i \text{ is a state where sale has not already occured} \\ 0 & \text{otherwise} \end{cases}$$
(4)

where

$$F =$$
fixed cost of drying and shrinkage incurred at the beginning of storage, and F/α^{T} is the

future value of the fixed costs of drying and shrinkage in the terminal period (this will be discounted to *F* in the first period via the recursion).

By recording the optimal activities in each state for each period, we derive the optimal management policy for this problem. This backward recursion problem is implemented using General Algebraic Modeling Systems (Brooke, et al., 2005) software.

4. Data

Storage is modeled as a bin that is round and made of sheet metal with a diameter of 36ft and height of 32ft and a capacity of 36 thousand bushels of corn (Table 1). Information about the premium and monthly storage fee paid to the farmers has been obtained from a food-grade corn processor.

In this analysis, ten year average futures and cash prices for the Evansville area are used for determining the prices paid by local elevators and food processors. The ten year period chosen was 1994/5-2005/6, with 1995/6 and 2003/04 dropped because they were drought years which have a very different price pattern than a typical year. The contracts with the food processor allow farmers to establish their selling futures prices using several different futures contracts such as the March, May or July contracts. For simplicity, we assume that the only futures price available is the nearby contract, and we have smoothed these futures prices to eliminate price discontinuities that may occur when there is a change in the nearby futures contract, i.e. when the

nearby price switches from the March contract to the May contract on the first day of the delivery period (Figure 1).

The smoothed futures prices (X) are used in this analysis to establish the food processor's prices. We did not smooth the cash price offered by the local elevator because the farmer will only deliver to the elevator if their grain has been rejected by the food processor, and so this decision does not depend on their expectations of cash prices.

In this study, a model called PHAST-FEM, a post-harvest aeration and storage simulation tool developed by Montross et al. (2002) was used to generate data on the likelihood of transitions between the states (in-bin temperature and cumulative dry matter loss) in a given period conditional on the benchmark bin characteristics and values of the state variables in the previous period. The PHAST-FEM model uses weather data which are taken from 1961-2005 observations of ambient temperature, ambient relative humidity, wind speed and solar radiation for the Evansville area from the National Solar Radiation Data Base (NSRDB).

Simulations using the PHAST-FEM model with initial grain moisture content (MC) of 14.5% using different aeration strategies (including no aeration) resulted in end period moisture content range of (13.3%-15.3%) which exhibits only a small absolute deviation from the initial moisture content (14.5%). As a result, we decided to assume that MC is constant at 14.5% in order to eliminate the need for an additional state variable.

Limited amount of work has been done on the relationship between mold damaged kernels (MDK) and dry matter loss. Gupta et al. (1999) is the only study that has conducted laboratory experiments on the relationship between total damaged kernels and dry matter loss (DML) and also made the link to MDK. We use the Gupta et al. data to estimate the following linear relationship between DML and MDK.

$$MDK = -0.69 + 14.23*DML$$
(5)

The regression statistics for this equation are displayed in Table 2. The estimated relationship resulted in a 6% cumulative number of mold damaged kernels for a dry matter loss value of 0.47%, which is consistent with the literature which finds that a dry matter loss of 0.5% due to mold activity leads to a drop in the USDA grain grade by one level (Ng et al., 1998, Wilcke et al., 1993, Friday at al., 1989, Saul and Steel, 1966), and the presence of more than 6% mold damaged kernels also leads to a drop of the USDA grade by one level (GIPSA, 2007).

The longest period farmers in Indiana typically store corn in their on-farm bins is 9.5 months, usually Mid October – End of July. This planning horizon is divided into roughly two-week (15 or 16 day) periods for modeling purposes. State transition matrices are estimated based on the PHAST-FEM model results for the following seven groups of periods: second half of October, November, December – end of March, first half of April, second half of April, May, and Juneend of July. Because weather patterns are similar within each of these groups of periods, the matrices are taken to be constant within them, but they differ across groups of periods. As a result, only 7 distinct transition matrices are estimated. (See Appendix A for the list of periods.) Given that the favorable temperature levels for mold growth are between 25° C- 33° C (Shanahan et al., 2003), simulations were performed for 8 discrete initial in-bin temperature levels in a wider temperature range between 3° C- 38° C at 5° C intervals. As a result, a total of 7,560 runs of the PHAST-FEM model have been made for 45 years, 3 different aeration strategies, 8 initial inbin temperature levels and 7 groups of periods. From all of the runs, we found that the maximum possible periodic dry matter loss is 0.41% and the maximum possible cumulative dry matter loss (CDML) over the 19 periods of storage is 4.3%. As a result, we used grids with a spacing of 0.01 and a range of 0.00% to 4.30% to create 430 levels of CDML in the model. The generated data along with equation 5 were used to construct the joint transition probabilities $P_{iij}(S_{ii},A_{ii})$ in each period *t*. The transition probabilities along with other parameters for the benchmark farmer and benchmark bin (Table 1) have been used to build the bio-economic model described by equations 1-5 above.

5. Results

The optimal mold control method with respect to different aeration strategies and timing of sales depends on grain temperature and cumulative mold damaged kernels (CMDK). Model results based on data from the Evansville area show that generally there is no economic benefit to aerating unconditionally. This is because, in addition to the higher cost of running fans, aerating unconditionally involves the risk of pushing hot air into already cool grain, especially at times when the ambient temperature is high, thereby increasing the risk of mold damage. The exception to this general rule occurs when both the grain and ambient temperatures are high with

the ambient temperature lower than the grain temperature throughout the period. In cases like these, aerating continuously for 15 days can help to deter spoilage by molds.

Unlike the current farmer practice where aeration is not used after December, model results show that the optimal mold management strategy involves continuation of conditional aeration even if grain is to be sold to the local elevator in March, when cash prices are the highest. Continuation of conditional aeration after the end of December is even more important if high quality corn is to be delivered to a food-grade corn processor later during the summer (See Appendix B). Even if the grain was cooled to as low as 4-5°C by the end of December, never aerating the grain thereafter leads to a gradual heating of the grain to 18-28°C by the end of June and to 23-38°C by the end of July. Such high grain temperatures lead to accelerated mold damage that would often lead to rejection of the grain by the food processor.

Our model results are summarized in figure 2. Farmers who have signed a contract with the food-grade corn processor can use the following rules of thumb in conjunction with monitoring their bins:

- If in-bin temperature is less than or equal to 5.5°C and the number of mold damaged kernels (MDK) is less than or equal to 4% at any point during the storage period, then do not aerate but keep it at least for another 15 days after which you will have to monitor and decide again (See Figure 2).
- If temperature is greater than 20.5°C and MDK is less than 5% then do not sell yet but aerate the grain conditionally (i.e., when the outside temperature is less than the in-bin temperature by at least 3°C).

- If the in-bin temperature is above 10.5°C and MDK reaches 6.14% any time before the first half of March, then aerate the grain conditionally and keep it until early in March to sell it to the local elevator. If it is any time past March, then sell it to the local elevator right away.
- For the period before December, if MDK reaches 5%, sell to the food processor because, no storage fee is paid until December and hence the risk of losing money from possible mold development is higher than the storage fees earned for the periods after December.
- In the summer months, if the in-bin temperature is between 15.5°C and 35.5°C, and the number of mold damaged kernels reaches 5.29%, then sell it immediately to the food processor. This is because, in these periods, the periodic damage from molds exceeds the storage fee paid per period.

A closer look at the model results reveals that if the farmer has the option of selling to the food processor, then the premium (\$0.55 per bushel) and storage fee (\$0.03/bushel/month) make selling to the elevator an option of last resort. This is because the total price paid by the food processor is always higher than the local elevator (Fig.1) provided that the grai is not rejected (MDK does not exceed 6%).

From the perspective of the food processor, one important question is whether the premium and storage fee specified in the contract will provide enough incentive to farmers to deliver enough grain of acceptable quality later in the storage season. If we assume that all farmers would deliver their grain by July 31 in order to empty storage bins in preparation for the next harvest, then the food processor's goal is to have enough grain delivered to meet their processing needs between July 31 and the following harvest which would start late September/early October.

Assuming that the food processor needs a 2 month supply of quality grain delivered on July 31, then in order to have enough grain, at least one-sixth or 16.7% of the farmers' grain must meet the minimum quality standards and be stored until July 31.

For a fixed level of the premium and the price structure discussed in section 2 above, the amount of acceptable grain that farmers can deliver to the food processor at a given time during the storage period depends on the initial biophysical conditions in their grain bin (initial in-bin temperature and number of mold damaged kernels) and the monthly storage fee paid to them by the food processor. To estimate the optimal storage fees the food processor needs to pay to the contract farmers, we consider the following initial in-bin biophysical conditions (Table 3): temperature range of 33°C-38°C and MDK range of 0%-2%, both of which are typical of hot grain coming out of a grain drier.

Table 3 summarizes the simulation results for the different levels of initial biophysical conditions and storage fees assumed above. These results show that the food processor can use the storage fee as an instrument to increase the quality and quantity of grain that can be supplied later during the summer. If we assume 1.5% mold damage at the beginning of the storage period, then for the current level of the storage fee (3cents/bushel/month), 19% of the food processing plant's total annual high quality corn demand will be supplied by the farmers, which suggests that the food processor's current monthly storage fee is adequate to motivate farmers to deliver a sufficient quantity of quality grain.

6. Conclusions

The optimal mold management strategy depends on monitoring, the biophysical conditions of the grain and the time period under consideration. If monitoring rshows that in-bin temperature is high and the number of cumulative mold damaged kernels is well below 6%, then the optimal strategy is to aerate conditionally and to keep it for sales in the future thereby capturing the storage fee which is higher than the storage cost. If the number of mold damaged kernels is close to the 6% limit, then the optimal strategy is to sell immediately to the food processor. If monitoring any time before March reveals that the 6% limit for the cumulative mold damaged kernels is exceeded but is still less than 16%, then the optimal strategy is aerating conditionally and keeping it for sales to the elevator in March during which cash prices tend to be the highest. Farmers' current practice of aerating the grain until the end of December and doing nothing thereafter bears a substantial risk of economic losses to the farmer especially if they have signed contracts to deliver good quality grain to the food processor later during the summer. Farmers sign contracts with food processors in order to take advantage of the high premium and storage fee paid by the processors for delivering good quality grain later in the summer. Maintaining grain quality until later during the summer however is very unlikely with farmers' current practices. On the other hand, even with the large number of labor hours and hence high monitoring costs assumed in this paper, the likelihood of maintaining good quality grain using the monitoring based optimal mold management strategy is higher and costs less than the benefit it fetches. Hence, it is in the best interest of the farmer to adopt the monitoring based mold management strategy.

The processor's choice of the monthly storage fee affects the farmers' optimal mold management decisions and therefore the expected quantity of acceptable quality grain available at the end of the storage period. Processors can use this information to design contracts where they pay a high enough storage fee to get the quantity and quality of grain they want but minimize costs by not paying more than they need to. For instance, to ensure a constant supply of corn, processors need to design a pricing scheme that encourages farmers to store about a sixth of their annual corn demand to be delivered not earlier than the end of July. If the initial grain temperature and cumulative mold damaged kernels in mid-October are 38°C and 1.5% respectively, then the minimum storage fee that the processor has to pay to the contract farmers per each period of 15 days (for the fixed premium of \$0.55 per bushel) is 3 about cents per month.

- Adam, B.D., P. M. Mah, T. W. Phillips, and P. W. Flinn (2004). "Is There Any Reason for Businesses Not to Adopt IPM? The Economics of IPM in Stored Grain." Presented at the Annual Meeting of the Entomological Science Association, Bozeman, Montana. June 20-23, 2004.
- Arthur, F. H., J.E. Throne, D.E. Maier, and M.D. Montross (2001). The Impact of Aeration on Maize Weevil (Coleoptera: Curculionidae) Population in Corn Stored in the Northern United States: Simulation Studies. *American Entomologist*. 47:104-110.
- Arthur, F. H., J.E. Throne, D.E. Maier, and M.D. Montross (1998). Feasibility of Aeration for Management of Maize Weevil Populations in Corn Stored in the Southern United States: Model Simulations Based on Recorded Weather Data. *American Entomologist.* 44: 118-123.
- Baranyi, J.; T.A. Roberts; P.J. McClure (1993). A Non-Autonomous Differential Equation to Model Bacterial Growth. *Food Microbial*.10:43-59.
- Bellman, R. E. (1957). Dynamic Programming. Princeton, N.J.: Princeton University Press.
- Bellman, R. E. and S. E. Dreyfus (1962). Applied Dynamic Programming. Princeton, N.J.: Princeton University Press.
- Brooke, A., D. Kendrick, A. Meeraus and R. Raman. 2005. *GAMS. A User's Guide*. Washington DC: GAMS Development Corporation.
- Carlile, M.J, S.C. Watkinson, G.W. Gooday (2001). The Fungi. 2nd ed. Academic Press. New York.
- CAST-Council for Agricultural Science and Technology (1989). Mycotoxins. Economic and Health Risks. Task Force Report 116. Ames, IA.
- Cuero, R. G. and J. E. Smith (1987). Interaction of Water Activity, Temperature and Sustrate on Mycotoxin Production by Aspergillus Flavus, Pencillium Viridicatum and Fusarium Graminearum in Irradiated Grains. Transactions of the British Mycological Society. 89(2):221-226.

- FBC Farm Business Communications (2007). Sask Organic Group's GMO Suit Shut Down. Say No to GMOs. <u>http://www.saynotogmos.org/ud2007/udec07.php</u>
- Featherstone, A.M., P.V. Preckel and T.G. Baker (1990). Modeling Farm Financial Decisions in a Dynamic and Stochastic Environment. *Agricultural Finance Review*. 50:80-99.
- Fox, J. A., and D. A. Hennessy (1999). Cost-Effective Hazard Control in Food Handling. *American Journal of Agricultural Economics*. 81:359-372.
- Friday, D., J. Tuite, and R. Storshine (1989). Effect of Hybrid and Physical Damage on Mold Development and Carbon Dioxide Production During Storage of High-Moisture Shelled Corn. *Cereal Chemistry*. 66(5):422-426.
- Gibson, A.M.; J. Baranyi; J. I. Pitt; M. J. Eyles; and T. A. Roberts (1994). Predicting Fungal Growth: the Effect of Water Activity on Aspergillus Flavus and Related Species. International Journal of Food Microbiology. 23:419-431.
- GIPSA- Grain Inspection, Packers and stockyards Administration (2007). Grain Inspection Hand Bood II – Corn. <u>http://archive.gipsa.usda.gov/reference-library/handbooks/grain-insp/grbook2/corn.pdf</u>
- Gupta, P., W.F. Wilcke, R. V. Morey, R.A. Meronuck (1999). Effect of Dry Matter Loss on Corn Quality. *Applied Engineering in Agriculture*. 15(5):501-507.
- Hagenbaugh, B. (2007). Corn has deep economic roots as high prices create ripple effect. USA Today. <u>http://www.usatoday.com/money/industries/food/2007-01-24-corn_x.htm</u>
- Hagstrum, D. W. and Bh. Subramanyam (2006). Fundamentals of Stored-Product Entomology. American Association of Cereal Chemists (AACC), St. Paul, p.97.
- Horn, D. J. (1988). Ecological Approach to Pest Management. The Guilford Press. New York.
- Ileleji, K. E., Maier, D. E. and Woloshuk, C. P. 2007. Evaluation of different temperature management strategies for suppression of *Sitophilus zeamais* (Motschulsky) in stored maize. J. Stored Prod. Res. 43:480-488.
- Maier, D. E. and R. Storshine (2007). Personal communication.
- Maier, D. E., L. J. Mason, and C.P. Woloshuk (1997). Maximize Grain Quality & Profits Using S.L.A.M. : The Post-Harvest IPM Strategy. Grain Quality Task Force, Purdue University, Cooperative Extension Service: ID-207.

- Maier, D.E.; W. H. Adams, J.E. Throne and L. J. Mason (1996). Temperature
 Management of Maize Weevil. *Sitophilus Zeamais* Motsch. (Coleoptera:Curculionidae):
 A Critical Review. *Journal of Environmental Protection and Ecology*. 2:83-130.
- MAFRI-Manitoba Agriculture, Food and Rural Initiatives (2006). Grain Drying and Storage of Damp Grain – Crop Production. http://www.gov.mb.ca/agriculture/crops/cropproduction/faa05s00.html#table
- Mason, L.J., D.E.Maier, and C.P.Woloshuk (1993). Integrating Temperature and Pest Management for Successful Grain Storage. Grain Quality Fact Sheet #2. Purdue University Extension Service. <u>http://www.ces.purdue.edu/extmedia/GQ/GQ-12.html</u>
- Montross, M. D.; D. E. Maier; and K. Hghighi (2002). Development of a Finite-Element Stored Grain Ecosystem Model. *Transactions of the ASAE*. 45(5):1455-1464.
- Munkvold, G.P. (2003). Cultural and Genetic Approaches to Managing Mycotoxins in Maize. *Ann. Rev. Phytopathology*. 41: 99-116
- Ng, H.F., W.F Wilcke, R.V. Morey, R.A. Meronuck, J.P. Lang(1998). Mechanical Damage and Corn Storability. *Transactions of ASAE*. 41(4):1095-1100.
- Northolt, M. D., and L. B. Bullerman (1982). Prevention of Mold Growth and Toxin
 Production through Control of Environmental Conditions. *Journal of Food Protection*.
 45:519-526.
- Pitt, R. E. (1993). A Descriptive Model of Mold Growth and Aflatoxin Formulation as Affected by Environmental Conditions. *Journal of Food Protection*. 56(2):139-146.
- Rulon, R. A., D. E. Maier, and M.D. Boehlje (1999). A Post-harvest Economic Model to Evaluate Grain Chilling as an IPM Technology. *Journal of Stored Product Research*. 35:369-383.
- Saul, R. A., and J. L. Steele (1966). Why damaged shelled corn costs more to dry. *Agric*. *Engng.* 47(6): 326-329, 337.
- Schindler, A. F., J. G. Palmer, and W. V. Eisenberg (1967). Aflatoxin Production by Aspergillus Flavus as Related to Various Temperatures. Applied Microbiology. 15:1006-1009
- Shanahan, J.F., W.M. Brown, Jr. and T.D. Blunt (2003). Aflatoxins. Colorado State University, Cooperative Extension. Crop Series: Production. No. 0.306. <u>http://www.ext.colostate.edu/pubs/CROPS/00306.pdf</u>

SUFG–State Utility Forecast Group (2005). Indiana Electricity Projections: The 2005 Forecast. SUFG, Purdue University, Indiana.

http://www.purdue.edu/dp/energy/pdfs/SUFG/publications/Forecast2005.pdf

- Sweets, L. (no date). Stored Grain Fungi. Commercial Agriculture Program, Department of Plant Pathology, University of Missouri. http://agebb.missouri.edu/storage/disease/sgfungi.htm
- Thompson, T. L. (1972). Temporary Storage of High-Moisture Shelled Corn Using Continuous Aeration. *ASAE Transactions*. 15:333-337.
- White, N.D.G., R. N. Sinha, and W.E. Muir (1982a). Intergranular Carbon Dioxide as an Indicator of Biological Activity Associated with Spoilage of Stored Wheat. *Canadian Agricultural Engineering*. 24:35-42.
- White, N.D.G., R. N. Sinha, and W.E. Muir (1982b). Intergranular Carbon Dioxide as an Indicator of Deterioration in Stored Rapeseed. *Canadian Agricultural Engineering*. 24:43-49.
- Wilcke, W.F., K.E. Ileleji, P.Gupta, R.V. Morey, R.A. Meronuck (2001). Comparison of Sample Storage and Conditioning Methods of Corn Storability Tests. *Transactions of the* ASAE. 44(2):369-376.
- Wilcke, W. F., R. A. Meronuck, R. V. Morey, H. F. Ng, J. P. Lang, and D. Jiang (1993). Storage life of shelled corn treated with a fungicide. *Transactions of the ASAE* 36(6): 1847-1854.
- Wu, Felicia (2006). Mycotoxin reduction in Bt corn: potential economic, health, and regulatory Impacts. *Transgenic Research*. 15:277–289
- Yigezu, Y.A and C. E. Alexander (2007). Personal Interview with Farmers in Different Parts of Indiana and Illinois. Unpublished survey data.

Parameter	Units	Parameter Value
Drying cost	\$ per point per bushel	0.02
Moisture content at harvest	%	22
Wage rate	\$/hour	10
Time required for monitoring for molds	Hours per bushel	0.000111
Average bin size	Bushels	36000
Premium	Bushel	0.55
Storage fee	\$ per bushel per month	0.03
Penalty for mold damaged kernels	\$ per bushel	0.01
Interest rate	% per year	8
Electricity cost (SUFG, 2005)	\$ per KWH	0.07

Table 1. Parameters Used in the SDP Program

Table 2. Regression of MDK on DML

	Un-stan	dardized	
	Coeff	icients	Corrected R
Variables			Square
	Coefficient	Std. Error	
Constant (con)	-0.69	2.607	
Dry Matter Loss (DML)	14.23	4.257	0.349

Ini	tial in-bin Bio	ophysical	Percenta	ge of quality grain th	at can be
<u>Co</u>	nditions: Mid	l October	delivered to the	FP on July 31 for st	orage charge of:
Temp	DML (%)	MDK (%)	2.4¢/bushel/month	3¢/bushel/month	3.6¢/bushel/month
<u> </u>	0	0	4.67	100	100
	0.08	0.5	0	99.8	99.9
33°C	0.12	1	0	76.9	80.3
	0.15	1.5	0	18.2	19.6
	0.19	2	0	1.9	2.5
	0	0	5.04	100	100
	0.08	0.5	0	99.9	99.9
38°C	0.12	1	0	79.9	83.2
	0.15	1.5	0	19.12	20.7
	0.19	2	0	2.1	2.7

Table 3. Percentage of Quality Grain that can be Delivered to the Food Processor on July 31st




Figure 1: Seasonal Changes in Futures (F), Cash (B) and Smoothed Food Processor (X) Prices




Figure 2: Optimal Mold Management Strategies for Different Months

Time		
period	Dates	Possible farmer activities
0	August 1 - september15	Pre-filling sanitation (cleaning, dusting and spraying)
0	September 15 – October 15	Filling bin, drying, residual pesticide application
1	October 16 - October 31	Monitoring, Aeration, selling
2	November 1 - November 15	Monitoring, Aeration, selling Assumed to have
3	November 16 - November 30	Monitoring, Aeration, selling Same transition probabilities
4	December 1 - December 15	Monitoring, Aeration, selling
5	December 16 - December 31	Monitoring, Aeration, selling
6	January 1 – January 15	Monitoring, Aeration, selling Assumed to have
7	January 16 – January 31	Monitoring, Aeration, selling > same transition
8	February 1 – February 15	Monitoring, Aeration, selling probabilities
9	February 16 – February	Monitoring, Aeration, selling
10	March 1 – March 15	Monitoring, Aeration, selling
11	March 16 – March 31	Monitoring, Aeration, selling Assumed to have
12	April 1 – April 15	Monitoring, Aeration, selling $\int_{\text{probabilities}}^{\text{same}}$
13	April 16 - April 30	Monitoring, Aeration, selling
14	May 1 - May 15	Monitoring, Aeration, selling Assumed to have
15	May 16 - May 31	Monitoring, Aeration, selling same transition probabilities
16	June 1 - June 15	Monitoring, Aeration, selling
17	June 16 - June 30	Monitoring, Aeration, selling
18	July 1 - July 15	Monitoring, Aeration, selling
19	July 16 - July 30	Monitoring, Aeration, selling

Appendix A: <u>Time Periods and Possible Farmer Actions Assumed for the Model</u>

ofit if kent		Max	99861.38	97325.42		99818.21		99809.82		99805.94		99812.99		99815.03		99826.56		99833.97		100317.30		100302.20		100293.50		100297.40		100298.80	
Exnected Profit if kent	Trypund 1	Minimum	97445.86	95437.87		94630.87		95224.37		95201.94		95278.13		95256.36		95382.59		94788.61		95960.76		95960.76		96236.96		95942.29		95943.96	
fit if Sold w		Max	94832.61	94095.41	93670.99	94832.61	93670.99	94832.61	93731.59	94832.61	93731.59	94832.61	93731.59	94832.61	93731.59	94832.61	93731.59	94832.61	93670.99	95526.97		95526.97		95526.97	94362.51	95526.97		95526.97	
Actual profit if Sold	· · · ·	Minimum	94156.08	93731.59	93610.40	93731.59	93610.40	93792.20	93610.40	93792.20	93610.40	93792.20	93610.40	93792.20	93610.40	93792.20	93610.40	93731.59	93610.40	94362.51	94301.85	94362.51	94301.85	94423.18	94301.85	94362.51	94301.85	94362.51	01201 05
	:	Sell to	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FP	FР	FP	FP	FP	FP	FP	FP	FP	FP	FP	Ē
		Sell Corn by	8.84-19.999	7.466	Now	4.53-19.999	Now	6.59-20.00	Now	6.53-20.00	Now	6.79-20.00	Now	6.70-20.00	Now	7.14-20.00	Now	5.06-20.00	Now	8.00-20.00	Now	8.00-20.00	Now	8.93-19.997	Now	7.997-19.997	Now	8.00-20.00	NI.
		Sell/Keep	Keep	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	Sell	Keep	11-0
	•	Aeration	None	Conditional	None	Conditional	None	Conditional	None	Conditional	None	Conditional	None	Conditional	None	Conditional	None	Conditional	None	None	None	None	None	Conditional	None	Conditional	None	Conditional	NT
		MDK (%)	0-4	4.15-5.00	5.14-5.29	0-5.00	5.14-5.29	0-4.86	5.00-5.29	0-4.86	5.00-5.29	0-4.86	5.00-5.29	0-4.86	5.00-5.29	0-4.86	5.00-5.29	0-5.00	5.14-5.29	0-5.14	5.29	0-5.14	5.29	0-5.00	5.14-5.29	0-5.14	5.29	0-5.14	
State of Nature	Tain of Ivalue	DML (%)	0-33	34-40	41-42	0-40	41-42	0-39	40-42	0-39	40-42	0-39	40-42	0-39	40-42	0-39	40-42	0-40	41-42	0-41	42	0-41	42	0-40	41-42	0-41	42	0-41	5
<i>v</i>	-	Temp("C)	<=5.5	<=5.5	<=5.5	5.51-10.5	5.51-10.5	10.51-15.5	10.51-15.5	15.51-20.5	15.51-20.5	20.51-25.5	20.51-25.5	25.51-30.5	25.51-30.5	30.51-35.5	30.51-35.5	35.51-40.5	35.51-40.5	<=5.5	<=5.5	5.51-10.5	5.51-10.5	10.51-15.5	10.51-15.5	15.51-20.5	15.51-20.5	20.5-40.5	2012 200
	4	Period	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Oct-II	Nov-I	Nov-I	Nov-I	Nov-I	Nov-I	Nov-I	Nov-I	Nov-I	Nov-I	NI I

or	
SSS	
SCe	
$r_{\rm C}$	
l P	
ŏ	
$\mathbf{F}_{\mathbf{C}}$	
e	
th	
th	
Wi	
S	
act	
tr	
on	
\mathcal{O}	
pe	
gne	
Sig	
e e	
av	
h	
ou	
[V	
S	
me	
urn	
\mathbf{Fa}	
or F	
fc	
es	
. <u>છ</u>)
ate	
tr	
1 S	
imal	
tin	
d	l
10	
še	
3as	
B	
ŝu	
inc	
lit	
OL	
Σ	
ä	
XH	
di	
en	
<u> </u>	
A	l

Expected Profit if kept	Max	100750.40	100735.40	100726.90	100732.00		101184.40		78521.63	101167.30		78504.83	101166.00		78503.54	101167.60		78504.83	101618 70		96068.12	1		78865.00	101599.10		78862.41	101600.30		78863.71	101601.90
Expected]	Minimum	96321.06	96321.06	96281.82	96304.26		89.80/.66		77924.43	95691.88		77983.07	96012.65		77981.78	95691.88		77983.07	72 795 96		77371.31	96397.27		77354.51	96691.72		77351.93	96698.95		77353.22	96380.47
fit if Sold w	Max	96221.28	96221.28	96221.28	96221.28		66.11696		77924.43	96911.95		77924.43	96911.95	95437.92	77924.43	96911.95		77924.43	97606 16		96068.12	97606.16		78568.98	97606.16	96128.94	78568.98	97606.16	96128.94	78568.98	97606.16
Actual profit if Sold now	Minimum	94993.25	94993.25	94993.25	94993.25		95431.92	95377.17	77393.94	95437.92	95377.17	77393.94	95498.68	95377.17	77393.94	95437.92	95377.17	77393.94	96128 94	96068 12	77036.99	96128.94	96068.12	77036.99	96189.77	96068.12	77036.99	96189.77	96068.12	77036.99	96128.94
	Sell to	FP	FP	FP	FP		Η	FP	ELV	FP	FP	ELV	FP	Η	ELV	FP	FP	ELV	FР	멉	ELV	FP	Η	ELV	FP	FP	ELV	FP	Η	ELV	FP
	Sell Corn by	8.00-20.00	8.00-20.00	8.00-20.00	8.00-20.00		2.00-20.00	Now	10	5.00-20.00	Now	10	5.97-20.00	Now	10	5.00-20.00	Now	10	6 00-20 00	Now	10	6.00-20.00	Now	10	6.95-20.00	Now	10	6.97-20.00	Now	10	6.00-20.00
	Sell/Keep	Keep	Keep	Keep	Keep	11	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keen	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep
	Aeration	None	None	Conditional	Conditional		Conditional	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	None	None	None	Conditional	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	None
	MDK (%)	0-5.29	0-5.29	0-5.29	0-5.29		09.2-0	6.00	6.14-7.24	0-5.86	6.00	6.14-7.24	0-5.71	5.86 - 6.00	6.14-7.24	0-5.86	6.00	6.14-7.24	0-5 86	6.00	6.14-9.84	0-5.86	6.00	6.14-9.84	0-5.71	5.86-6.00	6.14-9.84	0-5.71	5.86 - 6.00	6.14-9.84	0-5.86
State of Nature	DML (%)	0-42	0-42	0-42	0-42		0-46	47	48-57	0-46	47	48-57	0-45	46-47	48-57	0-46	47	48-57	0-46	47	48-74	0-46	47	48-74	0-45	46-47	48-74	0-45	46-47	48-74	0-46
S	Temp (°C)	<=5.5	5.51-10.5	10.51-15.5	15.5.5-40.5	l	C.C=>	<=5.5	<=5.5	5.5.5-20.5	5.5.5-20.5	5.5.5-20.5	20.5-30.5	20.5-30.5	20.5-30.5	30.5-40.5	30.5-40.5	30.5-40.5	0-10.5	0-10.5	0-10.5	10.5-20.5	10.5-20.5	10.5-20.5	20.51-25.5	20.51-25.5	20.51-25.5	25.51-30.5	25.51-30.5	25.51-30.5	30.5-40.5
	Period	II-voN	II-voN	II-voN	Nov-II	÷	Dec-I	Dec-I	Dec-I	Dec-I	Dec-I	Dec-I	Dec-I	Dec-I	Dec-I	Dec-I	Dec-I	Dec-I	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II	Dec-II

ofit if kept	Max	78865.00	102053.10		79243.38	102035.90		79226.58	102034.70		79225.28	102036.30		79226.58	01 791 001	102401.40		79606.38	102470.30		79589.58	102469.10		79588.28	102470.60		79589.58	102920.90		79970.81	102903.80
Expected Profit if kept	Minimum	77354.51	97085.82		76739.98	97069.02		76723.18	97385.20		76721.89	97069.02		76723.18	12 VLLL0	10.41116		76105.88	97757.51		76089.08	98071.41		76087.79	97757.51		76089.08	98462.76		75469.02	98445.96
fit if Sold w	Max	78568.98	98300.32		78785.80	98300.32		78785.80	98300.32	96819.91	78785.80	98300.32		78785.80	00001 12	70774.40		78400.27	98994.43		78400.27	98994.43	97510.82	78400.27	98994.43		78400.27	99688.49		79076.74	99688.49
Actual profit if Sold now	Minimum	77036.99	96819.91	96759.01	76254.85	96819.91	96759.01	76254.85	96880.81	96759.01	76254.85	96819.91	96759.01	76254.85	07510 07	70.01016	97449.86	74876.14	97510.82	97449.86	74876.14	97571.80	97449.86	74876.14	97510.82	97449.86	74876.14	98201.69	98140.66	74555.43	98201.69
	Sell to	ELV	FP	FP	ELV	FP	FP	ELV	FP	FP	ELV	FP	FP	ELV	ED	11	FP	ELV	FP	FP	ELV	FP	FP	ELV	FP	FP	ELV	FP	FP	ELV	FP
	Sell Corn by	10	7.00-20.00	Now	10	7.00-20.00	Now	10	7.00-20.00	Now	10	7.00-20.00	Now	10		00.02-00.0	Now	10	8.00-20.00	Now	10	8.97-20.00	Now	10		Now	10	9.00-20.00	Now	10	
	Sell/Keep	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Voon	Neep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep
	Aeration	Conditional	None	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	Mono	AUDIT	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	None	None	None	Conditional
	MDK (%)	6.14-9.84	0-5.86	6.00	6.14-12.26	0-5.86	6.00	6.14-12.26	0-5.71	5.86-6.00	6.14-12.26	0-5.86	6.00	6.14-12.26	70 Z U	00.0-0	6.00	6.14-12.26	0-5.71	6.00	6.14-12.26	0-5.71	5.86-6.00	6.14-12.26	0-5.86	6.00	6.14-12.26	0-12.26	6.00	6.14-12.26	0-5.86
State of Nature	DML (%)	48-74	0-46	47	48-91	0-46	47	48-91	0-45	46-47	48-91	0-46	47	48-91	0.46	0+-0	47	48-91	0-45	47	48-91	0-45	46-47	48-91	0-46	47	48-91	0-91	47	48-91	0-46
St	Temp (°C)	30.5-40.5	0-10.5	0-10.5	0-10.5	5.5.5-20.5	5.5.5-20.5	5.5.5-20.5	20.5-30.5	20.5-30.5	20.5-30.5	30.5-40.5	30.5-40.5	30.5-40.5	2 2 V	C.C->	<=5.5	<=5.5	5.5.5-20.5	5.5.5-20.5	5.5.5-20.5	20.5-30.5	20.5-30.5	20.5-30.5	30.5-40.5	30.5-40.5	30.5-40.5	0-10.5	0-10.5	0-10.5	5.5.5-20.5
	Period	Dec-II	Jan-I	Jan-I	Jan-I	Jan-I	Jan-I	Jan-I	Jan-I	Jan-I	Jan-I	Jan-I	Jan-I	Jan-I	Ion II	11-IID	Jan-II	Jan-II	Jan-II	Jan-II	Jan-II	Jan-II	Jan-II	Jan-II	Jan-II	Jan-II	Jan-II	Feb-I	Feb-I	Feb-I	Feb-I

pt			01	60		70	10		01	30		66	20		86	20		55	50		86	30			90	50	20	00		40
ofit if ke	Max		79954.01	102902.60		79952.70	102904.10		79954.01	103349.30		80336.66	103332.20		80319.86	103331.20		80318.55	103332.50		80319.86	103768.30			103755.90	102674.50	102168.20	102030.00		101814.40
Expected Profit if kept	Minimum		75452.22	98754.10		75450.93	98445.96		75452.22	99147.60		74829.38	99130.80		74812.58	99440.12		74811.29	99130.80		74812.58	99835.95			102737.40	102240.30	102097.90	101958.90	101885.10	100443.80
fit if Sold w	Max		79076.74	99688.49	98201.69	79076.74	99688.49		79076.74	100382.50		79115.22	100382.50		79115.22	100382.50	98892.51	79115.22	100382.50		79115.22	101072.90		80703.96	101072.90	100872.30	100744.00	100621.30		100437.30
Actual profit if Sold now	Minimum	98140.66	74555.43	98262.74	98140.66	74555.43	98201.69	98140.66	74555.43	98892.51	98831.41	73603.33	98892.51	98831.41	73603.33	98953.63	98831.41	73603.33	98892.51	98831.41	73603.33	99579.72	99518.54	75002.01	100882.80	100805.40	100682.60	100559.90	100498.60	99702.10
	Sell to	FP	ELV	FP	FΡ	ELV	FP	FP	ELV	FP	FP	ELV	FΡ	FΡ	ELV	FP	FP	ELV	FP	FP	ELV	FP	FP	ELV	FP	FP	FP	FP	FP	FP
	Sell Corn by	Now	10	9.95-20.00	Now	10	9.00-20.00	Now	10		Now	10	10.00-20.00	Now	10		Now	10		Now	10	11-20.00	Now	Now	19.98-20.00	18.75-19.96	18.17-18.41	17.75-18.01	17.4	13.00-17.18
	Sell/Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Keep	Keep	Sell	Sell	Keep	Keep	Keep	Keep	Keep	Keep
	Aeration	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	None	None	None	Conditional	None	Conditional	Conditional	None	Conditional	Conditional	None	Conditional	None	None	None	None	Conditional	None	Conditional	None	Conditional
	MDK (%)	6.00	6.14-12.26	0-5.71	5.86-6.00	6.14-12.26	0-5.86	6.00	6.14-12.26	0-12.26	6.00	6.14-12.26	0-5.86	6.00	6.14-12.26	0-5.71	5.86-6.00	6.14-12.26	0-5.86	6.00	6.14-12.26	0-5.86	6.00	6.14-19.94	0-2.01	2.16-3.01	3.15-3.29	3.29-3.58	3.72	3.86-5.57
State of Nature	DML (%)	47	48-91	0-45	46-47	48-91	0-46	47	48-91	0-91	47	48-91	0-46	47	48-91	0-45	46-47	48-91	0-46	47	48-91	0-46	47	48-145	0-19	20-26	27-28	29-30	31	32-44
S	Temp (°C)	5.5.5-20.5	5.5.5-20.5	20.5-30.5	20.5-30.5	20.5-30.5	30.5-40.5	30.5-40.5	30.5-40.5	<=5.5	<=5.5	<=5.5	5.5.5-20.5	5.5.5-20.5	5.5.5-20.5	20.5-30.5	20.5-30.5	20.5-30.5	30.5-40.5	30.5-40.5	30.5-40.5	<=5.5	<=5.5	<=5.5	5.51-10.5	5.51-10.5	5.51-10.5	5.51-10.5	5.51-10.5	5.51 - 10.5
	Period	Feb-I	Feb-I	Feb-I	Feb-I	Feb-I	Feb-I	Feb-I	Feb-I	Feb-II	Feb-II	Feb-II	Feb-II	Feb-II	Feb-II	Feb-II	Feb-II	Feb-II	Feb-II	Feb-II	Feb-II	Mar-I	Mar-I	Mar-I	Mar-I	Mar-I	Mar-I	Mar-I	Mar-I	Mar-I

		State of Nature						Actual profit if Sold now	ofit if Sold w	Expected Profit if kent	ofit if kent
Period	Temp (°C)	DML (%)	MDK (%)	Aeration	Sell/Keep	Sell Corn by	Sell to	Minimum	Max	Minimum	Max
Mar-I	5.51-10.5	47	6.00	None	Sell	Now	FP	99518.54			
Mar-I	5.51-10.5	48-145	6.14-19.94	None	Sell	Now	ELV	75002.01	80703.96		
Mar-I	10.5-20.5	0-46	0-5.86	Conditional	Keep		FP	99579.72	101072.90	99819.15	103751.20
Mar-I	10.5-20.5	47	6.00	None	Sell	Now	FP	99518.54			
Mar-I	10.5-20.5	48-145	6.14-19.94	None	Sell	Now	ELV	75002.01	80703.96		
Mar-I	20.5-30.5	0-45	0-5.71	Conditional	Keep	11.97-20.00	FP	99640.90	101072.90	100126.20	103750.50
Mar-I	20.5-30.5	46-47	5.86-6.00	None	Sell	Now	FP	99518.54	99579.72		
Mar-I	20.5-30.5	48-145	6.14-19.94	None	Sell	Now	ELV	75002.01	10.00		
Mar-I	30.5-40.5	0-46	0-5.86	Conditional	Keep	11.00-20.00	FP	99579.72	101072.90	99819.15	103751.50
Mar-I	30.5-40.5	47	6.00	None	Sell	Now	FP	99518.54			
Mar-I	30.5-40.5	48-145	6.14-19.94	None	Sell	Now	ELV	75002.01	80703.96		
Mar-II	<=5.5	0-46	0-5.86	None	Keep	13.74-20.00	FP	100270.40	101766.80	100524.20	104179.10
Mar-II	<=5.5	47	6.00	None	Sell	Now	Η	100209.20			
Mar-II	<=5.5	48-145	6.14-19.94	None	Sell	Now	ELV	74334.03	80029.55		
Mar-II	5.51-10.5	0-44	0-5.57	None	Keep	13.74-20.00	FP	100393.00	101766.80	101058.50	104168.10
Mar-II	5.51-10.5	45	5.71	Conditional	Keep	12.77	FP	100331.70		100763.40	
Mar-II	5.51-10.5	46	5.86	None	Keep	12	FP	100270.40		100524.20	
Mar-II	5.51-10.5	47	6.00	None	Sell	Now	FP	100209.20			
Mar-II	5.51-10.5	48-145	6.14-19.94	None	Sell	Now	ELV	74334.03	80029.55		
Mar-II	10.5-25.5	0-45	0-5.71	Conditional	Keep	12.68-20.00	FP	100331.70	101766.80	100733.10	104148.80
Mar-II	10.5-25.5	46-47	5.86-6.00	None	Sell	Now	FP	100209.20	100270.40		
Mar-II	10.5-25.5	48-145	6.14-19.94	None	Sell	Now	ELV	74334.03	80029.55		
Mar-II	25.51-30.5	0-45	0-5.71	Conditional	Keep	12.84-20.00	FP	100393.00	101766.80	100784.90	104144.10
Mar-II	25.51-30.5	46-47	5.86-6.00	None	Sell	Now	FP	100209.20	100331.70		
Mar-II	25.51-30.5	48-145	6.14-19.94	None	Sell	Now	ELV	74334.03	80029.55		
Mar-II	30.5-40.5	0-45	0-5.71	Conditional	Keep	12.71-20.00	FP	100331.70	101766.80	100738.60	104150.20
Mar-II	30.5-40.5	46-47	5.86-6.00	None	Sell	Now	FP	100209.20	100270.40		
Mar-II	30.5-40.5	48-145	6.14-19.94	None	Sell	Now	ELV	74334.03	80029.55		
1 V		24.0	0 2 02	N			Ē	100021 10			101502 20
Apr-1	C.C=>	0-40	02.2-0	None	Keep G	13.00-20.00	T T	100961.10	102460.60	101212.00	104293.30
Apr-I	<=5.5	47	0.00	None	Sell	Now	Η̈́	100899.80			

		State of Nature						Actual profit if Sold now	fit if Sold w	Expected Profit if kent	ofit if kent
Period	Temp (°C)	DML (%)	MDK (%)	Aeration	Sell/Keep	Sell Corn by	Sell to	Minimum	Max	Minimum	Max
Apr-I	<=5.5	48-145	6.14-19.94	None	Sell	Now	ELV	74071.85	79764.94		
Apr-I	5.51-10.5	0-34	0-4.15	None	Keep	17.17-20.00	FP	101083.80	102460.60	101560.60	104581.50
Apr-I	5.51-10.5	35-45	4.29-5.71	Conditional	Keep	13.77-17.01	FP	101022.40	101449.90		
Apr-I	5.51-10.5	46	5.86	None	Keep	13	FP	100961.10	101212.50		
Apr-I	5.51-10.5	47	6.00	None	Sell	Now	FP	100899.80			
Apr-I	5.51-10.5	48-145	6.14-19.94	None	Sell	Now	ELV	74071.85	79764.94		
Apr-I	10.5-25.5	0-45	0-5.71	Conditional	Keep	13.68-20.00	FP	101022.40	102460.60	101419.70	104563.60
Apr-I	10.5-25.5	46-47	5.86 - 6.00	None	Sell	Now	FP	100899.80	100961.10		
Apr-I	10.5-25.5	48-145	6.14-19.94	None	Sell	Now	ELV	74071.85	79764.94		
Apr-I	25.51-30.5	0-41	0-5.14	Conditional	Keep	15.36-20.00	FP	101267.80	102460.60	101965.90	104558.90
Apr-I	25.51-30.5	42-44	5.29-5.57	Always	Keep	13.40-14.67	FP	101083.80	101206.50	101360.50	101716.10
Apr-I	25.51-30.5	45-47	5.71-6.00	None	Sell	Now	FP	100899.80	101022.40		
Apr-I	25.51-30.5	48-145	6.14-19.94	None	Sell	Now	ELV	74071.85	79764.94		
Apr-I	30.5-40.5	0-45	0-5.71	Conditional	Keep	13.70-20.00	FP	101022.40	102460.60	101425.20	104563.90
Apr-I	30.5-40.5	46-47	5.86-6.00	None	Sell	Now	FP	100899.80	100961.10		
Apr-I	30.5-40.5	48-145	6.14-19.94	None	Sell	Now	ELV	74071.85	79764.94		
Apr-II	0-10.5	0-46	0-5.86	None	Keep	14.00-20.00	FP	101651.70	103154.50	101900.70	104991.80
Apr-II	0-10.5	47	6.00	None	Sell	Now	FΡ	101590.30			
Apr-II	0-10.5	48-145	6.14-19.94	None	Sell	Now	ELV	74180.19	79874.49		
Apr-II	10.5-20.5	0-45	0-5.71	Conditional	Keep	14.00-20.00	FP	101713.10	103154.50	101902.90	104970.70
Apr-II	10.5-20.5	46-47	5.86 - 6.00	None	Sell	Now	FP	101590.30	101713.10		
Apr-II	10.5-20.5	48-145	6.14-19.94	None	Sell	Now	ELV	74180.19	79874.49		
Apr-II	20.5-30.5	0-45	0-5.71	Conditional	Keep	14.39-20.00	FP	101774.50	103154.50	102036.10	104961.90
Apr-II	20.5-30.5	45-47	5.86-6.00	None	Sell	Now	FP	101590.30	101713.10		
Apr-II	20.5-30.5	48-145	6.14-19.94	None	Sell	Now	ELV	74180.19	79874.49		
Apr-II	30.5-40.5	0-45	0-5.71	Conditional	Keep	14.00-20.00	FP	101713.10	103154.50	101912.50	104962.80
Apr-II	30.5-40.5	46-47	5.86 - 6.00	None	Sell	Now	FP	101590.30	101651.70		
Apr-II	30.5-40.5	48-145	6.14-19.94	None	Sell	Now	ELV	74180.19	79874.49		
1 - 1 4	2 O F O	9 F C			17			00 100 00 1			00 201 201
May-I	C.U1-U	0-4-0	1/.C-0	None	Keep č	00.02-00.61	H H	102403.80	103848.20	00.020201	102.104001
May-I	0-10.5	46-47	0.09-98.5	None	Sell	Now	Η̈́	102280.80	102342.30		

	S	State of Nature						Actual profit if Sold now	fit if Sold w	Expected Profit if kent	ofit if kent
Period	Temp (°C)	DML (%)	MDK (%)	Aeration	Sell/Keep	Sell Corn by	Sell to	Minimum	Max	Minimum	Max
May-I	0-10.5	48-145	6.14-19.94	None	Sell	Now	ELV	73953.21	79645.42		
May-I	10.51-15.5	0-45	0-5.71	Conditional	Keep	15.06-20.00	FP	102403.80	103848.20	102592.30	105386.90
May-I	10.51-15.5	46-47	5.86-6.00	None	Sell	Now	FP	102280.80	102342.30		
May-I	10.51-15.5	48-145	6.14-19.94	None	Sell	Now	ELV	73953.21	79645.42		
May-I	15.51-20.5	0-43	0-5.43	Conditional	Keep	15.13-20.00	FP	102526.70	103848.20	102677.20	105368.50
May-I	15.51-20.5	44-47	5.57-6.00	None	Sell	Now	FР	79645.42	102465.20		
May-I	15.51-20.5	48-145	6.14-19.94	None	Sell	Now	ELV	73953.21	79645.42		
May-I	20.51-25.5	0-42	0-5.29	Conditional	Keep	15.11-20.00	FΡ	102588.20	103848.20	102715.80	105350.70
May-I	20.51-25.5	43-47	5.43-6.00	None	Sell	Now	FР	102280.80	102526.70		
May-I	20.51-25.5	48-145	6.14-19.94	None	Sell	Now	ELV	73953.21	79645.42		
May-I	25.5-35.5	0-41	0-5.14	Conditional	Keep	15.00-20.00	FР	102649.70	103848.20	102835.10	105351.90
May-I	25.5-35.5	42	5.29	Always	Keep	15.02	FР	102588.20		102681.80	
May-I	25.5-35.5	43-47	5.43-6.00	None	Sell	Now	FP	102280.80	102526.70		
May-I	25.5-35.5	48-145	6.14-19.94	None	Sell	Now	ELV	73953.21	79645.42		
May-I	35.51-40.5	0-42	0-5.29	Conditional	Keep	15.00-20.00	FP	102588.20	103848.20	102737.80	105356.20
May-I	35.51-40.5	43	5.43	Always	Keep	15	FP	102526.70		102637.20	
May-I	35.51-40.5	44-47	5.57-6.00	None	Sell	Now	FP	102280.80	102465.20		
May-I	35.51-40.5	48-145	6.14-19.94	None	Sell	Now	ELV	73953.21	79645.42		
May-II	0-10.5	0-45	0-5.71	None	Keep	15.00-20.00	FP	103094.30	104541.90	103313.70	105842.40
May-II	0-10.5	46-47	5.86-6.00	None	Sell	Now	FP	102971.30	103032.80		
May-II	0-10.5	48-145	6.14-19.94	None	Sell	Now	ELV	74237.90	79933.07		
May-II	0-10.5	0-45	0-5.71	Conditional	Keep	15.06-20.00	FP	103094.30	104541.90	103264.20	105814.80
May-II	10.51-15.5	46-47	5.86-6.00	None	Sell	Now	FP	102971.30	103032.80		
May-II	10.51-15.5	48-145	6.14-19.94	None	Sell	Now	ELV	74237.90	79933.07		
May-II	10.51-15.5	0-42	0-5.29	Conditional	Keep	16.00-20.00	FP	103279.00	104541.90	103384.30	105780.90
May-II	18-23	43-47	5.43-6.00	None	Sell	Now	FP	102971.30	103217.50		
May-II	18-23	48-145	6.14-19.94	None	Sell	Now	ELV	74237.90	79933.07		
May-II	18-23	0-41	0-5.14	Conditional	Keep	16.04-20.00	FP	103340.60	104541.90	103462.40	105781.70
May-II	25.5-35.5	42	5.29	Always	Keep	16	FP	103279.00		103366.30	
May-II	25.5-35.5	43-47	5.43-6.00	None	Sell	Now	FP	102971.30	103217.50		
May-II	25.5-35.5	48-145	6.14-19.94	None	Sell	Now	ELV	74237.90	79933.07		

Expected Profit if kept	Max	105784.60				106326.00			106251.40				106210.80			106215.90	104078.30			106221.20			106769.30			106707.20				106681.20	
Expected P	Minimum	103414.30	103325.40			104029.70			104076.10				104066.20			104153.10	104016.80			103995.10			104717.80			104764.30				104696.90	
fit if Sold w	Max	104541.90		103155.90	79933.07	105235.60	103784.90	78955.47	105235.60		103846.50	78955.47	105235.60	103969.80	78955.47	105235.60	104031.40	103908.10	78955.47	105235.60	103846.50	78955.47	105925.60	104471.80	78583.69	105925.60	104695.50	104471.80	78583.69	105925.60	
Actual profit if Sold now	Minimum	103279.00	103217.50	102971.30	74237.90	103846.50	103661.70	73269.68	103969.80	103908.10	103661.70	73269.68	104031.40	103661.70	73269.68	104093.10	103969.80	103661.70	73269.68	103908.10	103661.70	73269.68	104533.50	104348.40	72901.38	104656.90	104595.20	104348.40	72901.38	104656.90	010101
	Sell to	FP	FP	FP	ELV	FP	FP	ELV	FP	FP	FP	ELV	FP	FP	ELV	FP	FP	FP	ELV	FP	FP	ELV	FP	FP	ELV	FP	FP	FP	ELV	FP	
	Sell Corn by	16.00-20.00	16	Now	Now	17.00-20.00	Now	Now	17.00-20.00	17	Now	Now	17.00-20.00	Now	Now	17.00-20.00	17	Now	Now	17.00-20.00	Now	Now	18.00-20.00	Now	Now	18.00-20.00	18.00-20.00	Now	Now	18.00-20.00	
	Sell/Keep	Keep	Keep	Sell	Sell	Keep	Sell	Sell	Keep	Keep	Sell	Sell	Keep	Sell	Sell	Keep	Keep	Sell	Sell	Keep	Sell	Sell	Keep	Sell	Sell	Keep	Keep	Sell	Sell	Keep	;
	Aeration	Conditional	Always	None	None	None	None	None	Conditional	Conditional	None	None	Conditional	None	None	Conditional	Always	None	None	Conditional	None	None	None	None	None	None	Conditional	None	None	Conditional	
	MDK (%)	0-5.29	5.43	5.57-6.00	6.14-19.94	0-5.71	5.86-6.00	6.14-19.94	0-5.29	5.43	5.57-6.00	6.14-19.94	0-5.14	5.29-6.00	6.14-19.94	0-5.00	5.14-5.29	5.43-6.00	6.14-19.94	0-5.43	5.57-6.00	6.14-19.94	0-5.57	5.71-6.00	6.14-19.94	0-5.29	5.43	5.57-6.00	6.14-19.94	0-5.29	
State of Nature	DML (%)	0-42	43	44-47	48-145	0-45	45-47	48-145	0-42	43	44-47	48-145	0-41	42-47	48-145	0-40	41-42	43-47	48-145	0-43	44-47	48-145	0-44	45-47	48-145	0-42	43	44-47	48-145	0-42	
S	Temp (°C)	25.5-35.5	35.51-40.5	35.51-40.5	35.51-40.5	<=5.5	<=5.5	<=5.5	<=5.5	5.5-15.5	5.5-15.5	5.5-15.5	5.5-15.5	15.5-30.5	15.5-30.5	15.5-30.5	30.51-35.5	30.51-35.5	30.51-35.5	30.51-35.5	35.51-40.5	35.51-40.5	<=5.5	<=5.5	<=5.5	<=5.5	5.5-15.5	5.5-15.5	5.5-15.5	5.5-15.5	
	Period	May-II	May-II	May-II	May-II	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-I	June-II	June-II	June-II	June-II	June-II	June-II	June-II	June-II	

ofit if kept	Max		106666.70			106671.80	104766.40			106677.20			107201 20				107164.60				107138.60			107124.30			107129.50	105454.50			107134.80		
Expected Profit if kept	Minimum		104754.30			104841.30	104704.90			104683.20			105405 80				105452.30	105383.50			105384.90			105442.40			105530.30	105392.90			105371.20		
fit if Sold w	Max	78583.69	105925.60	104656.90	78583.69	105925.60	104718.60	104595.20	78583.69	105925.60	104533.50	78583.69	10661910	105157 70	02.201001	77748.55	106619.10		105224.00	77748.55	106619.10	105285.80	77748.55	106619.10	105347.60	77748.55	106619.10	105409.40	105285.80	77748.55	106619.10	105224.00	77748.55
Actual profit if Sold now	Minimum	72901.38	104718.60	104348.40	72901.38	104780.40	104656.90	104348.40	72901.38	104595.20	104348.40	72901.38	105224.00	10502070	102038./U	72074.22	105347.60	105285.80	105038.70	72074.22	105347.60	105038.70	72074.22	105409.40	105100.50	72074.22	105471.20	105347.60	105038.70	72074.22	105285.80	105038.70	72074.22
	Sell to	ELV	FP	FP	ELV	FP	FP	FP	ELV	FP	FP	ELV	FР	1	H H	ELV	FP	FP	FP	ELV	FP	FP	ELV	FP	Η	ELV	FP	FP	FP	ELV	FP	FP	ELV
	Sell Corn by	Now	18.00-20.00	Now	Now	18.02-20.00	18	Now	Now	18.00-20.00	Now	Now	19 00-20 00	No	Now	Now	19.00-20.00	19.00-20.00	Now	Now	19.00-20.00	Now	Now	19.00-20.00	Now	Now	19.02-20.00	19	Now	Now	19.00-20.00	Now	Now
	Sell/Keep	Sell	Keep	Sell	Sell	Keep	Keep	Sell	Sell	Keep	Sell	Sell	Keen	doort Coll	Sell 2 II	Sell	Keep	Keep	Sell	Sell	Keep	Sell	Sell	Keep	Sell	Sell	Keep	Keep	Sell	Sell	Keep	Sell	Sell
	Aeration	None	Conditional	None	None	Conditional	Always	None	None	Conditional	None	None	None	Mono	None	None	None	Conditional	None	None	Conditional	None	None	Conditional	None	None	Conditional	Always	None	None	Conditional	None	None
	MDK (%)	6.14-19.94	0-5.14	5.29-6.00	6.14-19.94	0-5.00	5.14-5.29	5.43-6.00	6.14-19.94	0-5.43	5.57-6.00	6.14-19.94	0-5 57	571 600	0.01-0.00	6.14-19.94	0-5.29	5.43	5.57-6.00	6.14-19.94	0-5.29	5.43-6.00	6.14-19.94	0-5.14	5.29-6.00	6.14-19.94	0-5.00	5.14-5.29	5.43-6.00	6.14-19.94	0-5.43	5.57-6.00	6.14-19.94
State of Nature	DML (%)	48-145	0-41	42-47	48-145	0-40	41-42	43-47	48-145	0-43	44-47	48-145	0-44	15 17	4-64	48-145	0-42	43	44-47	48-145	0-42	43-47	48-145	0-41	42-47	48-145	0-40	41-42	43-47	48-145	0-43	44-47	48-145
S	Temp (°C)	15.51-20.5	15.51-20.5	20.5-30.5	20.5-30.5	20.5-30.5	30.51-35.5	30.51-35.5	30.51-35.5	30.51-35.5	35.51-40.5	35.51-40.5	55	2. Z – V	C.C=>	<=5.5	<=5.5	5.5-15.5	5.5-15.5	5.5-15.5	5.5-15.5	15.51-20.5	15.51-20.5	15.51-20.5	20.5-30.5	20.5-30.5	20.5-30.5	30.51-35.5	30.51-35.5	30.51-35.5	30.51-35.5	35.51-40.5	35.51-40.5
	Period	June-II	June-II	June-II	June-II	June-II	June-II	June-II	June-II	June-II	June-II	June-II	T-vlu1	Inlu I	July-L	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I	July-I

								Actual profit if Sold	fit if Sold		
		State of Nature	0					mon	M	Expected Profit if kept	ofit if kept
Period	Temp (°C)	DML (%)	MDK (%)	Aeration	Sell/Keep	Sell Corn by	Sell to	Minimum	Max	Minimum	Max
July-II	<=5.5	0-44	0-5.57	None	Keep	19.00-20.00	FР	105914.40	107312.70	106132.80	107624.70
July-II	<=5.5	45-47	5.71-6.00	None	Sell	Now	FP	105729.00	105852.60		
July-II	<=5.5	48-145	6.14-19.94	None	Sell	Now	ELV	70929.39	76592.60		
July-II	<=5.5	0-42	0-5.29	None	Keep	20	FР	106038.10	107312.70	106179.40	107610.70
July-II	5.5-15.5	43	5.43	Conditional	Keep	20	FP	105976.30		106110.50	
July-II	5.5-15.5	44-47	5.57-6.00	None	Sell	Now	FP	105729.00	105914.40		
July-II	5.5-15.5	48-145	6.14-19.94	None	Sell	Now	ELV	70929.39	76592.60		
July-II	5.5-15.5	0-42	0-5.29	Conditional	Keep	20	FP	106038.10	107312.70	106111.90	107597.80
July-II	15.51-20.5	43-47	5.43-6.00	None	Sell	Now	FР	105729.00	105976.30		
July-II	15.51-20.5	48-145	6.14-19.94	None	Sell	Now	ELV	70929.39	76592.60		
July-II	15.51-20.5	0-41	0-5.14	Conditional	Keep	20	FP	106100.00	107312.70	106169.50	107584.00
July-II	20.5-30.5	42-47	5.29-6.00	None	Sell	Now	FР	105729.00	106038.10		
July-II	20.5-30.5	48-145	6.14-19.94	None	Sell	Now	ELV	70929.39	76592.60		
July-II	20.5-30.5	0-40	0-5.00	Conditional	Keep	20	FP	106161.90	107312.70	106255.90	107588.50
July-II	30.51-35.5	41-42	5.14-5.29	Always	Keep	20	FP	106038.10	106100.00	106120.00	106181.70
July-II	30.51-35.5	43-47	5.43-6.00	None	Sell	Now	FP	105729.00	105976.30		
July-II	30.51-35.5	48-145	6.14-19.94	None	Sell	Now	ELV	70929.39	76592.60		
July-II	30.51-35.5	0-43	0-5.43	Conditional	Keep	20	FP	105976.30	107312.70	106098.20	107593.40
July-II	35.51-40.5	44-47	5.57-6.00	None	Sell	Now	FP	105729.00	105914.40		
July-II	35.51-40.5	48-145	6.14 - 19.94	None	Sell	Now	ELV	70929.39	76592.60		

DML (%): dry matter loss in %

MDK (%): number of mold damaged kernels (%)

Sell corn by: the code number of the optimal time of sale (decimals indicate that optimal time of sale has a probability distribution) to whom to sell (FP = food processor, ELV = Elevator) Sell to:

the actual/expected profit corresponding respectively to the highest and lowest MDKs in the group. Minimum & Maximum: