



**AgEcon** SEARCH  
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

*The World's Largest Open Access Agricultural & Applied Economics Digital Library*

**This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.**

**Help ensure our sustainability.**

Give to AgEcon Search

AgEcon Search  
<http://ageconsearch.umn.edu>  
[aesearch@umn.edu](mailto:aesearch@umn.edu)

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*



*International Food and Agribusiness Management Review*  
Volume 10, Issue 2, 2007

## **Bio-ethanol Production from Wheat in the Winter Rainfall Region of South Africa: A Quantitative Risk Analysis**

James W. Richardson<sup>a</sup>®, Wessel J. Lemmer<sup>b</sup>, and Joe L. Outlaw<sup>c</sup>

<sup>a</sup> *Regents Professor and TAES Senior Faculty Fellow, Department of Agricultural Economics, Texas A&M University, College Station, Texas, 77843, USA.*

<sup>b</sup> *Senior Economist, Grain South Africa, P.O. Box 88, Bothaville, 9660, South Africa.*

<sup>c</sup> *Professor and Extension Economist, Co-Director Agricultural and Food Policy Center, Department of Agricultural Economics, Texas A&M University, College Station, Texas, 77843, USA.*

---

### **Abstract**

Contrary to developments in other parts of the world, South Africa has not developed a bio-ethanol industry. The objective was to quantify the risks and economic viability of a wheat based bio-ethanol plant in the winter rainfall region of South Africa. Monte Carlo simulation of a bio-ethanol plant was used to quantify the risk that investors will likely face. Under the Base scenario a 103 million liter bio-ethanol plant would not offer a reasonable chance of being economically viable. Alternative price enhancing policies were analyzed to determine policy changes needed to make a bio-ethanol plant economically viable in the region.

**Keywords:** biofuels, ethanol, risk analysis, simulation, economic viability, Simetar, SERF

---

®Corresponding author: Tel: + 979-845-5913

Email: [jwrichardson@tamu.edu](mailto:jwrichardson@tamu.edu)

Other contact information: W.Lemmer: [wessel@grainsa.co.za](mailto:wessel@grainsa.co.za)

J. Outlaw: [joutlaw@tamu.edu](mailto:joutlaw@tamu.edu)

## **Introduction**

Contrary to developments in other parts of the world, South Africa has not developed a bio-ethanol industry. In spite of interest from government, financial institutions and investors, there are no grain based bio-ethanol plants operating in the country. Public and private role-players, involved with the bio-ethanol supply chain developments in South Africa, expect an official investment incentive dispensation from the national government for the successful introduction of bio-ethanol to the on-road fuels market. Furthermore, the provincial government and future supply chain members who consider promoting the production of bio-ethanol from wheat as a feedstock need a better understanding of the risks and prospects involved. While currently limited, increased knowledge on the risks and economic viability for the industry will enhance the ability of the national and provincial government to prepare investment incentives to finalize the draft bio-fuels industrial strategy.

The Western Cape Provincial Government see the possible developments of the bio-ethanol industry as an opportunity to address socio-economic development. An annual gross income and revenue stream from a bio-ethanol industry is expected to create employment throughout the province, thus addressing long-term unemployment in addition to the jobs created during construction. The introduction of a local bio-ethanol plant may create an economic spin off that will indirectly involve the creation of additional jobs in the economy. Benefits will accrue to all input sectors, particularly to wheat producers if the price of wheat is increased.

Wheat that is currently exported to other provinces could be used for bio-ethanol production and thus create new jobs at the provincial level and in rural areas. The provincial surplus of wheat produced in the Western Cape Province is sufficient to supply six percent of the total petroleum demanded. However, there are concerns about wheat bio-ethanol plants bidding up wheat price and thus food costs.

The current surge in feedstock prices, lack of incentives to encourage development, a general notion to evaluate the potential of the industry on point estimates (average, best-case, worst-case), and concerns about pressure on food prices reduces the confidence of investors. Agribusinesses in South Africa generally believe that the bio-ethanol industry is a break-even industry. Given the risks associated with feedstock price and availability, investors are cautious and they are demanding risk based economic feasibility analyses prior to investing.

New interest has been raised by the Draft National Bio-fuels Industrial Strategy. But, given the recommendations made in the Draft Strategy the bio-fuels industry would, according to the South African Biofuels Association (SABA), not be lucrative enough to attract investment. According to financial institutions investors require a real rate of return on investment of 19 percent (nominal 25 percent). At this point

a risk-based study of the economic feasibility for a wheat bio-ethanol plant in the Western Cape Province is needed to estimate the probability of success given the required return on investment.

The objective of this paper is to quantify the risks and economic prospects that influence the profitability of bio-ethanol production from wheat in the winter rainfall region of South Africa. Specific objectives are to: quantitatively assess risks that influence the income of potential bio-ethanol developments and identify possible public policy that could be used to enhance the economic viability of bio-ethanol developments.

## **Procedures**

The objectives will be achieved by simulating the economic activity associated with a proposed wheat bio-ethanol plant in the Western Cape Province for 10 years under alternative policy assumptions. The alternative policy assumptions are based on the Draft Biofuels Industrial Strategy of the Republic of South Africa (2006) and comments submitted by SABA (2007), the Western Cape Task Team on Renewable Fuels (2007), as well as the latest corporate tax policy (South African Revenue Services (2006).

A Monte Carlo simulation model of a bio-ethanol plant was developed using the framework provided by Richardson, Herbst, Outlaw and Gill (2007). Data to describe the input and output relationships for the Western Cape plant will come from Lemmer (2006). Historical data (1989-2006) for defining the probability distributions of the stochastic variables affecting the plant will come from the Abstract of Agricultural Statistics (2006), Food and Agricultural Policy Research Institute (2007), Grain South Africa (2007a and b), South African Reserve Bank (2007), Statistics South Africa (2007), South African Revenue Services (2006), and The Bureau for Food and Agricultural Policy (2006).

A Monte Carlo simulation modelling approach is used because it is the best methodology for estimating the probability distribution of unknown variables such as rate of return on investment for a business. Monte Carlo simulation has been used extensively in agricultural economics to analyse riskiness of proposed investments (e.g., Richardson and Mapp (1976), Reutlinger (1970), Aven (2005), Hardaker, Huirne, Anderson and Lien (2004)) and to analyze the riskiness of ethanol plants (e.g., Richardson, Herbst, Outlaw and Gill (2007), Herbst (2003), Gill (2002), Lau (2004)). The methodology is flexible and can be applied to the analysis of ethanol plants in many different parts of the world.

The steps for developing a Monte Carlo simulation model are described by Richardson (2006). First, the objective of the model must be established -- in this case it is to determine the probability that the rate of return to investment is

greater than 25 percent and that the business will be an economic success. Second, one must define all of the equations necessary to calculate the key output variables (KOV) and then identify the stochastic variables necessary to simulate the equations.

Parameters to define the probability distributions for the random variables must be estimated and used to simulate the random variables. Before the model can be developed, the simulated values for each of the random variables must be validated. Standard statistical tests are used to validate that the stochastic variables statistically reproduce their assumed means and variability.

Once the stochastic component of the model is developed and validated, the equations necessary to simulate the variables used to calculate the KOVs are programmed. The equations for an agribusiness feasibility model are the equations in the pro-forma financial statements, namely: income statement, cash flow statement, and balance sheet statement. The equations for the Western Cape bio-ethanol agribusiness model are presented in the next section to provide an abstract description of how the model simulates the KOVs.

## **Simulation Model for Wheat Bio-ethanol**

The stochastic variables for the model are: bio-ethanol price, wheat price, DDGS price, petroleum price, electricity price, prices paid inflation rate, and operating interest rate. These random variables are simulated in the model using the multivariate empirical (MVE) probability distribution suggested by Richardson, Klose and Gray (2000). A MVE distribution was used to insure that the random variables are correlated the same as they have been in the past. Parameters for the MVE distribution were estimated by detrending the data and expressing the residuals as fractions of trend ( $S_i$ ) and cumulative probabilities ( $F(S_i)$ ). The parameters for the stochastic variables were estimated, and the model was simulated, using the Simetar add-in for Excel (Richardson, Schumann and Feldman 2006). This method of estimating the parameters/simulation insures that the coefficient of variation (CV) for the simulated random variables equals the CV from the historical data even though the projected means may differ considerably from their historical counterparts. The equations for simulating the random variables are included in the Appendix. An independent stochastic variable was added to simulate the number of days the bio-ethanol plant is not operating due to repairs. The down time variable was defined as the number of days the plant is closed and was simulated as a GRKS (10, 20, 30) distribution<sup>1</sup>.

---

<sup>1</sup>The parameters indicate that the minimum down time is 10 days, the middle is 20 and the maximum is 30 days. However, there is a 2.5 percent chance that the plant could be closed less than 10 days and the same chance it could be closed more than 30 days. The finite end points for the distribution are 5 and 35 days.

Following the steps for building a Monte Carlo simulation model, the stochastic variables were simulated for 500 iterations and the resulting sample was used to validate the simulation process. The Student-t tests failed to reject the null hypothesis that the MVE distribution appropriately correlated all of the random variables at the 95 percent level. The Box's M test indicated that at the 95 percent level of significance, the historical and simulated covariance matrices were statistically equal. Student-t tests were performed on the simulated means for the 10-year planning horizon and they were statistically equal to their assumed means.

## **Economic Feasibility Model**

Equations to simulate the pro-forma financial statements using the stochastic variables as exogenous variables are described in the Appendix. The Appendix is separated into four sections, each pertaining to a pro-forma statement/function. The assumptions used for the economic analysis are described in this section.

The assumptions used to model a 103 million liter (ML) (27 million U.S. gallons) bio-ethanol plant are summarized in Table 1. This size of plant is consistent with average quantities of wheat that have been exported from the region for the past seven years. With the addition of a 5 percent petroleum denaturant total bio-ethanol production is 108.4 million liters of denatured ethanol. In a fermentation/distillation bio-ethanol plant, wheat produces 360 liters (95 U.S. gallons) of bio-ethanol, about 333 kg of DDGS per metric ton, and 333 kg of CO<sub>2</sub> (Rueve 2005).

The cost of a 103 ML bio-ethanol plant was estimated at R404.7 million, based on an average 2006 exchange rate of R6.77 to \$1 U.S. and a R3.93 per liter (\$2.20/gallon) turn key construction cost in the United States. Half of the cost of the plant would be financed at the current long-term interest rate of 14.5 percent over 25 years. The remaining cost of the plant will be covered by a shared financing arrangement with a government agency. The agency will provide the funds in return for an annual return equal to the prime interest rate charged on long term debt plus 4 percentage points. Private investors require a return on bio-ethanol and infrastructure investment of 19 percent real interest rate and 25 percent nominal interest rate (SABA, 2007).

The petroleum pricing mechanism, known as the Basic Fuel Price (BFP) Formula represents the landed cost of petroleum. The formula links the domestic retail prices to international crude oil prices by using a benchmark based on spot prices published by Platts. In the simulation model the BFP is stochastic based on its historical variability and the stochastic bio-ethanol price is calculated using the appropriate pricing formula (Appendix equation 1). An alternative set of parameters for the pricing formula are tested in the results section.

**Table 1.** Input Assumptions for a Western Cape Wheat Base Ethanol Plant.

Total Annual Production of Alcohol (Liters)	102,973,680
Cost per Liter to Build a Plant (Rand/Liter)	3.93
Bio-Ethanol Production from Wheat (Liters/Ton)	360
Add: Denaturant (%)	.5
Cost of a Bio-Ethanol Marker (Rand/Liter)	0.01
DDGS per ton of Wheat	0.333
Extracted Liquid CO <sub>2</sub> (Ton/Ton of Wheat)	0.333
Extracted Liquid CO <sub>2</sub> (Rand/Ton)	109.20
Fraction Year Operating Loan Borrowed	0.3
Electricity (kW-Hours/Liter)	3.55
Enzymes (Rand/Liter)	0.0860
Yeasts (Rand/Liter)	0.0393
Other Processing Chemicals & Antibiotics (Rand/Liter)	0.0359
Boiler and Cooling Tower Chemicals (Rand/Liter)	0.0088
Annual Cost of Water (Rand/Liter)	0.0045
Maintenance & Repair (R/Liter)	0.0223
Labor WC - plant (Rand/Denatured Liter)	0.0806
Management and Qual. Control (Rand/Denatured Liter)	0.0244
Real Estate Taxes (Rand/Denatured Liter)	0.0034
Licenses, Fees and Insurance (Rand / den. Liter)	0.0074
Miscellaneous Expenses (Rand / den. Liter)	0.0244
Fraction of Plant Debt Financed	0.5
Length of Loan to Build Plant (Years)	25
Fixed Interest Rate %	14.5
Year Loan is Originated	2007
Annual Change in the Value of the Plant %	-5
Beginning Cash Reserves	0
Fixed Interest Rate for Cash Reserves %	8.7
Discount Rate for Net Present Value (NPV) %	25
Minimum Desired Return on Investment (ROI) for Investors %	25
Dividends as Fraction of Net Cash Income (NCI) %	25
Days the Bio-Ethanol Plant Does Not Produce	0
Minimum Days	10
Middle Days	20
Maximum Days	30

According to Akayezu, Linn, Harty and Cassady (1998) the crude protein content of DDGS from wheat is considerably higher than corn DDGS. Linn and Chase (1996) indicated that the nutrient content of distiller's grains is about three times more concentrated than the nutrients in the original feedstock before fermenting. As a result the price of DDGS is assumed to be 13 percent greater than the price of wheat on a ton basis.

Affordable energy is needed for the successful operation of dry mill ethanol plants. Energy generation in the Western Cape Province is however limited and industrial plants are powered by electricity from the national grid which is supplied by power lines from inland coalfields. Meredith, as cited in Jacques, Lyons & Kelsall (2003) indicate that wheat is virtually identical to corn (maize) in energy requirements for making bio-ethanol and requires 3.55 kW-Hours per liter. The average consumer cost of electricity is R0.24/kW-hour. The costs per liter for inputs in Table 1 such as enzymes, yeast, the processing chemicals and antibiotics is given by Tiffany and Eidman (2003) and translated into Rand by the current U.S.-dollar exchange rate. The price for the commercial use of water was R4.51 per kiloliter in 2005. The ethanol plant will use approximately 593.4 million liters of water annually. Annual maintenance and repair costs are estimated at 1 percent of the total capital cost. The labor, management and quality control cost as well as economic circumstances and real estate taxes and license, fees and insurance cost corresponds to the assumptions made by Tiffany and Eidman (2003) after conversion to rand.

Projected prices, interest rates and rates of inflation used for the 2007-2016 analysis are summarized in Table 2. These prices are the mean prices for the stochastic variables in the model. Linear trend was used to project mean annual prices for BFP, which were used to calculate the average prices for bio-ethanol and the price of petroleum denaturant. The annual percentage change in the BFP was

**Table 2:** Assumed Mean Prices, Interest Rates and Rates of Inflation for the Base Scenario.

	Price of Denaturant	Price of Wheat	Price of Bio- Ethanol	Price of DDGS	Price of Electricity	Annual Change PPI	Interest Rate
	(R/Liter)	(R/Ton)	(R/Liter)	(R/Ton)	(R/kWH)	(Fraction)	(Fraction)
2007	5.47	1223.49	2.55	1382.55	0.25	4.06	0.12
2008	5.70	1214.07	2.68	1371.89	0.27	4.91	0.11
2009	5.93	1223.96	2.81	1383.07	0.28	5.22	0.11
2010	6.15	1234.47	2.94	1394.95	0.29	5.46	0.10
2011	6.37	1239.04	3.08	1400.11	0.30	5.62	0.10
2012	6.59	1244.24	3.21	1405.99	0.32	5.65	0.09
2013	6.81	1241.55	3.34	1402.95	0.33	5.82	0.09
2014	7.04	1239.44	3.47	1400.57	0.34	6.09	0.08
2015	7.26	1241.71	3.61	1403.13	0.35	6.21	0.08
2016	7.48	1245.30	3.74	1407.19	0.36	6.02	0.07



used to calculate the mean electricity prices. Simple trend least square regression was used to project the mean annual rates of inflation and interest rates. FAPRI (2007) projections of world wheat prices were used to calculate the mean price for wheat, given adjustments for location and grade of wheat proposed for use in a bio-ethanol plant. As indicated earlier DDGS price is a linear function of wheat price.

## **Results**

The Monte Carlo simulation model for a proposed wheat based bio-ethanol plant in the Western Cape Province of South Africa was simulated for 10 years, 2007-2016. The results of the Base scenario to quantify the risks inherent in bio-ethanol production in the study area are presented in detail. Alternative policy scenarios are presented to investigate the types of policy scenarios where bio-ethanol production in the study would be profitable.

The alternative scenarios analyzed are summarized as:

- Base scenario assumes an accelerated depreciation method, use of a bio-ethanol marker as a denaturant, 50 percent shared financing with a government agency, bio-ethanol price calculated using 95 percent of the BFP<sup>2</sup> and 31.5 percent reimbursement on the fuel levy.
- In the second scenario a price subsidy of R1.03/liter of denatured bio-ethanol is added to the Base scenario.
- In the third scenario a higher bio-ethanol price resulting from a policy change to price bio-ethanol at 100 percent of the BFP plus 100 percent reimbursement on the fuel levy is added to the Base scenario.
- The fourth scenario adds a price floor for bio-ethanol of R3.325/liter that is linked to the annual percentage change in the inflation rate for the Base scenario.
- The fifth scenario is the Base scenario plus a price floor of R3.325/liter and increasing the reimbursement on the fuel levy to 70 percent.

The five scenarios are compared in terms of the summary statistics for the proposed bio-ethanol plant's key output variables (KOVs): net present value (NPV), present value of ending net worth (PVENW), return on investment (ROI), annual net cash income (Net Inc), annual ending cash reserves (Cash Res), and annual dividends

---



<sup>2</sup> The shared financing requires an 18.5 percent annual return to the investor.

(Dividend). Probabilities are reported for the probability that NPV is negative, probability ROI is less than 25 percent, probability PVENW is less than zero, probability of annual net cash income being negative, probability of annual ending cash reserves being negative, probability of annual dividends equaling zero. Fan graphs of the annual net cash income and ending cash reserves are presented to show variability over time.

The results for the Base scenario are summarized in Table 3 and Figures 1 and 2. The firm's NPV averages –R88.5 million and ranges from –R230 to R64.6 million.

Table 3. Base Scenario for a Western Cape, South Africa Wheat Based Bio-Ethanol Plant, 2007-2016.

	NPV	PVENW	ROI							
	(M.Rand)	(M.Rand)	(Percent)							
Mean	-88.53	-92.24	-8.43%							
StDev	48.50	45.44	14.52%							
CV	-54.79	-49.26	-172.20							
Min	-230.65	-230.65	-56.57%							
Max	64.67	38.70	34.01%							
	Net Inc 2007	Net Inc 2008	Net Inc 2009	Net Inc 2010	Net Inc 2011	Net Inc 2012	Net Inc 2013	Net Inc 2014	Net Inc 2015	Net Inc 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	-99.13	-100.81	-105.07	-106.49	-108.75	-109.03	-105.65	-99.76	-95.94	-91.54
StDev	77.22	82.17	84.91	93.88	100.64	98.65	102.26	117.32	120.13	121.58
CV	-77.89	-81.50	-80.81	-88.16	-92.55	-90.48	-96.79	-117.60	-125.21	-132.82
Min	-307.92	-281.33	-289.27	-378.13	-342.23	-342.67	-356.95	-437.40	-421.36	-391.43
Max	132.81	123.58	156.38	151.79	203.41	209.94	204.19	223.06	263.19	284.00
P(NCI<0)	87.5%	87.6%	87.6%	85.4%	83.8%	86.6%	84.1%	80.0%	79.0%	79.5%
	Cash Res 2007	Cash Res 2008	Cash Res 2009	Cash Res 2010	Cash Res 2011	Cash Res 2012	Cash Res 2013	Cash Res 2014	Cash Res 2015	Cash Res 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	-100.87	-203.17	-310.13	-419.30	-531.78	-644.17	-754.01	-859.79	-962.21	-1,061.57
StDev	75.68	117.44	150.68	187.55	232.88	268.94	306.55	349.42	388.69	423.20
CV	-75.03	-57.80	-48.59	-44.73	-43.79	-41.75	-40.66	-40.64	-40.39	-39.87
Min	-308.95	-507.60	-644.32	-885.02	-1,141.54	-1,396.11	-1,589.35	-1,899.42	-2,111.54	-2,350.55
Max	115.18	182.98	119.87	218.81	282.03	161.36	120.45	124.12	150.21	157.95
P(EC<0)	87.7%	96.2%	98.0%	99.1%	99.1%	99.3%	99.2%	99.5%	99.7%	99.6%
	Dividend 2007	Dividend 2008	Dividend 2009	Dividend 2010	Dividend 2011	Dividend 2012	Dividend 2013	Dividend 2014	Dividend 2015	Dividend 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	0.70	0.74	0.74	1.11	1.27	1.00	1.30	2.01	2.16	2.46
StDev	2.41	2.39	2.64	3.30	3.74	3.36	3.71	5.28	5.51	6.05
CV	342.94	325.29	359.04	297.46	293.48	334.05	284.97	262.64	255.28	246.13
Min	-	-	-	-	-	-	-	-	-	-
Max	16.60	15.45	19.55	18.97	25.43	26.24	25.52	27.88	32.90	35.50
P(Div=0)	87.4%	87.4%	87.6%	85.4%	83.6%	86.6%	84.0%	80.0%	78.8%	79.4%



The average ROI is -8.4 percent and there is a 99 percent chance that average ROI over the planning horizon will be less than the investor's minimum value of 25 percent. Average annual net cash income is negative every year ranging from -R99 million in 2007 to -R109 million in 2012. The variability around the average net cash income grows over time as evidenced by the coefficient of variation (CV) increasing from 77 percent in 2007 to 132 percent in 2016, due to higher interest expenses from refinancing cash flow deficits. The increased variability of net cash income is demonstrated in Figure 1, based on the widening of the 5 and 95 percentiles about the mean. Due to negative net cash income the firm's average ending cash reserve is negative and the risk of negative ending cash grows over the period. There is greater than an 87 percent chance of negative ending cash reserves each year. Average annual dividends are less than R3 million each year and the probability of a zero dividend is 79 to 87 percent over the planning horizon.

A subsidy of R1.03/liter of bio-ethanol was used for the second scenario. This level of subsidy was arrived at by experimentation to find the subsidy which provided a 90 percent chance that ROI is greater than 25 percent (Table 4 and Figures 3 and 4). The cumulative distribution function for ROI in Figure 4 shows the amount of variability in ROI and the relative position of the distribution to the investor's preferred minimum. The probability of a negative NPV is 5 percent so the business has a high probability of being an economic success, based on Richardson and Mapp's (1976) rule that economic success is a return greater than the discount rate, i.e., a positive NPV. Average annual net cash income ranges from R6 million in 2007 to R81 million in 2016. The probability of negative annual net cash income is 53.6 percent in 2007 and 27.5 percent in 2016. The fan graph shows that annual net cash income faces expanding variability over time, but has much less variability than under the Base scenario (Figures 1 and 3). The probability of negative ending cash reserves declines from 54.5 percent in 2007 to 18.7 percent in 2016. Average annual dividends ranges from R4.1 to R11.5 million, the probability of annual dividends equalling zero is 53.6 percent in 2007 and declines steadily to 27.4 percent in 2016.

In the third scenario the mean bio-ethanol price was increased by a favorable adjustment to allow 100 percent reimbursement in the fuel levy and allowing bio-ethanol to be valued at 100 percent of the BFP. Average ROI is 46.4 percent and average NPV is R80.7 million for this scenario, slightly higher than the price subsidy scenario (Table 5 and Figures 5 and 6). The probability of ROI less than the desired 25 percent level is 12.8 percent and the probability of a negative NPV is 9.2 percent. Average annual net cash income increases over the planning horizon from -R5.3 million in 2007 to R101.2 million in 2016. The probability of negative annual net cash income is more than 50 percent for 2007-2010, but improves to 30 percent in the last year. The average ending cash reserves is positive every year after 2010 and the probability of negative ending cash reserves decreases from 60

Table 4. Price Subsidy of R1.03/Liter for a Western Cape, South Africa Wheat Based Bio-Ethanol Plant, 2007-2016.

	NPV	PVENW	ROI							
	(M.Rand)	(M.Rand)	(Percent)							
Mean	77.35	55.12	43.67%							
StDev	46.35	36.27	14.53%							
CV	59.92	65.80	33.28							
Min	-70.12	-71.12	-4.92%							
Max	232.86	168.71	85.91%							
	Net Inc 2007	Net Inc 2008	Net Inc 2009	Net Inc 2010	Net Inc 2011	Net Inc 2012	Net Inc 2013	Net Inc 2014	Net Inc 2015	Net Inc 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	6.28	13.38	18.22	26.29	33.37	41.28	52.36	63.55	72.18	81.12
StDev	77.31	81.55	84.07	91.77	96.60	95.37	97.55	108.51	108.70	111.87
CV	1,230.07	609.73	461.48	348.99	289.48	231.02	186.30	170.75	150.59	137.90
Min	-204.79	-164.50	-152.21	-232.62	-180.94	-179.36	-176.89	-197.60	-170.26	-148.32
Max	238.07	246.25	288.49	274.77	332.36	337.92	330.35	362.19	393.44	411.04
P(NCI<0)	53.6%	47.9%	46.3%	47.0%	40.6%	37.1%	35.2%	33.8%	28.3%	27.5%
	Cash Res 2007	Cash Res 2008	Cash Res 2009	Cash Res 2010	Cash Res 2011	Cash Res 2012	Cash Res 2013	Cash Res 2014	Cash Res 2015	Cash Res 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	1.07	10.76	26.06	44.65	65.47	94.24	133.58	182.84	241.49	310.89
StDev	71.34	109.68	138.69	165.26	197.76	223.21	248.54	280.63	310.28	337.79
CV	6,690.24	1,018.92	532.10	370.11	302.06	236.85	186.05	153.48	128.49	108.65
Min	-205.82	-286.14	-292.51	-398.76	-458.10	-516.25	-648.77	-779.14	-794.20	-864.83
Max	205.55	364.31	422.74	600.20	760.87	785.08	893.43	1,032.67	1,202.17	1,368.74
P(EC<0)	54.5%	47.9%	43.2%	42.8%	39.2%	34.0%	29.2%	27.4%	22.4%	18.7%
	Dividend 2007	Dividend 2008	Dividend 2009	Dividend 2010	Dividend 2011	Dividend 2012	Dividend 2013	Dividend 2014	Dividend 2015	Dividend 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	4.19	4.96	5.41	6.22	6.95	7.62	8.53	9.86	10.70	11.52
StDev	6.62	7.01	7.50	8.68	9.27	9.26	10.05	11.50	11.66	12.40
CV	158.04	141.38	138.58	139.64	133.35	121.45	117.79	116.64	108.98	107.62
Min	-	-	-	-	-	-	-	-	-	-
Max	29.76	30.78	36.06	34.35	41.55	42.24	41.29	45.27	49.18	51.38
P(Div=0)	53.6%	47.8%	46.2%	46.8%	40.6%	37.0%	35.0%	33.8%	28.2%	27.4%







Table 5. More Favorable Bio-Ethanol Price Formula Scenario for a Western Cape, South Africa Wheat Based Bio-Ethanol Plant, 2007-2016.

	NPV	PVENW	ROI							
	(M.Rand)	(M.Rand)	(Percent)							
Mean	80.74	54.04	46.42%							
StDev	61.11	48.09	19.34%							
CV	75.69	88.98	41.66			P(NPV<0)	9.26%			
Min	-109.25	-109.77	-16.42%			P(ROI<0.25)	12.82%			
Max	290.08	207.96	102.25%			P(PVENW<0)	13.56%			
	Net Inc 2007	Net Inc 2008	Net Inc 2009	Net Inc 2010	Net Inc 2011	Net Inc 2012	Net Inc 2013	Net Inc 2014	Net Inc 2015	Net Inc 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	-5.34	3.68	11.47	22.94	32.90	44.24	59.55	75.27	87.83	101.22
StDev	103.12	108.03	111.64	121.82	127.30	126.64	129.64	144.44	143.81	147.93
CV	-1,930.39	2,931.72	973.62	531.11	386.91	286.23	217.71	191.88	163.73	146.14
Min	-259.87	-212.44	-211.83	-299.07	-239.70	-227.28	-215.56	-256.16	-216.53	-199.97
Max	293.59	304.46	351.86	350.57	415.56	426.31	419.13	464.38	504.45	526.04
P(NCI<0)	59.9%	50.8%	50.1%	50.3%	45.0%	42.0%	39.0%	37.5%	31.8%	30.4%
	Cash Res 2007	Cash Res 2008	Cash Res 2009	Cash Res 2010	Cash Res 2011	Cash Res 2012	Cash Res 2013	Cash Res 2014	Cash Res 2015	Cash Res 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	-11.41	-11.89	-4.73	7.66	25.05	53.03	94.93	150.22	218.30	300.78
StDev	95.25	146.16	184.53	219.85	263.10	297.99	331.69	374.61	412.70	447.83
CV	-834.73	-1,229.36	-3,905.07	2,868.39	1,050.49	561.91	349.40	249.38	189.05	148.89
Min	-260.90	-390.43	-406.18	-603.27	-672.42	-759.43	-916.59	-1,075.68	-1,108.04	-1,224.82
Max	240.04	429.31	499.13	720.48	941.77	989.48	1,119.79	1,298.27	1,518.93	1,734.29
P(EC<0)	60.2%	54.8%	52.8%	50.5%	48.7%	42.8%	39.0%	35.1%	30.5%	27.0%
	Dividend 2007	Dividend 2008	Dividend 2009	Dividend 2010	Dividend 2011	Dividend 2012	Dividend 2013	Dividend 2014	Dividend 2015	Dividend 2016
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	4.86	5.70	6.39	7.49	8.35	9.29	10.54	12.32	13.46	14.62
StDev	8.34	8.77	9.47	11.13	11.89	11.99	13.04	15.06	15.24	16.31
CV	171.49	153.89	148.36	148.49	142.32	129.03	123.71	122.19	113.26	111.56
Min	-	-	-	-	-	-	-	-	-	-
Max	36.70	38.06	43.98	43.82	51.95	53.29	52.39	58.05	63.06	65.75
P(Div<0)	59.8%	50.6%	50.0%	50.2%	44.8%	42.0%	39.0%	37.4%	31.8%	30.2%





percent in 2007 to 27 percent in 2016. The fan graph for ending cash reserves shows the improvement in the probability of positive cash reserves (Figure 6).

Instituting an inflation adjusted minimum price for bio-ethanol at R3.325/liter in the fourth scenario improves the economic viability of the proposed bio-ethanol plant over the Base scenario (Table 6 and Figures 7 and 8). Average ROI is 47 percent, a significant increase over the -8 percent for the Base scenario. The

probability that ROI will be less than 25 percent is less than one percent for the price floor scenario. Average annual net cash income is positive each year after 2008 and increases from –R14.0 million in 2007 to more than R140 million in 2016.

Table 6. Minimum Price Floor Scenario for a Western Cape, South Africa Wheat Based Bio-Ethanol Plant, 2007-2016.

	NPV (M.Rand)	PVENW (M.Rand)	ROI (Percent)							
Mean	72.74	57.53	47.38%							
StDev	27.66	22.05	10.65%							
CV	38.02	38.33	22.49							
Min	-23.71	-24.07	9.72%							
Max	166.55	131.58	85.59%							
						P(NPV<0)	0.57%			
						P(ROI<0.25)	0.80%			
						P(PVENW<0)	0.63%			
	Net Inc 2007 (M.Rand)	Net Inc 2008 (M.Rand)	Net Inc 2009 (M.Rand)	Net Inc 2010 (M.Rand)	Net Inc 2011 (M.Rand)	Net Inc 2012 (M.Rand)	Net Inc 2013 (M.Rand)	Net Inc 2014 (M.Rand)	Net Inc 2015 (M.Rand)	Net Inc 2016 (M.Rand)
Mean	-14.05	-7.12	1.20	17.10	31.32	47.97	68.23	93.36	114.64	140.99
StDev	38.22	40.38	42.75	47.14	49.91	47.28	50.75	54.39	55.85	57.78
CV	-271.97	-566.99	3,555.22	275.67	159.37	98.56	74.38	58.26	48.71	40.98
Min	-125.56	-117.20	-119.40	-119.55	-104.23	-89.38	-107.89	-98.25	-35.66	0.53
Max	132.81	145.61	180.30	174.26	222.83	228.75	214.21	256.62	285.11	305.75
P(NCI<0)	66.4%	59.3%	49.6%	35.1%	25.7%	13.2%	8.0%	3.3%	2.3%	0.0%
	Cash Res 2007 (M.Rand)	Cash Res 2008 (M.Rand)	Cash Res 2009 (M.Rand)	Cash Res 2010 (M.Rand)	Cash Res 2011 (M.Rand)	Cash Res 2012 (M.Rand)	Cash Res 2013 (M.Rand)	Cash Res 2014 (M.Rand)	Cash Res 2015 (M.Rand)	Cash Res 2016 (M.Rand)
Mean	-16.19	-25.36	-26.60	-14.07	4.66	36.32	81.89	146.46	228.58	333.29
StDev	36.31	54.36	70.53	89.08	104.39	116.75	135.01	155.08	177.72	205.37
CV	-224.28	-214.35	-265.15	-632.95	2,239.96	321.43	164.88	105.89	77.75	61.62
Min	-126.59	-236.53	-241.46	-307.18	-337.87	-331.71	-336.41	-437.31	-434.58	-426.63
Max	115.18	182.98	185.31	251.20	317.21	325.05	437.24	572.55	783.06	1,022.98
P(EC<0)	67.2%	69.9%	67.5%	55.1%	48.4%	37.7%	27.6%	18.7%	10.0%	4.8%
	Dividend 2007 (M.Rand)	Dividend 2008 (M.Rand)	Dividend 2009 (M.Rand)	Dividend 2010 (M.Rand)	Dividend 2011 (M.Rand)	Dividend 2012 (M.Rand)	Dividend 2013 (M.Rand)	Dividend 2014 (M.Rand)	Dividend 2015 (M.Rand)	Dividend 2016 (M.Rand)
Mean	1.11	1.52	2.06	3.43	4.81	6.34	8.84	11.79	14.38	17.62
StDev	2.47	2.86	3.43	4.35	5.06	5.38	5.71	6.52	6.86	7.22
CV	223.26	188.37	166.56	126.69	105.09	84.85	64.54	55.25	47.73	40.98
Min	-	-	-	-	-	-	-	-	-	0.07
Max	16.60	18.20	22.54	21.78	27.85	28.59	26.78	32.08	35.64	38.22
P(Div=0)	66.2%	59.2%	49.6%	35.0%	25.6%	13.2%	8.0%	3.2%	2.2%	0.0%





The probability of negative net cash income is 66 percent in 2007 and decreases to zero in the last year. The presence of a minimum price for bio-ethanol reduces the downside risk on net cash income. This result is best seen by comparing the fan graphs for net cash income between the Base (Figure 1) to the fan graph for the

minimum price scenario (Figure 7). Dividends average R7.1 million over the 10 years period and the probability of a zero dividend is less than 25 percent after 2011.

The last scenario combines a minimum price of R3.325/liter with a 70 percent reimbursement on the fuel levy (Table 7 and Figures 9 and 10). Average NPV is

Table 7. Combination of Scenario for a Western Cape, South Africa Wheat Based Bio-Ethanol Plant, 2007-2016.

	NPV (M.Rand)	PVENW (M.Rand)	ROI (Percent)							
Mean	100.59	78.36	56.18%							
StDev	34.88	26.58	11.86%							
CV	34.68	33.92	21.12		P(NPV<0)	0.43%				
Min	-21.29	-21.70	10.43%		P(ROI<0.25)	0.57%				
Max	207.86	158.42	93.94%		P(PVENW<0)	0.45%				
	Net Inc 2007 (M.Rand)	Net Inc 2008 (M.Rand)	Net Inc 2009 (M.Rand)	Net Inc 2010 (M.Rand)	Net Inc 2011 (M.Rand)	Net Inc 2012 (M.Rand)	Net Inc 2013 (M.Rand)	Net Inc 2014 (M.Rand)	Net Inc 2015 (M.Rand)	Net Inc 2016 (M.Rand)
Mean	1.52	10.90	20.95	37.66	51.02	67.77	88.09	113.55	133.19	158.32
StDev	54.84	57.04	59.38	66.53	67.93	63.87	65.96	72.04	70.78	71.64
CV	3,596.70	523.18	283.42	176.67	133.13	94.25	74.88	63.45	53.14	45.25
Min	-125.56	-117.20	-119.40	-114.48	-103.61	-85.86	-73.86	-96.95	-35.66	5.00
Max	210.62	228.58	266.39	256.33	316.48	324.65	320.46	356.06	390.30	413.14
P(NCI<0)	57.6%	49.8%	39.8%	28.5%	18.7%	8.4%	5.3%	2.7%	1.7%	0.0%
	Cash Res 2007 (M.Rand)	Cash Res 2008 (M.Rand)	Cash Res 2009 (M.Rand)	Cash Res 2010 (M.Rand)	Cash Res 2011 (M.Rand)	Cash Res 2012 (M.Rand)	Cash Res 2013 (M.Rand)	Cash Res 2014 (M.Rand)	Cash Res 2015 (M.Rand)	Cash Res 2016 (M.Rand)
Mean	-2.09	5.92	24.14	54.61	90.70	140.43	205.79	292.33	397.73	527.33
StDev	50.27	75.58	95.92	117.46	137.26	152.12	171.21	195.87	220.58	247.59
CV	-2,405.34	1,276.34	397.36	215.10	151.33	108.32	83.20	67.00	55.46	46.95
Min	-126.59	-180.77	-188.76	-243.44	-291.33	-298.98	-318.29	-417.90	-414.08	-404.63
Max	183.27	319.92	323.33	490.35	632.17	639.31	730.42	843.27	1,062.92	1,272.87
P(EC<0)	58.0%	51.9%	44.7%	35.2%	28.3%	18.3%	10.4%	6.1%	2.9%	1.0%
	Dividend 2007 (M.Rand)	Dividend 2008 (M.Rand)	Dividend 2009 (M.Rand)	Dividend 2010 (M.Rand)	Dividend 2011 (M.Rand)	Dividend 2012 (M.Rand)	Dividend 2013 (M.Rand)	Dividend 2014 (M.Rand)	Dividend 2015 (M.Rand)	Dividend 2016 (M.Rand)
Mean	2.59	3.24	4.04	5.70	6.98	8.71	11.23	14.27	16.68	19.79
StDev	5.04	5.53	6.06	7.23	7.78	7.64	7.85	8.85	8.77	8.96
CV	194.75	170.45	150.11	126.96	111.55	87.66	69.88	61.98	52.60	45.25
Min	-	-	-	-	-	-	-	-	-	0.62
Max	26.33	28.57	33.30	32.04	39.56	40.58	40.06	44.51	48.79	51.64
P(Div=0)	57.4%	49.8%	39.8%	28.4%	18.6%	8.4%	5.2%	2.6%	1.6%	0.0%



R100.5 million and there is almost a 100 percent chance of a positive NPV; the average ROI is 56.1 percent and there is a near zero chance that ROI will be less than the minimum desired level of 25 percent. Average annual net cash income increases over the period from R1.5 million at the outset to more than R158 million in 2016. The probability of net cash income being less than zero decreases from 57 percent to zero over the period (Figure 9).

A side-by-side comparison of the five scenarios is provided in Table 8. Based on the mean values for the KOVs, the most profitable scenario is the fifth scenario which provides a higher mean price and a price floor without a subsidy. The fifth scenario

**Table 8. Comparison of a Western Cape, South Africa Wheat Bio-Ethanol Plant's Economic Viability Across Scenarios.**


	Base	R1.03/Liter Subsidy	More Favorable Price Formula	Minimum Price Floor	Higher Price and Price Floor
<b>Net Present Value (NPV)</b>					
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	-88.53	77.35	80.74	72.74	100.59
StDev	48.50	46.35	61.11	27.66	34.88
CV (fraction)	-54.79	59.92	75.69	38.02	34.68
Min	-230.65	-70.12	-109.25	-23.71	-21.29
Max	64.67	232.86	290.08	166.55	207.86
<b>P(NPV&lt;0)</b>	96.79%	5.01%	9.26%	0.57%	0.43%
<b>Rate of Return on Investment (ROI)</b>					
	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)
Mean	-8.43%	43.67%	46.42%	47.38%	56.18%
StDev	14.52%	14.53%	19.34%	10.65%	11.86%
CV (fraction)	-172.20	33.28	41.66	22.49	21.12
Min	-56.57%	-4.92%	-16.42%	9.72%	10.43%
Max	34.01%	85.91%	102.25%	85.59%	93.94%
<b>P(ROI&lt;0.25)</b>	98.57%	10.20%	12.82%	0.80%	0.57%
<b>Average Annual Net Cash Income</b>					
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	-102.22	40.80	43.38	49.36	68.30
StDev	99.88	95.33	126.44	48.44	65.00
CV (fraction)	-98.38	381.63	389.87	347.22	504.41
Min	-354.87	-180.75	-233.84	-91.66	-86.76
Max	195.23	321.49	405.64	214.62	308.30
<b>Ending Cash Reserves in 2016</b>					
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	-1061.57	310.89	300.78	333.29	527.33
StDev	423.20	337.79	447.83	205.37	247.59
CV (fraction)	-39.87	108.65	148.89	61.62	46.95
Min	-2350.55	-864.83	-1224.82	-426.63	-404.63
Max	157.95	1368.74	1734.29	1022.98	1272.87
<b>Average Annual Dividend</b>					
	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)	(M.Rand)
Mean	1.35	7.60	9.30	7.19	9.32
StDev	3.84	9.39	12.12	4.98	7.37
CV (fraction)	300.13	128.35	136.43	110.33	107.12
Min	0.00	0.00	0.00	0.01	0.06
Max	24.40	40.19	50.70	26.83	38.54



provides more than a 99 percent of economic success and of returning the investors a ROI greater than a 25 percent minimum. Based on the average ROI, NPV, net cash income, and dividends the second ranked scenario is scenario three, followed by the second scenario, a R1.03/liter bio-ethanol price subsidy.

Stochastic efficiency with respect to a function (SERF)<sup>3</sup> was used to rank the five estimated probability distributions for NPV (Figure 11)<sup>4</sup>. The five scenarios were analyzed across a wide spectrum of risk preferences, ranging from decision makers who are risk neutral to extremely risk averse (relative risk aversion coefficients of zero to 4.0). A Power utility function was assumed because the risky distributions represented both income and wealth changes over a multiple year planning horizon (Hardaker, Huirne, Anderson and Lien 2004). The SERF analysis showed that for decision makers representing all levels of risk aversion, the preferred is scenario five, followed by scenarios three, two, four and the least preferred scenario is the Base.

**Figure 11. CDF of the Net Present Value (NPV)  
Probability Distributions for Alternative Scenarios.**



## Conclusions

Investors in South Africa have not ventured into the field of bio-ethanol production although sufficient wheat is available in the winter rainfall region. Uncertainty about government policies and rates of return that can be earned from investing in bio-ethanol plants has been used to justify the delay. The objective of this paper was to quantify the risks and economic prospects that influence the profitability of bio-ethanol production from wheat in the winter rainfall region of South Africa.

<sup>3</sup> SERF is a risk ranking procedure introduced by Hardaker, Richardson, Lien and Schumann (2004) and provides an innovative approach for quantitatively ranking risky alternatives utilizing certainty equivalents calculated at alternative risk aversion coefficients over the full range of decision makers' preference for income and risk.

<sup>4</sup> A CDF chart displays the probability of a risky variable, such as, NPV, being less than a particular value on the X axis. For example there is a 50 percent chance that NPV will be less than R100 million for scenario five.

Specific objectives were to: quantitatively assess risks that influence the income of potential bio-ethanol developments, and identify possible public policy that could be used to enhance the economic viability of bio-ethanol developments.

A Monte Carlo simulation model of the economic activity for a bio-ethanol plant in the region was developed and simulated for 10 years to quantify the risk that investors will likely face. Under the Base scenario a 103 million liter bio-ethanol plant would not offer a reasonable chance of being economically viable. Average NPV was –R88.5 million, average ROI was -8.4 percent, and there was more than a 97 percent chance that NPV would be negative. The risk for a bio-ethanol plant was considerably higher than most investors would be willing to accept given a CV of -54.8 percent and largely explains why agribusiness interests have not invested in the South African bio-ethanol industry.

Alternative pricing policies were analyzed to determine the type of policy changes that would be needed to make a bio-ethanol plant economically viable. Implementing a R1.03/liter subsidy for bio-ethanol would increase average NPV to R77.3 million and average ROI to 43.6 percent. With a subsidy there is significant reduction in the risk of a negative NPV, decreasing the chance from 97 percent for the Base to only 5 percent. A more favorable bio-ethanol price, due to pricing bio-ethanol at 100 percent of the BFP plus 100 percent reimbursement on the fuel levy, was analyzed. The more favorable pricing formula increased average NPV to more than R80 million and average ROI to 46 percent, and it reduced the risk of a negative NPV to 0.5 percent. Instituting an inflation adjusted price floor at R3.325/liter increased average NPV and ROI, but not as much as the subsidy. The last policy scenario, a price floor of R3.325/liter and increasing reimbursement on the fuel levy to 70 percent, it provided the greatest increase in average NPV, ROI, net cash income, dividends, and ending cash reserves, and the largest reduction in relative risk.

A stochastic efficiency ranking of the risky alternatives showed that the last policy scenario (price floor of R3.325/liter and an increase in the reimbursement on the fuel levy to 70 percent) would be preferred by all classes of risk averse decision makers. Ranked second was the more favorable formula for computing the bio-ethanol price.

The results of this analysis demonstrate that bio-ethanol production from wheat in the winter rainfall region of South Africa is not likely to be profitable without significant involvement by the government. Policy assistance to enhance price and reduce risk can take on many different forms as demonstrated by the analysis. Any policy option should be analyzed thoroughly prior to implementation to avoid unintended consequences. Although results from this study are not directly transferable to other countries, the methodology can easily be implemented to analyze the economic viability of ethanol production in other countries with alternative feedstocks.

## References

- Abstract of Agricultural Statistics. (2006). The Directorate: Agricultural Information Services, Pretoria.
- Akayezu J., J.G. Linn, S.R. Harty, M. Cassady. (1998) "Use of Distillers Grains and Co-Products in Ruminant Diets", Retrieved February 20, 2006 from the World Wide Web: <http://www.ddgs.umn.edu/articles-dairy/1998nutrconf.pdf>
- Aven, T. (2005). Foundations of Risk Analysis. West Sussex, England: John Wiley & Sons, Ltd.
- Draft Biofuels Industrial Strategy of the Republic of South Africa. (2006, November). Department of Minerals and Energy, Pretoria.
- Food and Agricultural Policy Research Institute [Online]. (2007). Iowa State University, FAPRI January 2007 Baseline, <http://www.fapri.iastate.edu/brfbk07/>, Data Table File: Wheat.
- Gill, R.C. (2002, December). "A Stochastic Feasibility Study of Texas Ethanol Production: Analysis of Texas State Legislature Ethanol Subsidy." M.S. Thesis, Department of Agricultural Economics, Texas A&M University, College Station, Texas.
- Grain South Africa. (2007a). Input Data File: Fuel
- Grain South Africa. (2007b). Market Data File: Grain & Parity Prices
- Hardaker, J.B., R.B.M. Huirne, J.R. Anderson, and G. Lien. (2004). *Coping With Risk in Agriculture*. Wallingford, Oxfordshire, UK: second edition, CABI Publishing.
- Hardaker, J.B., J.W. Richardson, G. Lien, and K.D. Schumann. (2004) "Stochastic Efficiency Analysis With Risk Aversion Bounds: A Simplified Approach." *The Australian Journal of Agricultural and Resource Economics*, 48:2, pp. 253-270.
- Herbst, B.K. (2003, May). The Feasibility of Ethanol Production in Texas. M.S. thesis, Department of Agricultural Economics, Texas A&M University, College Station, Texas.
- Jacques K.A., T.P. Lyons, D.R. Kelsall. (Eds). (2003). *The alcohol textbook: a reference for the beverage, fuel and industrial alcohol industries*. Nottingham, Nottingham University Press.

- Lau, M. (2004, December) "Location of an Agribusiness Enterprise with Respect to Economic Viability: A Risk Analysis." Ph.D. Dissertation, Department of Agricultural Economics, Texas A&M University, College Station, Texas.
- Lemmer, W.J. (2006, January). "Bio-ethanol Production in the Western Cape – Value Adding to Winter Cereal Through Ethanol-, DDGS-, and CO<sub>2</sub>-production." Report 2006-01, Department of Agriculture: Western Cape.
- Reutlinger, S. (1970). "Techniques for Project Appraisal Under Uncertainty." World Bank Staff Occasional Papers (10), International Bank for Reconstruction and Development, The John Hopkins University Press.
- Richardson, J.W., B.K. Herbst, J.L. Outlaw, and R.C. Gill, II. (2007). "Including Risk in Economic Feasibility Analysis: The Case of Ethanol Production in Texas." *Journal of Agribusiness* (forthcoming).
- Richardson, J.W. (2006, January). "Simulation for Applied Risk Management." Department of Agricultural Economics, Agricultural and Food Policy Center, Texas A&M University, College Station, Texas.
- Richardson, J.W., S.L. Klose, and A.W. Gray. (2000, August). "An Applied Procedure for Estimating and Simulating Multivariate Empirical (MVE) Probability Distributions in Farm-Level Risk Assessment and Policy Analysis." *Journal of Agricultural and Applied Economics*, 32(2):299-315.
- Richardson, J.W. and H.P. Mapp, Jr. (1976, December). "Use of Probabilistic Cash Flows in Analyzing Investments Under Conditions of Risk and Uncertainty." *Southern Journal of Agricultural Economics*, 8, 19-24.
- Richardson, J.W., K. Schumann, and P. Feldman. (2006). "Simetar: Simulation for Excel to Analyze Risk." Department of Agricultural Economics, Texas A&M University, College Station, Texas.
- Rueve, K. (2005). *Wheat Based Ethanol Production*, Paper presented at a workshop "Northern Plains Ethanol Workshop", Saskatoon, Canada.
- SABA (2007). SABA response to Draft National Biofuels Strategy. (2007, March). Southern African Biofuels Association. Unpublished manuscript.
- South African Reserve Bank [Online]. (2007). Statistical & economic info. Quarterly Bulletin. Online download facility. Prime Overdraft Rate File: Time series KBP1403M

Statistics South Africa [Online]. (2007). Main key indicators: GDP; Historical PPI indices; Historical CPI indices: Fuel and Power

SARS (2006, June). Tax Rates/Duties/Levies (3d Issue). Legal and Policy Division, South African Revenue Service.

Tiffany, D.G. and V.R. Eidman. (2003, August). "Factors Associated with Success of Fuel Ethanol Producers." Staff Paper Series, Department of Applied Economics, University of Minnesota, Minneapolis, Minnesota.

The Bureau for Food and Agricultural Policy. (2006, June). South African Agricultural Outlook, BFAP Baseline, University of Pretoria, Pretoria.

WCTT (2007). Comment: Draft Bio-Fuels Industrial Strategy, (2006, March) The Western Cape Task Team on Renewable Fuels, Unpublished manuscript.

## Appendix:

### Economic Feasibility Model of a Bio-Ethanol Plant in South Africa

#### *Stochastic Variables*

- 1) **Bio-ethanol Price**<sub>t</sub><sup>5</sup> = (0.95 \* **BFP**<sub>t</sub><sup>6</sup> + 0.315 \* Fuel Levy<sub>t</sub>) \* [1 + MVE (S<sub>i</sub>, F(S<sub>i</sub>), C<sub>7</sub>)]
- 2) **DDGS Price**<sub>t</sub> = Mean Price<sub>t</sub> \* [1 + MVE (S<sub>i</sub>, F(S<sub>i</sub>), C<sub>6</sub>)]
- 3) **Wheat Price**<sub>t</sub> = Mean Price<sub>t</sub> \* [1 + MVE (S<sub>i</sub>, F(S<sub>i</sub>), C<sub>5</sub>)]
- 4) **Petroleum Price**<sub>t</sub> = Mean Price<sub>t</sub> \* [1 + MVE (S<sub>i</sub>, F(S<sub>i</sub>), C<sub>4</sub>)]
- 5) **Electricity Price**<sub>t</sub> = Mean Price<sub>t</sub> \* [1 + MVE (S<sub>i</sub>, F(S<sub>i</sub>), C<sub>3</sub>)]
- 6) **Inflation Rate**<sub>t</sub> = Mean Rate<sub>t</sub> \* [1 + MVE (S<sub>i</sub>, F(S<sub>i</sub>), C<sub>2</sub>)]
- 7) **OP Interest Rate**<sub>t</sub> = Mean Rate<sub>t</sub> \* [1 + MVE (S<sub>i</sub>, F(S<sub>i</sub>), C<sub>1</sub>)]
- 8) **Down Time**<sub>t</sub> = GRKS (minimum, middle, maximum)

<sup>5</sup> Names of stochastic variables are denoted in bold. Variables that are calculated as a function of stochastic variables become stochastic variables themselves and are denoted in bold.

<sup>6</sup> BFP stands for the Basic Fuel Price.

Where the  $C_i$  values in equations 1-7 represent the correlated uniform standard deviates that insure that random variables are appropriately correlated.

### *Income Statement*

Annual receipts for the wheat bio-ethanol plant (14) are the sum of receipts for bio-ethanol, DDGS, and  $CO_2$ <sup>7</sup>. Bio-ethanol receipts (12) equal the product of stochastic bio-ethanol production and stochastic bio-ethanol price. Bio-ethanol production (9) is based on plant production capacity per day times the number of days the plant operates. Gross bio-ethanol sold (11) is equal to bio-ethanol production plus denaturant (5 percent petroleum) added. Receipts for DDGS (13) is the product of stochastic DDGS price and DDGS produced, which is a linear relationship to wheat used.

$$9) \quad \text{Bio-ethanol Production}_t = \text{Maximum Production per Day}_t * (365 - \text{Down Time}_t)$$

$$10) \quad \text{Bio-ethanol Denaturant}_t = \text{Bio-ethanol Production}_t * 0.05^8$$

$$11) \quad \text{Denatured Bio-ethanol Production}_t = \text{Bio-ethanol Production}_t + \text{Bio-ethanol Denaturant}_t$$

$$12) \quad \text{Bio-ethanol Receipts}_t = \text{Denatured Bio-ethanol Production}_t * \text{Bio-ethanol Price}_t$$

$$13) \quad \text{DDGS Receipts}_t = \text{Wheat Used}_t * \text{DDGS per bu Wheat} * \text{DDGS Price}_t$$

$$14) \quad \text{Total Receipts}_t = \text{Bio-ethanol Receipts}_t + \text{DDGS Receipts}_t + \text{Interest Earned}_t$$

Cash expenses for the plant are the sum of the cost for wheat, denaturant, electricity, interest, and other inputs (enzymes, labor, etc.). Wheat cost (16) is a function of the quantity of wheat used and the local price for wheat.

$$15) \quad \text{Wheat Used}_t = \text{Bio-ethanol Production}_t / \text{Conversion Rate}$$

$$16) \quad \text{Wheat Cost}_t = \text{Wheat Used}_t * (\text{Wheat Price}_t + \text{Western Cape Province Price Wedge}_t)$$

Petroleum (17) cost for denaturant is a function of its stochastic price and the stochastic production of bio-ethanol. Electricity cost (18) equals electricity use times the price of electricity per kWh. Other production cost (19) equals the inflation adjusted cost of other inputs per liter times the total denatured bio-ethanol

<sup>7</sup> Receipts from  $CO_2$  were calculated using a constant price to account for the product but uncertainty about the industry prevented modeling the byproduct further.

<sup>8</sup> Petroleum is generally used to denature alcohol and when used it expands the volume of bio-ethanol about 5 percent. An option to be evaluated in South Africa is the use of a marker instead of using petroleum as a denaturant. The cost is R0.01/liter and is assumed to add no volume to total bio-ethanol produced.

production. Similar formulas are used to simulate electricity (18) and other (19) production costs. Total variable costs (20) is the sum of all these cash costs.

$$17) \text{ Petroleum Cost}_t = \text{Petroleum Denaturant}_t * \text{Petroleum Price}_t$$

$$18) \text{ Electricity Cost}_t = \text{Denatured Bio-ethanol Production}_t * 3.553 * \text{Electricity Price}_t$$

$$19) \text{ Other Costs}_t = \text{VC/liter}_{t-1} * (1 + \text{Inflation Rate}_t) * \text{Denatured Bio-ethanol Production}_t$$

$$20) \text{ Total Variable Cost}_t = \text{Wheat Cost}_t + \text{Petroleum Cost}_t + \text{Natural Gas Cost}_t + \text{Electricity Cost}_t + \text{Other Costs}_t$$

The cost of operating interest expense (21) is simulated using the stochastic interest rate, total variable costs, and the fraction of the year operating capital is borrowed.

$$21) \text{ Operating Interest}_t = \text{Total Variable Cost}_t * \text{OP Interest Rate}_t * \text{Fract. of year}$$

The interest cost to finance the proposed plant (22) is a deterministic value based on the amount financed (principal owed<sub>t</sub>), the interest rate, and the number of years financed.

$$22) \text{ Plant Debt Interest}_t = \text{Principal Owed}_t * \text{Fixed Interest Rate}_t$$

In the event the business has a cash flow deficit an equation is included to calculate the interest for a one-year loan to cover the cash flow deficit.

$$23) \text{ Carryover Loan Interest}_t = \text{Cashflow Deficits}_{t-1} * \text{OP Interest Rate}_t$$

Total interest expenses (24) for the business is the sum of interest expenses in 21-23.

$$24) \text{ Total Interest Expense}_t = \text{Plant Debt Interest}_t + \text{Operating Interest}_t + \text{Carryover Loan Interest}_t$$

Depreciation (25) was calculated assuming an accelerated depreciation schedule that recapture the original capital cost in 3 years (50, 30, and 20 percent) for the original investment plus the depreciation for annual capital expenses for improvements.

$$25) \text{ Depreciation}_t = \text{Plant Cost} * \text{fraction}_t + \text{Capital Replacement}_t * \text{fraction}_t$$

Total expenses (26) is the sum of total variable expenses, interest expense, and depreciation. Net returns (27) to the plant equals total receipts minus total

expenses and net cash income (28) is total receipts minus variable costs and interest expenses.

$$26) \text{ Total Expenses}_t = \text{Total Variable Cost}_t + \text{Total Interest Expense}_t + \text{Depreciation}_t$$

$$27) \text{ Net Returns}_t = \text{Total Receipts}_t - \text{Total Expenses}_t$$

$$28) \text{ Net Cash Income}_t = \text{Total Receipts}_t - \text{Total Variable Costs}_t - \text{Total Interest Expense}_t$$

### *Cash Flow Statement*

Cash flows of an investment are often more critical to the success or failure than the return on investment (Richardson and Mapp 1976). Annual cash flows for the proposed plant are calculated using equations 29-35. The cash flow calculations start with interest earned on cash reserves from the previous year (29). Total cash inflows (30) is the sum of net cash income generated during the year plus positive cash reserves on January 1<sup>st</sup> and interest earned.

$$29) \text{ Interest Earned}_t = \text{Positive Cash Reserves}_{t-1} * \text{CD Interest Rate}_t$$

$$30) \text{ Cash Inflows}_t = \text{Net Cash Income}_t + \text{Positive Cash Reserves}_{t-1} + \text{Interest Earned}_t$$

Cash outflow (34) is the sum of several expenditure categories, namely: dividends (31), principal payments (32) for the original plant loan, scheduled capital replacements, repayment of cash flow deficit loans, and income taxes (33).

$$31) \text{ Dividends}_t = \text{Maximum} [0.0, \text{Net Returns}_t * 0.25]$$

$$32) \text{ Principal Payment}_t = \text{Fixed Annual Payment} - \text{Plant Debt Interest}_t$$

$$33) \text{ Income Taxes}_t = \text{Positive Net Cash Income}_t * \text{Income Tax Rate}$$

$$34) \text{ Cash Outflows}_t = \text{Principal Payment}_t + \text{Repay Cashflow Deficit}_{t-1} + \text{Capital Replacement}_t + \text{Dividends}_t + \text{Federal Income Taxes}_t$$

Annual ending cash reserve (35) is the difference between cash inflows and cash outflows.

$$35) \text{ Ending Cash}_t = \text{Cash Inflows}_t - \text{Cash Outflows}_t$$

Ending cash balances can be positive or negative due to the variability of production, input costs and product prices. If ending cash is positive, it is an asset, and if it is negative a one-year cash flow deficit loan is obtained.



### *Balance Sheet Statement*

The balance sheet for the wheat bio-ethanol model contains three equations: assets (36), liabilities (37), and net worth (38).

$$36) \text{ Assets}_t = \text{Land Value} + \text{Book Value Plant}_t + \text{Positive Ending Cash}_t$$

$$37) \text{ Liabilities}_t = \text{Plant Debt}_{t-1} - \text{Principal Payments}_t + \text{Negative Ending Cash}_t$$

$$38) \text{ Net Worth}_t = \text{Assets}_t - \text{Liabilities}_t$$

### *Financial Ratios*

The financial ratios and KOVs to summarize the economic viability of the bio-ethanol plant are calculated in the last part of the model. Net present value or NPV (39) is calculated as the difference between beginning net worth on the present value of retained earnings and dividends which leave the business.

$$39) \text{ NPV} = - \text{Beginning Net Worth} + \sum (\text{Dividends}_i + \Delta \text{Net Worth}_i) / (1+0.25)^i$$

The present value of ending net worth or PVENW (40) is calculated using a 25 percent discount rate to reflect the investor's specified minimum rate of return on investment.

$$40) \text{ PVENW} = \text{Net Worth}_{10} / (1+0.25)^{10}$$

Return on investment or ROI (41) is calculated each year as the sum of net returns plus interest cost divided by the initial investment in the plant.

$$41) \text{ ROI}_t = (\text{Net Returns}_t + \text{Total Interest Cost}_t) / \text{Initial Plant Cost}$$