

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
http://ageconsearch.umn.edu
aesearch@umn.edu


Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.

U.S. Corn Producer's Response to Increased Energy Prices: Evidence from Producer Surveys in 2001 and 2005

Stan Daberkow, Dayton Lambert and Wesley Musser¹

<u>Introduction</u>

Recent price increases for both direct (i.e., fuel and electricity) and indirect (i.e., fertilizer) energy have resulted in higher production costs for corn producers. Indexes of prices paid by farmers for fertilizers and fuels rose 33% and 82%, respectively, between 2001 and 2005 with further increases recorded in 2006 (Figure 1)². Consequently, the share of per acre corn operating costs attributable to direct and indirect energy inputs rose from 44% in 2001 to nearly 50% in 2005 (USDA/ERS 2006). Expenditures by corn producers for fuel (\$42/acre) and fertilizer costs (\$59/acre) were estimated to be over \$100/acre, or about \$8 billion in aggregate in 2006 (Figure 2)³. Furthermore, while real fossil fuel prices are forecast to decline somewhat during the 2007-10 period, prices are expected to remain well above the levels experienced during the late 1990s and early 2000s (Figure 3).



Source: USDA/NASS


_

¹ The authors are Stan Daberkow, Agricultural Economist, Resource and Rural Economics Division, Economic Research Service, U.S. Dept. of Agriculture; Dayton Lambert, Assistant Professor, Department of Agricultural Economics, University of Tennessee; and Wesley Musser, Professor, Agricultural and Resource Economics Department, University of Maryland. The authors would like to acknowledge the assistance of Arain Carrera, William McBride and Tim Payne. The views expressed here are those of the authors, and may not be attributed to the Economic Research Service or the U.S. Department of Agriculture. Please do not quote without permission from the authors.

² Nitrogen fertilizer prices spiked in 2001 and were much lower in 2000 and 2002. The fertilizer index increased nearly 50% between 2000 and 2005.

³ With the exception of rice (\$182), the 2006 estimate of per acre cost of fertilizer and fuel for all the major field crops is less than for corn (i.e., cotton (\$81), sorghum (\$66), wheat (\$46), barley (\$44), oats (\$36), and soybeans (\$24) (USDA/ERS).

Not only is corn is an energy-intensive crop, but it is also widely grown in the United States. In 2006, the 79 million acres planted to corn for all purposes accounted for nearly one-fourth of all cropland used for crops in the United States. (Lubowski et al. 2006). Furthermore, the use of energy for domestic corn production is likely to increase during the next few years in response to growing demand for corn (Collins 2006). Based on USDA's recent Prospective Plantings report, planted acreage may reach over 90 million acres in 2007 with the increase largely linked to growing demand for corn by-products, especially ethanol (USDA/NASS 2007). While higher commodity prices resulting from increased demand may lead to a greater ability to absorb large energy-related production costs, corn producers will likely continue to seek ways to offset these costs through energy conservation where economically feasible or growing less energy intensive crops (Raulston et al. 2005). However, between 2001 and 2005 (the period of our analysis), corn producers experienced only modest increases in per acre gross value of production (Figure 2)⁴. Clearly, enhanced market prices and trend-line yields led to a much different picture in 2006.



Source: USDA/ERS. e=estimated


Objectives

Given that corn production is a relatively energy intensive crop and that energy prices have increased significantly in recent years, producers have received clear signals to conserve energy and/or find suitable substitutes. The objective of this analysis is to document changes in the use of energy-using or conserving practices by U.S. corn producers during a period of rapidly rising fossil fuel prices. Using field-level, probability-based surveys conducted in 2001 and 2005, we statistically tested for differences in the use of energy-related practices and technologies between the two years. This analysis also examines the extent of practice and technology adoption which is indicative of the potential for additional energy conservation by corn producers. However, we recognize that changing production systems often entails

⁴ Based on ERS data, per acre gross margin (VOP minus fertilizer plus fuel costs) actually declined from \$198 to \$191 between 2001 and 2005.

additional costs including new capital equipment, financial resources, information sources, or training.

The limitations of our approach to examining producer response to changing direct and indirect energy prices should be made explicit. The analysis is essentially a comparative static analysis and does not directly test for causation (i.e., changes in production practices cannot be directly linked to energy price/costs changes). As noted above, numerous factors are likely involved with any decision to adopt new production practices or technologies. Nevertheless, documenting the levels and shifts in energy-related practice and technology adoption between two points in time offers insights into the role of energy in modern production agriculture.



Source: USDOE/EIA

Literature Review

Most studies have found that producers respond slowly to energy and fertilizer price changes, primarily because of the costs and/or time lags associated with capital stock or production management changes (Miranowski 2005; Uri and Herbert 1991; Denbaly and Vroomen 1993; McCamley and Kleibenstein 1985)⁵. But over time, producers can adapt to rising real energy prices in a variety of ways. Field operations, crop drying and irrigation account for most of the direct energy consumed in corn production. Fuel conservation has been well documented for conservation tillage systems (which require fewer trips across the field), in-field crop drying, and low-pressure irrigation systems (Collins 2000; Werblow 2005)⁶. Custom operations, such as crop drying or field operations, also consume energy for corn production but may be able to provide services in a more energy-efficient manner (e.g., economies of scale) than those

Most of these studies found that the demand for fuel and fertilizer by farmers was inelastic, although Uri and Herbert reported a range for diesel fuel of 0.26 to 1.15.
 Clearly, weather influences the use of direct energy, especially for drying and irrigation, but also because of

weather's impact on weeds/pests. One estimate (Fawcett and Towery) is that no-till systems save about 3.9 gal/acre of fuel compared to conventional tillage. Another estimate (Successful Farming) suggests a fuel savings of about 2.3 gal/acre by adopting a no-till system.

performed by farm operators (Hill 1970). Larger multi-function machines and diesel powered tractors (compared to gasoline) can also produce energy savings (Uri and Day 1992). In general, fuel use per acre declines as the number of trips over the field declines and as the size of machine increases (University of Illinois 2006a, 2006b). Depending on the level of maintenance, older tractors may be less fuel-efficient than new models (Successful Farming 2005).

Conservation of indirect energy used on the farm typically focuses on the adoption of best management practices for pest control and nutrient use (USDA/NRCS 2005). The Natural Resources Conservation Service (NRCS) often recommends a combination of nutrient management practices for both economic and environmental reasons. Such practices include reducing application rates for commercial fertilizer as prices increase (especially nitrogen, which consumes large amounts of natural gas during the manufacturing process and, hence, its price is sensitive to natural gas markets); using fertilizer substitutes (such as nitrogen inhibitors, manure, or legumes in rotation with corn); improving nitrogen fertilizer efficiency by applying nitrogen several times during the growing season (especially after planting and by minimizing fall application); and acquiring more information to determine optimal application rates (i.e., setting reasonable yield goals, conducting soil and tissue tests, and seeking advice about nutrient use) (University of Nebraska 2000). Weed and insect management practices, such as cultivation and pest scouting, can also affect energy use primarily through the number of pesticide treatments. The relatively new bio-tech seed and precision agriculture technologies can reduce energy use by lowering the number of trips across the field, reducing use or changing the type of fertilizer and pesticide products, or improving tillage and chemical application efficiency via the use of guidance systems or variable rate applicators (Fawcett and Towery $2001)^7$.

The relatively rapid increase in direct and indirect energy prices has generated interest in modifying current conservation programs to encourage on-farm energy conservation. Such programs as the Conservation Security Program (CSP) and Environmental Quality Incentives Program (EQIP) can encourage the adoption of selected practices, such as conservation tillage and nutrient management, which impact energy use (U.S. Department of Agriculture 2006)⁸. Also, producers with cropland designated as "highly erodible land" (HEL) may be able to meet commodity program participation requirements by adopting conservation tillage systems. As a result of participation in various conservation programs, producers may be required to produce a written whole-farm plan which addresses appropriate resource concerns including energy conservation along with preserving soil, water and air quality.

Data

Data for the analysis come from USDA's 2001 and 2005 Agricultural Resource Management Survey (ARMS) of corn producers. The ARMS data used in this study are from a field-level survey of farms producing corn for grain in the 19 largest corn producing states⁹. Information is

⁷ Fawcett and Towery report that on average each tillage pass consumes about 0.7 gal/acre and that soybean growers who had adopted herbicide-tolerant varieties reduced tillage operations by 1.8 trips, resulting in a savings of

⁸ In addition to energy conservation, these programs may also achieve environmental objectives such as improved water and air quality, carbon sequestration, and reduced greenhouse gas emissions (CTIC 2006)

The surveyed states were: CO, GA, IL, IN, IA, KS, KY, MI, MN, MO, NE, NY, NC, ND, OH, PA, SD, TX, and WI.

collected on input use (i.e., seed, fertilizer and pesticides), production practices (i.e., tillage, pest and nutrient management), participation in conservation program as evidenced by field-level conservation plans, sources of information on nutrient management, field operations (i.e., tillage, planting, cultivation, fertilizer and pesticide applications, and harvesting), bio-tech and precision agriculture technologies, and tractor use. Producers were also asked if they responded to recent increased fuel and nitrogen prices and, if so, how they responded.

Each corn field sampled in the ARMS represents a known number of fields with similar attributes. By appropriately weighting the data for each field, inferences about the entire planted area of the surveyed states is possible. The surveyed states represent over 90% of the acreage planted to corn in the United States. A smaller number of fields were sampled in 2005 than 2001, but the amount of planted acreage actually increased (Table 1). Paired t-tests were used to test for mean differences between survey years. Due to the complex design of the ARMS survey, standard errors were estimated using a jackknife replication approach (Dubman 2000).

Results

Practices/technologies associated with direct energy use

Field operations, drying and irrigation are critical activities associated with direct fuel consumption (i.e., diesel, gasoline, electricity, LP, and natural gas) (Foreman 2006) ¹⁰. With the exception of an increase in conservation and no-till acreage, there was little change in the share of corn acreage using a particular technology for tillage, drying or irrigation (Table 1). While the mean number of trips over the field did not change (i.e., about six), the number of custom operations increased slightly between 2001 and 2005 (Table 2). However, the share of acres reporting more than seven trips over the field declined over the five year period (Table 1). The mean size of planters and harvesters increased between the two years (Table 2), but the share of acres using relatively small equipment (i.e., less than six rows) remained about the same—between 30 and 40% of all planted acres¹¹ (Table 1). While causality cannot be established between rising fuel costs and changes in production practices, some corn producers have altered their field operations since 2001.

Even though the survey data indicate a statistically significant decline (1%) in the share of acreage using a diesel tractor, it is clear that the "dieselization" of U.S. agriculture is nearly complete and little energy conservation potential exists from the adoption of more diesel tractors. However, the average age of the largest tractor used on the field continues to increase (Table 2) and the share of the acres using a tractor of older than 15 years remains substantial (i.e., 35-39%) (Table 1).

¹⁰ The drying data indicate a large increase between 2001 and 2005 in the share of corn acreage which was dried in the field which would greatly reduce energy use. However, the data were not collected in a similar manner between the two years and a t-test was not appropriate. Furthermore, weather can have a large influence on the feasibility of in-field drying.

¹¹ A reviewer noted that landscape factors, such as field size and conservation structures, can limit the size of equipment used on many fields.

Practices/technologies associated with indirect energy use

Nearly all corn acres are treated with nitrogen fertilizer (Table 3) and herbicides (Table 4) which suggest that more careful management of these inputs could have an impact on energy use as well as a potentially positive economic impact. However, only a few of the pest or nutrient management practices showed significant changes over the study period¹². Acreage receiving all applied nitrogen after planting declined, but there was no statistically significant evidence of changes in the share of acres with multiple season applications (Table 3). A decline in the share of corn acres rotated with a legume (mirroring a significant increase in continuous corn acres) suggests that less nitrogen was available from sources other than commercial fertilizer (Table 4). On the other hand, a significant decline in the share of acres treated with insecticides and cultivated for weed control clearly saved energy¹³—a phenomenon possibly related to the significant increase in use of herbicide-tolerant and Bt seed varieties¹⁴ (Table 4).

Significant changes in the use of several nutrient use practices were unexpected (Table 3). For example, the share of acres reporting a phosphorus test declined while an increasing share of acres relied on a fertilizer dealer for nitrogen rate information¹⁵. Also, the share of acres reporting a yield goal in excess of actual yield (greater than 20%) increased between 2001 and 2005. Yield goal can be a critical aspect of nitrogen management because Extension services often make application rate recommendations based on a farmer's yield goal (University of Nebraska 2000). To the extent that yield goals influence nitrogen application rates, an unrealistic yield goal in excess of actual yields can lead to more nitrogen being applied than is used by the crop¹⁶.

Participation in Conservation Programs

Several conservation programs have provisions designed to influence on-farm energy conservation. However, the modest share of corn acres managed under various conservation management plans (i.e., 1-9%) suggests that these programs have had a modest impact on energy use (Table 5). Survey data for 2005 indicate that participation by corn farmers in EQIP or CSP was limited. To the extent that an HEL designation on cropland encourages the adoption of energy-conserving tillage systems, a maximum of about 20-22% of all corn acreage may have been impacted.

_

¹² In fact, nitrogen application rates were statistically unchanged between 2001 and 2005 despite a 25% increase in anhydrous ammonia prices and a near doubling of prices between 2000 and 2005 (Table 3). However, the share of acres receiving over 200 lbs/acre of nitrogen (a rate about 33% above the average) remained unchanged at 8-9% between 2001 and 2005.

¹³ A reviewer noted that the Prices Paid Index for agricultural chemicals (e.g., herbicides) has been fairly stable over the last several years which may have made energy-intensive field cultivation less attractive than chemical weed control.

control.

14 While the share of acres scouted declined between the two years, this result may have been influenced by a change in how the question was asked.

15 One study found that farmers who rely on independent consultants for fertilizer recommendations had lower

¹⁵ One study found that farmers who rely on independent consultants for fertilizer recommendations had lower application rates compared to farmers using dealers (McCann and Easter 1999).

¹⁶ The mean of the yield goal/actual yield ratio did not change between 2001 and 2005 (Table 2). Clearly weather and other factors influence actual yield and account for much of the divergence between yield goal and actual yields. However, the data indicate that producers tend to be optimistic with respect to their yield goal (i.e., yield goals exceeded actual yields by 8% in our two survey years). Furthermore, national yields in 2001 and 2005 were not influenced by extreme weather events—based on USDA's 2001 baseline (USDA/WOAB 2001) expected or trend yields for 2001 and 2005 were 136 and 146 bu/acre, respectively, while actual yields were 138 and 148. However, a reviewer pointed out that a 8% yield divergence could be an economically rational response to variability in weather or fertilizer and corn prices.

Producer identified responses to increased fuel and fertilizer prices

Respondents were asked about specific responses to the nitrogen price increases in the early part of 2001 and 2005 (Table 5). Between 2001 and 2005, some producers responded to increased nitrogen fertilizer prices by changing one or more nutrient use practices on a much larger share of corn acres, especially reducing their nitrogen application rate and closer N management (i.e., soil-testing, split application, soil incorporation, etc.)¹⁷. With respect to fuel price increases, no 2001 data are available for comparison, but by 2005 producers indicated that they had reduced the number of field operations and increased field drying on a large share of corn acreage—a finding consistent with other survey data such as the significant increase in conservation tillage. Nevertheless, on the vast majority acres, producers did not report changing their nutrient management practices in response to the spike in nitrogen prices in the early part of 2001 or 2005.

Practices/technologies with a large potential for conserving energy use in corn production

Large and sustained fuel and fertilizer price increases would likely encourage producers to consider adopting energy-conserving practices and technologies. Based on survey data for 2001 and 2005, several potential energy-saving production practices have not been adopted on a significant share of corn acreage. For example, nearly a quarter of corn acres still utilize conventional tillage systems (including 3-4% using moldboard plows—a very energy intensive tillage operation) (Table 1). Of all the corn irrigated with a pressure system, only about half utilized an energy-saving low pressure system. Even though the mean size of planters and harvesters is increasing, small-scale machines are still used on 30-40% of all corn acreage. Similarly, older tractors (greater than 15 years) are used for at least one field operation on 35-39% corn acres. While the use of bio-tech seed and precision agriculture technologies is increasing, adoption remained below half of all corn acres in 2005 (Table 4).

The level of adoption of several recommended nutrient management practices remains modest. For example, nitrogen inhibitors and manure, which can act as substitutes for commercial nitrogen, are not widely used but, in the case of manure, local availability is constrained to regions with concentrated livestock operations (Table 3). About 12-15% of all acres still receive a single nitrogen application in the fall and only about 30% receive nitrogen after planting. Only about 25% of all acres are soil-tested for nitrogen each year. Also, setting realistic yield goals seems to be problematic for producers on 19-25% of all acres¹⁸.

Conclusions/Implications

Since 2000, indexes of prices paid for fuel and fertilizer have increased significantly. Much of the previous empirical economic research concluded that farmers respond slowly to increased prices for direct and indirect energy. In general, the survey data presented in this analysis reflect modest shifts in the use of selected practices and technologies which influence energy use. Part of the slow response is likely attributable to the fact that changing production systems often entails additional costs including new capital equipment, financial resources, information

_

¹⁷ Note, however, that the data for the entire sample did not show a statistically significant decline in nitrogen application rates

¹⁸ Surprisingly, of the 25% of the acres that are soil-testing about 1/5 (or 5-6% of all acres) receive at least 10% more nitrogen than the recommended rate. On the other hand, about half (11-13% of all acres) of the soil-tested acres report receiving less than the recommended rate.

sources, or training. However, significant increases in conservation tillage (and related decreases in the number of tillage operations), declines in cultivation for weed control, and fewer acres receiving insecticides likely led to reduced energy use on a significant share of acreage. Also, a significant number of corn producers, as exhibited by their willingness to rapidly adopt both bio-tech and precision agriculture technologies over a relatively short period, can respond relatively quickly to changing economic conditions and availability of new technologies. Finally, producers stated that, between 2001 and 2005, they changed certain production practices in response to energy prices.

Another implication of this study is that the potential for additional energy-conservation in corn production is quite large. A significant share of acreage used to produce corn (i.e., about 25%) still uses conventional tillage, only about half of all corn acres are systematically scouted, soiltesting is used on only one-fourth of all acres, and split nitrogen applications and after planting applications are not widespread. The use of small scale (i.e., less than 6 rows) planting and harvesting machines and older tractors, which may be less fuel efficient, will likely decline over time and lead to additional energy-savings. Less than half of all corn acres currently utilize biotech seed or precision agriculture technologies. Finally, given the modest level of participation in current conservation programs, there is considerable opportunity for public policy to influence energy conservation.

Static economic models used to evaluate the impact of increased input prices on net returns often assume that producers do not change input use, production practices or technologies in response to increased input prices. This study found that such an assumption can be misleading when, in fact, producers can adapt to higher energy prices. As the survey results presented in this analysis indicate, producers made adjustments between 2001 and 2005 in the practices and technologies used to produce corn and these changes were at least consistent with producer responses to sustained increases in energy-related input prices.

Areas for further research include: 1) assessing the factors which inhibit rapid adoption of energy conserving technologies and practices; 2) the role of policy in agricultural energy conservation; and 3) given the likely increase in continuous corn production, what are the economic and environmental implications of changes in tillage, pest, nutrient and water management practices used to produce more corn. Additionally, econometric or other models could be used to isolate the ceteris paribus response of producers to increasing energy prices. Raulston et al. is a recent example of such research but more would be helpful.

References

Collins, K. 2000. Chief Economist, U.S. Department of Agriculture, Statement before the U.S. Senate Committee on Agriculture, Nutrition, and Forestry, July 20, 2000.

Collins, K. 2006. Chief Economist, U.S. Department of Agriculture, Statement before the U.S. Senate Committee on Environment and Public Works, September 6, 2006.

Conservation Technology Information Center (CTIC). 2006. Available online: http://www.conservationinformation.org/?action=learningcenter_core4_convotill. Accessed Oct. 15, 2006.

Denbaly, M. and H. Vroomen. 1993. Dynamic Fertilizer Nutrient Demands for Corn: A Cointegrated and Error-correcting System. American Journal of Agricultural Economics 75(1):203-209.

Dubman, R.W. 2000 (April). Variance Estimation with USDA's Farm Costs and Return Surveys and Agricultural Resource Management Study Surveys. Economic Research Service. ERS Staff Paper. AGES 00-01.

Fawcett, R. and D. Towery. 2002. Conservation Tillage and Plant Biotechnology: How New Technologies Can Improve the Environment by Reducing the Need to Plow. Conservation Technology Information Center. West Lafayette, IN.

Foreman, L. 2006. Characteristics and Production Costs of U.S. Corn Farms, 2001. Economic Research Service, Economic Information Bulletin #7, Washington, DC.

Hill, L. 1970. Economic Determinants of the Farm and Elevator Trends in the Volume of Corn Artificially Dried. American Journal of Agricultural Economics 52(4):555-568.

Lubowski, R., M. Vesterby, S. Bucholtz, A. Baez and M. Roberts. 2006. Major Uses of Land in the United States, 2002. Economic Information Bulletin #14. Department of Agriculture, Economics Research Service. Available online: http://www.ers.usda.gov/Data/MajorLandUses/. Accessed June 9, 2006.

McCamley, F. and J. Kliebenstein. 1985. Incorporating Risk Considerations into the Estimation of Demand for Diesel Fuel by Crop Producers. North Central Journal of Agricultural Economics 7(2):87-93.

McCann, L. and K.W. Easter. 1999. Differences between Farmer and Agency Attitudes Regarding Policies to Reduce Phosphorus Pollution in the Minnesota River Basin. Review of Agricultural Economics 21(1):189-207.

Miranowski, J. 2005. Energy Consumption in Agriculture, in Agriculture as a Producer and Consumer of Energy. Outlaw, Collins and Duffield (Eds.), CABI Publishing, Cambridge, MA.

Raulston, J., G. Knapek, J. Outlaw, J. Richardson, S. Klose and D. Anderson. 2005. The Impact of Rising Energy Prices on Income for Representative Farms in the Western United States. Western Economic Forum IV(2):7-13.

Successful Farming. 2005 (December). Get Energized for Less Cost. Successful Farming Magazine, Meredith Publishing Group, Des Moines, IA, pages 20-22.

U.S. Department of Agriculture. 2006. Agricultural Prices: July Annual, National Agricultural Statistic Service. Washington, DC. Available online: http://usda.mannlib.cornell.edu/MannUsda/viewDocumentInfo.do?documentID=1003. Accessed Oct. 16, 2006.

U.S. Department of Agriculture. 2001. Agricultural Baseline Projections to 2010. World Agricultural Outlook Board, WAOB Staff Report No. (WAOB2001-1), Washington, DC.

- U.S. Department of Agriculture. 2006. Commodity Costs and Returns: U.S. and Regional Cost and Return Data, Economic Research Service, Washington, DC. Available online: http://www.ers.usda.gov/data/CostsandReturns/. Accessed October 1, 2006.
- U.S. Department of Agriculture. 2005. Conservation Practices that Save: Nutrient Management. Natural Resources Conservation Service. Washington, DC. Available online: http://www.nrcs.usda.gov/technical/energy/NutrientManagement.pdf. Accessed Oct. 16, 2006.
- U.S. Department of Agriculture. 2006. Conservation Security Program Energy Enhancement Activities Job Sheets, National Resources Conservation Service. Washington, DC. Available online: http://www.nrcs.usda.gov/programs/csp/cspenergy05.html. Accessed Oct. 16, 2006.
- U.S. Department of Agriculture. 2007 (March 30). Prospective Plantings. Agricultural Statistics Board, National Agricultural Statistics Service. Washington, DC.
- U.S. Department of Energy. 2006. Annual Energy Outlook 2006 with Projections to 2030. Report #:DOE/EIA-0383(2006). Energy Information Administration, Washington DC. Available online: http://www.eia.doe.gov/

University of Illinois. 2006a. Machinery Cost Estimates: Field Operations. Department of Agricultural and Consumer Economics, Farm Business Management Handbook, FBM 0201, July.

University of Illinois. 2006b. Machinery Cost Estimates: Harvesting. Department of Agricultural and Consumer Economics, Farm Business Management Handbook, FBM 0203, July.

University of Nebraska. 2000. Nutrient Management for Agronomic Crops in Nebraska, EC155. Available online: http://www.ianrpubs.unl.edu/sendlt/ec155.pdf. Accessed Oct. 10, 2006.

Uri, N. and J. Herbert. 1992. A Note on Estimating the Demand for Diesel Fuel by Farmers in the United States. Review of Agricultural Economics 14(2):153-167.

Uri, N. and K. Day. 1991. Energy Efficiency, Technological Change, and the Dieselization of Agriculture in the United States. Transportation Planning and Technology 16:221-231.

Werblow, S. 2005 (November). New Math: Will Fuel and Fertilizer Bills Drive Adoption of Conservation Tillage. Conservation Technology Information Center: Partners 23(3):3-6.

Table 1. Production practices and technologies influencing direct energy use on U.S. farms producing corn for grain, 2001 and 2005.

| Item | 2001 | 2005 |
|---|---------------------|------------|
| Number of fields in survey | 2,454 | 1,816 |
| Planted acres in states surveyed (mil.) | 65.2 | 71.2 |
| | (share of plant | ed acres) |
| Tillage system | (ontail of or plain | ou us. 55) |
| Conventional till | 26 | 24 |
| Moldboard plow | 4 | 3 |
| Reduced till | 31 | 27 |
| Conservation till | 43 B | 48 A |
| No till | 20 B | 25 A |
| Tractor/implement use | | |
| Age of largest tractor > 15 yrs. | 39 | 35 |
| Largest tractor is diesel | 99 B | 98 A |
| Planter width < 6 rows | 30 | 29 |
| Harvester width < 6 rows | 39 | 36 |
| > 7 trips across the field 1/ | 20 B | 16 A |
| > 3 custom trips across the field 1/ | 12 | 14 |
| Crop drying 2/ | | |
| Custom dried (off-farm) | 11 | 11 |
| Dried on farm ` | 45 | 29 |
| Not dried | 44 | 60 |
| Irrigation system | | |
| Irrigated acres | 14 | 12 |
| Gravity system | 4 | 2 |
| Pressure system | 10 | 10 |
| Low pressure system | 6 | 6 |

^{1/} Includes the following field operations: tillage, planting, fertilizer and pesticide applications, cultivation, and harvesting. Some trips could involve two or more field operations.

A and B indicate significant column difference tests based on pairwise two-tailed [Ho:B₁=B₂] delete-a-group Jackknife t-statistics at a 90% confidence level or higher with 15 replicates and 28 degrees of freedom. Source: 2001 and 2005 USDA Agricultural Resource Management Survey.

Table 2. Means for selected energy use indicators on farms producing corn, 2001 and 2005.

| ltem | Unit | 2001 | 2005 |
|----------------------------------|---------|--------|--------|
| Yield goal | bu/acre | 145 B | 153 A |
| Actual yield | bu/acre | 134 B | 142 A |
| Ratio: yield goal/actual yield | | 1.08 | 1.08 |
| Nitrogen application rate | lb/acre | 118 | 123 |
| Age of largest tractor | years | 16 B | 18 A |
| Number of rows | , | | |
| Planter | no. | 8.24 B | 9.15 A |
| Harvester | no. | 5.79 B | 6.23 A |
| Number of trips across the field | | | |
| Total trips | no. | 6.21 | 6.09 |
| Custom trips | no. | 1.03 B | 1.15 A |

See footnotes on Table 1.

Source: 2001 and 2005 USDA Agricultural Resource Management Survey.

^{2/} t-test not available for these estimates.

Table 3. Nutrient management practices and technologies influencing indirect energy use on

U.S. farms producing corn for grain, 2001 and 2005.

| Item | 2001 | 2005 |
|--|--------------------------|------|
| | (share of planted acres) | |
| Nutrient use | 25 | 00 |
| Treated with commercial nitrogen | 95 | 96 |
| Nitrogen application rate > 200 lb/acre | 8 | 9 |
| N inhibitor | 11 | 9 |
| Manure use | 12 | 13 |
| Nitrogen application timing | | |
| All applied before plantingfall | 12 | 15 |
| All applied before planting-spring | 37 | 36 |
| All applied after planting | 13 B | 11A |
| Applied in fall and before planting-spring | 12 | 12 |
| Applied before planting-spring and after planting | 10 | 10 |
| Applied before planting-fall and after planting | 7 | 7 |
| Applied in fall and before and after planting | 1 | 1 |
| Soil/tissue testing | | |
| N soil test | 26 | 28 |
| N app. rate 10% > recommended rate | 5 | 6 |
| N app. rate 10% < recommended rate | 13 | 11 |
| P soil test | 40 B | 35 A |
| Tissue test | 3 | 5 |
| Source of information about nitrogen application rates | | |
| Crop consultant | 20 | 21 |
| Fertilizer dealer | 28 B | 35 A |
| Extension service | 4 | 5 |
| Yield goal 20% > actual yield | 19 B | 25 A |

N=nitrogen; P=phosphorus See footnotes on Table 1.

Source: 2001 and 2005 USDA Agricultural Resource Management Survey.

Table 4. Selected production practices and technologies influencing energy use on U.S.

farms producing corn for grain, 2001 and 2005.

| Item | 2001 | 2005 |
|--|--------------------------|------|
| | (share of planted acres) | |
| Precision technologies | | |
| Yield monitor | 36 B | 45 A |
| Guidance system | 7 B | 16 A |
| VRT (fertilizer, pesticides or seed) | 10 | 11 |
| Crop rotation (previous crop) | | |
| Corn | 20 B | 24 A |
| Legume (including soybean) | 71 B | 64 A |
| Other | 9 | 12 |
| Pest management | | |
| Applied herbicide | 94 | 95 |
| Applied insecticide | 31 B | 24 A |
| Cultivated to control weeds | 38 B | 15 A |
| Systematic scouting for insects or weeds | 54 B | 49 A |
| Seed technologies | | |
| Herbicide-tolerant 1/ | 13 B | 30 A |
| Bt 1/ | 28 B | 34 A |

^{1/} Includes stacked varieties.

Source: 2001 and 2005 USDA Agricultural Resource Management Survey.

VRT=variable rate technology

See footnotes on Table 1.

Table 5. Conservation programs participation and respondent identified responses to increased fertilizer and fuel prices on U.S. farms producing corn for grain, 2001 and 2005.

| ltem | 2001 | 2005 |
|--|--------------------------|------|
| | (share of planted acres) | |
| Participation in Conservation Programs and Plans | | |
| Highly erodible land (HEL) | 20 | 22 |
| Enrolled in CSP | X | 2 |
| Enrolled in EQIP | X | 2 |
| Farm plan participation | | |
| Nutrient management plan | X | 9 |
| Pest management plan | X | 4 |
| Irrigation management plan | Х | 1 |
| Respondent identified responses to increased fertilizer and fu | el prices 1/ | |
| Nitrogen prices | · | |
| Reduced N application rate | 9 B | 22 A |
| Increased manure use | 2 B | 3 A |
| Changed N fertilizer product | 1 B | 5 A |
| Managed N more closely 1/ | 7 B | 24 A |
| Fuel prices | | |
| Reduced number of tillage operations | X | 25 |
| Increased amount of corn dried in the field | X | 33 |
| Reduced amount of irrigation water | X | 4 |
| Changed other production practice | X | 8 |

^{1/} Includes increased soil-testing, split application, VRT, and soil incorporation. CSP=Conservation Security Program; EQIP=Environmental Quality Improvement Program

X= data not available

See footnotes on Table 1.

Source: 2001 and 2005 USDA Agricultural Resource Management Survey.