



AgEcon SEARCH
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

The World's Largest Open Access Agricultural & Applied Economics Digital Library

This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.

Help ensure our sustainability.

Give to AgEcon Search

AgEcon Search
<http://ageconsearch.umn.edu>
aesearch@umn.edu

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

PB81-190274

ESS-6 GRAIN DUST: PROBLEMS AND UTILIZATION, / L. D. SCHNAKE ECONO
MICS AND STATISTICS SERVICE, WASHINGTON, DC. NATIONAL ECONOMICS DIV
APR 81 22P


1 OF 1
P B 8 1
190274



Grain Dust: Problems and Utilization

(U.S.) Economics and Statistics Service
Washington, DC

Apr 81



U.S. Department of Commerce
National Technical Information Service

NTIS

REPORT DOCUMENTATION PAGE		1. REPORT NO. ESS-6	2.	3. Recipient's Accession No. PBB1 190274												
4. Title and Subtitle GRAIN DUST: PROBLEMS AND UTILIZATION			5. Report Date April 1981													
7. Author(s) L. D. Schnake			8. Performing Organization Rept. No. ESS-6													
9. Performing Organization Name and Address National Economics Division Economics and Statistics Service U.S. Department of Agriculture Washington, D.C. 20250			10. Project/Task/Work Unit No.													
12. Sponsoring Organization Name and Address Same as box 9			11. Contract(G) or Grant(G) No. (C) (G)													
15. Supplementary Notes			13. Type of Report & Period Covered													
16. Abstract (Limit: 200 words) Grain dust is a difficult, dangerous, and expensive material to handle. A country elevator handling 750,000 bushels of grain annually would spend an estimated \$500,000 for equipment to meet Clean Air Act standards. The additional cost of controlling dust may be offset by using the substance as fuel, feed, or fertilizer. Grain dust as a feed ingredient would likely be the optimum use.			14.													
17. Document Analysis a. Descriptors <table border="0"> <tr> <td>Contamination</td> <td>Economic analysis</td> <td>Grains</td> </tr> <tr> <td>Cost analysis</td> <td>Feeding stuffs</td> <td>Utilization</td> </tr> <tr> <td>Dust</td> <td>Fertilizers</td> <td></td> </tr> <tr> <td>Dust Control</td> <td>Grain elevators</td> <td></td> </tr> </table> b. Identifiers/Open-Ended Terms Clean Air Act Problems Fuel Grain byproducts Grain dust c. COSATI Field/Group					Contamination	Economic analysis	Grains	Cost analysis	Feeding stuffs	Utilization	Dust	Fertilizers		Dust Control	Grain elevators	
Contamination	Economic analysis	Grains														
Cost analysis	Feeding stuffs	Utilization														
Dust	Fertilizers															
Dust Control	Grain elevators															
18. Availability Statement: NATIONAL TECHNICAL INFORMATION SERVICE 5285 Port Royal Road, Springfield Va. 22161			19. Security Class (This Report)	21. No. of Pages												
			20. Security Class (This Page)	22. Price												



United States
Department of
Agriculture

Economics and
Statistics
Service

ESS-6

Grain Dust

Problems and Utilization

L.D. Schnake

PRODUCT OF:
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

CONTENTS

	<u>Page</u>
SUMMARY	v
INTRODUCTION	1
UNDERSTANDING GRAIN DUST	1
PROBLEMS WITH GRAIN DUST	5
Handling Problems	5
Contamination Possibilities	6
UTILIZATION OF GRAIN DUST	6
Grain Dust as a Fuel	6
Grain Dust as a Fertilizer	7
Grain Dust as a Feed	8
ECONOMIC CONSIDERATIONS	8
Costs of Removing Dust at the Country Elevator	11
Possible Effects on Grain Production and Marketing	14
AREAS OF RESEARCH EMPHASIS	15
REFERENCES	16

PREFACE

The collection and use of grain dust is a relatively recent issue. Little information on grain dust exists in economic literature. The technical information needed to provide economic analysis is also limited. This paper provides information and a compilation of selected references about grain dust, serving as a first contact reference for analysts who may become interested in the subject area. It is expected that technical and economic information will be increasing, and that much more detailed analyses will be forthcoming.

SUMMARY

Grain dust, difficult, dangerous, and expensive to handle, is very small particles of grain and other matter in the grain mass and is quite similar in composition to the grain from which it came. Its explosive characteristics, sometimes compared to gunpowder, have been blamed for several elevator explosions. Grain dust is also considered an air pollutant, affected by Federal environmental regulations. Pneumatic conveyance is the most effective means of handling grain dust since it tends to pack. The most likely economical use of grain dust is as a feed ingredient, although its potential for fuel and fertilizer has also been studied.

Quality checks should be made on grain dust if a feed use is planned. The dust from aflatoxin-infected grain may contain toxins due to the collection of small particles of infected grain kernels by dust collection systems.

At least one-third of today's country elevator operators may not be able to afford the estimated \$500,000 required to meet Clean Air Act requirements now prescribed for terminal elevators. Costs to facilities handling 750,000 bushels annually could increase an estimated 9.1 cents per bushel.

Costs to producers affected by an elevator closing, not including costs for added delivery distance or disposal of uneconomic quantities of dust, are estimated to be 13.4 cents per bushel, 6 percent of 1979 estimated renter costs for corn production.

Research is needed to: determine the quantity and quality of grain dust at each point in the U.S. grain marketing system, determine the economic impact of proposed Government regulations that result in the collection of additional grain dust, establish poultry and livestock performance on rations using processed and unprocessed grain dust, develop methods for rapid determination of dust quality, and develop improved technologies to unload dust from transport containers.

Grain Dust:

Problems and Utilization

L. D. Schnake*

INTRODUCTION

Collecting grain dust is a difficult and expensive process and is receiving increased attention from grain handlers, mostly as a result of Federal environmental regulations. Dust that is collected from grain and not returned to the grain is a physical loss and a revenue loss if not sold for a price equal to the grain. Grain dust disposition problems center on which method of utilization would be the most economically efficient, for example, fuel, feed, or fertilizer. This paper identifies problems related to grain dust aspirated (removed) for environmental control and safety within grain handling facilities, summarizes knowledge about this grain dust, puts a relative perspective on the economics of handling it, and summarizes research needs. 1/

Dust collection in the grain industry began to increase after passage of the 1963 Clean Air Act. Collection has increased significantly with the increased emphasis on air quality since subsequent amendments to the act through 1978. Any new regulations pertaining to worker environment in grain handling facilities could lead to collection of greater quantities of grain dust by more elevators.

U.S. Government regulatory agencies have requested that grain dust removed not be returned to grain.

UNDERSTANDING GRAIN DUST

Grain handling facilities have a history of explosions because of grain dust. Fuel, oxygen, and an ignition source with appropriate dispersion in containment, are three basic ingredients for an explosion. Grain dust is an excellent fuel, air in an elevator supplies the oxygen, and many ignition sources may exist: overheated equipment bearings, slipping belts, welding sparks, tramp metal, faulty wiring, and careless smoking. The dangers of grain dust have been likened to those of gunpowder.

The quantity of grain dust collected has been relatively inconsequential in the past, because it has never been used for marketing purposes. Circumstances are changing as quantities of dust collected have reached marketable proportions.

*The author is stationed at the U.S. Grain Marketing Research Laboratory, Manhattan, Kans.

1/ Reference to grain dust throughout this paper refers to aspirated grain dust from grain handling operations, unless noted otherwise.

Grain Dust: Problems and Utilization

American Feed Control Officials, Inc., only recently adopted a definition of grain dust collected for environmental control within a grain handling facility: "Aspirated grain fractions are obtained during the normal aspiration of cereal grains and/or oil seeds for the purpose of environmental control and safety within a grain handling facility. It shall consist primarily of seed parts and may not contain more than 15 percent ash. It shall not contain aspirations from medicated feeds" (1). 2/

The lack of a definition for aspirated grain dust until recently has contributed to a general lack of knowledge in the United States as to what grain dust is. It has been viewed mistakenly by many to be dirt with no value. Grain dust still lacks a definition specifying end-use values.

Grain dust collected by dust collection systems in grain handling operations consists of small particles of the grain kernel and other small particles of matter in the grain mass. Moreover, grain dust has a wide spectrum of particle sizes. No general agreement exists as to which particle sizes should be called grain dust. Some have suggested particles of 500 microns and less, others 250 microns and less.

The composition of dust may be quite variable. The variation may be due to any one or a combination of several factors. Dust from specific grains will have characteristics relative to the grain from which it came, but dust from some elevators may come from more than one grain (tables 1 through 4).

The season may affect the quantity and/or quality of grain dust. Factors that may cause annual variations in grain dust characteristics include rain just before harvest, particularly for wheat and soybeans. Rain just before or at harvest results in more field soil in the grain mass and consequently a higher ash content of the dust. A wet harvesting season for corn often results in relatively higher moisture corn requiring more drying, which results in more broken kernels and consequently more grain dust. A dry, stressful growing season for wheat, which usually results in a higher wheat protein content, would likely produce a higher protein dust from that wheat.

Regional differences in grain dust are likely to exist, partly because of regional specialization in grain production and partly because of differences in growing conditions.

Grain handling practices of elevators may also influence the characteristics of grain dust. The more times grain is handled, the higher the percentage of broken kernels and dust (15). The variations in the quantity and various quality aspects of grain dust at different stages in the production-marketing complex have not been evaluated. Blending practices of U.S. grain handlers may increase the uniformity of dust from a particular grain as it moves in the grain handling system. As grain moves to final use, however, increased handling likely changes the particle size distribution of the dust, as well as the quantity of dust.

2/ Underscored numbers in parentheses refer to items listed in the References.

Table 1--Proximate analysis of dust and grain on a 0-percent ash, 14-percent moisture basis

Sample	Protein	Fat	Fiber	Starch
	<u>Percent</u>			
Wheat dust	10.9	2.5	16.4	54.5
Wheat grain	14.0	2.0	3.0	68.0
Corn dust	8.2	2.5	7.4	67.0
Corn grain	8.8	4.6	2.5	70.0
Sorghum dust	7.1	5.1	14.3	55.6
Sorghum grain	9.0	3.0	2.0	72.0
Soybean dust	9.2	3.0	13.7	52.6
Soybean grain	34.2	17.8	4.9	29.0

Source: (14).

Table 2--Variations in grain dusts for selected elevators, selected characteristics, 1975

Elevator	Protein	Fat	Fiber	Ash	Moisture	Bulk density
	<u>Percent</u>					<u>Lbs/ft³</u>
One (mid-April)	7.8	--	23.4	10.4	8.0	19.2
Two (mid-July)	10.8	--	7.4	39.4	5.6	38.5
Three (early Oct.)	10.1	1.6	17.3	14.9	7.2	22.0
Three (late Oct.)	9.4	1.5	18.4	14.2	7.1	18.9
Four (late Nov.)	9.1	4.5	9.9	9.2	10.6	--
Four (mid-Dec.)	10.8	2.0	10.5	10.9	8.4	24.0

-- = Not reported.

Source: Personal communications.

Grain Dust: Problems and Utilization

Table 3--Variations in wheat dust collected at a selected elevator

Date	Protein	Fat	Fiber	Ash	Moisture	Total digestible nutrients
			<u>Percent</u>			
January 1977	10.65	1.40	10.85	4.16	6.30	91.21
January 1978	12.95	1.75	7.55	3.51	6.80	91.87
January 1979	12.25	1.95	11.45	4.45	10.10	78.38

Source: Personal communications.

Table 4--Analysis of mixed grain dust, selected Midwest terminals, selected years

[illegible]

1/ Includes December 1976.

Source: (4).

PROBLEMS WITH GRAIN DUST

Grain dust is difficult and dangerous to handle, and it may be contaminated with toxins.

Handling Problems

Dust particles tend to pack when they come to rest, and it is difficult to return them to motion (to flow). Bridging is a common problem in dust storage bins. ^{3/} Expensive pneumatic handling equipment is often required to handle dust properly.

Grain dust is quite abrasive. As a result, maintenance cost on dust handling and processing equipment is high relative to similar equipment in grain and feed facilities.

Grain dust pelletizes well with conventional pelleting equipment incorporating only steam. Steam-conditioned pellets have been stored up to 3 months with no problems. The addition of molasses as a binder is not required with steam conditioning and if storage of dust pellets is contemplated, the addition of molasses during pelleting may not be desirable. Dust pellets with even a small amount of molasses have required jackhammers for removal from storage bins.

Grain dust is transported in rail hopper cars and boxcars and van-type and hopper-bottom trailer trucks. Hopper-bottom trailer trucks are the most easily unloaded transport vehicles with current handling technology. Conventional hopper cars are difficult to unload. A lack of dust volume prevents the dedication of expensive pneumatic railcars to grain dust hauls. Boxcars are difficult to unload; however, few boxcars are used in the grain trade.

Vehicles hauling grain dust can be filled to capacity. However, they cannot be loaded to weight limits due to the low bulk density of grain dust. Thus, grain dust incurs a shipping cost penalty.

Vibrations during transport will cause dust to settle, presenting unloading problems. The shipping container must be tightly enclosed to prevent dust loss and to protect the dust from rain. Grain dust subjected to moisture readily molds, unless prompt, corrective action is taken.

Dust in grain can fuel elevator explosions. Dust collected from grain may be considered as a concentration of fuel, a dangerous substance that must be handled with caution. It can be highly charged with static electricity, making the grain dust difficult to handle.

^{3/} Bridging is the interlocking of particles to form an arch (bridge) in a bin, impeding or preventing the flow of particles from the bin.

Grain Dust: Problems and Utilization

Contamination Possibilities

Aflatoxin incidence, particularly in corn, is related to relative humidity, soil moisture, and wind. ^{4/} Corn grown in the Southeast, as well as the dust it produces, is more aflatoxin-prone compared with that of other regions due to the aflatoxin conditions in that region. Dust from aflatoxin-infected corn would be expected to contain aflatoxins. Grain sorghum is harvested at high-moisture levels similar to corn, leading to a tendency to mold easily unless properly dried. Consequently, dust from sorghum harvested during a wet season might also be an aflatoxin suspect. Aflatoxin incidence in wheat is not nearly as prevalent as in corn or sorghum, because wheat is harvested at much lower moisture levels than corn and sorghum. Wheat also does not break nearly as much in handling as corn. Thus, the wheat kernel is not as subject to mold invasion as the corn kernel. The incidence of aflatoxin in wheat dust is likely very low.

Grain dust may contain malathion residue concentrations, particularly if the chemical was improperly applied. Malathion is the only approved insecticide used on stored grain. The incidence of malathion residues on U.S. grain arriving at export ports is now quite low (23). Farmers store 60 percent of U.S. grain stocks onfarm (based on January 1, 1981, grain stocks). Much of this grain is under Government loan or reserve programs. If farmers should increase the use of approved insecticide protectant to maintain grain quality, the incidence and level of malathion residues on grain would likely increase from what is shown in current research findings.

UTILIZATION OF GRAIN DUST

The flour milling industry has long collected dust and disposed of it by integrating it into bran or other millfeed created in milling. However, disposing of large quantities of grain dust by the grain handling industry is a different situation. Collected grain dust cannot legally be dumped at sanitary landfills. Open-air burning is generally prohibited. Spreading dust on cropland poses weed and insect problems.

Suggested uses for grain dust include fuel, feed, or fertilizer (25). In addition to technical reports (3, 4, 5, and 10) on these suggested uses, at least one private feeding trial focuses on grain dust pellets in feed lot rations. The results were quite favorable. However, economic feasibility studies have not been made on the total system of grain dust collection and utilization.

Grain Dust as a Fuel

Grain dust can be burned under controlled conditions for heat. At least one public utility near a major U.S. grain center is exploring this possibility.

Grain dust composition (see table 2) must be considered by anyone contemplating use of grain dust in incineration processes. High ash content grain dust, often typical

^{4/} Aflatoxins are poisons (toxins) produced by the fungi Aspergillus flavus and A. parasiticus.

of dust collected from soybeans, is usually associated with sand of high silica content. Silica subjected to incineration processes creates glass, causing problems in devices designed to produce heat.

Grain dust for an incineration process could be a substitute or complement in plants designed to burn coal, although coal is superior to grain dust on an energy basis. Coal, producing 11,867 Btu per pound, has 1.71 as much energy per pound as corn dust with 6,948 Btu per pound (table 5). Corn dust as an energy source would be worth \$22.78 per ton at the user's site in a form that could be handled, compared with coal at \$38.92 per ton. The dust would require processing, such as pelleting before it could be shipped for incineration. This could cost \$26.50 per ton, excluding transportation (20). The minimal transportation charge that should be considered is \$10 per ton. Thus, grain dust would require a subsidy of \$13.72 per ton to be competitive as a substitute for coal (\$22.78 energy value minus \$26.50 processing for handling minus \$10 minimal transportation charge).

Grain dust, because of its starch content (see table 1), could also be used to produce fuel alcohol. Price relationships would be the determining factor. The relative technical values of corn and corn dust, the most abundant of the grains and grain dusts, used for alcohol production, have not been documented.

Grain Dust as a Fertilizer

Grain dust, high in organic matter, makes a good composted product for use in greenhouses and by gardeners (5, 7). Composted products for consumer consumption commonly retail for \$4 per hundredweight in the Midwest (1980). At this rate, the retail

Table 5--Heat of combustion and comparison of combustibles of dust control system effluent

Dust source	Heat of combustion		Combustibles <u>1/</u>
	<u>Kilocalorie gs/g</u>	<u>Btu/lb</u>	<u>Percent</u>
Corn	3,860	6,948	81.6
Wheat	3,663	6,593	75.0
Sorghum	3,552	6,394	71.3
Soybean	3,049	5,488	63.2

1/ Combustibles = 100 minus percentage of ash minus percentage of moisture.

Source: Derived from (14).

Grain Dust: Problems and Utilization

value of a ton of processed grain dust would be \$80. However, most of the retail value is accounted for by wholesaler and retailer margins, transportation, and processing, leaving a small proportion, if any, of the value allocated to the basic product.

Grain Dust as a Feed

Two recently published reports evaluate grain dust as an ingredient in broiler, swine, and sheep rations (4, 10) (tables 6 through 9). Other reports have suggested possible use of grain dust as feed (6, 12, 13, 16, and 18).

A feeding trial using grain dust in feeder cattle rations has been reported by Kansas State University (2). Grain dust has been used in cattle, swine, and poultry rations, but manufacturers and feeders are hesitant to discuss their use of grain dust in rations.

It has been suggested that grain dust has about 80 percent of the nutritional value of the source grain (19) (see tables 1 through 4). Using corn price and a proportional nutritional value of 80 percent for the dust relative to the grain, an estimate can be made of the monetary value of grain dust as a feed ingredient. At \$2.52 per bushel (\$90 per ton, Kansas City, Mar. 1980) for corn delivered to a feed mill, grain dust has an estimated value of \$72 per ton as a feed ingredient delivered to the mill. This compares with an estimated \$12.78 per ton for unprocessed grain dust delivered for fuel. Compared with composted grain dust at \$80 per ton retail, grain dust processed as a feed ingredient retailed from \$155 per ton for 14-percent protein dairy feed to \$194 per ton for hog feed in March 1980 (26). Processing (pelletizing) cost of dust as a feed ingredient is estimated at \$26.50 per ton (20). This simple analysis suggests that grain dust be used for animal feed. Allowances were not made for the costs of handling grain dust. However, since the handling problem would exist for any of the end uses evaluated, these costs would not change the relationships. Thus, the relative end-use values remain the same.

ECONOMIC CONSIDERATIONS

Little information currently exists to help answer the many questions about the economic effects of grain dust removal. No information is available on how many facilities now collect grain dust in the United States, and there is no public information on the quantity of dust collected. All export elevators collect dust to meet Government regulations; however, not all export elevators retain the dust they collect (27, p. 130).

Grain dust may be sold as a byproduct of a grain handling operation but it may generate only limited revenue. The grain handling firm incurs disposal costs including the outbound freight where there is no market. Grain dust sells at grain price when it is returned to the grain, so many operators collecting grain dust return as much dust to the grain as possible. An offsetting factor is the possibility that this practice may cost more in wear and tear on equipment than the loss incurred from dust disposal. Data are not available either to support or to refute this possibility.

Table 6--Cumulative average daily gain and feed efficiency of broilers fed diets containing grain dust

Parameter	Grain dust replacement of corn (percent) <u>1/</u>			
	0	25	50	75
	<u>Grams</u>			
Average daily gain:				
Up to 2 weeks	17.57	15.87	15.92	17.10
Up to 4 weeks	<u>2/28.66</u>	<u>3/25.91</u>	<u>3/25.00</u>	<u>3/25.59</u>
Up to 6 weeks	<u>2/36.07</u>	<u>3/32.97</u>	<u>3/31.93</u>	<u>3/32.40</u>
Up to 8 weeks	39.73	37.67	37.40	37.00
Feed efficiency:				
Up to 8 weeks (feed/gs gain)	<u>2/3.27</u>	<u>3/2.63</u>	<u>3/2.63</u>	<u>4/2.96</u>

1/ Corn replaced by grain dust on an "as fed" weight-for-weight basis.

2/, 3/, 4/ Mean values in the same row with unlike footnotes differ significantly ($P < 0.05$).

Source: (4).

Table 7--Results of swine growing-finishing trial with diets containing grain dust

Parameter	Grain dust replacement of corn (percent) <u>1/</u>		
	0	25	50
	<u>Kilograms</u>		
Average daily gain per head	0.74	0.79	0.77
Daily feed intake per head	<u>2/2.06</u>	<u>2/</u> , <u>3/2.25</u>	<u>3/2.35</u>
	<u>Grams</u>		
Feed efficiency: (feed/gs gain)	2.81	2.86	3.05

1/ Corn replaced by grain dust on an "as fed" weight-for-weight basis.

2/, 3/ Mean values in the same row with unlike footnotes differ significantly ($P < 0.05$).

Source: (4).

Grain Dust: Problems and Utilization

Table 8--Performance of 12 lambs fed rations containing grain dust

Item	Percentage of grain dust in rations <u>1/</u>		
	0	25	50
	<u>Kilograms</u>		
Final weight	44.0	40.1	39.1
Feedlot performance:			
Average daily gain	<u>2/</u> .27	<u>3/</u> .19	<u>3/</u> .17
Daily feed intake <u>4/</u>	<u>2/</u> , <u>3/</u> 1.15	<u>3/</u> 1.07	<u>2/</u> 1.24
Feed/kg of gain <u>4/</u>	<u>2/</u> 4.24	<u>3/</u> 5.76	<u>5/</u> 7.36

1/ Percentage on a dry-matter basis.

2/, 3/, 5/ Mean values in the same row with unlike footnotes differ significantly ($P < 0.05$).

4/ 100-percent dry-matter basis (moisture free).

Source: (10).

Table 9--Performance of eight lambs fed rations containing grain dust--two protein sources

Item	Percentage of grain dust in ration and protein source <u>1/</u>					
	0 percent		12 percent		24 percent	
	Soybean meal	Urea	Soybean meal	Urea	Soybean meal	Urea
	<u>Kilograms</u>					
Final weight	46.9	46.1	46.4	44.6	45.1	46.9
Feedlot performance:						
Average daily gain	.21	.20	.20	.16	.18	.20
Daily feed intake <u>2/</u>	1.05	1.04	1.03	1.07	1.12	1.16
Feed/kg of gain <u>2/</u>	5.17	5.28	5.17	6.73	6.23	5.73

1/ Grain dust percentage on a dry-matter basis.

2/ 100-percent dry-matter basis (moisture free).

Source: (10).

Grain farmers do not know how much cost will be passed back to them through lower prices for grain.

Dust retention rates, reported in personal communications, range from 0.04 to 0.13 percent by weight of grain handled on an in-and-out basis. A commonly reported figure is 0.07 percent. One industry engineer has estimated that up to 2.6 percent of the weight of grain is dust, but that only 5 percent of this dust in grain is airborne.

Some engineers believe that at least 50 percent of dust in grain at export elevators is generated at the port by high-speed handling facilities. The estimated quantity of dust and the quantities that may have been collected for the major grains at U.S. export elevators in 1980 appear in table 10.

About 1.5 million tons of grain dust may have been transported to U.S. port elevators in 1980, the likely equivalent of more than 53 million bushels of corn, if, in fact, 2.6 percent of the weight of grain is dust and port facilities should generate at least 50 percent of the dust. It is difficult to estimate how much transportation equipment was required to transport the estimated quantity of dust, since dust fills spaces between kernels and adheres to the kernel surface.

The number of elevators, other than export elevators, that collect and retain grain dust is unknown. The number of elevators installing dust systems continues to increase as more and more elevators are brought into compliance with the Clean Air Act, according to industry contacts. Many of these elevators are country elevators.

Costs of Removing Dust at the Country Elevator 5/

One estimate of the number of U.S. country elevators is 8,600 (9). These facilities range in storage capacity from less than 100,000 bushels with throughput ratios ranging from 4.5 to 13, to 2.5 million bushels with throughput ratios ranging from about 1 up to 5 (21).

The estimated cost in 1976 to equip a country elevator to meet Clean Air Act standards was over \$225,000 (17). Equipment to provide a worker environment with less than 5 mg dust per cubic meter of air would be substantially more extensive than that to meet Clean Air Act requirements, according to air control systems engineers. Two engineers queried about current costs to equip a "typical" country elevator to meet Clean Air Act requirements estimated 1980 costs to be \$500,000.

For an elevator handling 750,000 bushels annually, a \$500,000 investment that would still not likely meet OSHA worker environment standards for nuisance dusts, amounts to approximately 8.5 cents per bushel over the life of the equipment. 6/ If a dust

5/ Country elevator here means an elevator that received grain from producers only and none from other elevators.

6/ Grain dust is considered a nuisance dust by OSHA (8). OSHA does not now have regulations on grain dust related to worker health in grain handling facilities. However, a proposal for regulations has been made and initial hearings have been held (8).

Grain Dust: Problems and Utilization

Table 10--Estimated quantities of grain dust at two percentage levels at U.S. ports, by weight, selected grains, 1980

Port area and grain	1980 inspections for export <u>1/</u>	0.07-percent dust	2.6-percent dust
	<u>1,000 bushels</u>	<u>Tons</u>	
Chicago:			
Corn	72,155	1,414	52,529
Total	72,155	1,414	52,529
Duluth-Superior:			
Wheat	121,168	2,545	94,511
Corn	41,949	822	30,539
Oats	3,677	41	1,530
Barley	36,767	618	22,943
Rye	5,760	113	4,193
Total	--	4,139	153,716
Toledo:			
Wheat	12,217	257	9,529
Corn	115,984	2,273	84,436
Total	--	2,530	93,965
Saginaw:			
Wheat	1,983	42	1,547
Corn	4,661	91	3,393
Total	--	133	4,940
North Atlantic:			
Wheat	15,659	329	12,214
Corn	101,019	1,980	73,542
Total	--	2,309	85,756
South Atlantic:			
Wheat	48,818	1,025	38,078
Corn	268,573	5,264	195,521
Oats	2	--	2
Barley	3,152	53	1,967
Total	--	6,342	235,568
Mississippi River:			
Wheat	233,388	4,901	182,042
Corn	1,174,330	23,017	854,912
Oats	80	1	33
Sorghum	15,627	306	11,376
Total	--	28,225	1,048,363

See footnote at end of table.

Continued--

Table 10--Estimated quantities of grain dust at two percentage levels at U.S. ports, by weight, selected grains, 1980--continued

Port area and grain	1980 inspections for export ^{1/}	0.07-percent dust	2.6-percent dust
	<u>1,000 bushels</u>	<u>Tons</u>	
East Gulf:			
Wheat	9,216	194	7,188
Corn	123,875	2,428	90,181
Total	--	2,622	97,369
North Texas Gulf:			
Wheat	370,071	7,771	288,655
Corn	153,729	3,013	111,915
Barley	45	1	28
Sorghum	88,315	1,731	64,293
Total	--	12,516	464,891
South Texas Gulf:			
Wheat	25,475	535	19,870
Corn	937	18	682
Sorghum	77,725	1,523	56,584
Total	--	2,076	77,136
Columbia River:			
Wheat	395,995	8,316	308,876
Barley	19,684	331	12,283
Sorghum	9,040	177	6,581
Total	--	8,824	327,740
Puget Sound:			
Wheat	4,824	101	3,763
Corn	269,546	5,283	196,229
Barley	3	--	2
Sorghum	37,995	745	27,660
Total	--	6,129	227,654
California:			
Wheat	60,241	1,265	46,988
Corn	96,818	1,898	70,484
Sorghum	23,518	461	17,121
Total	--	3,624	134,593
Total U.S. ports	--	80,883	3,004,220

-- = Not applicable.

^{1/} Source: Grain Transportation Situation, U.S. Dept. Agr., Office of Transportation, Feb. 9, 1981.

Grain Dust: Problems and Utilization

removal rate of 0.0015 is considered, dust removal amounts to an additional 0.6 cent per bushel shrink on \$4 per bushel grain. Relative to "typical" 1978/79 elevator in-and-out charges of 10 cents per bushel paid by producers (22), the additional 9.1 cents per bushel cost for dust removed would increase the in-and-out charge a minimum of 91 percent.

Possible Effects on Grain Production and Marketing

Some country elevators may close in the face of regulations requiring them to remove dust from grain because of the financial burden. The closing of an elevator immediately affects producers in the trade area and elevators and producers in adjoining trade areas.

Farmers

Farmers in communities with only one elevator would face extended delivery distance if that elevator should close. Current estimates indicate that farmers spend more than 12 cents per bushel to transport grain to the first point of sale (11). This cost would immediately increase. However, transportation costs may not reflect the total increase in delivery costs. For those who must deliver part of their grain at harvest, investment must be made in additional equipment to transport or hold grain to keep high-speed harvesting equipment busy. Any extra elevation to temporary holding space creates additional losses and damage to grain which translates into additional costs. Estimates put the producer cost of additional field holding bin space at approximately 4.23 cents per bushel.

The farmer may face additional marketing charges for dust removal if the elevator does not have a sufficient volume of dust to market and if the farmer is not willing to haul the dust away. In areas of North Dakota where efforts have been made to market clean wheat, farmers have been assessed a charge if they did not haul the cleanings away. Onsite pelleting costs for small quantities of dust that would be available at any given time at a country elevator could be as high as \$56 per ton, approximately 0.22 to 0.24 cent per bushel of grain handled (20).

These estimated cost increases, examples of how the grain dust issue could affect the grain delivery and handling costs of certain farmers, can be stated relative to crop production costs. Excluding additional transportation costs and dust processing costs, estimated increases are: field holding bins (4.23 cents per bushel); shrink from dust removal (0.6 cent per bushel); and increased in-and-out handling charges (8.5 cents per bushel), amounting to 13.4 cents per bushel. This represents a 6-percent increase over estimated 1979 U.S. average renter costs of \$2.25 per bushel for corn (24).

Elevators

An issue that needs to be considered is how many existing country elevators could financially support a \$500,000 investment which would not add to productivity. A change in ownership would not necessarily keep such facilities in service since the cost of dust removal would be independent of ownership. Closing these elevators

would increase the concentration of ownership of marketing facilities. The other issue besides the ability to make the investment is how the marketing system will allocate the additional costs of dust removal.

Whether the costs to terminal and port operators can be passed forward or backward in the marketing chain depends on the market. No incentive exists for the foreign buyer to bid more for U.S. grain unless it is the only source, since the export market determines price. The complaint of foreign buyers, "...that U.S. grain is dirtier or dustier than grain from other origins," is documented (28, p. 71). However, some sources disagree with the statement. Australia's elevators already have massive dust removal systems, and dust is essentially removed from their grain (predominantly wheat); thus, the United States cannot offer dust-free grain as a selling point to traditional Australian customers. Likewise, an offer of cleaned grain to traditional Canadian customers would not be an incentive, since Canadian laws require cleaning of exported grain. Therefore, additional costs will probably be passed back to the farmer in most instances.

AREAS OF RESEARCH EMPHASIS

Research efforts are needed to minimize the economic consequences of dealing with increasing quantities of collected grain dust.

The economic impact of proposed Government regulations that result in the collection of additional grain dust to meet worker environmental standards needs evaluation. Particular emphasis should be placed on the effects of such regulations on the structure of the grain handling industry, particularly the first point of sale and the implications on grain pricing.

Research is needed to determine the quantity of grain dust at each level in the marketing system so decisionmakers can determine best dust disposition.

Feeding trials, using unprocessed and processed dust (for example, grain dust pellets and slurries) are needed to demonstrate grain dust efficiency in the rations of the various classes of livestock and poultry. These trials should be followed by economic analyses.

Export market development efforts should also be considered. For many years, the Canadians have exported pelleted grain screenings and dust, with levy-free shipments to the European Economic Community.

Development of rapid analytical methods is needed to determine various quality characteristics of grain dust for proper grain dust utilization.

Research would help show the most economical unloading technology for transport containers used for unprocessed grain dust.

REFERENCES

- (1) American Feed Control Officials, Inc., Official Publication, 1981. pp. 139-140.
- (2) Axe, Dirk, Harvey Ilg, Keith Bolsen, and Keith Behnke. "Grain Dust for Finishing Cattle," Cattleman's Day 1980. Kansas Agr. Exp. Sta., Rpt. of Progress 377, Manhattan, Kans. Mar. 1980.
- (3) Behnke, Keith. "Elevator Dust as a Feed Ingredient," Feed Management. July 1978.
- (4) _____ and H.M. Clark. "Nutritional Utilization of Grain Dust by Monogastrics," proceedings of the International Symposium on Grain Dust, Manhattan, Kans. Oct. 2-4, 1979.
- (5) Chang, C.S., Fang S. Lai, R. Rousser, and B.S. Miller. "Burning and Composting Grain Dust," proceedings of the International Symposium on Grain Dust, Manhattan, Kans. Oct. 2-4, 1979.
- (6) Clark, Ed. "Elevator Grain Dust Pelleted for Feed May Offer Disposal Method," Feedstuffs. Mar. 13, 1978.
- (7) Communications Marketing, Inc. "Grain Dust Has Value as Soil Conditioner," Grain Age. Jan. 1980.
- (8) Federal Register. Vol. 45, no. 33, pp. 10,732-10,737, Feb. 15, 1980.
- (9) Heifner, Richard G., James L. Driscoll, John W. Helmuth, Mack N. Leath, Floyd F. Niernberger, and Bruce Wright. The U.S. Cash Grain Trade in 1974: Participants, Transactions, and Information Sources. AER-386. U.S. Dept. Agr., Econ. Res. Serv., Sept. 1977.
- (10) Ilg, H., D. Axe, and K.K. Bolsen. "Nutritional Utilization of Grain Dust by Ruminants," proceedings of the International Symposium on Grain Dust, Manhattan, Kans. Oct. 2-4, 1979.
- (11) Kansas Crop and Livestock Reporting Service. Kansas Custom Rates, 1979.
- (12) Kiewet, Fred. "Grain Dust Diets Prove Successful," Kansas City Star. Mar. 8, 1979.
- (13) McNabney, Jim. "Grain Dust Might Pay Its Own Way as Feed," Farm Journal. Oct. 1978.
- (14) Martin, C.R. "Characterization of Grain Dust Properties," paper presented at 1978 summer meeting of American Society of Agricultural Engineers (ASAE), Logan, Utah, June 27-30, 1978.
- (15) _____ and L.E. Stephens. "Broken Corn and Dust Generated During Repeated Handling," vol. 20, no. 1, (1977), pp. 168-171. Transactions of the ASAE, St. Joseph, Mich.

- (16) Miller Publishing Company. "Grain Dust Utilization in Animal Feeds," Feed-stuffs. Mar. 12, 1979.
- (17) National Grain and Feed Association. "Government and Grain." Feb. 22, 1977.
- (18) Perry, T.W. "Adaptability is the Key to a Liquid Feed System," Feedlot Management. Nov. 1972.
- (19) Progressive Farmer Company. "Making Grain Dust Into Livestock Feed," Progressive Farmer. Aug. 1978.
- (20) Schnake, L.D. Grain Dust Pelletting Costs and Capital Requirements For Stationary and Portable Plants. ESCS-71. U.S. Dept. Agr., Econ. Stat. Coop. Serv., Sept. 1979.
- (21) _____ and James L. Driscoll. Number and Physical Characteristics of Grain Elevators. ESCS-22. U.S. Dept. Agr., Econ. Stat. Coop. Serv., May 1978.
- (22) Siebert, John W. Indiana Elevator Service Charges, 1978-79. Dept. of Agr. Econ., Purdue University, West Lafayette, Ind., CES Paper 55, July 1979.
- (23) Storey, Charles L. Preliminary Information for Insect Incidence Survey of 1977 and 1978, U.S. Grain Exports, U.S. Dept. Agr., SEA-AR, forthcoming.
- (24) U.S. Congress, U.S. Senate. Costs of Producing Selected Crops in the United States--1978, 1979, and Projections for 1980. Prepared by U.S. Dept. Agr., Econ. Stat. Coop. Serv., July 1980.
- (25) U.S. Department of Agriculture. "A Progress Report--Grain Dust Explosion Research," Agricultural Research. Apr. 1979.
- (26) _____. Agricultural Prices. Apr. 1980.
- (27) _____. "Prevention of Dust Explosion in Grain Elevators--An Achievable Goal," task force report. Office of the Special Coordinator for Grain Elevator Safety and Security, 1980.
- (28) U.S. General Accounting Office. "Federal Export Grain Inspection and Weighing Programs: Improvements Can Make Them More Effective and Less Costly." Report to the U.S. Congress, CED-80-15, Nov. 30, 1979.

B216
9

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101
THIRD CLASS



Economics and Statistics Service

The Economics and Statistics Service (ESS) collects data and carries out research on food and nutrition, international agricultural trade, natural resources, and rural development. The Economics unit researches and analyzes production and marketing of major commodities; foreign agriculture and trade; economic use, conservation, and development of natural resources; trends in rural population, employment, and housing and rural economic adjustment problems; and performance of agricultural industry. The Statistics unit collects data on crops, livestock, prices, and labor, and publishes official USDA State and national estimates through the Crop Reporting Board. Through its information program, ESS provides objective and timely economic and statistical information for farmers, government policymakers, consumers, agribusiness firms, cooperatives, rural residents, and other interested citizens.