



**AgEcon** SEARCH  
RESEARCH IN AGRICULTURAL & APPLIED ECONOMICS

*The World's Largest Open Access Agricultural & Applied Economics Digital Library*

**This document is discoverable and free to researchers across the globe due to the work of AgEcon Search.**

**Help ensure our sustainability.**

Give to AgEcon Search

AgEcon Search  
<http://ageconsearch.umn.edu>  
[aesearch@umn.edu](mailto:aesearch@umn.edu)

*Papers downloaded from **AgEcon Search** may be used for non-commercial purposes and personal study only. No other use, including posting to another Internet site, is permitted without permission from the copyright owner (not AgEcon Search), or as allowed under the provisions of Fair Use, U.S. Copyright Act, Title 17 U.S.C.*

# NCCC-134

APPLIED COMMODITY PRICE ANALYSIS, FORECASTING AND MARKET RISK MANAGEMENT

## **Corporate Hedging In Incomplete Markets: A Solution Under Price Transmission**

by

Rui Luo and T. Randall Fortenbery

Suggested citation format:

Luo, R., and T. R. Fortenbery. 2017. "Corporate Hedging In Incomplete Markets: A Solution Under Price Transmission." Proceedings of the NCCC-134 Conference on Applied Commodity Price Analysis, Forecasting, and Market Risk Management. St. Louis, MO. [<http://www.farmdoc.illinois.edu/nccc134>].

## **Corporate Hedging In Incomplete Markets: A Solution Under Price Transmission**

Rui Luo and T. Randall Fortenbery\*

*Paper presented at the NCCC-134 Conference on Applied Commodity Price Analysis,  
Forecasting, and Market Risk Management  
St. Louis, Missouri, April 24-25, 2017.*

Copyright 2017 by Rui Luo and T. Randall Fortenbery. All rights reserved. Readers may make verbatim copies of this document for noncommercial purposes by any means, provided that this copyright notice appears on all such copies.

---

\* Rui Luo, Ph.D Student at School of Economic Sciences, Washington State University, Hullbert Hall 123B, Washington State University, Pullman, WA 99164. Contact: [rui.luo2@wsu.edu](mailto:rui.luo2@wsu.edu).  
T. Randall Fortenbery, Professor and Grain Commission Endowed Chair, School of Economic Sciences, Washington State University.

## **Corporate Hedging In Incomplete Markets: A Solution Under Price Transmission**

This paper provides dynamic minimum-variance hedges for firms in incomplete markets. Our hedges accounts for price transmission between the input and output prices, and thereby enable firms to minimize both input and output price fluctuations through tradable securities. Specifically, the model conditions on the direction and magnitude of price transaction between raw materials and products, as well as on the availability of futures contracts. A two-factor diffusion model is assumed for the underlying asset. The optimal hedges are the weighted average of the classic direct hedging and cross hedging ratios. We apply our results to the problem of a hypothetical jet fuel producer. Empirical results demonstrate the hedging effectiveness of this model.

**Keywords:** Hedging, Price Transmission, Commodity Futures

### **1. Introduction**

A firm has input and output price risk exposures, but it is not often that all these price risks could be eliminated through exchange traded futures contracts as in incomplete markets, futures contracts are only written on a limited number of assets. Though forward contracts are alternatives, they may be too expensive. If an appropriate related futures contract does not exist for the input/output side, the firm may remain unhedged to that side.

However, vertical transmission of shocks among various levels of the market renders price transmission (PT, hereafter) along the supply chain, making one-side hedge more risky – profit volatility may actually be higher than remaining both sides exposed. For example, COFCO TUNHE (600737.SH), a Chinese company producing sugar from sugar beets, had a CN¥ 308 million loss from hedging its sugar sales in 2010. This occurred because sugar prices in China climbs nearly 66 percent and sugar beet prices also rise. Therefore, the fluctuation of its net profit from selling sugar increased.

In this paper, we attempt to provide a dynamic incomplete-market hedging strategy for firms to reduce both input and output risk. Toward that, we consider a firm that is concerned with eliminating the volatility of its profits. The market is incomplete in that the firm cannot take exact offsetting positions to both input and output payoffs, as appropriate futures contracts exist for only one side. The traditional minimum-variance criterion is employed since it is reasonable for a firm to aim to avoid costly financial distress resulted from volatile profits (Fok, Carroll, and Chiou 1997). By taking PT into account, we obtain the minimum-variance hedging policy for the firm, which retains the intuitive elements of classic minimum-variance hedges.

Hedging has been an active topic in derivatives and risk management research for decades. In complete markets without frictions, the classic approach is to employ static minimum-variance

hedges (e.g., Duffie 1989, Stulz 2003, Cvitanic and Zapatero 2004, McDonald 2006, and Hull 2008). Though useful for real-life risk management applications, these hedges are suboptimal when hedging in multiple periods (e.g., Brandt 2003, Choudhry 2003) and do not completely eliminate risks in dynamically complete settings (Basak and Chabakauri 2012). The alternative is to use dynamic minimum-variance strategies that take into account the time-varying joint distribution of underlies (e.g. Alizadeh and Nomikos 2008, Bertus, Godbey, and Hilliard 2009, Schwartz 1997) or “Greeks” hedges (e.g. Bakshi, Cao, and Chen 1997, He et al. 2006).

However, when applied in incomplete markets, complete-market hedges are not necessarily optimal in the sense that they do not optimally consider market incompleteness (Basak and Chabakauri 2012). One standard solution is cross hedges, which use a related futures contract to offset price risk that cannot be hedged by dynamically trading in available securities. For example, Ederington (1979) suggests a minimum-variance static hedge when no futures contracts’ maturity matches the hedger’s time horizon. Wilson (1989) extends the approach of Ederington (1979) and uses soybeans or soybean oil futures to hedge sunflowers positions that do not have futures markets. Berths, Godbey, and Hilliard (2009) highlight the spread risk between the asset underlying the contract and the specific source of risk and provide a dynamic minimum-variance cross hedging strategy.

In a general incomplete-market setting, Basak and Chabakauri (2012) analyze minimum-variance hedging by incorporating a new parameter for market incompleteness into the standard “Greeks” model. Despite the usefulness of this strategy in replication and hedging of financial derivatives, it may not be optimal for hedging commodity risk in the sense that commodities do not satisfy the standard no-arbitrage condition for traded assets (Schwartz 1997). Gibson and Schwartz (1990), Schwartz (1997) and Schwartz and Smith (2000), among others, suggest that models allowing for stochastic, mean-reverting convenience yields, are necessary to capture the dynamics of commodity prices. Adjusting for instantaneous convenience yield has been also shown to improve risk reduction when hedging commodity risk (e.g. Godbey and Hilliard 2007). In this paper, we derive the dynamically optimal hedging policy assuming a two-factor diffusion model for the underlying asset with a stochastic, mean-reverting convenience yield.

Using the specific case of a hypothetical jet fuel producer that uses light sweet crude oil to produce jet fuel as motivation, we compare performance between the one-sided and two-sided hedging. Markets are incomplete in the sense that only light sweet crude oil futures contracts exist. Simulations and empirical results show that the two-side model outperforms the one-side strategy.

The contribution of this paper consists of devising a dynamic hedging ratio for firms to jointly offset input and output risk in incomplete markets by incorporating PT mechanism into the

traditional complete-market minimizing hedging model. As PT is an important characteristic describing the overall operation of the market (Goodwin and Holt 1999), this strategy may be practical for firms in multiple industries.

The article proceeds as follows: in section 2, we develop and discuss the optimal hedging policy in incomplete markets; section 3 compares hedging effectiveness of different hedging strategies and section 4 concludes.

## 2. The Hedging Model

### 2.1 Minimum-variance hedging in complete markets

[Figure 1 is about here]

Consider a firm that uses  $q$  units of input to produce the output under current technology utilized. In complete markets, the hedging strategy could be depicted as in Figure 1. At time 0, the firm buys  $h_t$  units of input futures contracts at price  $f_0^I$ , and sells at price  $f_1^I$  at  $t=1$ . The final cost,  $H_t$ , for producing 1 unit output is:

$$H_t = I_1 q - (f_1^I - f_0^I) h_t, \quad (1)$$

where  $I_1$  is the spot input price at time 1. At the same time, the firm shorts  $h_o$  output futures contracts at price  $f_0^O$ . The final income after selling output and its futures contracts at time 2,  $H_o$ , is then:

$$H_o = O_2 - (f_1^O - f_0^O) h_o, \quad (2)$$

where  $f_2^O$  and  $O_2$  are the futures and spot prices of output at time 2, respectively. The expected profit in the presence of transaction costs,  $\Pi$ , is then

$$\Pi = H_o - H_t - m(|h_t| + |h_o|), \quad (3)$$

where  $m(|h_t| + |h_o|)$  is the proportional brokerage fee, which is assumed to be  $m$  for each position transacted. The variance-minimizing hedging ratio in complete market is

$$(h_1, h_0)' = \arg \{ \min \text{Var}(\Pi) \}. \quad (4)$$

## 2. 2 Minimum-variance hedging in incomplete markets

The market in this economy is incomplete in that futures contracts are limited in kinds, thereby making the common approach in complete market impossible. If futures contracts are not available for the asset to be hedged, the firm may remain unhedged and thus exposed to changes in the spot price of the asset. Alternatively, the firm may wish to eliminate this exposure through another hedging vehicle. In this article, we attempt to help the firm improve the quality of hedging in incomplete markets by accomplishing the price transmission (PT) mechanism between the producer and the consumer prices in the sector of the firm in the traditional variance-minimizing hedge.

In different industries, the PT mechanism is expected to vary in directions and magnitude (e.g. Goodwin and Holt 1999, von Cramon-Taubadel 1998). According to the direction of PT and the availability of futures contracts, four subcases are considered: (CO) cost-driving PT in which supply forces lead to equilibrium between input and output prices with output futures contracts; (CI) cost-driving PT with input futures contracts; (DO) demand-driving PT with output futures contracts; (DI) demand-driving PT with input futures contracts. In all cases, the firm may either only hedge cash positions with futures contracts (one-sided hedge) or jointly hedge input and output price risks (two-sided hedge).

Without input futures contract, a CO firm use only output futures to hedge input and output price exposures. The resulting cash flow is

$$\Pi = \left( O_2 - (f_2^o - f_0^o) h_o^c \right) - I_1 q - m |h_o^c| \quad (5)$$

where  $O_t$  ( $t = 0, 1, 2$ ) and  $I_t$  ( $t = 0, 1$ ) are spot output and input prices, respectively;  $f_t^o$  ( $t = 0, 1, 2$ ) is output futures price, and  $h_o^c$  is transactions in output futures market. If  $h_o^c$  is positive (negative), the firm shorts (longs). Profits  $\Pi$  equal to total income  $\left( O_2 - (f_2^o - f_0^o) h_o^c \right)$  minus expenses for inputs  $I_1 q$  and transaction costs  $m |h_o^c|$ .

In a widely-applied framework, the PT mechanism for a CO firm could be modeled linearly as

$$O_2 = \theta_0 + \sum_{i=1}^p \theta_i O_{2-i} + \sum_{j=1}^q b_j I_{2-j} \quad , \quad (6)$$

where  $\theta_i$  and  $b_j$  are marginal effects of lagged output and input prices on  $O_2$ , respectively.

This paper employs the traditional variance-minimizing criterion for the hedger whose problem in incomplete market is

$$\min_h \text{Var}(\Pi) \quad . \quad (7)$$

The effectiveness of two-sided hedge through PT,  $Eff_{two}$ , is calculated as

$Eff_{two} = -\left(\text{var}(\Pi_{two}) - \text{var}(\Pi_{unhedged})\right)$  and the effectiveness of traditional one-sided hedge is

$Eff_{one} = -\left(\text{var}(\Pi_{one}) - \text{var}(\Pi_{unhedged})\right)$ , where  $\Pi_{one}$ ,  $\Pi_{two}$ , and  $\Pi_{unhedged}$  stands for profits when applying a traditional one-sided hedge, a two-sided PT hedge, and profits of unhedged positions, respectively. The quality-improvement of using the two-sided hedge policy is:

$$G = Eff_{two} - Eff_{one} \quad (8)$$

The optimal hedge ratio for a CO firm,  $h_o^c$  is then

$$h_o^c = \theta_1 \beta_1 - (q - b_1) \beta_2 \quad , \quad (9)$$

where  $\beta_1 = \frac{\text{cov}(O, f^o)}{\text{var}(f^o)}$  is the minimizing hedge ratio using output futures to hedge output

exposures; and  $\beta_2 = \frac{\text{cov}(I, f^o)}{\text{var}(f^o)}$  is the optimal hedge ratio when cross-hedging input price risk

through output futures.

The hedge policy given by (9) suggests that since output prices are driven by input price dynamics, the firm may eliminate more risk by a strategy adjusted to PT. The adjusted policy –  $\theta_1 \beta_1 - (q - b_1) \beta_2$  – is the weighted average of direct hedge policy  $\beta_1$  and cross hedge policy

$\beta_2$ . Specifically, the firm sells  $\theta_1 \beta_1$  for output exposures and buys  $(q - b_1) \beta_2$  for input price



risks. For each output cash position, it is optimal to sell  $\beta_1$  output futures without considering for the input price risks. When jointly hedge input and output risks in a PT framework, the short position is adjusted to  $\theta_1\beta_1$  because product price at time 2 is affected by its price at time 1.  $\theta_1$  gauges the magnitude of this lagged-price effect. The greater is  $\theta_1$ , the stronger is the autocorrelation in output price series, and the higher is the weight for  $\beta_1$  to hedge output price exposures.

As for input price exposures, the firm uses  $-(q-b_1)\beta_2$  (i.e. longs  $(q-b_1)\beta_2$ ) output futures positions. More specifically, the optimal cross hedge for each input cash position is  $\beta_2$ . When not accounting for cost-driving PT, the firm could use  $-q\beta_2$  output futures positions to cross hedge input price exposure since the firm has a constant input-output ratio of  $q$ . However, cost driving indicates that product prices are affected by lagged prices of raw materials, this mechanism therefore provides “natural hedge” to output price fluctuations, ending in a deduction of  $b_1\beta_2$  in long positions.  $b_1$  is the magnitude of PT and measures the marginal output price effect of lagged input price. The greater is  $b_1$ , the less the firm has to short output futures positions.

Similarly, for CI firms with cost-driving PT and input futures market, the problem is that

$$\begin{aligned} & \min_{h_i^c} \{Var(\Pi)\} \\ s.t. & \quad O_2 = \theta_0 + \sum_{i=1}^p \theta_i O_{2-i} + \sum_{j=1}^q b_j I_{2-j} \\ & \quad \Pi = O_2 - (I_1 q - (f_1^I - f_0^I) h_1^c) - m |h_1^c| \end{aligned} \quad , \quad (10)$$

where  $f_1^I$  is input futures prices.  $h_1^c$  is input futures positions and positive (negative)  $h_1^c$  indicates buying (selling) input futures. Solving (10) yields

$$h_1^c = -\theta_1 \beta_2 + (q - b_1) \beta_1 \quad , \quad (11)$$

where  $\beta_1 = \frac{\text{cov}(I, f^I)}{\text{var}(f^I)}$  is the minimizing  $\beta$ -ratio between futures and the underlying or the

optimal one-side input hedge ratio; and  $\beta_2 = \frac{\text{cov}(O, f^I)}{\text{var}(f^I)}$  is the optimal hedge ratio when

cross-hedging output price risk through input futures. The minimum-variance hedge strategy

adjusted is again the weighted average of  $\beta_1$  and  $\beta_2$ .

For demand-driving cases (DO) and (DI) in which major buyers play the price leadership roles, price transmission suggests that

$$I_1 = \chi_0 + \sum_{i=1}^s \chi_i I_{1-i} + \sum_{j=1}^k d_j O_{1-j} \quad , \quad (12)$$

where  $\chi_i$  is the input price effect of its lags and  $d_j$  measures the impact of lagged output price on input prices.

Due to the absence of available input futures contracts, a DO firm's problem using output futures contract is

$$\begin{aligned} & \min_{h_o^d} \{Var(\Pi)\} \\ s.t. \quad & I_1 = \chi_0 + \sum_{i=1}^s \chi_i I_{1-i} + \sum_{j=1}^k d_j O_{1-j} \\ & \Pi = (O_2 - (f_2^O - f_0^O)h_o^d) - I_1 q - m|h_o^d| \end{aligned} \quad (13)$$

The optimal ratio is then

$$h_o^d = \beta_1 \quad (14)$$

which is positive when selling output futures.  $h_o^d$  is the same as the one-side hedge solution.

The reason is that under demand-driving price links, input price at time 1 is associated with the time-0 price of output and its own. It follows that the only exposure a DO-firm facing is output price at time 2.

For a DI company with input futures available, its problem is

$$\begin{aligned} & \min_{h_i^d} \{Var(\Pi)\} \\ s.t. \quad & I_1 = \chi_0 + \sum_{i=1}^s \chi_i I_{1-i} + \sum_{j=1}^k d_j O_{1-j} \quad , \\ & \Pi = O_2 - (I_1 q - (f_1^I - f_0^I)h_i^d) - m|h_i^d| \end{aligned} \quad (15)$$

and the solution is

$$h_1^d = -\beta_2, \quad (16)$$

where  $h_1^d$  is the optimal input futures positions to buy and a positive  $h_1^d$  suggests to long input futures. With the presence of price transmissions, the adjusted minimizing-variance strategy for the DI firm is to cross hedge output price risks through shorting  $\beta_2$  input futures. This is because dynamics of input prices at time 1 are driven by output prices at time 0, making output exposure to be the problem to handle with.

### 2.3 Economic Setup and dynamic hedging policy

In this economy, the two-factor model of Gibson and Schwartz (1990), Schwartz (1997) and others is employed to describe price dynamics. The spot price  $S_t$  and convenience yield  $\delta_t$  are assumed to follow the joint diffusion processes

$$\begin{aligned} dS_t &= (\mu - \delta_t)S_t dt + \sigma_s S_t dZ_s \\ d\delta_t &= \kappa_\delta (\alpha_\delta - \delta_t) dt + \sigma_\delta dZ_\delta \end{aligned} \quad (17)$$

where the stochastic mean,  $\mu$ , convenience yield,  $\delta_t$ , and volatility  $\sigma_s$ , are deterministic parameters of  $S_t$ .  $\kappa_\delta$  is the speed adjustment parameter,  $\alpha_\delta$  is the average long run convenience yield,  $\sigma_\delta$  is the instantaneous volatility of the convenience yield processes.  $dZ_s$  and  $dZ_\delta$  are standard Wiener processes, and  $dZ_\delta = \rho_{s,\delta} dZ_s$ , where  $\rho_{s,\delta}$  is the correlation coefficient between the two processes.

For hedging horizon  $[0, T]$ , the dynamics for the futures price,  $F$ , is modeled as<sup>1</sup>

---

<sup>1</sup> See, e.g., Bjerk Sund (1991), Brennan and Crew (1995), Jamshidian and Fein (1990) and Schwartz (1997).

$$F_t = F(S_t, \delta_t, t) = S_t A(T-t) e^{r(T-t) - H_\delta(T-t)\delta_t}, \quad (18)$$

where  $r$  is the short-term risk-free rate,

$$A(T) = \exp \left[ \frac{\left( H_\delta(T) - T \right) \left( \kappa_\delta^2 \alpha_\delta - \kappa_\delta \lambda_\delta \sigma_\delta - \frac{1}{2} \sigma_\delta^2 + \rho_{s,\delta} \sigma_s \sigma_\delta \kappa_\delta \right)}{\kappa_\delta^2} - \frac{\sigma_\delta^2 H_\delta^2(T)}{4\kappa_\delta} \right], \quad (19)$$

$\lambda_\delta$  is the market price of risk for the convenience yield<sup>2</sup>, and  $H_\delta(T) = \frac{(1 - e^{-\kappa_\delta T})}{\kappa_\delta}$ .

The hedger chooses a direct minimum-variance hedging policy,  $\beta_1$ , as

$$\begin{aligned} \beta_1 &= \frac{\text{Cov}(S_t, F_t)}{\text{Var}(F_t)} \\ &= \frac{\text{Cov}\left(S_t, S_t A(T-t) e^{r(T-t) - H_\delta(T-t)\delta_t}\right)}{\left(A(T-t) e^{r(T-t)}\right)^2 \text{Var}\left(S_t e^{-H_\delta(T-t)\delta_t}\right)}. \end{aligned} \quad (20)$$

Substituting (18) into (20) yields

$$\begin{aligned} \beta_1 &= \frac{e^{-r(T-t) + \delta_0 e^{-\kappa_\delta t} + \alpha_\delta (1 - e^{-\kappa_\delta t})} \text{Cov}(e^{\ln w_t}, e^{\ln u_t})}{A(T-t) \text{Var}(e^{\ln u_t})} \\ &= \frac{e^{-r(T-t) + \delta_0 e^{-\kappa_\delta t} + \alpha_\delta (1 - e^{-\kappa_\delta t})} e^{\mu_w - \mu_u + \frac{1}{2}(\sigma_w^2 - \sigma_u^2)} (e^{\sigma_{wu}} - 1)}{A(T-t) (e^{\sigma_u^2} - 1)}, \end{aligned} \quad (21)$$

where  $u_t = S_t e^{-H_\delta(T-t)\delta_t}$  and  $w_t = S_t e^{\sigma_\delta e^{-\kappa_\delta t} \int_0^t \kappa_\delta \delta_v dz_\delta^*(v)}$ .  $\mu_u$  is the expectation of  $\ln u_t$ ,  $\sigma_u^2$  is the volatility of  $\ln u_t$ .  $\mu_w$  and  $\sigma_w^2$  are the expectation and volatility of  $\ln w_t$ , respectively.  $\sigma_{wu}$  represents covariance between  $\ln w_t$  and  $\ln u_t$ . The direct hedge,  $\beta_1$ , is comprised of the

<sup>2</sup> See Gibson and Schwartz (1990) and Schwartz (1997).

diffusion parameters of spot price  $S_t$ , convenience yield  $\delta_t$ , and futures price  $F_t$  (see Appendix A).

Following Bertus, Godbey and Hilliard (2009), we postulate the relationship between spot prices of asset with and without futures contracts (denoted by  $S_t$  and  $P_t$ , respectively) to be

$$P_t = S_t e^{c_t} \quad . \quad (22)$$

where  $c_t$  is the log spread. The spread is assumed to follow the dynamics

$$dc_t = \kappa_c (\alpha_c - c_t) dt + \sigma_c dZ_c \quad , \quad (23)$$

where  $\kappa_c$  is the speed adjustment parameter,  $\alpha_c$  is the average long run spread,  $\sigma_c$  is the instantaneous volatility,  $dZ_c = \rho_{s,c} dZ_s$  is the increment of a standard Winer process, and

$$dZ_\delta = \rho_{c,\delta} dZ_c \quad .$$

The cross-hedging ratio according to variance-minimizing criterion,  $\beta_2$ , is then

$$\begin{aligned} \beta_2 &= \frac{\text{Cov}\left(P_t, F_t\right)}{\text{Var}\left(F_t\right)} \\ &= \frac{\text{Cov}\left(S_t e^{c_t}, S_t A(T-t) e^{r(T-t) - H_\delta(T-t)\delta_t}\right)}{\left(A(T-t) e^{r(T-t)}\right)^2 \text{Var}\left(S_t e^{-H_\delta(T-t)\delta_t}\right)} \quad . \end{aligned} \quad (24)$$

Equivalently,

$$\begin{aligned} \beta_2 &= \frac{e^{-r(T-t) + c_0 e^{-\kappa_c t} + \alpha_c (1 - e^{-\kappa_c t})} \text{Cov}(y_t, x_t)}{A(T-t) \text{Var}(x_t)} \\ &= \frac{e^{-r(T-t) + c_0 e^{-\kappa_c t} + \alpha_c (1 - e^{-\kappa_c t})} e^{\mu_y - \mu_x + \frac{1}{2}(\sigma_y^2 - \sigma_x^2)} (e^{\sigma_{xy}} - 1)}{A(T-t) (e^{\sigma_x^2} - 1)} \quad . \end{aligned} \quad (25)$$

where  $x_t = S_t e^{-H\delta(T-t)\delta_t}$  and  $y_t = S_t e^{\sigma_c e^{-\kappa_c t} \int_0^t e^{-\kappa_c v} dz_c}$ .  $\mu_x$  is the expectation of  $\ln x_t$ ,  $\sigma_x^2$  is the volatility of  $\ln x_t$ .  $\mu_y$  and  $\sigma_y^2$  are the expectation and volatility of  $\ln y_t$ , respectively.  $\sigma_{xy}$  stands for covariance between  $\ln y_t$  and  $\ln x_t$ . The cross hedging ratio,  $\beta_2$ , is comprised of parameters in the dynamics of spot price  $S_t$ , convenience yield  $\delta_t$ , futures price  $F_t$  and of the spread  $c_t$  (see Appendix B).

### 3. Comparisons of Hedging Models

This section aims to compare performance between the one-sided and two-sided hedges in incomplete markets. More specific, we consider a hypothetical firm that uses light sweet crude oil to produce jet fuel. The firm intends to reduce price exposures with a futures contract on light sweet crude oil (the input).

#### 3.1 Data

The data used to test the models consist of weekly observations in the period from April 4, 1990 to August 16, 2015. Two futures contracts for light sweet crude oil for delivery to Cushing, OK, spot prices for New York Harbor jet fuel, and spot price for light sweet crude oil are obtained from the Energy Information Administration. The price data used are described in Table 1. F1 is the contract closest to maturity and F3 is the third contract closest to maturity. Since the contracts have a fixed maturity date, the time to maturity changes as time grows.

[Table 1 is about here]

#### 3.2 Parameter Estimation for the two-factor model

Following the general procedure of Schwartz (1997), we use the Kalman filtering methodology to obtain the parameter estimation for the two-factor diffusion model. The estimation uses contracts F1 and F3. The time to maturity of nearby futures contract is denoted by  $T_1$ . Subsequent contracts are represented in a similar manner.  $P_t$  is the price for jet fuel. By writing the joint diffusion of the two-factor model in state space form, we have the measurement equation to be (Bertus, Godbey and Hilliard 2009):

$$y_t = Z_t \alpha_t + d_t + \eta_t, t = 1, \dots, T \quad (26)$$

where

$$y_t = \ln[\ln(F1_t), \ln(F3_t), P_t]'$$

$$Z_t = \begin{bmatrix} 1 & -H(T_1) & 0 \\ 1 & -H(T_3) & 0 \\ 1 & 0 & 1 \end{bmatrix}$$

$$d_t = \begin{bmatrix} \ln(A(T_1)) + rT_1 & \ln(A(T_3)) + rT_3 & 0 \end{bmatrix}'$$

$$\alpha_t = \begin{bmatrix} \ln(S_t) & \delta_t & c_t \end{bmatrix}'$$

$\eta_t$  is a  $3 \times 1$  vector of serially uncorrelated disturbances with  $E(\eta_t) = 0$  and  $\text{var}(\eta_t) = H_t$ .

Parameter estimations are given in Table 2.

[Table 2 is about here]

### 3.3 Estimation of PT Parameters

Estimation based on a vector autoregression (VAR) model is used to describe the PT mechanism for this jet fuel producer since VAR model is designed for analyzing multivariate time series and has the structure that each variable is a linear function of past lags of itself and past lags of the other variables. Specifically, we use the following VAR model to estimate the direction and magnitude of PT:

$$I_t = \chi_0 + \chi_1 I_{t-1} + d_1 O_{t-1} + \varepsilon_{1t} \quad (27)$$

$$O_t = \theta_0 + b_1 I_{t-1} + \theta_1 O_{t-1} + \varepsilon_{2t} \quad (28)$$

where  $I_t$  is the log spot price of input, or the log spot price of the light sweet crude oil; and  $O_t$  stands for the log spot price of output, i.e., the price of jet fuel.  $\varepsilon_{1t}$  and  $\varepsilon_{2t}$  are error terms. All price time series pass the integration test.

[Table 3 is about here]

Estimation results for the VAR model is reported in Table 3. As is shown, PT parameter estimates in both equations are statistically significant, suggesting that the evolution of output (input) price statistically depends on its own lags and the lags of the input (output) price. These results capture the linear interdependencies among input and output price series and therefore

indicate the existence of price transmission.

The identification of the direction of PT mechanism is based on the sign of  $b_1(d_1)$ , which estimates the impact of current output (input) price on the future input (output) price. The positive effect of lagged input price on output price ( $b_1$ ) suggests that the change in output price is driven by the fluctuation of lagged input price, since increases in current input price could result in increase in the next-period output price. The estimate of  $d_1$ , however, is negative, indicating that when current output price increases, future input price tends to decrease. Thus, the direction of PT for this jet fuel producer is *cost driving* in the sense that current output price is *positively* affected by lagged input price. Since the available futures contracts are only written on the input (futures for light sweet crude oil), we categorize the hedging problem of the jet fuel produce as CI case, i.e., cost-driving PT with input futures contracts.

### 3.4 Comparisons of hedging policy and hedging effectiveness

Based on the parameter values reported in Table 2 and Table 3, we compute the direct and cross hedging ratio  $\beta_1$  and  $\beta_2$ . The optimal two-sided hedge policy for the CI firm,  $h_1^c$ , is then calculated via equation (11). Since the CI firm only has available futures contracts for inputs, its one-sided hedge policy is

$$h_{1,one-sided}^c = q\beta_1, \quad (29)$$

and positive  $h_{1,one-sided}^c$  corresponds to long positions. The effectiveness of the two-sided model,

$Eff_{two}^c$ , is calculated as  $Eff_{two}^c = -(\text{var}(\Pi_{two}) - \text{var}(\Pi_{unhedged}))$  and the effectiveness of the

one-sided model is  $Eff_{one}^c = -(\text{var}(\Pi_{one}) - \text{var}(\Pi_{unhedged}))$ , where  $\Pi_{one}$ ,  $\Pi_{two}$ , and  $\Pi_{unhedged}$

stand for profits under one-sided model, two-sided model and unhedged positions, respectively.

[Table 4 is about here]

Table 4 gives the results for the comparison. We report hedging policy and hedging effectiveness for each model under four horizons from 4 weeks up to two years. The hedges are not adjusted during the horizon. Panel A depicts results from matching horizons. Since the last trading day for crude oil futures is the third business day prior to the 25<sup>th</sup> calendar day of the month preceding the delivery month, it almost impossible for the maturity of the futures contract for crude oil to match the jet fuel hedging horizon  $t \neq T$ . We follow Bertus, Godbey and Hilliard (2009) and assume that the hedge expires two weeks before the maturity of futures



contracts. We report the results for the unmatched case in Panel B.

When horizons are matched as in Panel A, the two-sided hedging policy ranges from 0.1599 (two years) to 86.4184 (4 weeks), and is greater than policy of the one-sided model in each case. The effectiveness of the two-sided model ranges from 0.0013 (two years) to 15.5523 (4 weeks); while the one-sided effectiveness ranges from 0.0011 (two years) to 12.3592 (4 weeks). For every horizon, the two-sided model outperforms the traditional one-sided model.

Comparison results changes little when futures expiration is two weeks longer than the hedging horizon. The effectiveness of two-sided model in Panel B ranges from 0.0012 to 9.3698, compared to 0.0001 to 7.4074 matching horizons in Panel A. Similar to Panel A, the two-sided model has greater effectiveness than the one-sided hedging technique for all horizons in Panel B.

#### **4. Conclusions**

Firms are looking for improved methods to more efficiently hedge risks that are uncorrelated with fundamental cash flows. By directly accounting for price transmission between the input and the output, this paper develops an incomplete-market hedging strategy through which a firm may minimize both input and output price fluctuations through usable input/output futures. This strategy is conditional on the direction and magnitude of price transactions between raw materials and products, as well as on the availability of futures market. The optimal hedge ratio is the weighted average of the classic minimizing strategy of direct hedging ratio, and the cross hedging policy.

Using data for crude oil futures and jet fuel spot prices, we compare hedging ratios and performance between a traditional one-sided hedge and a two-sided strategy. These dynamic hedging strategies include stochastic convenience yields and a mean-reverting spread. We find that the two-sided model results in a more effective hedge. These findings thus suggest that jet fuel producers may reduce more profit fluctuations by using a hedging model that directly accounts for movements of both the input and output prices. Meanwhile, since price transmission is evidenced over many supply chains, the two-sided hedging policy we proposed could be employed by many firms in multiple industries in their incomplete-market risk management applications.

#### **References**

Alizadeh AH, Nomikos NK, Pouliasis PK. A Markov regime switching approach for hedging

- energy commodities. *Journal of Banking & Finance*. 2008 Sep 30;32(9):1970-83.
- Bakshi G, Cao C, Chen Z. Empirical performance of alternative option pricing models. *The Journal of finance*. 1997 Dec 1;52(5):2003-49.
- Basak, S., & Chabakauri, G. (2012). Dynamic hedging in incomplete markets: a simple solution. *Review of financial studies*, forthcoming.
- Bertus M, Godbey J, Hilliard JE. Minimum variance cross hedging under mean-reverting spreads, stochastic convenience yields, and jumps: Application to the airline industry. *Journal of Futures Markets*. 2009 Aug 1;29(8):736-56.
- Brandt MW. Hedging demands in hedging contingent claims. *Review of Economics and Statistics*. 2003 Feb;85(1):119-40.
- Choudhry T. Short-run deviations and optimal hedge ratio: evidence from stock futures. *Journal of Multinational Financial Management*. 2003 Apr 30;13(2):171-92.
- Cvitanic J, Zapatero F. *Introduction to the economics and mathematics of financial markets*. MIT press; 2004.
- Duffie D. *Futures markets*. Prentice Hall; 1989.
- Ederington LH. The hedging performance of the new futures markets. *The Journal of Finance*. 1979 Mar 1;34(1):157-70.
- Fok RC, Carroll C, Chiou MC. Determinants of corporate hedging and derivatives: A revisit. *Journal of Economics and Business*. 1997 Dec 31;49(6):569-85.
- Godbey JM, Hilliard JE. Adjusting stacked-hedge ratios for stochastic convenience yield: a minimum variance approach. *Quantitative Finance*. 2007 Jun 1;7(3):289-300.
- Goodwin BK, Holt MT. Price transmission and asymmetric adjustment in the US beef sector. *American Journal of Agricultural Economics*. 1999 Aug 1;81(3):630-7.
- Gibson R, Schwartz ES. Stochastic convenience yield and the pricing of oil contingent claims. *The Journal of Finance*. 1990 Jul 1;45(3):959-76.
- He C, Kennedy JS, Coleman TF, Forsyth PA, Li Y, Vetzal KR. Calibration and hedging under jump diffusion. *Review of Derivatives Research*. 2006 Jan 1;9(1):1-35.
- Hull JC. *Options, Futures and Other Derivatives (Seventh Edition)*; 2008.
- McDonald RL, Cassano M, Fahlenbrach R. *Derivatives markets*. Boston: Addison-Wesley; 2006.
- Schwartz ES. The stochastic behavior of commodity prices: Implications for valuation and hedging. *The Journal of Finance*. 1997 Jul 1;52(3):923-73.
- Schwartz E, Smith JE. Short-term variations and long-term dynamics in commodity prices. *Management Science*. 2000 Jul;46(7):893-911.
- Stulz RM, *Risk Management and Derivatives*, First Edition, South Western College Publishing, 2003.
- Cramon-Taubadel SV. Estimating asymmetric price transmission with the error correction representation: An application to the German pork market. *European review of agricultural economics*. 1998 Jan 1;25(1):1-8.

Wilson WW. Price discovery and hedging in the sunflower market. *Journal of Futures Markets*.  
1989 Oct 1;9(5):377-91.

## Appendix A -- Solution of hedging policy $h_o^c$

The problem a CI firm with cost-driving PT and input futures market is

$$\begin{aligned} & \min_{h_o^c} \{ \text{Var}(\Pi) \} \\ \text{s.t.} \quad & O_2 = \theta_0 + \sum_{i=1}^p \theta_i O_{2-i} + \sum_{j=1}^q b_j I_{2-j} \\ & \Pi = (O_2 - (f_2^o - f_0^o)h_o^c) - I_1 q - m |h_o^c| \end{aligned} \quad (A1)$$

The variance of profits  $\Pi$  thus is

$$\begin{aligned} \text{Var}(\Pi) = & \theta_1^2 \text{Var}(O) + h_o^{c2} \text{Var}(f^o) + (b_1 - q)^2 \text{Var}(I_1) \\ & + \theta_1 h_o^c \text{Cov}(O, f^o) + \theta_1 (b_1 - q) \text{Cov}(O, I) + h_o^c (b_1 - q) \text{Cov}(f^o, I) \end{aligned} \quad (A2)$$

Solving (A1) yield

$$h_o^c = \theta_1 \frac{\text{cov}(O, f^o)}{\text{var}(f^o)} - (q - b_1) \frac{\text{cov}(I, f^o)}{\text{var}(f^o)} \quad (A3)$$

Defining  $\beta_1 = \frac{\text{cov}(O, f^o)}{\text{var}(f^o)}$  and  $\beta_2 = \frac{\text{cov}(I, f^o)}{\text{var}(f^o)}$ , we have (9). Solutions to  $h_i^c$ ,  $h_o^d$ , and  $h_i^d$  can be derived via similar procedures.

## Appendix B -- Solution to $\beta_1$

The hedger chooses a direct minimum-variance hedging policy,  $\beta_1$ , as

$$\begin{aligned} \beta_1 = & \frac{\text{Cov}(S_t, F_t)}{\text{Var}(F_t)} \\ = & \frac{\text{Cov}\left(S_t, S_t A(T-t) e^{r(T-t) - H_\delta(T-t)\delta_t}\right)}{\left(A(T-t) e^{r(T-t)}\right)^2 \text{Var}\left(S_t e^{-H_\delta(T-t)\delta_t}\right)} \end{aligned} \quad (A4)$$

or

$$\begin{aligned}\beta_1 &= \frac{e^{-r(T-t)+\delta_0 e^{-\kappa\delta t}+\alpha_\delta(1-e^{-\kappa\delta t})} \text{Cov}(e^{\ln w_t}, e^{\ln u_t})}{A(T-t) \text{Var}(e^{\ln u_t})} \\ &= \frac{e^{-r(T-t)+\delta_0 e^{-\kappa\delta t}+\alpha_\delta(1-e^{-\kappa\delta t})} e^{\mu_w-\mu_u+\frac{1}{2}(\sigma_w^2-\sigma_u^2)} (e^{\sigma_{wu}}-1)}{A(T-t)(e^{\sigma_u^2}-1)},\end{aligned}\quad (\text{A5})$$

where  $u_t = S_t e^{-H_\delta(T-t)\delta t}$  and  $w_t = S_t e^{\sigma_\delta e^{-\kappa\delta t} \delta_0 e^{\kappa\delta t} \alpha_\delta^2 \delta(t)}$ . Gibson and Schwartz (1990) and Schwartz (1997), among others, have shown that the expectation of  $\ln u_t$ ,  $\mu_u$  is

$$\begin{aligned}\mu_u &\equiv E[\ln u_t] = E[\ln S_t] - \int_0^t (\delta_0 e^{-\kappa\delta t} + \alpha_\delta(1-e^{-\kappa\delta t})) dt + H_\delta(T-t)E(\delta_t) \\ &= \ln S_0 + \left(\mu - \frac{1}{2}\sigma_s^2\right)t - H_\delta(t)(\alpha_\delta - \delta_0)\delta - \alpha_\delta t \\ &\quad - H_\delta(T-t)(\delta_0 e^{-\kappa\delta t} + H_\delta(t)\alpha_\delta \kappa_\delta)\end{aligned}, \quad (\text{A6})$$

and the volatility of  $\ln u_t$ ,  $\sigma_u^2$  is

$$\begin{aligned}\sigma_u^2 &\equiv \text{Var}[\ln u_t] \\ &= \text{Var}[\ln S_t] + H_\delta^2(T-t) \left( \frac{\sigma_\delta^2}{2\kappa_\delta} (1-e^{-2\kappa_\delta t}) \right) \\ &\quad - 2H_\delta(T-t) \left( \rho_{s,\delta} \sigma_\delta \sigma_s H_\delta(t) - \frac{1}{2}\sigma_\delta^2 H_\delta^2(t) \right)\end{aligned}, \quad (\text{A7})$$

where

$$\text{Var}[\ln S_t] = -\left(H_\delta(t)-t\right) \frac{\sigma_\delta^2}{\kappa_\delta^2} - \left(\frac{\sigma_\delta^2}{2\kappa_\delta} H_\delta^2(t)\right) + \sigma_s^2 t + 2 \frac{\rho_{s,\delta} \sigma_s \sigma_\delta}{\kappa_\delta} (H_\delta(t)-t) \quad (\text{A8})$$

The expectation of  $\ln w_t$ ,  $\mu_w$ , is

$$\begin{aligned}
\mu_w &\equiv E[\ln w_t] \\
&= \ln S_0 + \left( \mu - \frac{1}{2} \sigma_s^2 \right) t + H_\delta(t) (\alpha_\delta - \delta_0) - \alpha_\delta t \quad , \quad (A9)
\end{aligned}$$

and its variance  $\sigma_w^2$  , is

$$\begin{aligned}
\sigma_w^2 &\equiv \text{Var}[\ln w_t] \\
&= \text{Var}[\ln S_t] + \sigma_\delta^2 \left( \frac{1 - e^{-2\kappa_\delta t}}{2\kappa_\delta} \right) \cdot \\
&\quad - \sigma_\delta^2 H_\delta^2(t) + 2\rho_{s,\delta} \sigma_s \sigma_\delta H_\delta(t) \quad . \quad (A10)
\end{aligned}$$

Covariance between  $u_t$  and  $w_t$ ,  $\sigma_{uw}$  , is

$$\begin{aligned}
\sigma_{uw} &\equiv \text{Cov}(\ln u_t, \ln w_t) \\
&= \text{Var}[\ln S_t] - \frac{1}{2} \sigma_\delta^2 H_\delta^2(t) \\
&\quad - H_\delta(T-t) \left( \rho_{s,\delta} \sigma_s \sigma_\delta H_\delta(t) - \frac{1}{2} \sigma_\delta^2 H_\delta^2(t) \right) \cdot \quad (A11) \\
&\quad + \rho_{s,\delta} \sigma_s \sigma_\delta H_\delta(t) \\
&\quad - H_\delta(T-t) \sigma_\delta^2 \left( \frac{1 - e^{-2\kappa_\delta t}}{2\kappa_\delta} \right)
\end{aligned}$$

Plugging (A6)-(A11) into (21) yields  $\beta_1$ .

## Appendix B -- Solution to $\beta_2$

The cross-hedging ratio according to variance-minimizing criterion,  $\beta_2$ , is

$$\begin{aligned}
\beta_2 &= \frac{\text{Cov}(P_t, F_t)}{\text{Var}(F_t)} \\
&= \frac{\text{Cov}\left( S_t e^{\epsilon_t}, S_t A(T-t) e^{r(T-t) - H_\delta(T-t)\delta_t} \right)}{\left( A(T-t) e^{r(T-t)} \right)^2 \text{Var}\left( S_t e^{-H_\delta(T-t)\delta_t} \right)} \quad , \quad (A12)
\end{aligned}$$

or,

$$\begin{aligned}\beta_2 &= \frac{e^{-r(T-t)+c_0e^{-\kappa_c t}+\alpha_c(1-e^{-\kappa_c t})} \text{Cov}(y_t, x_t)}{A(T-t) \text{Var}(x_t)} \\ &= \frac{e^{-r(T-t)+c_0e^{-\kappa_c t}+\alpha_c(1-e^{-\kappa_c t})} e^{\mu_y - \mu_x + \frac{1}{2}(\sigma_y^2 - \sigma_x^2)} (e^{\sigma_{xy}} - 1)}{A(T-t)(e^{\sigma_x^2} - 1)}.\end{aligned}\quad (\text{A13})$$

where  $x_t = S_t e^{-H_\delta(T-t)\delta_t}$  and  $y_t = S_t e^{\sigma_c \int_0^t e^{-\kappa_c v} dz_c}$ . Bertus, Godbey and Hilliard (2009) show that the expectation and volatility of  $\ln x_t$  and  $\ln y_t$  are

$$\begin{aligned}\mu_x &\equiv E[\ln x_t] = \ln S_0 + \left( \mu - \frac{1}{2} \sigma_s^2 \right) t - H_\delta(t) (\alpha_\delta - \delta_0) \delta - \alpha_\delta t \\ &\quad - H_\delta(T-t) (\delta_0 e^{-\kappa_\delta t} + H_\delta(t) \alpha_\delta \kappa_\delta) \\ \sigma_x^2 &\equiv \text{Var}[\ln x_t] \\ &= \text{Var}[\ln S_t] + H_c^2(T-t) \left( \frac{\sigma_\delta^2}{2\kappa_\delta} (1 - e^{-2\kappa_\delta t}) \right) \\ &\quad - 2H_c(T-t) \left( \rho_{s,\delta} \sigma_\delta \sigma_s H_\delta(t) - \frac{1}{2} \sigma_\delta^2 H_\delta^2(t) \right), \quad (\text{A14}) \\ \mu_y &\equiv E[\ln y_t] = \ln S_0 + \left( \mu - \frac{1}{2} \sigma_s^2 \right) t + H_\delta(t) (\alpha_\delta - \delta_0) - \alpha_\delta t \\ \sigma_y^2 &\equiv \text{Var}[\ln y_t] = \text{Var}[\ln S_t] + \sigma_c^2 \left( \frac{1 - e^{-2\kappa_c t}}{2\kappa_c} \right) \\ &\quad + 2 \left( \frac{\sigma_s \sigma_c \rho_{\delta c}}{\kappa_\delta + \kappa_c} (H_\delta(t) e^{-\kappa_c t} - H_c(t)) + \rho_{sc} \sigma_s \sigma_c H_c(t) \right)\end{aligned}$$

where  $H_c(t) = (1 - e^{-\kappa_c t}) / \kappa_c$ . Covariance between  $\ln x_t$  and  $\ln y_t$  is

$$\begin{aligned}
\sigma_{x,y} \equiv \text{Cov}[\ln x_t, \ln y_t] &= \text{Var}[\ln S_t] \\
&+ \frac{\rho_{c,\delta} \sigma_c \sigma_\delta}{\kappa_c + \kappa_\delta} (H_\delta(t) e^{-\kappa_c t} - H_c(t)) \\
&- H_c(T-t) \left[ \rho_{s\delta} \sigma_\delta \sigma_s H_\delta(t) - \frac{1}{2} \sigma_\delta^2 H_\delta^2(t) \right]. \quad (\text{A15}) \\
&+ \rho_{s,c} \sigma_s \sigma_c \frac{1 - e^{-\kappa_c t}}{\kappa_c} \\
&- H_c(T-t) \left( \rho_{c\delta} \sigma_\delta \sigma_c \left( \frac{1 - e^{-t(\kappa_\delta + \kappa_c)}}{\kappa_\delta + \kappa_c} \right) \right)
\end{aligned}$$

Plugging (A14)-(A15) into (25) yields  $\beta_2$ .



**Table 1 Futures and Spot Price Data**

	<b>Mean Price (Standard Error)</b>	<b>Mean Maturity (Standard Error)</b>
Futures Contract: F1	47.15 (0.868)	0.042 (0.245) years
Futures Contract: F3	47.33 (0.876)	0.209 (0.248)
Jet fuel	1.37 (0.027)	
Light Sweet Crude Oil	47.15 (0.868)	

*Note.* This table presents data description. The data consist of weekly observations in the period from April 4, 1990 to August 16, 2015, including two futures contracts for light sweet crude oil for delivery to Cushing, OK (F1 and F3, where F1 is the contract closest to maturity and F3 is the third contract closest to maturity.), spot prices for New York Harbor jet fuel, and spot price for light sweet crude oil. All data are obtained from the Energy Information Administration.

**Table 2 Parameter Estimates For The Two-Factor Diffusion Model**

<b>Parameter</b>	<b>Estimates</b>
$\alpha_\delta$	0.5031
$\kappa_\delta$	1.0427
$\sigma_\delta$	0.2681
$\sigma_s$	0.5040
$\rho_{s\delta}$	0.1500
$\lambda_\delta$	0.4893
$\alpha_c$	0.4997
$\kappa_c$	4.0238
$\sigma_c$	0.4825
$\rho_{sc}$	0.5322
$\rho_{c\delta}$	0.3987

*Note.* This table presents the Kalman filter parameter estimates for the two-factor diffusion model. Parameters are estimated using weekly data from April 4, 1990 to August 16, 2015. Futures prices for light sweet crude oil for delivery to Cushing, OK, and spot prices for New York Harbor jet fuel are obtained from the Energy Information Administration.

**Table 3 Estimation Results for the PT Mechanism**

Parameter	Estimate (Std. Error)
Equation: $I_t = \chi_0 + \chi_1 I_{t-1} + d_1 O_{t-1} + \varepsilon_{1t}$	
$\chi_1$	1.2778*** (0.2468)
$d_1$	-1.3185*** (0.2346)
$\chi_0$	-0.9171 (0.8797)
Adjusted R-squared	0.03195
Equation: $O_t = \theta_0 + b_1 I_{t-1} + \theta_1 O_{t-1} + \varepsilon_{2t}$	
$b_1$	1.2443*** (0.2609)
$\theta_1$	-1.2565*** (0.2480)
$\theta_0$	-4.3598*** (0.9300)
Adjusted R-squared	0.02201
Num. of Observations	1306

*Note.* This table presents the parameter estimation for the PT mechanism. We use the vector autoregression (VAR) model to describe interdependencies between input and output price time series. The VAR model has the following structure:

$$\begin{aligned} I_t &= \chi_0 + \chi_1 I_{t-1} + d_1 O_{t-1} + \varepsilon_{1t} \\ O_t &= \theta_0 + b_1 I_{t-1} + \theta_1 O_{t-1} + \varepsilon_{2t} \end{aligned}$$

where  $I_t$  is the log spot price of input, or the log spot price of the light sweet crude oil; and  $O_t$  stands for the log spot price of output, i.e., the price of jet fuel.  $\varepsilon_{1t}$  and  $\varepsilon_{2t}$  are error terms. All price time series pass the integration test. Significance codes: <0.0001 '\*\*\*', 0.01 '\*\*', 0.1 '\*'.

**Table 4 Comparisons of Hedging Models**

Horizon	Hedging Policy		Effectiveness	
<i>Panel A: Futures expiration matches hedging horizon</i>				
	Two-sided	One-sided	Two-sided	One-sided
4 weeks	86.4184	47.2607	15.5523	12.3592
13 weeks	20.9923	11.3716	2.8846	2.2787
26 weeks	7.1514	3.8739	0.6653	0.5256
One year	1.0408	1.6443	0.8907	0.0701
Two years	0.1599	0.0866	0.0013	0.0011
<i>Panel B: Futures expiration is two weeks longer than hedging horizon</i>				
	Two-sided	One-sided	Two-sided	One-sided
4 weeks	55.2736	29.9775	9.3698	7.4074
13 weeks	17.1626	9.2970	2.2210	1.7545
26 weeks	6.2567	3.3893	0.5482	0.4331
One year	1.4914	0.8079	0.0599	0.0473
Two years	0.1478	0.0800	0.0012	0.0001

*Note.* This table presents the hedging performance for the one-sided and two-sided model. We report hedging policy and hedging effectiveness for each model under four horizons from 4 weeks up to two years. The hedges are not adjusted during the horizon. The optimal two-sided hedge policy for the CI firm is  $h_t^c = (q - b_1)\beta_1 - \theta_1\beta_2$  and

the one-sided hedge policy is  $h_{t,one-sided}^c = q\beta_1$ . Effectiveness of the two-sided and one-sided model are

$$Eff_{two}^c = -\left(\text{var}(\Pi_{two}) - \text{var}(\Pi_{unhedged})\right) \text{ and } Eff_{one}^c = -\left(\text{var}(\Pi_{one}) - \text{var}(\Pi_{unhedged})\right), \text{ respectively. } \Pi_{one}, \Pi_{two}, \text{ and}$$

$\Pi_{unhedged}$  stand for profits under one-sided model, two-sided model and unhedged positions, respectively.